THIS BOOK
MUST NOT BE REMOVED
FROM THE LIBRARY

University of London


605943

Digitized by the Internet Archive
in 2026

https://archive.org/details/reportsfromcommi0019grea

REPORTS

FROM

COMMISSIONERS:

TWENTY-TWO VOLUMES.

—*(3.)*—

BIRTHS, DEATHS, AND MARRIAGES (ENGLAND);

BIRTHS, DEATHS, AND MARRIAGES (SCOTLAND).

Session

1 *February* — 10 *August* 1866.

VOL. XIX.

REPORTS FROM COMMISSIONERS:

1866.

TWENTY-TWO VOLUMES:—CONTENTS OF THE

THIRD VOLUME.

N. B.—*THE* Figures *at the* beginning of the line, *correspond with the* N° *at the ot of each* Report; *and the* Figures *at the* end of the line, *refer to the* MS. Paging *the Volumes arranged for The House of Commons.*

BIRTHS, DEATHS, AND MARRIAGES (ENGLAND):

12.] TWENTY-SEVENTH ANNUAL REPORT of the REGISTRAR GENERAL of BIRTHS, DEATHS, and MARRIAGES in *England*, p. 1

BIRTHS, DEATHS, AND MARRIAGES (SCOTLAND):

19.] ELEVENTH ANNUAL REPORT of the REGISTRAR GENERAL on the BIRTHS, DEATHS, and MARRIAGES Registered in *Scotland* during the Year 1865; and FIRST ANNUAL REPORT on VACCINATION for the previous Year - - - - - - 317

93.] EIGHTH DETAILED ANNUAL REPORT of the REGISTRAR GENERAL of BIRTHS, DEATHS, and MARRIAGES in *Scotland* 365

TWENTY-SEVENTH

ANNUAL REPORT

OF THE

REGISTRAR-GENERAL

OF

BIRTHS, DEATHS, AND MARRIAGES

IN ENGLAND.

Presented to both Houses of Parliament by Command of Her Majesty.

REFORM CLUB
PALL MALL

LONDON:
PRINTED BY GEORGE E. EYRE AND WILLIAM SPOTTISWOODE,
PRINTERS TO THE QUEEN'S MOST EXCELLENT MAJESTY.
FOR HER MAJESTY'S STATIONERY OFFICE.

14060. 1866.

CONTENTS.

PAGE

REPORT :—

MARRIAGES, BIRTHS, and DEATHS; their NUMBERS and PROPORTIONS to the POPULATION, and the NUMBER of EMIGRANTS, during the YEAR 1864 . . . . . i–ii

MARRIAGE CEREMONY in ENGLAND. NUMBER of MARRIAGES celebrated *according* and ***not*** *according* to the RITES of the ESTABLISHED CHURCH. (Table III. *See also* p. xiv.) . . . . . ii–iii

MARRIAGES by SUPERINTENDENT REGISTRARS' LICENCE. PROPORTIONAL NUMBER of MARRIAGES by LICENCE and OTHERWISE. (Tables VIII *a*, VIII *b*.) iv

MARRIAGES in SUPERINTENDENT REGISTRARS' OFFICE . . . v

PROPORTIONAL NUMBER, (1) of MARRIAGES, (2) of PERSONS who SIGNED their NAMES, (3) of PERSONS NOT of FULL AGE, and (4) of RE-MARRIAGES, in each County in 1864. (Table VI.) . . vi

MARRIAGES in SCOTLAND . . . . . vii–x

BUILDINGS REGISTERED for the SOLEMNIZATION of MARRIAGES . . ix

DEAR MARRIAGES and CHEAP MARRIAGES. (Table VIII *a*.) . . x–xii

PROPORTION of MARRIAGES by LICENCE to PERSONS LIVING in HOUSES of the RENT of 20*l*. and upwards, and of MARRIAGES by BANNS and CERTIFICATE to PERSONS LIVING in HOUSES of RENTS UNDER 20*l*. (Table IV.) . . . . . xiii–xiv

MARRIAGES in the UNITED KINGDOM, MARRIAGES of ROMAN CATHOLICS xiv–xv

MARRIAGE SEASONS . . . . . xiv–xv

RE-MARRIAGES . . . . . xv–xvi

MINORS, SIGNATURE of MARRIAGE REGISTERS in SCOTLAND and in ENGLAND . . . . . xvi–xviii

EDUCATION in ENGLAND and SCOTLAND compared . . . . xviii–xix

BIRTHS to a MARRIAGE in ENGLAND and in SCOTLAND . . . xx–xxi

COMPARATIVE FECUNDITY of ENGLISH and SCOTCH WOMEN; LAW of MARRIAGE in SCOTLAND, LEGITIMATION of CHILDREN BORN OUT of WEDLOCK . . . . . xxi–xxiv

BIRTHS in 1864. Birth-rate; Sex; Seasons; Children born *out of* Wedlock . . . . . xxiv–xxviii

DEATHS in 1864. Death-rate; Sex; Locality; Deaths of Males and Females at different Ages; Seasons; Meteorology . . xxviii–xxxiv

GREAT BRITAIN; POPULATION, MARRIAGES, BIRTHS, and DEATHS xxxv–xxxvi

FRANCE, AUSTRIA, ITALY, and SPAIN; Population, Marriages, Births, and Deaths . . . . . xxxvi–xxxix

DEATHS in the BRITISH ARMY at HOME and ABROAD . . . xl–xli

BIRTHS and DEATHS of BRITISH SUBJECTS at SEA; MORTALITY of MERCHANT SEAMEN xli

PROGRESS of REGISTRATION. Aggregate Number of NAMES on the REGISTERS, and the annual Number of SEARCHES for REGISTERS at the CENTRAL OFFICE . . . . . xlii–xliii

SUMMARY of the QUARTERLY REPORTS, 1864 :—

FIRST QUARTER, ending March 31st . . . . . xliv–xlvii

SECOND QUARTER, ending June 30th . . . . . xlvii–li

THIRD QUARTER, ending September 30th . . . . lii–lix

FOURTH QUARTER, ending December 31st . . . . lx–lxiv

HEALTH of LONDON in 1864 . . . . . lxiv–lxviii

POPULATION and LOGARITHMS of the POPULATION of the UNITED KINGDOM, estimated to the middle of the Years 1801, 1811, 1821, 1831, 1841, 1851, 1861, and 1866, *including* the Army, Navy, and Merchant Seamen abroad and belonging thereto lxix

ESTIMATED POPULATION of the UNITED KINGDOM at Home, distinguishing ENGLAND and WALES, SCOTLAND and IRELAND, in each of the Years 1801–1866 . . . . . lxx–lxxi

CONTENTS.

PAGE

ABSTRACTS:—

MARRIAGES Registered in England in each of the Divisions, Counties, and Districts in 1864; distinguishing those according and those *not* according to the Rites of the Established Church; and distinguishing also Persons married according to their conjugal Condition, Minority, and Signature of the Register by marks 2–25

AGES of 234,880 Persons married in 1864, distinguishing those of Bachelors, Spinsters, Widowers, Widows . . 26–27

MARRIAGES, BIRTHS, and DEATHS Registered in each of the Divisions, Counties, and Districts in 1864; also BIRTHS and DEATHS and EXCESS of BIRTHS over DEATHS in each of the Sub-districts of England; distinguishing the Sexes and Illegitimate Births throughout 28–82

DEATHS in 1864 in the principal Public Institutions in London . . 83–84

BIRTHS Registered in the DIVISIONS and COUNTIES (distinguishing Males and Females) in each of the Four Quarters of 1864 . . . 86–89

BIRTHS of Children born out of Wedlock Registered in the DIVISIONS and COUNTIES (distinguishing Males and Females) in each of the Four Quarters of 1864 90–93

DEATHS Registered in each of the Four Quarters of 1864 (distinguishing Males and Females), in DIVISIONS and COUNTIES . . . 94–97

DEATHS of Males and Females at different AGES Registered in 1864 in DIVISIONS, COUNTIES, and DISTRICTS 98–119

CAUSES of DEATH of Males and Females in ENGLAND, at different Periods of Life, in 1864 120–125

SUPPLEMENTARY TABLE of CAUSES of DEATH of Males and Females, at different Periods of Life, in 1864 126–129

CAUSES of DEATH of Males and Females in LONDON, at different Periods of Life, in 1864 130–135

CAUSES of DEATH of Males and Females in ENGLAND, and in each of the DIVISIONS and COUNTIES, in 1864 136–159

DEATHS from SEVERAL CAUSES in 1864, in the DIVISIONS, COUNTIES, and DISTRICTS of ENGLAND 160–171

CHANGES in the CONSTITUTION of DISTRICTS during 1864 172

APPENDIX.

LETTER TO THE REGISTRAR-GENERAL ON THE CAUSES OF DEATH IN ENGLAND IN 1864, by WILLIAM FARR, ESQ., M.D., D.C.L., F.R.S.:—

I. REGISTRATION of DEATHS in ENGLAND—Suggestions for an improved System 175–191

II. CAUSES of DEATH, in FIVE CLASSES 191–193

TABLES I. to XXI. 194–208

INDEX of DISTRICTS, SUB-DISTRICTS, and of certain TOWNS, referring by Numbers to the several TABLES of ABSTRACTS 209–223

ALPHABETICAL INDEX to REPORT and APPENDIX 224–233

ALPHABETICAL INDEX to TABLES and ABSTRACTS in REPORT and APPENDIX 234–239

PALL MALL

REPORT

TO

The Right Honourable Sir GEORGE GREY, Bart., G.C.B., M.P., Her Majesty's Principal Secretary of State for the Home Department, &c. &c. &c.

General Register Office, Somerset House,
30th April 1866.

SIR,

I HAVE the honour to submit to you my Annual Report for the year 1864.

360,774 persons married, 740,275 children were born alive, and 495,531 persons died. The names therefore of 1,596,580 persons were added during the year to the registers deposited and indexed in the office: it is the greatest number ever recorded in one year, and raises the total number to more than *thirty-five and a half millions* since the commencement of registration in 1837.

The natural increase of population by the excess of births over deaths was 244,744, or 669 daily. The population of England and Wales in the

TABLE I.—Estimated **Population**, with the Number of **Marriages, Births,** and **Deaths** registered in **England**, in each **Year** from **1838** to **1864.**

YEARS ended Dec. 31st	Estimated POPULATION in ENGLAND in the Middle of the Years.*	MARRIAGES.	PERSONS MARRIED.	BIRTHS (exclusive of Still-born).	DEATHS.	EXCESS OF BIRTHS OVER DEATHS.
1838	15,312,256	118,067	236,134	463,787	342,760	121,027
1839	15,515,296	123,166	246,332	492,574	338,984	153,590
1840	15,721,029	122,665	245,330	502,303	359,687	142,616
1841	15,929,492	122,496	244,992	512,158	343,847	168,311
1842	16,123,793	118,825	237,650	517,739	349,519	168,220
1843	16,320,479	123,818	247,636	527,325	346,445	180,880
1844	16,519,565	133,249	264,498	540,763	356,933	183,830
1845	16,721,081	143,743	287,486	543,521	349,366	194,155
1846	16,925,051	145,664	291,328	572,625	390,315	182,310
1847	17,131,512	135,845	271,690	539,965	423,304	116,661
1848	17,340,492	138,230	276,460	563,059	399,833	163,226
1849	17,552,020	141,883	283,766	578,159	440,839	137,320
1850	17,766,129	152,744	305,488	593,422	368,995	224,427
1851	17,982,849	154,206	308,412	615,865	395,396	220,469
1852	18,193,206	158,782	317,564	624,012	407,135	216,877
1853	18,404,368	164,520	329,040	612,391	421,097	191,294
1854	18,616,310	159,727	319,454	634,405	437,905	196,500
1855	18,829,000	152,113	304,226	635,043	425,703	209,340
1856	19,042,412	159,337	318,674	657,453	390,506	266,947
1857	19,256,516	159,097	318,194	663,071	419,815	243,256
1858	19,471,291	156,070	312,140	655,481	449,656	205,825
1859	19,686,701	167,723	335,446	689,881	440,781	249,100
1860	19,902,713	170,156	340,312	684,048	422,721	261,327
1861	20,119,314	163,706	327,412	693,406	435,114	261,292
1862	20,336,467	164,030	328,060	712,684	436,566	276,118
1863	20,554,137	173,516	347,020	727,417	473,837	253,580
1864	20,772,308	180,387	360,774	740,275	495,531	244,744

* The Population of each of the years since 1851 is deduced from the ascertained rate of increase observed in the twenty years, 1841-61; and an allowance is made for the decrease in the rate during the latter ten years. On another hypothesis the numbers would differ slightly from the estimate here given, but as the rates of births, deaths, and marriages have been calculated on these numbers it is not considered advisable to give any other estimate of Population.

middle of 1864 probably amounted to about 20,772,308. The number of emigrants who left the ports of the United Kingdom at which Government agents are stationed during the year was 208,900; of whom 58,000 were of English origin, 15,319 of Scotch, 118,061 of Irish, and 17,520 were of foreign origin; the numbers are corrected proportionally for the 4877 whose birthplace was not recorded. Of the emigrants 147,042 departed for the United States, 12,721 for the North American colonies, 40,942 for the Australian colonies, and 8195 for other places.

Marriages.

Marriage in England is a public ceremony. It can only be performed in churches, in registered chapels, in Quakers' meeting houses, in synagogues; that is, in some recognized place of public worship, and in the office of the Superintendent Registrar. To render the contract valid, six persons must be present in the office; the Superintendent Registrar, the Marriage Registrar, two credible witnesses, the bridegroom, and the bride. The Superintendent Registrar receives the declarations; the Registrar records the particulars of the transaction; and all the six persons sign the register. In registered chapels the minister or the priest takes the place of the Superintendent Registrar; the presence of the Marriage Registrar is indispensable. This appears to be an excellent arrangement, as it relieves the minister of a secular duty. The Registrar is not present at marriages in churches of the Establishment; and this is in some respects to be regretted, as the clergy, who are very naturally wrapt in the sacred functions of their office, sometimes do not write the names distinctly, and sometimes omit to mention whether the marriage is by licence or by banns. Only five persons are necessarily present at marriages in churches, and sign the register.

Table II.—**Proportion of Marriages, Births, and Deaths to the Population of England, in each Year from 1838 to 1864.**

Years ended Dec. 31st	To 100 Persons living.				The Number of Persons living			
	Marriages.	Persons Married.	Births.	Deaths.	To one Marriage.	To one Person Married.	To one Birth.	To one Death.
1838	·771	1·542	3·029	2·238	130	65	33	45
1839	·794	1·588	3·175	2·185	126	63	31	46
1840	·780	1·560	3·195	2·288	128	64	31	44
1841	·769	1·538	3·215	2·159	130	65	31	46
1842	·737	1·474	3·211	2·168	136	68	31	46
1843	·759	1·518	3·231	2·123	132	66	31	47
1844	·801	1·602	3·273	2·161	125	62	31	46
1845	·860	1·720	3·251	2·089	116	58	31	48
1846	·861	1·722	3·383	2·306	116	58	30	43
1847	·793	1·586	3·152	2·471	126	63	32	40
1848	·797	1·594	3·247	2·306	125	63	31	43
1849	·808	1·616	3·294	2·512	124	62	30	40
1850	·860	1·720	3·340	2·077	116	58	30	48
1851	·858	1·716	3·425	2·199	117	58	29	45
1852	·873	1·746	3·430	2·238	115	57	29	45
1853	·894	1·788	3·327	2·288	112	56	30	44
1854	·858	1·716	3·408	2·352	117	58	29	43
1855	·808	1·616	3·373	2·261	124	62	30	44
1856	·837	1·674	3·453	2·051	119	60	29	49
1857	·826	1·652	3·443	2·180	121	61	29	46
1858	·802	1·604	3·306	2·309	125	62	30	43
1859	·852	1·704	3·504	2·239	117	59	29	45
1860	·855	1·710	3·437	2·124	117	58	29	47
1861	·814	1·628	3·461	2·163	123	61	29	46
1862	·807	1·614	3·504	2·147	124	62	29	47
1863	·844	1·688	3·539	2·305	118	59	28	43
1864	·868	1·736	3·564	2·386	116	58	28	42
Mean . .	·822	1·643	3·342	2·234	122	61	30	45

Note.—The Table may be read thus:—In the year 1838 to every 100,000 persons living there were 771 marriages or 1542 persons married, 3029 births, 2238 deaths; the number of persons living to every marriage, person married, birth or death, was 130, 65, 33, and 45 respectively. A correction for increase of population has been made in calculating the above results.

To prevent unsuitable marriages in moments of passion, or marriages within the prohibited degrees, or marriages of minors without the consent of their parents and lawful guardians, some delay is interposed between the expressed intention and the consummation of marriage, except in the Established Church, where a man who has resided 15 days in a parish can obtain a licence without notice from the surrogate, and be married in an hour. Special licence of the Archbishop of Canterbury allows marriage to be solemnized "at any convenient time and place." The most common practice is marriage after banns, proclaimed upon three

TABLE III.—**Marriages** registered in **England** in each **Year** from **1841** to **1864.**

Years ending 31st December	Total Marriages.	According to the Rites of the Established Church.						Not according to the Rites of the Established Church.					
		Special Licence.	Licence.	Banns.	Superintendent Registrar's Certificate.	Not stated.	Total in Established Church.	Total not in Established Church.	In Registered Places. Roman Catholics.*	In Registered Places. Other Christian Denominations.	Superintendent Registrar's Office.	Quakers.	Jews.
1841	122,496	13	15,792	78,015	972	19,579	114,371	8,125	5882		2064	66	113
1842	118,325	9	14,935	75,744	944	18,415	110,047	8,778	6200		2357	58	163
1843	123,818	8	14,544	79,849	1222	18,014	113,637	10,181	7152		2817	61	151
1844	132,249	10	14,930	85,176	1558	18,335	120,009	12,240	2280	6284	3446	55	175
1845	143,743	10	16,013	92,867	1706	18,919	129,515	14,228	2816	7181	3977	74	180
1846	145,664	14	17,135	92,995	1862	18,503	130,509	15,155	3027	7669	4167	68	224
1847	135,845	14	17,052	84,863	1968	16,979	120,876	14,969	2961	7483	4258	83	184
1848	138,230	13	16,896	86,519	2170	15,871	121,469	16,761	3658	8060	4790	67	186
1849	141,883	18	16,697	90,644	2393	13,230	123,182	18,701	4199	8662	5558	53	229
1850	152,744	8	17,413	98,669	3136	11,733	130,959	21,785	5623	9626	6207	69	260
1851	154,206	8	17,781	99,406	3351	10,412	130,958	23,248	6570	9540	6813	65	260
1852	158,782	8	19,461	106,497	3610	4,306	133,882	24,900	7479	10017	7100	57	247
1853	164,520	8	20,624	109,166	3814	4,430	138,042	26,478	8375	10149	7598	68	288
1854	159,727	15	21,048	105,050	3811	4,185	134,109	25,618	7813	9873	7393	52	287
1855	152,113	14	20,386	99,546	3804	4,001	127,751	24,362	7344	9296	7441	57	224
1856	159,337	9	21,336	104,280	4045	3,949	133,619	25,718	7527	9710	8097	72	312
1857	159,097	9	21,250	102,062	3748	3,962	131,031	28,066	7360	10686	9642	67	311
1858	156,070	15	19,858	100,432	3787	3,990	128,082	27,988	6043	11094	9952	79	220
1859	167,723	19	20,345	107,737	4204	3,905	136,210	31,513	7756	12519	10844	70	324
1860	170,156	14	20,742	108,635	4243	3,686	137,370	32,786	7800	13342	11257	75	312
1861	163,706	16	20,090	102,955	4048	3,588	130,697	33,009	7782	13182	11725	58	262
1862	164,030	18	19,486	102,870	3966	3,303	129,733	34,297	7345	13870	12723	59	300
1863	173,510	19	19,296	109,572	4312	3,542	136,743	36,767	8095	14714	13389	51	318
1864	180,287	12	19,874	113,564	4257	3,376	141,083	39,204	8659	15627	14611	58	349

Years ending 31st December	Marriages contracted between				Re-married.		Under Age.		Signed the Marriage Register with Marks.			
	Bachelors and Spinsters.	Bachelors and Widows.	Widowers and Spinsters.	Widowers and Widows.	Widowers.	Widows.	Men.	Women.	Men.	Women.	Marriages in which both Signed with Marks.	Marriages in which one Signed with Marks.
1841	—	—	—	—	—	—	5302	16,285	39,954	59,680	—	—
1842	—	—	—	—	15,619	10,579	5387	16,003	38,031	56,965	—	—
1843	—	—	—	—	16,305	10,811	5511	16,403	40,520	60,715	—	—
1844	—	—	—	—	16,941	11,183	5515	17,410	42,912	65,073	—	—
1845	119,539	6028	11,835	6341	18,176	12,369	6287	19,376	47,665	71,229	—	—
1846	121,324	5997	12,212	6131	18,343	12,128	6313	20,001	47,488	70,145	—	—
1847	112,676	5705	11,667	5897	17,564	11,602	5556	18,118	42,429	61,877	32,622	39,062
1848	113,284	5920	12,702	6324	19,026	12,244	6092	19,436	43,166	62,771	32,974	39,989
1849	116,134	6102	13,155	6492	19,647	12,594	6650	21,105	44,027	65,135	—	—
1850	124,931	6575	14,558	7580	22,138	14,155	7453	23,109	47,572	70,606	—	—
1851	126,018	6625	14,313	7250	21,563	13,875	7737	24,286	47,439	69,812	36,186	44,879
1852	130,672	6696	14,044	7370	21,414	14,066	8551	26,978	48,421	70,772	36,636	45,921
1853	135,023	7139	14,739	7619	22,358	14,758	9131	29,219	49,983	72,204	37,345	47,497
1854	131,141	6826	14,189	7571	21,760	14,397	9210	28,797	47,843	68,175	35,255	45,508
1855	123,396	6775	14,280	7660	21,940	14,435	8386	27,207	44,846	62,672	32,139	43,240
1856	129,960	7163	14,462	7752	22,214	14,915	9120	29,218	45,900	64,133	32,238	45,557
1857	130,317	6908	14,293	7579	21,872	14,487	8885	28,798	44,013	61,765	30,518	44,742
1858	127,165	6711	14,547	7644	22,191	14,355	9145	28,684	42,141	58,733	28,781	43,312
1859	137,005	7058	15,493	8161	23,654	15,219	10397	32,041	44,807	63,127	30,574	46,786
1860	139,440	7098	15,538	8260	23,618	15,358	10797	32,927	43,401	61,677	28,904	47,270
1861	133,712	7034	15,067	7893	22,960	14,927	10415	31,927	40,204	56,770	26,333	44,308
1862	134,727	6846	14,566	7891	22,457	14,737	10615	32,464	38,801	54,405	25,075	43,056
1863	142,934	7082	15,269	8225	23,494	15,307	11475	34,527	41,262	57,416	26,626	45,426
1864	147,914	7511	16,117	8845	24,962	16,356	11934	36,235	41,998	58,402	26,582	47,236

* In the case of mixed marriages between Protestants and Roman Catholics some couples are married twice, and are counted twice in the Registers.

several Sundays in the church or churches of the parishes in which the parties reside; thus involving a delay of at least 15 days.

The *licence* of the *Superintendent Registrar* can be obtained on due notice entered in the "Marriage Notice Book," kept open for inspection during one whole day; so the marriage of which notice is given at the register office on a Monday may be performed on the Wednesday following at that office, or at a registered place of worship, as stated in the notice. The *certificate* of the Superintendent Registrar is issued after a notice of 21 days, during which it is suspended in his office, while the particulars are recorded in the "Marriage Notice Book," always accessible to the public, and affording an opportunity for "forbidding" the marriage or for entering a "caveat." Upon the grant of the certificate the marriage may take place either in the register office or in a registered place of worship, with the consent of the officiating minister. Thus the marriages of the Roman

---

TABLE IV.—**Proportion** of **Marriages** and comparison of those celebrated by **Licence** and **not by Licence**, together with the Price of Wheat per Quarter in **England** in each **Year** from **1841** to **1864.**

YEARS.	MARRIAGES.		Proportional Number of Marriages.		PRICE OF WHEAT PER QUARTER.
	To 100 Persons living.	By Banns to One Marriage by Licence.	By Licence to every 100 Persons living in Houses of Rentals of £20 and upwards.	Not by Licence to every 100 Persons living in Houses of Rentals under £20.	
					s. *d.*
AVERAGE:					
Of 8 years of *highest* prices -	·804*	4·979	·910	·787	64 11
Of 8 years of *intermediate* prices	·830	5·400	·887	·821	52 5
Of 8 years of *lowest* prices -	·846	5·488	·880	·840	42 1
1855	·808	4·883	·916	·791	74 8
1854	·858	4·991	·958	·842	72 5
1847	·793	4·977	·909	·774	69 9
1856	·837	4·888	·947	·819	69 2
1841	·769	4·940	·905	·747	64 4
1842	·737	5·072	·847	·719	57 3
1857	·826	4·803	·944	·807	56 5
1862	·807	5·279	·853	·799	55 5
1861	·814	5·125	·880	·803	55 4
1846	·861	5·427	·926	·850	54 8
1853	·894	5·293	·957	·884	53 3
1860	·855	5·240	·913	·846	53 3
1844	·801	5·705	·831	·796	51 3
1845	·860	5·799	·880	·856	50 10
1848	·797	5·121	·890	·782	50 6
1843	·759	5·490	·816	·749	50 1
1863	·844	5·678	·848	·844	44 8
1849	·808	5·429	·859	·800	44 3
1858	·802	5·058	·881	·789	44 3
1859	·852	5·296	·904	·844	43 10
1852	·873	5·472	·913	·866	40 9
1850	·860	5·666	·880	·857	40 3
1864	·868	5·714	·865	·869	40 2
1851	·858	5·591	·884	·853	38 6

* Disregarding the decimal point, this will read: — 804 marriages were celebrated to every 100,000 of the population; of these, 910 may be taken to represent the marriages of the higher and middle classes, and 787 those of the classes below.

Catholics and of the members of all religious bodies, including Quakers and Jews, take place without hindrance, and without any other necessary delay than that required by law for the grant either of the licence or the certificate of the Superintendent Registrar.

14,611 marriages in the year were performed in the Superintendent Registrars' offices without any religious ceremony, and some of the parties were neither connected with the Church nor Dissent. But probably, as marriage is a civil contract by common law, many of the 14,611 men and 14,611 women were members of religious bodies. This class of marriages is very unequally distributed over the country. There are few such marriages in London ; and of these a large proportion is performed in St. Pancras and Islington. The greater part of the civil marriages in the South-eastern Counties takes place at Portsmouth, (Portsea Island), Brighton, the Isle of Wight, and Southampton ; in the South-western Counties at Plymouth and the contiguous districts, at Exeter, Truro, and Bath ; in the Eastern Counties at Ipswich and Norwich ; in the South Midland Counties at Northampton, Wycombe, Oxford, Bedford, Chesterton, and Cambridge ; in the North Midland Counties at Bristol, Birmingham, Leicester, and Derby. The civil marriages were proportionally few in Cheshire and Lancashire, except in Bolton, Oldham, Rochdale, Haslingden, Burnley, and Blackburn ; and they were not numerous in Yorkshire, except in Halifax, Huddersfield, Leeds, and York. The excessive number of marriages in the register offices of Durham and Northumberland is perhaps partly due to the presence of a large colliery population, and partly to the prevalence of a feeling against the publication of marriage.

In Carlisle the marriages in the register office are more than double the number of the marriages in the Established Church, and more than six times as numerous as the marriages in Nonconformist and Roman Catholic chapels. Upon looking back through the registers it is seen that there was a sudden increase of these marriages in the year 1857, and that increase has since been sustained.

TABLE V.—**Marriages** in **England**. The Proportion per Cent. of **Minors** of each Sex, of Males and Females who **signed the Register with Marks**, and of Persons who were **Widowers** or **Widows**, in each **Year** from **1841** to **1864**.

Years ended 31st December	To 100 Marriages.								
	The Proportion under 21 Years of Age.			The Proportion who signed the Marriage Register with Marks.			The Proportion who were		
	Males.	Females.	Mean.	Males.	Females.	Mean.	Widowers.	Widows.	Mean.
1841 –	4·38	13·29	8·83	32·7	48·8	40·8	*12·20	*8·99	*10·95
1842 –	4·53	13·47	9·00	32·0	47·9	40·0	13·14	8·90	11·02
1843 –	4·45	13·25	8·85	32·7	49·0	40·9	13·17	8·73	10·95
1844 –	4·17	13·16	8·67	32·4	49·2	40·8	12·81	8·46	10·63
1845 –	4·37	13·48	8·93	33·2	49·6	41·4	12·64	8·60	10·62
1846 –	4·33	13·73	9·03	32·6	48·2	40·4	12·59	8·33	10·46
1847 –	4·09	13·34	8·72	31·2	45·5	38·4	12·93	8·54	10·74
1848 –	4·41	14·06	9·24	31·2	45·4	38·3	13·76	8·86	11·31
1849 –	4·69	14·88	9·79	31·0	45·9	38·5	13·85	8·88	11·37
1850 –	4·88	15·13	10·01	31·1	46·2	38·7	14·49	9·27	11·88
1851 –	5·02	15·75	10·39	30·8	45·3	38·1	13·98	9·00	11·49
1852 –	5·39	16·99	11·19	30·5	44·6	37·6	13·49	8·86	11·18
1853 –	5·55	17·76	11·66	30·4	43·9	37·2	13·59	8·97	11·28
1854 –	5·77	18·03	11·90	30·0	42·7	36·4	13·62	9·01	11·32
1855 –	5·51	17·89	11·70	29·5	41·2	35·4	14·42	9·49	11·96
1856 –	5·72	18·34	12·03	28·8	40·2	34·5	13·94	9·36	11·65
1857 –	5·58	18·10	11·84	27·7	38·8	33·3	13·75	9·11	11·43
1858 –	5·86	18·37	12·12	27·0	37·6	32·3	14·22	9·20	11·71
1859 –	6·20	19·10	12·65	26·7	37·6	32·2	14·10	9·07	11·59
1860 –	6·35	19·35	12·85	25·5	36·2	30·9	13·88	9·03	11·46
1861 –	6·36	19·50	12·93	24·6	34·7	29·7	14·03	9·13	11·58
1862 –	6·47	19·79	13·13	23·7	33·2	28·5	13·69	8·98	11·34
1863 –	6·61	19·90	13·26	23·8	33·1	28·5	13·54	8·82	11·18
1864 –	6·62	20·09	13·36	23·3	32·4	27·9	13·84	9·07	11·45

* The proportion of Widowers and Widows in the Year 1841 is for the September and December quarters only.

	1855.	1856.	1857.	1858.	1864.
Total marriages in Carlisle -	193	193	328	297	373
Marriages in register office -	45	57	184	175	229

TABLE VI.—**Proportional Number** of **Marriages** in the several **Counties** of **England** during the **Year 1864**; of Persons who **signed their Names**; of Persons not of **full Age**; and of the **Re-marriages** of **Widowers** and **Widows**.

No.	REGISTRATION COUNTIES.	MARRIAGES TO 100 PERSONS LIVING.	SIGNED THEIR NAMES IN WRITING.		PERSONS NOT OF FULL AGE.		RE-MARRIAGES.	
							WIDOWERS.	WIDOWS.
			Of 100 Men Married.	Of 100 Women Married.	In 100 Men Married.	In 100 Women Married.	In 100 Men Married.	In 100 Women Married.
	ENGLAND - - -	·868	76·7	67·6	6·62	20·09	13·84	9·07
	I.—LONDON - - -	1·070	89·1	82·6	3·33	14·81	13·85	9·24
	II.—SOUTH EASTERN COUNTIES.							
1	Surrey (*extra-metropolitan*) - -	·642	79·4	83·2	3·36	16·93	11·08	7·76
2	Kent (*extra-metropolitan*) - -	·804	79·0	78·7	4·54	22·51	11·81	9·28
3	Sussex - - - - -	·781	80·7	83·8	5·25	18·13	13·29	8·48
4	Hampshire - - - - -	·814	81·1	82·2	4·37	19·44	12·46	10·83
5	Berkshire - - - - -	·700	72·1	78·3	6·28	18·08	14·15	7·94
	III.—SOUTH MIDLAND COUNTIES.							
6	Middlesex (*extra-metropolitan*) -	·567	78·4	80·9	3·92	16·11	10·40	5·97
7	Hertfordshire - - - - -	·627	63·2	68·9	10·63	23·04	13·39	8·48
8	Buckinghamshire - - - -	·690	72·3	70·8	9·90	20·98	14·12	6·86
9	Oxfordshire - - - - -	·697	75·9	78·3	4·93	16·97	15·22	8·70
10	Northamptonshire - - - -	·777	75·7	72·9	9·33	23·49	13·29	6·57
11	Huntingdonshire - - - -	·727	69·1	71·7	10·77	23·65	13·58	10·07
12	Bedfordshire - - - - -	·816	63·1	55·1	18·26	28·25	12·49	6·89
13	Cambridgeshire - - - -	·758	68·5	70·0	7·91	22·41	13·83	9·10
	IV.—EASTERN COUNTIES.							
14	Essex - - - - - -	·631	69·5	75·0	7·52	22·69	12·11	9·05
15	Suffolk - - - - - -	·716	64·0	70·7	8·05	19·22	15·80	9·59
16	Norfolk - - - - - -	·757	67·7	72·0	8·60	19·96	15·65	9·03
	V.—SOUTH WESTERN COUNTIES.							
17	Wiltshire - - - - - -	·669	72·1	75·6	9·01	18·91	17·38	9·39
18	Dorsetshire - - - - -	·785	73·3	76·2	6·20	17·27	13·37	7·45
19	Devonshire - - - - -	·805	80·0	76·0	5·69	17·36	12·38	8·90
20	Cornwall - - - - -	·758	68·9	59·9	9·75	23·43	11·64	6·99
21	Somersetshire - - - - -	·709	74·1	73·1	7·03	15·60	16·45	8·94
	VI.—WEST MIDLAND COUNTIES.							
22	Gloucestershire - - - -	·923	78·6	74·8	7·76	16·73	14·57	8·62
23	Herefordshire - - - - -	·679	70·5	74·9	3·07	15·22	13·62	9·48
24	Shropshire - - - - -	·729	67·1	66·3	4·50	13·70	12·76	9·25
25	Staffordshire - - - - -	·921	61·6	51·5	9·93	28·29	12·86	10·29
26	Worcestershire - - - - -	·795	70·5	65·0	7·14	21·87	12·89	7·47
27	Warwickshire - - - - -	·860	76·7	69·3	7·47	21·53	14·50	9·71
	VII.—NORTH MIDLAND COUNTIES.							
28	Leicestershire - - - - -	·874	78·7	69·1	11·31	22·86	14·96	8·27
29	Rutlandshire - - - - -	·708	69·9	82·5	4·22	15·06	16·87	4·22
30	Lincolnshire - - - - -	·788	78·2	75·8	4·98	19·53	13·21	7·92
31	Nottinghamshire - - - -	·783	75·1	65·2	10·23	21·87	15·04	8·89
32	Derbyshire - - - - -	·797	77·2	67·6	8·29	23·03	12·90	9·31
	VIII.—NORTH WESTERN COUNTIES.							
33	Cheshire - - - - - -	·833	76·7	61·8	5·61	18·08	14·76	8·90
34	Lancashire - - - - - -	·932	75·5	53·1	8·53	22·25	14·69	9·80
	IX.—YORKSHIRE.							
35	West Riding - - - - -	·962	76·9	57·4	8·38	25·59	14·82	9·15
36	East Riding (with York) - - -	1·009	82·5	72·8	6·03	23·55	14·54	8·62
37	North Riding - - - - -	·809	81·0	75·9	4·40	20·05	12·48	7·34
	X.—NORTHERN COUNTIES.							
38	Durham - - - - - -	·912	75·8	61·9	7·59	29·63	12·40	10·31
39	Northumberland - - - -	·961	83·2	72·5	3·65	17·11	12·51	7·89
40	Cumberland - - - - -	·778	80·3	70·0	4·42	17·42	12·20	6·97
41	Westmorland - - - - -	·690	89·7	79·4	5·85	15·22	10·77	5·62
	XI.—MONMOUTHSHIRE AND WALES.							
42	Monmouthshire - - - -	·956	58·1	48·2	6·74	22·30	12·81	10·68
43	South Wales - - - - -	·848	62·8	44·1	5·47	17·27	13·49	8·93
44	North Wales - - - - -	·746	65·1	51·3	4·09	11·46	15·35	8·55

The Table may be read thus by omitting the decimal points:—In England, among every 100,000 persons living 868 marriages took place; of 1,000 men married 767, of 1,000 women 676, signed the marriage register by writing their names; of 10,000 men married 662 were not of full age, of 10,000 women married 2009 were not of full age; of 10,000 men married 1384 were Widowers, of the same number, of women married 907 were Widows.

This increase was a consequence of an Act of Parliament which passed in 1856, and contained the following clause :—

"After the 31st day of December 1856, no irregular marriage contracted in Scotland by declaration, acknowledgment, or ceremony, shall be valid, unless *one* of the parties had at the date thereof his or her usual place of residence there, or had lived in Scotland for *twenty-one days* next preceding such marriage ; any law, custom, or usage to the contrary notwithstanding."* This Act was levelled against Gretna Green marriages, and extinguished them ; at the same time it put a stop

---

TABLE VII.—**Number** and **Annual Rate per Cent.** of **Marriages** in **England** in each **Quarter** of the Years **1838-64.**

YEARS.	MARRIAGES REGISTERED. In the Quarters ending the last day of				ANNUAL RATE per Cent. of MARRIAGES. In the Quarters ending the last day of			
	March.	June.	Sept.	Dec.	March.	June.	Sept.	Dec.
1838 –	23,201	29,801	27,764	37,301	·618	·783	·719	·963
1839 –	24,679	31,339	29,887	37,261	·649	·812	·764	·949
1840 –	26,395	30,786	29,221	36,263	·677	·787	·737	·911
1841 –	24,447	32,551	29,397	36,101	·626	·822	·731	·895
1842 –	25,360	30,048	27,288	35,529	·654	·749	·671	·874
1843 –	25,285	31,113	28,847	38,573	·632	·767	·701	·934
1844 –	26,387	34,268	31,675	39,919	·644	·834	·760	·955
1845 –	29,551	35,300	35,003	43,889	·721	·849	·830	1·038
1846 –	31,417	37,111	35,070	42,036	·757	·882	·822	·983
1847 –	27,480	35,197	32,439	40,729	·655	·826	·751	·940
1848 –	28,308	34,721	32,935	42,116	·661	·805	·755	·961
1849 –	28,429	35,844	33,874	43,736	·661	·822	·766	·986
1850 –	30,567	39,204	37,636	45,337	·702	·888	·840	1·010
1851 –	32,724	38,635	37,316	45,731	·741	·863	·822	1·000
1852 –	32,977	40,092	38,400	47,313	·730	·885	·836	1·027
1853 –	35,149	40,446	39,899	49,026	·778	·883	·859	1·052
1854 –	33,234	40,518	38,182	47,793	·727	·874	·813	1·014
1855 –	29,186	38,549	37,308	47,070	·631	·822	·785	·988
1856 –	33,427	38,820	39,089	48,001	·707	·819	·813	·996
1857 –	33,321	41,267	38,669	45,840	·705	·861	·796	·940
1858 –	29,918	39,890	38,599	47,663	·626	·823	·785	·967
1859 –	35,382	42,042	39,803	50,496	·732	·858	·801	1·013
1860 –	35,150	43,777	40,541	50,688	·711	·883	·807	1·006
1861 –	33,274	42,012	39,834	48,536	·673	·839	·785	·933
1862 –	33,953	40,853	40,600	48,624	·680	·807	·791	·945
1863 –	35,528	44,146	41,932	51,904	·704	·863	·808	·998
1864 –	37,988	44,599	44,675	53,125	·736	·852	·852	1·011
Mean –	30,493	37,516	35,778	44,464	·687	·836	·785	·974

---

* 19 & 20 Vict. cap. 96.

In my Thirteenth Annual Report, dated August 21st, 1854, addressed to Viscount Palmerston, who was then Secretary of State for the Home Department, a letter was inserted from a clergyman describing many of the evils of Gretna Green marriages (pp. vii and viii). I showed also to what an extent the marriages in the northern counties had been reduced by the Border marriages since the railways had afforded additional facilities to the lower classes for the trip into Scotland. Lord Brougham's Act was introduced in 1856, and came into force on January 1st, 1857.

It may be here stated that formerly several persons at Gretna and Springfield represented the Blacksmith, who in common story was wont to forge hymeneal fetters for runaway heiresses from England. Mr. John Linton, who established himself in 1825 at Gretna Hall, and converted it into an inn for the ease of lovers, himself performed the ceremony in an imposing costume, with a certain solemnity, and down to the year 1851 kept a register, which his widow informs me contains over 1,100 entries. In the year 1843 Mr. Murray, who kept the turnpike gate on the English side of the Border, effected a revolution by representing to English visitors, always in hot haste, that the further journey of two miles to Gretna Green was superfluous, as the wedding in his presence on the Scotch side of the border was equally valid. The argument was held to be conclusive; and Mr. Murray continued his operations uninterruptedly until in the year 1854 he registered no less than 746 marriages, 42 on one day ; in the year 1856

apparently to the common practice in Carlisle of crossing over the border to get married at the famous turnpike, without ceremony, in the easy irregular fashion of Scotland. The marriages in Carlisle before the year 1857 were much below the ordinary average of England; and since that date the marriages have been about the average. So it is evident that the class of people who formerly married in Scotland now marry in the register office at Carlisle. They avoid marriage in places of religious worship, and entertain strong objections to the proclamation of banns; for there are more marriages in the Established Church after licence than after banns in Carlisle, while the proportion generally is as one by church licence to six by banns. As marriage after banns is less common in Cumberland than in other counties, it is the more singular, and excites unusual attention, to which the couples about to marry are naturally sensitive.* They are in some cases willing to buy a licence to evade the ordeal, and in others, to avoid some of its severity, seek the quiet of the Superintendent's office.

In Cardiff, Neath, Swansea, and Merthyr Tydfil in South Wales, and Bangor and Conway in the North, many marriages are contracted in register offices.

Seamen and miners avail themselves most freely of the register offices; and it is stated that some of the people, who rarely go to a place of worship, would not marry at all if it were not possible to marry as easily as it is under the Registration Act. Such marriages, therefore, are not withdrawn from the Churches of the Establishment, or from the chapels of the Nonconformists, but from the ranks of immorality.

---

the numbers rose to 757. Then passed Lord Brougham's Act, and the entries fell to about 30 in 1857, and 41 in 1858. Mr. Murray's pleasant occupation was nearly at an end; the plant was ruthlessly uprooted; the soil of Scotland lost its cherished prerogative. He died in the year 1861.

The following letter from Mr. Robert Forster, himself a blacksmith, on the English side, who took an active part in pointing out the evils of Border marriages, is not without interest, now Gretna Green marriages are no longer an English institution :—

" Sir, Longtown, Thursday, March 8th, 1866.

" I have been to Sark Bridge and also at Gretna to-day. Mr. Murray's widow is still living at the house with part of the family. I saw her son James, and he consented to let me look at the register of the last year before Lord Brougham's Act came into operation; that was in 1856. There are 757 entries of marriages in that year; 20 of them took place on May 10th, that would be one of the days in the term week Whitsuntide, and on November 8th there are 39 entries of marriages, that would be one of the days in the term week at Martinmas. He told me there were far more entries than 39 in one day in some of the term week days if the books were searched. He told me it was a serious thing for them, as his father built the house for the very purpose of marriages.

" In 1857 there are only 30 entries of marriages altogether. In 1858 there are 41 entries altogether. When at Gretna I found Mr. Linton's widow was living at Annan with the marriage books of her husband in her possession. Several others used to keep books about Springfield; one of the main hands is named Douglas, a weaver by trade. If all the books that were kept were carefully looked into, it would reveal a fearful state of things, for any man that had a mind to keep a marriage book, and a few forms to fill up, was at liberty to start the system.

" I am, Sir,
" Yours most sincerely,
" Robert Forster."

* The subjoined note is from a gentleman well acquainted with the subject :—

" I have ascertained that the charge for a licence in Durham and Northumberland is 2*l.* 12*s.* 6*d.*, whilst in Cumberland it is 2*l.* 2*s.*, but the difference does not seem sufficient to account for the wide difference in the marriages by licence. There is certainly hereabouts a disinclination to publication of banns, on account of the notoriety it gives to the intended marriage, at which, in many country parishes, idle lads congregate, and often annoy the parties. That, I think, has caused many to prefer going to the expense of a licence, and when several do a thing of that kind it becomes a kind of fashion which others follow. I can see no other reason."

About eight marriages in ten are performed according to the rites of the Established Church; and of the eight, six are after proclamation of

TABLE VIII.—Showing the **Number** of **Buildings registered** for the **Solemnization** of **Marriages**, and on the Register on **31st December 1864.**

ENGLAND: DIVISIONS AND REGISTRATION COUNTIES.	TOTAL.	SCOTTISH PRESBYTERIANS.								WESLEYAN METHODISTS.							CALVINISTIC METHODISTS.				
		Church of Scotland.	United Presbyterians.	Presbyterian Church in England.	Independents.	Baptists.	United Brethren or Moravians.	Roman Catholics.	Unitarians.	Original Connexion.	New Connexion.	Primitive Methodists.	Bible Christians.	Wesleyan Methodist Association.	Wesleyan Reformers.	Other Wesleyan Methodists.	Welsh Calvinistic Methodists.	Countess of Huntingdon's Connexion.	New Church.	Catholic and Apostolic Church.	All others.
ENGLAND -	5163	18	66	73	1600	1091	14	602	158	584	74	193	35	78	30	143	207	39	23	17	118
DIVISIONS.																					
1 LONDON - - - - -	335	4	8	9	118	69	1	49	9	26	2	2	-	5	-	6	3	2	3	6	33
2 SOUTH EASTERN COUNTIES -	413	1	-	4	155	96	-	48	16	46	-	5	5	5	2	5	-	13	1	3	8
3 SOUTH MIDLAND COUNTIES -	578	-	-	-	134	153	2	27	4	37	-	8	-	1	1	6	-	2	-	1	2
4 EASTERN COUNTIES - -	292	-	-	-	113	81	-	23	7	30	1	12	-	-	5	4	-	1	1	-	14
5 SOUTH WESTERN COUNTIES -	560	-	-	1	175	115	2	37	27	39	2	18	29	17	4	16	-	1	1	1	25
6 WEST MIDLAND COUNTIES -	558	-	1	8	153	113	3	80	18	64	14	29	-	9	-	9	3	14	1	3	7
7 NORTH MIDLAND COUNTIES -	327	-	-	-	88	82	-	30	10	50	6	23	-	5	7	21	-	1	1	1	2
8 NORTH WESTERN COUNTIES -	689	4	11	17	171	78	3	157	39	78	20	23	1	15	1	29	6	4	11	1	18
9 YORKSHIRE - - - -	501	-	3	3	141	66	2	56	15	92	21	39	-	12	6	36	-	-	3	1	5
10 NORTHERN COUNTIES - -	297	9	43	31	48	15	1	56	3	39	8	21	-	7	3	9	-	-	1	-	3
11 MONMOUTHSHIRE AND WALES	813	-	-	-	309	223	-	30	10	33	-	6	-	2	1	2	195	1	-	-	1
I.—LONDON.																					
Middlesex (*part of*) - -	249	4	7	6	80	40	1	36	7	18	-	2	-	[illegible]	-	3	3	2	3	5	27
Surrey (*part of*) - - -	72	-	1	1	27	19	-	9	2	5	2	-	-	-	-	1	-	-	-	1	4
Kent (*part of*) - - -	84	-	-	2	11	10	-	4	-	3	-	-	-	-	-	2	-	-	-	-	2
II.—SOUTH EASTERN COUNTIES.																					
1 Surrey (*extra-metropolitan*) -	47	-	-	-	24	6	-	9	1	2	-	-	-	1	-	2	-	1	-	-	1
2 Kent (*extra-metropolitan*) -	125	-	-	1	41	36	-	13	4	20	-	-	1	1	1	-	-	5	-	1	1
3 Sussex - - - - -	84	1	-	-	30	20	-	8	5	8	-	-	1	1	-	-	-	4	-	1	5
4 Hampshire - - - -	106	-	-	3	44	23	-	11	4	10	-	3	3	1	-	1	-	1	1	1	1
5 Berkshire - - - -	51	-	-	-	16	11	-	7	2	6	-	2	-	1	1	2	-	2	-	-	1
III.—SOUTH MIDLAND COUNTS.																					
6 Middlesex (*extra-metropol.*) -	38	-	-	-	19	10	-	7	-	-	-	-	-	-	-	-	-	1	-	-	1
7 Hertfordshire - - - -	51	-	-	-	29	16	-	3	1	1	-	-	-	-	-	1	-	-	-	-	-
8 Buckinghamshire - - -	43	-	-	-	19	18	-	2	-	3	-	1	-	-	-	-	-	-	-	-	-
9 Oxfordshire - - - -	43	-	-	-	11	14	-	9	1	6	-	1	-	-	1	-	-	-	-	-	1
10 Northamptonshire - - -	71	-	-	-	25	28	1	3	1	8	-	-	-	1	-	3	-	-	-	-	1
11 Huntingdonshire - - -	24	-	-	-	4	16	-	-	-	4	-	-	-	-	-	-	-	-	-	-	-
12 Bedfordshire - - - -	47	-	-	-	19	23	1	1	-	10	-	2	-	-	-	-	-	-	-	-	-
13 Cambridgeshire - - -	61	-	-	-	17	28	-	2	1	5	-	4	-	-	-	2	-	1	-	1	-
IV.—EASTERN COUNTIES.																					
14 Essex - - - - -	102	-	-	-	50	19	-	11	-	12	-	-	-	-	-	2	-	-	1	-	7
15 Suffolk - - - - -	85	-	-	-	38	31	-	4	3	5	-	3	-	-	-	-	-	-	-	-	1
16 Norfolk - - - - -	105	-	-	-	25	31	-	8	4	13	1	9	-	-	5	2	-	1	-	-	6
V.—SOUTH WESTERN COUNTIES.																					
17 Wiltshire - - - -	88	-	-	-	33	32	-	4	2	7	-	7	-	-	1	-	-	-	-	-	2
18 Dorsetshire - - - -	49	-	-	-	22	4	-	8	4	7	-	3	-	-	1	-	-	-	-	-	-
19 Devonshire - - - -	184	-	-	1	61	39	-	9	14	23	-	1	14	3	1	6	-	-	-	-	12
20 Cornwall - - - -	87	-	-	-	9	7	-	6	-	28	2	3	11	12	1	7	-	-	-	-	1
21 Somersetshire - - - -	152	-	-	-	50	33	2	10	7	24	-	4	4	2	1	2	-	1	1	1	10
VI.—WEST MIDLAND COUNTIES.																					
22 Gloucestershire - - -	137	-	1	2	48	45	1	10	3	11	1	2	-	2	-	2	-	7	-	-	2
23 Herefordshire - - - -	24	-	-	-	5	6	1	2	-	2	-	7	-	-	-	-	-	1	-	-	-
24 Shropshire - - - -	67	-	-	-	24	10	1	9	1	2	2	10	-	1	-	2	2	1	1	-	-
25 Staffordshire - - - -	142	-	-	3	33	15	-	35	4	28	8	7	-	4	-	2	-	2	1	1	1
26 Worcestershire - - -	60	-	-	1	12	11	-	10	5	11	2	1	-	2	-	-	-	3	-	-	2
27 Warwickshire - - - -	108	-	-	2	31	26	-	23	5	10	1	2	-	-	-	2	1	1	1	1	2
VII.—NORTH MIDLAND COUNTS.																					
28 Leicestershire - - - -	73	-	-	-	22	28	-	8	2	8	1	3	-	-	1	-	-	-	-	-	-
29 Rutlandshire - - - -	9	-	-	-	3	3	-	-	-	-	-	-	-	-	-	3	-	-	-	-	-
30 Lincolnshire - - - -	97	-	-	-	19	21	-	6	3	10	2	16	-	1	1	9	-	-	-	-	1
31 Nottinghamshire - - -	65	-	-	-	14	20	-	5	2	10	2	3	-	2	1	2	-	-	-	1	1
32 Derbyshire - - - -	83	-	-	-	23	10	-	11	3	13	1	6	-	2	4	7	-	1	1	-	1
VIII.—NORTH WESTERN COS.																					
33 Cheshire - - - - -	115	-	3	3	33	9	-	14	11	17	3	6	-	4	-	6	-	-	-	-	3
34 Lancashire - - - -	574	4	8	14	138	69	3	143	28	61	17	19	1	11	1	23	3	4	11	1	15
IX.—YORKSHIRE.																					
35 West Riding - - - -	376	-	2	2	112	55	2	34	12	64	19	24	-	11	6	26	-	-	-	3	1
36 East Riding (with York)	72	-	-	-	18	8	-	10	2	15	2	9	-	1	-	5	-	-	-	-	2
37 North Riding - - - -	53	-	1	1	11	3	-	12	1	13	-	6	-	-	-	5	-	-	-	-	-
X.—NORTHERN COUNTIES.																					
38 Durham - - - - -	121	-	12	5	20	6	-	27	1	22	7	11	-	2	2	5	-	-	-	-	1
39 Northumberland - - -	109	8	26	22	10	7	-	19	1	6	1	5	-	-	1	2	-	-	1	-	-
40 Cumberland - - - -	51	1	4	4	14	1	-	9	-	9	-	4	-	3	-	1	-	-	-	-	1
41 Westmorland - - - -	16	-	1	-	4	1	1	1	1	2	-	1	-	2	-	1	-	-	-	-	1
XI.—MONMOUTHSH. AND WALES.																					
42 Monmouthshire - - -	110	-	-	-	34	50	-	10	-	6	-	3	-	1	1	-	4	-	-	-	1
43 South Wales - - - -	435	-	-	-	195	142	-	11	9	18	-	2	-	1	-	2	59	1	-	-	-
44 North Wales - - - -	268	-	-	-	80	31	-	9	1	14	-	1	-	-	-	-	132	-	-	-	-

* These are chiefly chapels of the "Wesleyan Methodist Free Church."

banns, which has the advantage in country places of publishing the contemplated act to all the parishioners, and giving parties interested and justified, an opportunity of "forbidding the banns." It seems to be admitted in these cases that the delay and the public proclamation of an act binding for life, affecting children unborn, and property to a variable extent, are useful, if not indispensable; but it happens that in large cities common names rapidly enunciated from the reading desk convey no information, and in cases where property or minors are concerned a licence can be purchased, which overrides every other security. The licence, descended from the age of indulgences,* is a fiscal advantage to officers of the English Church, and it is so popular among large classes that it can never be superseded, unless it is proved to be disadvantageous by decisive instances. The fee for a licence is a kind of fine on the parties for performing an act, without the usually recognized provisions against its evil consequences.

In Scotland marriages by licence are unknown; and regular marriages can only be solemnized after the payment of fees ranging from 5*s.* to 30*s.* for the publication of banns in the Established Churches of the parishes in which the parties have resided for six weeks. The banns are usually published on three consecutive Sundays: but in some parishes they may for a double fee be published on two Sundays, and for a treble fee on one Sunday. Thus the facility for an immediate marriage is sold in Scotland, as it is in England, to those who are willing to pay for it. The marriage is celebrated at the house of the minister, or the house of one of the parties.

In France the Registrar (Officier de l'Etat Civil), in all cases, proclaims the notice of marriage twice, at eight days' interval, and suspends it in front of the Town Hall (Maison Commune), or house in which the communal officers meet. Only three days after the last publication can marriage be celebrated.

Practically the marriages of the higher classes in England by licence, after complicated settlements, are probably entered on with more deliberation than the marriages of labourers and artisans by banns; but marriage by licence being more costly than marriage by banns, except in the north, it distinguishes classes, and is fashionable, so that nearly all people of the middle class and some artisans marry by licence, while all the labouring population marry by banns, or its equivalent certificate.

Marriages as far as the fees are concerned, may be thrown into two classes; (1) cheap marriages, and (2) dear marriages. The fees for marriage by licence vary in the several parishes, so do those by banns; but for the present purpose the fees for cheap marriages may be set down roughly at 12*s.*, and the fees for dear marriages at 64*s.* Thus the man who marries by licence pays about 52*s.* for the privilege.

The number of cheap marriages in the year 1864 was 153,808, which at 12*s.* each cost 92,285*l.*; while the number of dear marriages was 26,579, which at 64*s.* cost 85,053*l.* When the justly liberal fees of the wealthy in churches and chapels, as well as the subscriptions of the Roman Catholics, are taken into account, after allowing for poor places, the annual marriage fees in England are as likely to be more as they are

* By virtue of stat. 25 Hen. 8. c. 21. the Archbishop of Canterbury and his proper officers are empowered to grant faculties, dispensations, and licences, as the Pope had done before him. It is observed in the Report of the Lords Committee on the Law of Marriage (1823) that licences or dispensations from banns were originally intended exclusively for the use of persons of noble and illustrious quality, but that the usage of two centuries had extended them to the convenience of other classes of society. * * * The privilege of a *special licence* "permitting marriage at *any time*, in any church or chapel, or other meet and convenient place," however, is still restricted to persons of condition, * * * but does not bar the Archbishop of Canterbury from granting such favours beyond these specific limits in certain circumstances for the fee of about 30 guineas.—*Shelford, Law of Marriage*, pp. 259–60.

to be less than 200,000*l.*, of which the people who marry by licence,—one seventh of the total number,—may pay about the half.

The marriages of the year are classified in the Table VIII *a.*

And Table VIII *b.* exhibits the proportion of marriages of three kinds in counties. It will be observed that the proportion of marriages by licence varies considerably in the several counties.

Marriages are solemnized in more than 11 cases out of 12 by religious rites. While 8 married in register offices, 92 men per cent. married in churches, chapels, synagogues, and meeting houses in the face of their respective communities; the law now oppressing no conscience, but allowing the utmost freedom of choice, as far as religious ceremonial is concerned. Under this equal system 78 in 100 marriages are celebrated according to the rites of the Church of England; and 14 according to the rites of the various religious bodies. Exclusive of Roman Catholics, Jews, and Quakers, who all marry rigorously according to their own rites, and exclusive of the marriages in register offices, 156,710 marriages were celebrated; 15,627 at Nonconformist chapels, and 141,083 at churches. The marriages in the churches were in number to those in chapels as *nine* to *one*.

Up to the year 1837 marriage, except in the case of Quakers and Jews, could only be solemnized in England according to the rites of the English church; and much must be allowed for habit, and for what may, as in the case of the licence, be called fashion; much also for the appropriate, generous, and natural sentiments which the English marriage service embodies: but this high proportion of nine marriages at church to one at chapel is evidence of the willing acceptance by many Dissenters of a church rite unencumbered with sectarian shibboleths.*

TABLE VIII *a.*—**Marriages** in **England** and **Wales** in **1864** by **Licence** and **otherwise**.

			Numbers.	Proportions of each Class to 100 Marriages.
Dear Marriages, each costing for fees and stamps about 64*s.* on an average:—				
CLASS I. (1)	At Churches on Licence granted by Ecclesiastical authority -	With Religious Ceremony	20,373	14·73
„ (2)	In Registered buildings on Superintendent Registrar's licence -	With Religious Ceremony	3,899†	
„ (3)	In the Register Office by Superintendent Registrar's licence -	Without Religious Ceremony	2,307†	
Cheap Marriages, each costing for fees about 12*s.* on an average:—				
CLASS II. (1)	At Church after Banns - - -	With Religious Ceremony	116,349	78·45
„ (2)	At Church on Superintendent Registrar's Certificate - - -	With Religious Ceremony	4,361	
„ (3)	In Registered Buildings on Superintendent Registrar's Certificate† - - - - - - -	With Religious Ceremony	20,794	
CLASS III. (1)	In the Register Office on Superintendent Registrar's Certificate -	Without Religious Ceremony	12,304	6·82

† The Licences granted by the Superintendent Registrars have been estimated at 6,206 from a return of 24,822 stamps issued by the Inland Revenue Department in the 4 years ending March 31st, 1865.

* "Anglo-Saxon ideas of female rights were just and liberal. Women were permitted to possess and dispose of property, nor was a person of any wealth enabled to marry, at all events, among his equals, until he had made a legal settlement upon his intended wife. It was, however, the usage of ancient England, as of cognate nations, to withhold the formal conveyance of this provision until the morning after marriage. Hence the dowry of an Anglo-Saxon lady was called her *morning's gift*. Her friends

The Marriage Act of Lord Hardwick, rendering the celebration by church rites indispensable, was not opposed by the Dissenters in 1752;

TABLE VIII *b.*—**Proportional Number of Marriages in 1864 by Licence and otherwise.**

	REGISTRATION COUNTIES.	Proportional Number in each Class to every 100 Marriages.		
		CLASS I. — MARRIAGES BY LICENCE.	CLASS II. — MARRIAGES NOT BY LICENCE in CHURCHES and REGISTERED BUILDINGS.	CLASS III. — MARRIAGES by CERTIFICATE at SUPERINTENDENT REGISTRARS' OFFICE.
	ENGLAND	15	78	7
	I.—LONDON	14	84	2
No.	II.—SOUTH EASTERN COUNTIES.			
1	Surrey (*extra-metropolitan*)	15	81	4
2	Kent (*extra-metropolitan*)	10	86	4
3	Sussex	15	81	4
4	Hampshire	15	77	8
5	Berkshire	14	84	2
	III.—SOUTH MIDLAND COUNTIES.			
6	Middlesex (*extra-metropolitan*)	17	81	2
7	Hertfordshire	9	89	2
8	Buckinghamshire	11	83	6
9	Oxfordshire	15	80	5
10	Northamptonshire	12	79	9
11	Huntingdonshire	10	86	4
12	Bedfordshire	9	86	5
13	Cambridgeshire	11	83	6
	IV.—EASTERN COUNTIES.			
14	Essex	11	85	4
15	Suffolk	11	80	9
16	Norfolk	12	79	9
	V.—SOUTH WESTERN COUNTIES.			
17	Wiltshire	12	86	2
18	Dorsetshire	13	82	5
19	Devonshire	18	61	21
20	Cornwall	14	67	19
21	Somersetshire	16	77	7
	VI.—WEST MIDLAND COUNTIES.			
22	Gloucestershire	14	77	9
23	Herefordshire	20	71	9
24	Shropshire	20	74	6
25	Staffordshire	8	89	3
26	Worcestershire	10	88	2
27	Warwickshire	9	87	4
	VII.—NORTH MIDLAND COUNTIES.			
28	Leicestershire	10	80	10
29	Rutlandshire	13	84	3
30	Lincolnshire	13	83	4
31	Nottinghamshire	12	83	5
32	Derbyshire	13	81	6
	VIII.—NORTH WESTERN COUNTIES.			
33	Cheshire	19	79	2
34	Lancashire	14	81	5
	IX.—YORKSHIRE.			
35	West Riding	9	84	7
36	East Riding (with York)	20	71	9
37	North Riding	30	62	8
	X.—NORTHERN COUNTIES.			
38	Durham	13	66	21
39	Northumberland	16	68	16
40	Cumberland	29	38	33
41	Westmorland	39	52	9
	XI.—MONMOUTHSHIRE AND WALES.			
42	Monmouthshire	11	72	17
43	South Wales	16	61	23
44	North Wales	29	55	16

NOTE.—The results in this Table were obtained without distributing proportionately a certain number of Marriages in each county where the returns omitted to state under which of the heads, according to the rites of the Established Church, they should be referred, but the above proportions would, it is believed, remain unaffected by the correction.

had agreed upon a certain provision for her in the event of a proposed marriage; and until the contract was completed on her part, the husband was not expected to complete

and subsequently Unitarians were the leading successful agitators for greater freedom; for it was admitted on all hands, as the Church service implies a belief in the Trinity, that Unitarians had as good a claim to relief as Jews and Quakers. This they and all other Dissenters obtained under the Marriage Act of 1837; and every year the marriages at the chapels of Nonconformists are increasing.

I have before endeavoured to show that a general relation exists between the price of wheat and the number of marriages in England. But it may be inquired whether the price of wheat and the causes with which it is associated have the same influence on the upper and the lower classes of society.

Considerable difficulties lie in the way of such a classification; but if we assume that the population living in houses assessed at 20*l.* and upwards represents the class marrying by licence, then it will be possible to determine the influence of prices on the marriages of the lower and the higher classes.

This is done in Table IV.

The number of houses of the rent of 20*l.* and upwards assessed for duty was shown at the last Census to be 13·905 per cent. of the total number of inhabited houses of England and Wales*; in the year ending April 1865 it was 14·789; and by a singular coincidence the marriages by licence in the year 1864 are to the total marriages in nearly the same proportion, or 14·734 per cent. There is no constant relation between the two classes of facts in the several counties, where the fashion in respect to dwelling-houses bears no invariable relation to the fashion in respect to marriage by licence or otherwise. If, however, the population be divided into two sections, in numbers proportional to the two classes of houses, there will be 3,073,163 in the first section who may represent the class of people marrying by licence, while the remaining 17,699,145 may represent the class of people marrying in the cheaper fashion by banns or certificate.

The marriages by licence (26,579) bear nearly the same proportion to 3,073,163 people as the marriages by banns and certificate (153,808)

---

it on his. But although the preliminaries of marriage were necessarily civil, due care was taken for impressing it, upon the whole, with a very different character. The mass priest was to pronounce a solemn blessing at nuptial ceremonies, unless one or both of the parties had been married before."—*The Anglo-Saxon Church, its History, Revenues, and general character. By Rev. H. Soames, M.A.*, p. 278.

"The marriage contract by the old law appears to have been in England, as in most other states, essentially a civil contract, and it required no ecclesiastical sanction for its validity. * * * It is true that the Ecclesiastical Courts considered themselves as entitled to disavow all marriages not contracted according to ecclesiastical ordinances. * * * But at common law the marriage was good, and the heir of such a marriage would have inherited.

"In *Wigmore's* case, Salkeld, 438, Lord Chief Justice Holt is thus reported: 'By the common law a contract *per verba de præsenti* is a marriage, as '*I take you to be my wife.*' So it is of a contract *per verba de futuro*, '*I will take*,' &c.; if the contract be executed, and he do take her, it is a marriage, and the [ecclesiastical courts] cannot punish for fornication, but only for not solemnizing the marriage according to the forms prescribed by law, but not so as to declare the marriage void.'

"Marriage was by law (26 Geo. 2. c. 33.) made contractable only (except as to Jews and Quakers who are left in possession of the former freedom of *all* sects) according to the rites of the Church. The jealousy of the other sects seems to have given way and submitted to this compulsory conformity to the establishment.

"Convenience in registration, and general agreement in point of doctrine, as well perhaps as some attempts made to disturb their marriages in the ecclesiastical courts (see *Heydon* v. Gould, Salkeld, 119), had, it would appear, induced the Dissenters, except the Quakers, almost constantly in practice to resort to the Church for marriage. When the Marriage Act (1752) passed, therefore none but Jews and Quakers complained. Conformity as to all other persons became compulsory by the operation of this Act. * * * Evidence of Edgar Taylor, Esq., F.S.A., before Select Committee of House of Commons on Parochial Registration, pp. 81–2."

* Return by Inland Revenue Department.

bear to the 17,699,145 people; in one case it is ·865, in the other ·869 per cent.

If we make an estimate of the marriages by licence in previous years, and assume that the higher and lower classes are in nearly the same proportions as they were in the year 1861, it will be found that the proportions marrying in the two classes are no longer the same, but vary often in inverse directions, the general result being that among the classes marrying by banns and certificate high prices depress marriage, while if they have any effect on the class marrying by licence it is the reverse. See Table IV.

It may be interesting here to give the proportions of marriages to population in Scotland from the last Report of the Registrar General of that portion of the United Kingdom.

MARRIAGES to every 1000 of the population in the year 1862, the date of the last Report for Scotland.

	ENGLAND.	SCOTLAND.
By Rites of Established Churches - - -	6·38	3·02
By Rites of other Protestant Denominations, &c. -	·70	2·96
By Rites of Roman Catholics - - - -	·36	·58
By Civil Ceremony in England; irregularly, &c. in Scotland - - - - - - - -	·63	·12
	8·07	6·68

The greatest discrepancy arises under the last head. Marriage is not held valid in England unless it is registered by the public officer as well as performed in the presence of attesting witnesses, so that here no valid marriage is unregistered. That is not the case in Scotland.

In England as well as in Scotland a certain number of couples live together in a state of concubinage; but in Scotland the line which divides "irregular" marriage from concubinage is so indistinct that even the courts of justice are not always successful in tracing it. Dr. Stark believes that unregistered irregular marriages are few in Scotland, and are confined to the lowest classes: upon this assumption it is evident that marriage is not so frequent in the north as in the south.

The total registered marriages in the *United Kingdom* were 230,435 in the year 1864; the numbers for Scotland being unrevised, and those for Ireland probably defective as it was the first year of registration. The registered marriages of *Roman Catholics* in 230,435 are only about 29,528; so if the Roman Catholic priests in Ireland have returned all the marriages which they solemnized in 1864 this would imply that the number of *Roman Catholics* in the United Kingdom is much below the usual estimate.

Marriage seasons.—Unlike birth and death, marriage is a voluntary act, and if men so will, all the marriages of a country may be celebrated in any single month of the year. But human will is influenced by motives, and these appear to operate all through the seasons of the year with variable force. In London the close of the season among the higher classes is a matrimonial epoch; among the working classes the festivals of Whitsuntide and Christmas, and the season of Lent exert some influence, so do the terms of service, which vary in different counties. The geniality of spring is perceptible; but Lincolnshire is the only county in which the spring weddings exceed the autumn weddings in number. The accumulations of autumn supply a store of food, and the harvest wages of the young swains in agricultural districts are often wisely

invested in the furniture of a cottage : it has already been shown that workpeople are influenced in marriage by economic conditions and prospects.

It might be supposed that marriages take place indifferently on any day of the week. But it is not so. Few marriages are celebrated on a Friday. Now Friday was in former times the day which would be especially devoted to these celebrations, as is implied by the names *Dies Veneris* of the Latins ; and Friday, the day of the Saxon goddess Friga.

This day was chosen by the early church, perhaps partly in opposition to Paganism, as a day for carnal mortification ; it was the day of the crucifixion of Christ ; and hence the festive Friday of the Saxons, and the day especially under the star which astrologers held was most fortunate, fell into the category of "unlucky days." Seamen will not sail, women will not wed, on a Friday so willingly as on other days of the week. The Sun, Moon, and Saturn have gained by this silly superstition, as is shown in the Table below. Half the weddings are celebrated on Sunday and Monday ; Saturday has more than its average number, and in the southern as well as the northern counties the Saturday marriages are the most numerous. It has been suggested that the pocket of the workman who has no account at the bank for savings, and lives on weekly wages, is often empty on Friday, which lays his mind open to gloomy omens, and indisposes him, while on Saturday he is exhilarated by the money which he throws into circulation on the three following days. Economy of time is an alleged motive for Sunday weddings.

Re-marriages.—While 147,914 bachelors wedded spinsters, and 7511 bachelors wedded widows, 16,117 widowers wedded spinsters, and 8845 widowers wedded widows. Thus 155,425 bachelors and 24,962 widowers wedded 164,031 spinsters and 16,356 widows. Of 100 men married 86·16

TABLE VIII *c.*—**Number** of **Marriages** on each **Day** of the **Week** in certain **Districts** of **England** in **1864.**

Days of the Week.	Proportional Numbers to 100 Marriages.	Total of Districts.	The Extra-metropolitan part of the County of Surrey and part of Kent Extra-metropolitan.	District of St. George Hanover-square.	Districts of St. George in the East and Whitechapel.	District of Lambeth.	District of Birmingham.	District of Manchester.	Counties of Cumberland, Westmorland, and part of Northumberland.
			Quarter ending 31st March.	Quarter ending 30th June.			Quarter ending 30th September.		
Total Marriages	100	4,057	595	(*c*) 290	(*c*) 300	(*c*) 632	(*c*) 633	(*c*) 1,102	(*c*) 505
Sunday	32	1,301	145	(*a*) 65	(*a*) 139	(*a*) 255	218	383	96
Monday	21	871	107	(*a*) 40	(*a*) 58	(*a*) 155	214	232	65
Tuesday	11	429	67	57	24	58	55	93	75
Wednesday	8	319	40	31	23	42	47	81	55
Thursday	9	352	53	55	16	41	33	110	44
Friday	2	91	(*b*) 28	1	6	9	10	18	19
Saturday	17	694	155	41	34	72	56	185	151

(*a*) Of 459 Marriages on Sunday, and 253 on Monday, in the aggregate, in these four Districts in the June Quarter, 69 were performed on Whit-sunday and 75 on Whit-monday.

(*b*) Including 12 Marriages performed on Good Friday.

(*c*) These Totals include the following number of Marriages not performed according to the Rites of the Established Church ; viz., 4 in St. George Hanover-square, 79 in St. George in the East and Whitechapel, 11 in Lambeth, 131 in Birmingham, 146 in Manchester, and 231 in Cumberland, Westmorland, and part of Northumberland.

were bachelors, 13·84 were widowers; the proportions were nearly *six* bachelors to *one* widower. Of 100 women married 90·93 were spinsters, 9·07 were widows; of *eleven*, *ten* were spinsters, *one* was a widow. The proportion of re-marriages to first marriages is higher than it was 20 years ago. The highest proportion of men re-married is in Wiltshire, of women in Hampshire.

Minors.—11,934 men and 36,235 women married under age; so in 100 of each sex 6·62 men and 20·09 women married before attaining the full age of 21.

Signature of marriage registers.—The bridegroom and the bride invariably sign the marriage register. In the year 1864, of 180,387 *couples* married, it is found that:

The bridegroom *and* the bride wrote their names in 106,569 instances.

The bridegroom *or* the bride made *a mark* instead of *writing* the name in 47,236 instances. [15,416 men and 31,820 women.]

The bridegroom and the bride both *signed with marks* in 26,582 instances.

41,998 bridegrooms and 58,402 brides made their marks instead of writing their names.

What are we to infer from these facts? Not, say some clergymen, that all the women who make marks are unable to write their names, for they are sometimes so "nervous" that they decline to write, and make crosses. This may be true; but against any women deducted from the ranks of ignorance on this ground must be set a large number of women who write their names so badly, as to prove that they have no command over writing for any useful purpose. Indeed it may be safely affirmed that 58,402, or 32 in 100, is an understatement rather than an overstatement of the number and proportion of young women in England incapable of writing for any practical purpose.

Although nothing has been said by the clergy of the timidity of men, it is probable that in this matter, and on this occasion, the women are as brave as the men, to whom similar remarks are therefore applicable.

In the absence of an educational examination of the whole adult population this test may be employed, and may lead to some practical results.

The annexed Tables display the various shades of ignorance in which large masses of the adult population are still plunged.

TABLE VIII*d*.—SCOTLAND, **1862. Proportion** of **Men** and **Women** who **signed** the **Marriage Register** in **Writing.**

Divisions.	COUNTIES.	Of 100 Men Married.	Of 100 Women Married.
	SCOTLAND - - - - - - -	90·0	79·7
III.	Nairn, Elgin, Banff, Aberdeen, Kincardine - - - - -	96·5	90·6
VIII.	Roxburgh, Dumfries, Kircudbright, Wigtown - - -	95·3	92·1
VII.	Linlithgow, Edinburgh, Haddington, Berwick, Peebles, Selkirk	94·6	90·3
IV.	Forfar, Perth, Fife, Kinross, Clackmannan - - - - -	93·6	85·4
I.	Shetland, Orkney, Caithness, Sutherland - - - -	92·2	81·3
VI.	Renfrew, Ayr, Lanark - - - - - - - - - -	86·5	71·0
V.	Stirling, Dumbarton, Argyll, Bute - - - - - -	86·4	75·7
II.	Ross and Cromarty, Inverness - - - - - - - -	67·5	50·5

Thus in all the counties around Aberdeen 97 in every 100 marrying men and 91 in every 100 women wrote their names. It is only in the highland counties of Inverness, Ross and Cromarty that the men and women approach or surpass the degree of English ignorance. The old tongue is the same hindrance to the education of the people as it is in Wales.

It should be recollected that the marriageable women of a country are a selected class, and include very few of the infirm, deformed, idiotic, or others incapable of learning. They can nearly all learn to write if they have the opportunity. And upon turning to the Report of Dr. Stark, addressed to the Registrar General of Scotland,* I find that all the women of the county of Kinross who married wrote their names in the registers; the proportions per cent. were also 98 in Peebles, 98 in Kincardine, 96 in Roxburgh, 96 in Kircudbright, 94 in Perth, 92 in Fife, 91 in Edinburgh, and 93 in the far off Orkneys. Under these circumstances he must be an extreme optimist who can contend that the state of education of the women of England is the best possible, when it is found that by the same test in 100 of the marrying women of the county of Bedford only 55 write their names, in Cornwall only 60, in Stafford only 52, in Lancashire 53, in the West Riding only 57, in Durham only 62, in Monmouthshire only 48, in North Wales only 51, and in South Wales only 44.

The women of London come as immigrants in large proportions from every county; 83 in 100 of the brides wrote their names. Middlesex, Surrey, Sussex, Hants, Rutland deserve to be mentioned

TABLE VIII *c*.—ENGLAND **1864. Proportion of Men** and **Women** who **signed** the **Marriage Register** in **Writing** in the **several Counties.**

MALES.		FEMALES.	
COUNTIES, &c.	Of 100 Men Married.	COUNTIES, &c.	Of 100 Women Married.
Monmouth	58·1	South Wales	44·1
Stafford	61·6	Monmouth	48·2
South Wales	62·8	Stafford	51·5
Bedford	63·1	North Wales	51·3
Hertford	63·2	Lancaster	53·1
Suffolk	64·0	Bedford	55·1
North Wales	65·1	West Riding	57·4
Salop	67·1	Cornwall	59·9
Norfolk	67·7	Chester	61·8
Cambridge	68·5	Durham	61·9
Cornwall	68·9	Worcester	65·0
Hunts	69·1	Notts	65·2
Essex	69·5	Salop	66·3
Rutland	69·9	**England**	**67·6**
Worcester	70·5	Derby	67·6
Hereford	70·5	Herts	68·9
Berks	72·1	Leicester	69·1
Wilts	72·1	Warwick	69·3
Bucks	72·3	Cambridge	70·0
Dorset	73·3	Cumberland	70·0
Somerset	74·1	Suffolk	70·7
Notts	75·1	Bucks	70·8
Lancaster	75·5	Hunts	71·7
Northampton	75·7	Norfolk	72·0
Durham	75·8	Northumberland	72·5
Oxford	75·9	East Riding	72·8
England	**76·7**	Northampton	72·9
Warwick	76·7	Somerset	73·1
Chester	76·7	Gloucester	74·8
West Riding	76·9	Hereford	74·9
Derby	77·2	Essex	75·0
Lincoln	78·2	Wilts	75·6
Middlesex	78·4	Lincoln	75·8
Gloucester	78·6	North Riding	75·9
Leicester	78·7	Devon	76·0
Kent	79·0	Dorset	76·9
Surrey	79·4	Berks	78·3
Devon	80·0	Oxford	78·3
Cumberland	80·3	Kent	78·7
Sussex	80·7	Westmorland	79·4
North Riding	81·0	Middlesex	80·9
Hants	81·1	Hants	82·2
East Riding	82·5	Rutland	82·5
Northumberland	83·2	LONDON	82·6
LONDON	89·1	Surrey	83·2
Westmorland	89·7	Sussex	83·8

* Eighth Detailed Annual Report of the Registrar General of Scotland—Abstracts of 1862, p. xxiii.

as counties in which 80 or more of 100 brides wrote their names in the registers. In Westmorland 79 women wrote their names; but it is in the education of the men that the Northern Counties approach and even excel, several of the Scotch counties.

Of 100 men marrying, 90 could write their names in Westmorland, 89 in London, 83 in Northumberland, 83 in the East Riding, 81 in the North Riding, 81 in Hants, 81 in Sussex, 80 in Cumberland, 80 in Devon. The proportion then goes on descending deplorably from county to county until it falls to 63 in Bedford, Hertford, and South Wales, 62 in Stafford, and 58 in Monmouth. The excessive ignorance of the colliers of Staffordshire and Wales is a cause of incalculable evils, among others, of explosions, and probably of strikes.

In Scotland we discover a state of things highly creditable to the people of that part of the United Kingdom; and it is difficult to explain the difference in any other way than that in the general struggle for the church property at the Reformation the people had the good sense to endow the schoolmasters with small stipends, and not to give the whole revenue of the land either to the clergy or to the nobility. Between the minister and the lord stood the schoolmaster in the presence of the people. The advantages of the Scotch system of education became so apparent that it was expanded in the period of the civil wars (1646), and firmly established after the Revolution by the celebrated statute of William and Mary in 1696. The endowment was small, and stimulated instead of slackening the exertions of the schoolmaster, who had to depend largely on his own industry, zeal, and popularity for support. M'Culloch estimated the average fixed stipend at 25*l.* 10*s.*, exclusive of

---

TABLE VIII *f.* — **Estimated Number** of **Married Women, Spinsters,** and **Widows** aged **20 and under 40,** and the **Number** of **Legitimate** and **Illegitimate Births** registered in **England** and **Wales,** and in **Scotland, 1856-60.**

YEARS.	ESTIMATED NUMBER OF WOMEN LIVING AT AGES 20–40.			BIRTHS REGISTERED.		
	Wives, Widows, and Spinsters.	Wives.	Widows and Spinsters.	Total Births.	Births in Wedlock.	Births out of Wedlock.
	ENGLAND AND WALES.					
Average in the 5 Years 1856-60	3,075,306	1,777,663	1,297,643	669,986	626,506	43,480
1856	3,012,753	1,728,973	1,283,780	657,453	614,802	42,651
1857	3,043,656	1,752,982	1,290,674	663,071	620,069	43,002
1858	3,074,931	1,777,325	1,297,606	655,481	612,176	43,305
1859	3,106,580	1,802,005	1,304,575	689,881	645,130	44,751
1860	3,138,611	1,827,029	1,311,582	684,048	640,355	43,693
	SCOTLAND.					
Average in the 5 Years 1856-60	485,969	239,251	246,718	104,285	95,013	9,272
1856	482,001	236,213	245,788	101,521	93,126	8,695
1857	483,974	237,722	246,252	103,415	94,556	8,859
1858	485,958	239,241	246,717	104,018	94,664	9,354
1859	487,953	240,770	247,183	106,543	96,828	9,715
1860	489,958	242,308	247,650	105,629	95,893	9,736

house and garden; the school fees at 22*l.* 10*s.*; the income from all sources at about 63*l.**

It is impossible to say how much Scotland owes to this system of schools, and to the universities, which are accessible to the youth of the kingdom. There was probably as much revenue proportionally devoted to education in England as in Scotland, but the money was in various ways misappropriated, so that before the Reform Bill passed, and even in 1837 when the registration of marriages commenced, the working classes, entirely ousted from the educational charities and universities, were in the most deplorable state of ignorance. *One* in *three* of the young men, and *one* in *two* of the young women, of England could not write their names in the marriage register even in 1841, after some efforts had been made in the cause of popular education.

Happily a considerable improvement is visible in the registers; *one* in *four* of the men, and *one* in *three* of the women, now sign with marks. In twenty-three years the marks-men have fallen from 33 to 23; the marks-women from 49 to 32 in 100.

Still in common education the great body of the people of England are many degrees below the people of Scotland, and it is impossible to calculate the advantage this superiority gives the Scotchman over the Englishman at home and abroad. The education of the common people of Scotland is a benefit to the world; without it Watt could not have invented, Burns could not have written. The brightest boy in a village without a school has no chance of distinction, except by accident.

The success of common education in Scotland speaks well for the working of a rate, mixed with a paying system for children. But before the education of the children of to-day can produce any results on the minds of the marrying fathers and mothers of England, 10 or 15 years may elapse. Cannot nearly all these adults be taught at once to read and write by some simple method? Is there no machinery for grinding reading and writing into the heads of the young agricultural labourers of England who are about to marry within the next five years?

TABLE VIII *g.*—**Comparative Fecundity of English and Scotch Women of the Ages 20—40.**

YEARS.	BIRTHS.					
	To 100 WOMEN.		To 100 WIVES.		To 100 SPINSTERS AND WIDOWS.	
	England.	Scotland.	England.	Scotland.	England.	Scotland.
Average in the 5 Years 1856 60	21·736	21·459	35·243	39·713	3·351	3·758
1856	21·822	21·125	35·559	39·425	3·322	3·538
1857	21·785	21·368	35·372	39·776	3·332	3·598
1858	21·317	21·405	34·444	39·568	3·337	3·791
1859	22·207	21·835	35·801	40·216	3·480	3·930
1860	21·795	21·559	35·049	39·575	3·331	3·931

NOTE.—The proportional number of Births registered to Women of *all Classes* (*Wives, Spinsters, and Widows*) of the ages 20-40 and 15-55 is greater in England than in Scotland, but the proportional numbers of Legitimate Births to Wives and of Illegitimate Births to Spinsters and Widows at the above ages are greater in Scotland than they are in England. The age of the mothers at the birth of their children is unknown in England and Scotland. In Sweden the proportions borne by women of the age 20 and under 40 were 87 per cent. of the total number in the years 1826 to 1835.

---

* Statistics of British Empire, vol. ii. p. 373.

Births to a marriage.—The marriages in a calendar year give rise to births which are registered year after year for 20 years. The births to the 167,723 marriages in the year 1859 could only be determined by following the families and counting all the children unto the end. The division of the sum of the children by the marriages would accurately express the fecundity, as it has been called, of marriages. If the annual marriages do not increase or decrease in number through a series of years, the division of the annual births by the annual marriages of the same years expresses the fecundity pretty accurately; but the marriages in England are increasing rapidly; consequently the 740,275 births registered in the year 1864 must be divided by the marriages of some earlier year to get an approximation to the fecundity. As the age of the mothers is unfortunately not recorded, the interval in England is unknown which intervenes between the mean age of marriage and the mean age of the mothers when their children are born; otherwise that interval would indicate the calendar years with which the births of the year 1864 should be compared.

But the interval in Sweden between the mean age of mothers at marriage (25·8 years) and their mean age at the births of their children (31·7) is six years; and the interval in England cannot differ much from six years. Hence, if the legitimate births of given years are divided by the marriages of six years earlier date, the quotient will be the proportion of children to a marriage within close limits. In England the births thus determined to a marriage were 4·255, 4·301, 4·304 in the years 1862, 1863, and 1864. In Scotland the births in 1862 to the average marriages of six years earlier date (1855, 1856, and 1857) were 4·694. The

---

TABLE VIII *h.* — **Estimated Number of Married Women, Spinsters,** and **Widows** aged **15 and under 55,** and the **Number** of **Legitimate** and **Illegitimate Births** registered in **England** and **Wales,** and in **Scotland, 1855-60.**

YEARS.	ESTIMATED NUMBER OF WOMEN LIVING AT AGES 15—55.			BIRTHS REGISTERED.		
	Wives, Widows, and Spinsters.	Wives.	Widows and Spinsters.	Total Births.	Births in Wedlock.	Births out of Wedlock.
	ENGLAND AND WALES.					
Average in the 5 Years 1856-60	5,437,769	2,843,374	2,594,395	669,986	626,506	43,480
1856	5,313,475	2,759,953	2,553,522	657,453	614,802	42,651
1857	5,374,844	2,801,047	2,573,797	663,071	620,069	43,002
1858	5,436,986	2,842,753	2,594,233	655,481	612,176	43,305
1859	5,499,911	2,885,080	2,614,831	689,881	645,130	44,751
1860	5,563,632	2,928,039	2,635,593	684,048	640,355	43,693
	SCOTLAND.					
Average in the 5 Years 1856-60	867,062	383,271	483,791	104,285	95,013	9,272
1856	859,191	377,459	481,732	101,821	93,126	8,695
1857	863,102	380,343	482,759	103,415	94,556	8,859
1858	867,038	383,249	483,789	104,018	94,664	9,354
1859	870,997	386,177	484,820	106,543	96,828	9,715
1860	874,982	389,128	485,854	105,629	95,893	9,736

number of children to a marriage thus appears to be greater in Scotland than in England, and this is held to be a proof that married women are more prolific in Scotland than in England.

Proceeding upon another basis the annual number of legitimate children registered in England was 626,506 in the five years 1856–60; when the average number of wives of the age 15–55, determined directly from the census returns of 1851 and 1861, was 2,843,374; consequently 100 wives bore 22·0 children annually. In like manner it is found that 100 unmarried women bore on an average 1·7 illegitimate children; that is 17 children to 1000 women. 100 women, including the married and the unmarried, bear 12·3 children annually on an average.*

In Scotland, during the same years, the following proportions were found to exist: 100 wives bore 24·8 children annually, 100 spinsters or widows bore 1·9 illegitimate children; and 100 women bore 12·0 children legitimate or illegitimate.

The wives of Scotland, as well as the spinsters, are apparently more prolific than the corresponding classes in England; and yet taken collectively the women of England are more prolific than the women of Scotland. 1000 English women (age 15–55) bear 123 registered children annually; while 1000 Scotch women bear 120 children. The difference is slight, but it is in favour of the English women.

This appears, at first sight, to be contradictory and paradoxical. It is explained by the circumstance that the proportion of recognized wives in the population is much lower in proportion in Scotland than it is in England, and as the fecundity of wives is to that of spinsters as 13 to 1, a slight difference in the proportions alters the birth-rates of the two populations. The difference in this respect between England and Scotland is great: in England 52 in 100 women of the age 15–55 are wives, 48 only are spinsters and widows; in Scotland the proportions are reversedly 44 recognized wives to 56 spinsters and widows.

1856–60.—(1) **Wives**, (2) **Spinsters** and **Widows**, of the **Age 15—55** in **England** and **Scotland.**

	Number of Married and of Unmarried Women.		Proportional Number of Married and Unmarried Women.	
	England.	Scotland.	England.	Scotland.
Women	5,437,769	867,062	100·00	100·00
Wives	2,843,374	383,271	52·29	44·20
Spinsters and Widows .	2,594,395	483,791	47·71	55·80

By altering the proportions in Scotland, for instance, by transferring 57,608 women from the ranks of the unmarried to the married women, and by transferring 2,130 children from the ranks of the illegitimate to the legitimate children, the fecundity of women—of the wives and of the spinsters—of Scotland, becomes the same as the fecundity of the corresponding classes in England, namely, wives having children 22·034 per cent., spinsters and widows 1·676; instead of 24·790 and 1·916 per cent.; and when the transfer is made, the proportions remaining still show a less excess of women living in the state of marriage in Scotland than in England. Let us push this inquiry a little further.

* The proportions are slightly different in the years 1862 and 1864; but the argument remains unaffected. The same remark applies to the proportions of births to women of age 20—40. *See* Table VIII *g*.

"There is an important distinction between the law of Scotland and that of England upon the point of legitimation by marriage, the former *legitimating all the children of the parties born before* the marriage, the latter legitimating only those who were born after the marriage. * * *

"It has been an established rule and principle of the law of Scotland for some centuries that *when a man and a woman are once lawfully married all the children born of such parents, whether born before the public celebration or open declaration of such marriage, or after it, are equally to be esteemed their legitimate children.* * * *

"It is generally stated in Scotch authorities to rest on a presumption or fiction, by which it is held *that there was from the beginning of the intercourse of the parties, or at the time when the child was begotten, a consent to matrimonial union interposed, notwithstanding that the contract was not formally completed or avowed to the world* [at the census, for example] *until a later period.*"*

The legitimation of children born out of wedlock by subsequent marriage is somewhat different in France: it depends on the decision of the parents under the Code Napoleon, which nearly expresses the state of the law on the continent of Europe since the time of the Romans.

"Les enfans nés hors mariage autres que ceux nés d'un commerce incestueux ou adultérin *pourront être légitimés par le mariage subséquent de leurs père et mère, lorsque ceux-ci les auront légalement reconnus avant leur mariage ou qu'ils les reconnaitront dans l'acte même de celebration.*"—Code Civile, livre i. section 331.

England stands almost alone among the civilized nations of Europe in refusing legitimation, even at the wish of the parents, to offspring born out of wedlock: and changes of the law might be demanded not only in kindness but in justice to the children, if there were no great countervailing advantages on the side of English law. Such advantages are believed to exist.

TABLE VIII.—**Comparative Fecundity** of **English** and **Scotch Women** of the **Ages 15—55.**

YEARS.	BIRTHS.					
	To 100 WOMEN.		To 100 WIVES.		To 100 SPINSTERS AND WIDOWS.	
	England.	Scotland.	England.	Scotland.	England.	Scotland.
Average in the 5 Years 1856-60	12·321	12·027	22·034	24·790	1·676	1·916
1856	12·373	11·851	22·276	24·672	1·670	1·805
1857	12·337	11·982	22·137	24·861	1·671	1·835
1858	12·056	11·997	21·535	24·700	1·669	1·933
1859	12·543	12·232	22·361	25·073	1·711	2·004
1860	12·295	12·072	21·870	24·643	1·658	2·004

* Shelford, Law of Marriage, pp. 783–4. In a note he adds: "Legitimation *per subsequens matrimonium* is admitted, with different modifications, not only by the law of *Scotland*, but in *France, Spain, Portugal, Germany*, and *most other countries in Europe*. It prevails in the *Isle of Man* (*Lex Scripta of the Isle of Man, p.* 70–75), *Guernsey* and *Jersey, Lower Canada, Saint Lucia, Trinidad, Demerara, Berbice*, the *Cape of Good Hope, Ceylon*, and the *Mauritius*. It is not admitted by the law of England, or of her other possessions in the West Indies and North America, or by the law of Ireland. It prevails in the States of *Vermont, Maryland, Virginia, Georgia, Alabama, Mississipi, Louisiana, Kentucky, Missouri, Indiana*, and *Ohio*, but *not* in the *other States* of America. —1 Burge on Foreign Law, 101."

Out of 1000 children whose births are registered in England 65 are illegitimate; out of 1000 registered in Scotland 89 are illegitimate (1856–60); the proportion of bastards in an equal number of children of the two countries is as 3 in England to 4 in Scotland. Is this to be ascribed to the greater ignorance of Scotch women? By no means. Is it due to differences of religious belief or zeal? No one pretends that in this respect the people of Scotland are at all inferior to the people of England. We are thus driven back for an explanation to differences of the laws.

It is quite certain that many of the children registered as illegitimate in Scotland will be legitimated by the subsequent marriage of their mothers; the number is not always recorded as the mere fact of marriage regular or irregular legitimates offspring; but assume the numbers to be 2130 out of 9272 illegitimate births, then it follows that an indefinite number of the women returned at the census as spinsters in Scotland are living in a state of quasi-marriage described in the books, and fairly expecting if they have children to see those children legitimated by subsequent marriage; they are kept in an uncertain state, hovering between concubinage and marriage, to which there is nothing corresponding in England, and they would nearly all, if they lived under the English law, be explicitly married. If the numbers of these women are taken at 57,608, as has been before explained, and added to the wives of Scotland (age 15–55), the numbers of wives *de præsenti* and wives *de futuro* will be 440,879, giving birth to 97,143 children annually, leaving 426,183 spinsters and widows corresponding to the same class in England, and giving birth to the same proportion of illegitimate children.*

As a class these women in the prenuptial stage have comparatively few children, for the fruitful marry, and the unfruitful as a rule remain unmarried.

Other explanations are conceivable, but under this hypothesis it is not necessary to assume that there is any essential difference in the organization, the fecundity, or the virtue of the women living north and south of the Tweed. The laws are different. The result seems to tell in favour of the English marriage law, and against legitimation by subsequent marriage, inasmuch as the benefit to existing illegitimate children is pur-

---

* Let the fecundity of wives age 15—55 in England be thus expressed by —

$$\frac{\text{legitimate children in a year}}{\text{wives living in a year}} = f;$$

and that of unmarried women by $\frac{\text{illegitimate children}}{\text{spinsters and widows}} = \phi$.

And for Scotland put l = legitimate births in corresponding year, borne by w wives of age 15—55; also i = illegitimate births by s spinsters and widows of same age.

Then to obtain the proportion (y) of spinsters to be transferred to wives, and of illegitimate births (x) to be transferred to the legitimate, in order to make the fecundity of the corresponding classes equal to those of England, we have these Equations of Condition:

$$(1) \qquad \frac{l + xi}{w + ys} = f = \cdot 22034$$

$$(2) \text{ and } \frac{i - xi}{s - ys} = \phi = \cdot 01676$$

$$\therefore \quad x = \frac{\phi f (s + w) - (\phi l + fi)}{i (\phi - f)}$$

$$= \frac{fw + \phi s - (l + i)}{s (\phi - f)}$$

chased by multiplication of their numbers, uncertain connexions between the sexes, and extensive disorganization of family life.

	SCOTLAND (1856–60).			ENGLAND (1856–60).
Five times Women aged 15–55	867,062	Children in Five Years. 104,285	Annual Births to 100 Women.	Annual Births to 100 Women.
Wives, actually . . .	383,271	95,013	24·79	22·03
Wives, prospectively . .	57,608	2,130	3·70	0·00
Wives	440,879	97,143	22·03	22·03
Spinsters and Widows	426,183	7,142	1·68	1·68

Births.

The births of living children in the year 1864 were more numerous than in any previous year; the number registered was 740,275, being 12,858 in excess of the number registered in 1863. The birth-rate was 3·564 per cent. per annum, the highest experienced since the commencement of registration; the rate has steadily increased during the last five years; it was 3·437 in 1860, and 3·461, 3·504, 3·539, and 3·564 in the four following years, the average of the 27 complete years of registration, 1838–64, being 3·342. In 1864 there was one child born alive to every 28 persons living.

As may be expected, the rate of birth varies in different localities; it is lower among the purely agricultural than among the manufacturing and mining populations; in Surrey (*extra-metropolitan*) the rate was 3·112 per cent., in Sussex 3·197, Middlesex (*extra-metropolitan*) 3·130; in Devonshire it was 3·171, while in the neighbouring mining county of Cornwall it was 3·548. Somersetshire had the low rate of 3·112, and Herefordshire, lowest of all, showed only 3·084 per cent. Among the counties experiencing a high birth-rate, Durham ranks first, with 4·298 per cent.; then follow Staffordshire 4·093, West Riding of York 3·966, Lancashire 3·768, Leicestershire 3·762, Northumberland 3·734, and Monmouthshire 3·728. In London the birth-rate (3·480) was as usual lower than that of England generally (3·564), which is probably, to some extent, owing to the large proportion of unmarried persons engaged in

Table IX.—**Births** in the **Years 1845–64** in **England,** distinguishing the **Legitimate** and **Illegitimate.**

Years.	Total Births.	Legitimate.	Illegitimate.
1845	543,521	505,280	38,241
1846	572,625	534,096	38,529
1847	539,965	503,840	36,125
1848	563,059	526,312	36,747
1849	578,159	538,825	39,334
1850	593,422	553,116	40,306
1851	615,865	573,865	42,000
1852	624,012	581,530	42,482
1853	612,291	572,628	39,763
1854	634,405	593,664	40,741
1855	635,043	594,260	40,783
1856	657,453	614,802	42,651
1857	663,071	620,069	43,002
1858	655,481	612,176	43,305
1859	689,881	645,130	44,751
1860	684,048	640,355	43,693
1861	696,405	652,249	44,157
1862	712,684	667,462	45,222
1863	727,417	680,276	47,141
1864	740,275	692,827	47,448

domestic service and in mercantile and professional pursuits, although no doubt some births escape registration owing to the defect in the English Registration Act, which does not make the registration of births compulsory, as in Scotland and Ireland. No information exists in this country as to the number of still-born children.

Sex.—The births of 377,719 male children and 362,556 female children were registered, being in the proportion of 104·2 males to every 100

TABLE X.—**Number** and **Proportion** of **Male** and **Female Children** born **in** and **out** of **Wedlock** in the several **Counties** of **England** during the **Year 1864.**

No.	REGISTRATION COUNTIES.	Male Children born.	Female Children born.	Born in Wedlock. Males.	Born in Wedlock. Females.	Born out of Wedlock. Males.	Born out of Wedlock. Females.	Males born to every 100 Females born.	Males born *in Wedlock* to every 100 Females so born.	Males born *out of Wedlock* to every 100 Females so born.	Children born *out of Wedlock* to every 100 births.
	ENGLAND	377,719	362,556	353,479	339,348	24,240	23,208	104·2	104·2	104·4	6·4
	I.—LONDON	52,383	50,242	50,197	48,117	2186	2125	104·3	104·3	102·9	4·2
	II.—SOUTH EASTERN COUNTIES.										
1	Surrey (*extra-metropolitan*)	4788	4578	4561	4397	227	181	104·6	103·7	125·4	4·4
2	Kent (*extra-metropolitan*)	10021	9500	9509	9000	512	500	105·5	105·7	102·4	5·2
3	Sussex	6089	5838	5702	5484	387	354	104·3	104·0	109·3	6·2
4	Hampshire	7828	7447	7400	7030	428	417	105·1	105·3	102·6	5·5
5	Berkshire	3446	3384	3201	3178	245	206	101·8	100·7	118·9	6·6
	III.—SOUTH MIDLAND COUNTIES.										
6	Middlesex (*extra-metropolitan*)	3281	3190	3154	3057	127	133	102·9	103·2	95·5	4·0
7	Hertfordshire	2942	2990	2729	2796	213	194	98·4	97·6	109·8	6·9
8	Buckinghamshire	2571	2525	2401	2365	170	160	101·8	101·5	106·3	6·5
9	Oxfordshire	2980	2833	2779	2639	201	194	105·2	105·3	103·6	6·8
10	Northamptonshire	4212	4079	3967	3846	245	233	103·3	103·1	105·2	5·8
11	Huntingdonshire	1027	1041	960	970	67	71	98·7	99·0	94·4	6·7
12	Bedfordshire	2598	2503	2384	2307	214	196	103·8	103·3	109·2	8·0
13	Cambridgeshire	3118	2958	2884	2731	234	227	105·4	105·6	103·1	7·6
	IV.—EASTERN COUNTIES.										
14	Essex	6741	6502	6151	5927	590	575	103·7	103·8	102·6	8·8
15	Suffolk	5736	5631	5297	5183	439	448	102·2	102·2	102·5	8·0
16	Norfolk	7206	6957	6647	6233	759	724	103·6	103·4	104·8	10·5
	V.—SOUTH WESTERN COUNTIES.										
17	Wiltshire	3866	3807	3593	3528	273	279	101·5	101·8	97·8	7·2
18	Dorsetshire	3075	2970	2877	2789	198	181	103·5	103·2	109·4	6·3
19	Devonshire	9513	9265	8965	8696	548	569	102·7	103·1	96·3	5·9
20	Cornwall	6627	6441	6256	6041	371	400	102·9	103·6	92·8	5·9
21	Somersetshire	7465	6958	7061	6537	404	421	107·3	108·0	96·0	5·7
	VI.—WEST MIDLAND COUNTIES.										
22	Gloucestershire	7668	7270	7267	6889	401	390	105·5	105·6	102·8	5·3
23	Herefordshire	1690	1714	1524	1595	166	119	98·6	95·5	139·5	8·4
24	Shropshire	4527	4349	4110	3952	417	397	104·1	104·0	105·0	9·2
25	Staffordshire	17208	16493	16109	15475	1108	1021	104·3	104·0	108·5	6·3
26	Worcestershire	5612	5405	5237	5049	375	356	103·8	103·7	105·3	6·6
27	Warwickshire	11115	10581	10524	9984	591	597	105·0	105·4	99·0	5·5
	VII.—NORTH MIDLAND COUNTIES.										
28	Leicestershire	4734	4467	4354	4127	380	340	106·0	105·5	111·8	7·8
29	Rutlandshire	407	355	373	325	34	30	114·6	114·8	113·3	8·4
30	Lincolnshire	6988	6698	6402	6128	586	570	104·3	104·5	108·5	8·2
31	Nottinghamshire	5792	5461	5247	4972	545	489	106·1	105·5	111·5	9·2
32	Derbyshire	5379	5474	5185	5045	394	429	101·9	102·8	91·8	7·4
	VIII.—NORTH WESTERN COUNTIES.										
33	Cheshire	9045	8668	8401	8045	644	623	104·3	104·4	103·4	7·2
34	Lancashire	49888	47952	46766	44960	3122	2992	104·0	104·0	104·3	6·2
	IX.—YORKSHIRE.										
35	West Riding	32171	31037	29095	28081	2176	2076	103·6	103·5	104·8	6·7
36	East Riding (with York)	4983	4880	4585	4497	398	383	102·1	102·0	103·9	7·9
37	North Riding	3812	3593	3453	3256	359	337	106·1	106·1	106·5	9·4
	X.—NORTHERN COUNTIES.										
38	Durham	13135	12506	12386	11808	749	698	105·3	104·9	107·3	5·6
39	Northumberland	6854	6437	6359	5954	495	483	106·5	106·8	102·5	7·4
40	Cumberland	3706	3570	3258	3157	448	413	103·8	103·2	108·5	11·8
41	Westmorland	947	987	845	886	102	101	95·9	95·4	101·0	10·5
	XI.—MONMOUTHSHIRE AND WALES.										
42	Monmouthshire	3841	3676	3632	3493	209	178	104·5	103·8	117·4	5·1
43	South Wales	13419	12671	12559	11822	860	849	105·9	106·2	101·3	6·6
44	North Wales	7065	6680	6442	6101	623	579	105·8	105·6	107·6	8·7

females born. In Rutland as many as 114·6 males were born to 100 females, in Nottinghamshire 106·1, in Northumberland 106·5, in North Riding of York 106·1. In Hertfordshire, Huntingdonshire, Herefordshire, and Westmorland, the births of females exceeded those of males, the numbers being respectively 98·4, 98·7, 98·6, and 95·9 males to every 100 females born.

Seasons.—In the first three months of the year the maximum number of 192,947 births was registered, the numbers in the subsequent quarters being 188,835, 181,015, and 177,478 respectively. If the births in an

TABLE XI.—**Births** to 100 Persons living in the several **Counties** of **England** during each of the **Years 1854-64.**

No.	REGISTRATION COUNTIES.	BIRTHS TO 100 PERSONS LIVING. 1854.	1855.	1856.	1857.	1858.	1859.	1860.	1861.	1862.	1863.	Average Annual Rate, 1854-63.	1864.
	ENGLAND	3·408	3·373	3·453	3·443	3·366	3·504	3·437	3·461	3·504	3·539	3·469	3·564
	I.—LONDON	3·390	3·356	3·372	3·397	3·320	3·408	3·372	3·448	3·422	3·516	3·400	3·480
	II.—SOUTH EASTERN COUNTIES.												
1	Surrey (*extra-metropolitan*)	2·853	2·758	2·924	2·907	2·925	3·097	3·031	3·054	3·043	3·103	2·970	3·112
2	Kent (*extra-metropolitan*)	3·180	3·110	3·231	3·356	3·133	3·327	3·139	3·293	3·279	3·390	3·244	3·426
3	Sussex	3·067	2·919	3·092	3·043	2·961	3·111	2·965	3·053	3·054	3·127	3·039	3·197
4	Hampshire	3·075	2·916	3·188	3·222	3·119	3·186	3·138	3·162	3·171	3·278	3·146	3·216
5	Berkshire	2·982	2·899	3·068	3·081	3·010	3·272	3·016	3·124	3·253	3·326	3·103	3·297
	III.—SOUTH MIDLAND COUNTIES.												
6	Middlesex (*extra-metropolitan*)	3·060	2·923	3·042	3·003	2·996	3·166	3·017	3·060	3·021	3·094	3·038	3·130
7	Hertfordshire	3·047	2·967	3·161	3·245	3·074	3·265	3·134	3·095	3·237	3·226	3·145	3·322
8	Buckinghamshire	3·195	3·160	3·203	3·350	3·198	3·490	3·324	3·408	3·408	3·420	3·316	3·445
9	Oxfordshire	3·154	2·971	3·247	3·259	3·180	3·434	3·307	3·330	3·332	3·380	3·239	3·389
10	Northamptonshire	3·335	3·445	3·529	3·563	3·502	3·625	3·613	3·506	3·517	3·691	3·533	3·497
11	Huntingdonshire	3·206	3·196	3·410	3·459	3·363	3·491	3·377	3·214	3·404	3·550	3·367	3·520
12	Bedfordshire	3·372	3·302	3·431	3·541	3·315	3·634	3·380	3·423	3·469	3·593	3·446	3·586
13	Cambridgeshire	3·202	3·172	3·350	3·504	3·208	3·456	3·308	3·269	3·251	3·378	3·302	3·407
	IV.—EASTERN COUNTIES.												
14	Essex	3·103	3·133	3·234	3·268	3·146	3·361	3·238	3·236	3·258	3·378	3·236	3·362
15	Suffolk	3·186	3·086	3·204	3·302	3·234	3·474	3·208	3·256	3·266	3·284	3·251	3·398
16	Norfolk	3·189	3·029	3·219	3·186	3·187	3·427	3·162	3·230	3·249	3·251	3·213	3·329
	V.—SOUTH WESTERN COUNTIES.												
17	Wiltshire	3·174	3·024	3·189	3·149	3·140	3·253	3·126	3·170	3·335	3·335	3·190	3·281
18	Dorsetshire	3·028	2·980	3·034	3·075	3·147	3·286	3·183	3·167	3·215	3·351	3·147	3·305
19	Devonshire	2·889	2·803	2·922	2·905	2·979	3·027	3·018	3·102	3·174	3·217	3·001	3·171
20	Cornwall	3·474	3·339	3·433	3·395	3·379	3·525	3·374	3·462	3·466	3·489	3·446	3·543
21	Somersetshire	3·024	2·914	2·995	2·934	2·997	3·139	3·052	3·088	3·120	3·135	3·040	3·112
	VI.—WEST MIDLAND COUNTIES.												
22	Gloucestershire	3·134	3·112	3·087	3·088	3·139	3·134	3·123	3·212	3·286	3·293	3·156	3·311
23	Herefordshire	2·985	2·742	2·958	2·921	2·901	3·006	2·975	3·084	3·013	2·981	2·957	3·084
24	Shropshire	2·984	2·887	3·072	3·077	3·068	3·214	3·143	3·213	3·273	3·239	3·117	3·343
25	Staffordshire	4·145	4·227	4·230	4·143	4·152	4·165	4·165	4·024	3·917	4·060	4·123	4·093
26	Worcestershire	3·472	3·334	3·430	3·359	3·384	3·519	3·430	3·457	3·495	3·503	3·438	3·573
27	Warwickshire	3·779	3·721	3·754	3·692	3·647	3·698	3·707	3·694	3·690	3·696	3·708	3·677
	VII.—NORTH MIDLAND COUNTIES.												
28	Leicestershire	3·414	3·364	3·442	3·352	3·279	3·466	3·477	3·447	3·596	3·647	3·448	3·762
29	Rutlandshire	3·080	2·942	3·055	3·108	3·134	3·075	3·283	3·022	3·048	3·137	3·089	3·248
30	Lincolnshire	3·176	3·211	3·365	3·355	3·251	3·375	3·301	3·347	3·286	3·413	3·306	3·369
31	Nottinghamshire	3·525	3·469	3·575	3·701	3·480	3·609	3·709	3·563	3·595	3·475	3·573	3·365
32	Derbyshire	3·375	3·495	3·591	3·467	3·390	3·542	3·522	3·496	3·598	3·543	3·512	3·596
	VIII.—NORTH WESTERN COUNTIES.												
33	Cheshire	3·472	3·464	3·451	3·481	3·332	3·543	3·444	3·528	3·673	3·653	3·506	3·660
34	Lancashire	3·857	3·777	3·763	3·747	3·680	3·744	3·676	3·770	3·858	3·725	3·745	3·768
	IX.—YORKSHIRE.												
35	West Riding	3·826	3·788	3·809	3·767	3·692	3·745	3·739	3·707	3·795	3·863	3·766	3·966
36	East Riding (with York)	3·330	3·327	3·486	3·420	3·360	3·453	3·422	3·476	3·339	3·525	3·434	3·532
37	North Riding	3·192	3·285	3·370	3·344	3·327	3·421	3·429	3·323	3·355	3·374	3·342	3·383
	X.—NORTHERN COUNTIES.												
38	Durham	3·943	4·241	4·368	4·276	4·127	4·225	4·110	4·029	4·197	4·207	4·172	4·298
39	Northumberland	3·295	3·431	3·556	3·416	3·454	3·510	3·509	3·552	3·718	3·686	3·510	3·734
40	Cumberland	3·271	3·192	3·199	3·267	3·251	3·422	3·277	3·444	3·436	3·497	3·324	3·521
41	Westmorland	3·073	2·788	2·902	2·928	2·826	2·993	3·253	3·159	3·067	2·953	2·994	3·124
	XI.—MONMOUTHSHIRE AND WALES.												
42	Monmouthshire	3·687	3·633	3·812	3·826	3·707	3·842	3·676	3·541	3·539	3·681	3·694	3·728
43	South Wales	3·357	3·351	3·502	3·530	3·503	3·714	3·585	3·419	3·501	3·476	3·497	3·562
44	North Wales	2·883	2·934	3·009	2·950	2·879	3·069	2·996	2·953	3·103	3·169	2·994	3·272

average quarter be represented by 1000, then there were registered in the first quarter 1047, in the second 1026, in the third 973, and in the last quarter 954.

Children born out of wedlock.—47,448 children, namely, 24,240 boys and 23,208 girls, were born out of wedlock and had their births registered in 1864; the actual number is 307 in excess of that registered in 1863,

TABLE XII.—**Proportional** Number of **Births** in each **Quarter** to **1000 Births** in the **Average Quarter** of each Year, **1838–64.**

YEARS.	NUMBER OF BIRTHS IN THE AVERAGE QUARTER.	PROPORTIONAL NUMBER OF BIRTHS.				
		In the AVERAGE QUARTER (assumed to be 1000).	FIRST QUARTER ending March 31.	SECOND QUARTER ending June 30.	THIRD QUARTER ending Sept. 30.	FOURTH QUARTER ending Dec. 31.
1838	115,947	1000	995	1053	981	971
1839	123,144	1000	1017	1049	967	967
1840	125,576	1000	1059	1033	949	959
1841	128,040	1000	1059	1017	959	965
1842	129,435	1000	1062	1039	944	955
1843	131,831	1000	1052	999	964	985
1844	135,191	1000	1068	1018	957	957
1845	135,880	1000	1068	1009	966	957
1846	143,156	1000	1027	1047	961	965
1847	134,991	1000	1099	1032	934	935
1848	140,765	1000	998	1070	991	941
1849	144,540	1000	1078	1066	927	929
1850	148,356	1000	974	1051	990	985
1851	153,966	1000	1022	1033	978	967
1852	156,003	1000	1037	1019	969	974
1853	153,098	1000	1056	1037	964	943
1854	158,001	1000	1026	1090	968	916
1855	158,761	1000	1060	1044	966	930
1856	164,363	1000	1035	1060	952	953
1857	165,790	1000	1042	1031	964	963
1858	165,870	1000	1057	1034	953	956
1859	172,470	1000	1032	1022	968	978
1860	171,012	1000	1077	1023	954	946
1861	174,102	1000	1007	1064	980	949
1862	178,171	1000	1035	1044	961	960
1863	181,855	1000	1039	1043	946	972
1864	185,069	1000	1047	1026	973	954

TABLE XIII.—**Births** and **Deaths** registered in **England** in each **Quarter** of the Years **1838** to **1864.**

YEARS.	BIRTHS.				DEATHS.			
	In the Quarters ending the last day of				In the Quarters ending the last day of			
	March.	June.	September.	December.	March.	June.	September.	December.
1838	113,815	121,781	114,734	113,457	98,152	90,877	72,877	80,864
1839	123,543	128,806	120,115	120,110	89,740	87,969	76,280	84,995
1840	132,305	129,059	118,822	121,117	98,896	90,339	80,822	89,630
1841	133,720	129,884	123,368	124,686	99,069	86,134	75,440	83,204
1842	135,615	134,096	123,296	124,732	96,314	86,538	82,339	84,328
1843	136,837	131,279	128,161	131,048	94,924	87,224	76,792	87,493
1844	143,578	136,941	130,078	130,166	101,024	85,337	78,708	90,864
1845	143,080	136,853	132,369	131,219	104,664	89,149	74,872	80,681
1846	145,108	149,450	138,718	129,349	89,484	90,230	101,664	108,937
1847	146,453	139,072	127,173	127,207	119,672	106,718	93,435	103,479
1848	139,736	149,760	140,359	133,204	120,032	99,727	87,638	92,436
1849	153,772	153,693	135,223	135,471	105,870	102,153	135,227	97,589
1850	144,551	155,865	146,911	146,095	98,430	92,871	85,849	91,845
1851	157,286	159,073	150,594	148,912	105,259	99,458	91,499	99,080
1852	161,803	159,031	151,222	151,956	106,358	100,625	100,382	99,770
1853	161,729	158,397	147,902	144,363	118,119	107,647	92,201	103,130
1854	160,785	172,457	154,724	146,439	111,843	102,586	113,843	109,633
1855	166,225	165,277	154,700	148,841	134,542	106,493	87,646	97,022
1856	169,250	173,263	157,462	157,478	103,014	100,099	91,155	96,238
1857	170,430	170,444	161,181	161,016	108,665	100,046	100,528	110,576
1858	170,959	169,115	157,445	157,962	125,819	107,142	98,142	118,553
1859	175,532	175,864	168,394	170,091	121,580	105,631	104,216	109,354
1860	183,180	174,028	164,121	162,719	122,617	110,369	86,312	102,923
1861	172,933	184,820	172,033	166,620	121,215	107,558	101,232	105,109
1862	181,990	185,554	172,709	172,431	122,019	107,392	92,381	114,774
1863	180,341	189,340	173,439	173,297	123,096	118,121	112,504	115,116
1864	192,947	188,835	181,015	177,478	142,977	116,880	112,223	123,451

but the proportion to the total births is slightly lower, being 6·4 to every 100 births, against 6·5 in 1863. The following counties show the highest proportion of illegitimate births. Norfolk 10·5, Shropshire 9·2, Nottinghamshire 9·2, North Riding of York 9·4, Westmorland 10·5, and Cumberland the maximum rate of 11·8 per cent.

Deaths.

In 1864 the deaths registered in England were 495,531; and they were more than 20,000 above the number registered in 1863. Twenty years ago the annual number was about 350,000; it is now little short of 500,000. This efflux of human life by the inevitable law of death is a phenomenon as great and impressive in itself as the perpetual growth of the national strength, and the energy with which the people develope their resources, and repair the waste of time and circumstance.

The excess of births over deaths, or the natural increase of population, was 244,744.

The rate of mortality was 2·386 to a hundred persons living, whilst the average for the ten years 1854–63 was 2·213 per cent. It was so high that it slightly exceeded the high rate (2·352) which prevailed when cholera was epidemic in 1854. Under the previous epidemic of 1849 the mortality rose to 2·512 per cent.; and influenza in 1847 raised it to 2·471; but with these exceptions the death-rate of 1864 was higher than any other experienced in the series of years, nearly three decades, to which the national records relate. It was high both in town and country, and through the changing seasons of the year. In three fourths of the whole period the weather was cold, The fall of rain in the year, as observed at Greenwich, was scanty to a remarkable degree, and the motion of the air was less than usual.

Table XIV.—**Annual Rate of Mortality** of Males and of Females in **England, 1838–64.**

Years.	Deaths. Of Males to 100 Males living.	Deaths. Of Females to 100 Females living.	Deaths of Males to 100 Deaths of Females.	Of equal Numbers living, the Number of Male Deaths to every 100 Deaths of Females.
1838	2·342	2·146	103	109
1839	2·277	2·097	104	109
1840	2·372	2·204	103	108
1841	2·238	2·083	103	107
1842	2·229	2·098	102	107
1843	2·199	2·047	103	107
1844	2·238	2·083	103	107
1845	2·166	2·011	103	108
1846	2·330	2·221	103	108
1847	2·541	2·380	103	107
1848	2·387	2·224	103	107
1849	2·578	2·445	101	105
1850	2·142	2·013	102	106
1851	2·276	2·124	103	107
1852	2·324	2·155	103	108
1853	2·383	2·197	104	108
1854	2·441	2·267	103	108
1855	2·351	2·174	104	108
1856	2·136	1·969	104	108
1857	2·257	2·107	102	107
1858	2·390	2·233	102	107
1859	2·327	2·155	103	108
1860	2·218	2·034	104	109
1861	2·268	2·063	104	110
1862	2·249	2·049	104	110
1863	2·424	2·193	105	111
1864	2·514	2·264	105	111
Average of 27 years, 1838–64	2·321	2·149	103	108

The Table may be read thus:—In the year 1838 to every 100 males living there were 2·342 deaths of males; to every 100 females living there were 2·146 deaths of females; and to every 100 females who died there were 105 deaths of males. The last column shows the *relative* mortality of *males* and *females;* and that out of equal *numbers living* the deaths of males were 109 to every 100 deaths of females in 1838.

In the urban districts the mortality was 2·598 against an average of 2·425; in the rural districts it was 2·107 against an average of 1·973. The air was moderately warm in the second quarter; and the country districts experienced the effect of it in that quarter in a mortality but slightly in excess of the average.

In the winter quarter of 1864 the annual rate of mortality in 142 town districts was 30 deaths in a thousand living.

TABLE XV.—**Annual Rate of Mortality** per Cent. in the several **Counties of England** during each of the **Years 1854-64.**

No.	REGISTRATION COUNTIES.	DEATHS TO 100 PERSONS LIVING. 1854.	1855.	1856.	1857.	1858.	1859.	1860.	1861.	1862.	1863.	Average Annual Rate, 1854-63.	1864.
	ENGLAND	2·352	2·261	2·051	2·180	2·309	2·229	2·124	2·163	2·147	2·305	2·213	2·386
	I.—LONDON	2·943	2·431	2·200	2·241	2·300	2·269	2·249	2·318	2·356	2·447	2·535	2·653
	II.—SOUTH EASTERN COUNTIES.												
1	Surrey (*extra-metropolitan*)	1·896	1·944	1·768	1·948	1·877	1·813	1·767	1·743	1·662	1·882	1·800	1·902
2	Kent (*extra-metropolitan*)	2·188	2·083	1·947	1·983	2·129	2·049	1·863	1·992	1·790	2·069	2·009	2·098
3	Sussex	1·807	1·971	1·754	1·743	2·070	2·058	1·881	1·819	1·828	1·937	1·894	2·051
4	Hampshire	2·081	2·292	1·921	1·939	2·067	2·036	1·902	1·796	1·875	1·985	1·992	2·042
5	Berkshire	2·049	2·173	1·856	1·869	2·152	2·043	1·972	1·892	1·876	2·044	1·991	2·086
	III.—SOUTH MIDLAND COUNTIES.												
6	Middlesex (*extra-metropolitan*)	2·525	2·047	1·930	2·099	2·001	2·017	1·998	1·981	1·926	2·162	2·063	2·244
7	Hertfordshire	1·865	1·975	1·818	1·955	1·938	1·927	1·947	1·820	1·758	2·049	1·909	2·252
8	Buckinghamshire	2·063	2·244	1·915	2·054	2·121	2·163	1·981	2·097	1·933	2·062	2·061	2·240
9	Oxfordshire	2·185	2·110	1·775	2·031	2·249	2·090	1·966	1·866	1·879	2·142	2·029	2·235
10	Northamptonshire	2·230	2·238	1·950	2·043	2·091	2·308	2·137	2·103	1·897	2·227	2·122	2·309
11	Huntingdonshire	1·823	2·038	1·856	2·108	2·030	1·978	1·867	2·033	1·922	2·332	2·008	2·233
12	Bedfordshire	2·166	2·042	1·908	2·101	1·971	2·065	2·017	1·902	1·876	2·118	2·079	2·454
13	Cambridgeshire	2·153	2·324	1·910	2·065	2·007	2·021	1·950	2·117	2·023	2·256	2·088	2·256
	IV.—EASTERN COUNTIES.												
14	Essex	2·298	2·118	1·897	2·011	2·037	2·081	1·864	1·901	1·903	2·125	2·029	2·100
15	Suffolk	1·919	2·097	1·940	2·003	2·191	2·056	1·971	2·073	1·830	2·288	2·029	2·093
16	Norfolk	2·114	2·207	1·906	2·110	2·252	2·035	2·102	2·251	2·003	2·187	2·135	2·220
	V.—SOUTH WESTERN COUNTIES.												
17	Wiltshire	2·054	2·274	1·825	1·909	2·081	2·112	2·001	1·787	1·855	2·083	1·996	2·170
18	Dorsetshire	1·870	2·005	1·641	1·901	2·185	2·072	1·868	1·902	1·764	1·981	1·898	2·022
19	Devonshire	1·938	2·070	1·745	1·948	2·067	2·002	1·971	1·891	1·924	2·026	1·967	2·150
20	Cornwall	1·953	2·076	1·909	1·970	2·074	2·019	2·040	1·991	2·004	2·032	2·057	2·147
21	Somersetshire	1·832	2·106	1·735	1·848	2·153	2·083	1·963	1·921	1·737	2·114	1·953	2·235
	VI.—WEST MIDLAND COUNTIES.												
22	Gloucestershire	2·113	2·186	1·866	1·983	2·245	2·122	1·951	2·058	1·947	2·320	2·079	2·208
23	Herefordshire	1·828	2·278	1·923	1·949	2·085	2·212	1·912	1·909	1·790	1·870	1·976	2·255
24	Shropshire	1·957	2·074	1·796	2·003	2·084	2·087	2·112	2·002	1·911	2·062	2·018	2·110
25	Staffordshire	2·839	2·425	2·268	2·619	2·464	2·605	2·194	2·110	2·343	2·371	2·424	2·518
26	Worcestershire	2·182	2·063	1·816	2·043	2·061	2·202	1·878	1·801	1·863	2·095	2·016	2·290
27	Warwickshire	2·637	2·206	2·075	2·405	2·423	2·370	2·043	2·112	2·185	2·307	2·276	2·460
	VII.—NORTH MIDLAND COUNTIES.												
28	Leicestershire	2·121	2·069	1·951	2·241	2·450	2·202	1·962	2·169	2·049	2·514	2·182	2·330
29	Rutlandshire	1·652	1·990	1·785	1·633	2·046	1·956	1·909	1·769	1·645	2·251	1·854	2·046
30	Lincolnshire	2·090	2·071	1·875	1·826	2·116	2·168	1·936	1·926	1·802	2·003	1·961	2·052
31	Nottinghamshire	2·350	2·050	2·124	2·196	2·466	2·548	2·054	2·136	2·049	2·177	2·215	2·283
32	Derbyshire	2·224	2·120	1·953	2·104	2·356	2·204	2·103	2·171	1·984	2·082	2·156	2·167
	VIII.—NORTH WESTERN COUNTIES.												
33	Cheshire	2·221	2·197	2·048	2·289	2·267	2·169	2·173	2·164	2·246	2·396	2·215	2·300
34	Lancashire	2·701	2·680	2·464	2·628	2·719	2·454	2·371	2·592	2·560	2·629	2·580	2·718
	IX.—YORKSHIRE.												
35	West Riding	2·438	2·223	2·212	2·368	2·491	2·396	2·360	2·321	2·364	2·573	2·375	2·656
36	East Riding (with York)	2·248	2·072	1·902	2·346	2·349	2·271	2·185	2·333	2·251	2·529	2·249	2·253
37	North Riding	1·961	2·063	1·748	1·919	1·939	2·178	2·027	2·001	2·052	2·104	1·999	2·071
	X.—NORTHERN COUNTIES.												
38	Durham	2·485	2·304	2·332	2·386	2·404	2·313	2·098	2·256	2·220	2·355	2·315	2·284
39	Northumberland	2·070	2·115	2·031	2·167	2·189	2·161	2·218	2·388	2·285	2·317	2·194	2·273
40	Cumberland	2·169	2·215	1·945	1·986	2·064	2·199	2·242	2·146	2·256	2·383	2·161	2·339
41	Westmorland	1·777	1·805	1·574	1·661	1·770	1·974	1·975	1·777	2·088	1·735	1·813	1·820
	XI.—MONMOUTHSHIRE AND WALES.												
42	Monmouthshire	2·487	2·355	2·037	2·161	2·465	2·412	2·026	2·100	2·106	2·125	2·227	2·656
43	South Wales	2·219	2·230	2·004	2·004	2·412	2·289	2·116	2·052	1·997	2·050	2·187	2·310
44	North Wales	1·962	2·145	1·894	1·988	2·026	2·047	2·225	2·098	2·189	2·171	2·070	2·214

In 1850 there were 48 persons living to *one* death; in 1856 there were 49; in 1860 and in 1862 there were 47. These are examples of the healthiest years. In 1849 and 1854, epidemic years, the numbers living to one death were only 40 and 43 respectively. Three years of health, 1860, 1861, and 1862, were succeeded by two years, 1863–64, in which the numbers living to one death were only 43 and 42. In 1864 scarlatina, small-pox, and typhus were fatal over the kingdom; and cold, with sudden vicissitudes of temperature, produced bronchitis and pulmonary affections, or gave increased vigour to zymotic and other diseases.

Sex.—The deaths of males in the year were 253,619; and those of females 241,912. In males the rate of mortality was 2·514 per cent.; in females it was 2·264. The average rates are respectively 2·321 and 2·149; hence it appears that the effects of the insalubrity special to the year cumulated more in that which is popularly known as the *stronger* sex than they did in the *weaker*. Greater exposure to the weather, heavier toils under unfavourable circumstances, and more constant communication with the innumerable sources of infection, will account partly for the difference in the results.

For a hundred deaths of females there were 105 deaths of males. But in the actual constitution of the population the female element predominates over the male; and if for better comparison equal populations were taken, say a million males and a million females, there would be, under the ascertained rates of mortality, 111 deaths of males to 100 deaths of females, while taking an average derived from a succession of years the proportion would be 108 to 100.

Place.—The death-rate for England, as has been stated, was 2·386 per cent.; but while this is shown by the Tables to be the rate for the whole kingdom, it may not be precisely that which ruled in any assignable

---

TABLE XVI.—ENGLAND. **Mortality** per Cent. at different Ages.—**Males.***

YEARS.	AGES.—MALES.												
	ALL AGES.	0–	5–	10–	15–	25–	35–	45–	55–	65–	75–	85–	95 and upwds.
	MEAN OF 27 YEARS.												
1838-64	2·321	7·247	·893	·499	·793	·978	1·282	1·809	3·142	6·749	14·686	30·514	44·120
	MEANS OF 10 YEARS.												
1841-50	2·312	7·153	·920	·513	·822	·991	1·275	1·843	3·188	6·711	14·832	30·612	44·051
1851-60	2·310	7·304	·856	·490	·772	·953	1·261	1·785	3·073	6·653	14·677	30·311	43·710
	MEANS OF 5 YEARS.												
(3 Years.)													
1838-40	2·330	7·231	·961	·524	·835	1·024	1·298	1·845	3·250	6·756	14·407	29·381	43·380
(5 Years.)													
1841-45	2·316	6·898	·885	·486	·781	·935	1·206	1·742	3·042	6·590	14·376	29·905	43·177
1846-50	2·408	7·407	·956	·540	·862	1·048	1·343	1·943	3·335	6·832	15·288	31·319	44·925
1851-55	2·355	7·418	·878	·516	·806	·991	1·286	1·861	3·150	6·684	15·083	30·502	44·963
1856-60	2·266	7·189	·833	·464	·737	·915	1·236	1·708	2·997	6·621	14·271	30·120	42·456
(4 Years.)													
1861-64	2·364	7·354	·867	·471	·741	·976	1·343	1·762	3·120	7·082	14·553	31·631	45·877

* For mode of reading this Table, see Note to Table XVII.

NOTE.—The Population used in the above calculations is now deduced from the ascertained rate of increase observed in the 20 Years 1841-61.

part of it. Density of population, purity and impurity of earth, water, and air, wealth and poverty, the geological structure of a district,—these and other elements of health and sickness, in their manifold combinations, depressed the mortality in one place, raised it in another. The following rates in different *counties* may be selected, though these, as must be obvious, are derived from populations living each in circumstances almost as diversified as those of the country in its whole extent, and therefore do not furnish the extreme examples that distinguish the busy town from the hamlet. But the differences are nevertheless very considerable in some instances: Westmorland supplied, amongst all the English counties, the best example of healthy condition, the rate of mortality in it having been 1·820; for in the Table, it should be mentioned, the Welsh counties are not distinguished, but are formed in two groups, North and South Wales. The next lowest rate was 1·902 which prevailed in Surrey (exclusive of the Metropolitan portion of it). In that south-eastern corner of England, which lies south of the Thames, the rural division of Surrey holds the best position in sanitary statistics; but Sussex, Hampshire, Berkshire, and the rural part of Kent enjoy fair repute; the rate of mortality rising in none of these counties so high as 2·1. Rutlandshire, Lincolnshire, Suffolk, Dorset-

TABLE XVII.—ENGLAND. **Annual Rates of Mortality per Cent. of Males at different Ages, 1838–64.**

YEARS.	DEATHS TO 100 LIVING. AGES.—MALES.											
	All Ages.	0—	5—	10—	15—	25—	35—	45—	55—	65—	75—	85—	95 and upwds.
1838	2·342	7·012	·899	·519	·853	1·078	1·358	1·945	3·413	7·053	14·810	29·870	45·695
1839	2·277	7·149	·903	·512	·820	·994	1·265	1·795	3·194	6·499	13·908	27·995	39·694
1840	2·372	7·533	1·082	·542	·832	·999	1·270	1·795	3·143	6·715	14·504	30·278	44·752
1841	2·238	6·848	·956	·510	·811	·978	1·217	1·785	3·137	6·482	14·236	29·650	43·164
1842	2·239	7·055	·901	·501	·782	·926	1·193	1·734	3·041	6·566	14·565	29·410	43·142
1843	2·190	6·910	·845	·478	·772	·919	1·212	1·723	3·007	6·525	14·067	28·708	42·651
1844	2·238	7·000	·898	·473	·762	·933	1·217	1·752	3·050	6·665	14·619	31·644	40·589
1845	2·166	6·883	·823	·436	·780	·919	1·193	1·718	2·973	6·413	14·365	30·114	46·340
1846	2·390	7·781	·826	·507	·858	1·016	1·262	1·802	3·128	6·673	15·032	32·127	49·169
1847	2·541	7·608	·971	·550	·927	1·091	1·425	2·067	3·648	7·603	17·284	35·462	54·329
1848	2·387	7·418	1·044	·530	·857	1·018	1·295	1·866	3·235	6·722	14·954	30·552	41·095
1849	2·578	7·526	1·125	·646	·950	1·236	1·573	2·204	3·653	7·186	15·162	29·925	41·916
1850	2·142	6·701	·815	·467	·716	·877	1·162	1·717	2·979	6·278	14·006	28·527	38·117
Mean of 27 Years (1838-64).	2·321	7·247	·893	·499	·793	·978	1·282	1·809	3·142	6·749	14·686	30·514	44·120
1851	2·276	7·298	·869	·491	·776	·948	1·236	1·787	3·031	6·396	14·055	28·245	41·937
1852	2·324	7·500	·908	·522	·802	·972	1·232	1·807	3·056	6·289	14·203	28·659	44·539
1853	2·383	7·332	·850	·508	·833	1·021	1·318	1·935	3·236	6·919	15·968	32·097	49·732
1854	2·441	7·770	·940	·555	·842	1·039	1·355	1·928	3·165	6·684	14·913	29·093	41·426
1855	2·351	7·189	·822	·503	·778	·974	1·288	1·848	3·230	7·132	16·276	34·415	47·181
1856	2·136	6·753	·722	·456	·736	·904	1·189	1·644	2·879	6·163	13·099	28·092	36·701
1857	2·257	7·234	·783	·470	·737	·918	1·215	1·702	2·952	6·461	14·382	30·229	40·374
1858	2·390	7·683	1·052	·503	·766	·928	1·253	1·734	3·045	6·796	14·696	31·771	47·726
1859	2·327	7·439	·926	·478	·736	·920	1·255	1·735	3·018	6·644	14·019	29·376	43·747
1860	2·218	6·758	·683	·414	·712	·905	1·270	1·725	3·091	7·042	15·159	31·133	43·732
1861	2·268	7·176	·674	·433	·728	·923	1·265	1·690	3·008	6·890	14·654	31·092	44·835
1862	2·249	6·963	·770	·444	·717	·936	1·283	1·729	3·031	6·757	14·060	29·846	38·579
1863	2·424	7·743	1·031	·503	·739	·968	1·330	1·729	3·055	6·924	14·084	31·245	48·848
1864	2·514	7·535	·993	·503	·780	1·075	1·493	1·901	3·385	7·756	15·413	34·340	53·246

The Table may be read thus:—Of 100 males living of the age 35 and under 45, 1·358 died in 1838, 1·265 in 1839, and 1·162 in 1850; the average annual rate in the 27 years, 1838-64, among the aggregate of males in this decennial period of age was 1·282.

shire, the North Riding of Yorkshire, these stand as well as the South-eastern Counties.

Much fatal illness had prevailed in Lancashire in 1864, where the death-rate was 2·718 per cent. (the average being 2·580); and it did not in any other county rise as high as 2·700. Monmouthshire and the West Riding of Yorkshire were subject to an equal death-rate, namely, 2·656. In Staffordshire it was 2·518. The average rate of Staffordshire is higher than that of Monmouthshire, which county, as well as Bedfordshire, suffered to a degree much above that which is usually experienced. In the latter county the rate for the year was 2·454.

Of the three counties, Durham, Northumberland, and Cumberland, the last is generally the most healthy; the two former having large populations engaged in mining and other industry. But in 1864 the rate of mortality in Cumberland, with its comparatively small towns, was 2·339 against 2·273 in Northumberland.

Death-rate of males at different ages.—It has been stated that the mortality of males at all ages was 2·514 per cent. in 1864. At some particular ages it was much above that point; at others much below it. The rates at the different ages may be compared with corresponding rates in the quinquennium 1856-60, which was undisturbed by great prevailing epidemics. The mortality of boys who had not reached the close of their fifth year was 7·535 per cent.; the average in 1856-60 was decidedly lower; it was 7·189, At the age 5—10 years it was ·993 against an average of ·833. It was also higher at the age 10—15 years; the results being ·503, average ·464. Again at 15—25 years the rates were ·780 and ·737; at 25—35 years they were 1·075 and ·915; at 35—45 years they were 1·493 and 1·236; at 45—55 years 1·901 and 1·708; at 55—65 years 3·385 and 2·997; at 65—75 years 7·756 and 6·621; at 75—85 years 15·413 and 14·271; at 85—95 years 34·340 and 30·120; and at 95 years and upwards the rate which had been increasing since the age of 15 years, and in the last three decenniads with redoubled

TABLE XVIII.—ENGLAND. **Mortality** per Cent. at different Ages—**Females**.

YEARS.	AGES.—FEMALES.												
	ALL AGES.	0—	5—	10—	15—	25—	35—	45—	55—	65—	75—	85—	95 and upwds.
	MEAN OF 27 YEARS.												
1838-64	2·149	6·247	·884	·518	·827	1·018	1·232	1·555	2·820	5·807	13·414	28·098	43·010
	MEANS OF 10 YEARS.												
1841-50	2·161	6·135	·910	·533	·853	1·063	1·279	1·589	2·822	6·134	13·503	28·376	44·445
1851-60	2·142	6·331	·844	·509	·814	·996	1·198	1·514	2·747	5·693	13·355	28·125	42·816
	MEANS OF 5 YEARS.												
(3 Years.) 1838-40	2·149	6·180	·983	·547	·855	1·027	1·280	1·601	2·882	5·764	13·260	26·785	38·682
(5 Years.) 1841-45	2·084	5·878	·886	·500	·817	·995	1·211	1·504	2·704	5·943	13·123	28·019	42·045
1846-50	2·257	6·391	·933	·566	·890	1·130	1·347	1·674	2·941	6·324	13·890	28·732	46·844
1851-55	2·188	6·405	·854	·534	·844	1·040	1·237	1·558	2·785	5·897	13·623	28·359	44·006
1856-60	2·100	6·257	·834	·484	·784	·951	1·159	1·469	2·708	5·489	13·088	27·891	41·626
(4 Years.) 1861-64	2·142	6·367	·884	·482	·772	·957	1·160	1·536	2·949	5·306	13·445	28·321	43·155

speed, rose to 53·246 against the average 42·456. It is thus seen that the mortality of 1864 was high to boys and men at every period of life.

Death-rate of females at different ages.—In like manner if a comparison be made of the deaths of females at the several periods of life in 1864, with those of 1856–60, corresponding results will be observed. The death-rate in 1864 for all ages, 2·264 per cent., was higher than the average 2·100; and in every instance it was also higher as regards particular ages. Taking the extremes of life, the death-rate of girls under 5 years of age was 6·537, the average being 6·257; and that of aged women at 95 years and upwards was 44·851, the average being 41·626. A similar excess, but greater or less in amount, obtained at each intermediate stage.

The death-rates of males exceeded those of females at all the above specified ages, except 10—15 years and 15—25 years, in which periods the latter slightly predominated.

Seasons and meteorology.—The 495,531 deaths in the whole year occurred in the quarters as follows: In the three months ending 31st March, 142,977; in the three months ending 30th June, 116,880; in those ending 30th September, 112,223; and in the last quarter 123,451. The relative influence of the seasons is more readily appreciated, by stating that out of 4000 deaths (giving an average of 1000 for a quarter)

TABLE XIX.—ENGLAND. **Annual Rates** of **Mortality** per Cent. of **Females** at different Ages, **1838–64.**

YEARS.	DEATHS TO 100 LIVING — AGES.—FEMALES.											
	ALL AGES.	0—	5—	10—	15—	25—	35—	45—	55—	65—	75—	85—	95 and upwds.
1838	2·146	6·007	·899	·540	·851	1·044	1·319	1·675	3·037	5·875	13·516	26·599	37·084
1839	2·097	6·113	·937	·533	·847	1·006	1·251	1·553	2·764	5·529	12·655	25·322	36·401
1840	2·204	6·420	1·114	·569	·868	1·032	1·271	1·571	2·845	5·887	13·508	28·435	42·582
1841	2·083	5·861	·963	·520	·842	1·007	1·227	1·542	2·740	5·841	13·375	28·255	42·706
1842	2·098	6·032	·924	·513	·851	1·005	1·219	1·523	2·731	6·028	13·031	28·405	40·216
1843	2·047	5·913	·847	·486	·785	·977	1·225	1·479	2·670	5·804	12·944	27·597	44·217
1844	2·083	5·906	·900	·504	·811	1·007	1·197	1·518	2·743	6·076	13·367	28·356	42·617
1845	2·011	5·680	·798	·478	·816	·981	1·185	1·459	2·635	5·883	12·896	27·482	40·471
1846	2·221	6·704	·811	·535	·871	1·049	1·238	1·550	2·747	6·185	13·640	30·250	50·633
1847	2·380	6·580	·948	·579	·920	1·175	1·418	1·779	3·186	6·996	15·773	32·003	51·995
1848	2·224	6·419	·995	·508	·879	1·091	1·298	1·581	2·829	6·006	13·476	27·547	46·030
1849	2·445	6·506	1·100	·655	1·001	1·348	1·614	1·990	3·328	6·616	15·927	27·969	42·856
1850	2·013	5·747	·810	·492	·778	·988	1·168	1·470	2·613	5·726	12·633	25·892	42·705
Mean of 27 Years (1838–64).	2·149	6·247	·884	·518	·827	1·018	1·232	1·535	2·820	5·807	13·114	28·008	43·016
1851	2·124	6·299	·860	·527	·818	1·005	1·193	1·519	2·679	5·854	12·818	26·357	45·017
1852	2·155	6·441	·877	·539	·837	1·032	1·209	1·508	2·633	5·658	13·164	27·623	41·348
1853	2·197	6·342	·810	·543	·867	1·064	1·239	1·582	2·830	6·017	14·072	29·350	47·200
1854	2·267	6·780	·920	·564	·868	1·102	1·309	1·643	2·834	5·807	13·297	26·950	42·156
1855	2·174	6·163	·801	·497	·828	·998	1·235	1·537	2·931	6·150	14·763	31·517	44·303
1856	1·969	5·885	·732	·455	·759	·933	1·133	1·403	2·512	5·119	11·977	24·266	36·602
1857	2·107	6·377	·769	·486	·792	·942	1·152	1·462	2·711	5·581	13·116	28·141	45·450
1858	2·223	6·752	1·043	·535	·824	·977	1·185	1·479	2·759	5·726	13·775	29·697	45·845
1859	2·155	6·523	·937	·526	·794	·966	1·174	1·507	2·701	5·389	12·920	27·635	40·455
1860	2·034	5·746	·691	·439	·750	·939	1·153	1·496	2·856	5·628	13·651	29·714	39·690
1861	2·063	6·198	·678	·436	·776	·933	1·117	1·472	2·817	5·246	13·123	26·613	44·478
1862	2·049	6·016	·745	·468	·751	·928	1·137	1·491	2·845	5·234	12·980	27·172	39·725
1863	2·193	6·715	·898	·521	·760	·955	1·161	1·505	2·897	5·091	13·137	28·922	43·565
1864	2·264	6·537	·953	·513	·795	1·011	1·224	1·677	3·235	5·652	14·540	30·578	44·851

1159 occurred in winter, 949 in spring, 901 in summer, and 991 in autumn. Hence it appears that the cold season asserted its fatal prerogative; and on reference to other years, that it asserted its influence with more than its usual decision. But in all the quarters the mortality was above the average calculated for the several quarters; in the first or winter quarter it was 2·772 per cent., the average being 2·497; in the second quarter (spring) 2·260, average 2·222; in the third quarter (summer) 2·141, average 2·044; and in the last or autumn 2·349, average 2·178.

At Greenwich the mean temperature of the air was *in each* of the first three months below the average; in the two next it was above it; in the sixth below it; in the seventh scarcely above it; and in the remaining five months either below or not above it. In only three months out of the twelve was the mean temperature above the average; and in only one of these three could it be said to have been decidedly above it. Weather of such ungenial mood could not be but destructive of human life; and if it bore the like character all over England, the mortality, which rose till it exceeded by considerably more than a thousand deaths a week the average mortality of the years 1860, 1861, and 1862, may be referred, as regards that excess, to an agent which is as powerful in its nature as it is pervading in its operation. By a reference to the Tables of diseases it will be seen that miasmatic diseases were uncommonly prevalent, and co-operated powerfully with unusual meteorological conditions in raising the mortality.

Besides the requisite degree of warmth, another great sanitary influence was withheld, or was not present in its usual amount. The rain-fall in the year was only 16·8 in. at Greenwich. In the previous fifteen years there was no example of a year of such drought. The annual average in that period was 23 inches. The rain supply was deficient generally through the year, but especially in summer. The humidity of the air was 78 (complete saturation = 100) or 5 below the average. The air was comparatively still; for the mean weekly motion of the air was 1597 miles, which is 97 less than the average.

TABLE XX.—**Proportional Number** of **Deaths** in each **Quarter** to **1000 Deaths** in the **Average Quarter** of each Year, **1838–64.**

YEARS.	NUMBER OF DEATHS IN THE AVERAGE QUARTER.	PROPORTIONAL NUMBER OF DEATHS				
		In the AVERAGE QUARTER (assumed to be 1000).	FIRST QUARTER ending March 31.	SECOND QUARTER ending June 30.	THIRD QUARTER ending Sept. 30.	FOURTH QUARTER ending Dec. 31.
1838	85,690	1000	1145	1061	850	944
1839	84,746	1000	1059	1038	900	1003
1840	89,922	1000	1100	1005	899	997
1841	85,962	1000	1152	1003	878	968
1842	87,380	1000	1102	990	942	965
1843	86,611	1000	1096	1007	887	1010
1844	89,223	1000	1132	956	893	1018
1845	87,342	1000	1198	1021	857	924
1846	97,579	1000	917	925	1042	1116
1847	105,326	1000	1131	1008	883	978
1848	99,958	1000	1201	998	877	925
1849	110,210	1000	961	927	1227	885
1850	92,249	1000	1067	1007	931	996
1851	93,849	1000	1066	1006	926	1002
1852	101,784	1000	1045	989	986	980
1853	105,274	1000	1122	1022	876	980
1854	109,476	1000	1036	940	1031	993
1855	108,426	1000	1280	1001	816	903
1856	97,627	1000	1061	1031	928	980
1857	104,954	1000	1050	955	950	1045
1858	112,414	1000	1134	955	865	1046
1859	110,195	1000	1118	961	938	983
1860	105,680	1000	1166	1054	812	968
1861	108,778	1000	1129	990	923	958
1862	109,142	1000	1133	986	839	1042
1863	118,480	1000	1095	999	942	964
1864	123,883	1000	1159	949	901	991

Great Britain.

The population of Great Britain calculated for the middle of the year 1864 was 23,891,009, of which 3,118,701 belonged to Scotland. But although the Scottish population was equal to almost a sixth part of that of England, the marriages in the year were only 22,675, or about an eighth part of the number that took place in the sister kingdom. If the marriage-rate had been as high as that which prevailed south of the Tweed, the number of marriages would have been 27,083. But it was lower; and the persons married were fewer by nearly 9000 than would have been united in wedlock if the constitution of the Scottish population in respect to sex and age, their social condition, habits, and disposition to form families, had been similar to those of the English people.

The North-western Counties, Cheshire and Lancashire, contain a population less by nearly 30,000 than that of Scotland, but in that division

Table XXI.—**Annual Rate** per Cent. of **Births**, and **Deaths**, in **England**, during each **Quarter** of the Years **1838–1864.**

Years.	Birth Rate. In the Quarters ending the last day of				Death Rate. In the Quarters ending the last day of			
	March.	June.	Sept.	Dec.	March.	June.	Sept.	Dec.
1838 –	3·032	3·198	2·970	2·928	2·615	2·387	1·837	2·086
1839 –	3·248	3·338	3·069	3·059	2·359	2·280	1·949	2·164
1840 –	3·395	3·301	3·021	3·044	2·538	2·310	2·038	2·252
1841 –	3·424	3·276	3·082	3·092	2·537	2·174	1·877	2·063
1842 –	3·431	3·344	3·032	3·058	2·436	2·158	2·025	2·067
1843 –	3·420	3·234	3·114	3·174	2·373	2·149	1·866	2·119
1844 –	3·507	3·334	3·123	3·115	2·467	2·077	1·913	2·175
1845 –	3·491	3·291	3·140	3·103	2·554	2·144	1·776	1·908
1846 –	3·498	3·551	3·251	3·256	2·157	2·144	2·382	2·545
1847 –	3·488	3·265	2·945	2·938	2·850	2·506	2·163	2·380
1848 –	3·252	3·474	3·211	3·033	2·794	2·213	2·065	2·108
1849 –	3·575	3·523	3·056	3·053	2·402	2·341	3·057	2·199
1850 –	3·321	3·530	3·281	3·253	2·261	2·107	1·917	2·045
1851 –	3·563	3·553	3·318	3·271	2·387	2·222	2·016	2·176
1852 –	3·583	3·511	3·293	3·299	2·355	2·222	2·186	2·166
1853 –	3·579	3·464	3·177	3·099	2·614	2·349	1·985	2·214
1854 –	3·518	3·721	3·293	3·108	2·447	2·213	2·423	2·326
1855 –	3·596	3·626	3·255	3·123	2·910	2·272	1·844	2·036
1856 –	3·580	3·655	3·276	3·267	2·179	2·111	1·806	1·997
1857 –	3·604	3·555	3·316	3·304	2·298	2·087	2·068	2·269
1858 –	3·576	3·488	3·204	3·205	2·631	2·210	1·997	2·406
1859 –	3·631	3·588	3·389	3·414	2·515	2·155	2·097	2·195
1860 –	3·707	3·512	3·267	3·230	2·481	2·237	1·718	2·043
1861 –	3·500	3·690	3·388	3·272	2·453	2·147	1·994	2·064
1862 –	3·644	3·665	3·365	3·350	2·443	2·121	1·800	2·230
1863 –	3·691	3·709	3·343	3·428	2·538	2·308	2·189	2·213
1864 –	3·740	3·651	3·453	3·376	2·772	2·260	2·141	2·349
Mean –	3·503	3·479	3·209	3·180	2·497	2·222	2·044	2·178

The Table may be read thus, without reference to the decimal points:—In the March quarter of the year 1838, to 100,000 of the population of England there were 3,032 births, and 2,615 deaths registered. The three months January, February, March, contain 90, in Leap year 91 days; the three months April, May, June, 91 days; each of the two last quarters of the year 92 days. For this inequality a correction has been made in the calculation.

Table XXII.—Estimated **Population, Marriages, Births,** and **Deaths** in **Great Britain,** in the Year **1864.**

	Area in Statute Acres.	Estimated Population in the middle of the Year 1864.	Marriages.	Persons Married.	Births.	Deaths.
England and Wales –	37,324,883	20,772,308	180,387	360,774	740,275	495,531
Scotland – – –	19,639,377	3,118,701	22,675	45,350	112,445	74,303
Great Britain –	56,964,260	23,891,009	203,062	406,124	852,720	569,834

the marriages in 1864 were 28,235 (against 22,675 in Scotland). And in London, the population of which is not only less than the Scotch, but less by at least 100,000 than that of the two North-western Counties, the marriages were far more numerous than they were either in the northern kingdom or in the great manufacturing district, having been 31,541.

In England the number of persons married to a hundred living was 1·736; in Scotland 1·454; in Great Britain 1·700.

But though Scotch marriages were few, Scotch births were numerous. The latter were 112,445. The total births registered in Great Britain were 852,720. The birth-rate in Scotland was 3·606 per cent. of the population (as against 3·564 in England).

The deaths in Scotland were 74,303; in Great Britain 569,834. The rate of mortality in Scotland was 2·382 per cent., almost exactly the same as in England (2·386).

France, Austria, Italy, Spain.

In France the marriages in 1864 were 294,247; the births 993,188; the deaths 823,185. Persons married (per cent. of the population) were 1·552 against 1·736 in England; the birth-rate was 2·621, the English rate having been 3·564; the death-rate was 2·172, that of England having been 2·386. While in France the public health was much better than

Table XXIII.—**Proportion** per Cent. of **Marriages, Births,** and **Deaths** to the Population of **Great Britain,** in the Year **1864.**

	Acres to a Person.	To 100 Persons living.			
		Marriages.	Persons Married.	Births.	Deaths.
England and Wales - -	1·80	·868	1·736	3·564	2·386
Scotland - - - - - -	6·30	·727	1·454	3·606	2·382
Great Britain - -	2·38	·850	1·700	3·569	2·385

Note.—The total area of a country, divided by its population, gives the average area to each person. The reciprocal gives the "density" of the population, or the population to each acre, square mile, or other measure.

Table XXIV.—**Estimated Population** of **England, France,** and of **Austria, 1853** to **1864.**

Years.	England and Wales.	France.*	Austria.‡
1853	18,404,368	36,225,000	21,227,930
1854	18,616,310	35,910,496	21,249,494
1855	18,829,000	35,974,930	21,014,129
1856	19,042,412	36,039,364	21,148,200
1857	19,256,516	36,154,798	21,774,412
1858	19,471,291	36,236,322	21,999,234
1859	19,686,701	36,331,642	22,244,976
1860	19,902,713	56,522,404	22,474,156
1861	20,119,314	57,386,513†	22,648,851
1862	20,336,467	37,532,883†	22,841,580
1863	20,554,137	37,722,068†	23,078,057
1864	20,772,308	37,894,754†	23,317,544

* M. Legoyt, director of the Statistical Department of France, has favoured the Registrar General with the returns of France for the years 1853–64.

† Including the three newly annexed departments.

‡ Dr. Ficker, chief of the Statistical Department of Austria, has favoured the Registrar General with the returns of Austria. The population returned above is exclusive of Hungary, Croatia, Slavonia, and Transylvania. The population enumerated for the year 1857 and estimated for the entire empire, for each of the other years 1853–64, is 33,834,743; 33,846,907; 33,528,433; 33,763,157; 34,499,755; 34,822,519; 35,228,388; 35,594,418; 35,905,968; 36,235,552; 36,646,762; and 36,975,840 respectively.

usual, in England it was worse. In the nine years 1854–62 the annual death-rate in France was always higher than in England, in some instances very much higher. In the two subsequent years the facts were reversed.

TABLE XXV. — **Number** and **Proportion per Cent.** to **Population** of **Marriages, Births,** and **Deaths** in **England, France,** and in **Austria, 1853–64.**

YEARS.	NUMBER of MARRIAGES, BIRTHS, and DEATHS.			PROPORTIONS per Cent. of MARRIAGES, BIRTHS, and DEATHS to the POPULATION.		
	England.	**France.***	**Austria.†**	**England.**	**France.***	**Austria.†**
	MARRIAGES.					
1853	164,320	280,609	172,009	·894	·775	·838
1854	159,727	270,896	154,803	·858	·754	·702
1855	152,113	283,335	144,312	·808	·788	·977
1856	159,337	284,401	185,889	·837	·789	·931
1857	159,097	295,510	183,581	·826	·817	·874
1858	156,070	307,056	189,776	·802	·847	·870
1859	167,723	298,417	160,627	·852	·821	·738
1860	170,156	288,936	190,224	·855	·791	·880
1861	163,706	305,203	189,058	·814	·816	·869
1862	164,030	303,514	207,874	·807	·809	·913
1863	173,510	301,875	199,833	·844	·800	·867
1864	180,387	294,247	194,837	·868	·776	·836
	PERSONS MARRIED.					
1853	329,040	561,218	344,018	1·788	1·550	1·676
1854	319,454	541,792	309,606	1·716	1·508	1·524
1855	304,226	566,670	288,624	1·616	1·576	1·954
1856	318,674	568,802	371,778	1·674	1·578	1·862
1857	318,194	591,020	367,032	1·652	1·634	1·748
1858	312,140	614,112	379,552	1·604	1·694	1·740
1859	335,446	596,834	321,254	1·704	1·642	1·476
1860	340,312	577,872	380,448	1·710	1·582	1·760
1861	327,412	610,406	378,116	1·628	1·632	1·738
1862	328,060	607,028	415,748	1·614	1·618	1·826
1863	347,020	603,750	399,666	1·688	1·600	1·734
1864	360,774	588,494	389,674	1·736	1·552	1·672
	BIRTHS.					
1853	612,291	936,967	802,817	3·327	2·587	3·993
1854	634,405	923,461	774,774	3·408	2·572	3·751
1855	635,043	902,336	698,165	3·373	2·508	4·189
1856	657,453	952,116	786,663	3·453	2·642	3·873
1857	663,071	940,709	863,812	3·443	2·602	4·160
1858	655,481	969,343	868,599	3·366	2·675	4·091
1859	689,881	1,017,896	910,170	3·504	2·802	4·225
1860	684,048	956,875	845,882	3·437	2·620	3·950
1861	695,406	1,005,078	857,441	3·461	2·688	3·948
1862	712,684	995,167	869,094	3·504	2·651	3·945
1863	727,417	1,013,191	920,439	3·539	2·686	3·988
1864	740,275	993,188	942,826	3·564	2·621	4·043
	DEATHS.					
1853	421,097	795,607	682,120	2·288	2·196	3·428
1854	457,905	992,779	753,210	2·352	2·765	3·715
1855	425,703	937,042	927,253	2·261	2·607	5·139
1856	390,506	837,082	651,592	2·051	2·323	3·178
1857	412,815	858,785	609,150	2·180	2·375	2·948
1858	449,656	874,186	644,635	2·309	2·412	3·167
1859	440,781	979,333	664,448	2·239	2·696	3·072
1860	422,721	781,635	616,702	2·124	2·140	2·992
1861	435,114	866,197	682,736	2·163	2·318	3·081
1862	436,566	812,978	676,375	2·147	2·166	3·035
1863	473,837	846,539	693,016	2·305	2·244	3·110
1864	495,531	823,185	703,339	2·386	2·172	3·016

* The returns for France in the years 1861, 1862, 1863, and 1864 include the three newly annexed departments. The deaths of Frenchmen abroad—civil or military—are registered in the books of the commune in which was their last domicile. M. Legoyt has revised the population and the numbers of marriages, births, and deaths for the years 1853–62.

† The returns for Austria exclude Hungary, Croatia, Slavonia, and Transylvania: but the proportions per cent. are estimated to represent the rates prevailing in the entire empire.

In Austria the marriage-rate (1·672 persons married to 100 living) was less than in England (1·736). In the former country both the birth-rate 4·043 per cent., and the death-rate 3·016 per cent. were higher than the respective rates, 3·564 and 2·386 in England. Likewise in Italy the marriage, birth, and death-rates were 1·592, 3·793, and 2·952; being in respect to the first fact less, and in respect to the last two, greater than in England. The Italian rates were all lower than the Austrian.

The Austrian marriage-rate is generally higher than the English marriage-rate; but in 1859 it fell to 1·476 per cent. The Austrian birth and death rates are invariably higher than those in England.

TABLE XXVI.—**Italy. Population, Numbers,** and **Proportions per Cent.** of **Marriages, Births,** and **Deaths, exclusive of still-born,** in each of the Years **1862** to **1864.**

YEARS.	NUMBERS.					PROPORTIONS PER CENT. TO POPULATION.			
	ESTIMATED POPULATION on 30th June.	MARRIAGES.	PERSONS MARRIED.	BIRTHS.	DEATHS.	MARRIAGES.	PERSONS MARRIED.	BIRTHS.	DEATHS.
1862	21,880,745	176,897	353,794	814,102	662,260	·808	1·616	3·721	3·027
1863	22,047,034	179,136	358,272	802,390	686,777	·813	1·626	3·912	3·115
1864	22,291,180	177,382	354,764	845,454	659,063	·796	1·592	3·793	2·952

Dr. Maestri, Chief of the Statistical Department of Italy, has favoured the Registrar-General with the facts in the above Table.

NOTE.—The Returns of Births and Deaths in the year 1862 included the *still-born*, and as no *separate* return of them was made in that year the numbers returned as still-born in 1863 have been deducted from the Births and Deaths for the year 1862.

TABLE XXVII. — **Annual Rate of Mortality** per Cent. in **Great Britain, England, France, Austria,** and in **Italy,** *including* the **Deaths of Soldiers at Home and Abroad, 1857** to **1864.**

YEARS.	GREAT BRITAIN.	ENGLAND and WALES.	FRANCE.	AUSTRIA.	ITALY.
1857	2·169	2·184	2·375	2·941	—
1858	2·297	2·323	2·412	3·160	—
1859	2·218	2·244	2·696	3·074	—
1860	2·142	2·127	2·140	2·924	—
1861	2·147	2·164	2·318	3·066	—
1862	2·150	2·146	2·166	3·020	3·027
1863	2·303	2·303	2·244	3·088	3·115
1864	2·383	2·384	2·172	2·933	2·952

TABLE XXVIII.—**Return** showing the **Average Strength** of the **British Army Abroad** in each of the Years **1861–1864.** (Furnished to the Registrar-General by the Adjutant-General by direction of H.R.H. the General Commanding in Chief.)

	1861		1862		1863		1864	
	Officers.	Non-commissioned Officers and Men.	Officers.	Non-commissioned Officers and Men.	Officers.	Non-commissioned Officers and Men.	Officers.	Non-commissioned Officers and Men.
Cavalry - -	308	5,805	343	6,328	366	6,127	386	6,207
Infantry - -	4,110	99,473	4,319	100,721	4,383	97,597	4,572	98,865
Artillery - -	358	10,303	702	15,410	1,165	19,739	818	19,143
Engineers -	116	2,063	132	2,244	329	2,010	391	1,825
Total -	4,892	117,644	5,496	124,703	6,243	125,473	6,167	126,040

In Spain the birth-rate was 3·812 in 1864; the death-rate 3·064. The former was higher, the latter considerably higher than the corresponding rate in England.

TABLE XXIX.—**Spain. Population, Numbers** and **Proportions per Cent.** of **Births** and **Deaths** in each of the Years **1861** to **1864.**

YEARS.	NUMBERS.			PROPORTIONS PER CENT. TO POPULATION.	
	ESTIMATED POPULATION.	BIRTHS.	DEATHS.	BIRTHS.	DEATHS.
1861	15,867,381	611,609	417,764	3·855	2·633
1862	16,044,180	607,062	430,263	3·784	2·682
1863	16,180,660	598,141	461,661	3·697	2·853
1864	16,302,625	621,451	499,486	3·812	3·064

NOTE.—The Population enumerated at the Census of 1860 was 15,673,536. The estimated Population for the Years 1862-4 has been deduced from the Excess of Births over Deaths in each Year. This method of estimating the population is sanctioned by the Junta General de Estadistica.

ABLE XXX. — **Number** of **Deaths** in the **British Army** during each of the Years **1861-1864.** (Furnished to the Registrar-General by the Adjutant-General by direction of H.R.H. the General Commanding in Chief.)

CORPS.	1861						1862						1863						1864					
	GREAT BRITAIN.		IRELAND.		ABROAD.		GREAT BRITAIN.		IRELAND.		ABROAD.		GREAT BRITAIN.		IRELAND.		ABROAD.		GREAT BRITAIN.		IRELAND.		ABROAD.	
	Officers.	Non-commissioned Officers and Men.	Officers.	Non-commissioned Officers and Men.	Officers.	Non-commissioned Officers and Men.	Officers.	Non-commissioned Officers and Men.	Officers.	Non-commissioned Officers and Men.	Officers.	Non-commissioned Officers and Men.	Officers.	Non-commissioned Officers and Men.	Officers.	Non-commissioned Officers and Men.	Officers.	Non-commissioned Officers and Men.	Officers.	Non-commissioned Officers and Men.	Officers.	Non-commissioned Officers and Men.	Officers.	Non-commissioned Officers and Men.
valry and fantry -	18	728	5	225	69	2,815	22	604	6	194	61	2,063	17	556	4	199	83	1,688	17	613	3	192	92	1,920
rtillery -	7	288	–	9	7	167	7	142	–	19	12	370	4	147	1	9	14	402	9	157	–	11	12	416
gineers	1	19	–	1	1	38	2	18	–	3	1	37	6	11	–	1	2	20	1	13	–	1	3	50
Total -	26	1,035	5	235	77	3,020	31	764	6	216	74	2,470	27	714	5	209	99	2,110	27	783	3	204	107	2,386

TABLE XXXI.—**Annual Rate of Mortality** per Cent. amongst the OFFICERS and NON-COMMISSIONED OFFICERS and MEN in the **Army Abroad**, in each of the Years **1858-64.** (Deduced from the Strength and Deaths as given in the two preceding Tables.)

YEARS.	OFFICERS.	NON-COMMISSIONED OFFICERS and MEN.
1858	3·513	6·701
1859	2·111	3·396
1860	1·639	2·603
1861	1·574	2·567
1862	1·346	1·981
1863	1·586	1·682
1864	1·735	1·893

The British Army.

I have been favoured by His Royal Highness the General Commanding-in-Chief with a return of the strength of the Army serving abroad in 1864, and the deaths in it in the same year. The average numbers abroad of cavalry, infantry, artillery, and engineers were of officers 6167, of non-commissioned officers and men 126,040. They were nearly the same as those of the previous year, but an increase on those of 1861–62. The deaths in that strength were, of officers 107, of non-commissioned officers and men 2386. The mortality of the officers was 1·735 per cent.; of the rest of the army 1·893. The former rate was higher than it had been previously since 1859; but the health of the men seems to have

---

Table XXXII.—**Army serving at Home and Abroad.**

	1861
Officers and Men born in England - - -	130,469
" " Scotland - - -	20,901
" " Ireland - - -	71,556
" " Foreign Parts -	6,635
Total - - - - - -	229,561

Table XXXIII.—**Deaths** of **Officers and Men** in the **Army Abroad,** and Estimated Numbers belonging to **Great Britain** and to **England and Wales,** in each of the Five Years **1858–1864.**

Years.	Deaths of Officers and Men in the Army Abroad.	Estimated Numbers in Col. 2. belonging to	
		Great Britain.	England and Wales.
1	2	3	4
1858	7,363	4,275	3,486
1859	4,150	2,409	1,965
1860	3,293	1,912	1,559
1861	3,097	2,042	1,760
1862	2,544	1,677	1,445
1863	2,209	1,457	1,255
1864	2,493	1,644	1,417

The number of Deaths in the cols. 3 and 4 were estimated on the assumption that the soldiers abroad belonged to the different parts of the British Empire in the proportions indicated in the Table XXXII.

Table XXXIV.—**Austria. Annual Rate** of **Mortality** per Cent. in the **Army** in each of the Years **1857–64.**

Years.	Estimated Strength.	Deaths.	Annual Rate of Mortality per Cent.
1857	379,374	8,646	2·279
1858	347,696	8,577	2·467
1859	527,772	16,638	3·152
1860	384,302	11,903	3·097
1861	459,300	8,763	1·908
1862	400,895	6,800	1·696
1863	467,154	5,811	1·244
1864	559,599	6,928	1·238

been good, for though the death-rate among them was higher than it had been in 1863, it was lower than in 1862.

In 1861 the entire strength of the army at home and abroad was 229,561 officers and men, of whom 130,469 were natives of England. The Austrian army in that year was 459,300 ; in 1864 it was 559,599.

Births and Deaths of British Subjects at Sea.

The number of births at sea reported by captains of ships was 380 in 1864; that of deaths was 589. This return does not include the deaths of soldiers, marines, or seamen of the Royal Navy and Merchant service.

The mortality of merchant seamen at sea was 1·99 to 100 living in 1864. The average rate in the 13 years 1852–64 was 1·93.

The deaths of passengers, seamen, and others on board ships, who died from natural causes, or were drowned or otherwise killed at sea in 1864, and which deaths have been reported to me and entered in the Marine Register, are 386. The record, which is exclusive of the returns made to the Registrars General of Scotland and Ireland, is manifestly imperfect. The bodies of persons who have suffered shipwreck and have been washed ashore in England are registered in the districts where they are found.

Table XXXV.—**Number** of **Births** and **Deaths** of **British*** **Subjects at Sea,** exclusive of Soldiers, Marines, invalided Seamen from the Royal Navy, and Seamen on Ships' Articles, in the Years **1856–1864**, reported by the Captains or Commanding Officers of Vessels to the Registrar General of Seamen upon Schedule C., deposited at the Termination of their respective Voyages in Ports of the United Kingdom.—(Furnished to the Registrar General by the Registrar General of Seamen.)

		Males.	Females.	Total.
Births at Sea	1856 (imperfect)	71	66	137
	1857	168	142	310
	1858	132	117	249
	1859	135	132	267
	1860	136	114	250
	1861	110	108	218
	1862	146	148	294
	1863	159	185	344
	1864	203	177	380
	Total	1,260	1,189	2,449
†Deaths at Sea	1856 (imperfect)	121	78	199
	1857	238	140	378
	1858	253	182	435
	1859	524	303	827
	1860	241	156	397
	1861	213	121	334
	1862	221	148	369
	1863	347	231	578
	1864	379	210	589
	Total	2,537	1,569	4,106

* British subjects are not particularly described upon Schedule C., but foreign names have been excluded from this account.

† The deaths of soldiers, marines, and seamen from the Royal Navy, who were passengers in British Merchant Ships, were 33 in 1856, 59 in 1857, 156 in 1858, 196 in 1859, 196 in 1860, 69 in 1861, 122 in 1862, 116 in 1863, and 96 in 1864. The number is 1043 in nine years, which, if added to the 4106 above, makes 5149, the total number of deaths of British subjects at sea in 1856-64, exclusive of those of merchant seamen.

Names on the Registers and Searches.

The names of all children registered as born, of all persons registered as having died, and of all persons married have increased in the accumu-

Table XXXVI.—**Mortality** of **Merchant Seamen at Sea,** in the 13 Years **1852-64.***

Years.	Strength.	Deaths.	Annual Rate of Mortality. To 100 living.
1852	159,563	2,205	1·38
1853	172,525	3,276	1·90
1854	162,416	2,772	1·71
1855	168,537	3,318	1·97
1856	173,918	3,549	2·04
1857	170,387	3,444	1·95
1858	177,832	3,486	1·96
1859	172,506	3,430	1·99
1860	171,592	3,760	2·19
1861	171,957	3,580	2·08
1862	173,863	3,620	2·08
1863	184,727	3,380	1·83
1864	195,756	3,893	1·99
In the 13 years 1852-64	2,261,579	43,713	1·93

* Deduced from a return of the number of accounts of wages and effects of seamen (exclusive of masters) dying before the termination of the voyage, received by the Registrar General of Seamen. This return does *not include seamen dying ashore in foreign ports*, whose wages and effects are delivered to the consuls or officers of the hospitals to which such men are sent; accounts of their effects are sent direct to the Board of Trade.

If a seaman dies on the passage from Sunderland to Calcutta, his death is reported at Calcutta, and his wages and effects are accounted for and transmitted home, if the vessel is not to return direct to the United Kingdom. But if a *passenger* dies on board a ship which does not return to a British port immediately, but trades for a time in foreign parts, considerable delay may occur before his death is reported. In all cases, however, the date is given, and in the accompanying tables the births and deaths are classed according to the years in which they occurred.

A column headed *Place of Birth* was formerly contained in the schedule, for the purpose of distinguishing passengers as British subjects or Foreigners, but in many cases it was not filled up by masters, in consequence of their inability to obtain the information after the death had taken place. A column headed "Whether "supposed to be a British subject or Foreigner" might be attempted. British and Foreign *seamen* are distinguished.

When a ship is lost with all persons on board, the owners return the number and names of the crew, and the names of the passengers, when known, to the Registrar-General of Seamen.

Table XXXVII.—**Aggregate Number of Names on the Registers** at the End of each Year **1837-64**; also the **Number of Searches for Registers** at the **Central Office** (exclusive of Searches in Non-parochial Registers).

Years.	Aggregate Number				Number of Searches for Registers at the Central Office.
	Of Persons Married.	Of Births.	Of Deaths.	Of Names Registered.	
1837	116,958	164,116	148,701	429,775	}
1838	353,092	627,903	491,461	1,472,456	} Not
1839	599,424	1,120,477	830,445	2,550,346	} known.
1840	844,754	1,622,780	1,190,132	3,657,666	}
1841	1,089,746	2,134,938	1,533,979	4,758,663	
1842	1,327,396	2,652,677	1,883,498	5,863,571	
1843	1,575,032	3,180,002	2,229,943	6,984,977	620
1844	1,839,530	3,720,765	2,586,376	8,147,171	705
1845	2,127,016	4,264,286	2,936,242	9,327,544	744
1846	2,418,544	4,836,911	3,326,777	10,581,812	881
1847	2,690,034	5,376,876	3,749,861	11,816,771	941
1848	2,966,404	5,939,935	4,149,694	13,056,123	1,030
1849	3,250,230	6,518,004	4,580,763	14,358,887	1,162
1850	3,555,748	7,111,516	4,959,528	15,626,792	1,228
1851	3,864,160	7,727,381	5,354,924	16,946,465	1,442
1852	4,181,724	8,354,593	5,762,059	18,295,176	1,538
1853	4,510,764	8,963,784	6,183,156	19,657,704	1,676
1854	4,830,218	9,598,189	6,621,061	21,049,468	2,340
1855	5,134,444	10,233,232	7,046,764	22,414,440	2,492
1856	5,453,118	10,890,685	7,497,270	23,781,073	2,353
1857	5,771,312	11,535,756	7,957,085	25,182,153	2,965
1858	6,083,452	12,209,237	8,396,741	26,599,430	4,063
1859	6,418,898	12,899,118	8,747,522	28,065,538	5,052
1860	6,759,210	13,583,166	9,170,243	29,512,619	5,636
1861	7,086,622	14,279,572	9,605,237	30,971,551	6,133
1862	7,414,682	14,992,256	10,041,923	32,448,861	7,297
1863	7,761,702	15,719,573	10,515,760	33,997,135	7,715
1864	8,122,476	16,459,948	11,011,291	35,593,715	8,346

Note.—The numbers registered in 1837 are for the Half Year ending December 31st.

lation of 27½ years, from July 1st, 1837, to December 31st, 1864, to 35,593,715. To state the numbers roundly they are about 35,000,000, of which 8,000,000 are names of the married, 16,000,000 those of children born, 11,000,000 those of the dead. The names of persons who have been married twice or oftener in that period, and those of persons whose existence has both begun and ended within the limits of the national registration, are counted more than once. The numbers represent events, not persons.

The searches for registers at the Central Office are yearly increasing; 8346 were made in 1864.

Dr. Farr has addressed to me his usual Report on the Causes of Death in England, which will be found in the Appendix.

I have the honour to be,
Sir,
Your faithful servant,
GEORGE GRAHAM,
Registrar-General.

Summary of the Quarterly Reports, 1864.

First Quarter.—January, February, March.

The return exhibits important, and even striking, results in its threefold variety of subject. The return of marriages is a very satisfactory proof that the bulk of the population was in prosperous circumstances. In the first quarter of the year the marriage-rate is always lower than in any of the three subsequent quarters; but within the range of comparison which the Tables supply, viz., the results of the last ten years, there is no instance of a winter quarter furnishing as high a marriage-rate as that of the March quarter in the present year. The registration of births may be described as "extraordinary," for not only were the births more numerous than they had been at any previous period, but relatively to population they were also numerous beyond example within the last ten years. And in respect to the deaths, a remarkably high rate of mortality attests the severity with which the inclemency of the winter pressed on the public health.

Marriages.—The marriages in the March quarter numbered 37,988. The acceleration of the marriage-rate attained in that period appears by comparing corresponding quarters in 1861–64, in which, using round numbers and a thousand as the unit, the figures run thus: 33, 34, 36, and 38. There was a decided decrease in Devonshire and Cornwall.

The marriage-rate assumed great activity in Yorkshire. In Bradford marriages rose to 499, from 431 and 460 in two previous winter quarters; in Leeds to 496, from 347 and 374; in Sheffield to 506, from 385 and 399. In Newcastle-on-Tyne they were in the three quarters successively 387, 406, and 443; in Merthyr Tydfil 173, 189, and 260; in Swansea 96, 107, and 127.

The marriage-rate in England and Wales (persons married to population) was 1·472 per cent. against an average of 1·379.

Births.—The total number of births was 192,947 in the first quarter of the present year, of which 26,597 were in London. There was an increase on the number registered in the same period of 1863 in all the Eleven Divisions, except London and the South Western Counties. The number rose in the North Western Counties (Cheshire and Lancashire) from 28,722, to 29,989.

The annual birth-rate in the quarter was 3·74 per cent. against an average of 3·60. It was singularly high; for of results obtained in the previous ten years the highest was 3·72 in the June quarter of 1854. The birth-rate rarely attains so high a point as 3·70 in any quarter, and the average for a year is 3·45.

Increase of Population.—As the births were 192,947, and the deaths were 142,977 in the same time, there was an excess in the former amounting to 49,970, and representing the natural increase of population in the quarter. The Emigration from the *United Kingdom* comprised about 10,923 English people, 2175 Scotch, 24,779 Irish, and 3160 Foreigners, altogether 41,037 persons.

Of the Irish, all, except a section which did not count 3000, went to the United States. Of the English about 6614 persons sought the United States, 3451 the Australian Colonies. The Scotch divided themselves almost equally between those two destinations.

In the March quarter of 1862 the emigrants to the United States were 7210; in that of 1863 they were 24,900; in the same quarter of the present year 32,275. Australia attracted 11,930 persons in the March quarter of 1863, and only 7168 last quarter.

Prices, the Weather, and Pauperism.—Meat more than maintained its price, but both wheat and potatoes were unusually cheap. The mean of the lowest and highest prices of beef as sold at Leadenhall and Newgate was $5\frac{1}{2}d.$ against $5\frac{1}{8}d.$ in the same quarter of the two previous years; and of mutton the mean price was $6\frac{1}{4}d.$, which is also higher than in either of the two corresponding periods. Wheat declined to 40*s.* 4*d.* per quarter, each period of three months since September 1862 having witnessed more or less fall in the price. From the date just specified the fall has caused a difference of 16*s.* 6*d.* per quarter. Best potatoes have fallen to a mean price of 62*s.* 6*d.* per ton at Southwark against double that price in the first three months of last year.

The amount of pauperism and its fluctuation in three successive winters are shown in the following statement. The great severity of the late season has doubtless modified, but happily has not prevented an improvement in the condition of the working classes.

	Persons in receipt of In-door Relief.	Out-door Relief.
March Quarter 1862	143,772	804,268
„ „ 1863	142,257	943,324
„ „ 1864	139,606	855,776

It appears in the last Report of the Central Executive Committee for relief of the distressed districts that the number of persons employed in the mills full time has increased from 210,739 in last January to 232,307 in March. The report adds, that a large number returned as "out of work" are in fact "earning considerable though irregular wages on out-door labour." There are some places in which the Relief Committees have suspended their operations without risk to the health of the population; and out of 172 districts reported on, there are only 101 in which voluntary funds are now distributed. Still there are many unions in which the distress of the unemployed has been but "very slightly mitigated."

The mean temperature of the air in the quarter at Greenwich was as low as 37°·9. In the winter quarter of 1862 it was 41°·1; in that of 1863 it was 42°·6. Mr. Glaisher writes that 1863 closed with very fine weather of some weeks' duration all over the country. At the commencement of 1864 the weather completely changed, and was exceedingly cold till the ninth day, the daily defect of temperature being on an average $8\frac{1}{2}°$. On the 6th and 7th January the defect was 15° and 13° respectively, and at night the temperature on grass fell to 6° and 7°. The frost was followed by warm, damp, foggy weather. A cold period again set in on 4th February, which lasted a week; snow fell in many parts, and on some days the defect of temperature was 10°. Another warm period succeeded, which continued five days, after which the weather assumed quite a wintry character, with frost, snow, and sleet in all parts of the country. From March 4th to 15th the weather was generally warm, and from that date to the end of the month it was cold. The season was a time of unusual change from frost to thaw, and thaw to frost. The amount of rain in the quarter was 4·4 in. which is slightly below the average.

Deaths; and State of the Public Health.—The deaths greatly exceed the average number. Seldom has a winter been more fatal; for 142,977 deaths, 1571 a day, were registered in ninety-one days, including the additional day of Leap year, for which due correction is made. The mortality was at the rate of 2·772 per cent.; whereas the average of the season in the preceding ten years was 2·490 per cent.; thus the rate was nearly 28 instead of 25 in 1000.

14,698 persons died in excess of the average number.

Since 1842 it is only in the two winters (1847–48) after the potato failure, and in the winter of the Crimean war (1855), that the country

has experienced any higher rates of mortality. The winter death-rate per 1000 was 2·850 and 2·794 in the former years, 2·910 in 1855, and 2·772 in 1864.

In unhealthy places, and in England formerly, when the land was undrained, and when zymotic matter soiled the air and waters more abundantly than it does in these days, the mortality was highest in the hot months of the year; but in the last quarter of a century the summer diseases have to some extent subsided, and left the mortality highest in winter, when the cold weather, in some proportion to its intensity, cuts off the weakly and the aged.

Upon dividing the population into two portions, the one living in the districts comprising the chief towns is found to have experienced the highest rate of mortality, or 2·974 per cent., while the mortality was at the rate of 2·508 in the small towns and in the country districts. The town rate was ·296, the country rate ·228, above their respective averages; thus the increase of the rate was greater in the town than in the country districts.

London suffered to an extraordinary extent, and is accountable for a large share of the increase. The average annual rate of the winter quarter in London is 2·577 per cent., but in the last winter quarter the rate becomes 3·088, or ·511 above the average. The funerals increased in the proportion of five to six.

The mortality of Lancashire and Cheshire is slightly above that of London, but is not so much above its average as the mortality of London.

When the thermometer falls to the freezing point of water, the mortality is raised all over the country; and the population of London is excessively sensitive to cold; thus the corrected average deaths for the second week of January are 1550, but the actual number of registered deaths this year was 2427. The mean temperature of the preceding week, instead of 37°·8, had fallen to 26°·7; and the temperature of one chill night (Thursday, January 7th) had descended to 14°·3, or to 17°·7 below the freezing point of Fahrenheit; and 877 lives were extinguished by "the cold wave of the atmosphere."

The excess of the rate of mortality per cent. during the last winter quarter was ·228 in the country districts and small towns, ·284 in the large town districts, exclusive of London, and ·511 in London, above the average of the quarter.

Fire is a necessary of life in this climate; and a warm hearth mitigates the severity of winter. Fire is as much required by the poor as by the rich; and a tax on coals, like a tax on salt, presses with undue severity on people of small means. Coal at the pit's mouth costs about 5*s.* a ton; and anything that facilitates its carriage and distribution in cities, by the abolition of duties and monopolies, or by laying down railways, if it lead to a diminution of cost, will preserve many lives that come to an untimely end in such severe weather as has reigned during the last winter months.

The rate of mortality in the South Eastern Division was 18 per cent. higher than it was in the two preceding March quarters; in the Northern Division, where the coal is cheap, the rise in the mortality was only 4 per cent.

Inflammation or congestion of the lungs and the air tubes are the common results of severe cold; and they carried off the aged in great numbers. Scarlatina, measles, small-pox, were prevalent and fatal; diphtheria and whooping-cough are also mentioned among the prevalent diseases of some districts. Where these diseases were epidemic, the mortality of districts was high, as the inhabitants suffered from the zymotic poison and from cold.

In the South Eastern Counties, Epsom, Croydon, and Kingston suffered severely; so did the Medway, Faversham, and Dover districts of Kent;

Hastings in Sussex; Portsea Island (small-pox was prevalent): Southampton suffered from measles and the cold; 342 people died in the district which in 1861 had 43,414 inhabitants. The rate of mortality in this rising town was therefore excessive. The mortality was also high in the Reading district and in Windsor. Several of the districts on the north side of London suffered severely from the cold weather; from scarlatina, small-pox, or measles; among them are Hitchin, St. Albans, Watford, and especially Berkhampstead, Amersham, Wycombe, Newport Pagnell, Oxford, Northampton, Peterborough, Leighton Buzzard, Luton, and Wisbech. The mortality in Ely was lower than in the winter of 1862; while in the above districts it ranged from 20 to 148 per cent. above the numbers in the winter of 1862. In Suffolk the deaths were 2211, or 474 more than in the winter of 1862; in Norfolk the numbers in the winters of 1862 and 1864 were nearly equal.

The South Western Counties experienced a high rate of mortality; and the deaths were 11,965 on a population of 1,835,714 in 1861.

The West Midland Counties suffered variously; Staffordshire and Shropshire less proportionally from cold than the neighbouring counties. Wolverhampton, Dudley, and Walsall remain in an unsatisfactory hygienic condition. The deaths in the Birmingham district (the old town) during the three last winters were 1418, 1765, and 1814.

The North Midland Counties experienced a medium rate of mortality; the deaths were 7073 in the winter quarter of 1862, and 8460 in that of 1864. The annual rate in the last winter was 25·84 per 1000.

The rate of the North Western Counties, Cheshire and Lancashire, was 30·97 per 1000. The mortality of the counties which are now suffering from the cotton crisis has always been higher than the mortality of the rest of the kingdom, owing chiefly to the sanitary defects of the towns. Under the Public Works Act which was passed during the last session some of these defects will be remedied. Mr. Rawlinson in his intelligent Report justly says:—"The high death-rate prevailing in "Lancashire towns has its main cause in the foul cottage cesspit. An "inspection of any town in the district will show this."* The works on which the people are employed at the instance of the local authorities are nearly all of a hygienic character, and cannot fail to be salutary through all future times.

Second Quarter.—April, May, June.

The marriages in the spring quarter were very numerous. The birth-rate was well maintained, although it has been occasionally higher in the same season. The rate of mortality was above the average for the three spring months.

Marriages.—In the three months that ended 30th June the marriages were 44,599. In the same period of 1862 they were 40,853; in that of 1863 the number was 44,146. The increase in the present year is due chiefly to South Wales, Monmouthshire, Yorkshire, Cheshire, Lancashire, and Durham. It was for the most part in the more northern divisions of England.

London returned 7687 marriages in the quarter; the North Western Counties, which comprise Cheshire and Lancashire, and contain a population rather larger than that of the metropolis, returned 7141 marriages. This difference in the results is perhaps less than might be expected in two populations which present much dissimilarity in many and important points of view. The South Eastern Counties and the South Western contain nearly equal populations, that of the latter division being rather less;

* Report of Robert Rawlinson, Esq., C.E., to the President of the Poor Law Board, April 1864.

and their marriage returns also closely agree, the numbers being respectively 3616 and 3577. But though the South Midland Counties have a larger population than the North Midland, the marriages in the former are 2155; those in the latter show a considerably higher number, namely, 2931.

The marriage-rate in the quarter (viz., proportion of persons married to 100 living) was 1·724, against an average of 1·689. In the June quarter of 1860 it rose to 1·766; in that of 1862 it fell to 1·614.

Births.—The birth-rate in the spring quarter (ending 30th June) was 3·65 per cent. per annum, against an average of 3·61. The excess, which is not great, is due almost wholly to the returns of Yorkshire, the Northern Counties, and Wales. In the Eastern Counties and the South Western, to which population is not drawn by a power of attraction equal to that which the great mining districts supply, the birth-rate was not as high as it had been in the two previous corresponding quarters.

The total number of births was 188,835. This is less by about 500 than the number in the same quarter of 1863. In London 25,066 children were born. In the counties of the cotton manufacture, Lancashire and Cheshire, where 30,201 were born, the birth-rate was higher. But the births were not numerous in those counties, if they are compared with former results; and West Derby alone in Lancashire gives indication by its returns of rapid growth in its population.

Increase of Population.—The deaths in the quarter were 116,880; and as the births in the same time were 188,835, there was an excess in the latter amounting to 71,955, which represents the natural increase of population. Immigration of unknown amount would modify the effect of emigration; but the Return of the Emigration Commissioners shows that nearly 20,000 persons of English origin left their native shores for distant settlements in the quarter that ended 30th June. Out of that number nearly 12,000 went to the United States, and 5000 to the Australian Colonies.

The number of emigrants of all nationalities was 86,783, of whom about 66,000, chiefly Irish, were bound to the United States. The emigration to that part of America has not before been so great in the June quarter since 1854. Almost nine-tenths of the Irish emigrants left for the United States.

Prices, the Weather, and Pauperism.—Wheat was unusually cheap. Its average price in the three months was 39*s.* 7*d.* per quarter. In the corresponding period of 1862 it was 56*s.* 8*d.*; in that of 1863 it was 46*s.* 2*d.* The mean of the highest and lowest prices of beef as sold by the carcase in Leadenhall and Newgate was $5\frac{1}{4}$*d.* per lb., and the same as in the June quarter of last year. Of mutton the mean price was $6\frac{1}{8}$*d.*, being higher than in the same season of 1862-63. The best potatoes were sold from 2*l.* to 3*l.* per ton in Southwark. The price was less than half of that for which they had been obtained in the spring of last year, and still lower in proportion to the price of 1862. The working classes enjoyed cheap markets for supplying themselves with the chief necessaries of life.

The tables of pauperism exhibit a decline. The quarterly average numbers of poor persons relieved on the last day of each week were as follows:—

	In-door.	Out-door.
June Quarter 1862 - -	127,861	782,113
„ „ 1863 - -	127,063	873,503
„ „ 1864 - -	122,883	786,863

After cold and changeable weather at the beginning of the quarter, a warm period set in on the 9th April, and continued for forty-four days with but little interruption. From the close of that period (May 23d)

till the end of June, with the exception of a few days, the weather was cold; and the average defect of mean daily temperature during this last period, consisting of 39 days, was more than two degrees. At the beginning of May rain fell frequently; the cereal crops improved and looked healthy. In June the wind blew from the east; there was a deficiency of rain, and generally the weather was not good for agricultural purposes. The degree of humidity in the quarter was 73, which is 4 below the average. The air was uniformly dry, for the humidity was below its average in each of the three months.

The mean temperature of the air at Greenwich was 53·1°, which is above the average. In April and May it was in excess; in June it was in defect.

The fall of rain was less than the average in each month, and the whole amount did not exceed 3·5 inches.

Deaths; and State of the Public Health.—The deaths which were registered in the quarter that ended on June 30th amounted to 116,880. This number is above the average of the deaths in the months of April, May, and June; but it is less than the number of deaths which were registered in the corresponding quarter of the previous year, and less by 26,097 than the deaths in the three first fatal winter months of this year. Then 1571 deaths were registered daily; in the present quarter the daily deaths have been 1284. The mortality has been at the rate of 2·260 in 100 living, or ·073 above the average of the spring quarters of the previous ten years. The mortality of the town populations has been at the rate of 2·369, and of the country populations 2·110 per cent.: thus the towns lost 18,392 lives, and the country 10,000 lives, in excess of the deaths which would have been registered had the mortality been at the rate prevailing in the least unhealthy districts of England and Wales.

As a general rule the three spring months April, May, June are healthier than winter, and somewhat less healthy than the summer in ordinary years. They express very closely the average mortality of the year. Thus the average annual mortality per cent. in ten years (1854–63) was 2·214, and in the ten springs of those years 2·187; it was less in the spring quarters by ·027.

If we divide England and Wales into eleven great divisions, their prevailing mortality is found to differ. The country south of the Thames is the healthiest, and in general the deaths do not exceed 20 in 1000. Kent, Surrey, Sussex, Hampshire, and Berkshire constitute the South Eastern Division, where the mortality has been below its ordinary favourable average; for the annual rate prevailing in the quarter did not exceed 19·41 per 1000. Yet in some districts of Kent the deaths exceeded those in the corresponding quarters of the two previous years; this was the case in Bromley, Dartford, Tunbridge, East Ashford, Eastry, and Dover. Scarlatina prevailed in Maidstone. Hampshire and Berkshire were healthy.

The mortality of the South Western Division has been at the rate of 20·96, which is considerably higher than its average. The great epidemic of scarlatina which prevailed in England for some years subsided in 1861, but broke out again in 1862, and has since prevailed in various parts of the country with severity. Wiltshire and Somersetshire, and especially the districts around Bath and Bristol, continue still to experience its inflictions: the mortality was considerably above the average in Clifton, Bath, Clutton, Wellington, Chard, and Yeovil. These important districts might probably learn something useful from their venerable neighbour Salisbury, where the mortality continues low, and justifies the sanguine expectations of its sanitary reformers.

The mortality of the Eastern and of the South Midland Divisions was above the average; and among the unhealthy districts Uxbridge, Amersham, Eton, Bedford, Luton, and Wisbech may be named.

The people of the West Midland Counties died off at the rate of 22·32 in 1000; and this is slightly below their average rate.

The North Midland rate was 21·45; which is higher than its average.

The mortality of the North Western Division, including Cheshire and Lancashire, was 24·76; which is ·75 below its annual average mortality in the preceding ten years. The people of these counties might be rendered as healthy as the people of any other counties, by the application of the legitimate machinery for the purpose.

While the mortality of Lancashire is decreasing the mortality of Yorkshire is rising, and in the last spring months the people of the greatest county of England, which has often taken the lead of other counties on great occasions, very nearly surpassed Lancashire in its rate of destruction. The people died off at the rate of 24·55 in 1000; which was 1·46 above its high average rate. It would seem that no earnest efforts are made to secure the blessings of health in the prosperous towns of Yorkshire, where there is no lack of medical and engineering skill, and still less lack of enterprize or public spirit. The same temper which has exposed their valleys to the inundation of badly constructed reservoirs has left their towns exposed to the deadlier ravages of fevers, and of zymotic diseases of all forms. It is time that the men of Yorkshire should awake from their slumbers, when the tide of mortality is rising so rapidly and so threateningly.

It is a singular circumstance, that the mortality often augments with the increased prosperity of a district; and this is curiously illustrated by Ulverston, a romantic district extending from Morecambe Bay to Lake Windermere. Ulverston, in the ten years, 1841–50, was one of the healthiest districts of England; the mortality did not exceed 18 in 1000. A change took place, and in the ten years 1851–60 the mortality rose to 20 in 1000. The deaths in the last quarter were considerably above the average of previous years, caused, says one of the registrars, "in "part by the increase of the population, and in part by the prevalence "of scarlatina and measles." He adds: "but there is no distress; work "is plentiful, wages good, and provisions cheap. Labourers are earning "*3s. 6d.* a day; artisans *4s. 3d.* and upwards."

The population of many of the townships and parishes of the Ulverston district, at the feet of its fells, and round the shores of its meres, is stationary, and in some instances has declined: it is an old iron district, which had seen its works decay when coal came into use for smelting, but of late a pure hæmatite ore has been discovered in the carboniferous limestone of Dalton-in-Furness, for which there is a great demand. The population of the parish rose from 4683 to 9152 in the interval of the two last censuses, and, with the parishes in its vicinity, gave the increase which raised the population of Ulverston district from 30,556 in 1851 to 35,738 in 1861.

The mortality of the district of Ulverston, exclusive of Dalton, in the two last quarters, was at the rate of 26 and 23 in 1000; while that of Dalton was at the rate of 42 and 31; and it is in this sub-district that the spectacle is presented of "work plentiful, wages good, provisions cheap," and "the prevalence of destructive epidemics." This coincidence is reproduced over and over again. And it must not be supposed on that account that work, good wages, and cheap provisions are in themselves bad things; for they are as salutary as they are attractive to the masses of mankind. But our industrial armies are cut down by the camp diseases which are generated by the inadequate house accommodation, and by the want of sanitary arrangements, which are never carried out in the neighbourhood of new works. Impure water, impure air, their own exhalations, kill men, women, and children on the spot, and breed the leaven which devastates the towns and valleys in the vicinity. For the sins of a parish are often visited on its neighbours in thousands round.

Thus South Wales has been rendered prosperous by the mines, and unhealthy by the negligence of the people. The mining population appears to be even less careful of life than the manufacturing population.

The same causes which render new works unhealthy tend to destroy the natural advantages of watering places, to which the people living in cities resort for relaxation and in search of health. The drainage is costly, and its expense is postponed or evaded to the last moment, as it is at first doubtful whether the world will continue to resort to places which have often no natural advantages over others, and are selected, like some of the insalubrious German watering places, by mere accident.

Nearly all the English watering places are on good sites, and have many advantages over those abroad, and there can be no doubt that ultimately England will be the resort of foreigners who are in search of health, when we find a mortality-rate per 1000 so low as 15 in the Isle of Wight, 16 in Newton Abbot including Torquay, 17 in Cheltenham, 17 in Eastbourne, 18 in Worthing, 18 in Barnstaple, including Ilfracombe, 18 in Mutford, including Lowestoft.

The Brighton rate of mortality is 20 in 1000; but there is good reason for believing that it might be reduced to as low a rate as prevails at Cheltenham or Worthing, at a cost which would certainly be returned by its surer tenure of the public favour. Some of the seaside towns are draining their houses, and for this they deserve applause; but it appears to be very unreasonable to throw into the waters of the sea where visitors bathe the offensive matters which would fertilize the disinfecting chalk soils in the surrounding fields.

Why is the mortality of the Isle of Thanet, including Ramsgate and Margate, still 23? Why is the mortality of Hastings 24? Why is the mortality of Clifton 24? Why is it in Yarmouth at the rate of 25 in 1000?

Mortality in the **Districts** containing some of the **principal English Watering Places.**

DISTRICTS.	Population, 1861.	Deaths registered in the Quarter ending 30th June 1864.	Annual Rate of Mortality to 1000 living in the	
			10 Years 1851–60.	3 Months ending 30th June 1864.
Tunbridge (including Tunbridge Wells)	34,271	180	20	20
Thanet (including Ramsgate and Margate)	31,862	186	21	23
Dover	31,575	164	20	20
Hastings	26,631	166	18	24
Eastbourne	10,721	49	17	17
Brighton	77,693	405	22	20
Worthing (including Littlehampton and Arundel)	18,921	84	18	18
Isle of Wight (including Ryde, Ventnor, Newport, and Cowes)	55,362	210	17	15
Mutford (including Lowestoft)	24,050	113	20	18
Yarmouth	30,338	195	25	25
Weymouth (including Melcombe Regis)	27,291	156	18	21
Newton Abbot (including Dawlish, Torquay, and East and West Teignmouth)	59,063	238	18	16
Barnstaple (including Ilfracombe)	36,293	156	18	18
Bath	68,336	419	22	25
Clifton (including part of Bristol City and Bristol Workhouse)	94,687	602	21	24
Cheltenham	49,792	213	19	17
Upton-on-Severn (including Malvern)	21,010	107	20	20
Warwick (including Leamington)	44,047	234	21	21
Ashborne, Bakewell, and Chapel-en-le-Frith (including Buxton and Matlock)	66,046	332	20	20
Scarborough	30,425	180	21	22
Whitby	23,633	139	20	23
Kendal	37,463	182	19	19
Pembroke (including Tenby)	29,003	149	19	19
Aberystwith	25,464	138	19	21
Bangor	36,309	206	20	22
Anglesey	38,157	228	20	24

Third Quarter.—July, August, September.

The weddings in the summer were much more numerous than they had ever been in the season. The births rose in a still more remarkable degree. The aspect of the returns was less satisfactory as regards the deaths, the number of which was greater than any previous summer number, except that of 1863, since the period of the last great cholera epidemic. The same statement is applicable to the deaths considered relatively to the population, as it was estimated for the successive summer quarters in which the deaths occurred.

Marriages.—The marriage of 89,350 persons is recorded in the quarter ending 30th September 1864, the number of marriages being 44,675 or 2743 in excess of the same quarter in 1863. The rate was 1·704 per cent., which is considerably above the average (1·597 per cent.), and is the highest rate that has been attained in any corresponding quarter, excepting in the September quarter of 1853, when the rate reached a maximum point of 1·718 per cent. The increase in the number of marriages, which presented itself so conspicuously after the bountiful harvest of 1863, has since been continuous, and points to the improved condition of the bulk of the population. Compared with the same quarter of 1863, the marriages in London increased from 8029 to 8581, in Staffordshire from 1698 to 1831, in Warwickshire from 1152 to 1289, in Cheshire from 910 to 1063, in Lancashire from 6091 to 6534, in West Riding of Yorkshire from 3467 to 3803, in Durham from 1100 to 1241, and in Glamorganshire (including Merthyr Tydfil) from 749 to 915. The marriages were stationary in North Wales, and decreased in Hertfordshire, Buckinghamshire, Oxfordshire, Dorsetshire, Cornwall, Herefordshire, and Shropshire.

Births.—In the quarter that ended 30th September, 181,015 children were born, a number which exceeds that of the same period in 1862 by about 8000, and that of 1863 by nearly the same amount. All the Eleven Divisions contributed to the increase. In London the births were 25,285; in Cheshire and Lancashire 28,187. In the South Midland Counties they were 10,830; in the North Midland, with a less population, they were 11,323.

The births in Islington were 1531, and those in Kensington were almost exactly the same number; but in 1861 the population of the former district was 155,000, while that of the latter was 186,000. Apparently the facts may be accepted as an indication of the rapid growth of building and population in Islington. The most populous of all the London districts is Pancras, in which about 200,000 persons are now living; and in the quarter it placed 1842 births on the registers. The district of Marylebone returned 1241 births, almost the same number as Halifax in Yorkshire, which, however, contained at the census a population less by 32,000 than the metropolitan district.

The birth-rate was 3·45 per cent., against an average of 3·31. This result is very remarkable, for in the ten years 1854–63 there is no example of the birth-rate attaining a point as high as 3·4 per cent. in the summer quarter.

Increase of Population.—The deaths in the quarter ending 30th September were 112,223; and as the births in the same time were 181,015, the natural increase of the population was 68,792. People died at the rate of 1220 daily; 1968 children were born daily; and if the result were not continually subject to modification by immigration and emigration, the population would be augmented daily by 748 persons.

The number of emigrants in the quarter who left ports in the United Kingdom where emigration officers are stationed was 46,467. The emigration, not only to the United States, but to all parts of the world, was less

by nearly 12,000 than it had been in the same quarter of last year. To the United States there went 28,853 persons, and to the Australian Colonies 11,241. Less than a fourth part of the emigration to the United States was of English origin; the Irish element constituted more than a half; Scotchmen and foreigners the remainder. The number that embarked at Liverpool, and which included persons of various origin, was to that which sailed from all other ports in the proportion of 27 to 19.

Prices, Pauperism, and the Weather.—The average price of consols was as low as 89⅛. The price of wheat was 42*s.* 3*d.* per quarter, which is less than it was in the September quarter of 1863, and less by 14*s.* 7*d.* than it was in that of 1862. But beef and mutton showed no disposition to fall; and best potatoes at the Waterside Market, Southwark, were 5*l.* per ton, and were dearer than in the summer of 1863.

Pauperism declined in the quarter, as the following numbers will show:—

	In-door.	Out-door.
In the September quarter of 1862 the average number of persons relieved on the last day of each week - - - - - -	119,600	789,917
Ditto ditto 1863 - -	120,343	817,238
Ditto ditto 1864 - -	116,198	740,210

During the thirty-nine days which closed the spring quarter the weather was cold, and it continued cold for the first sixteen days of July. A warm period then set in, and lasted twenty-five days; but again a cold period, extending from the 9th to the 28th of August, succeeded, during which, though the days were warm, the nights were very cold, almost to frost. Thereafter, warmth alternated with cold till the end of September.

The most remarkable feature in the meteorology of the quarter is the low degree of humidity of the air in August; it was only 65, the average being 77, and saturation being represented by 100. There is no previous instance on record of a humidity in August less than 69. In that month the weight of vapour in a cubic foot of air was only 3·7 grains, which is one grain less than the average. This furnishes the only known instance of vapour being less than 4·3 grains in August.

The mean temperature of the air in the quarter was 59°·4, which is slightly below the average. The pressure of the atmosphere was in excess in July and August, and slightly in defect in September. The rain-fall amounted to 4·5 in. in the three months, viz., 0·3 in. in July, the average being 2·7 in.; 1·4 in. in August, the average being 2·4 in.; and 2·8 in. in September, the average being 2·4 in. The whole quantity was 3 in. below the average.

In one instance only, viz. in 1847, has the fall of rain from the beginning of the year to the end of September been smaller in amount than it has been this year.

And if the period of twenty-one months ending 30th September is adopted as the basis of comparison, it will be found that the period which terminated on that date in the present year is the driest on record.

Mr. Glaisher, from whose remarks on the Greenwich observations the above facts are derived, adds: "The season was remarkable for its great "dryness, particularly in August; for its ranges of temperature in that "month, which extended in many inland places to 50°; and for its cold "nights. Pastures were mostly bare at the end of that time; many "ponds and wells dried up, and water sold in many places from 1*d.* to "3*d.* per bucket."

Deaths; and State of Public Health.—The deaths registered in the quarter were 112,223, of which 18,272 occurred in London; 13,829 in the West Midland Counties, which include Gloucestershire, Herefordshire, Shropshire, Staffordshire, Worcestershire, Warwickshire; 18,157 in

Cheshire and Lancashire; 12,430 in Yorkshire. Those four divisions are the most important, in respect to population, of the eleven groups of counties or parts of counties into which England and Wales are divided with a view to a general comparison of the returns.

The total number of deaths was almost the same as that of the September quarter of last year, but considerably more than in that of 1862. But though the last two summer quarters present the same aggregate result, they do not exhibit the same uniformity in detail. The returns of the late summer, as compared with those of 1863, are heavier in London, the West Midland Counties, Monmouthshire, and Wales; lighter in the North Western Counties, Yorkshire, Durham, Northumberland, Cumberland, and generally in other parts of England. In Suffolk the deaths declined from 1847 to 1425; in Cornwall from 2036 to 1684; in Gloucestershire from 2585 to 2263; in Lincolnshire from 1951 to 1766.

The annual rate of mortality for the quarter in England and Wales was 2·141 per cent., against 2·000 as the average. With the exception of the summer of last year, the death-rate was higher than in any previous corresponding season since the cholera summer of 1854.

The causes which operated to produce this excess were not confined to cities, but attacked town and country, and raised the deaths in both, in equal amounts, above their respective averages. The town and country rates of mortality were 2·374 and 1·831 per cent., against their averages 2·253 and 1·713.

The mortality is lowest in the summer quarter. This rule holds invariably in England in ordinary seasons, and only fails to assert itself when malignant cholera, favoured by the heat of summer, rages over the country. But it is matter of interest to notice in the above table, that while it obtained as usual in ten of the great divisions of the kingdom, the rule did not hold good in London, where the mortality of the summer quarter was 2·406 per cent., and exceeded that of the preceding spring, when it was 2·353. The undue prevalence of diarrhœa or English cholera in London, from whatever cause it may arise, has made summer more fatal to children than spring. The deaths from that disorder last quarter in the metropolis were 2210; and in the ten years 1851–60 it was much more fatal there than in any other Division except the North Western Counties, Cheshire and Lancashire. The districts of the cotton manufacture have suffered greatly in former times from the complaint in question; and it may perhaps be accepted as a symptom of comparative exemption from it, and of improved sanitary condition, that the mortality per cent. was 2·322, against 2·476 in the spring months. Lancashire was at least as healthy as Yorkshire, in which the mortality of last summer was 2·366.

The healthiest of all the Divisions was the South Western Counties (Wiltshire, Dorsetshire, Devonshire, Cornwall, and Somersetshire), in which the death-rate was 1·820. It was but slightly higher (1·866) in the south eastern portion of the island, or that which lies south of the Thames. From its minimum it ranged over the country, through various gradations, to its maximum, which was 2·406, and which prevailed in London.

It may be presumed that emigration from the North Western Counties during the continued depression of their staple industry has confined the registration of deaths in those parts within narrower limits than it would otherwise have attained. That cause has no doubt had its effect; but the fact that the registration of births, simultaneously conducted, was not inactive, proves that it did not operate to an important extent.

The summer quarter of 1860 was distinguished by its wet, its cold, its want of sunshine, and generally by what is known as "bad weather;" it was distinguished also by a singularly low rate of mortality. In each month the mean temperature of the air was four degrees below its average,

and ten inches of rain fell. In the summer of the present year the monthly temperatures were near their averages ; the amount of rain was less than five inches; and extremes of diurnal temperature were suffered, which had not been experienced in 1860. This brief statement of differences of meteorological constitution in the two seasons probably does not embrace all the influences that were at work ; and when the records of the two entire years are completed, both for England and Scotland, an examination of the facts in more detail will be instructive ; but the main result has been ascertained, and is sufficiently striking, namely, that under a higher but less uniform temperature, and an unusual defect of humidity, the deaths of last summer, which were 112,223, would have been only 89,336 under the rate of mortality that prevailed in 1860 ; and therefore 22,887 deaths occurred in England which would not have occurred if the season in all its circumstances had been as favourable to health as the summer of 1860.

The Registrars have in some cases mentioned the complaints that were most fatal in their districts, and facts in connexion with them which had fallen under their notice casually or in course of professional duties. Their notes show that scarlatina was the prevailing type of disease ; that it visited many parts of the country, both north and south, and not a few with much severity. It prevailed in Aldershot, and in the Camp there ; of 72 deaths in All Saints, sub-district of Hastings, nearly the half was from scarlatina ; and almost half of the mortality in Horsham, North sub-district, was from the same cause ; it prevailed in Petworth ; and in Faringdon, where 26 out of 46 deaths were from scarlatina. It caused nearly a third of the total deaths in Hitchin, and more than half of those in the parish of Witney, and 54 out of 193 deaths in the sub-district of St. Giles, Northampton. It prevailed in Dunstable and Luton ; and in the latter was fatal in 44 cases, the deaths from all causes being 180. Diphtheria prevailed at Flegg in Norfolk, where houses are overcrowded and drainage defective, and at Stratton ; scarlatina in Eynsford, where a third part of the 74 deaths was due to it ; also in the district of Walsingham. Twenty-two out of the 54 deaths in Brixham, Devonshire, were from the same disease ; and at Tavistock it caused no less than 111 out of 179 deaths. It caused half of the mortality at North Hill, Launceston ; 20 out of 43 deaths at Dulverton in Somersetshire ; it was fatal at Bath and other parts of the same county. Eleven out of 22 deaths were from scarlatina in the sub-district of Bromyard, Herefordshire. The Dudley district in Staffordshire suffered severely both from small-pox and scarlatina, each of those diseases having caused 59 deaths at Rowley Regis, and each of them 45 at Tipton. Out of 90 deaths in Halesowen (Stourbridge), 34 were from scarlatina. In Lincolnshire, diphtheria prevailed at Tetford ; scarlatina in Lincoln, Great Grimsby, and the parish of Caistor. In Prescot (Lancashire) it prevailed much ; out of 349 deaths in St. Helen's, in that district, 105 having been from scarlatina. It caused 58 out of 148 deaths in the sub-district of Newchurch (Haslingden), and 33 out of 86 in Ulverston. But though it was common in many parts of the same county, it was perhaps not so prevalent and fatal as diarrhœa, which in summer abounds in the cotton districts. In Yorkshire, Todmorden, Huddersfield, Halifax, and Bradford, all suffered much from scarlatina. But it appears to have been almost entirely absent from Sheffield, where diarrhœa predominated over other complaints. Blaenavon (Abergavenny) and Newport in Monmouthshire ; Merthyr Tydfil, Neath, Swansea, and other parts of Wales, had a sharp attack of scarlatina. This review of the local reports is rapid and imperfect, but it seems to indicate that scarlatina was most fatal in the south ; diarrhœa more, or at least equally, fatal in some northern districts.

Small-pox attacked Alverstoke, Liskeard, Clifton, Wolverhampton, West Bromwich, Dudley, Stourbridge, Worcester, Birmingham, Coventry, Dud-

deston (Aston), Shipston-on-Stour, the parish of Blaby, where 18 deaths occurred from it, Leicester, Runcorn, Chester, Liverpool, Prescot, Thornton (Bradford), Wortley (Kirkstall), Sheffield, Scarborough, Yarm (Stockton), Easington, Berwick, and Neath. It is stated that "there is no medical officer of health in Birmingham, and vaccination is greatly neglected."

Glendale in Northumberland is a model district in statistical tables; with Farnborough, Bellingham, and Rothbury, it stands a monument of salubrity, to which a sanitarian immediately turns, when he seeks a comparison or would direct an aim. In the ten years 1851–60, the average mortality of Glendale was only 15 deaths to 1000 living. But the Registrar of Ford, one of its sub-districts, gives in his report a striking example of the natural advantages of a situation defeated by the apathy or ignorance of its inhabitants. When a village community abuses the patrimony which heaven has bestowed, and begins to suffer the effects, it is well if the minister, the surgeon, or other intelligent monitor will step in to warn and advise. The Registrar writes :—"The village of Lowick "has been for some months heavily afflicted with typhoid fever, arising "from its imperfect sanitary condition, there being no drainage to "convey the stagnant water and other noxious matter from the place.

TABLE 1.—**Annual Rate** of **Mortality** per Cent. in **Town** and **Country Districts** of **England** in each **Quarter** of the Years **1854–1864.**

	Area in Statute Acres.	Population enumerated. 1851.	Population enumerated. 1861.	Quarters ending	Annual Rate of Mortality per Cent. in each Quarter of the Years 1854.	1855.	1856.	1857.	1858.	1859.	1860.	1861.	1862.	1863.	Mean 1854-63	1864.
In 142 Districts and 56 Sub-districts comprising the CHIEF TOWNS	3,287,151	9,155,964	10,930,841	March	2·727	3·113	2·391	2·506	2·757	2·651	2·617	2·658	2·635	2·706	2·678	2·980
				June	2·145	2·402	2·294	2·243	2·356	2·249	2·316	2·271	2·267	2·470	2·331	2·412
				Sept.	2·984	2·057	2·160	2·374	2·245	2·284	1·845	2·193	1·984	2·410	2·253	2·386
				Dec.	2·667	2·281	2·256	2·557	2·724	2·358	2·285	2·291	2·525	2·422	2·457	2·615
				YEAR	2·706	2·463	2·275	2·420	2·521	2·386	2·265	2·353	2·358	2·502	2·425	2·598
In the remaining Districts and Sub-districts of England and Wales comprising chiefly SMALL TOWNS and COUNTRY PARISHES	24,037,732	8,771,945	9,135,383	YEAR	1·975	2·055	1·797	1·916	2·077	2·077	1·951	1·938	1·890	2·057	1·973	2·107
				March	2·151	2·608	1·951	2·072	2·497	2·363	2·326	2·210	2·184	2·323	2·279	2·512
				June	1·969	2·137	1·915	1·918	2·049	2·051	2·148	1·999	1·940	2·100	2·023	2·070
				Sept.	1·817	1·615	1·699	1·727	1·717	1·884	1·573	1·753	1·572	1·862	1·745	1·853
				Dec.	1·961	1·771	1·713	1·948	2·044	2·008	1·757	1·740	1·864	1·944	1·880	2·014

The following are the names of the 139 Districts and 56 Sub-districts comprising the CHIEF TOWNS :—All the 37 Districts of London; Croydon, Kingston, Richmond, Gravesend, Medway, Tunbridge: *West and East Maidstone Sub-districts* (Maidstone); Canterbury; *Minster Sub-district* (Sheppey); Thanet, Dover, Hastings, Brighton; *Shoreham Sub-district* (Stevning); Portsea Island, Alverstoke, Southampton; *Winchester Sub-district* (Winchester); Reading, Brentford, Edmonton; *St. Clement Sub-district* (Headington); Oxford, Northampton; *Peterborough Sub-district* (Peterborough); *Bedford and Kempston and Bedford and Cardington Sub-districts* (Bedford); *Luton Sub-district* (Luton); Cambridge, West Ham, Colchester, Bury St. Edmunds, Ipswich, Yarmouth, Norwich, King's Lynn, Melksham, Salisbury; *Weymouth Sub-district* (Weymouth); Exeter; *Torquay Sub district* (Newton Abbott); Plymouth, East Stonehouse, Stoke Damerel, Truro, Redruth; *St. Mary Magdalen and St. James Sub-districts* (Taunton); *Bridgwater Sub-district* (Bridgwater); Bath; *Bedminster Sub-district* (Bedminster); Bristol, Clifton; *St. Nicholas and St. John Baptist Sub-districts* (Gloucester); Cheltenham; *Hereford City Sub-district* (Hereford); Madeley, Shrewsbury; *Stafford Sub-district* (Stafford); *Newcastle-under-Lyme Sub-district* (Newcastle under-Lyme); Wolstanton, Stoke-upon-Trent; *Burton-on-Trent Sub-district* (Burton-on-Trent); Wolverhampton, Walsall, West Bromwich, Dudley, Stourbridge; *Kidderminster and Lower Mitton Sub-districts* (Kidderminster); Worcester, Birmingham, Aston, Coventry, Warwick; *Loughborough Sub-district* (Loughborough); Leicester; *Boston Sub-district* (Boston); *Lincoln Home Sub-district* (Lincoln); *Great Grimsby Sub district* (Caistor); Radford, Nottingham; *Newark Sub-district* (Newark); Derby, Hayfield, Stockport; *East and West Macclesfield and Sutton Sub-districts* (Macclesfield); *Runcorn Sub-district* (Runcorn); *Congleton Sub-district* (Congleton); *Chester Castle and Chester Cathedral Sub-districts* (Great Boughton); Birkenhead, Liverpool, West Derby, Prescot, Wigan, Warrington, Leigh, Bolton, Bury, Barton-upon-Irwell, Chorlton, Salford, Manchester, Ashton, Oldham, Rochdale, Haslingden, Burnley, Blackburn; *Chorley Sub-district* (Chorley); Preston; *Lancaster Sub-district* (Lancaster); Keighley, Todmorden, Huddersfield, Halifax, Bradford, Kirkstall, Hunslet, Holbeck, Bramley, Leeds, Dewsbury, Wakefield, Barnsley, Ecclesall Bierlow, Sheffield; *Doncaster Sub-district* (Doncaster); *Bootham, Micklegate, and Walmgate Sub-districts* (York), Sculcoates, Hull; *Scarborough Sub-district* (Scarborough); *Darlington Sub-district* (Darlington); Stockton, Hartlepool; *St Oswald and St. Nicholas Sub-districts* (Durham); Houghton-le Spring, Sunderland, South Shields, Gateshead, Newcastle-upon-Tyne, Tynemouth; *St. Cuthbert and St. Mary Sub-districts* (Carlisle); *Whitehaven Sub-district* (Whitehaven); *Kendal Sub-district* (Kendal); *Newport Sub district* (Newport); *Cardiff Sub-district* (Cardiff); Merthyr Tydfil; *Llangafelach and Swansea Sub-districts* (Swansea); *Llanelly Sub-district* (Llanelly); *Pembroke Sub-district* (Pembroke).

Note.—The three months January, February, March, contain 90, in leap year 91 days; the three months April, May, June, 91 days; each of the last two quarters of the year, 92 days. For this inequality a correction has been made in the calculations, also for the difference between 365 and 365·25 days, and 366 and 365·25 days in leap year.

" It contains between 600 and 700 inhabitants, and there is scarcely a " house in which there is not sickness; in some houses there are two " and three, and even four cases in a family; and there have been two " or three deaths from this cause. It is also ill supplied with water; at " all times the water is objectionable as to quality, but for these last " three months it has been very deficient in quantity; and the inha- " bitants are suffering much, both from the impurity and insufficient " supply of that first necessary of life."

TABLE 2. — The **Average Prices** of **Consols,** of **Wheat,** of **Meat,** and of **Potatoes,** in each of the **Years** and in each **Quarter** of the **Years 1856–1864**; and also the **Average Number** of **Paupers relieved** on the *last day* of each Week, in each of the **Years** and in each **Quarter** of the **Years 1857–1864.**

—	Average Price of Consols (for Money).	Average Price of Wheat per Quarter in England and Wales.	Pauperism. Average Number of Paupers relieved on the *last day* of each week.		Average Prices of Meat per lb. at Leadenhall and Newgate Markets (by the Carcase).				Best Potatoes per Ton at Waterside Market, Southwark.	
					Beef.		Mutton.			
			In-door.	Out-door.	Range of Prices.	Mean.	Range of Prices.	Mean.	Range of Prices.	Mean.
YEARS.	£	s. d.			d.	d.	d.	d.	s.	s. d.
1856	93	69 2	——	——	4½–6½	5⅝	4⅝–6⅝	5½	78— 93	85 6
1857	91⅞	56 5	121,669	737,287	4½–6½	5⅝	4⅝–7	5⅞	108—134	120 8
1858	97	44 3	120,140	751,031	4½–6½	5½	4½–6⅝	5½	104—136	120 0
1859	95	43 10	110,703	705,590	4½–6½	5½	4⅝–7	5⅞	79—109	94 0
1860	94	53 3	110,603	687,763	4 —6⅝	5⅜	5 —7½	6	120—145	132 6
1861	92	55 4	122,600	720,366	4 —6½	5¼	5 —7½	6⅛	114—134	124 0
1862	93½	55 5	130,974	820,953	4 —6½	5⅛	5 —6⅝	5⅞	125—149	137 0
1863	92⅞	44 8	129,934	859,751	4½–6½	5½	4⅝–7	5⅞	90—110	100 0
1864	90⅝	40 2	126,753	788,689	4½–6½	5½	5⅜–7	6 3/10	64— 86	75 0
QUARTERS ending										
1856:—										
March	90⅜	72 4	——	——	4½–6¼	5½	4½–6⅞	5⅜	78— 93	86 0
June	93⅜	68 8	——	——	4½–6¼	5½	5 —6⅝	5⅜	70— 90	80 0
Sept.	95	72 3	——	——	4½–6½	5½	5 —7	6	75— 80	78 0
Dec.	92⅛	63 4	——	——	3⅜–6⅛	5¼	4⅜–6⅝	5⅜	90—110	100 0
1857:—										
March	93½	56 10	135,121	777,426	4½–6¾	5⅜	5¼–7¼	6¼	100—120	110 0
June	93⅜	56 9	119,241	732,284	4½–6½	5⅜	4⅜–6¾	5⅝	105—150	127 6
Sept.	90⅞	59 11	109,371	702,644	4½–6½	5⅜	4⅝–7	5⅝	95—115	105 0
Dec.	89⅜	52 0	122,942	736,794	4½–6½	5⅜	4½–7	5¾	130—150	140 0
1858:—										
March	90½	46 5	138,376	835,641	4½–6½	5¼	4⅝–7	5⅞	130—175	152 6
June	97½	44 1	119,234	752,278	4½–6	5¼	4⅜–6½	5½	140—185	162 6
Sept.	96½	44 7	107,197	705,301	4½–6½	5¼	4⅜–6½	5½	65— 90	77 6
Dec.	98¼	41 9	115,751	710,904	4 –6½	5¼	4¼–6⅜	5½	80— 95	87 6
1859:—										
March	95⅝	40 8	123,071	743,517	4¾–6⅜	5¾	4⅜–7	5⅞	80—100	90 0
June	92⅞	47 3	109,350	710,968	4⅜–6½	5⅝	5 —7	6	85—110	97 6
Sept.	95⅜	44 0	100,770	683,423	4½–6½	5¼	4⅜–6⅜	5¾	65—105	85 0
Dec.	96⅛	43 4	109,623	684,454	4 –6½	5¼	4¼–6⅜	5¾	85—120	102 6
1860:—										
March	94⅝	44 5	118,523	717,269	3⅜–6½	5¼	4⅞–6⅜	5⅜	115—145	130 0
June	94⅜	52 8	107,050	692,384	4¼–6¾	5⅜	5½ 7⅛	6⅛	125—160	142 6
Sept.	93⅜	59 1	101,680	667,680	4½–7	5⅝	5¼–7½	6⅜	125—145	135 0
Dec.	93¼	56 9	115,161	673,721	3½–6¼	4⅞	4⅜–6⅜	5⅜	115—130	122 6
1861:—										
March	91⅜	55 1	131,138	757,950	4 –6½	5⅛	5½–7¾	6⅝	140—155	147 6
June	91⅛	54 9	117,801	713,786	4½–6⅝	5⅝	5¼–7¼	6¼	120—140	130 0
Sept.	91⅜	52 1	112,930	693,631	4¼–6½	5⅜	4⅞–7	5⅞	85—110	97 6
Dec.	93¼	50 3	128,533	716,096	4 –6¼	5⅛	4¼–6¾	5¾	110—130	120 0
1862:—										
March	93½	60 1	143,772	804,268	4 –6¼	5⅛	4⅜–6½	5⅝	130—155	142 6
June	93⅜	56 8	127,861	782,113	4 –6	5	5 –7	6	180—200	190 0
Sept.	93⅜	56 10	119,600	789,917	4¼–6¼	5⅛	5¼–7	6⅛	100—130	115 0
Dec.	93⅝	48 2	132,663	907,514	4 –6¼	5⅛	5¼–6¾	6	90—110	100 0
1863:—										
March	92⅓	46 7	142,257	943,324	4 –6¼	5⅛	5 –7	6	120—130	125 0
June	93⅛	46 2	127,063	873,593	4¼–6¼	5¼	4⅞–6¾	5¾	110—130	120 0
Sept.	93	45 7	120,343	817,238	4½–6¼	5⅜	4¾–6¾	5¼	70—105	87 6
Dec.	92¾	40 6	130,072	804,940	4 –6¼	5⅛	5 –7	6	60— 80	70 0
1864:—										
March	91	40 4	139,606	855,776	4½–6⅜	5⅜	5½ –7	6¼	55— 70	62 6
June	91½	39 7	122,883	786,863	4¼ 6⅛	5¼	5¼–7	6⅛	40— 60	50 0
Sept.	89⅝	42 3	116,198	740,210	4½–6½	5½	5¼–7	6⅛	80—120	100 0
Dec.	89⅜	38 5	128,326	771,908	4½–7	5⅝	5¼–7¼	6¼	80— 95	87 6

It was remarked in last report that "South Wales had been rendered "prosperous by the mines, and unhealthy by the negligence of the "people;" and reference was made to the "want of those sanitary "arrangements which are never carried out in the neighbourhood of "great works." Neath furnishes a case in point, for the Registrar says: —"The deaths in this quarter are much above the average of corre- "sponding quarters in the last five years. This is due in some degree "to increase of population consequent on the erection of large works in "the district, and also to a large number of deaths from scarlatina and "small-pox, which occurred chiefly in an overcrowded and ill-drained "locality in this town and in the neighbouring village of Britonferry."

In All Saints Cemetery, Newcastle-on-Tyne, 521 interments of children *reported* still-born have taken place within the last seven years. The

TABLE 3.—**Mean Annual Value of Meteorological Elements**

NAMES OF STATIONS.	Elevation in feet above the Sea level.	Latitude.	Barometer. Mean.	Barometer. Mean Monthly Range.	Thermometer. Mean of the highest Monthly Readings.	Thermometer. Mean of the lowest Monthly Readings.	Thermometer. Mean Monthly Range of Readings.	Thermometer. Mean of all the highest Daily Readings.	Thermometer. Mean of all the lowest Daily Readings.	Thermometer. Mean Daily Range.	Mean Temperature Of the Air.	Mean Temperature Of the Dew-point.
	feet.	° ′ ″	in.	in.	°	°	°	°	°	°	°	°
Guernsey	204	49 27 30 N.	29·761	0·998	62·8	40·4	22·4	55·0	47·2	7·8	50·4	45·9
Helston	106	50 7 0	29·889	1·029	66·9	35·4	31·5	59·2	45·4	13·8	51·4	47·4
Truro	45	50 17 0	29·897	1·029	67·2	36·2	31·0	58·1	44·4	13·7	50·4	44·9
Ventnor	150	50 35 0	29·856	0·945	62·1	38·4	23·7	55·5	46·7	8·8	51·1	43·7
Osborne	172	50 45 20	29·895	0·981	67·8	34·1	33·7	58·1	43·0	15·1	49·6	45·3
Bournemouth	30	..	29·876	1·008	67·7	31·4	36·3	59·9	41·6	18·3	50·1	43·2
Worthing	23	50 45 0	29·931	0·959	61·8	33·6	28·2	54·9	44·1	10·8	49·1	43·6
St. John's Coll., near Brighton	130	50 56 0	29·722	0·977	68·7	29·8	38·9	58·3	41·1	17·2	49·2	44·2
Barnstaple	43	51 5 15	29·918	1·058	69·1	32·8	36·3	58·9	43·9	15·0	50·7	46·1
Aldershot Camp	325	51 15 0	29·583	0·932	68·6	31·2	37·4	57·6	41·2	16·4	48·1	43·4
Bath	607	51 15 0	29·302	0·978	67·0	30·6	36·4	56·8	40·3	16·5	48·1	42·5
Clifton (Bristol)	228	51 27 47	29·712	1·054	66·8	32·6	34·2	56·5	42·5	14·0	48·6	42·4
Royal Observ., Greenwich	159	51 28 38	29·708	1·002	68·3	31·3	37·0	57·5	41·1	16·4	48·5	41·5
Guildhall	46½	51 28 —	29·865	0·968	66·6	30·5	36·1	56·2	44·6	11·6	49·3	42·5
Battersea	13	51 28 22	29·739	0·961	68·1	29·9	38·2	58·4	40·6	15·8	47·9	42·5
Streatley	100	51 31 15	29·891	1·038	..	..	..	58·0	40·8	16·2	48·7	43·1
Camden Town	118	51 31 57	29·842	1·003	69·3	30·2	39·1	58·0	42·1	15·9	48·9	43·2
Oxford	210	51 45 6	29·691	1·010	67·1	29·6	37·5	56·3	41·3	15·0	48·2	42·9
Banbury	320	..	29·806	1·018	67·5	27·9	39·6	56·5	40·6	15·9	48·3	44·0
Great Berkhampstead	370	51 46 0	29·571	1·006	67·7	29·9	40·8	56·5	39·8	16·7	47·6	40·4
Hartwell House	250	..	29·661	0·969	..	..	..	57·1	40·4	16·7	48·5	43·7
Aspley	400	52 1 0'	29·344	0·971	61·4	35·4	26·0	52·3	44·0	8·3	..	..
Royston	271	52 2 40	29·683	1·003	69·7	29·5	40·2	57·4	40·4	17·0	47·8	41·2
Abington	180	52 5 5	29·842	1·006	69·9	26·9	43·0	58·1	39·4	18·7	47·6	42·9
Cardington	100	52 6 40	29·863	1·031	68·8	28·1	40·7	57·2	40·4	16·9	48·4	41·3
Lampeter	420	52 7 0	29·727	..	..	..	..	57·4	39·8	17·6	48·0	44·5
Bedford	100	52 8 0	29·824	0·993	72·2	29·9	42·3	59·7	41·6	18·1	50·2	41·9
Diss (Norfolk)	106	52 23 0	29·865	0·998	69·0	28·4	40 6	57·1	40·3	16·8	48·2	42·2
Wisbeach	14	52 41 0	29·937	1·038	69·7	29·9	39·8	57·5	41·0	16·5	48·6	43·5
Llandudno	99½	..	29·844	1·192	66·3	35·0	31·3	56·3	43·7	12·6	49·1	42·9
Belvoir Castle	237	..	29·615	0·974	67·4	27·0	40·4	58·1	39·5	16·6	47·1	41·7
Grantham	181½	52 54 52	29·756	1·048	66·7	30·8	35·9	54·9	42·2	12·7	46·9	42·0
Derby	174	52 55 0	29·743	1·078	66·4	29·8	36·6	56·0	41·3	14·7	48·4	41·6
Nottingham	194	..	29·771	1·068	69·0	27·8	41·2	57·2	40·4	16·8	47·5	41·6
Hawarden	200	53 11 0	29·688	1·086	65·0	33·3	31·7	55·2	42·5	12·7	47·4	41·4
Kingsley	194	53 16 21	29·719	1·114	67·7	28·2	39·5	57·0	39·9	17·1	47·3	42·7
Liverpool	37	53 24 48	29·937	1·091	63·4	37·7	25·7	54·2	45·3	8·9	47·9	41·4
Manchester	123	53 29 0	29·802	1·124	67·6	28·6	39·0	56·6	40·2	16·4	47·3	40·7
Eccles	127	53 29 0	29·805	1·118	66·3	27·8	38·5	54·7	39·9	14·8	47·0	40·6
Castleton	475	53 35 20	29·402	1·090	64·0	27·6	36·4	52·6	39·3	13·3	45·4	39·6
Wakefield	115	53 40 50	29·818	1·134	66·7	27·0	39·7	56·5	39·9	16·6	47·7	43·6
Stonyhurst	381	53 50 40	29·494	1·126	64·5	29·9	34·6	53·7	40·2	13·5	46·1	41·0
Otley	200	53 54 22	29·666	1·094	64·2	32·3	31·9	51·6	42·1	9·5	45·8	40·5
York	50	53 58 0	29·854	1·144	65·5	31·3	34·2	54·1	41·2	12·9	..	..
Cockermouth	150	54 39 16	29·745	1·163	65·1	30·1	35·0	54·7	41·3	13·4	47·2	41·0
Allenheads	1360	54 48 44	28·428	1·122	60·3	26·3	34·0	50·2	37·4	12·8	42·3	37·7
Silloth	28	54 51 51	29·873	1·263	65·6	30·1	35·5	55·8	40·7	15·1	47·0	41·5
Carlisle	114	54 52 56	29·801	1·220	64·9	28·4	36·5	54·1	39·8	14·3	46·4	42·0
Bywell	87	54 56 43	29·794	1·066	68·1	30·3	37·8	56·5	40·4	16·1	46·9	40·9
North Shields	124	55 0 7	29·824	1·197	62·5	31·6	30·9	51·7	41·1	10·6	45·3	40·5
Miltown Banbridge	200	54 23 —	29·669	1·183	63·5	28·7	34·8	53·9	40·2	13·7	46·6	41·0
Culloden	104	57 31 0	29·714	1·308	60·0	33·4	26·6	50·3	42·1	8·2	45·9	40·9

non-registration of the still-born is mentioned by the Registrar as subject of regret. He thinks they should not be interred without a Coroner's order or Registrar's certificate.

Fourth Quarter.—October, November, December.

The population goes on increasing. The marriages in the last quarter of the year were numerous even for the Christmas season. The births were less numerous than in the corresponding quarter of 1863; but with that exception the number is higher than it has ever been since registration began. Death has unhappily also been unusually busy. No autumn death-rate has been observed in England higher than that of the last quarter, excepting in 1846, 1847, and 1858. Bread has been cheap,

in the **Year 1864.** By JAMES GLAISHER, Esq., F.R.S.

Mean Elastic Force of Vapour.	Mean Weight of Vapour in a Cubic Foot of Air.	Mean additional Weight of Vapour required for Saturation.	Mean degree of Humidity of the Air (Saturation=100).	Mean Weight of a Cubic Foot of Air.	Wind. Mean estimated Strength.	Wind. Relative Proportion of N.	Wind. Relative Proportion of E.	Wind. Relative Proportion of S.	Wind. Relative Proportion of W.	Mean Amount of Cloud (0—10).	Rain. Number of Days it fell.	Rain. Amount collected.	NAMES OF STATIONS.
in.	grs.	gr.		grs.							days.	in.	
·309	3·6	0·7	85	540	1·2	96	91	79	100	4·5	143	32·7	Guernsey.
·328	3·8	0·6	86	543	2·3	67	115	72	112	5·4	160	28·6	Helston.
·298	3·4	0·8	82	543	2·3	104	83	53	91	6·4	171	32·0	Truro.
·285	3·3	1·0	78	542	..	57	120	56	133	..	140	22·0	Ventnor.
·303	3·5	0·7	86	542	0·8	72	99	86	109	5·9	110	22·6	Osborne.
·279	3·2	1·1	75	543	..	76	78	91	121	..	102	21·7	Bournemouth.
·284	3·3	0·8	82	545	1·0	113	90	65	98	4·9	142	24·3	Worthing.
·290	3·4	0·7	83	541	1·0	80	91	89	106	5·5	113	23·2	St. John's Coll., near Brighton.
·312	3·6	0·7	84	543	..	53	97	99	117	4·1	143	26·4	Barnstaple.
·281	3·3	0·7	83	539	0·8	80	85	83	118	6·5	113	18·3	Aldershot Camp.
·273	3·2	0·8	82	536	0·5	109	69	69	119	5·7	152	28·2	Bath.
·271	3·2	0·9	80	542	0·4	79	88	81	118	5·6	166	22·6	Clifton (Bristol).
·292	3·1	1·0	77	543	0·3	80	78	106	102	6·6	112	16·5	Royal Observ., Greenwich.
·272	3·1	0·9	78	543	..	..	..	..	..	..	116	15·9	Guildhall.
·272	3·2	0·8	82	..	1·3	24	94	132	116	5·5	114	17·1	Battersea.
·278	3·3	0·8	82	543	1·6	85	76	90	115	6·3	..	17·9	Streatley.
·279	3·2	0·9	82	543	..	..	..	..	..	6·3	109	16·2	Camden Town.
·272	3·2	0·9	82	541	..	101	71	91	103	7·2	132	18·2	Oxford.
·288	3·4	0·7	83	540	..	55	91	93	87	5·9	131	17·8	Banbury.
·251	2·9	1·0	77	540	0·8	87	90	78	111	6·2	137	19·8	Great Berkhampstead.
·285	3·2	0·8	82	541	0·6	102	73	86	105	5·4	..	..	Hartwell House.
..	..	..	..	..	..	75	99	82	110	3·9	129	20·7	Aspley.
·259	3·0	1·0	79	542	..	98	63	96	109	5·9	182	16·9	Royston.
·276	3·3	0·7	85	544	..	50	117	77	122	6·4	..	16·7	Abington.
·269	3·0	1·1	77	544	0·9	93	89	79	105	6·2	..	17·5	Cardington.
·294	3·4	0·5	88	538	0·3	65	98	103	102	6·0	..	..	Lampeter.
·266	3·1	1·3	73	542	0·9	93	84	67	139	6·5	117	15·9	Bedford.
·289	3·2	0·9	82	545	..	81	79	102	103	5·9	123	15·2	Diss (Norfolk).
·283	3·3	0·8	82	545	0·4	91	90	88	97	6·6	..	..	Wisbeach.
·276	3·2	1·0	80	543	..	85	78	38	165	5·4	149	24·9	Llandudno.
·264	3·1	0·8	82	539	1·3	67	57	124	118	5·6	108	15·6	Belvoir Castle.
·267	3·1	0·8	82	543	0·3	82	77	94	113	7·2	155	14·7	Grantham.
·263	3·1	1·0	78	542	..	69	105	55	137	..	160	21·7	Derby.
·283	3·1	1·0	77	542	0·3	82	69	106	109	6·5	154	17·5	Nottingham.
·261	3·1	0·9	80	..	2·0	..	..	..	..	..	134	21·6	Hawarden.
·274	3·2	0·7	85	543	0·4	54	103	106	103	6·3	158	27·3	Kingsley.
·261	3·1	0·9	77	545	..	67	92	102	105	6·5	..	..	Liverpool.
·254	3·1	0·7	79	545	..	63	90	138	75	6·6	172	30·7	Manchester.
·253	3·0	0·9	79	545	0·3	67	96	88	95	6·7	180	31·0	Eccles.
·243	2·8	0·8	81	539	0·3	77	90	104	95	5·6	178	39·6	Castleton.
·284	3·3	0·6	86	544	1·5	83	72	90	121	6·5	176	22·7	Wakefield.
·257	3·0	0·7	83	540	0·6	91	83	66	124	7·3	191	41·9	Stonyhurst.
·252	2·9	0·7	83	544	1·1	53	109	18	186	6·6	93	21·3	Otley.
..	..	..	..	..	..	48	128	73	117	..	141	19·7	York.
·257	3·0	0·8	80	543	0·5	48	80	113	125	6·0	167	40·4	Cockermouth.
·226	2·6	0·6	84	531	1·6	68	46	117	135	7·2	230	43·3	Allenheads.
·262	3·1	0·8	81	546	..	37	130	71	128	5·2	169	33·7	Silloth.
·267	3·1	0·9	85	540	0·2	43	116	96	111	7·7	139	24·3	Carlisle.
·256	3·0	0·8	85	545	1·2	74	100	54	138	5·3	187	29·0	Bywell.
·252	3·0	0·7	84	547	1·8	83	65	91	124	6·1	209	26·6	North Shields.
·267	3·0	0·7	82	543	2·3	68	87	121	90	5·4	198	25·1	Miltown Banbridge.
·256	2·9	0·6	83	545	0·4	..	..	..	..	5·0	182	24·9	Culloden.

and employment, except in Lancashire, plentiful; but the weather has been cold, and the waters of the wells and streams have been scanty, as well as impure, through the deficiency of rain-fall; of which the storage about dwelling houses is everywhere deficient. Fever and scarlatina have ravaged several cities where the sanitary arrangements have never yet reached the great body of the population.

Marriages.—The number of weddings in the three months ending 31st December was 53,125, or on an average 577 daily. It was greater than in any previous quarter. In London it rose from 7811 and 7856 in the corresponding quarter of the two previous years to 8711. The West Riding of Yorkshire, Durham, Northumberland, and South Wales also showed by a clear increase in their marriages that the times were prosperous with them.

In Lancashire the marriages which were 6499 in the last quarter of 1863 decreased to 6157 in that of 1864; but they were considerably more numerous than in the same period of 1862.

The annual marriage-rate of the fourth quarter was 2·022, against an average rate of 1·963; in the ten years 1855–64 there is only one instance of a higher rate (2·026) which occurred in 1859.

Births.—The births of 177,478 children (90,260 boys and 87,218 girls) were registered during the quarter ending 31st December, a number which, although above the average of the season, is less by 819 than that registered in the last quarter of 1863: the decrease is spread over many of the counties, but in the following the births are in excess of those in the corresponding season of 1863: Surrey, Kent, and Middlesex (extra-metropolitan), Cambridgeshire, Suffolk, Norfolk, Dorsetshire, Herefordshire, Shropshire, Staffordshire, Worcestershire, Rutland, Durham, Westmorland, Monmouthshire, and South Wales. The birth-rate was 3·38 per cent. against 3·46 in 1863, the average being 3·27.

Increase of Population.—177,478 births were registered in the quarter ending 31st December, and there were 123,451 deaths during the same period, leaving a natural increase of 54,027 to the population, or 587 daily.

The number of emigrants in the quarter who left ports in the United Kingdom where emigration officers are stationed was 33,495, being 12,972 less than in the previous quarter, and 9628 less than in the same quarter of 1863.

12,192 of the emigrants were of English origin, of whom 4905 sailed for the United States, 335 to the North American Colonies, 5529 to the Australian Colonies, and 1423 to other places.

TABLE 4.—**Mean Annual Value** of **Meteorological Elements**

PARALLELS of LATITUDE.	Mean Elevation in Feet above the Sea Level.	Barometer.		Thermometer.						Mean Temperature	
		Mean.	Mean of Monthly Range.	Mean of the highest Monthly Readings.	Mean of the lowest Monthly Readings.	Mean Monthly Range of Readings.	Mean of all the Highest Daily Readings.	Mean of all the lowest Readings.	Mean Daily Range.	Of the Air.	Of the Dew-point.
Between the latitudes,—	feet.	in.	in.	°	°	°	°	°	°	°	°
49° and 50° - -	204	29·761	0·998	62·8	40·4	22·4	55·0	47·2	7·8	50·4	45·9
50° and 51° - -	94	29·854	0·990	66·0	33·6	32·4	57·7	43·8	13·9	50·1	44·6
51° and 52° - -	256	29·639	1·000	67·8	31·0	36·8	56·8	41·5	15·3	48·6	43·0
52° and 53° - -	191	29·740	1·026	68·1	29·9	38·2	56·7	41·1	15·6	48·2	42·3
53° and 54° - -	196	29·714	1·112	65·5	30·4	35·1	54·5	41·0	13·5	46·9	41·3
54° and 55° - -	348	29·528	1·555	64·8	29·0	35·8	54·3	39·9	14·4	46·0	40·6
North Shields - -	124	29·824	1·197	62·5	31·6	30·9	51·7	41·1	10·6	45·3	40·5
Culloden - - -	200	29·714	1·308	60·0	33·4	26·6	50·3	42·1	8·2	45·9	40·9
Miltown Banbridge (Ireland).	104	29·669	1·183	63·5	28·7	34·8	53·9	40·2	13·7	46·6	41·0
Between the latitudes,—											
49° and 58° - -	191	29·723	1·152	64·6	32·0	32·6	54·5	42·0	12·5	47·6	42·2

Of 15,080 emigrants of Irish origin, 10,756 went to the United States, and 3897 to the Australian Colonies: emigrants of Scottish origin exhibited a preference for the Australian Colonies, as of 2491 who left these shores, 1232 went to those colonies, and 1019 to the United States.

The emigrants from the United Kingdom during the year were 208,900, of whom 57,971 were of English, 15,394 of Scotch, 118,188 of Irish origin, and 17,347 were Foreigners.

Prices, Pauperism, and the Weather.—Owing to the accruing dividend the average quotation of Consols is somewhat higher than the low rate that prevailed in the previous quarter, the price now being $89\frac{5}{8}$ against $89\frac{1}{8}$ in the three months ending 30th September. Wheat sold at decreasing prices, the average for the three months being 38*s.* 5*d.* per quarter against 40*s.* 6*d.* in the corresponding period of 1863, and 48*s.* 2*d.* in 1862. The people have thus enjoyed the blessing of cheap bread during a cold period of the year. The high price of meat is a matter of daily experience with all consumers; in the last quarter of 1863 beef sold on an average at 4*d.* to $6\frac{1}{4}$*d.* per lb. (by the carcase) at Leadenhall and Newgate Markets, but in the quarter ending 31st December last the price ranged from $4\frac{1}{2}$*d.* to 7*d.*, according to quality. The wholesale price of mutton was 5*d.* to 7*d.* in the last quarter of 1863, and it was $5\frac{1}{4}$*d.* to $7\frac{1}{4}$*d.* in the same period of 1864. The growers and importers of meat will, we may hope, succeed in increasing the supply of an article of diet so necessary to the hard-working population of this country. The dry summer was prejudicial to the crop of potatoes, and the price of this essential vegetable and anti-scorbutic was 25 per cent. higher than in the autumn of 1863; the wholesale price of the best qualities was 60*s.* to 80*s.* in the last quarter of 1863, and rose to an average of 80*s.* to 95*s.* in the same quarter of 1864.

It is satisfactory to remark a decrease in the number of paupers receiving relief.

	In-door.	Out-door.
In the December quarter of 1862 the average number of persons relieved on the last day of each week was - - - - -	132,663	907,514
Ditto ditto 1863 - -	130,072	804,940
Ditto ditto 1864 - -	128,326	771,908

Mr. Glaisher states that:—

The weather at the beginning of the quarter was cold, and the average deficiency of daily temperature amounted to 2°. From the 12th October to the 29th the period was warm; an excess of temperature of $2\frac{3}{4}$° on the average of those days took place. A bitter cold period succeeded, continuing till the 12th November, during which a daily deficiency was experienced of no less than $5\frac{1}{4}$° of heat. From the 13th November to

in the Year 1864 for different Parallels of Latitude.

Mean Elastic Force of Vapour.	Mean Weight of Vapour in a Cubic Foot of Air.	Mean additional Weight of Vapour required for Saturation.	Mean Degree of Humidity of the Air. Saturation = 100.	Mean Weight of a Cubic Foot of Air.	Wind. Mean estimated Strength.	Wind. Relative Proportion of N.	Wind. Relative Proportion of E.	Wind. Relative Proportion of S.	Wind. Relative Proportion of W.	Mean Amount of Cloud (0–10).	Rain. Number of Days it fell.	Rain. Amount collected.	Parallels of Latitude.
in.	grs.	gr.		grs.							days.	in.	
·309	3·6	0·7	85	540	1·2	96	91	79	100	4·5	143	32·7	Between the latitudes,— 49° and 50°
·295	3·4	0·8	82	543	1·5	81	97	78	110	5·6	134	24·9	50° and 51°
·277	3·2	0·8	82	541	0·8	81	83	92	110	5·9	130	19·6	51° and 52°
·270	3·1	0·9	81	542	0·7	79	85	85	117	6·0	142	17·8	52° and 53°
·260	2·9	0·8	81	543	0·9	69	96	88	113	6·5	158	28·4	53° and 54°
·253	3·0	0·7	83	541	0·9	54	94	90	128	6·3	184	34·1	54° and 55°
·252	3·0	0·7	84	547	1·8	86	65	91	124	6·1	209	26·6	North Shields.
·266	2·9	0·8	83	545	0·4	—	—	—	—	5·0	182	24·9	Culloden.
·297	3·0	0·7	82	543	2·3	68	87	121	90	5·4	198	25·1	Miltown Banbridge (Ireland).
·269	3·1	0·7	83	543	1·2	77	87	91	111	5·7	164	26·0	Between the latitudes,— 49° and 58°

the 13th December the weather was generally warm, but there were cold periods of two and three days together; but upon the whole there was an excess of temperature averaging $2\frac{1}{4}°$ daily. From the 14th December to the end of the quarter the weather was changeable. On the 17th the deficiency of temperature was as large as $15\frac{3}{4}°$, and on the 20th there was an excess of 3°, followed again by a considerable deficiency, which generally prevailed; and the average defect of temperature from the 14th to the end of the month was nearly 4° daily. The mean temperature of the quarter at Greenwich was 43·7°.

The fall of rain was in defect to the amount of 1·7 in. in October, slightly above the average in November, and showed a deficiency of 1·3 in. in December. The amounts fallen are respectively 1·1 in., 2·6 in., and 0·6 in.

Deaths, and State of the Public Health—123,451 deaths (63,117 males and 60,334 females), were registered in the last 92 days of the year, a number never yet reached in any corresponding season since the commencement of registration. The rate of mortality during the quarter was 2·349 per cent.; this high rate has only been exceeded in the autumn season on three occasions, namely, in 1846 when it was as high as 2·545 per cent., in 1847 when it reached 2·389 per cent., and in 1858 when it attained 2·406 per cent.; the average of ten corresponding quarters was 2·180 per cent. This excessive mortality deserves serious attention and thorough investigation; and it may be expected that the corporate bodies of the kingdom will be alive to the necessity of improving the sanitary condition of our towns, and of appointing medical officers of health, whose duty it will be to watch and keep the public informed of the state of health, to trace the progress and causes of the epidemics which periodically ravage our densely populated districts, and to suggest promptly the best means of bringing them into a healthy condition. The excess in the rate of mortality is spread over nearly all the Divisions of England and Wales. In London the deaths were 19,788 against 17,732 in the same season of 1863. Many districts in the South Eastern Counties shared in the high rate of mortality, and suffered from scarlatina, although in other districts, including the Isle of Wight, the deaths were below the average. The Tables show that most of the districts of the South Midland Counties were in an unhealthy state, and the same may be said of the Eastern Counties, particularly Norfolk; Norwich returns 572 deaths against 419 in the same period of 1863; Yarmouth has 233 against 195 in 1863 and 174 in 1862. In the South Western Counties, scarlatina was very fatal, causing 18 out of 45 deaths in the sub-district of St. Thomas, 23 out of 60 deaths in the Brixham sub-district of Totnes, 28 deaths in the sub-district of Tavistock, 19 out of 38 deaths in the Wiveliscombe

Table 5.—**Meteorology of Greenwich**

Years.	Mean Weekly Movement of the Air in Miles.*	Departure from Average.	Fall of Rain in Inches.	Departure from Average.	Mean Dryness of Atmosphere.	Departure from Average.	Mean Temperature of the Air.	Departure from Average.
	Miles.	Miles.	Inches.	Inches.	°	°	°	°
1849	1808	+108	23·9	+ 0·3	6·6	+ 0·9	50·0	+ 0·8
1850	1841	+141	19·7	− 3·9	6·1	+ 0·4	49·3	+ 0·1
1851	1730	+ 30	21·6	− 2·0	6·5	+ 0·8	49·2	0·0
1852	1781	+ 81	34·2	+10·6	7·4	+ 1·7	50·6	+ 1·4
1853	1597	−103	29·0	+ 5·4	6·2	+ 0·5	47·7	− 1·5
1854	1731	+ 31	18·7	− 4·9	4·7	− 1·0	48·9	− 0·3
1855	1639	− 41	21·1	− 2·5	4·5	− 1·2	47·1	− 2·1
1856	1775	+ 75	22·2	− 1·4	5·6	− 0·1	49·0	− 0·2
1857	1562	− 38	21·4	− 2·2	5·2	− 0·5	51·0	+ 1·8
1858	1626	− 74	17·8	− 5·8	6·5	+ 0·8	49·2	0·0
1859	1598	−102	25·9	+ 2·3	6·0	+ 0·3	50·7	+ 1·5
1860	1676	− 24	32·0	+ 8·4	4·6	− 1·1	47·0	− 2·2
1861	1666	− 34	20·8	− 2·8	5·0	− 0·7	49·4	+ 0·2
1862	1680	− 20	26·2	+ 2·6	4·7	− 1·0	49·5	+ 0·3
1863	1775	+ 75	19·8	− 3·8	6·0	+ 0·3	50·3	+ 1·1
1864	1597	− 97	16·8	− 6·4	7·0	+ 1·2	48·5	− 0·7
Average	1694	—	23·2	—	5·8	—	49·2	—

* Approximated to the results of Robinson's Anemometer by reductions from Whewell's up to 1859.

sub-district of Wellington. 17 out of 61 deaths in the Yeovil sub-district were caused by scarlatina, and the drainage of the town is represented as being in a very bad state. The Registrar of the Lansdowne sub-district of Bath says :—

17 deaths have been registered from scarlatina, 3 from small-pox, one from measles, and one from diphtheria. Scarlatina still continues to prevail in this district. Better sanitary arrangements are required for the whole of the lower parts of the city, together with a better water supply, and an unpolluted river, freed from sewage.

The districts of the WEST MIDLAND COUNTIES have suffered severely from small-pox ; scarlatina and typhus were also very fatal. In Clifton sub-district 29 deaths were from small-pox ; in Leominster sub-district 26 out of 56 were from the same disease ; in St. Mary, Shrewsbury, this disease was fatal in 20 instances ; in the Wellington sub-district in 13 ; in Burton-upon-Trent in 22. Scarlatina prevailed with great virulence in Wolverhampton, causing 69 deaths in the Bilston sub-district.

In West Bromwich small-pox, scarlatina, and typhus were very fatal. In Worcester a large number of persons have been vaccinated and re-vaccinated, which has materially checked the spread of small-pox. Birmingham and Aston have been severely visited by small-pox and scarlatina. The Registrar of the St. Martin's sub-district of Birmingham says :—

The deaths are above the average. Small-pox has been very prevalent, and proved fatal in 22 cases. Vaccination is frequently disregarded. There is no local medical officer of health in the town.

It is to be hoped that this important town, following the example of Liverpool and other places, will not long remain without the services of an efficient Officer of Health.

In the NORTH MIDLAND COUNTIES several districts were visited by small-pox, scarlatina, and typhus, particularly Lincoln, where good water is represented as having been exceedingly scarce for a very long time.

Most of the districts of the NORTH WESTERN COUNTIES show a high rate of mortality, chiefly owing to the prevalence of small-pox, scarlatina, typhus, and measles. Liverpool suffered severely. The Registrar of the Mount Pleasant sub-district says :—

The deaths are considerably above the average, chiefly owing to the remarkable prevalence of typhus ; no less than 310 deaths are ascribed to that disease, a large number of them occurring in the workhouse. Small-pox proved fatal in 32 cases ; 20 deaths occurred from diarrhœa, and 19 from scarlatina.

---

in the Sixteen Years **1849-1864.**

MEAN TEMPERATURES of the AIR in the Quarters ending the last day of								YEARS.
March.	Departure from Average.	June.	Departure from Average.	Sept.	Departure from Average.	Dec.	Departure from Average.	
°	°	°	°	°	°	°	°	
41·9	+ 1·9	51·7	− 0·6	61·0	+ 0·9	44·8	+ 0·9	1849
39·4	− 0·6	53·5	+ 1·2	59·6	− 0·5	44·7	+ 0·8	1850
41·9	+ 1·9	51·5	− 0·8	59·8	− 0·3	43·7	− 0·2	1851
43·4	+ 1·4	51·2	− 1·1	61·8	+ 1·7	48·1	+ 4·2	1852
38·1	− 1·9	51·8	− 0·5	58·5	− 1·6	42·3	− 1·6	1853
40·8	+ 0·8	51·7	− 0·6	59·8	− 0·3	43·7	− 0·2	1854
34·1	− 5·9	50·5	− 1·8	60·4	+ 0·3	42·7	− 1·2	1855
40·0	0·0	52·3	0·0	59·9	− 0·2	44·2	+ 0·8	1856
39·2	− 0·8	53·8	+ 1·5	63·3	+ 3·2	47·9	+ 4·0	1857
37·8	− 2·2	54·3	+ 2·0	61·0	+ 0·9	43·8	− 0·1	1858
43·3	+ 3·3	53·7	+ 1·4	62·8	+ 2·7	43·3	− 0·6	1859
38·8	+ 1·9	50·5	− 1·8	56·2	− 3·9	42·6	− 1·3	1860
39·9	− 0·1	51·3	− 0·5	60·4	+ 0·3	43·3	+ 1·0	1861
41·0	+ 1·0	53·3	+ 1·0	58·8	− 1·3	45·0	+ 1·1	1862
42·6	+ 2·6	53·1	+ 0·8	58·8	− 1·1	46·8	+ 2·4	1863
37·9	− 1·5	53·1	+ 0·9	59·4	− 0·7	43·7	− 0·9	1864
39·4	—	52·2	—	60·1	—	44·6	—	Average.

The Officer of Health will no doubt meet with the active support of the local authorities in devising means to improve the sanitary condition of this populous and important town. In Prescot a very remarkable mortality prevailed; the deaths were 786 against 454 in the same season of 1863 and 443 in 1862. The sanitary state of the town is stated to be very bad; vaccination is neglected, and want of cleanliness is observable in the houses of the poorer classes. The Registrar of the St. Helen's sub-district of Prescot says:—

The deaths exceed the average considerably. The mortality has been greatest amongst children in consequence of the prevalence of scarlatina and small-pox. 120 deaths occurred from scarlatina, and 24 from small-pox. Small-pox is most prevalent in that part of the town noted for its defective sanitary arrangements, and inhabited principally by the Irish. In this portion of St. Helen's the evils arising from want of sewers, unpaved streets, small and unhealthy dwellings, are still further increased by the crowding of several families in one house, and an entire absence, apparently, of all ideas of cleanliness.

In the Oswaldtwistle sub-district of Blackburn 300 persons were attacked by typhus, of which 16 died: the medical men attribute the prevalence of the disease to bad drainage.

Many districts in Yorkshire experienced a high rate of mortality owing to the prevalence of small-pox, scarlatina, typhus, and measles; and the same diseases were more or less fatal in the districts of the Northern Counties and also in Monmouthshire and Wales.

Table 6.—**Average Annual Rate** of **Mortality** in the 11 Divisions of **England** in the **10 Years 1851-60**, and in the Winter, Spring, Summer, and Autumn Quarters of **1864.**

DIVISIONS.	Average Annual Rate of Mortality to 1000 living in the				
	10 Years 1851-60.	Winter Quarter 1864.	Spring Quarter 1864.	Summer Quarter 1864.	Autumn Quarter 1864.
I. London - - - - -	23·63	30·88	23·53	24·06	26·12
II. South Eastern Counties -	19·55	24·18	19·41	18·66	19·37
III. South Midland Counties -	20·44	26·53	21·61	20·43	22·66
IV. Eastern Counties - - -	20·58	24·51	21·25	19·05	20·86
V. South Western Counties -	20·01	25·07	20·06	18·20	20·67
VI. West Midland Counties -	22·35	27·57	22·32	21·55	23·77
VII. North Midland Counties -	21·16	25·84	21·45	19·23	20·75
VIII. North Western Counties -	25·51	30·97	24·76	23·22	26·34
IX. Yorkshire - - - -	23·09	28·31	24·55	23·66	25·00
X. Northern Counties - -	21·99	25·18	21·95	21·14	22·46
XI. Monmouthshire and Wales	21·28	26·28	22·97	20·17	23·59

Health of London in 1864.

In London 102,625 children, of whom 52,383 were boys, and 50,242 were girls, were born last year; and 78,238 persons, namely, 39,551 males, and 38,687 females, died in the same time. The population which, by continual process, bears these twin fruits of life and death, is estimated to have been composed at the middle of the year of 2,948,963 lives; it approached the completion of its third million, and dwelt in every degree of density and in endless variety of condition on an area of 122 square miles. Of this surface 71 square miles, being more than half, are occupied by that portion of the metropolis which lies in Surrey and Kent, and is known in these reports by the term "South Districts;" two out of the three millions of people, and part of the third, live on a smaller area, but on the northern and more historic side of the river.

The births of boys were to those of girls in the proportion of little less than 105 to 100; a proportion common in London and England, though

it varies in the several counties of England. But this male majority in the births does not avail to secure a male majority in the population; for in England the aggregate number of women and girls is 105 to 100 men and boys, and in London the proportion is as 114 to 100. The mortality of males is greater than that of females, and the great metropolitan labour mart appears to draw and keep within its vortex more unmarried women from the country than unmarried men.

When short periods of time are taken, the operation of a law is subject to accidental irregularities; but the uniformity of the rule, which in births gives a majority to males, is apparent from the fact that of the fifty-two weeks of last year, in only nine was the number of girls registered greater than that of boys.

A similar excess of males over females prevails in the deaths; but it is less in degree, and when weekly numbers are taken, exceptions to the rule, as might be anticipated, are more numerous. In twenty out of the fifty-two weeks the entries in the death-registers of females exceeded those of males. It is chiefly in severe weeks of winter cold that this exceptional preponderance will obtain, because bronchitis finds its victims most readily amongst old persons, and in the present constitution of the London population it is in the advanced stages of life that the female element, as compared with the male, exhibits a great abnormal development. At sixty years of age and upwards there were, at the Census of 1861, 146 women to 100 men.

The births fluctuate from week to week within narrower limits than the deaths. The greatest number of births was returned in the eleventh week, and was 2177; the lowest number in the twenty-fourth week, and was 1776. But in January cold or other unfavourable atmospheric causes raised the deaths to what may be termed not unjustly "a plague rate of mortality;" for in the second week of the year they were 2427, and in the third week 2180, and in thirteen other weeks, chiefly at the beginning or towards the end of the year, they were above 1600. On two nights in the first week of January the thermometer fell as low as 14° and 15°. The lowest number of deaths was returned in the twenty-second week, when it was 1213. It will furnish a further indication of the high mortality, to state that in only eleven weeks during the year was the number below 1300.

The rate of mortality was 2·653 per cent. of the population (for males 2·876; for females 2·459). The average in twenty-five years, which include two periods of epidemic cholera, was 2·432. The death-rate was not so high as it was last year, in any of the preceding twenty-four years, except 1847, the influenza year, when it was 2·695 per cent., and 1849 and 1854, the two cholera years, when it rose to about 3 per cent.

TABLE 7.—LONDON.—**Births** and **Deaths** in the Thirteen Years **1852** to **1864**.

YEARS.	1852	1853	1854	1855	1856	1857	1858	1859	1860	1861	1862	1863	1864
BIRTHS - - -	81250	82254	84885	85532	87480	89577	89012	92909	93414	97064	97850	102119	102625
DEATHS - - -	54638	60069	73697	61942	57274	59103	64093	61869	62309	65251	67371	71060	78238
Excess of BIRTHS over DEATHS -	26612	22185	11188	23590	30156	30474	24919	31049	31105	31813	30479	31059	24387
BIRTHS - Males -	41388	42132	42988	43501	44410	45885	45347	47330	47645	49335	49382	52277	52383
BIRTHS - Females -	39862	40122	41897	42031	43020	43392	43665	45579	45769	47729	48468	49842	50242
DEATHS - Males -	28063	30852	37151	31354	29076	29769	32579	31577	31657	33105	34288	36354	39551
DEATHS - Females -	26575	29217	36546	30588	28198	29334	31514	30293	30652	32146	33083	34706	38687
ANNUAL MORTALITY per 1000 - -	22·61	24·41	29·43	24·31	22·09	22·41	23·90	22·69	22·49	23·18	23·54	24·47	26·53

In the two groups of districts which contain the densest populations, namely, the Central and East districts, in the former, a population of about 400,000 living on three square miles, and in the latter another of about 600,000 persons living on ten square miles, the mortality rose to 2·9 per cent. In the West, North, and South districts the death-rate was not much below or above 2·5 per cent., but the first of these three groups was the healthiest, perhaps because the people who live in it may enjoy on the whole the amplest provision of food, fuel, clothing, and house shelter against inclement seasons.

The mean temperature of the air was below the average of 23 years in seven months out of the twelve; in two it did not exceed the average, and in two out of the remaining three months was but slightly above it. In April and May the streets of London, under favour of the weather, were unusually clean; in the neighbourhood of squares the air was fragrant with lilac and hawthorn blossom; and it became possible for pedestrians to pursue their daily walks with enjoyment.

The following table exhibits the numbers of deaths in the last five years in some of the larger districts, in which the increase that occurred last year appears to have been the most important :—

	1860.	1861.	1862.	1863.	1864.
Kensington - -	3814	3925	4097	4371	4946
Westminster - -	1700	1751	1704	1936	2144
Pancras - -	4268	4703	4536	4747	5457
Islington - -	3028	3123	3496	4340	4594
Hackney - -	1555	1748	1753	1937	2148
Shoreditch - -	2987	3179	3327	3330	3648
Bethnal Green -	2218	2219	2555	2597	3080
Whitechapel - -	2340	2342	2574	2713	2813
Poplar - -	1900	1847	2053	2430	2806
Lambeth - -	3303	3461	3773	3756	4265
Greenwich - -	2819	3051	3129	3297	4051
Lewisham - -	1122	1080	1126	1107	1419

It will be seen that in nearly all of the above districts a less favourable condition of health began to be developed in one or two years antecedent to 1864.

Bronchitis, typhus, scarlatina, diarrhœa, and measles were the prevailing forms of disease in the year. Bronchitis caused 8788 deaths, against 6001 in the previous year: typhus 3707, the numbers in 1862–63 having been 3598 and 2808. This latter disease has acquired a great increase of activity in the last three years; and it was more fatal in the latter half of 1864 than it was in the earlier part of the year. The deaths from scarlatina were 3244, and were much less numerous than those of the previous year. Diarrhœa, which exhibited a considerable increase, was fatal in 2894 cases. August was cold, and in this respect was unfavourable to its development; but in the great drought, impurity in the soil and air would accumulate. There was a great increase in measles, and the deaths from it were 2788.

Sixty-five deaths from typhus occurred in the Belgrave sub-district, 103 in Westminster, 60 in the South sub-district of St. Giles, 55 in Hoxton New Town, 85 in Mile-end New Town, 92 in Mile-end Old Town, 177 in Bow and Poplar, 77 in the Borough-road sub-district, 82 in Deptford, 77 in Greenwich, 113 in Woolwich, 73 in Plumstead.

There were 97 deaths from measles in the Kensington Town sub-district, 128 in Islington, 101 in the Holborn district, 111 in St. Luke, 160 in the Shoreditch district, 185 in Bethnal Green, 136 in St. George-in-the-East, 110 in Stepney, 116 in Mile-end Old Town, and 142 in Bow and Poplar. There were 106 deaths from scarlatina in the St. John sub-

district of Westminster; and the disease was very fatal in Pancras, Islington, Shoreditch, Deptford, Woolwich, and other places.

The deaths in Public Institutions rose from 11,112 in 1863 to 12,731 last year. Included in those numbers are the deaths in Workhouses, which increased from 6187 to 7055; and those in Hospitals, which rose from 4247 to 4827. Many old persons in the Workhouses would fall under bronchitis, though their condition, both sumptuary and sanitary, was undoubtedly superior to the condition of a large proportion of that class of the people outside from which they had been drawn. This disease of winter finds its subjects chiefly in poor uncomfortable dwellings, whose inmates can offer but a feeble resistance to frost, cold winds, and other "powers of the air."

Phthisis and bronchial complaints are more fatal both to men and women in Liverpool and Manchester than in London. But if the Metropolis is compared with ten other large divisions of England it is found that phthisis is more fatal to males in London than in any other division, not excepting the north-western counties, which include the towns just mentioned. But the mortality of females from that disease is singularly low, partly perhaps because domestic servants, shopwomen, and milliners who have come from the country retire, when health fails them, to their native air. On the other hand the death-rate from bronchitis and pneumonia for both males and females is high; it is higher in London than in any of the ten groups of counties.

If coal were cheap, the greater command which the poor would have over that commodity would materially help to reduce the winter rate of mortality. And if smoke were abated at domestic fires as well as at bakers ovens and public furnaces, by more thorough combustion of fuel, the carbonaceous particles which they emit would not darken the air and pollute whatever they touch, nor, by forcing a passage into the throat and lungs, aggravate or excite fatal pulmonary complaints in human beings.* Given a broad river with a temperature at the time above that of the air; let there be another vast moisture-exhaling surface on its banks, sixty or more square miles in extent, and this area covered with houses which pour smoke from a million chimneys into a still atmosphere; and the result is that almost impervious fuliginous firmament called "a London fog."

TABLE 8.—LONDON.—**Deaths in Public Institutions, 1855–64.**†

	1855	1856	1857	1858	1859	1860	1861	1862	1863	1864
TOTAL DEATHS IN PUBLIC INSTITUTIONS	11310	10381	(53 weeks) 10079	10004	9633	9550	10276	11313	(53 weeks) 11112	12731
IN WORKHOUSES	6552	5797	5714	5535	5228	5161	5757	6401	6187	7055
PRISONS	71	81	71	57	40	41	46	53	64	126
MILITARY AND NAVAL ASYLUMS	299	304	285	317	307	272	251	307	289	315
GENERAL HOSPITALS	2956	2859	3008	3094	2927	3039	3234	3167	3169	3558
HOSPITALS FOR SPECIAL DISEASES	441	612	332	272	431	413	335	690	827	982
LYING-IN HOSPITALS — Women	27	14	11	11	35	34	38	35	11	24
LYING-IN HOSPITALS — Children	40	31	23	32	51	57	53	40	37	48
MILITARY AND NAVAL HOSPITALS	404	282	180	211	187	173	223	236	203	215
HOSPITALS AND ASYLUMS FOR FOREIGNERS	64	61	63	53	46	47	58	74	61	82
LUNATIC ASYLUMS	456	340	392	422	381	313	276	310	264	327

† This Table is compiled from the Weekly Returns made by the Registrars of London, and relates to the 52 or 53 weeks of each year.

* See Dr. Watson's "Principles and Practice of Physic:" *Spurious melanosis.* Vol. II., pp. 229–32.

But London has acquired almost as much fame for that highly agglutinative compound its mud as for its fogs ; and perhaps there is more connexion than is generally supposed between them. It would be a humble but invaluable sanitary work if the streets were subjected to a perfect system of purification ; if they were frequently and thoroughly cleansed and dried. The attention of Boards of Works may be well directed to this end. The present expedient, by which householders who pay rates for parochial management are expected to clean the pavement in front of their own houses, is unjust in principle and futile in practice. The whole width of thoroughfare from frontage to frontage should get the benefit of the same brooms and shovels. Old persons, whose avocations compel them to be much out of doors, in feebly urging their steps over filthy streets waste much of that strength which should be husbanded for the employments by which they live. And how can poor people be expected to keep the inside of their houses free from damp and dirt when all the adjacent exterior is a "mud-ocean ?" A good scavenger is a practical teacher of that cleanliness which is said to be next to godliness ; and if the streets were well kept, the crowds who frequent them would read excellent plain sermons in the stones.

The increase of typhus is a matter of much regret. The Medical Officers of Health have to contend not only with the evils which attend rapidly increasing populations, but also with the overcrowding of particular localities by the clearing of neighbourhoods for improvements and extensive railway works.

TABLE 9.—LONDON.—**Deaths** and **Meteorology, 1849-64.**

YEARS.	Total Number of Deaths.	Mean Temperature of Air.	Dryness of Atmosphere.	Fall of Rain in Inches.	Mean *Weekly* Amount of Horizontal Movement of the Air, approximated to the results of Robinson's Anemometer by reductions from Whewell's to 1859.*
		°	°		Miles.
1849	68756	50·0	6·6	23·9	1808
1850	48950	49·3	6·1	19·7	1841
1851	55488	49·2	6·5	21·6	1730
1852	54633	50·6	7·4	34·2	1781
1853	60069	47·7	6·2	29·0	1597
1854	73697	48·9	4·7	18·7	1731
1855	61942	47·1	4·5	21·1	1659
1856	57274	49·0	5·6	22·2	1775
1857	59103	51·0	5·2	21·4	1562
1858	64093	49·2	6·5	17·8	1626
1859	61860	50·7	6·0	25·9	1598
1860	62309	47·0	4·6	32·0	1676
1861	65251	49·4	5·0	20·8	1666
1862	67371	49·5	4·7	26·2	1640
1863	71060	50·3	6·0	19·8	1775
1864	78238	48·5	5·8	16·3	1597

WEEKLY AVERAGE OF 1864.						
1864	Number of Deaths weekly.	Mean Temperature of Air.	Average daily Range of Temperature.	Dryness of Atmosphere.	Fall of Rain in Inches.	Amount of Horizontal Movement of the Air in each Week.†
		°	°	°		
First Quarter	1748	37·9	11·8	5·0	0·34	1777
Second Quarter	1343	53·1	19·5	8·3	0·27	1457
Third Quarter	1390	59·4	22·2	9·7	0·35	1495
Fourth Quarter	1506	43·7	12·0	5·0	0·34	1660

* For the years 1849-59 the results are only approximative, having been reduced to Robinson's Anemometer from observations made with Whewell's.

† By Robinson's Anemometer.

POPULATION OF THE UNITED KINGDOM,

with Army, Navy, and Merchant Seamen abroad belonging thereto.*

Middle of Years.	Persons.	Males.	Females.
1801 -	**16,302,410**	8,096,082	8,206,328
1811 -	**18,532,522**	9,194,348	9,338,174
1821 -	**21,300,573**	10,519,256	10,781,317
1831 -	**24,423,588**	12,004,025	12,419,563
1841 -	**27,077,095**	13,325,889	13,751,206
1851 -	**27,764,034**	13,656,998	14,107,036
1861 -	**29,358,927**	14,397,427	14,961,500
Estimated. 1866 -	**30,329,207**	14,775,810	15,553,397

* In estimating the number of men in the Army, Navy, and Merchant Service abroad, a certain proportion belonging to foreign countries and the colonies has been excluded. In 1811 the troops and seamen were 640,500, but as this number included natives of colonies and foreign parts, only 502,536 were taken.

[The above numbers (1801–61) have been deduced by raising the enumerated population of the United Kingdom, including the islands in the British Seas, (*see* Table 9. p. 84. of Vol. III. Census of England and Wales, 1861,) up to the middle of the respective Census years. In 1866 the numbers have been estimated by adding the population enumerated in the islands in the British Seas in 1861, and the number of men in the Army, Navy, and Merchant Service abroad, (*see* Table 3. p. 81. Vol. III. Census 1861,) to the population for 1866 returned in the Table on p. lxx.]

Logarithms of the above Population of the United Kingdom.

Middle of Years.	Persons.	Males.	Females.
1801 - -	7·2122518	6·9082749	6·9141489
1811 - -	7·2679345	6·9635210	6·9702620
1821 - -	7·3283913	7·0219850	7·0326718
1831 - -	7·3878095	7·0793269	7·0941063
1841 - -	7·4326020	7·1246962	7·1383408
1851 - -	7·4434825	7·1353552	7·1494358
1861 - -	7·4677402	7·1582849	7·1749751
1866 - -	7·4818611	7·1695513	7·1918253

Population of the **United Kingdom** estimated to the **middle** of **each Year 1801-66,**

Years.	United Kingdom.			England and Wales.		
	Persons.	Males.	Females.	Persons.	Males.	Females.
1801	15,902,322	7,748,246	8,154,076	9,060,993	4,404,490	4,656,503
1802	16,059,507	7,826,658	8,232,849	9,129,636	4,441,131	4,688,505
1803	16,254,224	7,921,956	8,332,268	9,234,649	4,494,127	4,740,522
1804	16,477,279	8,029,902	8,447,377	9,356,826	4,559,230	4,807,596
1805	16,715,637	8,145,199	8,570,438	9,513,111	4,631,137	4,881,974
1806	16,951,925	8,258,482	8,693,443	9,656,119	4,700,476	4,955,643
1807	17,184,902	8,370,728	8,814,174	9,794,594	4,768,221	5,026,373
1808	17,410,054	8,479,565	8,930,489	9,924,001	4,831,985	5,092,016
1809	17,639,472	8,588,409	9,051,063	10,056,421	4,895,182	5,161,239
1810	17,866,908	8,697,020	9,169,888	10,185,578	4,957,559	5,228,019
1811	18,103,492	8,811,499	9,291,993	10,322,592	5,025,212	5,297,380
1812	18,366,903	8,941,561	9,425,347	10,479,871	5,103,251	5,376,620
1813	18,644,377	9,082,277	9,562,100	10,649,743	5,191,211	5,458,532
1814	18,923,845	9,224,893	9,698,952	10,820,112	5,280,331	5,539,781
1815	19,218,341	9,374,727	9,843,614	11,004,612	5,375,916	5,628,096
1816	19,520,483	9,526,546	9,993,942	11,196,156	5,474,848	5,721,308
1817	19,814,027	9,673,857	10,140,170	11,377,841	5,568,195	5,809,646
1818	20,104,922	9,819,981	10,284,941	11,555,054	5,659,313	5,895,741
1819	20,388,744	9,964,535	10,424,209	11,723,379	5,747,842	5,975,537
1820	20,686,389	10,117,002	10,569,387	11,903,722	5,843,289	6,060,433
1821	21,007,386	10,278,540	10,728,846	12,105,614	5,946,821	6,158,793
1822	21,338,890	10,437,930	10,900,960	12,320,360	6,050,920	6,269,451
1823	21,666,344	10,596,147	11,070,197	12,529,518	6,153,157	6,376,361
1824	21,977,412	10,745,695	11,231,717	12,720,736	6,246,003	6,474,733
1825	22,231,104	10,891,074	11,390,090	12,903,059	6,333,955	6,569,104
1826	22,575,495	11,032,473	11,543,022	13,074,286	6,417,196	6,657,090
1827	22,672,049	11,173,727	11,698,322	13,247,277	6,500,546	6,746,731
1828	23,190,529	11,325,793	11,864,736	13,438,474	6,591,959	6,846,515
1829	23,504,943	11,475,573	12,029,370	13,625,045	6,681,424	6,943,621
1830	23,814,667	11,622,656	12,192,011	13,805,041	6,767,221	7,037,820
1831	24,135,422	11,776,491	12,358,931	13,994,460	6,859,085	7 135,375
1832	24,372,051	11,896,932	12,475,119	14,164,696	6,943,932	7,220,764
1833	24,602,698	12 012,203	12,590,495	14,328,471	7,023,322	7,305,140
1834	24 831,899	12,141,056	12,720,843	14,520,297	7,116,031	7,404,266
1835	25,133,468	12,275,028	12,858 440	14,724,063	7,213,625	7,510,438
1836	25,406,281	12,408,238	12,998,043	14,928,477	7,310,074	7,618,403
1837	25,650,426	12,527,350	13,123,076	15,103,778	7,392,191	7,711,587
1838	25,903,697	12,651,465	13,252,232	15,287,699	7,479,021	7,808,678
1839	26,290,106	12,796,609	13,403,497	15,541,255	7,586,593	7,927,662
1840	26,487,026	12,937,181	13,549,845	15,730,813	7,689,301	8,041,512
1841	26,751,199	13,065,536	13 685,663	15,929,492	7,784,883	8,144,609
1842	27,004,417	13,194,189	13,810,228	16,130,326	7,887,620	8,242,706
1843	27,255,699	13,321,297	13,934,402	16,332,228	7,990,370	8,341,858
1844	27,525,119	13,455,832	14,068,287	16,545,174	8,093,109	8,442,074
1845	27,776,364	13,582,614	14,193,750	16,739,136	8,195,776	8,543,360
1846	28,002,064	13,694,941	14,307,153	16,944,092	8,298,360	8,645,732
1847	27,972,537	13,675,994	14,296,543	17,150,018	8,400,820	8,749,198
1848	27,820,088	13,593,648	14,226,440	17,356,882	8,503,116	8,853,766
1849	27,669,579	13,512,837	14,156,742	17,564,656	8,605,212	8,959,444
1850	27,523,694	13,436,128	14,087,566	17,773,324	8,707,074	9,066,250
1851	27,393,337	13,369,095	14,024,242	17,982,849	8,808,662	9,174,187
1852	27,248,257	13,294,542	14,053,715	18,193,206	8,909,938	9,283,268
1853	27,542,588	13,441,288	14,101,300	18,404,368	9,010,866	9,393,502
1854	27,658,704	13,496,584	14,162,120	18,616,310	9,111,410	9,504,900
1855	27,821,730	13,574,202	14,247,528	18,829,000	9,211,528	9,617,472
1856	28,011,034	13,661,616	14,349,418	19,042,412	9,311,182	9,731,230
1857	28,188,280	13,739,458	14,448,822	19,256,516	9,410,334	9,846,182
1858	28,389,770	13,828,357	14,561,413	19,471,291	9,508,949	9,962,342
1859	28,590,294	13,915 802	14 674,422	19,686,701	9,606,982	10,079,719
1860	28,778,411	13,997,137	14,781,274	19,902,713	9,704,394	10,198,319
1861	28,974,362	14,084,642	14,889,720	20,119,314	9,801,152	10,318,162
1862	29,204,983	14 184 718	15,020,265	20,336,467	9,897,217	10,439,250
1863	29,395,051	14 261 061	15 133,970	20,554,137	9,992,587	10,561,600
1864	29,566,316	14,326,606	15,239,708	20,772,303	10,087,086	10,685,222
1865	29,758,089	14,408,029	15,360,060	20,990,946	10,180,821	10,810,125
1866	29,935,404	14,459,314	15,476,090	21,210,020	10,273,700	10,936,320

Note.—The above Table has been constructed by the Registrar-General of England in islands in the British

exclusive of the **portions** of the **Army, Navy,** and **Merchant Seamen Abroad.**

Scotland.			Ireland.			Years.
Persons.	Males.	Females.	Persons.	Males.	Females.	
1,625,000	751,998	873,002	5,216,329	2,591,758	2,624,571	1801
1,643,877	760,616	883,261	5,285,994	2,624,911	2,661,083	1802
1,662,981	769,341	893,640	5,356,594	2,658,488	2,698,106	1803
1,682,318	778,178	904,140	5,428,185	2,692,494	2,735,641	1804
1,701,890	787,126	914,764	5,500,638	2,726,936	2,773,700	1805
1,721,701	796,188	925,513	5,574,105	2,761,818	2,812,287	1806
1,741,750	805,361	936,389	5,648,558	2,797,146	2,851,412	1807
1,762,045	814,653	947,392	5,724,008	2,832,927	2,891,081	1808
1,782,587	824,063	958,524	5,800,464	2,869,164	2,931,300	1809
1,803,384	833,596	969,788	5,877,946	2,905,865	2,972,081	1810
1,824,434	843,250	981,184	5,956,466	2,943,037	3,013,429	1811
1,851,003	857,627	993,376	6,036,034	2,980,683	3,055,351	1812
1,877,966	872,255	1,005,711	6,116,668	3,018,811	3,097,857	1813
1,905,352	887,136	1,018,216	6,198,381	3,057,426	3,140,955	1814
1,933,141	902,275	1,030,866	6,281,188	3,096,536	3,184,652	1815
1,959,229	915,552	1,043,677	6,365,103	3,136,146	3,228,957	1816
1,986,045	929,399	1,056,646	6,450,141	3,176,263	3,273,878	1817
2,013,552	943,776	1,069,776	6,536,316	3,216,892	3,319,424	1818
2,041,720	958,652	1,083,068	6,623,645	3,258,041	3,365,604	1819
2,070,523	973,996	1,096,527	6,712,144	3,299,717	3,412,427	1820
2,099,945	989,793	1,110,152	6,801,827	3,341,926	3,459,901	1821
2,125,822	1,002,327	1,123,495	6,892,708	3,384,674	3,508,034	1822
2,152,017	1,015,019	1,136,998	6,984,809	3,427,971	3,556,838	1823
2,178,536	1,027,872	1,150,664	7,078,140	3,471,820	3,606,320	1824
2,205,383	1,040,889	1,164,494	7,172,722	3,516,230	3,656,492	1825
2,232,639	1,054,068	1,178,571	7,268,570	3,561,209	3,707,361	1826
2,259,072	1,066,418	1,192,654	7,365,700	3,606,763	3,758,937	1827
2,287,924	1,080,935	1,206,989	7,464,131	3,652,899	3,811,232	1828
2,316,020	1,094,524	1,221,496	7,563,878	3,699,625	3,864,253	1829
2,344,662	1,108,485	1,236,177	7,664,964	3,746,950	3,918,014	1830
2,373,561	1,122,526	1,251,035	7,767,401	3,794,880	3,972,521	1831
2,397,777	1,134,485	1,263,292	7,899,578	3,818,515	3,991,063	1832
2,422,239	1,146,585	1,275,654	7,851,988	3,842,296	4,009,692	1833
2,446,968	1,158,798	1,288,170	7,894,634	3,866,227	4,028,407	1834
2,471,889	1,171,097	1,300,792	7,937,516	3,890,306	4,047,210	1835
2,497,167	1,183,629	1,313,538	7,980,637	3,914,535	4,066,102	1836
2,522,653	1,196,245	1,326,408	8,023,995	3,938,914	4,085,081	1837
2,548,402	1,208,997	1,339,405	8,067,596	3,963,447	4,104,149	1838
2,574,413	1,221,884	1,352,529	8,111,438	3,988,132	4,123,306	1839
2,600,692	1,234,910	1,365,782	8,155,521	4,012,970	4,142,551	1840
2,621,854	1,242,689	1,379,165	8,199,853	4,037,964	4,161,889	1841
2,653,165	1,258,690	1,394,475	8,220,926	4,047,879	4,173,047	1842
2,683,639	1,274,223	1,409,416	8,239,832	4,056,704	4,183,128	1843
2,713,318	1,289,265	1,424,053	8,276,627	4,074,467	4,202,160	1844
2,742,167	1,303,795	1,438,372	8,295,061	4,083,043	4,212,018	1845
2,770,154	1,317,792	1,452,362	8,287,848	4,078,789	4,209,059	1846
2,797,245	1,331,236	1,466,009	8,025,274	3,943,938	4,081,336	1847
2,823,406	1,344,105	1,479,301	7,639,800	3,746,427	3,893,373	1848
2,848,609	1,356,381	1,492,228	7,256,314	3,551,244	3,705,070	1849
2,872,821	1,368,045	1,504,776	6,877,549	3,361,009	3,516,540	1850
2,896,015	1,379,080	1,516,935	6,514,473	3,181,353	3,333,120	1851
2,918,162	1,389,469	1,528,693	6,336,889	3,095,135	3,241,754	1852
2,939,236	1,399,196	1,540,040	6,198,984	3,031,226	3,167,758	1853
2,959,211	1,408,246	1,550,965	6,083,183	2,976,928	3,106,255	1854
2,978,065	1,416,606	1,561,459	6,014,665	2,946,068	3,068,597	1855
2,995,771	1,424,261	1,571,510	5,972,851	2,926,173	3,046,678	1856
3,012,310	1,431,200	1,581,110	5,919,454	2,897,924	3,021,530	1857
3,027,665	1,437,414	1,590,251	5,890,814	2,881,994	3,008,820	1858
3,041,812	1,442,890	1,598,922	5,861,711	2,865,930	2,995,781	1859
3,054,738	1,447,622	1,607,116	5,820,960	2,845,121	2,975,839	1860
3,066,433	1,451,707	1,614,926	5,788,415	2,831,783	2,956,632	1861
3,083,389	1,459,144	1,624,845	5,784,527	2,828,357	2,956,170	1862
3,101,345	1,466,581	1,634,764	5,739,569	2,801,963	2,937,606	1863
3,118,701	1,474,018	1,644,683	5,675,307	2,765,504	2,909,803	1864
3,136,057	1,481,455	1,654,602	5,641,086	2,745,753	2,895,333	1865
3,153,413	1,488,892	1,664,521	5,571,971	2,696,722	2,875,249	1866

conjunction with the Registrars-General of Scotland and Ireland. The population of the Seas is not included.

REFORM CLUB
PALL MALL

ANNUAL ABSTRACTS

OF

BIRTHS, DEATHS, AND MARRIAGES.

1864.

ABSTRACT OF MARRIAGES.—Marriages registered in England, pursuant t

No.	DIVISIONS AND REGISTRATION COUNTIES.*	Area in Statute Acres.	Population, 1861.	TOTAL MARRIAGES.	MARRIAGES. According to the Rites of the Established Church. Special Licence.	Licence.	Banns.	Superintendent Registrar's Certificate.	Not stated.	TOTAL.	Not according to the Rites of the Established Church. TOTAL.	In Registered Buildings. Roman Catholics.	Other Christian Denominations.	Superintendent Registrar's Office.	Quakers.	Jews.
	ENGLAND -	37,324,883	20,066,224	180,387†	12	19,874	113,564	4257	3376	141,083	39,304	8659	15627	14611	58	349
	DIVISIONS.															
I.	LONDON - - -	77,997	2,803,989	31541	7	3914	23865	91	21	27898	3643	1530	991	840	7	275
II.	SOUTH EASTERN -	4,065,935	1,847,661	14741	1	1548	9971	446	592	12558	2183	229	1129	815	5	5
III.	SOUTH MIDLAND -	3,201,290	1,295,497	9292	–	893	6346	127	441	7807	1485	71	887	517	9	1
IV.	EASTERN - -	3,214,099	1,142,580	8106	–	754	5516	81	348	6699	1407	64	692	645	5	1
V.	SOUTH WESTERN -	4,993,660	1,835,711	13845	–	1520	7655	200	505	9880	3965	98	1776	2087	4	–
VI.	WEST MIDLAND -	3,865,332	2,436,568	21958	–	2029	15886	297	416	18628	3330	733	1507	1064	9	17
VII.	NORTH MIDLAND -	3,540,797	1,288,928	10569	1	1064	6856	173	216	8310	2259	187	1383	689	–	–
VIII.	NORTH WESTERN -	2,000,227	2,935,540	25235	1	3246	15928	1399	235	20829	7406	3629	2333	1404	9	31
IX.	YORK - - -	3,654,636	2,015,541	19929	–	1963	12917	721	218	15819	4110	855	1620	1624	4	7
X.	NORTHERN - -	3,492,322	1,151,372	10897	2	1536	4785	448	93	6864	4033	912	697	2410	4	10
XI.	WELSH - - -	5,218,588	1,312,834	11274	–	1407	3839	274	271	5791	5483	351	2612	2516	2	2
	I.—LONDON.															
	MIDDLESEX (*part of*) -	32,455	2,030,814	23182	7	3049	17156	72	20	20304	2878	1164	728	705	6	275
	SURREY (*part of*) - -	22,951	579,748	6673	–	705	5380	19	–	6104	569	276	181	111	1	–
	KENT (*part of*) - - -	22,591	193,427	1686	–	160	1329	–	1	1490	196	90	82	24	–	–
	II.—SOUTH EASTERN.															
1	SURREY (*extra-metrop.*) -	476,191	273,264	1932	–	243	1360	10	72	1685	247	38	123	82	4	–
2	KENT (*extra-metropolitan*)	1,013,838	545,272	4580	–	378	3296	163	117	3954	626	84	356	184	1	1
3	SUSSEX - - - - -	949,581	366,836	2912	–	343	1988	28	193	2552	360	36	181	141	–	2
4	HAMPSHIRE - - -	1,061,608	456,654	3868	1	431	2385	229	80	3126	742	55	310	375	–	2
5	BERKSHIRE - - -	564,717	205,635	1449	–	153	942	16	130	1241	208	16	159	33	–	–
	III.—SOUTH MIDLAND.															
6	MIDDLESEX (*ex.-metro.*)	176,555	187,325	1173	–	185	836	13	10	1044	129	44	61	20	4	–
7	HERTFORDSHIRE -	428,143	177,452	1120	–	86	852	4	57	999	121	3	96	22	–	–
8	BUCKINGHAMSHIRE	402,616	147,207	1020	–	84	680	9	71	844	176	2	111	62	1	–
9	OXFORDSHIRE - -	479,267	171,233	1196	–	145	763	18	65	991	205	8	137	59	1	–
10	NORTHAMPTONSH. -	632,219	231,079	1843	–	175	1180	34	78	1467	376	7	190	177	2	–
11	HUNTINGDONSHIRE	205,366	59,137	427	–	33	304	2	19	358	69	–	52	17	–	–
12	BEDFORDSHIRE - -	305,366	140,479	1161	–	74	775	44	94	987	174	–	109	63	1	1
13	CAMBRIDGESHIRE -	571,758	181,585	1352	–	111	956	3	47	1117	235	7	131	97	–	–
	IV.—EASTERN.															
14	ESSEX - - - - -	983,443	379,705	2486	–	225	1713	43	145	2126	360	41	208	108	3	–
15	SUFFOLK - - - - -	930,345	335,409	2399	–	207	1591	18	130	1946	453	7	209	236	1	–
16	NORFOLK - - - -	1,300,311	427,466	3221	–	322	2212	20	73	2627	594	16	275	301	1	1

* The *Registration Counties* consist of groups of entire Registration Districts; which Districts are, in general, identical with the Poor Law Unions. As the principle adopted has been to place a District or Union which extends into more than one County with the County in which either the principal town or the greater part of the population is located, the limits of the Registration Counties differ more or less from the boundaries of the Counties proper.

ıe Act of 6 and 7 Wm. IV. c. 86, in the Year ending December 31st, 1864.

MARRIAGES. Registered in the Quarter ending the last day of				Contracted between				Of		Of Persons not of Full Age.		Signed the Marriage Register with Marks.				DIVISIONS AND REGISTRATION COUNTIES.
March.	June.	September.	December.	Bachelors and Spinsters.	Bachelors and Widows.	Widowers and Spinsters.	Widowers and Widows.	Widowers.	Widows.	Men.	Women.	Men.	Women.	Cases in which Both signed.	Cases in which One signed.	
7,988	44,599	44,675	53,125	147,914	7511	16,117	8845	24,962	16,356	11,934	36,235	41,998	58,402	26,582	47,236	**ENGLAND.**
																DIVISIONS.
6562	7687	8581	8711	25716	1457	2911	1457	4368	2914	1050	4512	3450	5494	1847	5250	LONDON.
2811	3616	3689	4025	12178	734	1207	622	1829	1356	686	2900	3057	2775	1313	3206	SOUTH EASTERN.
1671	2155	2214	3252	7795	264	791	442	1233	706	862	2029	2669	2676	1486	2373	SOUTH MIDLAND.
1564	1692	1702	3148	6600	322	760	424	1184	746	657	1668	2660	2226	1264	2358	EASTERN.
3147	3577	3253	3868	11406	519	1272	648	1920	1167	1004	2538	3488	3865	1902	3549	SOUTH WESTERN.
4680	5378	5332	6568	18075	900	1818	1165	2983	2065	1740	4850	6567	7989	4331	5894	WEST MIDLAND.
2119	2931	2435	3084	8713	376	958	522	1480	898	880	2274	2411	3169	1349	2882	NORTH MIDLAND.
6244	7141	7597	7253	22880	1205	2624	1526	4150	2731	2290	6115	6865	12896	5403	8955	NORTH WESTERN.
4457	4644	4801	6027	16278	747	1874	1030	2904	1777	1533	4944	4371	7732	2999	6105	YORK.
2395	2865	2464	3173	9069	483	861	484	1345	967	634	2543	2251	3584	1506	2823	NORTHERN.
2338	2913	2607	3116	9204	504	1041	525	1566	1029	598	1862	4209	5996	3182	3841	WELSH.
																I.—LONDON.
4851	5710	6351	6270	18894	1049	2186	1053	3239	2102	836	3393	2476	3997	1360	3753	**MIDDLESEX** (*part of*).
1381	1609	1791	1892	5453	311	590	319	909	630	164	867	742	1184	373	1180	**SURREY** (*part of*).
330	368	439	549	1369	97	135	85	220	182	50	252	232	313	114	317	**KENT** (*part of*).
																II.—SOUTH EASTERN.
346	509	507	570	1626	92	156	58	214	150	65	327	398	324	144	434	**SURREY** (*extra-metropolit*).
824	1118	1113	1525	3810	229	345	196	541	425	208	1031	961	975	453	1030	**KENT** (*extra-metropolitan*).
575	745	737	855	2394	131	271	116	387	247	153	528	561	473	240	554	**SUSSEX.**
789	930	950	1199	3157	229	292	190	482	419	169	752	732	688	296	828	**HAMPSHIRE.**
277	314	382	476	1191	53	143	62	205	115	91	262	405	315	180	360	**BERKSHIRE.**
																III.—SOUTH MIDLAND.
207	285	358	323	1012	39	91	31	122	70	46	189	253	224	121	235	**MIDDLESEX** (*ex.-metro.*)
212	259	247	402	937	33	88	62	150	95	119	258	412	348	226	308	**HERTFORDSHIRE.**
185	227	258	350	851	25	99	45	144	70	101	214	283	298	164	253	**BUCKINGHAMSHIRE.**
243	289	265	399	975	39	117	65	182	104	59	203	288	259	133	281	**OXFORDSHIRE.**
345	413	391	694	1557	41	165	80	245	121	172	433	447	499	231	484	**NORTHAMPTONSH.**
76	85	98	168	356	13	28	30	58	43	46	101	132	121	67	119	**HUNTINGDONSHIRE.**
177	286	309	389	985	31	96	49	145	80	212	328	428	521	308	333	**BEDFORDSHIRE.**
226	311	288	527	1122	43	107	80	187	123	107	303	426	406	236	360	**CAMBRIDGESHIRE.**
																IV.—EASTERN.
444	555	575	912	2080	105	181	120	301	225	187	564	757	621	350	678	**ESSEX.**
455	476	493	975	1921	99	243	131	379	230	193	461	864	704	433	702	**SUFFOLK.**
665	661	634	1261	2599	118	331	173	504	291	277	643	1039	901	481	978	**NORFOLK.**

† Where the parties to a marriage are of different religious persuasions it sometimes happens that the ceremony is performed according to the rites of both persuasions: in these cases the two ceremonies are entered as two marriages. This column also includes 22 cases of divorce, viz., 8 *divorced men* who married spinsters, 4 *divorced men* who married widows, 8 bachelors who married *divorced women*, and 2 widowers who married *divorced women*. For the districts in which these marriages took place see subsequent pages.

ABSTRACT OF MARRIAGES.—Marriages registered in England, pursuant to the

No.	REGISTRATION COUNTIES.	Area in Statute Acres.	Population, 1861.	TOTAL MARRIAGES.	MARRIAGES. According to the Rites of the Established Church.						Not according to the Rites of the Established Church.					
					Special Licence.	Licence.	Banns.	Superintendent Registrar's Certificate.	Not stated.	TOTAL.	TOTAL.	In Registered Buildings. Roman Catholics.	In Registered Buildings. Other Christian Denominations.	Superintendent Registrar's Office.	Quakers.	Jews.
	V.—SOUTH WESTERN.															
17	WILTSHIRE	777,453	236,027	1565	–	145	1019	12	72	1248	317	7	278	32	–	–
18	DORSETSHIRE	615,783	182,193	1436	–	132	930	30	96	1188	248	16	148	84	–	–
19	DEVONSHIRE	1,643,700	589,278	4765	–	555	2253	39	190	3037	1728	46	556	1124	2	–
20	CORNWALL	889,263	364,848	2791	–	297	1519	20	38	1874	917	14	332	570	1	–
21	SOMERSETSHIRE	1,067,461	463,368	3288	–	391	1934	99	109	2533	755	15	462	277	1	–
	VI.—WEST MIDLAND.															
22	GLOUCESTERSHIRE	716,045	443,535	4165	–	442	2658	45	107	3252	913	76	411	421	2	3
23	HEREFORDSHIRE	425,580	106,796	749	–	117	425	2	59	603	146	5	69	72	–	–
24	SHROPSHIRE	924,676	250,409	1935	–	338	1143	45	70	1596	339	24	199	116	–	–
25	STAFFORDSHIRE	755,017	769,541	7582	–	548	5896	101	46	6591	991	371	413	204	1	2
26	WORCESTERSHIRE	434,076	294,953	2451	–	227	1972	12	53	2264	187	23	119	44	1	–
27	WARWICKSHIRE	609,938	561,334	5076	–	357	3792	92	81	4322	754	234	296	207	5	12
	VII.—NORTH MIDLAND.															
28	LEICESTERSHIRE	535,346	243,648	2139	–	169	1333	82	49	1633	506	42	231	233	–	–
29	RUTLANDSHIRE	107,728	23,479	166	–	19	113	–	22	154	12	–	8	4	–	–
30	LINCOLNSHIRE	1,739,312	404,143	3195	–	341	1957	23	88	2409	786	19	624	143	–	–
31	NOTTINGHAMSHIRE	599,791	323,784	2620	1	269	1907	29	29	2235	385	39	186	160	–	–
32	DERBYSHIRE	558,620	293,874	2449	–	266	1546	39	28	1879	570	87	334	149	–	–
	VIII.—NORTH WESTERN.															
33	CHESHIRE	680,836	470,174	4032	1	629	2539	104	52	3325	707	299	288	118	2	–
34	LANCASHIRE	1,319,391	2,465,366	24203	–	2617	13389	1295	203	17504	6699	3330	2045	1286	7	31
	IX.—YORK.															
35	WEST RIDING	1,706,430	1,530,007	15339	–	1042	10392	657	109	12200	3139	717	1245	1173	–	4
36	EAST RIDING (*with York*)	717,144	274,425	2819	–	488	1655	28	35	2206	613	94	235	279	2	3
37	NORTH RIDING	1,231,062	211,109	1771	–	433	870	36	74	1413	358	44	140	172	2	–
	X.—NORTHERN.															
38	DURHAM	754,183	542,125	5443	2	556	2545	255	46	3404	2039	512	331	1194	1	1
39	NORTHUMBERLAND	1,249,299	343,025	3420	–	406	1766	43	25	2240	1180	285	269	616	1	9
40	CUMBERLAND	1,001,273	205,276	1607	–	414	311	117	18	860	747	108	77	560	2	–
41	WESTMORLAND	487,567	60,946	427	–	160	163	33	4	360	67	7	20	40	–	–
	XI.—WELSH.															
42	MONMOUTHSHIRE	432,906	196,977	1928	–	129	851	21	89	1090	838	86	417	335	–	–
43	SOUTH WALES	2,816,599	699,722	6213	–	640	2034	144	110	2928	3285	243	1452	1586	2	2
44	NORTH WALES	1,969,083	416,135	3133	–	638	954	109	72	1773	1360	22	743	595	–	–

Act of 6 and 7 Wm. IV. c. 86, in the Year ending December 31st, 1864—*continued.*

MARRIAGES.												Signed the Marriage Register with Marks.				REGISTRATION COUNTIES.
Registered in the Quarter ending the last day of				Contracted between				Of		Of Persons not of Full Age.				Cases in which		
March.	June.	September.	December.	Bachelors and Spinsters.	Bachelors and Widows.	Widowers and Spinsters.	Widowers and Widows.	Widowers.	Widows.	Men.	Women.	Men.	Women.	Both signed.	One signed.	
																V.—SOUTH WESTERN.
302	396	347	520	1239	54	179	93	272	147	141	296	436	382	203	412	WILTSHIRE.
328	364	389	415	1194	50	135	57	192	107	89	248	383	332	170	375	DORSETSHIRE.
1165	1197	1139	1264	3952	223	389	201	550	424	271	827	951	1145	491	1114	DEVONSHIRE.
609	736	683	763	2379	87	217	108	325	195	272	654	868	1120	575	838	CORNWALL.
743	884	755	906	2642	105	352	189	541	294	231	513	850	886	463	810	SOMERSETSHIRE.
																VI.—WEST MIDLAND.
832	1013	1046	1274	3395	152	410	197	607	359	323	697	893	1051	478	988	GLOUCESTERSHIRE.
163	229	144	213	611	36	67	35	102	71	23	114	221	188	104	201	HEREFORDSHIRE.
398	572	430	535	1607	81	149	98	247	179	87	265	636	652	382	524	SHROPSHIRE.
1765	1744	1831	2242	6284	323	518	457	975	780	753	2145	2912	3681	2194	2205	STAFFORDSHIRE.
457	640	592	762	2057	78	211	105	316	183	175	536	722	859	473	635	WORCESTERSHIRE.
1065	1180	1289	1542	4120	220	463	273	736	493	379	1093	1183	1558	700	1341	WARWICKSHIRE.
																VII.—NORTH MIDLAND.
418	468	543	710	1754	65	208	112	320	177	243	488	456	662	273	572	LEICESTERSHIRE.
23	43	37	63	135	3	24	4	28	7	7	25	50	29	15	49	RUTLANDSHIRE.
615	1140	654	786	2658	115	284	138	422	253	159	624	695	774	320	829	LINCOLNSHIRE.
528	690	599	803	2142	84	245	149	394	233	268	573	652	911	417	729	NOTTINGHAMSHIRE.
535	590	602	722	2024	109	197	119	316	228	203	564	558	793	324	703	DERBYSHIRE.
																VIII.—NORTH WESTERN.
846	1027	1063	1096	3280	157	393	202	595	359	226	729	941	1540	686	1109	CHESHIRE.
5398	6114	6531	6157	19600	1048	2231	1324	3555	2372	2064	5386	5924	11356	4717	7846	LANCASHIRE.
																IX.—YORKSHIRE.
3472	3483	3803	1751	12509	557	1426	847	2273	1404	1285	3925	3541	6539	2567	4946	WEST RIDING.
631	692	633	863	2291	118	285	125	410	243	170	664	493	766	266	727	EAST RIDING (*with York*).
354	469	365	583	1478	72	163	58	221	130	78	355	337	427	166	432	NORTH RIDING.
																X.—NORTHERN.
1205	1417	1241	1580	4188	280	393	281	675	561	413	1613	1316	2075	897	1597	DURHAM.
770	885	783	882	2861	131	289	139	428	270	125	585	575	939	372	770	NORTHUMBERLAND.
342	423	352	490	1375	56	140	56	196	112	71	280	316	482	214	370	CUMBERLAND.
78	140	88	121	365	16	38	8	46	24	25	65	44	88	23	86	WESTMORLAND.
																XI.—WELSH.
394	528	440	566	1573	108	149	98	247	206	130	430	807	999	567	672	MONMOUTHSHIRE.
1276	1481	1529	1927	5387	288	571	267	838	555	340	1073	2310	3470	1835	2110	SOUTH WALES.
668	901	638	923	2544	108	321	160	481	268	128	359	1092	1527	780	1059	NORTH WALES.

I.—LONDON.—

No.	DISTRICTS.*	Area in Statute Acres.	Population, 1861.	TOTAL MARRIAGES.	MARRIAGES. According to the Rites of the Established Church. Special Licence.	Licence.	Banns.	Superintendent Registrar's Certificate.	Not stated.	TOTAL.	MARRIAGES. Not according to the Rites of the Established Church. TOTAL.	In Registered Buildings. Roman Catholics.	Other Christian Denominations.	Superintendent Registrar's Office.	Quakers.	Jews.
	MIDDLESEX (*part of*).															
1	Kensington	7,342	185,950	2188	1	425	1542	1	2	1971	217	124	58	25	–	–
2	Chelsea	865	63,439	†648	–	72	521	–	1	594	54	29	11	14	–	–
3	St. George Hanover Square	1,161	57,771	‡1151	1	376	722	2	3	1104	30	–	9	21	–	–
4	Westminster	917	68,213	644	1	88	457	–	1	547	97	63	4	29	1	–
5	St. Martin-in-the-Fields	305	22,689	§403	–	68	508	–	–	576	27	–	9	18	–	–
6	St. James Westminster	164	35,326	416	2	109	223	–	–	334	82	44	13	20	–	5
7	Marylebone	1,509	161,630	2071	1	305	1498	32	1	1837	234	145	39	40	–	10
8	Hampstead	2,252	19,106	141	–	40	87	–	–	127	14	5	9	–	–	–
9	Pancras	2,716	184,788	§2224	–	291	1671	9	1	1972	252	55	52	145	–	–
10	Islington	3,127	155,341	‖1630	–	298	1076	15	–	1389	241	44	92	105	–	–
11	Hackney	3,929	83,295	1012	–	151	739	7	1	898	114	28	66	20	–	–
12	St. Giles	245	54,076	‖533	–	65	324	2	–	391	142	87	45	10	–	–
13	Strand	172	42,979	408	–	48	308	–	–	356	112	68	15	24	–	5
14	Holborn	196	44,862	287	–	53	161	–	–	194	93	75	4	14	–	–
15	Clerkenwell	580	65,651	‖614	–	50	493	–	1	544	70	14	14	42	–	–
16	St. Luke	220	57,073	372	–	35	281	1	–	297	75	34	20	21	–	–
17	East London	153	40,687	478	–	53	413	–	1	467	11	–	2	9	–	–
18	West London	138	27,145	422	–	90	318	1	1	410	12	–	6	6	–	–
19	London City	434	45,755	¶632	1	89	157	1	2	250	382	68	34	20	5	255
20	Shoreditch	646	129,304	2076	–	83	1929	–	3	2015	61	–	20	41	–	–
21	Bethnal Green	760	105,701	1467	–	19	1361	–	–	1380	27	–	24	3	–	–
22	Whitechapel	406	78,970	676	–	36	482	–	–	518	158	60	82	16	–	–
23	St. George-in-the-East	243	48,891	439	–	38	267	–	–	305	164	143	14	7	–	–
24*a*	Stepney	576	56,572	723	–	90	619	–	1	710	13	–	3	10	–	–
24*b*	Mile End Old Town	681	78,064	764	–	39	657	1	–	697	67	24	22	21	–	–
25	Poplar	2,918	79,196	750	–	58	562	–	1	621	129	54	61	14	–	–
	SURREY (*part of*).															
26	St. Saviour Southwark	250	36,170	262	–	30	212	–	–	242	20	–	9	11	–	–
27	St. Olave Southwark	169	19,056	121	–	11	82	–	–	93	28	15	8	5	–	–
28	Bermondsey	688	58,255	619	–	30	496	4	–	530	89	67	15	7	–	–
29	St. George Southwark	282	55,510	665	–	51	463	1	–	515	148	125	13	10	–	–
30	Newington	624	82,220	1044	–	99	856	1	–	956	88	–	47	41	–	–
31	Lambeth	4,015	162,044	§2587	–	275	2204	10	–	2489	68	–	47	21	–	–
32	Wandsworth	11,695	70,403	666	–	97	460	–	–	557	49	25	18	6	–	–
33	Camberwell	4,342	71,188	665	–	120	472	3	–	595	70	35	24	10	1	–
34	Rotherhithe	886	24,502	156	–	12	135	–	–	147	9	9	–	–	–	–
	KENT (*part of*).															
35	Greenwich	5,937	127,670	1015	–	77	757	–	–	844	171	90	61	20	–	–
36	Lewisham	17,224	65,757	671	–	83	562	–	1	646	25	–	21	4	–	–

II.—SOUTH EASTERN COUNTIES.—

	1.—**SURREY** (*Extra-metrop.*)															
37	Epsom	41,180	22,409	93	–	12	69	–	3	84	9	2	2	5	–	–
38	Chertsey	43,541	18,642	107	–	8	85	1	7	101	6	–	2	4	–	–
39	Guildford	65,592	29,330	203	–	22	147	4	6	179	24	3	10	11	–	–
40	Farnham	31,197	30,707	228	–	10	125	4	2	141	87	–	60	18	–	–
41	Farnborough	39,571	14,318	70	–	4	49	–	8	61	9	–	–	9	–	–
42	Hambledon	60,351	13,907	110	–	12	97	–	–	109	1	–	–	1	–	–
43	Dorking	40,006	12,445	70	–	10	32	–	13	55	15	–	12	3	–	–
44	Reigate	51,276	20,179	146	–	20	96	–	14	130	10	2	2	6	–	–
45	Godstone	43,848	9,642	52	–	6	45	–	–	51	1	–	1	–	–	–
46	Croydon	32,803	46,474	‖482	–	66	361	–	10	437	45	20	12	9	4	–
47	Kingston	22,487	36,479	257	–	39	181	–	9	229	28	4	10	14	–	–
48	Richmond	4,339	18,802	120	–	34	73	1	–	108	12	7	3	2	–	–
	2.—**KENT** (*Extra-metropol.*)															
49	Bromley	39,927	20,368	168	–	22	132	–	7	161	7	2	5	–	–	–
50	Dartford	53,109	32,316	272	–	16	208	–	24	243	29	12	17	–	–	–
51	Gravesend	1,541	18,782	143	–	20	90	–	–	110	33	9	11	13	–	–
52	North Aylesford	41,732	19,121	214	–	12	199	1	1	213	1	–	1	–	–	–
53	Hoo	33,281	2,861	12	–	–	12	–	–	12	–	–	–	–	–	–
54	Medway	14,365	51,805	535	–	23	414	30	–	467	68	26	27	14	1	–
55	Malling	47,398	21,447	121	–	7	114	–	–	121	–	–	–	–	–	–
56	Sevenoaks	67,486	22,930	149	–	13	110	–	1	124	25	–	18	7	–	–
57	Tunbridge	46,179	34,271	295	–	28	227	12	13	280	15	1	14	–	–	–
58	Maidstone	38,082	38,670	349	–	20	261	34	1	316	33	4	28	1	–	–
59	Hollingbourn	57,017	13,584	69	–	9	49	1	7	66	3	–	1	2	–	–
60	Cranbrook	40,240	13,412	94	–	6	80	–	–	86	8	–	4	4	–	–
61	Tenterden	46,880	10,977	68	–	4	51	1	3	59	9	–	7	2	–	–
62	West Ashford	41,001	15,137	126	–	11	51	8	13	83	43	–	43	–	–	–
63	East Ashford	54,408	12,286	92	–	6	75	6	1	88	4	–	–	4	–	–
64	Bridge	41,394	11,316	70	–	4	62	–	2	68	2	–	–	2	–	–
65	Canterbury	3,121	16,643	142	–	17	68	4	5	94	48	–	10	37	–	1
66	Blean	32,221	16,161	178	–	14	98	3	2	117	61	10	11	40	–	–
67	Faversham	15,148	18,857	177	–	10	115	22	7	154	23	–	12	11	–	–
68	Milton	35,409	14,775	151	–	10	103	11	1	125	26	–	23	3	–	–

* The *Districts*, which are arranged according to their local position, are collections of contiguous Parishes or Places, generally identical with the Poor Law Unions of the same names.

† Includes a man divorced who married a widow.

‡ Includes a bachelor who married a woman divorced, also a man divorced who married a spinster.

MARRIAGES in the Year 1864—in DISTRICTS.

MARRIAGES. Registered in the Quarter ending the last Day of				Contracted between				Of		Of Persons not of Full Age.		Signed the Marriage Register with Marks.				DISTRICTS.
March.	June.	September.	December.	Bachelors and Spinsters.	Bachelors and Widows.	Widowers and Spinsters.	Widowers and Widows.	Widowers.	Widows.	Men.	Women.	Men.	Women.	Cases in which Both signed.	Cases in which One signed.	
																MIDDLESEX (*part of*).
437	581	612	555	1805	93	218	72	290	165	81	257	192	231	95	233	KENSINGTON.
133	151	198	166	524	30	65	29	94	59	25	95	61	69	23	84	CHELSEA.
230	291	346	267	912	43	136	43	179	86	19	86	30	33	2	59	ST. GEORGE HANOVER SQUARE.
147	167	165	165	537	22	59	26	85	48	16	85	66	101	33	101	WESTMINSTER.
104	84	105	106	319	17	44	23	67	40	7	55	19	40	9	41	ST. MARTIN-IN-THE-FIELDS.
76	116	97	127	350	12	39	15	54	27	6	39	8	16	–	24	ST. JAMES WESTMINSTER.
426	527	594	524	1673	89	230	79	309	168	24	144	153	209	73	216	MARYLEBONE.
25	29	50	37	111	7	15	8	23	15		12	8	9	1	15	HAMPSTEAD.
440	520	621	643	1817	96	218	93	311	189	68	302	148	261	62	285	PANCRAS.
363	390	455	422	1319	60	186	65	251	125	47	189	105	129	38	158	ISLINGTON.
190	243	298	281	852	42	107	31	138	73	27	145	88	119	33	141	HACKNEY.
116	148	128	141	424	25	53	31	84	56	17	64	56	103	37	85	ST. GILES.
110	120	113	125	382	21	50	15	65	36	25	93	43	80	25	73	STRAND.
73	69	81	64	236	12	27	12	39	24	8	58	51	84	35	65	HOLBORN.
128	159	180	156	506	26	49	31	80	57	14	82	47	91	25	88	CLERKENWELL.
59	102	92	119	283	26	40	23	63	49	7	41	58	84	22	75	ST. LUKE.
118	104	117	137	367	25	51	35	86	60	18	75	41	103	23	98	EAST LONDON.
94	96	110	122	342	20	44	16	60	36	8	34	18	33	7	37	WEST LONDON.
151	164	177	140	530	27	49	26	75	53	24	107	92	144	72	92	LONDON CITY.
438	500	531	607	1704	97	162	113	275	210	130	480	299	504	170	463	SHOREDITCH.
279	310	398	420	1148	65	97	97	194	162	126	363	350	616	233	500	BETHNAL GREEN.
141	176	159	198	553	36	51	36	87	72	44	136	115	198	79	155	WHITECHAPEL.
100	124	105	131	383	33	54	19	53	52	27	84	101	159	69	122	ST. GEORGE-IN-THE-EAST.
140	181	200	203	566	53	50	54	104	107	32	143	107	177	60	164	STEPNEY.
172	175	216	201	630	37	60	37	97	74	16	84	140	248	82	224	MILE END OLD TOWN.
149	185	203	213	639	35	52	24	76	59	25	140	100	159	52	155	POPLAR.
																SURREY (*part of*).
53	66	61	77	200	15	26	21	47	36	2	28	15	36	5	41	ST. SAVIOUR SOUTHWARK.
34	24	29	34	98	10	10	3	13	13	–	8	17	24	11	19	ST. OLAVE SOUTHWARK.
127	154	154	184	501	38	49	31	80	69	19	103	93	159	46	160	BERMONDSEY.
122	167	189	185	514	45	60	44	104	89	12	42	94	147	58	125	ST. GEORGE SOUTHWARK.
209	243	270	322	859	33	111	41	152	74	34	165	98	157	41	173	NEWINGTON.
546	631	641	669	2096	115	208	118	326	233	68	352	274	468	134	474	LAMBETH.
132	125	166	182	499	21	64	22	86	43	11	82	64	85	30	89	WANDSWORTH.
126	154	195	190	566	26	45	28	73	54	14	67	62	69	30	71	CAMBERWELL.
27	44	36	49	120	8	17	11	28	19	4	20	25	39	18	28	ROTHERHITHE.
																KENT (*part of*).
195	222	253	345	824	68	75	48	123	116	34	153	160	224	91	202	GREENWICH.
135	146	186	204	545	29	60	37	97	66	16	99	72	89	28	115	LEWISHAM.

MARRIAGES in the Year 1864—in DISTRICTS.

																1.—**SURREY** (*Extra-metropol.*)
17	17	31	28	82	2	8	1	9	3	2	10	21	15	8	20	EPSOM.
23	26	23	35	82	3	15	7	22	10	5	14	27	17	10	24	CHERTSEY.
43	45	52	53	183	6	10	5	15	11	10	41	54	37	22	47	GUILDFORD.
42	58	72	58	179	23	14	12	26	35	3	40	51	57	20	68	FARNHAM.
17	13	16	24	57	4	6	3	9	7	3	20	17	15	8	16	FARNBOROUGH.
16	27	19	48	90	6	12	2	14	8	2	28	39	22	13	35	HAMBLEDON.
17	18	16	19	58	3	7	2	9	5	–	9	14	7	2	17	DORKING.
27	48	32	33	123	6	7	4	11	10	6	32	31	18	7	35	REIGATE.
6	13	11	22	49	–	2	1	3	1	3	8	14	9	5	13	GODSTONE.
82	136	122	142	418	19	36	9	45	28	23	71	92	93	42	101	CROYDON.
33	68	86	70	217	9	24	7	31	16	7	42	27	21	4	40	KINGSTON.
23	42	27	28	89	11	15	5	20	16	1	14	11	13	8	18	RICHMOND.
																2.—**KENT** (*Extra-metropolitan*)
27	44	47	50	143	6	15	4	19	10	8	33	28	33	11	39	BROMLEY.
33	63	80	96	223	19	19	11	30	30	6	49	63	70	41	51	DARTFORD.
30	31	35	47	115	10	12	6	18	16	6	22	29	18	10	27	GRAVESEND.
37	50	52	75	188	10	11	5	16	15	9	59	57	58	27	61	NORTH AYLESFORD.
2	6	–	4	9	2	–	1	1	3	–	2	4	5	3	3	HOO.
102	122	136	175	424	53	32	26	58	79	24	123	98	164	58	146	MEDWAY.
18	34	23	44	103	4	8	6	14	10	7	28	41	39	19	42	MALLING.
18	45	28	58	131	4	10	4	14	×	6	32	43	22	12	41	SEVENOAKS.
64	64	73	94	241	8	25	21	46	29	13	55	66	62	36	56	TUNBRIDGE.
62	90	83	114	284	21	29	15	44	36	19	77	68	71	30	79	MAIDSTONE.
12	15	13	29	57	5	5	2	7	7	4	18	16	15	5	21	HOLLINGBOURN.
12	35	15	32	74	4	10	6	16	10	5	13	22	22	10	24	CRANBROOK.
14	18	15	23	58	2	5	3	8	5	4	15	12	15	5	17	TENTERDEN.
20	37	22	47	110	8	9	4	13	7	11	38	24	24	13	22	WEST ASHFORD.
16	16	25	35	73	8	12	4	16	7	3	21	27	20	15	17	EAST ASHFORD.
15	17	13	25	61	1	6	2	8	3	5	22	20	14	7	20	BRIDGE.
28	37	32	45	125	2	9	6	15	8	4	32	20	27	11	25	CANTERBURY.
23	41	54	55	151	6	12	9	21	15	13	48	35	31	12	42	BLEAN.
23	46	34	69	150	6	9	12	21	18	9	53	62	48	32	41	FAVERSHAM.
26	34	38	53	126	9	12	4	16	13	4	42	38	36	18	38	MILTON.

§ Includes a bachelor who married a woman divorced.
‡ Includes a man divorced who married a spinster.

¶ Includes a man divorced who married a spinster, also two bachelors who married women divorced.

II.—SOUTH EASTERN COUNTIES.—

No.	DISTRICTS.	Area in Statute Acres.	Population, 1861.	Total Marriages.	Marriages. According to the Rites of the Established Church. Special Licence.	Licence.	Banns.	Superintendent Registrar's Certificate.	Not stated.	TOTAL.	Marriages. Not according to the Rites of the Established Church. TOTAL.	In Registered Buildings. Roman Catholics.	Other Christian Denominations.	Superintendent Registrar's Office.	Quakers.	Jews.
	2.-KENT (*Extra-metro.*)-*cont.*															
69	Sheppey	31,083	18,494	127	–	8	88	1	–	97	30	7	7	16	–	–
70	Thanet	29,733	31,852	273	–	94	151	10	12	207	66	2	55	9	–	–
71	Eastry	50,710	25,900	189	–	19	122	3	4	148	41	–	33	8	–	–
72	Dover	29,881	31,575	316	–	39	229	3	13	284	32	11	20	1	–	–
73	Elham	43,197	26,925	208	–	25	156	11	–	192	16	–	9	7	–	–
74	Romney Marsh	46,785	5,708	42	–	1	36	2	–	39	3	–	–	3	–	–
	3.—SUSSEX.															
75	Rye	39,369	11,927	91	–	7	59	6	12	84	7	–	3	4	–	–
76	Hastings	14,027	26,631	221	–	35	136	14	–	185	36	4	32	–	–	–
77	Battle	54,000	12,680	99	–	6	65	4	18	93	6	–	1	5	–	–
78	Eastbourne	38,072	10,721	26	–	16	65	–	4	85	11	–	9	2	–	–
79	Hailsham	54,365	12,658	86	–	8	58	2	4	72	14	–	13	1	–	–
80	Ticehurst	51,659	14,626	104	–	8	87	1	1	97	7	–	6	1	–	–
81	Uckfield	74,230	17,260	116	–	6	82	–	20	108	8	–	2	6	–	–
82	East Grinstead	61,217	14,097	93	–	5	81	–	–	86	7	–	5	2	–	–
83	Cuckfield	61,793	17,163	114	–	14	89	–	7	110	4	–	4	–	–	–
84	Lewes	85,104	26,995	193	–	14	102	–	49	165	28	–	15	13	–	–
85	Brighton	2,320	77,693	850	–	120	547	1	1	669	181	23	72	81	–	2
86	Steyning	44,244	24,053	159	–	27	121	–	4	152	7	–	6	1	–	–
87	Horsham	57,023	15,313	107	–	16	72	–	10	98	9	3	6	–	–	–
88	Petworth	39,329	9,397	51	–	5	46	–	–	51	–	–	–	–	–	–
89	Thakeham	35,599	7,567	49	–	2	31	–	16	49	–	–	–	–	–	–
90	Worthing	42,457	18,921	119	–	19	93	–	–	112	7	1	3	3	–	–
91	Westhampnett	74,913	14,811	109	–	12	87	–	6	105	4	2	–	2	–	–
92	Chichester	21,054	14,775	111	–	14	54	–	25	93	18	–	3	15	–	–
93	Midhurst	65,720	12,581	87	–	4	78	–	2	84	3	–	–	3	–	–
94	Westbourne	32,886	6,957	57	–	5	35	–	14	54	3	–	1	2	–	–
	4.—HAMPSHIRE.															
95	Havant	24,527	7,212	37	–	6	23	–	1	30	7	–	1	6	–	–
96	Portsea Island	7,808	94,828	1071	–	92	715	58	13	878	193	22	38	131	–	2
97	Alverstoke	5,222	22,653	203	–	12	162	4	–	178	25	6	3	16	–	–
98	Fareham	42,225	14,864	103	–	16	65	8	2	91	12	–	7	5	–	–
99	Isle of Wight	99,746	55,332	444	–	64	171	59	13	306	138	8	62	68	–	–
100	Lymington	42,169	12,094	87	–	10	65	–	–	75	12	1	10	1	–	–
101	Christchurch	36,775	10,438	76	–	5	35	4	–	44	32	–	23	9	–	–
102	Ringwood	33,300	5,357	30	–	8	19	–	–	27	3	–	2	1	–	–
103	Fordingbridge	31,167	6,377	41	–	3	30	–	7	40	1	–	1	–	–	–
104	New Forest	85,532	13,509	84	–	14	68	–	2	84	–	–	–	–	–	–
105	Southampton	2,630	43,414	544	–	53	253	57	–	363	181	14	53	114	–	–
106	South Stoneham	30,715	25,542	191	–	32	124	17	5	178	13	–	2	11	–	–
107	Romsey	28,203	10,771	68	–	8	36	9	6	59	9	–	7	2	–	–
108	Stockbridge	47,343	7,286	52	–	4	39	–	7	50	2	–	–	2	–	–
109	Winchester	78,676	26,607	188	–	28	94	11	9	142	46	4	33	9	–	–
110	Droxford	48,263	10,665	75	–	14	59	–	2	75	–	–	–	–	–	–
111	Catherington	10,561	2,497	23	–	3	19	1	–	23	–	–	–	–	–	–
112	Petersfield	40,112	7,853	52	–	7	39	–	–	46	6	–	6	–	–	–
113	Alresford	39,761	7,182	49	–	7	37	1	–	45	4	–	4	–	–	–
114	Alton	53,057	12,063	84	–	8	59	–	4	71	10	–	10	–	–	–
115	Hartley Wintney	42,051	11,480	68	–	7	53	–	3	63	5	–	5	–	–	–
116	Basingstoke	73,852	17,429	105	–	11	73	–	–	84	21	–	21	–	–	–
117	Whitchurch	29,513	5,522	28	–	4	21	–	–	25	3	–	3	–	–	–
118	Andover	88,615	17,132	112	–	11	80	–	7	98	14	–	14	–	–	–
119	Kingsclere	46,787	8,517	56	1	4	46	–	–	51	5	–	5	–	–	–
	5.—BERKSHIRE.															
120	Newbury	42,956	19,999	139	–	21	71	–	10	102	37	3	34	–	–	–
121	Hungerford	98,287	19,382	124	–	6	75	–	33	114	10	–	10	–	–	–
122	Faringdon	64,207	15,038	109	–	20	75	–	4	99	10	1	9	–	–	–
123	Abingdon	56,445	20,861	126	–	19	83	–	14	116	10	1	9	–	–	–
124	Wantage	75,700	17,308	130	–	13	84	–	23	120	10	2	3	5	–	–
125	Wallingford	40,860	14,017	85	–	10	43	–	12	65	20	2	9	9	–	–
126	Bradfield	62,166	15,771	90	–	9	58	–	22	84	6	2	4	–	–	–
127	Reading	4,699	25,876	278	–	26	161	14	–	201	77	4	63	10	–	–
128	Wokingham	42,226	14,465	88	–	8	73	1	–	82	6	–	5	1	–	–
129	Cookham	29,588	13,031	91	–	8	78	–	2	88	3	–	3	–	–	–
130	Easthampstead	25,176	7,436	43	–	1	33	–	7	41	2	–	2	–	–	–
131	Windsor	22,407	21,301	146	–	12	113	1	3	129	17	1	8	8	–	–

III.—SOUTH MIDLAND COUNTIES.—

	6. MIDDLESEX (*Extra-met.*)															
132	Staines	24,881	15,976	105	–	12	76	–	8	96	9	5	4	–	–	–
133	Uxbridge	25,906	23,155	122	–	11	99	–	–	110	12	–	7	5	–	–
134	Brentford	20,705	50,534	437	–	58	315	–	–	373	64	35	25	4	–	–
135	Hendon	32,767	19,220	117	–	25	90	–	–	115	2	–	–	2	–	–
136	Barnet	25,589	19,128	102	–	16	72	–	2	90	12	1	7	4	–	–
137	Edmonton	46,607	59,312	290	–	63	184	13	–	260	30	3	18	5	4	–

MARRIAGES in the Year 1864—in DISTRICTS—*continued*.

MARRIAGES. Registered in the Quarter ending the last day of				Contracted between				Of		Of Persons not of Full Age.		Signed the Marriage Register with Marks.				DISTRICTS.
March.	June.	September.	December.	Bachelors and Spinsters.	Bachelors and Widows.	Widowers and Spinsters.	Widowers and Widows.	Widowers.	Widows.	Men.	Women.	Men.	Women.	Cases in which Both signed.	Cases in which One signed.	
																2.—KENT (*Extra-metropol.*)—*cont.*
28	30	33	36	98	10	7	12	19	22	5	34	29	37	17	32	SHEPPEY.
52	65	61	95	226	7	28	12	40	19	7	47	35	28	11	41	THANET.
37	42	48	62	157	12	13	7	20	19	12	36	27	20	7	33	EASTRY.
69	78	88	81	265	15	24	12	36	27	12	77	53	65	28	62	DOVER.
38	53	56	61	179	7	21	1	22	8	8	51	36	33	14	41	ELHAM.
8	7	7	20	39	–	2	1	3	1	4	4	8	3	1	9	ROMNEY MARSH.
																3.—SUSSEX.
17	19	25	20	76	2	9	4	13	6	8	24	20	16	11	14	RYE.
51	71	54	45	184	9	21	7	28	16	6	28	25	23	10	28	HASTINGS.
19	21	22	37	81	6	5	7	12	13	5	22	16	17	9	15	BATTLE.
17	33	20	26	83	3	6	4	10	7	6	15	12	10	6	10	EASTBOURNE.
19	20	15	32	70	3	8	5	13	8	6	26	18	17	8	19	HAILSHAM.
21	30	21	32	86	2	12	4	16	6	7	22	30	30	17	26	TICEHURST.
20	30	19	47	102	4	7	3	10	7	8	28	30	30	18	24	UCKFIELD.
14	23	33	23	77	5	9	2	11	7	3	24	26	16	9	24	EAST GRINSTEAD.
27	32	28	27	97	5	6	6	12	11	3	15	25	13	8	22	CUCKFIELD.
30	60	45	58	159	12	18	4	22	16	9	23	39	26	14	37	LEWES.
174	186	256	234	681	20	90	40	130	79	60	138	99	134	44	145	BRIGHTON.
30	36	48	45	134	8	12	5	17	13	4	22	31	22	12	29	STEYNING.
23	24	28	29	85	9	10	3	13	12	6	23	31	19	10	30	HORSHAM.
9	19	8	15	46	1	1	3	4	4	3	13	22	16	12	14	PETWORTH.
4	13	13	19	42	2	4	1	5	3	1	10	13	8	6	9	THAKEHAM.
25	26	23	45	97	4	11	7	18	11	3	16	25	15	9	22	WORTHING.
21	37	17	34	91	6	8	4	12	10	5	27	29	22	12	27	WESTHAMPNETT.
24	33	18	36	87	5	16	3	19	8	6	25	16	13	5	19	CHICHESTER.
16	20	27	24	66	4	13	4	17	8	2	15	36	19	14	27	MIDHURST.
11	12	17	17	50	2	5	–	5	2	2	12	18	7	6	13	WESTBOURNE.
																4.—HAMPSHIRE.
7	10	6	14	28	3	3	3	6	6	–	6	6	7	4	5	HAVANT.
262	232	246	331	876	76	58	61	119	137	46	236	143	225	64	240	PORTSEA ISLAND.
46	37	61	59	157	25	6	15	21	40	4	16	47	53	25	50	ALVERSTOKE.
19	28	24	32	85	6	5	7	12	13	4	18	23	11	6	22	FAREHAM.
81	112	105	146	356	24	49	16	65	40	23	78	66	61	20	77	ISLE OF WIGHT.
13	19	23	32	74	3	7	3	10	6	6	21	25	10	8	19	LYMINGTON.
7	20	20	29	61	1	9	5	14	6	5	11	12	3	1	13	CHRISTCHURCH.
9	9	3	9	25	1	3	1	4	2	1	6	7	5	4	4	RINGWOOD.
9	7	7	18	31	2	4	4	8	6	–	7	11	10	5	11	FORDINGBRIDGE.
19	20	24	21	76	2	3	3	6	5	5	19	20	14	10	14	NEW FOREST.
118	141	154	131	432	39	44	29	73	68	25	109	76	77	24	105	SOUTHAMPTON.
34	45	60	52	159	8	16	8	24	16	9	26	21	18	6	27	SOUTH STONEHAM.
13	17	19	19	51	3	8	6	14	9	–	10	15	16	7	17	ROMSEY.
5	15	10	22	47	1	3	1	4	2	1	10	20	12	6	20	STOCKBRIDGE.
43	55	39	51	151	7	23	7	30	14	13	40	36	28	15	34	WINCHESTER.
8	18	23	26	64	1	7	3	10	4	3	18	21	20	12	17	DROXFORD.
6	5	3	9	22	–	–	1	1	1	–	7	5	3	2	4	CATHERINGTON.
9	12	14	17	40	2	9	1	10	3	–	8	20	15	11	13	PETERSFIELD.
4	12	11	22	43	3	1	2	3	5	1	9	19	9	7	14	ALRESFORD.
9	20	21	31	74	3	3	1	4	4	3	18	26	18	12	20	ALTON.
11	23	12	22	50	4	12	2	14	6	2	12	24	15	11	17	HARTLEY WINTNEY.
15	29	26	35	91	6	3	5	8	11	6	29	30	23	12	29	BASINGSTOKE.
7	9	4	8	25	1	2	–	2	1	2	7	5	6	3	5	WHITCHURCH.
24	25	23	40	94	4	10	4	14	8	6	18	37	26	14	35	ANDOVER.
11	10	12	23	46	4	4	2	6	6	4	13	17	13	7	16	KINGSCLERE.
																5.—BERKSHIRE.
22	40	28	49	105	3	22	9	31	12	7	25	33	27	14	32	NEWBURY.
27	30	25	42	96	8	11	9	20	17	8	23	51	41	31	30	HUNGERFORD.
17	22	31	39	91	3	11	4	15	7	10	24	35	19	10	34	FARINGDON.
21	22	35	48	105	6	11	4	15	10	6	21	41	42	27	29	ABINGDON.
30	16	21	63	112	2	10	6	16	8	11	33	54	40	26	42	WANTAGE.
22	19	25	19	73	1	5	1	6	2	4	13	21	21	12	18	WALLINGFORD.
20	17	30	23	69	3	14	4	18	7	7	19	29	20	12	25	BRADFIELD.
53	67	77	81	242	8	19	9	28	17	21	48	45	28	13	47	READING.
15	20	25	28	71	4	10	3	13	7	7	17	24	21	12	21	WOKINGHAM.
19	14	28	30	74	4	9	4	13	8	7	19	26	20	10	26	COOKHAM.
6	12	9	16	33	1	7	2	9	3	–	6	17	5	3	16	EASTHAMPSTEAD.
25	35	48	38	115	10	14	7	21	17	3	14	29	31	10	40	WINDSOR.

MARRIAGES in the Year 1864—in DISTRICTS.

																6.—MIDDLESEX (*Extra-metro.*)
26	22	27	30	91	2	10	2	12	4	1	15	27	26	13	27	STAINES.
19	32	33	38	102	5	9	6	15	11	8	33	39	36	15	45	UXBRIDGE.
83	112	128	114	390	18	23	11	34	24	16	72	108	101	60	89	BRENTFORD.
21	28	38	30	99	5	11	2	13	7	3	17	13	10	5	13	HENDON.
21	23	31	27	87	4	10	1	11	5	6	11	15	8	5	13	BARNET.
37	68	101	84	243	10	28	9	37	19	12	41	51	43	23	48	EDMONTON.

III.—SOUTH MIDLAND COUNTIES.—

No.	DISTRICTS.	Area in Statute Acres.	Population, 1861.	Total Marriages.	MARRIAGES. According to the Rites of the Established Church. Special Licence.	Licence.	Banns.	Superintendent Registrar's Certificate.	Not stated.	TOTAL.	Not according to the Rites of the Established Church. TOTAL.	In Registered Buildings. Roman Catholics.	In Registered Buildings. Other Christian Denominations.	Superintendent Registrar's Office.	Quakers.	Jews.
	7.—HERTFORDSHIRE.															
138	Ware	35,747	16,515	86	–	6	70	–	3	79	7	–	7	–	–	–
139	Bishop Stortford	53,689	20,212	147	–	10	113	–	8	131	16	–	8	8	–	–
140	Royston	38,791	25,014	165	–	10	124	–	15	149	16	–	13	3	–	–
141	Hitchin	64,847	27,603	157	–	10	101	1	20	132	25	–	23	2	–	–
142	Hertford	34,410	15,301	92	–	7	79	–	2	88	4	3	–	1	–	–
143	Hatfield	29,484	8,400	25	–	6	19	–	–	25	–	–	–	–	–	–
144	St. Albans	34,615	18,926	135	–	9	107	3	–	119	16	–	11	5	–	–
145	Watford	38,529	20,355	135	–	16	108	–	2	126	9	–	7	2	–	–
146	Hemel Hempstead	25,457	13,922	82	–	8	56	–	3	67	15	–	15	–	–	–
147	Berkhampstead	24,583	13,204	96	–	4	75	–	4	83	13	–	12	1	–	–
	8.—BUCKINGHAMSH.															
148	Amersham	49,840	18,240	133	–	11	67	–	10	88	48	–	48	–	–	–
149	Eton	41,589	22,353	142	–	14	99	1	16	130	12	–	5	7	–	–
150	Wycombe	81,308	35,138	250	–	16	154	2	13	185	65	1	26	37	1	–
151	Aylesbury	73,364	23,600	156	–	12	105	1	12	130	26	–	13	13	–	–
152	Winslow	35,395	9,265	50	–	4	33	–	10	49	1	–	1	–	–	–
153	Newport Pagnell	68,704	24,855	181	–	18	135	5	1	162	19	1	13	5	–	–
154	Buckingham	52,419	13,756	105	–	9	82	–	9	100	5	–	5	–	–	–
	9.—OXFORDSHIRE.															
155	Henley	61,662	18,200	104	–	4	80	–	12	96	8	1	7	–	–	–
156	Thame	54,997	15,305	79	–	12	47	–	11	70	9	–	9	–	–	–
157	Headington	25,727	17,185	148	–	20	112	1	8	141	7	3	–	4	–	–
158	Oxford	2,930	20,037	221	–	30	129	6	–	165	56	–	17	39	–	–
159	Bicester	64,127	15,555	89	–	8	75	–	1	84	5	1	4	–	–	–
160	Woodstock	47,913	14,236	88	–	11	68	–	6	85	3	–	3	–	–	–
161	Witney	70,169	23,238	141	–	18	85	–	17	120	21	–	14	7	–	–
162	Chipping Norton	76,118	17,305	102	–	9	71	2	8	90	12	–	8	4	–	–
163	Banbury	75,324	30,171	224	–	33	96	9	2	140	84	3	75	5	1	–
	10.—NORTHAMPTONSH.															
164	Brackley	58,769	13,471	95	–	9	73	–	8	90	5	–	5	–	–	–
165	Towcester	42,216	13,004	106	–	14	63	–	11	88	18	–	10	8	–	–
166	Potterspury	22,401	11,632	69	–	7	49	1	1	58	11	–	11	–	–	–
167	Hardingstone	32,408	9,928	80	–	6	52	–	5	63	17	–	2	15	–	–
168	Northampton	20,453	41,152	461	–	40	231	19	12	302	159	4	54	100	1	–
169	Daventry	63,301	20,600	130	–	13	92	7	1	113	17	–	14	3	–	–
170	Brixworth	60,376	15,367	86	–	12	52	–	9	73	13	–	4	9	–	–
171	Wellingborough	55,505	24,224	183	–	6	125	–	12	143	40	–	17	22	1	–
172	Kettering	55,266	18,995	151	–	17	95	4	1	117	34	–	32	2	–	–
173	Thrapston	51,188	14,065	121	–	11	95	–	4	110	11	–	11	–	–	–
174	Oundle	69,822	15,465	111	–	10	89	1	7	107	4	–	4	–	–	–
175	Peterborough	100,514	33,178	250	–	30	164	2	7	203	47	3	26	18	–	–
	11.—HUNTINGDONSH.															
176	Huntingdon	77,180	20,518	160	–	10	116	2	6	134	26	–	21	2	–	–
177	St. Ives	62,930	19,654	116	–	9	65	–	11	85	31	–	17	14	–	–
178	St. Neots	65,256	18,965	151	–	14	123	–	2	139	12	–	11	1	–	–
	12.—BEDFORDSHIRE.															
179	Bedford	97,320	38,072	296	–	24	177	13	24	238	58	–	18	39	–	1
180	Biggleswade	58,041	25,393	214	–	8	160	5	13	186	28	–	25	3	–	–
181	Ampthill	41,551	16,972	121	–	7	96	–	11	114	7	–	7	–	–	–
182	Woburn	29,503	11,584	92	–	7	59	–	17	83	9	–	9	–	–	–
183	Leighton Buzzard	38,015	17,648	144	–	11	112	1	4	128	16	–	15	1	–	–
184	Luton	40,836	30,712	294	–	17	171	25	25	238	56	–	35	20	1	–
	13.—CAMBRIDGESH.															
185	Caxton	49,885	10,966	78	–	–	67	–	–	67	11	–	8	3	–	–
186	Chesterton	76,728	25,083	201	–	12	139	–	4	155	46	–	6	40	–	–
187	Cambridge	3,470	26,361	219	–	23	120	–	8	151	59	3	25	31	–	–
188	Linton	47,869	13,519	105	–	5	84	–	6	95	10	–	4	6	–	–
189	Newmarket	97,373	28,675	204	–	18	160	–	2	180	24	4	10	10	–	–
190	Ely	79,894	21,910	176	–	14	122	–	7	143	23	–	20	3	–	–
191	North Witchford	59,823	14,791	97	–	5	69	1	–	75	18	–	16	2	–	–
192	Whittlesey	25,131	6,966	44	–	5	35	–	–	40	4	–	4	–	–	–
193	Wisbech	131,585	33,323	237	–	25	150	2	20	197	40	–	38	2	–	–

IV.—EASTERN COUNTIES.—

	14.—ESSEX.															
194	West Ham	19,477	89,319	436	–	63	320	–	24	407	29	18	9	2	–	–
195	Epping	46,452	16,549	87	–	11	73	–	–	84	3	–	3	–	–	–
196	Ongar	47,465	11,317	39	–	5	32	–	2	39	–	–	–	–	–	–
197	Romford	48,244	26,965	114	–	10	91	1	3	105	9	4	5	–	–	–

MARRIAGES in the Year 1864—in DISTRICTS—*continued*.

MARRIAGES. Registered in the Quarter ending the last day of				Contracted between				Of		Of Persons not of Full Age.		Signed the Marriage Register with Marks.				DISTRICTS.
														Cases in which		
March.	June.	September.	December.	Bachelors and Spinsters.	Bachelors and Widows.	Widowers and Spinsters.	Widowers and Widows.	Widowers.	Widows.	Men.	Women.	Men.	Women.	Both signed.	One signed.	
																7.—HERTFORDSHIRE.
16	24	19	27	73	4	5	4	9	8	5	18	29	13	8	26	WARE.
31	43	23	50	125	4	11	7	18	11	11	32	60	26	21	44	BISHOP STORTFORD.
25	30	29	81	140	5	18	7	20	12	24	55	64	50	32	50	ROYSTON.
28	40	32	57	135	4	14	4	18	8	22	30	64	59	39	45	HITCHIN.
28	17	21	26	76	3	7	6	13	9	7	25	21	19	9	22	HERTFORD.
5	9	3	8	21	2	1	1	2	3	-	3	7	4	2	7	HATFIELD.
25	24	38	48	110	5	8	12	20	17	11	20	63	66	43	43	ST. ALBANS.
27	32	33	43	115	3	7	10	17	13	10	28	38	33	20	31	WATFORD.
14	11	22	35	67	1	9	5	14	6	13	22	36	42	31	16	HEMEL HEMPSTEAD.
13	29	27	27	75	2	13	6	19	8	16	25	30	36	21	24	BERKHAMPSTEAD.
																8. BUCKINGHAMSHIRE.
25	28	29	54	107	4	20	5	25	9	18	34	43	46	28	33	AMERSHAM.
28	30	47	37	115	15	7	5	12	20	9	22	33	24	14	29	ETON.
51	55	76	68	212	1	22	15	37	16	25	51	79	94	49	75	WYCOMBE.
25	38	28	65	136	-	14	6	20	6	13	31	38	44	25	32	AYLESBURY.
14	2	13	21	44	2	4	-	4	2	5	12	14	13	5	17	WINSLOW.
19	47	41	74	153	3	16	9	25	12	19	40	45	54	31	37	NEWPORT PAGNELL.
23	27	24	31	84	-	16	5	21	5	12	24	31	23	12	30	BUCKINGHAM.
																9.—OXFORDSHIRE.
22	23	29	30	76	4	14	10	24	14	3	18	32	21	14	25	HENLEY.
9	18	21	31	60	3	9	7	16	10	4	14	25	25	15	20	THAME.
34	37	38	39	123	8	11	6	17	14	6	26	29	27	13	30	HEADINGTON.
58	57	49	57	171	9	27	14	41	23	5	25	34	38	14	44	OXFORD.
10	22	19	38	75	1	8	5	13	6	6	16	31	24	14	27	BICESTER.
17	15	16	40	78	2	6	2	8	4	7	16	26	19	15	15	WOODSTOCK.
21	30	38	52	118	4	13	6	19	10	8	31	44	46	23	44	WITNEY.
22	24	12	44	83	1	12	6	18	7	6	22	33	19	9	34	CHIPPING NORTON.
50	63	43	68	191	7	17	9	26	16	14	35	34	40	16	42	BANBURY.
																10.—NORTHAMPTONSH.
13	24	14	44	81	1	9	4	13	5	6	24	32	33	16	33	BRACKLEY.
22	27	17	40	87	3	9	7	16	10	9	16	23	30	9	35	TOWCESTER.
14	18	16	21	55	2	8	4	12	6	3	14	17	25	13	16	POTTERSPURY.
17	13	13	37	65	1	9	5	14	6	13	17	29	25	16	22	HARDINGSTONE.
80	110	111	160	389	15	38	19	57	34	52	113	83	109	46	100	NORTHAMPTON.
30	31	20	49	116	1	6	7	13	8	9	38	28	34	10	40	DAVENTRY.
15	21	17	33	74	1	7	4	11	5	7	19	21	17	7	24	BRIXWORTH.
32	37	43	71	154	4	19	6	25	10	34	55	59	62	39	43	WELLINGBOROUGH.
30	30	40	51	125	1	12	10	22	11	14	34	38	46	19	44	KETTERING.
28	16	26	51	107	4	8	2	10	6	10	20	34	35	16	37	THRAPSTON.
26	22	18	45	93	5	10	3	13	8	7	28	36	28	17	30	OUNDLE.
38	64	56	92	208	3	30	9	39	12	8	46	51	55	23	60	PETERBOROUGH.
																11. HUNTINGDONSHIRE.
24	32	36	68	133	8	8	11	19	19	23	41	46	37	22	39	HUNTINGDON.
21	29	23	43	96	3	9	8	17	11	8	25	35	31	16	34	ST. IVES.
31	24	39	57	127	2	11	11	22	13	15	35	51	53	29	46	ST. NEOTS.
																12.—BEDFORDSHIRE.
47	83	74	92	249	6	25	16	41	22	47	75	80	104	50	84	BEDFORD.
37	45	66	65	195	4	10	5	15	9	34	65	100	116	79	58	BIGGLESWADE.
14	25	32	50	98	3	15	5	20	8	19	37	70	65	43	37	AMPTHILL.
15	26	29	22	77	3	7	5	12	8	20	28	33	39	23	26	WOBURN.
18	42	29	55	124	4	9	7	16	11	30	45	52	65	32	53	LEIGHTON BUZZARD.
46	65	79	104	242	11	30	11	41	22	62	78	93	134	76	75	LUTON.
																13.—CAMBRIDGESHIRE.
15	18	18	27	69	3	4	2	6	5	7	23	31	27	14	30	CAXTON.
43	42	33	53	172	4	15	10	25	14	27	57	64	45	24	61	CHESTERTON.
45	48	61	56	162	17	19	12	31	29	10	31	32	57	15	39	CAMBRIDGE.
20	20	24	41	84	3	12	6	18	9	8	20	46	37	28	27	LINTON.
29	46	39	90	168	6	17	13	30	19	19	54	79	67	43	60	NEWMARKET.
23	42	38	73	147	1	13	15	28	16	16	45	61	62	37	49	ELY.
16	31	16	34	82	1	6	8	14	9	7	22	30	37	19	29	NORTH WITCHFORD.
5	31	6	34	76	-	5	-	5	-	8	9	9	13	6	10	WHITTLESEY.
8	12	8	16	39	-	5	-	5	-	8	9	9	13	6	10	WISBECH.
27	52	51	107	199	8	16	14	30	22	10	42	74	81	50	55	

MARRIAGES in the Year 1864—in DISTRICTS.

																14.—ESSEX.
82	116	122	116	377	16	30	13	43	29	25	71	72	66	28	82	WEST HAM.
22	15	22	28	77	3	5	2	7	5	7	18	32	16	11	26	EPPING.
5	6	6	22	28	2	8	1	9	3	3	7	16	5	4	13	ONGAR.
17	33	26	38	96	7	6	5	11	12	5	29	34	28	17	28	ROMFORD.

IV.—EASTERN COUNTIES.—

No.	'DISTRICTS.'	Area in Statute Acres.	Population, 1861.	TOTAL MARRIAGES.	MARRIAGES. According to the Rites of the Established Church. Special Licence.	Licence.	Banns.	Superintendent Registrar's Certificate.	Not stated.	TOTAL.	Not according to the Rites of the Established Church. TOTAL.	In Registered Buildings. Roman Catholics.	Other Christian Denominations.	Superintendent Registrar's Office.	Quakers.	Jews.
	14.—ESSEX—*continued.*															
198	Orsett	45,597	11,595	57	–	18	23	–	12	53	4	–	4	–	–	–
199	Billericay	50,845	15,031	69	–	7	51	–	3	61	8	2	6	–	–	–
200	Chelmsford	83,603	32,737	180	–	15	127	–	–	142	38	3	17	17	1	–
201	Rochford	107,846	18,232	112	–	8	84	–	7	99	13	–	10	3	–	–
202	Maldon	107,050	22,556	160	–	8	103	–	11	122	38	–	25	13	–	–
203	Tendring	89,803	27,105	182	–	17	117	2	11	147	35	–	18	17	–	–
204	Colchester	11,960	22,815	271	–	20	136	33	17	206	66	13	26	27	–	–
205	Lexden	73,831	22,950	172	–	14	117	3	15	149	23	–	23	–	–	–
206	Witham	38,936	16,324	93	–	8	58	–	11	77	22	1	6	14	1	–
207	Halstead	38,913	18,482	130	–	3	90	1	13	107	23	–	22	1	–	–
208	Braintree	38,632	17,170	130	–	7	93	–	–	100	30	–	22	8	–	–
209	Dunmow	72,594	10,750	111	–	8	93	1	1	103	8	–	8	–	–	–
210	Saffron Walden	62,630	19,721	134	–	3	105	–	15	123	11	–	4	6	1	–
	15.—SUFFOLK.															
211	Risbridge	53,664	17,432	129	–	2	82	–	29	113	16	–	14	2	–	–
212	Sudbury	78,302	31,415	243	–	10	162	–	29	201	42	1	18	23	–	–
213	Cosford	52,096	17,376	113	–	8	90	–	5	103	10	–	2	8	–	–
214	Thingoe	82,464	18,224	138	–	18	107	–	5	130	8	–	2	6	–	–
215	Bury St. Edmunds	2,934	13,318	98	–	17	55	–	–	72	26	3	2	21	–	–
216	Mildenhall	61,244	9,535	82	–	6	64	–	–	70	12	–	6	6	–	–
217	Stow	55,342	20,908	127	–	6	89	–	2	97	30	–	19	11	–	–
218	Hartismere	54,215	17,665	107	–	9	75	–	8	92	15	–	15	–	–	–
219	Hoxne	53,035	14,894	82	–	4	59	–	1	64	18	–	15	3	–	–
220	Bosmere	57,899	16,174	94	–	8	71	–	3	82	12	–	4	8	–	–
221	Samford	50,250	12,736	77	–	3	60	–	9	72	5	–	–	5	–	–
222	Ipswich	8,395	37,881	359	–	32	164	7	–	203	156	3	42	110	1	–
223	Woodbridge	82,195	22,754	130	–	8	73	6	11	98	32	–	11	21	–	–
224	Plomesgate	75,064	20,720	141	–	19	108	–	–	127	14	–	6	8	–	–
225	Blything	92,097	26,848	196	–	18	138	2	16	174	22	–	21	1	–	–
226	Wangford	35,079	13,619	96	–	13	60	3	–	76	20	–	17	3	–	–
227	Mutford	35,490	24,050	187	–	26	134	–	12	172	15	–	15	–	–	–
	16.—NORFOLK.															
228	Yarmouth	1,510	30,338	331	–	38	249	–	–	287	44	3	33	8	–	–
229	Flegg	29,087	8,691	54	–	2	44	–	4	50	4	–	1	3	–	–
230	Tunstead	62,607	14,516	107	–	11	83	–	1	95	12	–	12	–	–	–
231	Erpingham	72,513	20,874	140	–	8	97	–	7	112	28	–	26	2	–	–
232	Aylsham	68,126	19,052	114	–	13	85	1	3	102	12	–	11	1	–	–
233	St. Faiths*	48,304	11,298	78	–	8	69	1	–	78	–	–	–	–	–	–
234	Norwich*	4,225	74,891	749	–	80	391	14	2	487	262	10	41	209	1	1
235	Forehoe	57,834	12,818	75	–	6	56	–	–	62	13	1	12	–	–	–
236	Henstead	43,758	11,299	69	–	10	58	–	–	68	1	–	1	–	–	–
237	Blofield	44,178	11,521	78	–	8	68	–	1	77	1	–	–	1	–	–
238	Loddon	59,401	14,242	90	–	10	64	–	12	86	4	–	–	4	–	–
239	Depwade	72,681	25,248	153	–	16	114	–	4	134	19	–	16	3	–	–
240	Guiltcross	44,585	11,541	80	–	10	54	–	1	65	15	–	13	2	–	–
241	Wayland	51,065	11,562	82	–	9	53	–	6	68	14	–	13	1	–	–
242	Mitford	105,233	28,020	164	–	17	116	–	5	138	26	–	12	14	–	–
243	Walsingham	87,342	21,118	127	–	13	86	–	1	100	27	–	15	12	–	–
244	Docking	101,130	17,736	131	–	6	106	–	2	114	17	–	16	1	–	–
245	Freebridge Lynn	78,775	13,486	77	–	10	58	–	2	70	7	–	–	7	–	–
246	Kings Lynn	5,499	16,701	140	–	12	87	3	–	102	38	1	20	17	–	–
247	Downham	83,687	20,264	142	–	16	102	–	6	124	18	–	15	3	–	–
248	Swaffham	81,200	13,747	93	–	7	74	–	4	85	8	–	6	2	–	–
249	Thetford	117,870	13,712	147	–	12	98	1	12	123	24	1	12	11	–	–

V.—SOUTH WESTERN COUNTIES.—

No.	17.—WILTSHIRE.															
250	Highworth	50,064	19,237	147	–	9	104	–	–	113	34	1	21	12	–	–
251	Cricklade	41,566	11,470	71	–	5	54	–	9	68	3	–	3	–	–	–
252	Malmsbury	57,508	14,556	118	–	13	76	–	5	94	24	–	21	3	–	–
253	Chippenham	60,035	22,029	122	–	18	79	–	3	100	22	–	22	–	–	–
254	Calne	28,610	8,885	60	–	4	37	2	10	53	7	–	7	–	–	–
255	Marlborough	42,092	9,774	55	–	9	37	–	–	46	9	–	9	–	–	–
256	Devizes	63,491	21,630	126	–	12	88	–	12	112	14	–	14	–	–	–
257	Melksham	17,763	17,233	135	–	8	56	–	–	64	71	–	71	–	–	–
258	Bradford-on-Avon	13,800	10,475	65	–	5	50	–	1	56	9	–	9	–	–	–
259	Westbury	30,944	11,751	86	–	7	58	–	–	65	21	–	21	–	–	–
260	Warminster	56,356	15,942	110	–	8	73	–	1	82	28	–	20	8	–	–
261	Pewsey	65,650	12,466	86	–	5	48	–	11	64	2	–	2	–	–	–
262	Amesbury	62,420	8,127	39	–	2	34	–	2	38	1	–	1	–	–	–
263	Alderbury	52,660	14,770	102	–	11	73	3	1	88	14	–	11	3	–	–
264	Salisbury	480	9,039	73	–	12	24	7	–	43	30	1	26	3	–	–
265	Wilton	55,304	10,674	72	–	8	53	–	4	65	7	–	6	1	–	–
266	Tisbury	40,494	9,862	65	–	7	42	–	5	54	11	4	6	1	–	–
267	Mere	33,211	8,057	53	–	2	33	–	8	43	10	1	8	1	–	–

* The parish of St. Mary-in-the-Marsh (population 451 in 1861) was transferred on the 22d January 1864 from the Sprowston sub-district of St. Faiths (233) to the East Wymer sub-district of Norwich (234).

MARRIAGES in the Year 1864—in DISTRICTS—*continued.*

MARRIAGES.												Signed the Marriage Register with Marks.				DISTRICTS.
Registered in the Quarter ending the last day of				Contracted between				Of		Of Persons not of Full Age.				Cases in which		
March.	June.	September.	December.	Bachelors and Spinsters.	Bachelors and Widows.	Widowers and Spinsters.	Widowers and Widows.	Widowers.	Widows.	Men.	Women.	Men.	Women.	Both signed.	One signed.	
																14.—ESSEX—*continued.*
7	8	21	21	49	1	1	6	7	7	3	11	20	14	9	16	ORSETT.
12	18	12	27	58	3	3	5	8	8	3	21	19	20	10	19	BILLERICAY.
20	42	41	67	153	5	17	5	22	10	10	40	52	53	19	47	CHELMSFORD.
20	27	35	20	91	8	5	5	10	13	4	31	30	20	9	32	ROCHFORD.
23	32	35	70	133	6	9	12	21	18	9	43	63	45	26	62	MALDON.
12	38	43	69	142	11	15	14	29	25	15	41	66	60	40	46	TENDRING.
33	57	64	100	256	15	21	12	33	27	12	57	51	58	17	75	COLCHESTER.
36	40	29	67	148	4	14	6	20	10	10	43	52	41	23	50	LEXDEN.
22	25	15	37	78	3	9	9	18	12	10	26	35	22	14	30	WITHAM.
22	21	31	56	111	4	11	4	15	8	16	33	58	59	40	37	HALSTEAD.
18	31	23	58	101	4	10	12	22	16	23	24	61	52	37	39	BRAINTREE.
16	18	23	54	93	6	7	5	12	11	10	27	51	35	25	36	DUNMOW.
27	28	27	52	113	7	10	4	14	11	21	42	44	44	24	40	SAFFRON WALDEN.
																15.—SUFFOLK.
22	25	26	56	103	8	12	6	18	14	19	34	75	73	59	30	RISBRIDGE.
49	50	57	87	205	8	20	10	30	18	28	59	99	80	55	78	SUDBURY.
18	21	22	32	89	1	16	7	23	8	8	27	68	58	43	40	COSFORD.
29	21	30	58	101	6	21	10	31	16	11	29	46	30	17	42	THINGOE.
21	20	28	29	75	5	11	7	18	12	3	11	8	17	4	17	BURY ST. EDMUNDS.
14	13	13	42	71	3	7	1	8	4	5	18	27	29	16	24	MILDENHALL.
22	31	25	51	91	8	15	10	25	18	18	50	56	33	22	45	STOW.
22	21	16	48	89	2	13	3	16	6	6	23	47	41	25	53	HARTISMERE.
11	8	14	45	72	3	4	3	7	6	3	16	46	33	25	29	HOXNE.
12	18	15	49	69	2	14	9	23	11	12	15	50	32	22	38	BOSMERE.
9	17	11	40	65	1	8	3	11	4	5	14	27	13	8	24	SAMFORD.
69	99	82	109	274	21	38	26	64	47	20	61	59	76	22	91	IPSWICH.
26	30	26	48	100	4	15	4	19	8	10	25	37	26	15	43	WOODBRIDGE.
27	28	29	37	113	8	13	7	20	15	11	24	55	37	27	38	PLOMESGATE.
40	30	29	87	158	5	29	13	33	18	9	31	72	51	40	43	BLYTHING.
16	15	21	41	81	3	9	3	12	6	4	8	35	22	18	21	WANGFORD.
45	29	41	72	153	11	14	9	23	20	21	35	47	44	14	65	MUTFORD.
																16.—NORFOLK.
75	73	75	108	264	17	35	15	50	32	34	72	84	93	38	101	YARMOUTH.
13	11	9	21	37	4	11	2	13	6	5	11	27	14	8	25	FLEGG.
30	16	17	44	90	4	11	2	13	6	7	27	43	26	21	29	TUNSTEAD.
28	28	27	37	120	5	10	5	15	10	8	30	52	42	25	44	ERPINGHAM.
21	21	15	36	92	6	6	10	16	16	9	20	48	38	20	28	AYLSHAM.
12	17	16	22	67	1	9	1	10	2	6	16	33	30	19	25	ST. FAITHS.
159	172	163	265	575	27	83	64	147	91	94	168	145	197	71	200	NORWICH.
15	13	14	33	60	2	9	4	13	6	3	13	31	18	11	27	FOREHOE.
10	15	20	24	61	1	5	2	7	3	8	11	25	13	10	18	HENSTEAD.
20	13	10	35	69	—	4	5	9	6	2	19	37	24	13	28	BLOFIELD.
12	15	21	42	79	1	5	5	10	6	6	11	32	20	14	24	LODDON.
32	34	27	60	127	4	14	8	22	12	12	37	52	38	19	52	DEPWADE.
11	14	18	37	61	3	10	6	16	9	4	32	28	24	13	26	GUILTCROSS.
20	13	12	37	68	2	9	3	12	5	3	16	30	21	12	27	WAYLAND.
35	27	27	75	132	7	21	4	25	11	11	18	80	52	34	64	MITFORD.
28	21	28	50	101	8	11	7	18	15	4	14	50	34	18	48	WALSINGHAM.
29	21	24	31	105	7	11	8	19	15	7	17	50	42	27	38	DOCKING.
21	16	11	29	68	2	6	1	7	3	5	18	29	21	12	26	FREEBRIDGE LYNN.
31	37	28	44	112	4	17	7	24	11	10	30	34	35	17	36	KINGS LYNN.
24	35	26	57	113	4	18	7	25	11	17	32	46	47	28	37	DOWNHAM.
21	15	14	43	80	3	10	—	10	3	7	13	41	22	15	33	SWAFFHAM.
18	34	31	64	118	6	16	7	23	13	15	38	45	47	25	42	THETFORD.

MARRIAGES in the Year 1864—in DISTRICTS.

																17.—WILTSHIRE.
21	45	28	53	115	5	16	11	27	16	12	29	48	42	22	46	HIGHWORTH.
11	14	14	32	63	2	2	4	6	6	11	21	21	22	11	21	CRICKLADE.
23	33	14	48	103	3	6	6	12	9	11	29	36	31	16	35	MALMSBURY.
25	34	24	41	93	4	18	7	25	11	11	20	33	25	18	32	CHIPPENHAM.
15	16	19	19	46	2	10	2	12	4	6	21	15	13	6	16	CALNE.
9	18	8	20	41	2	8	4	12	6	4	7	23	15	9	20	MARLBOROUGH.
32	28	25	48	85	3	21	6	27	9	8	21	32	27	17	25	DEVIZES.
32	31	38	34	105	4	20	6	26	10	24	35	72	37	18	32	MELKSHAM.
12	18	17	18	49	5	9	2	11	7	9	7	22	17	11	17	BRADFORD-ON-AVON.
17	16	30	23	63	2	11	10	21	12	12	21	23	26	14	21	WESTBURY.
24	26	29	51	79	5	20	6	26	11	7	18	24	26	11	28	WARMINSTER.
18	11	11	26	52	4	3	7	10	11	9	11	30	23	16	21	PEWSEY.
4	6	10	10	31	1	4	3	7	4	1	6	15	8	4	15	AMESBURY.
18	25	21	18	83	5	6	5	11	10	8	19	19	20	10	19	ALDERBURY.
17	20	23	15	59	2	9	3	12	3	1	9	7	6	—	13	SALISBURY.
9	22	19	22	64	1	2	5	7	6	4	17	16	15	7	17	WILTON.
8	20	19	18	51	3	7	4	11	7	5	10	25	14	8	23	TISBURY.
9	13	9	22	43	1	7	2	9	3	3	9	15	16	10	11	MERE.

V.—SOUTH WESTERN COUNTIES.—

No.	DISTRICTS.	AREA in Statute Acres.	POPULATION, 1861.	TOTAL MARRIAGES.	MARRIAGES. According to the Rites of the Established Church. Special Licence.	Licence.	Banns	Superintendent Registrar's Certificate.	Not stated.	TOTAL.	Not according to the Rites of the Established Church. TOTAL.	In Registered Buildings. Roman Catholics.	Other Christian Denominations.	Superintendent Registrar's Office.	Quakers.	Jews.
	18.—DORSETSHIRE.															
268	Shaftesbury	36,493	12,986	111	-	10	47	-	39	96	15	-	15	-	-	-
269	Sturminster	37,934	10,340	69	-	9	51	-	-	60	9	2	3	4	-	-
270	Blandford	57,271	14,821	115	-	15	86	1	2	104	11	2	5	4	-	-
271	Wimborne	81,163	17,253	121	-	8	92	-	10	110	11	-	9	2	-	-
272	Poole	27,023	13,742	129	-	12	77	10	1	100	29	2	12	15	-	-
273	Wareham	96,309	17,072	108	-	10	81	-	6	97	11	3	4	4	-	-
274	Weymouth	37,282	27,291	229	-	25	104	15	5	149	50	4	47	99	-	-
275	Dorchester	115,339	24,810	199	-	14	149	-	8	171	23	-	13	15	-	-
276	Sherborne	40,018	13,403	95	-	10	51	-	2	63	32	-	24	8	-	-
277	Beaminster	53,764	13,587	110	-	6	89	-	10	105	5	-	4	1	-	-
278	Bridport	33,187	16,828	150	-	13	103	4	13	133	17	3	12	2	-	-
	19.—DEVONSHIRE.															
279	Axminster	61,738	19,758	140	-	12	84	-	17	113	27	1	13	13	-	-
280	Honiton	80,867	22,729	147	-	33	84	-	4	121	26	-	5	39	-	-
281	St. Thomas	130,141	48,405	254	-	37	144	3	26	210	44	-	5	39	-	-
282	Exeter	1,800	33,742	420	-	53	135	4	12	204	216	3	34	178	1	-
283	Newton Abbot	117,396	59,063	440	-	59	178	-	29	266	174	2	78	94	-	-
284	Totnes	98,342	32,942	229	-	44	117	-	8	169	60	-	20	40	-	-
285	Kingsbridge	72,918	19,394	115	-	14	62	2	18	96	19	-	11	8	-	-
286	Plympton St. Mary	75,509	20,502	84	-	18	65	-	1	84	-	-	-	-	-	-
287	Plymouth	1,635	62,509	786	-	50	343	8	1	402	384	27	75	281	1	-
288	East Stonehouse	385	14,343	196	-	16	111	1	1	129	67	-	6	61	-	-
289	Stoke Damerel	2,380	50,440	668	-	81	323	5	-	409	259	12	33	214	-	-
290	Tavistock	158,567	35,265	218	-	13	79	1	1	94	124	-	25	99	-	-
291	Okehampton	126,797	18,580	97	-	14	39	-	21	74	23	-	20	3	-	-
292	Crediton	91,866	20,274	112	-	11	67	-	9	87	25	-	11	14	-	-
293	Tiverton	103,212	30,875	192	-	23	129	2	12	166	26	-	15	11	-	-
294	South Molton	142,503	19,532	105	-	12	50	-	2	64	41	-	39	2	-	-
295	Barnstaple	149,729	36,293	241	-	31	93	11	3	143	98	1	78	21	-	-
296	Torrington	81,472	16,876	113	-	9	58	-	14	81	32	-	22	10	-	-
297	Bideford	63,804	17,790	154	-	23	62	1	8	94	60	-	30	30	-	-
298	Holsworthy	82,519	9,876	54	-	2	25	1	3	31	23	-	17	6	-	-
	20.—CORNWALL.															
299	Stratton	54,406	8,023	56	-	9	31	-	7	47	2	-	5	4	-	-
300	Camelford	51,847	7,784	64	-	3	35	-	10	48	16	-	16	-	-	-
301	Launceston	101,777	17,005	109	-	11	46	-	5	62	47	-	21	26	-	-
302	St. Germans	47,148	17,631	88	-	14	71	-	-	85	3	-	1	2	-	-
303	Liskeard	107,320	33,562	213	-	18	92	-	2	112	101	2	27	72	-	-
304	Bodmin	88,981	19,691	127	-	21	87	2	1	111	16	-	12	4	-	-
305	St. Columb	78,693	16,754	106	-	22	69	-	4	95	11	-	3	8	-	-
306	St. Austell	57,446	33,797	248	-	26	115	-	5	146	102	-	17	85	-	-
307	Truro	92,211	43,770	318	-	38	177	-	-	215	133	-	31	102	-	-
308	Falmouth	27,906	23,332	225	-	32	110	-	-	142	83	1	21	60	1	-
309	Helston	72,571	30,036	217	-	10	121	5	2	147	70	-	23	47	-	-
310	Redruth	40,305	57,173	321	-	29	212	10	2	303	222	8	115	99	-	-
311	Penzance	65,092	54,554	450	-	54	292	-	-	346	104	3	40	61	-	-
312	Scilly Islands	3,560	2,431	15	-	1	11	3	-	15	-	-	-	-	-	-
	21.—SOMERSETSHIRE.															
313a	Williton	109,202	19,918	104	-	19	68	-	5	92	12	-	10	2	-	-
313b	Dulverton	57,906	6,158	27	-	7	16	-	1	24	3	-	3	-	-	-
314	Wellington	60,154	20,480	137	-	15	83	-	10	108	29	-	19	10	-	-
315	Taunton	70,432	35,601	331	-	42	197	9	15	283	68	-	20	48	-	-
316	Bridgwater	92,273	34,420	257	-	36	148	21	7	215	42	2	33	7	-	-
317	Langport	59,391	18,077	98	-	7	70	1	3	81	17	-	9	8	-	-
318	Chard	60,342	25,591	198	-	25	127	6	2	160	38	-	30	8	-	-
319	Yeovil	52,151	28,189	223	-	20	121	4	10	155	66	-	51	17	-	-
320	Wincanton	66,120	21,500	126	-	21	84	-	1	106	20	-	18	2	-	-
321	Frome	51,239	23,704	172	-	13	101	7	5	126	46	-	44	2	-	-
322	Shepton Mallet	49,657	16,619	94	-	9	58	-	3	70	24	-	21	3	-	-
323	Wells	64,822	21,864	129	-	19	67	-	2	88	32	-	30	2	-	-
324	Axbridge	105,679	36,106	207	-	32	104	-	23	159	48	-	38	9	1	-
325	Clutton	47,026	23,721	98	-	2	62	-	17	81	17	2	10	5	-	-
326	Bath	30,321	68,336	699	-	83	312	41	3	439	260	11	100	149	-	-
327	Keynsham	33,358	21,802	94	-	9	76	-	2	87	7	-	7	-	-	-
328	Bedminster	57,068	41,257	303	-	32	240	7	-	279	24	-	19	5	-	-

VI.—WEST MIDLAND COUNTIES.—

	22.—GLOUCESTERSH.															
329	Bristol	1,840	66,027	1339	-	90	848	22	-	960	379	36	70	271	-	2
330	Clifton	29,175	94,487	736	-	99	560	6	4	669	127	23	51	50	-	-
331	Chipping Sodbury	62,256	18,763	77	-	5	57	-	10	72	5	-	5	-	-	-
332	Thornbury	65,840	16,459	77	-	13	49	-	4	66	11	-	7	2	2	-
333	Dursley	26,521	13,331	87	-	8	49	1	-	58	29	-	28	1	-	-
334	Westbury-on-Severn	43,246	20,189	160	-	10	84	4	32	130	30	-	9	21	-	-
335	Newent	45,281	12,420	68	-	6	54	-	3	63	5	-	5	-	-	-

MARRIAGES in the Year 1864—in DISTRICTS—*continued.*

MARRIAGES.												Signed the Marriage Register with Marks.				
Registered in the Quarter ending the last day of				Contracted between				Of		Of Persons not of Full Age.				Cases in which		DISTRICTS.
March.	June.	September.	December.	Bachelors and Spinsters.	Bachelors and Widows.	Widowers and Spinsters.	Widowers and Widows.	Widowers.	Widows.	Men.	Women.	Men.	Women.	Both signed.	One signed.	
																18.—DORSETSHIRE.
25	29	25	32	90	3	13	5	18	8	9	26	28	27	16	23	SHAFTESBURY.
17	12	18	22	54	4	7	4	11	8	3	8	18	20	9	20	STURMINSTER.
23	24	34	34	93	6	12	4	16	10	5	17	24	18	8	26	BLANDFORD.
29	19	26	50	103	5	8	5	13	10	7	25	42	21	18	27	WIMBORNE.
21	38	26	44	112	2	9	6	15	8	11	35	35	24	13	33	POOLE.
18	26	29	35	93	1	8	6	14	7	9	29	23	21	8	31	WAREHAM.
53	62	56	58	184	14	25	6	31	20	10	40	26	41	6	55	WEYMOUTH.
46	53	43	57	166	4	18	11	29	15	14	26	63	46	29	51	DORCHESTER.
26	26	18	25	76	3	11	5	16	8	4	9	29	26	14	27	SHERBORNE.
31	34	23	22	96	3	9	2	11	5	7	17	47	37	22	40	BEAMINSTER.
42	41	31	36	127	5	15	3	18	8	10	16	45	51	27	42	BRIDPORT.
																19.—DEVONSHIRE.
36	36	35	33	116	3	17	4	21	7	9	24	53	44	27	43	AXMINSTER.
39	31	38	39	126	2	16	3	19	5	8	19	37	31	16	36	HONITON.
61	65	55	73	208	12	24	10	34	22	15	37	29	37	11	44	ST. THOMAS.
92	114	102	108	322	10	55	24	79	43	25	63	51	88	29	81	EXETER.
90	118	121	111	361	27	39	13	52	40	22	76	67	63	23	84	NEWTON ABBOT.
69	59	38	63	190	12	19	8	27	20	21	46	44	38	21	40	TOTNES.
30	26	27	32	103	3	7	2	9	5	12	30	31	30	19	23	KINGSBRIDGE.
12	20	20	32	70	–	8	6	14	6	3	15	20	14	9	16	PLYMPTON ST. MARY.
191	185	207	203	643	45	64	34	98	79	34	107	156	239	92	211	PLYMOUTH.
54	50	47	45	158	15	16	7	23	22	9	44	47	71	30	58	EAST STONEHOUSE.
159	145	188	176	555	46	31	36	67	82	28	150	91	151	48	146	STOKE DAMEREL.
58	58	48	59	175	15	14	14	28	29	23	51	53	77	26	78	TAVISTOCK.
24	30	16	27	86	2	6	3	9	5	5	15	31	29	19	22	OKEHAMPTON.
25	27	25	35	97	2	11	2	13	4	8	23	39	32	21	29	CREDITON.
43	57	49	43	157	5	15	15	30	20	10	26	47	42	25	39	TIVERTON.
36	30	16	21	92	3	2	6	8	11	4	14	27	30	14	29	SOUTH MOLTON.
53	66	59	72	211	4	20	6	26	10	16	41	37	38	15	45	BARNSTAPLE.
31	28	20	34	101	–	10	2	12	2	3	16	43	38	22	37	TORRINGTON.
39	35	33	47	131	6	13	4	17	10	9	23	31	33	13	38	BIDEFORD.
19	17	7	11	50	–	2	2	4	2	4	8	17	20	11	15	HOLSWORTHY.
																20.—CORNWALL.
20	12	12	12	50	2	1	3	4	5	3	14	15	17	9	14	STRATTON.
13	13	14	24	57	3	4	–	4	3	11	21	24	28	18	16	CAMELFORD.
17	38	28	26	95	2	8	4	12	6	5	26	32	33	15	35	LAUNCESTON.
19	21	26	22	77	3	3	5	8	8	3	17	15	19	6	22	ST. GERMANS.
29	73	58	53	193	2	14	4	18	6	26	62	75	85	44	72	LISKEARD.
34	33	20	40	102	7	11	7	18	14	9	25	34	34	17	34	BODMIN.
23	26	25	32	86	1	16	3	19	4	7	19	32	34	20	26	ST. COLUMB.
58	64	60	65	206	4	23	15	38	19	22	52	82	101	53	77	ST. AUSTELL.
82	73	90	103	289	14	27	18	45	32	31	81	103	132	66	103	TRURO.
56	60	59	50	180	16	19	10	29	26	11	37	55	90	32	81	FALMOUTH.
45	55	50	67	183	4	24	6	30	10	14	48	74	97	50	71	HELSTON.
113	152	124	136	456	16	35	18	53	34	69	142	212	266	161	156	REDRUTH.
98	112	113	127	391	13	31	15	46	28	60	106	110	180	82	126	PENZANCE.
2	4	4	5	14	–	1	–	1	–	1	4	5	4	2	5	SCILLY ISLANDS.
																21.—SOMERSETSHIRE.
32	33	17	22	84	3	12	5	17	8	4	12	34	32	19	28	WILLITON.
11	8	4	4	17	–	7	3	10	3	3	5	10	6	5	6	DULVERTON.
36	31	28	42	112	4	16	5	21	9	7	17	41	38	20	39	WELLINGTON.
68	97	78	88	226	13	35	17	52	30	20	41	91	82	50	73	TAUNTON.
63	72	62	60	209	11	18	10	37	30	19	36	83	70	35	83	BRIDGWATER.
20	25	19	34	82	3	9	4	13	7	11	13	45	45	30	30	LANGPORT.
44	54	45	55	173	3	15	7	22	10	17	28	78	77	52	51	CHARD.
43	60	55	65	183	4	25	11	36	15	31	49	66	83	42	65	YEOVIL.
38	26	30	32	100	4	15	7	22	11	11	16	50	42	28	36	WINCANTON.
40	47	45	40	133	7	19	13	32	20	14	49	40	43	23	37	FROME.
19	20	24	31	75	2	11	6	17	8	3	11	34	30	18	28	SHEPTON MALLET.
34	27	30	29	95	5	15	5	20	10	7	18	37	32	19	31	WELLS.
44	73	43	47	174	6	23	4	27	10	11	30	49	39	22	44	AXBRIDGE.
21	28	19	30	83	2	7	6	13	8	6	20	23	29	12	28	CLUTTON.
157	169	169	204	532	29	91	47	138	76	35	83	91	111	35	136	BATH.
22	16	22	34	79	1	9	5	14	6	9	28	33	37	24	22	KEYNSHAM.
51	98	65	80	245	8	25	25	50	33	23	57	45	90	31	73	BEDMINSTER.

MARRIAGES in the Year 1863—in DISTRICTS.

																22. GLOUCESTERSHIRE.
286	327	335	391	1059	61	147	72	219	133	116	234	262	361	143	337	BRISTOL.
155	159	208	214	604	33	75	24	99	57	65	139	147	203	102	146	CLIFTON.
14	16	22	25	62	1	8	6	14	7	7	13	26	25	16	19	CHIPPING SODBURY.
13	29	19	16	68	1	5	3	8	4	7	13	25	17	10	22	THORNBURY.
23	18	20	26	73	1	10	3	13	4	8	10	18	20	9	20	DURSLEY.
35	48	33	44	137	4	11	8	19	12	16	32	54	50	28	48	WESTBURY-ON-SEVERN.
10	14	16	28	58	2	4	4	8	6	5	13	39	36	28	19	NEWENT.

No.	DISTRICTS.	Area in Statute Acres.	Population, 1861.	TOTAL MARRIAGES.	MARRIAGES. According to the Rites of the Established Church. Special Licence.	Licence.	Banns.	Superintendent Registrar's Certificate.	Not stated.	TOTAL.	MARRIAGES. Not according to the Rites of the Established Church. TOTAL.	In Registered Buildings. Roman Catholics.	In Registered Buildings. Other Christian Denominations.	Superintendent Registrar's Office.	Quakers.	Jews.
	22.—GLOUCESTER.—*cont.*															
336	Gloucester	32,222	34,950	389	–	49	302	–	1	352	37	3	31	3	–	–
337	Wheatenhurst	24,471	7,813	32	–	6	23	–	3	32	–	–	–	–	–	–
338	Stroud	43,720	36,448	286	–	29	130	11	6	176	110	4	83	23	–	–
339	Tetbury	23,641	6,119	73	–	3	21	–	1	28	5	–	–	3	–	–
340	Cirencester	85,356	20,931	151	–	19	84	–	6	113	38	–	31	7	–	–
341	Northleach	67,647	10,895	76	–	10	51	–	13	74	2	–	2	–	–	–
342	Stow-on-the-Wold	41,131	9,687	63	–	10	38	–	5	53	10	–	10	–	–	–
343	Winchcomb	57,494	10,082	64	–	8	53	1	–	62	2	–	1	1	–	–
344	Cheltenham	24,876	49,792	430	–	65	235	–	17	317	113	8	71	33	–	1
345	Tewkesbury	38,918	14,908	97	–	12	73	–	2	87	10	2	4	4	–	–
	23.—HEREFORDSHIRE.															
346	Ledbury	48,783	14,880	89	–	14	64	–	–	78	11	–	11	–	–	–
347	Ross	55,568	16,306	113	–	19	64	–	15	98	15	–	15	–	–	–
348	Hereford	144,991	39,287	339	–	52	162	1	21	236	103	4	29	70	–	–
349	Weobly	48,959	9,018	55	–	11	35	1	3	50	5	1	4	–	–	–
350	Bromyard	61,659	11,811	67	–	11	46	–	9	66	1	–	1	–	–	–
351	Leominster	65,620	15,494	86	–	10	54	–	11	75	11	–	9	2	–	–
	24.—SHROPSHIRE.															
352	Ludlow	87,573	17,721	136	–	21	86	1	10	118	18	–	13	4	–	–
353	Clun	82,886	10,615	52	–	8	37	–	2	47	5	–	5	–	–	–
354	Church Stretton	46,184	6,289	32	–	6	25	–	1	32	–	–	–	–	–	–
355	Cleobury Mortimer	54,640	8,304	56	–	7	46	–	2	55	1	–	–	1	–	–
356	Bridgnorth	69,896	15,920	89	–	4	60	1	8	73	13	3	5	5	–	–
357	Shiffnal	46,053	11,994	135	–	17	116	–	–	133	2	–	2	–	–	–
358	Madeley	27,951	30,402	209	–	13	160	7	12	141	68	9	33	6	–	–
359	Atcham	104,144	19,455	131	–	25	62	2	10	98	33	–	1	32	–	–
360	Shrewsbury	18,062	23,784	290	–	71	119	20	–	219	71	8	29	34	–	–
361	Oswestry	77,048	23,817	190	–	45	92	1	4	142	48	–	19	29	–	–
362	Ellesmere	71,081	14,611	68	–	13	37	–	16	64	4	–	4	–	–	–
363*a*	Wem	51,197	10,644	70	–	15	25	3	1	44	26	–	26	–	–	–
363*b*	Whitchurch	39,076	11,272	74	–	20	40	–	–	60	14	–	11	3	–	–
364	Market Drayton	67,910	14,260	98	–	24	52	1	4	81	17	–	17	–	–	–
365	Wellington	33,528	23,873	195	–	22	165	–	–	187	8	3	5	–	–	–
366	Newport	47,477	15,447	113	–	27	74	–	1	102	11	1	8	2	–	–
	25.—STAFFORDSHIRE.															
367	Stafford	52,022	24,474	204	–	37	121	1	1	159	34	7	25	22	–	–
368	Stone	68,524	21,926	178	–	37	115	–	7	159	19	10	8	1	–	–
369	Newcastle-under-Lyme	26,718	24,567	194	–	23	115	13	–	152	41	17	22	1	1	–
370	Wolstanton	13,679	54,356	407	–	41	485	23	–	559	138	31	54	53	–	–
371	Stoke-upon-Trent	10,490	71,308	816	–	58	624	18	8	718	98	34	39	25	–	–
372	Leek	72,893	24,806	149	–	41	83	9	–	133	16	4	12	–	–	–
373	Cheadle	55,146	20,988	186	–	50	120	3	1	174	22	12	8	2	–	–
374	Uttoxeter	62,890	14,787	107	–	34	57	–	–	91	16	2	12	2	–	–
375	Burton-upon-Trent	20,652	41,005	362	–	45	223	5	17	282	30	9	38	33	–	–
376	Tamworth	46,740	15,504	98	–	16	61	–	4	81	17	2	5	10	–	–
377	Lichfield	71,613	27,541	194	–	35	128	–	1	164	30	7	16	7	–	–
378	Penkridge	70,799	18,662	114	–	11	90	1	5	107	7	6	1	–	–	–
379	Wolverhampton	53,300	126,392	1215	–	56	941	15	1	1001	214	109	87	15	–	2
380	Walsall	21,603	59,908	489	–	18	360	8	–	378	111	58	27	26	–	–
381	West Bromwich	10,504	93,480	963	–	54	840	5	–	899	69	38	29	2	–	–
382	Dudley	17,984	130,237	1611	–	28	1523	–	1	1552	59	25	30	4	–	–
	26.WORCESTERSHIRE.															
383	Stourbridge	16,200	68,726	507	–	20	461	1	1	483	24	1	20	3	–	–
384	Kidderminster	37,321	30,797	235	–	6	161	–	12	182	53	4	31	18	–	–
385	Tenbury	57,941	7,366	52	–	6	40	–	6	52	–	–	–	–	–	–
386	Martley	53,718	15,098	83	–	11	67	–	2	80	3	–	1	2	–	–
387	Worcester	6,699	30,969	301	–	28	231	6	2	262	39	8	20	4	1	–
388	Upton-on-Severn	53,916	21,010	131	–	27	88	–	1	116	15	3	9	3	–	–
389	Evesham	46,009	14,767	84	–	7	58	–	6	71	13	1	5	7	–	–
390	Pershore	52,260	13,865	88	–	9	72	–	4	85	3	3	–	–	–	–
391	Droitwich	55,225	19,237	197	–	30	166	–	–	196	1	–	–	1	–	–
392	Bromsgrove	48,674	26,259	162	–	14	113	1	9	137	25	3	22	–	–	–
393	Kings Norton	28,404	47,349	611	–	71	515	4	10	600	11	–	5	6	–	–
	27.—WARWICKSHIRE.															
394	Birmingham	2,660	212,621	2339	–	76	1765	39	4	1884	455	162	128	148	5	12
395	Aston	31,273	106,522	903	–	79	754	11	1	845	66	23	24	16	–	–
396	Meriden	48,518	11,290	49	–	8	41	–	–	49	–	–	–	–	–	–
397	Atherstone	27,883	12,118	85	–	7	52	–	11	70	15	–	15	–	–	–
398	Nuneaton	20,428	18,054	98	–	9	73	1	1	84	14	8	2	4	–	–
399	Foleshill	19,389	19,997	115	–	6	91	1	4	102	13	–	8	5	–	–
400	Coventry	5,489	41,647	426	–	18	257	32	1	348	78	23	30	25	–	–
401	Rugby	80,755	24,436	174	–	29	123	1	2	155	19	4	12	3	–	–
402	Solihull	46,015	13,231	83	–	15	61	1	10	87	1	–	1	–	–	–
403	Warwick	66,639	44,047	339	–	61	200	6	10	277	53	6	46	1	–	–
404	Stratford-on-Avon	79,051	21,239	112	–	18	100	–	7	125	17	3	13	1	–	–
405	Alcester	52,430	16,878	120	–	11	77	–	16	104	16	3	10	3	–	–
406	Shipston-on-Stour	78,899	19,852	141	–	16	111	–	7	134	7	2	5	–	–	–
407	Southam	50,409	10,392	61	–	4	47	–	7	58	3	–	2	1	–	–

MARRIAGES in the Year 1864—in DISTRICTS—*continued*.

MARRIAGES.																
Registered in the Quarter ending the last day of				Contracted between				Of		Of Persons not of Full Age.		Signed the Marriage Register with Marks.				DISTRICTS.
														Cases in which		
March.	June.	September.	December.	Bachelors and Spinsters.	Bachelors and Widows.	Widowers and Spinsters.	Widowers and Widows.	Widowers.	Widows.	Men.	Women.	Men.	Women.	Both signed.	One signed.	
																22.—GLOUCESTERSH.—*cont.*
71	95	97	126	314	22	34	19	53	41	19	55	81	96	40	97	GLOUCESTER.
4	8	9	11	26	2	3	1	4	3	2	3	3	4	3	1	WHEATENHURST.
46	65	67	108	232	5	31	18	49	23	23	43	61	71	28	76	STROUD.
5	13	8	7	31	1	1	–	1	1	4	9	11	8	6	7	TETBURY.
24	39	34	54	126	4	14	7	21	11	8	22	35	27	10	42	CIRENCESTER.
13	20	13	30	65	–	9	2	11	2	5	16	16	14	4	22	NORTHLEACH.
14	13	7	29	54	2	4	3	7	5	4	9	21	18	15	9	STOW-ON-THE-WOLD.
10	15	18	21	56	–	6	2	8	2	2	11	23	20	10	23	WINCHCOMB.
87	116	114	113	350	17	40	23	63	40	22	59	51	58	18	73	CHELTENHAM.
22	18	26	31	81	6	8	2	10	8	10	16	20	23	8	27	TEWKESBURY.
																23.—HEREFORDSHIRE.
23	24	17	25	69	5	12	3	15	8	1	7	20	26	13	20	LEDBURY.
20	30	27	36	95	5	8	5	13	10	7	28	34	21	14	27	ROSS.
76	97	66	100	271	18	32	18	50	36	11	49	90	80	38	94	HEREFORD.
8	22	10	15	46	2	5	2	7	4	1	9	21	12	10	13	WEOBLY.
13	25	11	18	59	4	3	1	4	5	2	7	23	22	12	21	BROMYARD.
23	31	13	19	71	2	7	6	13	8	1	14	33	27	17	26	LEOMINSTER.
																24.—SHROPSHIRE.
26	44	31	35	115	8	9	4	13	12	4	18	46	33	19	46	LUDLOW.
11	23	13	5	42	3	5	2	7	5	2	7	18	12	6	18	CLUN.
10	6	7	9	29	–	2	1	3	1	2	7	11	8	7	5	CHURCH STRETTON.
12	23	9	12	42	6	4	4	8	10	4	9	33	20	19	15	CLEOBURY MORTIMER.
9	41	13	23	76	1	5	4	9	5	4	13	27	28	15	25	BRIDGNORTH.
23	30	40	42	108	8	11	8	19	16	6	18	51	56	36	35	SHIFFNAL.
34	60	58	60	170	7	16	16	32	23	16	30	82	97	61	57	MADELEY.
18	50	29	34	130	5	12	4	16	9	6	18	50	28	11	36	ATCHAM.
58	73	71	88	236	10	28	16	44	26	17	46	48	55	21	61	SHREWSBURY.
47	63	41	39	159	6	15	10	25	16	6	30	59	56	36	43	OSWESTRY.
17	18	14	24	54	5	7	2	9	7	2	7	29	28	18	21	ELLESMERE.
24	19	6	21	59	5	3	3	6	8	2	5	24	22	13	20	WEM.
14	21	13	20	53	4	10	7	17	11	2	9	16	24	10	20	WHITCHURCH.
27	20	24	30	84	2	7	5	12	7	3	8	29	30	16	27	MARKET DRAYTON.
37	55	48	60	170	7	10	8	18	15	5	24	95	113	75	58	WELLINGTON.
31	31	24	27	100	4	5	4	9	8	6	16	38	37	19	37	NEWPORT.
																25.—STAFFORDSHIRE.
54	41	53	55	163	10	19	7	26	17	14	45	51	54	26	53	STAFFORD.
46	53	34	47	149	10	11	8	19	18	10	36	51	60	32	47	STONE.
58	42	51	63	199	6	18	10	28	16	21	59	64	81	48	49	NEWCASTLE-UNDER-LYME.
164	158	160	215	570	36	48	43	91	79	62	191	282	354	215	206	WOLSTANTON.
191	175	200	250	675	33	52	56	108	89	82	215	293	393	207	247	STOKE-UPON-TRENT.
36	24	33	46	127	7	9	6	15	15	13	32	46	66	34	44	LEEK.
32	42	57	55	149	5	21	11	32	16	19	45	45	53	24	50	CHEADLE.
35	21	22	29	89	1	15	2	17	3	5	17	11	19	4	22	UTTOXETER.
81	81	80	120	296	17	30	19	49	36	21	84	98	108	55	96	BURTON-UPON-TRENT.
19	30	16	33	75	2	15	6	21	8	4	15	23	19	10	22	TAMWORTH.
37	53	45	59	159	9	19	7	26	16	17	45	50	52	30	42	LICHFIELD.
16	34	29	35	99	8	7	–	7	8	15	30	56	41	28	41	PENKRIDGE.
279	270	320	346	1002	58	79	76	155	134	104	356	497	648	400	345	WOLVERHAMPTON.
116	97	118	158	400	25	32	32	64	57	41	161	238	248	146	164	WALSALL.
217	229	248	274	827	41	48	52	100	93	112	396	397	434	223	295	WEST BROMWICH.
404	384	363	460	1339	55	95	122	217	177	219	508	830	1076	712	482	DUDLEY.
																26.—WORCESTERSHIRE.
121	148	112	126	425	12	46	24	70	36	61	161	233	288	192	142	STOURBRIDGE.
41	53	69	72	197	7	19	12	31	19	15	40	76	94	45	80	KIDDERMINSTER.
9	21	7	15	42	3	2	5	7	8	–	8	21	23	15	14	TENBURY.
19	20	15	29	69	3	8	3	11	6	2	12	25	20	13	19	MARTLEY.
56	75	82	88	236	17	30	18	48	35	20	50	66	104	44	82	WORCESTER.
29	39	29	54	106	8	14	3	17	11	6	21	38	25	8	47	UPTON-ON-SEVERN.
8	12	26	38	77	2	4	1	5	3	10	20	29	27	20	16	EVESHAM.
6	18	27	37	82	1	5	–	5	1	6	20	27	23	12	26	PERSHORE.
34	52	32	79	164	4	22	7	29	11	12	40	53	53	24	28	DROITWICH.
34	44	34	50	136	6	10	10	20	16	25	52	68	78	56	34	BROMSGROVE.
100	138	159	194	523	15	51	22	73	37	20	106	81	124	34	137	KINGS NORTON.
																27.—WARWICKSHIRE.
487	552	636	664	1060	114	192	133	325	247	184	537	600	829	382	665	BIRMINGHAM.
166	213	220	249	736	38	84	50	134	88	67	211	180	223	98	207	ASTON.
6	19	13	11	40	2	4	3	7	5	2	5	12	8	3	14	MERIDEN.
16	25	20	24	76	3	4	2	6	5	6	20	17	25	9	24	ATHERSTONE.
24	22	32	30	80	5	10	3	13	8	12	19	31	48	26	27	NUNEATON.
21	22	40	32	94	–	12	9	21	9	11	28	36	61	30	37	FOLESHILL.
113	98	92	123	339	16	41	30	71	46	51	86	89	176	62	141	COVENTRY.
41	48	37	48	143	3	19	4	23	7	10	19	27	20	7	33	RUGBY.
22	18	20	28	70	7	6	5	11	12	3	15	22	12	8	18	SOLIHULL.
78	66	70	116	253	15	45	17	62	32	17	41	58	43	17	47	WARWICK.
24	27	33	58	112	4	19	7	26	11	10	33	33	28	15	31	STRATFORD-ON-AVON.
31	26	23	40	101	4	11	4	15	8	13	31	28	40	21	36	ALCESTER.
24	29	18	70	124	5	9	3	12	8	10	30	47	28	16	43	SHIPSTON-ON-STOUR.
12	15	15	19	47	4	7	3	10	7	3	18	13	17	6	18	SOUTHAM.

VII.—NORTH MIDLAND COUNTIES.—

No.	DISTRICTS.	Area in Statute Acres.	Population, 1861.	TOTAL MARRIAGES.	MARRIAGES. According to the Rites of the Established Church. Special Licence.	Licence.	Banns.	Superintendent Registrar's Certificate.	Not stated.	TOTAL.	Not according to the Rites of the Established Church. TOTAL.	In Registered Buildings. Roman Catholics.	Other Christian Denominations.	Superintendent Registrar's Office.	Quakers.	Jews.
	28.—LEICESTERSHIRE.															
408	Lutterworth	59,031	15,515	69	–	12	41	–	10	63	6	–	4	2	–	–
409	Market Harborough	64,094	16,059	92	–	13	54	1	9	77	15	–	6	9	–	–
410	Billesdon	50,721	7,272	50	–	8	35	1	2	46	4	–	–	4	–	–
411	Blaby	34,207	14,305	110	–	12	73	–	1	86	24	–	10	14	–	–
412	Hinckley	28,070	16,374	101	–	5	74	–	–	79	22	1	18	3	–	–
413	Market Bosworth	53,526	13,428	96	–	6	75	1	5	87	9	–	9	–	–	–
414	Ashby-de-la-Zouch	51,952	28,543	195	–	12	118	1	2	133	62	10	24	28	–	–
415	Loughborough	43,840	24,147	185	–	20	94	18	3	135	50	7	40	3	–	–
416	Barrow-upon-Soar	47,868	19,778	133	–	13	94	1	7	115	18	–	4	14	–	–
417	Leicester	3,960	68,056	975	–	44	598	59	–	701	272	24	102	146	–	–
418	Melton Mowbray	98,077	20,171	135	–	24	77	–	10	111	24	–	14	10	–	–
	29.—RUTLANDSHIRE.															
419	Oakham	55,030	11,112	70	–	7	56	–	1	64	6	–	3	3	–	–
420	Uppingham	52,698	12,367	96	–	12	57	–	21	90	6	–	5	1	–	–
	30.—LINCOLNSHIRE.															
421	Stamford	52,858	18,213	110	–	9	65	2	–	76	34	1	20	13	–	–
422	Bourn	90,644	20,113	144	–	16	101	–	6	123	21	7	12	2	–	–
423	Spalding	86,471	22,129	174	–	23	134	1	–	158	16	–	16	–	–	–
424	Holbeach	107,299	18,402	134	–	14	95	1	1	111	23	–	23	–	–	–
425	Boston	127,547	37,969	320	–	32	207	–	4	243	77	1	63	11	–	–
426	Sleaford	131,777	24,919	192	–	15	134	–	8	157	35	–	3	32	–	–
427	Grantham	103,929	28,886	195	–	18	139	4	5	166	29	–	28	1	–	–
428	Lincoln	158,920	47,063	435	–	58	190	14	21	283	152	4	133	15	–	–
429	Horncastle	113,588	24,718	140	–	16	97	–	1	114	26	–	26	–	–	–
430	Spilsby	140,269	28,799	241	–	32	159	–	12	203	38	–	32	6	–	–
431	Louth	170,708	34,711	273	–	21	152	–	8	181	95	–	67	28	–	–
432	Caistor	183,164	37,517	339	–	30	180	–	6	216	123	6	113	4	–	–
433	Glanford Brigg	165,479	34,731	281	–	27	172	1	14	214	67	–	57	10	–	–
434	Gainsborough	108,668	25,073	214	–	30	132	–	2	164	50	–	29	21	–	–
	31.—NOTTINGHAMSH.															
435	East Retford	86,797	22,677	140	–	17	90	2	8	117	23	–	6	17	–	–
436	Worksop	80,850	20,704	140	–	16	106	5	2	129	11	3	7	1	–	–
437	Mansfield	57,960	30,593	247	–	23	191	1	5	220	27	–	20	7	–	–
438	Basford	88,029	74,357	532	1	39	408	7	3	458	74	–	31	43	–	–
439	Radford	6,800	30,479	205	–	16	157	5	–	178	27	–	2	25	–	–
440	Nottingham	1,870	74,693	913	–	94	677	5	–	776	137	34	77	26	–	–
441	Southwell	117,134	24,425	141	–	21	103	–	3	127	14	–	3	11	–	–
442	Newark	94,202	30,186	205	–	29	100	4	3	136	69	2	39	28	–	–
443	Bingham	68,139	15,670	97	–	14	75	–	5	94	3	–	1	2	–	–
	32.—DERBYSHIRE.															
444	Shardlow	73,290	31,113	185	–	23	136	–	6	168	17	–	15	2	–	–
445	Derby	2,970	51,049	639	–	72	329	27	1	429	210	27	80	103	–	–
446	Belper	66,590	51,711	458	–	30	291	1	2	324	134	–	131	3	–	–
447	Ashborne	100,937	20,648	147	–	31	101	–	4	136	11	2	5	4	–	–
448	Chesterfield	94,825	61,779	533	–	39	360	9	12	420	113	33	54	26	–	–
449	Bakewell	107,905	31,378	182	–	33	104	2	3	142	40	5	24	11	–	–
460	Chapel-en-le-Frith	63,248	14,020	118	–	26	88	–	–	114	4	1	3	–	–	–
461	Hayfield	48,855	32,176	187	–	9	137	–	–	146	41	19	22	–	–	–

VIII.—NORTH WESTERN COUNTIES.—

No.	DISTRICTS.	Area in Statute Acres.	Population, 1861.	TOTAL MARRIAGES.	MARRIAGES. According to the Rites of the Established Church. Special Licence.	Licence.	Banns.	Superintendent Registrar's Certificate.	Not stated.	TOTAL.	Not according to the Rites of the Established Church. TOTAL.	In Registered Buildings. Roman Catholics.	Other Christian Denominations.	Superintendent Registrar's Office.	Quakers.	Jews.
	33.—CHESHIRE.															
452	Stockport	30,709	94,360	900	–	44	702	3	1	750	150	87	62	1	–	–
453	Macclesfield	81,561	61,543	497	–	42	389	26	–	457	40	21	14	3	2	–
454	Altrincham	73,665	40,517	220	–	52	128	–	8	188	38	12	18	8	–	–
455	Runcorn	45,776	26,792	196	1	31	135	–	–	167	29	9	18	2	–	–
456	Northwich	65,445	33,338	249	–	45	165	–	1	211	38	–	20	18	–	–
457	Congleton	52,889	34,328	281	–	44	142	45	–	231	50	10	30	10	–	–
458	Nantwich	111,126	40,955	326	–	59	170	2	9	240	86	9	46	31	–	–
459	Great Boughton (Chester)	107,[illegible]	58,301	704	–	102	387	10	33	599	105	29	36	30	–	–
460a	Wirral	88,258	18,420	148	–	51	92	1	–	144	4	4	–	–	–	–
460b	Birkenhead	23,832	61,420	505	–	99	231	8	–	338	167	108	44	15	–	–
	34.—LANCASHIRE.															
461	Liverpool	2,220	269,742	4120*	–	635	2590	65	4	3294	1126	893	117	99	3	12
462	West Derby	50,567	225,845	2285	–	450	1260	18	10	1738	547	380	109	58	–	–
463	Prescot	56,859	73,127	572	–	51	334	1	–	386	186	159	25	2	–	–
464	Ormskirk	111,968	46,252	388	–	92	185	16	7	300	88	59	28	1	–	–
465	Wigan	47,018	91,561	805	–	55	394	64	1	467	308	149	69	90	–	–
466	Warrington	29,984	43,875	410	–	41	261	10	1	313	97	73	15	9	–	–
467	Leigh	23,610	37,700	314	–	22	95	18	17	152	162	35	126	1	–	–
468	Bolton	43,896	130,269	1164	–	63	633	103	3	802	362	100	152	110	–	–
469	Bury	32,990	101,135	787	–	33	377	86	1	497	290	54	215	21	–	–
470	Barton-upon-Irwell	22,279	39,063	318	–	46	211	5	1	263	55	18	36	1	–	–
471	Chorlton	11,549	169,579	639	–	90	268	7	3	368	271	126	97	48	–	–
472	Salford	4,850	105,935	714	–	41	446	8	20	515	199	135	57	7	–	–
473	Manchester	12,628	243,988	4304	–	407	3276	45	41	3747	557	411	63	65	1	19

* Includes a man divorced who married a spinster, also a man divorced who married a widow.

MARRIAGES in the Year 1864—in DISTRICTS.

MARRIAGES. Registered in the Quarter ending the last day of				Contracted between				Of		Of Persons not of Full Age.		Signed the Marriage Register with Marks.				DISTRICTS.
March.	June.	September.	December.	Bachelors and Spinsters.	Bachelors and Widows.	Widowers and Spinsters.	Widowers and Widows.	Widowers.	Widows.	Men.	Women.	Men.	Women.	Cases in which Both signed.	Cases in which One signed.	
																28.—LEICESTERSHIRE.
17	12	19	21	57	–	8	4	12	4	6	8	11	10	3	15	LUTTERWORTH.
21	29	18	24	77	2	9	4	13	6	3	13	10	13	5	13	MARKET HARBOROUGH.
10	10	7	23	40	2	4	4	8	6	1	9	6	5	2	7	BILLESDON.
21	21	22	46	89	6	10	5	15	11	9	23	27	40	18	31	BLABY.
16	21	24	40	87	1	9	4	13	5	10	23	30	40	24	22	HINCKLEY.
18	20	12	46	89	1	3	3	6	4	4	14	21	37	12	24	MARKET BOSWORTH.
50	46	34	65	160	2	24	9	33	11	23	55	64	69	38	57	ASHBY-DE-LA-ZOUCH.
33	42	58	52	147	7	22	9	31	16	20	43	50	54	23	58	LOUGHBOROUGH.
26	23	35	49	115	1	10	7	17	8	14	36	30	37	18	31	BARROW-UPON-SOAR.
183	212	285	293	774	40	100	59	159	99	147	246	192	342	124	236	LEICESTER.
23	32	29	51	119	3	9	4	13	7	4	18	15	25	6	28	MELTON MOWBRAY.
																29.—RUTLANDSHIRE.
11	19	11	29	59	–	10	1	11	1	6	13	22	15	6	23	OAKHAM.
12	24	23	34	76	3	14	3	17	6	1	12	23	14	9	24	UPPINGHAM.
																30.—LINCOLNSHIRE.
30	17	21	42	88	6	11	5	16	11	8	8	25	21	10	26	STAMFORD.
33	49	30	32	113	6	13	12	25	18	4	27	38	50	24	40	BOURN.
19	58	52	45	149	6	13	6	19	12	13	28	37	43	16	48	SPALDING.
25	37	32	40	107	10	10	7	17	17	4	28	34	31	17	31	HOLBEACH.
68	107	69	76	275	14	22	9	31	23	16	70	73	82	34	87	BOSTON.
29	70	42	51	160	4	17	11	28	15	4	30	54	60	26	62	SLEAFORD.
48	56	38	58	166	5	15	9	24	14	7	35	22	30	6	40	GRANTHAM.
99	139	82	115	347	15	51	22	73	37	18	71	78	103	42	97	LINCOLN.
23	65	26	26	121	1	13	5	18	6	5	25	35	34	12	45	HORNCASTLE.
46	107	51	37	203	10	23	5	28	15	10	40	47	54	19	63	SPILSBY.
39	122	59	56	238	7	19	12	31	19	22	61	71	74	38	73	LOUTH.
63	127	56	93	280	15	31	13	44	28	22	81	78	79	31	95	CAISTOR.
51	117	49	64	236	9	25	11	36	20	16	63	62	66	27	74	GLANFORD BRIGG.
42	69	47	56	175	7	21	11	32	18	10	48	41	47	20	48	GAINSBOROUGH.
																31.—NOTTINGHAMSH.
27	36	26	51	114	3	15	8	23	11	11	22	27	34	14	33	EAST RETFORD.
26	40	36	38	120	7	6	7	13	14	9	43	33	33	15	36	WORKSOP.
59	59	53	76	209	7	19	12	31	19	25	65	92	111	63	77	MANSFIELD.
109	126	102	195	459	18	33	22	55	40	91	159	169	237	118	170	BASFORD.
44	41	60	60	176	5	14	10	24	15	24	50	57	85	44	54	RADFORD.
187	241	228	257	713	32	102	66	168	98	81	154	181	306	116	255	NOTTINGHAM.
32	39	30	40	103	6	22	10	32	16	2	28	41	40	19	43	SOUTHWELL.
83	75	46	51	170	4	23	8	31	12	21	44	28	37	17	31	NEWARK.
11	33	18	35	78	2	11	6	17	8	4	8	24	28	11	30	BINGHAM.
																32.—DERBYSHIRE.
35	47	37	66	153	7	18	7	25	14	16	38	35	39	13	48	SHARDLOW.
143	144	160	192	509	35	61	34	95	69	59	123	113	185	67	164	DERBY.
90	104	110	154	377	19	32	30	62	49	53	120	112	159	65	141	BELPER.
47	27	33	40	123	9	10	5	15	14	6	26	31	35	12	42	ASHBORNE.
125	128	126	154	451	25	29	28	57	53	42	161	105	233	116	176	CHESTERFIELD.
36	50	49	47	164	5	11	2	13	7	12	40	33	36	15	39	BAKEWELL.
23	30	34	31	98	3	13	4	17	7	6	26	22	25	9	29	CHAPEL-EN-LE-FRITH.
36	60	53	38	149	6	23	9	32	15	9	30	37	81	27	64	HAYFIELD.

MARRIAGES in the Year 1864—in DISTRICTS.

																33.—CHESHIRE.
184	230	278	208	719	28	94	59	153	87	32	84	266	497	224	315	STOCKPORT.
94	137	125	141	385	19	61	32	93	51	48	107	102	218	76	168	MACCLESFIELD.
39	71	68	58	192	8	22	4	26	12	5	28	33	55	20	48	ALTRINCHAM.
45	53	40	58	163	7	15	11	23	18	10	42	55	69	40	44	RUNCORN.
50	65	71	63	192	12	29	16	45	28	22	58	84	112	70	56	NORTHWICH.
70	64	65	82	228	9	31	13	44	22	30	78	68	105	45	83	CONGLETON.
78	72	72	104	264	17	28	17	45	34	20	76	84	110	54	86	NANTWICH.
157	183	178	186	579	35	60	30	90	65	35	130	153	221	95	184	GREAT BOUGHTON (CHESTER).
31	26	41	50	126	3	13	6	19	9	4	36	16	25	11	19	WIRRAL.
98	126	135	146	432	19	40	14	54	33	20	90	80	128	51	106	BIRKENHEAD.
																34.—LANCASHIRE.
990	1070	1210	1150	3475	205	381	269	650	564	261	989	1006	1822	798	1322	LIVERPOOL.
471	541	659	614	1870	113	204	98	302	211	102	442	273	482	162	431	WEST DERBY.
121	148	149	154	490	20	33	29	62	49	63	165	245	342	200	187	PRESCOT.
86	110	105	87	311	19	40	18	58	37	27	75	101	149	77	96	ORMSKIRK.
181	215	204	205	680	38	58	29	87	67	97	237	303	536	317	265	WIGAN.
81	94	107	128	343	19	36	18	48	37	39	108	155	221	124	123	WARRINGTON.
73	90	66	85	257	15	30	12	42	27	23	81	93	207	84	137	LEIGH.
295	312	294	263	958	38	97	71	168	109	115	283	353	672	286	433	BOLTON.
193	210	212	167	654	16	78	39	117	55	60	141	182	359	137	267	BURY.
87	71	99	81	250	14	44	10	54	24	32	63	74	156	57	116	BARTON-UPON-IRWELL.
136	160	190	153	538	19	66	16	82	35	35	119	78	176	64	126	CHORLTON.
191	180	221	182	581	27	64	42	106	69	95	183	179	394	148	277	SALFORD.
961	1096	1105	1142	3416	198	423	237	690	465	405	1012	851	2016	695	1477	MANCHESTER.

VIII.—NORTH WESTERN COUNTIES.—

No.	DISTRICTS.	Area in Statute Acres.	Population, 1861.	TOTAL MARRIAGES.	MARRIAGES. According to the Rites of the Established Church. Special Licence.	Licence.	Banns.	Superintendent Registrar's Certificate.	Not stated.	TOTAL.	MARRIAGES. Not according to the Rites of the Established Church. TOTAL.	In Registered Buildings. Roman Catholics.	In Registered Buildings. Other Christian Denominations.	Superintendent Registrar's Office.	Quakers.	Jews.
	34.—LANCASHIRE—*cont.*															
474	Ashton-under-Lyne	38,637	134,753	1027	–	29	608	132	9	778	249	106	90	53	–	–
475	Oldham	16,872	111,276	843	–	31	499	74	6	610	233	51	72	110	–	–
476	Rochdale	40,340	91,754	697	–	30	315	32	16	393	304	24	198	82	–	–
477	Haslingden	26,681	69,781	568	–	29	132	122	–	283	285	25	102	158	–	–
478	Burnley	54,126	75,595	628	–	45	215	99	–	359	269	40	127	102	–	–
479	Clitheroe	114,697	20,476	149*	–	43	65	11	–	119	30	15	15	–	–	–
480	Blackburn	43,569	119,942	1109	–	51	332	196	1	633	476	147	194	135	–	–
481	Chorley	52,213	41,673	278	–	38	129	33	–	200	78	52	18	8	–	–
482	Preston	68,035	110,523	925	–	89	424	87	3	603	322	208	66	46	–	–
483	Fylde	76,397	25,682	196	–	41	48	10	53	152	44	30	13	1	–	–
484	Garstang	62,617	12,425	63	–	22	18	–	–	40	23	16	2	5	–	–
485	Lancaster	138,746	35,297	233	–	68	81	39	6	194	69	16	33	20	–	–
486	Ulverston	135,043	35,738	357	–	89	163	16	–	268	69	8	15	45	1	–

IX.—YORKSHIRE.—

	35.—WEST RIDING.															
487	Sedbergh	52,882	4,201	23	–	4	15	–	1	20	3	–	3	–	–	–
488	Settle	154,591	12,729	83	–	25	50	–	–	75	8	1	5	2	–	–
489	Skipton	157,173	31,343	267	–	37	132	6	25	200	67	5	14	48	–	–
490	Pateley Bridge	74,275	9,584	71	–	9	35	1	2	47	24	1	22	1	–	–
491	Ripon	70,700	15,742	125	–	31	57	11	–	99	26	4	14	8	–	–
492*a*	Great Ouseburn	51,808	11,554	62	–	9	46	–	1	56	6	2	1	3	–	–
492*b*	Knaresborough	39,042	17,176	141	–	29	63	11	–	103	38	5	9	24	–	–
492*c*	Wetherby	30,546	6,486	29	–	14	12	–	1	27	2	–	–	2	–	–
492*d*	Kirkdeighton	6,054	941	3	–	–	3	–	–	3	–	–	–	–	–	–
493*a*	Otley	43,254	18,659	151	–	14	69	12	1	96	55	17	9	29	–	–
493*b*	Wharfedale	30,798	15,453	123	–	4	93	4	–	101	22	–	11	11	–	–
494	Keighley	39,144	43,122	357	–	13	127	63	1	204	153	25	47	81	–	–
495	Todmorden	26,920	31,113	143	–	6	68	2	–	76	67	–	41	26	–	–
496	Saddleworth	18,230	18,631	102	–	4	46	23	1	74	28	–	4	24	–	–
497	Huddersfield	66,360	131,336	1138†	–	50	765	62	11	888	260	21	137	102	–	–
498	Halifax	51,784	128,673	1390†	–	66	941	64	–	1071	325	53	157	115	–	–
499	Bradford	40,354	106,475	2150‡	–	75	1678	38	–	1791	368	140	158	70	–	–
500*a*	Kirkstall	29,301	49,449	589	–	36	270	7	4	317	72	–	13	59	–	–
500*b*	Hunsket	1,100	25,763	221	–	9	111	3	–	123	98	14	29	55	–	–
500*c*	Holbeck	760	15,824	149	–	3	80	9	–	92	57	–	31	26	–	–
500*d*	Bramley	3,451	11,391	26	–	2	10	1	–	13	13	–	10	3	–	–
501	Leeds	2,100	117,566	1058§	–	116	1355	48	–	1519	439	179	120	138	–	2
502	Dewsbury	24,456	92,883	1058‡	–	65	614	164	1	844	214	73	89	52	–	–
503	Wakefield	41,028	54,899	490	–	30	283	37	–	350	140	36	37	67	–	–
504*a*	Pontefract	27,465	14,655	129	–	22	62	10	4	98	31	6	13	12	–	–
504*b*	Hemsworth	33,870	7,793	53	–	12	31	2	1	46	7	–	4	3	–	–
504*c*	Castleford	37,613	19,954	163	–	9	88	3	17	117	46	–	12	34	–	–
505	Barnsley	35,376	45,797	412	–	24	280	53	–	357	55	9	23	23	–	–
506	Wortley	83,790	38,511	293	–	9	158	6	14	187	16	–	10	6	–	–
507	Ecclesall Bierlow	20,360	65,518	294	–	24	211	5	–	240	54	–	43	11	–	–
508	Sheffield	10,390	126,351	2185	–	126	1873	5	9	2013	172	81	64	25	–	2
509	Rotherham	50,591	44,150	405	–	25	308	4	5	342	64	9	48	7	–	–
510	Doncaster	109,031	39,288	351	–	49	194	3	1	247	104	9	23	72	–	–
511	Thorne	76,046	16,011	110	–	23	64	–	–	87	23	–	14	9	–	–
512	Goole	40,903	15,153	145	–	31	88	–	–	119	26	–	18	8	–	–
513	Selby	56,914	16,001	91	–	18	45	–	2	65	26	12	9	5	–	–
514*a*	Tadcaster	20,702	5,633	24	–	3	4	–	7	14	10	4	3	3	–	–
514*b*	Bramham	48,643	13,899	99	–	16	63	–	–	79	20	11	–	9	–	–
	36.—E. RIDING (*with York*).															
515	York	82,912	59,909	592	–	141	267	2	–	410	182	33	53	94	2	–
516	Pocklington	107,636	16,710	122	–	18	71	–	10	99	23	4	8	11	–	–
517	Howden	72,553	15,001	135	–	33	76	–	–	109	26	23	2	1	–	–
518	Beverley	78,434	21,029	157	–	30	80	–	–	110	47	2	16	29	–	–
519	Sculcoates	43,084	51,956	660	–	81	447	13	8	549	111	31	38	42	–	–
520	Hull	1,827	56,888	730‖	–	119	526	13	1	659	131	–	64	64	–	3
521	Patrington	88,872	9,681	56	–	16	31	–	3	50	–	–	–	–	–	–
522	Skirlaugh	67,023	9,654	59	–	7	34	–	8	49	10	1	5	4	–	–
523	Driffield	105,114	19,236	150	–	18	69	–	2	89	61	–	33	28	–	–
524	Bridlington	67,984	14,371	104	–	25	54	–	3	82	22	–	16	6	–	–
	37.—NORTH RIDING.															
525	Scarborough	81,460	30,425	370	–	69	172	1	2	244	126	8	64	53	1	–
526	Malton	112,407	23,483	160	–	47	86	–	4	137	23	3	4	16	–	–
527	Easingwold	63,993	10,148	66	–	20	36	–	4	60	6	2	1	3	–	–
528	Thirsk	62,444	12,299	94	–	33	24	1	6	64	30	2	7	21	–	–
529	Helmsley	131,516	11,832	87	–	28	52	–	1	81	6	1	5	–	–	–
530	Pickering	88,062	10,549	101	–	29	58	–	–	87	14	–	13	1	–	–
531	Whitby	90,371	24,633	226	–	42	78	24	19	163	63	20	28	15	–	–
532	Guisbrough	96,862	22,128	215	–	39	112	1	35	187	28	–	–	28	–	–
533	Stokesley	79,345	10,281	71	–	23	31	1	–	55	16	–	4	11	1	–
534	Northallerton	68,342	12,174	106	–	29	55	–	–	84	22	–	9	13	–	–
535	Bedale	45,588	8,650	54	–	15	35	2	–	52	2	–	1	1	–	–
536	Leyburn	84,918	10,105	71	–	23	41	–	2	66	5	3	1	1	–	–
537	Askrigg	77,908	5,649	32	–	8	20	2	–	30	2	–	–	2	–	–
538	Reeth	70,267	6,193	37	–	6	31	–	–	37	–	–	–	–	–	–
539	Richmond	78,369	15,457	81	–	22	39	4	1	66	15	5	3	7	–	–

* Includes a widower who married a woman divorced.
† Includes a bachelor who married a woman divorced.
‡ Includes a man divorced who married a widow.
§ Includes a man divorced who married a widow, also a widower who married a woman divorced.
‖ Includes a man divorced who married a spinster.

MARRIAGES in the Year 1864—in DISTRICTS—*continued.*

MARRIAGES. Registered in the Quarter ending the last day of				Contracted between				Of		Of Persons not of Full Age.		Signed the Marriage Register with Marks.				DISTRICTS.
March.	June.	September.	December.	Bachelors and Spinsters.	Bachelors and Widows.	Widowers and Spinsters.	Widowers and Widows.	Widowers.	Widows.	Men.	Women.	Men.	Women.	Cases in which Both signed.	Cases in which One signed.	
244	276	203	214	836	29	102	60	162	89	66	121	250	576	219	388	**34.—LANCASHIRE**—*cont.*
225	187	229	202	651	28	95	69	164	97	83	195	216	505	183	355	ASHTON-UNDER-LYNE.
160	179	185	173	559	29	72	37	109	66	61	153	145	344	116	257	OLDHAM.
155	120	160	133	475	10	59	24	83	34	67	166	141	305	119	208	ROCHDALE.
153	160	170	145	525	10	62	31	93	41	52	162	192	357	160	229	HASLINGDEN.
28	34	43	44	117	6	22	4	26	10	12	24	32	53	21	43	BURNLEY.
257	270	301	281	926	33	84	69	153	102	164	262	327	706	289	455	CLITHEROE.
58	80	85	55	240	7	27	8	31	15	32	52	86	153	70	99	BLACKBURN.
172	269	241	243	729	35	88	73	161	108	99	208	335	576	299	313	CHORLEY.
45	39	45	67	160	5	22	9	31	14	14	34	41	56	27	43	PRESTON.
20	20	12	11	56	2	3	2	5	4	5	8	15	12	6	15	FYLDE.
42	79	74	68	221	2	31	9	40	11	13	39	55	72	22	63	GARSTANG.
48	104	75	110	285	21	20	11	31	32	10	64	63	109	37	98	LANCASTER.
4	5	5	9	21	-	1	1	2	1	2	7	2	4	1	4	**35.—WEST RIDING.**
11	34	18	20	74	1	5	3	8	4	1	12	11	14	6	13	SEDBERGH.
58	64	83	62	266	4	27	10	37	14	18	55	43	112	32	91	SETTLE.
12	19	19	21	58	2	6	5	11	7	2	11	10	22	4	24	SKIPTON.
25	32	32	46	101	3	17	4	21	7	5	18	23	19	8	26	PATELEY BRIDGE.
9	14	12	27	47	2	10	3	13	5	3	13	4	10	2	10	RIPON.
26	38	32	45	118	3	12	8	20	11	2	20	18	27	8	29	GREAT OUSEBURN.
7	5	5	12	25	-	1	-	1	-	-	3	4	1	1	3	KNARESBOROUGH.
-	1	1	1	3	-	-	-	-	-	-	1	1	-	-	1	WETHERBY.
28	38	34	51	136	2	6	7	13	9	12	27	30	45	21	33	KIRKDEIGHTON.
27	27	30	39	93	7	13	10	23	17	6	29	21	44	12	41	OTLEY.
77	80	93	107	292	5	40	20	60	25	21	59	70	161	51	129	WHARFEDALE.
32	40	54	37	112	3	19	9	28	12	13	31	43	72	32	51	KEIGHLEY.
27	20	20	26	80	5	9	2	11	7	7	9	13	41	11	32	TODMORDEN.
247	215	325	331	918	27	114	59	173	86	63	260	226	566	181	430	SADDLEWORTH.
318	329	336	413	1123	44	139	90	229	154	106	259	285	554	210	419	HUDDERSFIELD.
490	475	550	635	1729	79	225	126	351	205	205	469	528	1154	446	790	HALIFAX.
88	98	94	109	310	19	37	23	60	42	32	99	87	149	58	120	BRADFORD.
38	42	66	75	177	8	25	11	36	19	23	62	37	93	28	74	KIRKSTALL.
36	23	45	45	122	3	14	10	24	13	14	36	21	50	12	47	HUNSLET.
6	5	6	9	21	1	3	1	4	2	1	6	2	9	1	9	HOLBECK.
496	422	523	517	1549	95	190	124	314	219	187	508	427	778	311	583	BRAMLEY.
222	281	245	310	884	23	75	66	141	99	116	325	267	581	217	414	LEEDS.
117	90	112	171	420	18	34	18	52	36	40	142	133	217	95	165	DEWSBURY.
33	27	28	41	112	2	7	8	15	10	3	30	37	39	20	36	WAKEFIELD.
9	11	17	16	42	2	6	3	9	5	-	7	17	10	8	11	PONTEFRACT.
41	34	36	52	134	4	19	6	25	10	16	45	59	74	44	45	HEMSWORTH.
99	88	89	136	338	16	34	24	58	40	42	139	128	266	85	161	CASTLEFORD.
54	46	42	61	168	5	20	10	30	15	13	53	43	67	30	50	BARNSLEY.
66	58	90	80	243	13	22	16	38	29	27	99	59	99	42	74	WORTLEY.
506	496	498	685	1781	108	189	107	296	215	224	757	593	922	412	691	ECCLESALL BIERLOW.
70	109	110	117	335	14	28	29	57	43	38	147	115	145	73	114	SHEFFIELD.
71	89	76	115	285	15	36	15	51	30	14	90	55	89	29	86	ROTHERHAM.
18	22	24	46	85	6	12	7	19	13	8	20	35	38	19	35	DONCASTER.
31	29	35	50	123	3	12	7	19	10	10	38	30	60	23	44	THORNE.
24	18	24	25	81	2	5	3	8	5	4	20	27	32	17	25	GOOLE.
7	7	3	7	17	1	6	-	1	1	1	5	6	9	4	7	SELBY.
23	22	22	32	87	2	8	2	10	4	6	14	26	29	13	29	TADCASTER.
																BRAMHAM.
124	146	142	180	476	20	70	26	96	46	18	111	79	120	41	117	**36.—E. RIDING** (*with York*).
24	39	16	43	103	4	8	7	15	11	6	21	34	34	17	34	YORK.
21	33	27	54	120	1	10	4	14	5	4	28	40	59	26	47	POCKLINGTON.
35	40	36	46	150	7	18	2	20	9	10	41	25	34	13	33	HOWDEN.
179	139	144	198	525	33	55	37	92	70	54	172	107	180	63	101	BEVERLEY.
189	191	192	248	621	45	87	37	124	82	59	193	120	236	67	222	SCULCOATES.
11	12	9	18	38	1	9	2	11	3	3	13	12	16	6	16	HULL.
13	13	14	19	48	2	5	4	9	6	2	16	13	15	2	24	PATRINGTON.
33	36	29	52	153	3	13	1	14	4	7	46	34	44	16	46	SKIRLAUGH.
22	23	24	35	87	2	10	5	15	7	7	23	29	28	15	27	DRIFFIELD.
																BRIDLINGTON.
71	80	85	134	296	17	46	11	57	28	13	65	71	100	34	103	**37.—NORTH RIDING.**
34	31	33	62	141	4	10	3	13	9	2	21	23	31	7	40	SCARBOROUGH.
11	18	18	19	59	5	2	-	2	5	3	9	17	15	10	12	MALTON.
16	29	12	36	79	4	7	4	11	8	1	13	13	11	4	16	EASINGWOLD.
22	23	12	20	78	2	7	-	7	2	2	8	16	14	5	20	THIRSK.
20	27	17	41	92	2	6	1	7	3	7	28	16	31	8	31	HELMSLEY.
56	56	52	62	177	12	27	10	37	22	15	49	47	59	27	52	PICKERING.
35	65	44	71	184	11	12	8	20	19	16	73	65	69	37	60	WHITBY.
14	15	16	26	57	2	6	6	12	8	2	15	15	16	5	24	GUISBOROUGH.
18	37	21	30	89	4	12	1	13	5	4	21	20	22	11	20	STOKESLEY.
7	20	11	13	47	1	3	3	6	4	3	12	3	9	1	10	NORTH ALLERTON.
13	24	12	22	58	3	7	3	10	6	1	10	9	9	6	6	BEDALE.
8	12	5	7	26	1	5	-	5	1	1	11	4	6	2	6	LEYBURN.
12	9	3	13	28	1	4	4	8	5	5	8	8	14	4	14	ASKRIGG.
19	24	21	17	67	5	9	2	11	5	3	12	9	19	5	18	REETH.
																RICHMOND.

MARRIAGES in the Year 1864—in DISTRICTS.

X.—NORTHERN COUNTIES.—

No.	DISTRICTS.	Area in Statute Acres.	Population, 1861.	TOTAL MARRIAGES.	MARRIAGES. According to the Established Church. Special Licence.	Licence.	Banns.	Superintendent Registrar's Certificate.	Not stated.	TOTAL.	MARRIAGES. Not according to the Rites of the Established Church. TOTAL.	In Registered Buildings. Roman Catholics.	Other Christian Denominations.	Superintendent Registrar's Office.	Quakers.	Jews
	38.—DURHAM.															
540	Darlington	62,052	28,122	304	-	49	87	52	1	189	115	25	28	61	1	-
541*a*	Stockton	101,538	57,090	704	-	86	225	30	9	350	304	74	46	184	-	-
541*b*	Hartlepool	26,349	29,155	362	-	48	172	10	-	230	132	45	54	33	-	-
542	Auckland	59,303	50,491	521	1	39	175	37	12	264	267	43	15	209	-	-
543	Teesdale	174,162	20,880	157	-	31	49	5	3	88	60	3	20	37	-	-
544	Weardale	90,533	16,418	143	-	22	65	6	1	94	52	3	1	39	-	-
545	Durham	98,368	70,274	544	-	40	220	14	6	280	244	69	39	136	-	-
546	Easington	38,493	27,293	201	-	18	127	28	6	179	22	12	-	10	-	-
547	Houghton-le-Spring	16,202	21,773	135	-	13	90	10	-	113	22	6	5	11	-	-
548	Chester-le-Street	33,079	27,560	151	-	14	104	-	5	123	28	15	2	11	-	-
549	Sunderland	11,944	99,701	1214	1	135	621	52	1	810	404	115	56	232	-	1
550	South Shields	15,477	44,844	499	-	38	330	5	1	374	125	48	45	32	-	-
551	Gateshead	25,943	59,409	505	-	23	230	6	11	270	235	54	11	170	-	-
	39.—NORTHUMBERLD.															
552	Newcastle-upon-Tyne	7,102	110,968	1835	-	169	1105	34	-	1308	527	167	92	262	-	6
553	Tynemouth	39,737	77,955	690	-	61	418	6	-	485	208	83	55	67	-	3
554	Castle Ward	88,587	14,943	39	-	18	14	-	-	32	7	1	-	6	-	-
555	Hexham	198,586	31,850	225	-	37	85	3	1	126	97	13	11	73	-	-
556	Haltwhistle	83,861	6,693	50	-	18	24	-	-	42	8	-	-	7	1	-
557	Bellingham	235,861	7,080	47	-	15	13	-	7	35	12	-	10	2	-	-
558	Morpeth	98,935	21,053	121	-	33	26	-	1	60	61	6	34	21	-	-
559	Alnwick	41,753	6,260	33	-	6	14	-	4	24	9	-	7	2	-	-
560	Belford	57,975	21,862	154	-	23	14	-	2	39	115	2	36	77	-	-
561	Berwick	142,305	13,211	75	-	5	12	-	-	17	58	5	20	33	-	-
562	Glendale	159,168	7,147	38	-	8	9	1	3	21	17	4	3	10	-	-
	40.—CUMBERLAND.															
564	Alston	35,060	6,404	39	-	7	20	-	-	27	12	-	11	1	-	-
565	Penrith	181,236	22,322	161	-	46	49	12	1	108	53	-	3	49	1	-
566	Brampton	95,473	10,866	67	-	24	6	1	-	31	36	-	1	35	-	-
567	Longtown	86,871	10,469	47	-	19	11	1	-	31	16	-	-	16	-	-
568	Carlisle	70,810	44,820	373	-	64	38	3	2	107	264	15	19	229	1	-
569	Wigton	176,529	23,273	162	-	59	46	2	4	111	51	1	3	47	-	-
570	Cockermouth	156,025	41,292	343	-	108	88	41	2	239	104	17	14	73	-	-
571	Whitehaven	99,203	39,959	376	-	67	35	54	9	165	211	75	26	110	-	-
572	Bootle	100,066	5,880	39	-	20	18	1	-	39	-	-	-	-	-	-
	41.—WESTMORLAND.															
573	East Ward	177,910	15,411	93	-	43	41	-	1	85	11	-	7	4	-	-
574	West Ward	130,523	8,072	63	-	37	20	-	2	59	4	-	-	4	-	-
575	Kendal	189,134	37,463	268	-	80	102	33	1	216	52	7	13	32	-	-

XI.—MONMOUTHSHIRE AND WALES.—

	42. MONMOUTHSHIRE.															
576	Chepstow	81,255	17,941	91	-	19	46	-	10	75	16	-	16	-	-	-
577	Monmouth	101,791	30,244	192	-	18	110	4	12	144	48	1	47	-	-	-
578*a*	Abergavenny	60,178	19,527	191	-	19	85	5	2	111	80	6	34	40	-	-
578*b*	Bedwelty	27,998	47,505	508	-	11	175	-	63	249	299	10	216	73	-	-
579	Pontypool	51,129	50,288	344	-	16	218	11	1	246	118	22	35	60	-	-
580	Newport	110,255	51,112	542	-	46	217	1	1	265	277	46	69	162	-	-
	43.—SOUTH WALES.															
	GLAMORGANSHIRE.															
581*a*	Cardiff	82,198	58,285	635	-	53	153	10	4	220	435	97	83	254	-	1
581*b*	Pontypridd	78,496	30,387	287	-	10	108	-	-	118	169	12	10	54	-	-
582	Merthyr Tydfil	69,969	93,008	1201	-	32	251	8	-	291	910	81	574	456	-	-
583	Bridgend	109,511	26,105	209	-	31	137	-	1	169	71	8	33	30	-	-
584	Neath	102,817	58,529	558	-	49	274	6	1	330	228	-	37	189	2	-
585*a*	Swansea	44,166	54,269	564	-	95	205	-	2	302	262	33	64	164	-	1
585*b*	Gower	59,603	8,316	50	-	10	15	-	13	38	12	-	5	7	-	-
	CARMARTHENSHIRE.															
586	Llanelly	73,451	27,979	222	-	20	67	1	-	88	134	-	110	24	-	-
587	Llandyvery	154,572	14,775	88	-	5	26	-	-	31	57	-	24	33	-	-
588	Llandilofawr	97,207	17,322	145	-	6	70	27	4	107	38	-	27	11	-	-
589	Carmarthen	172,546	36,575	271	-	31	100	1	17	149	122	3	75	44	-	-
	PEMBROKESHIRE.															
590	Narberth	124,903	21,544	118	-	10	56	1	7	74	44	-	38	6	-	-
591	Pembroke	70,276	29,005	246	-	49	67	12	4	132	114	6	26	82	-	-
592	Haverfordwest	170,861	37,548	249	-	43	68	22	3	136	113	-	32	81	-	-

MARRIAGES in the Year 1864—in DISTRICTS.

MARRIAGES. Registered in the Quarter ending the last day of				Contracted between				Of		Of Persons not of Full Age.		Signed the Marriage Register with Marks.				DISTRICTS.
March.	June.	September.	December.	Bachelors and Spinsters.	Bachelors and Widows.	Widowers and Spinsters.	Widowers and Widows.	Widowers.	Widows.	Men.	Women.	Men.	Women.	Cases in which Both signed.	Cases in which One signed.	
																38.—DURHAM.
65	84	62	93	252	10	37	5	42	15	9	50	33	54	23	46	DARLINGTON.
160	187	153	204	579	33	61	31	92	64	50	216	153	243	109	183	STOCKTON.
84	83	96	99	305	24	14	19	33	43	13	101	73	113	44	98	HARTLEPOOL.
115	144	110	152	426	20	38	37	75	57	52	187	171	252	125	173	AUCKLAND.
24	54	32	47	133	–	20	4	24	4	10	30	10	21	2	27	TEESDALE.
29	45	22	50	121	3	14	8	22	11	7	30	31	49	16	48	WEARDALE.
103	137	132	172	482	19	38	25	63	44	41	176	150	225	94	187	DURHAM.
40	48	48	65	173	5	12	11	23	16	13	68	62	90	45	62	EASINGTON.
23	40	40	32	109	6	15	5	20	11	13	43	46	61	35	37	HOUGHTON-LE-SPRING.
40	40	33	38	127	7	3	8	17	15	14	54	43	71	26	42	CHESTER-LE-STREET.
269	322	238	335	968	86	70	90	160	176	109	384	283	481	194	376	SUNDERLAND.
140	92	119	148	417	40	26	16	42	56	35	121	104	186	67	153	SOUTH SHIELDS.
113	141	106	145	416	27	40	22	62	49	47	153	150	229	107	165	GATESHEAD.
																39. NORTHUMBERLAND.
443	434	417	541	1516	69	153	97	250	166	76	288	317	556	226	421	NEWCASTLE-UPON-TYNE.
161	175	177	179	560	36	62	32	94	68	27	170	175	251	103	220	TYNEMOUTH.
3	19	4	13	36	–	2	1	3	1	1	4	5	4	2	5	CASTLE WARD.
40	67	50	66	192	7	20	4	24	11	8	46	32	52	18	48	HEXHAM.
8	15	16	11	42	2	6	–	6	2	2	7	8	9	3	11	HALTWHISTLE.
9	19	6	13	45	–	2	–	2	–	–	6	1	1	–	2	BELLINGHAM.
27	30	24	34	103	4	8	–	8	4	5	20	14	29	8	27	MORPETH.
19	39	26	37	105	2	12	2	14	4	2	15	11	14	6	13	ALNWICK.
6	9	7	11	31	1	1	–	1	1	2	2	1	2	–	3	BELFORD.
34	38	41	41	133	7	12	2	14	9	1	21	6	8	3	8	BERWICK.
15	29	11	20	67	1	6	1	7	2	1	2	4	9	2	9	GLENDALE.
5	13	4	16	31	2	5	–	5	2	–	4	1	4	1	3	ROTHBURY.
																40.—CUMBERLAND.
8	8	12	11	35	1	2	1	3	2	3	3	7	11	3	12	ALSTON.
37	35	26	63	137	5	19	–	19	5	5	21	23	29	12	28	PENRITH.
19	16	10	22	58	2	4	3	7	5	4	9	4	12	2	12	BRAMPTON.
16	8	9	14	45	–	2	–	2	–	2	9	6	7	3	7	LONGTOWN.
85	89	100	99	304	10	40	19	59	29	23	60	57	131	40	108	CARLISLE.
31	49	31	51	142	6	11	3	14	9	4	22	16	30	8	30	WIGTON.
63	104	66	110	281	17	26	19	45	36	17	69	81	115	51	94	COCKERMOUTH.
79	102	93	102	317	15	34	10	44	25	12	79	119	140	95	69	WHITEHAVEN.
4	12	5	18	36	–	2	1	3	1	1	8	3	7	–	10	BOOTLE.
																41.—WESTMORLAND.
13	36	19	28	86	2	5	3	8	5	4	13	5	11	2	12	EAST WARD.
24	16	8	15	54	1	6	2	8	3	–	6	5	15	2	16	WEST WARD.
41	88	61	78	225	13	27	3	30	16	21	46	34	62	19	58	KENDAL.

MARRIAGES in the Year 1864—in DISTRICTS.

																42.—MONMOUTHSHIRE.
17	25	22	27	77	4	8	2	10	6	3	9	25	21	11	24	CHEPSTOW.
34	44	53	61	152	15	13	12	25	27	16	47	66	43	28	56	MONMOUTH.
41	62	45	43	159	10	12	10	22	20	10	33	85	83	57	54	ABERGAVENNY.
113	140	113	182	443	35	34	36	70	71	49	162	287	402	239	211	BEDWELTY.
65	111	82	106	309	21	20	14	34	33	17	62	183	232	148	119	PONTYPOOL.
124	146	125	147	433	23	62	24	86	47	35	117	161	216	84	208	NEWPORT.
																43.—SOUTH WALES.
																GLAMORGANSHIRE.
137	158	165	175	507	32	67	29	96	61	35	127	181	265	120	206	CARDIFF.
53	87	70	77	230	18	20	19	39	37	17	60	155	201	125	106	PONTYPRIDD.
260	278	315	348	969	75	91	66	157	141	87	291	627	911	554	430	MERTHYR TYDFIL.
52	57	61	70	210	5	15	10	25	15	16	43	106	182	78	82	BRIDGEND.
121	107	138	172	443	24	50	21	71	45	29	103	229	333	189	184	NEATH.
127	130	151	156	454	37	51	22	73	59	31	108	187	267	144	166	SWANSEA.
9	11	15	13	47	1	2	–	2	1	–	3	7	15	3	16	GOWER.
																CARMARTHENSHIRE.
53	57	51	61	180	4	20	9	29	13	25	40	77	133	63	84	LLANELLY.
13	19	20	56	66	1	17	4	21	5	2	6	42	57	34	31	LLANDOVERY.
27	32	28	58	119	3	20	3	23	6	5	18	48	65	35	43	LLANDILOFAWR.
45	54	69	103	219	11	27	14	41	25	13	28	96	156	79	94	CARMARTHEN.
																PEMBROKESHIRE.
19	26	27	46	90	9	13	6	19	15	5	14	30	63	25	43	NARBERTH.
42	62	60	82	197	12	22	15	37	27	10	36	37	63	16	68	PEMBROKE.
48	55	63	83	206	4	35	4	39	8	13	27	68	113	54	73	HAVERFORDWEST.

No.	DISTRICTS.	Area in Statute Acres.	Population, 1861.	TOTAL MARRIAGES.	MARRIAGES. According to the Rites of the Established Church. Special Licence.	Licence.	Banns.	Superintendent Registrar's Certificate.	Not stated.	TOTAL.	MARRIAGES. Not according to the Rites of the Established Church. TOTAL.	In Registered Buildings. Roman Catholics.	In Registered Buildings. Other Christian Denominations.	Superintendent Registrar's Office.	Quakers.	Jews.
	43.-SOUTH WALES—*cont.*															
	CARDIGANSHIRE.															
593	Cardigan	85,481	18,585	110	-	22	16	3	-	41	69	-	50	19	-	-
594	Newcastle-in-Emlyn	113,846	19,081	142	-	14	49	10	2	75	67	-	33	29	-	-
595	Lampeter	75,710	9,994	61	-	5	34	6	-	45	16	-	14	2	-	-
596	Aberayron	65,704	13,540	95	-	14	31	1	-	46	50	-	39	11	-	-
597	Aberystwith	132,592	25,464	239	-	49	78	23	-	150	89	-	46	43	-	-
598	Tregaron	122,050	10,737	42	-	7	18	6	1	32	10	-	4	6	-	-
	BRECKNOCKSHIRE.															
599	Builth	102,953	8,305	66	-	12	20	1	16	49	17	-	17	-	-	-
600	Brecknock	196,793	17,279	114	-	14	32	5	2	53	61	3	36	22	-	-
601	Crickhowell	53,692	22,457	202	-	10	49	-	-	59	143	-	129	14	-	-
602	Hay	89,695	10,819	76	-	8	48	-	-	56	20	-	20	-	-	-
	RADNORSHIRE.															
603	Presteigne	104,963	15,671	106	-	11	55	-	18	84	22	-	18	4	-	-
604	Knighton	97,492	10,379	57	-	21	29	-	-	50	7	-	6	1	-	-
605	Rhayader	105,532	6,816	48	-	9	18	1	15	43	5	-	5	-	-	-
	44.—NORTH WALES.															
	MONTGOMERYSHIRE.															
606	Machynlleth	116,647	12,695	111	-	17	20	5	-	42	69	-	35	34	-	-
607	Newtown	189,537	23,722	152	-	23	42	22	5	92	60	-	59	1	-	-
608	Montgomery	74,067	10,957	121	-	24	44	-	1	69	52	-	41	11	-	-
609	Llanfyllin	187,870	21,699	137	-	32	45	6	6	89	48	-	41	7	-	-
	FLINTSHIRE.															
610	Holywell	89,479	39,941	236		33	127	6	-	166	70	12	38	20	-	-
	DENBIGHSHIRE.															
611	Wrexham	78,592	47,975	411	-	30	226	1	12	269	142	5	47	90	-	-
612	Ruthin	92,853	16,083	106	-	23	38	2	8	71	35	-	13	22	-	-
613	St. Asaph	93,934	27,518	200	-	30	56	8	4	98	102	2	99	1	-	-
614	Llanrwst	100,631	12,770	109	-	21	32	3	-	56	53	-	11	42	-	-
	MERIONETHSHIRE.															
615	Corwen	123,807	16,107	119	-	18	43	1	1	63	56	-	53	3	-	-
616	Bala	58,292	6,252	27	-	5	3	2	-	10	17	-	16	1	-	-
617	Dolgelly	145,213	12,482	112	-	26	15	12	2	55	57	-	26	31	-	-
618	Festiniog	138,714	18,289	225	-	30	22	3	2	57	168	-	133	35	-	-
	CARNARVONSHIRE.															
619	Pwllheli	93,319	20,908	103	-	39	13	-	1	53	50	-	17	33	-	-
620	Carnarvon	97,635	32,425	204	-	94	29	12	3	138	156	-	17	139	-	-
621	Bangor	108,280	36,309	325	-	91	52	22	11	176	149	2	34	113	-	-
622	Conway	57,131	13,896	82	-	20	34	1	3	58	24	-	20	4	-	-
	ANGLESEY.															
623*	Anglesey	123,082	38,157	263	-	82	113	3	13	211	52	1	43	8	-	-

* The number of districts is increased to 641 by the formation of the following 18 new districts: Mile End Old Town (24 *b*), Dulverton (313 *b*), Whitchurch, Salop (363 *b*), Birkenhead (460 *b*), Great Ouseburn (492 *a*), Wetherby (492 *c*), Kirkdeighton (492 *d*), Wharfedale (493 *b*), Kirkstall (500 *a*), Holbeck (500 *c*), Bramley (500 *d*), Hemsworth (504 *b*), Castleford (504 *c*), Bramham (514 *b*), Hartlepool (541 *b*), Bedwelty (578 *b*), Pontypridd (581 *b*), and Gower (585 *b*).

MARRIAGES in the Year 1864—in DISTRICTS—*continued*.

MARRIAGES. Registered in the Quarter ending the last day of				Contracted between				Of		Of Persons not of Full Age.		Signed the Marriage Register with Marks.				DISTRICTS.
March.	June.	September.	December.	Bachelors and Spinsters.	Bachelors and Widows.	Widowers and Spinsters.	Widowers and Widows.	Widowers.	Widows.	Men.	Women.	Men.	Women.	Cases in which Both signed.	Cases in which One signed.	
																43.—SOUTH WALES—*cont.*
																CARDIGANSHIRE.
21	17	31	41	95	4	8	3	11	7	3	2	23	48	19	33	Cardigan.
27	28	34	53	117	4	17	4	21	8	6	9	31	84	25	65	Newcastle-in-Emlyn.
16	9	8	28	52	–	7	2	9	2	3	7	21	42	18	27	Lampeter.
21	20	21	34	88	2	3	3	6	5	4	6	7	34	5	31	Aberayron.
56	53	57	73	193	11	28	7	35	18	13	22	67	141	57	94	Aberystwith.
10	10	10	12	34	1	7	–	7	1	1	5	10	26	9	18	Tregaron.
																BRECKNOCKSHIRE.
11	19	12	24	56	–	10	–	10	–	2	12	24	30	18	18	Builth.
10	39	16	49	99	3	6	6	12	9	6	15	36	55	23	45	Brecknock.
33	52	54	63	160	14	17	11	28	25	8	40	96	134	82	66	Crickhowell.
11	33	15	19	63	5	6	2	8	7	1	15	29	21	12	26	Hay.
																RADNORSHIRE.
30	34	16	26	92	5	6	3	9	8	3	17	42	38	25	30	Presteigne.
12	20	12	15	48	3	2	4	6	7	–	7	23	24	16	15	Knighton.
12	14	12	10	44	–	4	–	4	–	2	7	11	19	7	16	Rhayader.
																44.—NORTH WALES.
																MONTGOMERYSHIRE.
18	41	22	30	87	4	14	6	20	10	6	14	25	41	17	32	Machynlleth.
20	56	28	39	130	4	15	3	18	7	6	25	50	68	34	50	Newtown.
24	44	23	30	91	6	17	7	24	13	2	18	39	38	20	37	Montgomery.
37	55	18	27	110	5	15	7	22	12	3	17	59	64	38	47	Llanfyllin.
																FLINTSHIRE.
47	60	56	73	191	8	22	15	37	23	22	37	95	117	71	70	Holywell.
																DENBIGHSHIRE.
91	98	94	128	347	9	32	23	55	32	21	61	162	228	145	130	Wrexham.
23	37	19	27	85	4	10	7	17	11	1	7	36	53	27	35	Ruthin.
49	52	40	59	172	6	13	9	22	15	6	17	70	86	46	64	St. Asaph.
22	33	21	33	91	5	9	4	13	9	1	11	38	64	31	40	Llanrwst.
																MERIONETHSHIRE.
18	44	23	34	97	4	12	6	18	10	4	11	47	56	34	35	Corwen.
4	10	3	10	23	1	3	–	3	1	–	1	5	12	2	13	Bala.
23	33	25	31	90	4	15	3	18	7	2	6	24	35	13	33	Dolgelly.
47	59	48	71	178	10	30	7	37	17	8	29	80	133	64	85	Festiniog.
																CARNARVONSHIRE.
26	23	20	34	88	3	10	2	12	5	4	9	31	61	26	40	Pwllheli.
66	90	60	78	234	7	37	18	53	25	18	30	93	163	72	112	Carnarvon.
75	84	68	98	255	18	29	23	52	41	13	32	103	138	66	109	Bangor.
18	18	20	25	63	2	10	7	17	9	2	6	17	31	9	30	Conway.
																ANGLESEY.
51	67	50	95	212	8	30	13	43	21	9	28	88	139	65	97	Anglesey.

Ages of 234,880 Persons who were married in England in the Year 1864.

The Total Number of Marriages solemnized in England in the Year 1864 was 180,387 ; the precise Ages of both Parties were specified in 117,440 instances.*

Ages of 117,440 Men and 117,440 Women married in England in the Year 1864.

	15—	16—	17—	18—	19—	20—	21—	25—	30—	35—	40—	45—	50—	55—	60—	65—	70—	75—	80—	85—	Total.
Men	-	5	65	560	2642	7120	49826	29813	11126	5699	4022	2438	1789	1044	792	297	150	41	6	5	117,440
Women	28	224	1396	5103	9248	12868	46015	22836	8367	4543	3047	1821	1036	502	286	74	37	8	1	-	117,440

Ages of 102,357 Bachelors and 107,274 Spinsters married in 1864.

	15—	16—	17—	18—	19—	20—	21—	25—	30—	35—	40—	45—	50—	55—	60—	65—	70—	75—	80—	Total.
Bachelors	-	5	65	560	2641	7115	49473	28064	8700	3179	1512	883	285	101	48	16	8	1	1	102,357
Spinsters	28	224	1394	5099	9240	12850	45557	21256	6457	2763	1404	634	256	72	30	3	1	1	-	107,274

Ages of 15,083 Widowers and 10,166 Widows married in 1864.

	15—	16—	17—	18—	19—	20—	21—	25—	30—	35—	40—	45—	50—	55—	60—	65—	70—	75—	80—	85—	Total.
Widowers	-	-	-	-	1	5	353	1749	2426	2520	2510	1855	1504	943	744	281	142	40	5	5	15,083
Widows	-	-	2	4	8	18	458	1580	1910	1775	1643	1187	780	430	256	71	36	7	1	-	10,166

Ages of 117,440 Husbands and their Wives, in combination in 1864.

Years.	AGES OF WIVES. 15—	16—	17—	18—	19—	20—	21—	25—	30—	35—	40—	45—	50—	55—	60—	65—	70—	75—	80—	Total Husbands.	
AGES OF HUSBANDS. 15—	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	15—
16—	-	2	1	-	1	-	1	-	1	-	-	-	-	-	-	-	-	-	-	5	16—
17—	1	2	21	14	12	8	6	-	1	-	-	-	-	-	-	-	-	-	-	65	17—
18—	4	13	90	194	100	58	83	18	-	-	-	-	-	-	-	-	-	-	-	560	18—
19—	3	34	203	641	817	396	472	67	8	1	-	-	-	-	-	-	-	-	-	2,642	19—
20—	5	34	251	893	1728	1890	2041	233	38	6	1	-	-	-	-	-	-	-	-	7,120	20—
21—	12	96	623	2024	5128	7884	20687	5958	660	110	37	5	2	-	-	-	-	-	-	49,826	21—
25—	3	33	162	607	1214	2144	12698	10208	2157	470	91	23	-	3	-	-	-	-	-	29,813	25—
30—	-	5	41	87	178	368	2847	3859	2596	827	231	55	11	1	-	-	-	-	-	11,126	30—
35—	-	3	1	25	52	83	728	1495	1339	1212	515	149	32	3	2	-	-	-	-	5,699	35—
40—	-	2	2	12	12	26	289	625	986	959	828	294	76	16	4	-	-	-	-	4,022	40—
45—	-	-	1	2	4	8	87	218	328	519	590	497	147	33	4	-	-	-	-	2,438	45—
50—	-	-	-	1	1	2	43	86	175	269	403	362	343	82	18	1	-	-	-	1,789	50—
55—	-	-	-	2	-	-	13	35	55	109	185	235	198	163	42	4	3	-	-	1,044	55—
60—	-	-	-	-	-	1	10	20	30	62	99	141	155	122	126	20	5	1	-	792	60—
65—	-	-	-	1	1	-	1	10	7	23	29	38	40	52	57	26	10	2	-	297	65—
70—	-	-	-	-	-	-	1	4	5	5	14	16	23	20	30	17	14	1	-	150	70—
75—	-	-	-	-	-	-	3	-	1	1	2	5	8	7	3	4	4	3	1	41	75—
80—	-	-	-	-	-	-	1	-	1	-	-	1	1	-	-	1	1	-	-	6	80—
85—	-	-	-	-	-	-	1	-	-	-	2	-	-	-	-	1	-	1	-	5	85—
																				117,440	Husbands.
Total Wives	28	224	1396	5103	9248	12868	46015	22836	8367	4543	3047	1821	1036	502	286	74	37	8	1	117,440	Wives.

The Table read *vertically* shows the number of *Wives* at each age, and the ages of their Husbands when married :—Thus, Of 12,868 *Wives* of the age 20 and under 21 years *Eight* married Husbands aged 17 ; *Fifty-eight* married Husbands aged 18 ; *Three hundred and ninety six* married husbands aged 19 years, &c.

Read *horizontally* the Table shows the number of *Husbands* at each age, with the ages of their Wives when married :—Thus, Of 7,120 Husbands of the age of 20 and under 21 years *Five* married Wives aged 15 ; *Thirty four* married Wives aged 16 years, &c.

Ages of 97,725 Bachelors and 97,725 Spinsters who intermarried in 1864.

Years.	AGES OF SPINSTERS. 15—	16—	17—	18—	19—	20—	21—	25—	30—	35—	40—	45—	50—	55—	60—	65—	70—	75—	80—	Total Bachelors.	
AGES OF BACHELORS. 15—	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	15—
16—	-	2	1	-	1	-	1	-	-	-	-	-	-	-	-	-	-	-	-	5	16—
17—	1	2	21	14	12	8	6	-	1	-	-	-	-	-	-	-	-	-	-	65	17—
18—	4	13	90	194	100	58	82	17	-	-	-	-	-	-	-	-	-	-	-	558	18—
19—	3	34	202	639	816	395	470	69	4	1	-	-	-	-	-	-	-	-	-	2,623	19—
20—	5	34	251	893	1737	1886	2023	220	21	1	-	-	-	-	-	-	-	-	-	7,061	20—
21—	12	95	620	2010	5094	7841	26293	5472	477	46	13	2	1	-	-	-	-	-	-	48,577	21—
25—	3	32	153	577	1157	2006	11922	9093	1561	221	34	8	-	1	-	-	-	-	-	26,708	25—
30—	-	4	32	73	145	290	2217	2888	1639	372	62	10	3	-	-	-	-	-	-	7,735	30—
35—	-	1	-	23	28	43	451	782	632	466	111	26	3	-	-	-	-	-	-	2,566	35—
40—	-	2	2	10	5	12	103	221	274	227	187	33	11	-	-	-	-	-	-	1,087	40—
45—	-	-	-	2	-	5	27	51	67	98	80	54	10	1	-	-	-	-	-	393	45—
50—	-	-	-	-	-	1	11	13	24	31	32	33	27	3	-	-	-	-	-	175	50—
55—	-	-	-	-	-	-	3	4	5	9	12	10	12	9	3	-	-	-	-	67	55—
60—	-	-	-	-	-	-	1	2	1	4	5	6	1	1	5	2	-	-	-	28	60—
65—	-	-	-	-	-	-	-	1	1	3	1	2	-	1	3	-	-	-	-	12	65—
70—	-	-	-	-	-	-	-	-	2	-	-	-	1	-	1	-	-	-	-	4	70—
75—	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	1	75—
80—	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	80—
																				97,725	Bachelors.
Total Spinsters	28	220	1372	5035	9035	12745	43610	18823	4769	1477	568	181	69	16	12	2	-	-	-	97,725	Spinsters.

* In the other 22,947 cases the column of the Register headed "Age" is filled in by the Officiating Minister or by the Registrar of Marriages with the words "of full Age," "Minor," "Under Age," as the case may be ; thus losing the additional means of identification afforded by a precise statement of the age of persons at the time of marriage.

AGES of 4,632 BACHELORS and 4,632 WIDOWS who intermarried in 1864.

AGES OF BACHELORS. Years.	AGES OF WIDOWS. 15–	16–	17–	18–	19–	20–	21–	25–	30–	35–	40–	45–	50–	55–	60–	65–	70–	75–	80–	Total Bachelors.	
15–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	15–
16–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	16–
17–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	17–
18–	–	–	–	–	–	–	1	1	–	–	–	–	–	–	–	–	–	–	–	2	18–
19–	–	–	1	2	1	–	2	8	4	–	–	–	–	–	–	–	–	–	–	18	19–
20–	–	–	–	–	–	2	18	12	16	5	1	–	–	–	–	–	–	–	–	54	20–
21–	–	–	–	1	6	6	208	417	170	62	22	3	1	–	–	–	–	–	–	896	21–
25–	–	–	–	1	1	6	115	508	409	196	49	11	–	–	–	–	–	–	–	1,296	25–
30–	–	–	1	–	–	2	31	175	364	239	113	39	6	1	–	–	–	–	–	965	30–
35–	–	–	–	–	–	1	11	54	137	184	152	58	11	3	2	–	–	–	–	613	35–
40–	–	–	–	–	–	–	2	24	71	99	137	65	18	8	1	–	–	–	–	425	40–
45–	–	–	–	–	–	–	1	5	16	25	41	53	39	9	1	–	–	–	–	190	45–
50–	–	–	–	–	–	–	–	–	6	10	14	23	38	13	5	–	1	–	–	110	50–
55–	–	–	–	–	–	–	–	–	–	3	3	6	9	9	3	–	1	–	–	34	55–
60–	–	–	–	–	–	–	–	–	–	–	3	1	6	4	4	1	1	–	–	20	60–
65–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	1	1	1	–	4	65–
70–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	4	–	–	4	70–
75–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	1	75–
80–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	80–
																				4,632	Bachelors.
Total Widows	–	–	2	4	8	17	389	1,204	1,193	823	538	250	130	47	16	2	7	2	–	4,632	Widows.

AGES of 9,549 WIDOWERS and 9,549 SPINSTERS who intermarried in 1864.

AGES OF WIDOWERS. Years.	AGES OF SPINSTERS. 15–	16–	17–	18–	19–	20–	21–	25–	30–	35–	40–	45–	50–	55–	60–	65–	70–	75–	80–	Total Widowers.	
15–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	15–
16–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	16–
17–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	17–
18–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	1	18–
19–	–	–	–	–	1	1	–	–	–	–	–	–	–	–	–	–	–	–	–	2	19–
20–	–	–	–	–	–	–	1	8	1	–	–	–	–	–	–	–	–	–	–	326	20–
21–	–	–	3	13	28	37	181	53	8	1	–	–	–	–	–	–	–	–	–	1,563	21–
25–	–	1	9	29	56	132	635	528	134	33	3	1	–	2	–	–	–	–	–	1,958	25–
30–	–	1	8	14	33	76	584	691	408	119	28	5	1	–	–	–	–	–	–	1,763	30–
35–	–	2	1	2	24	39	254	577	441	314	110	17	2	–	–	–	–	–	–	1,543	35–
40–	–	–	–	–	7	14	180	327	398	334	220	53	7	1	–	–	–	–	–	942	40–
45–	–	–	1	–	4	3	53	138	176	240	194	109	19	5	–	–	–	–	–	667	45–
50–	–	–	–	1	1	1	34	64	108	139	160	103	52	4	–	–	–	–	–	556	50–
55–	–	–	–	2	–	–	10	28	41	57	76	86	38	17	1	–	–	–	–	364	55–
60–	–	–	–	–	–	1	9	15	26	29	49	56	43	14	10	–	–	–	–	79	60–
65–	–	–	1	1	–	–	1	7	5	12	12	13	13	8	5	–	1	–	–	38	65–
70–	–	–	–	–	–	–	1	3	2	3	12	5	7	2	2	1	–	–	–	12	70–
75–	–	–	–	–	–	–	3	–	–	–	1	2	3	3	–	–	–	–	–	2	75–
80–	–	–	–	–	–	–	1	–	1	–	–	–	–	–	–	–	–	–	–	2	80–
85–	–	–	–	–	–	–	1	–	–	–	1	–	–	–	–	–	–	1	–	3	85–
																				9,549	Widowers.
Total Spinsters	–	4	22	64	155	305	1,947	2,433	1,748	1,291	865	450	187	56	18	1	1	1	–	9,549	Spinsters.

AGES of 5,534 WIDOWERS and 5,534 WIDOWS who intermarried in 1864.

AGES OF WIDOWERS. Years.	AGES OF WIDOWS. 15–	16–	17–	18–	19–	20–	21–	25–	30–	35–	40–	45–	50–	55–	60–	65–	70–	75–	80–	Total Widowers.	
15–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	15–
16–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	16–
17–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	17–
18–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	18–
19–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	19–
20–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	3	20–
21–	–	–	–	–	–	–	½	1	1	–	2	–	–	–	–	–	–	–	–	27	21–
25–	–	–	–	–	–	–	26	79	53	20	5	3	1	–	–	–	–	–	–	186	25–
30–	–	–	–	–	–	–	15	105	185	97	45	10	1	–	–	–	–	–	–	436	30–
35–	–	–	–	–	–	–	12	82	189	248	142	48	16	–	–	–	–	–	–	737	35–
40–	–	–	–	–	–	–	4	53	163	270	244	143	40	7	3	–	–	–	–	967	40–
45–	–	–	–	–	–	–	6	24	69	158	275	281	79	18	3	–	–	–	–	913	45–
50–	–	–	–	–	–	–	1	9	37	89	197	203	225	62	13	1	–	–	–	837	50–
55–	–	–	–	–	–	–	–	3	9	40	94	133	139	128	35	4	2	–	–	587	55–
60–	–	–	–	–	–	–	–	3	3	19	42	78	103	103	107	17	5	–	–	480	60–
65–	–	–	–	–	–	–	–	1	1	8	16	23	26	43	49	25	8	1	–	202	65–
70–	–	–	–	–	–	–	–	1	1	2	2	11	15	18	27	16	10	1	–	104	70–
75–	–	–	–	–	–	–	–	–	1	–	–	3	5	4	3	4	4	3	1	28	75–
80–	–	–	–	–	–	–	–	–	–	–	–	1	1	–	–	1	–	–	–	3	80–
85–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	1	–	–	–	2	85–
																				5,534	Widowers.
Total Widows	–	–	–	–	–	1	69	376	717	952	1,105	967	650	383	240	69	29	5	1	5,534	Widows.

MARRIAGES, BIRTHS, and DEATHS registered in the Year 1864.

	DIVISIONS AND REGISTRATION COUNTIES.*	Area in Statute Acres.	Population, 1861.	TOTAL			BIRTHS.				DEATHS.		Excess of Births over Deaths.
				MARRIAGES.	BIRTHS.	DEATHS.	Including Illegitimate Births.		Illegitimate Births.				
							Males.	Females.	Males.	Females.	Males.	Females.	
	ENGLAND - -	37,324,883	20,066,224	180,387	† 740,275	495,531	377,719	362,556	24,240	23,208	253,619	241,912	244744
No.	DIVISIONS.												
I.	LONDON - -	77,997	2,803,989	31541	102625	78238	52383	50242	2186	2125	39551	38687	24387
II.	SOUTH EASTERN -	4,065,935	1,847,661	14741	62919	39349	32172	30747	1799	1658	20400	18949	23570
III.	SOUTH MIDLAND -	3,201,290	1,295,497	9292	44848	30107	22729	22119	1471	1408	15273	14834	14741
IV.	EASTERN - -	3,214,099	1,142,580	8106	38793	24732	19703	19090	1808	1747	12659	12073	14061
V.	SOUTH WESTERN -	4,993,660	1,835,714	13845	59987	39648	30546	29441	1794	1850	19859	19789	20339
VI.	WEST MIDLAND -	3,865,332	2,436,568	21958	93635	60607	47820	45815	3058	2880	31393	29214	33028
VII.	NORTH MIDLAND -	3,540,797	1,288,928	10569	45925	28728	23500	22425	1939	1828	14537	14191	17197
VIII.	NORTH WESTERN -	2,000,227	2,935,540	28235	115553	81715	58933	56620	3766	3615	41918	39797	33838
IX.	YORK - - -	3,654,636	2,015,541	19929	80496	53156	40966	39530	2933	2796	27539	25617	27340
X.	NORTHERN - -	3,492,322	1,151,372	10897	48142	27676	24642	23500	1794	1695	14167	13509	20466
XI.	WELSH - -	5,218,588	1,312,834	11274	47352	31575	24325	23027	1692	1606	16325	15252	15777
	I.—LONDON.												
	MIDDLESEX (*part of*) -	32,455	2,030,814	23182	72619	57080	36971	35648	1577	1566	28772	28308	15539
	SURREY (*part of*) - -	22,951	579,748	6673	22546	15688	11558	10988	498	461	7858	7830	6858
	KENT (*part of*) - - -	22,591	193,427	1686	7460	5470	3854	3606	111	98	2921	2549	1990
	II.—SOUTH EASTERN.												
1	SURREY (*extra-metropolit.*)	476,191	273,264	1932	9366	5723	4788	4578	227	181	3008	2715	3643
2	KENT (*extra-metropolitan*) -	1,013,838	545,272	4580	19521	11957	10021	9500	512	500	6249	5708	7564
3	SUSSEX - - - - -	949,581	366,836	2912	11927	7652	6089	5838	387	354	3921	3781	4275
4	HAMPSHIRE - - -	1,061,608	456,654	3868	15275	9697	7828	7447	428	417	5006	4691	5578
5	BERKSHIRE - - -	564,717	205,635	1449	6830	4320	3446	3384	245	206	2216	2104	2510
	III.—SOUTH MIDLAND.												
6	MIDDLESEX (*ex.-metrop.*)	176,555	187,325	1173	6471	4640	3281	3190	127	133	2389	2251	1831
7	HERTFORDSHIRE - -	428,143	177,452	1120	5932	4021	2942	2990	213	194	1984	2037	1911
8	BUCKINGHAMSHIRE -	402,616	147,207	1020	5096	3314	2571	2525	170	160	1651	1663	1782
9	OXFORDSHIRE - - -	479,267	171,233	1196	5813	3833	2980	2833	201	194	1935	1898	1980
10	NORTHAMPTONSHIRE	632,219	231,079	1843	8291	5474	4212	4079	245	233	2811	2663	2817
11	HUNTINGDONSHIRE -	205,366	59,137	427	2068	1312	1027	1041	67	71	679	633	756
12	BEDFORDSHIRE - -	305,366	140,479	1161	5101	3490	2598	2503	214	196	1730	1760	1611
13	CAMBRIDGESHIRE -	571,758	181,585	1352	6076	4023	3118	2958	234	227	2094	1929	2053
	IV.—EASTERN.												
14	ESSEX - - - - -	983,443	379,705	2486	13243	8273	6741	6502	590	575	4300	3973	4970
15	SUFFOLK - - - - -	930,345	335,409	2399	11387	7015	5756	5631	459	448	3566	3449	4372
16	NORFOLK - - - -	1,300,311	427,466	3221	14163	9444	7206	6957	759	724	4793	4651	4719

* The *Registration Counties* consist of groups of entire Registration Districts; which Districts are, in general, identical with the Poor Law Unions. As the principle adopted has been to place a District or Union which extends into more than one County with the County in which either the principal town or the greater part of the population is located, the limits of the Registration Counties differ more or less from the boundaries of the Counties proper.

† Some of the births—especially of illegitimate children in London and large towns—escape registration.

MARRIAGES, BIRTHS, and DEATHS registered in the Year 1864—*continued.*

No.	REGISTRATION COUNTIES.	Area in Statute Acres.	Population, 1861.	TOTAL			BIRTHS.				DEATHS.		Excess of Births over Deaths.
				MARRIAGES.	BIRTHS.	DEATHS.	Including Illegitimate Births.		Illegitimate Births.				
							Males.	Females.	Males.	Females.	Males.	Females.	
	V.—SOUTH WESTERN.												
17	WILTSHIRE - - -	777,453	236,027	1565	7673	5075	3866	3807	273	279	2551	2524	2598
18	DORSETSHIRE - -	615,783	182,193	1436	6045	3701	3075	2970	198	181	1850	1851	2344
19	DEVONSHIRE - -	1,643,700	589,278	4765	18778	12612	9513	9265	548	569	6356	6256	6166
20	CORNWALL - - -	889,263	364,848	2791	13068	7909	6627	6441	371	400	3982	3927	5159
21	SOMERSETSHIRE -	1,067,461	463,368	3288	14423	10351	7465	6958	404	421	5120	5231	4072
	VI.—WEST MIDLAND.												
22	GLOUCESTERSHIRE-	716,045	443,535	4165	14938	10233	7668	7270	401	390	5092	5141	4705
23	HEREFORDSHIRE -	425,580	106,796	749	3404	2467	1690	1714	166	119	1267	1200	937
24	SHROPSHIRE - - -	924,676	260,409	1935	8876	5601	4527	4349	417	397	2902	2699	3275
25	STAFFORDSHIRE -	755,017	769,541	7582	33701	20733	17208	16496	1108	1021	11003	9730	12971
26	WORCESTERSHIRE -	434,076	294,953	2451	11017	7061	5612	5405	375	356	3687	3374	3956
27	WARWICKSHIRE -	609,033	561,334	5076	21696	14512	11115	10581	591	597	7442	7070	7184
	VII.—NORTH MIDLAND.												
28	LEICESTERSHIRE -	535,346	243,648	2139	9201	5700	4734	4467	380	340	2882	2818	3501
29	RUTLANDSHIRE - -	107,728	23,479	166	762	480	407	355	34	30	241	239	282
30	LINCOLNSHIRE - -	1,739,312	404,143	3195	13656	8320	6988	6668	586	540	4257	4063	5336
31	NOTTINGHAMSHIRE	599,791	323,784	2620	11253	7568	5792	5461	545	489	3807	3761	3685
32	DERBYSHIRE - -	558,620	293,874	2449	11053	6660	5579	5474	394	429	3350	3310	4393
	VIII.—NORTH WESTERN.												
33	CHESHIRE - - - -	680,836	470,174	4032	17713	11131	9045	8668	644	623	5819	5312	6582
34	LANCASHIRE - - -	1,319,391	2,465,366	24203	97840	70584	49888	47952	3122	2992	36099	34485	27256
	IX.—YORK.												
35	WEST RIDING - -	1,706,430	1,530,007	15339	63228	42330	32171	31057	2176	2076	22002	20328	20898
36	EAST RIDING (*with York*)	717,144	274,425	2819	9863	6293	4983	4880	398	383	3253	3040	3570
37	NORTH RIDING - -	1,231,062	211,109	1771	7405	4533	3812	3593	359	337	2284	2249	2872
	X.—NORTHERN.												
38	DURHAM - - - -	754,183	542,125	5443	25641	13626	13135	12506	749	698	7056	6570	12015
39	NORTHUMBERLAND	1,249,299	343,025	3420	13291	8090	6854	6437	495	483	4106	3984	5201
40	CUMBERLAND - -	1,001,273	205,276	1607	7276	4833	3706	3570	448	413	2450	2383	2443
41	WESTMORLAND - -	487,567	60,946	427	1934	1127	947	987	102	101	555	572	807
	XI.—WELSH.												
42	MONMOUTHSHIRE -	432,006	196,977	1928	7517	5356	3841	3676	209	178	2830	2526	2161
43	SOUTH WALES - -	2,816,599	699,722	6213	26090	16919	13419	12671	860	849	8775	8144	9171
44	NORTH WALES - -	1,969,083	416,135	3133	13745	9300	7065	6680	623	579	4718	4582	4445

I.—LONDON.—MARRIAGES, BIRTHS, AND DEATHS, 1864—DISTRICTS.

No.	DISTRICTS.*	Area in Statute Acres.	Population, 1861.	TOTAL			BIRTHS.			DEATHS.†		Excess of Births over Deaths.‡
				MARRIAGES.	BIRTHS.	DEATHS.†	Including Illegitimate Births.		Illegitimate Births.			
							Males.	Females.	Males.	Females.	Males.	Females.	
	MIDDLESEX (*part of*).												
1	KENSINGTON *HHH*	7,342	185,950	2188	6389	4944	3226	3163	149	144	2414	2330	1445
2	CHELSEA *HHw*	865	63,439	648	2128	1764	1031	1097	61	52	920	844	364
3	ST. GEORGE HANOVER-SQUARE *H*	1,161	87,771	1134	2385	1994	1213	1172	50	61	1037	957	391
4	WESTMINSTER *H*	917	68,213	644	2197	2144	1122	1075	68	59	1114	1030	53
5	ST. MARTIN-IN-THE-FIELDS *H*	305	22,680	403	548	631	293	235	14	12	367	264	−83
6	ST. JAMES WESTMINSTER	164	35,326	416	977	805	468	509	25	27	395	410	172
7	MARYLEBONE *H*	1,709	161,680	2071	5161	4211	2681	2480	237	236	2020	2191	950
8	HAMPSTEAD	2,252	19,103	141	541	372	290	251	6	9	173	199	169
9	PANCRAS *HHw*	2,716	198,788	2224	7276	5449	3718	3558	179	183	2644	2805	1827
10	ISLINGTON *wHH*	3,127	155,341	1630	6349	4504	3228	3121	147	101	2259	2335	1755
11	HACKNEY *wHL*	3,929	83,295	1012	3184	2148	1623	1561	59	61	1040	1108	1036
12	ST. GILES	245	54,076	533	1773	1630	914	859	51	52	812	818	143
13	STRAND *H*	172	42,979	468	1327	1278	696	631	28	32	677	601	49
14	HOLBORN *H*	196	44,862	287	1340	1406	651	689	30	30	670	736	−66
15	CLERKENWELL	380	65,681	614	2234	1742	1160	1074	44	46	885	857	492
16	ST. LUKE *HL*	220	57,073	372	2545	1610	1328	1217	14	33	810	800	935
17	EAST LONDON	153	40,687	478	1195	874	588	607	15	18	448	426	321
18	WEST LONDON *H*	138	27,145	422	784	1391	385	399	17	23	811	580	−607
19	LONDON CITY	434	45,555	632	831	803	412	419	8	9	437	366	28
20	SHOREDITCH *Lw*	646	129,304	2076	5097	3648	2583	2514	114	107	1850	1798	1449
21	BETHNAL GREEN *HL*	760	105,191	1407	4479	3079	2294	2185	45	61	1527	1552	1400
22	WHITECHAPEL *H*	406	78,970	676	2823	2813	1480	1343	49	46	1538	1275	10
23	ST. GEORGE-IN-THE-EAST	243	48,891	469	1908	1588	996	912	51	55	767	821	320
24a	STEPNEY	576	56,572	723	1961	1414	1000	961	16	16	686	728	547
24b	MILE END OLD TOWN *w*	681	73,064	764	3148	1942	1569	1579	48	41	961	981	1206
25	POPLAR *wwL*	2,918	79,196	750	4039	2806	2022	2017	54	52	1510	1296	1233
	SURREY (*part of*).												
26	ST. SAVIOUR SOUTHWARK *H*	250	36,170	262	1111	894	551	560	21	21	430	464	217
27	ST. OLAVE SOUTHWARK *H*	169	19,056	121	527	912	283	244	8	21	536	376	−385
28	BERMONDSEY *L*	688	58,355	619	2602	1524	1328	1274	33	39	771	753	1078
29	ST. GEORGE SOUTHWARK *L*	282	55,510	663	1998	1732	1002	996	58	55	864	868	266
30	NEWINGTON *H*	624	82,220	1044	3193	2230	1658	1535	62	42	1117	1113	963
31	LAMBETH	4,015	162,044	2537	6461	4265	3338	3123	185	153	2097	2168	2196
32	WANDSWORTH *wL*	11,695	70,408	606	2718	1686	1413	1305	51	46	839	847	1032
33	CAMBERWELL *LL*	4,342	71,488	665	3059	1851	1546	1513	70	75	890	961	1208
34	ROTHERHITHE	886	24,502	156	877	594	439	438	10	9	314	280	283
	KENT (*part of*).												
35	GREENWICH *HHHH*	5,367	127,670	1015	4909	4051	2566	2343	83	76	2231	1820	858
36	LEWISHAM	17,224	65,757	671	2551	1419	1288	1263	28	22	690	729	1132

II.—SOUTH EASTERN COUNTIES.—MARRIAGES, BIRTHS, AND DEATHS, 1864—DISTRICTS.

	1.—SURREY (*extra-metropolitan*).												
37	EPSOM *w*	41,180	22,409	93	631	434	316	315	12	15	233	201	197
38	CHERTSEY	43,541	18,642	107	610	352	309	301	23	17	174	178	258
39	GUILDFORD *H*	65,592	29,330	203	928	610	483	445	24	28	333	277	318
40	FARNHAM	31,197	30,707	228	1159	670	615	544	29	14	375	295	489
41	FARNBOROUGH	39,571	14,318	70	319	230	161	158	9	6	136	94	89
42	HAMBLEDON	60,351	13,907	110	452	267	230	222	16	16	142	125	185
43	DORKING	40,006	12,445	70	378	243	189	189	4	8	131	112	135
44	REIGATE *L*	51,276	20,109	140	746	387	368	378	9	14	221	166	359
45	GODSTONE	43,848	9,642	52	338	180	184	154	7	6	103	77	158
46	CROYDON *ww*	32,803	46,474	482	1926	1128	984	942	47	21	570	558	798
47	KINGSTON	22,487	36,479	257	1309	841	645	664	31	23	411	430	468
48	RICHMOND	4,339	18,802	120	570	381	304	266	16	13	179	202	189
	2.—KENT (*extra-metropolitan*).												
49	BROMLEY	39,927	20,368	168	749	455	380	369	15	14	252	203	294
50	DARTFORD	53,109	32,316	272	1261	749	657	604	29	36	389	360	512
51	GRAVESEND	15,542	18,782	143	690	395	366	324	14	14	200	195	295
52	NORTH AYLESFORD	41,732	19,121	214	761	452	390	371	13	19	243	209	309
53	HOO	33,231	2,861	12	128	77	67	61	5	5	35	42	51
54	MEDWAY	14,565	51,805	535	2041	1164	1042	999	34	28	643	521	877
55	MALLING	47,398	21,447	121	796	478	416	380	44	27	243	235	318
56	SEVENOAKS	67,488	22,039	149	750	397	353	353	14	19	243	227	280
57	TUNBRIDGE *H*	46,179	34,371	295	1179	730	621	558	23	40	393	337	449
58	MAIDSTONE *HL*	38,082	38,870	349	1289	1002	643	646	49	48	515	487	287
59	HOLLINGBOURN	57,017	13,584	69	464	269	223	241	17	14	138	131	195
60	CRANBROOK	40,249	13,412	94	443	248	234	209	13	15	123	120	195
61	TENTERDEN	46,889	10,947	68	321	177	164	157	13	11	85	92	144
62	WEST ASHFORD	41,901	15,187	126	544	293	208	276	10*	11	168	130	251
63	EAST ASHFORD	54,498	12,286	92	405	244	201	204	16	11	129	115	161
64	BRIDGE	41,394	11,316	70	363	224	194	169	11	17	129	95	139

* The *Districts* are collections of contiguous Parishes or Places combined for purposes connected with the Registration of Births, Deaths, and Marriages; and are generally identical with the Poor Law Unions of the same names. The Districts, 641 in number, are arranged according to their local position under the Registration Counties. The presence of Institutions in any District is indicated in this column of the Table by *H* for Hospital or Infirmary, *L* for Lunatic Asylum, and *w* for Workhouse situated out of the District to which it belongs; and repetitions of these letters show the number of such Institutions in any District. The smaller Institutions are not noticed.

† For a table of the Deaths in the principal *Public Institutions* situated in the Districts of London *see* pages 83–4.

‡ Wherever the minus sign is prefixed to the number in the column headed "Excess of Births over Deaths," it denotes that the Births in the District, instead of exceeding the Deaths, were, in fact, *less than the Deaths* to the extent stated.

II.—SOUTH EASTERN COUNTIES.—MARRIAGES, BIRTHS, AND DEATHS, 1864—DISTRICTS—*continued.*

No.	DISTRICTS.	Area in Statute Acres.	Population, 1861.	TOTAL			BIRTHS.		DEATHS.		Excess of Births over Deaths,
				MARRIAGES.	BIRTHS.	DEATHS.	Including Illegitimate Births.		Illegitimate Births.		
							Males.	Females.	Males.	Females.	
	2.—KENT (*Extra-metropolitan*)—*cont.*										
65	CANTERBURY *H*	3,121	16,643	142	533	429	283	250	15	21	104
66	BLEAN	32,221	16,161	178	602	380	297	305	18	16	222
67	FAVERSHAM	46,448	18,867	177	704	453	369	335	11	19	269
68	MILTON	35,409	14,775	151	721	533	355	366	20	15	188
69	SHEPPEY *H*	31,083	18,494	127	730	331	373	357	13	4	399
70	THANET *HH*	29,733	31,862	273	1024	781	534	490	27	25	243
71	EASTRY	56,710	25,900	189	802	558	403	399	23	17	244
72	DOVER	29,881	31,575	316	1113	709	554	559	27	27	404
73	ELHAM	43,137	26,925	208	877	443	467	410	33	21	434
74	ROMNEY MARSH	46,785	5,708	42	231	111	123	108	5	6	120
	3.—SUSSEX.										
75	RYE	39,369	11,927	91	393	233	188	175	16	13	160
76	HASTINGS *H*	14,027	25,631	221	924	718	464	460	18	28	206
77	BATTLE	54,000	12,680	99	439	221	224	215	16	11	218
78	EASTBOURNE	38,072	10,721	96	411	208	203	203	13	8	203
79	HAILSHAM	54,365	12,668	86	397	191	199	198	11	16	206
80	TICEHURST	51,659	14,826	104	507	241	245	262	19	23	266
81	UCKFIELD	74,230	17,260	116	645	349	344	301	32	17	296
82	EAST GRINSTEAD	61,317	14,097	93	462	224	238	224	7	12	238
83	CUCKFIELD	61,793	17,163	114	609	304	328	281	23	13	305
84	LEWES *L*	85,104	26,995	193	863	570	443	420	21	12	293
85	BRIGHTON *H*	2320	77,693	850	2542	1850	1306	1236	96	92	692
86	STEYNING	44,344	24,053	159	680	417	356	324	14	16	263
87	HORSHAM	57,023	15,313	107	518	353	254	264	15	15	165
88	PETWORTH	39,329	9,397	51	258	242	137	121	7	4	16
89	THAKEHAM	35,599	7,567	49	233	143	123	110	7	7	90
90	WORTHING	42,457	18,921	119	569	373	287	282	22	16	196
91	WESTHAMPNETT	74,913	14,813	109	463	264	230	233	10	15	199
92	CHICHESTER *H*	21,054	14,775	111	419	303	205	216	17	11	116
93	MIDHURST	65,720	12,581	87	413	302	209	204	21	19	111
94	WESTBOURNE	32,886	6,957	57	212	146	108	104	2	6	66
	4.—HAMPSHIRE.										
95	HAVANT	24,527	7,212	37	226	133	101	125	5	4	93
96	PORTSEA ISLAND	7,806	94,828	1071	3501	2236	1740	1761	73	71	1265
97	ALVERSTOKE	5,222	22,653	203	750	472	392	358	16	8	278
98	FAREHAM *L*	42,225	14,864	103	526	398	279	247	16	13	128
99	ISLE OF WIGHT	99,746	55,362	444	1818	968	918	900	52	68	850
100	LYMINGTON	42,169	12,094	87	351	248	167	184	8	18	103
101	CHRISTCHURCH	36,775	10,438	76	307	208	157	150	9	10	99
102	RINGWOOD	33,390	5,357	30	131	93	64	67	6	3	38
103	FORDINGBRIDGE	31,167	6,377	41	207	103	112	95	9	13	104
104	NEW FOREST	85,332	13,509	84	424	231	224	200	14	14	193
105	SOUTHAMPTON *H*	2,630	43,414	544	1577	1141	801	776	43	43	436
106	SOUTH STONEHAM	30,715	25,542	191	909	553	497	412	20	18	356
107	ROMSEY	28,203	10,771	68	333	220	169	164	15	8	113
108	STOCKBRIDGE	45,343	7,286	52	237	147	109	128	10	7	90
109	WINCHESTER *H*	78,676	26,607	188	762	516	395	367	28	23	246
110	DROXFORD	48,263	10,665	75	356	207	192	164	7	12	149
111	CATHERINGTON	10,561	2,497	23	89	56	54	35	1	1	33
112	PETERSFIELD	40,112	7,853	52	217	166	123	94	13	5	57
113	ALRESFORD	39,761	7,132	49	212	140	107	105	2	8	72
114	ALTON	53,057	12,063	81	387	299	203	184	18	12	88
115	HARTLEY WINTNEY	42,051	11,480	68	385	208	205	180	16	9	177
116	BASINGSTOKE	73,852	17,429	105	568	360	285	283	20	27	208
117	WHITCHURCH	29,513	5,522	28	175	129	90	85	3	4	46
118	ANDOVER	83,615	17,132	112	524	303	272	252	15	14	221
119	KINGSCLERE	46,787	8,517	56	303	168	172	131	9	14	135
	5.—BERKSHIRE.										
120	NEWBURY	42,956	19,999	139	667	448	355	312	31	26	219
121	HUNGERFORD	98,287	19,882	124	631	378	327	304	19	12	253
122	FARINGDON	64,207	15,688	109	501	308	289	262	27	23	193
123	ABINGDON *L*	56,445	20,861	126	686	448	352	354	35	25	238
124	WANTAGE	75,700	17,308	130	609	372	300	309	28	23	237
125	WALLINGFORD	40,860	14,017	85	439	289	217	222	15	15	150
126	BRADFIELD	62,166	15,771	90	465	282	239	226	15	11	183
127	READING *H*	4,699	25,876	273	994	575	493	498	22	27	419
128	WOKINGHAM	42,228	14,463	88	467	259	223	244	15	9	208
129	COOKHAM	29,588	13,951	91	426	214	220	206	15	7	212
130	EASTHAMPSTEAD	25,176	7,436	43	240	166	122	118	4	6	74
131	WINDSOR	22,407	21,301	146	645	491	296	349	19	22	250

III.—SOUTH MIDLAND COUNTIES.—MARRIAGES, BIRTHS, AND DEATHS, 1864—DISTRICTS.

	6.—MIDDLESEX—(*Extra-metropol.*)										
132	STAINES *w*	24,881	15,976	105	592	342	291	301	8	12	185	157	250
133	UXBRIDGE *wL*	25,906	23,155	122	779	665	414	365	27	17	364	301	114
134	BRENTFORD *ww*	20,705	50,534	437	1748	1276	873	875	33	45	635	641	472
135	HENDON	32,767	19,220	117	758	466	382	371	8	11	233	233	287
136	BARNET *L*	25,089	19,128	102	509	586	244	265	7	10	319	267	−77
137	EDMONTON *w*	46,607	59,312	290	2090	1305	1077	1013	39	38	653	652	785

III.—SOUTH MIDLAND COUNTIES.—MARRIAGES, BIRTHS, AND DEATHS, 1864—DISTRICTS—*continued*.

No.	DISTRICTS.	Area in Statute Acres.	Population, 1861.	TOTAL			BIRTHS.				DEATHS.		Excess of Births over Deaths.
				MARRIAGES.	BIRTHS.	DEATHS.	Including Illegitimate Births.		Illegitimate Births.				
							Males.	Females.	Males.	Females.	Males.	Females.	
	7.—HERTFORDSHIRE.												
138	WARE	35,747	16,515	80	507	288	268	239	12	15	161	127	219
139	BISHOP STORTFORD	53,689	20,212	147	672	399	325	347	31	20	198	201	273
140	ROYSTON	88,791	25,014	165	890	504	443	447	25	24	259	245	386
141	HITCHIN	64,847	25,603	157	862	789	447	415	31	36	379	410	73
142	HERTFORD	34,410	15,301	92	398	305	187	211	10	8	139	166	93
143	HATFIELD	29,484	8,400	25	260	167	133	127	3	7	90	77	93
144	ST. ALBANS	34,615	18,926	135	619	419	308	311	34	20	210	209	200
145	WATFORD	36,520	20,355	135	695	505	329	366	27	22	243	260	190
146	HEMEL HEMPSTEAD	25,457	13,923	82	510	328	246	264	22	16	168	160	182
147	BERKHAMPSTEAD	24,583	13,204	96	519	317	256	263	18	26	133	182	202
	8.—BUCKINGHAMSHIRE.												
148	AMERSHAM	49,840	18,240	136	629	479	320	309	22	19	259	220	150
149	ETON	41,589	22,353	142	719	423	359	360	17	16	217	216	286
150	WYCOMBE	81,308	35,138	250	1295	815	637	658	43	48	413	402	480
151	AYLESBURY *L*	73,364	23,600	156	784	597	413	371	31	28	291	306	187
152	WINSLOW	35,395	9,265	50	328	191	182	146	18	13	97	94	137
153	NEWPORT PAGNELL	68,701	24,855	181	861	551	425	436	21	21	268	283	310
154	BUCKINGHAM	52,419	13,756	105	480	248	235	245	18	15	106	142	232
	9.—OXFORDSHIRE.												
155	HENLEY	61,662	18,200	104	690	404	331	289	12	20	222	182	196
156	THAME	54,997	15,305	79	460	327	227	233	26	26	163	164	133
157	HEADINGTON *W*	25,727	17,185	148	659	465	336	332	25	21	245	222	194
158	OXFORD	2,930	20,037	221	647	451	324	323	14	14	201	250	196
159	BICESTER	64,127	15,555	89	526	333	270	256	22	20	173	160	193
160	WOODSTOCK	47,913	14,236	88	501	283	251	250	17	16	136	147	218
161	WITNEY	70,169	23,238	141	789	511	387	402	29	25	252	259	278
162	CHIPPING NORTON	76,418	17,306	102	580	331	318	262	20	14	184	147	249
163	BANBURY	75,324	30,171	224	1051	728	536	515	36	38	361	367	323
	10.—NORTHAMPTONSHIRE.												
164	BRACKLEY	58,769	13,471	95	467	282	244	223	17	17	151	131	185
165	TOWCESTER	42,216	13,094	104	429	286	223	206	9	13	152	134	143
166	POTTERSPURY	22,401	11,632	69	400	210	200	200	12	14	99	111	190
167	HARDINGSTONE	32,408	9,928	80	394	235	208	186	14	4	110	125	159
168	NORTHAMPTON *HL*	20,453	41,152	461	1643	1296	804	839	34	36	719	577	347
169	DAVENTRY	63,301	20,900	139	642	402	341	301	22	14	207	195	240
170	BRIXWORTH	60,376	15,367	86	485	360	233	252	15	13	183	177	125
171	WELLINGBOROUGH	55,505	24,224	183	895	551	458	437	22	20	262	269	364
172	KETTERING	55,266	18,995	151	653	447	343	312	24	15	238	249	103
173	THRAPSTON	51,188	14,063	121	535	282	275	260	16	15	127	155	253
174	OUNDLE	69,822	15,463	111	514	338	280	234	27	19	169	169	176
175	PETERBOROUGH	100,514	33,178	250	1232	765	603	629	35	53	394	371	467
	11.—HUNTINGDONSHIRE.												
176	HUNTINGDON *H*	77,180	20,518	160	763	472	385	378	26	10	250	222	291
177	ST. IVES	62,930	19,554	116	665	471	313	352	19	33	235	236	194
178	ST. NEOTS	65,256	18,965	151	640	369	329	311	22	19	194	175	271
	12.—BEDFORDSHIRE.												
179	BEDFORD *H*	97,320	38,072	296	1242	907	622	620	44	40	446	461	335
180	BIGGLESWADE *L*	58,041	25,393	214	972	615	507	465	43	38	305	310	357
181	AMPTHILL	41,551	16,970	121	642	402	329	313	27	25	191	211	240
182	WOBURN	29,603	11,684	92	399	246	203	196	19	13	132	114	153
183	LEIGHTON BUZZARD	38,015	17,618	141	627	413	301	326	25	36	216	197	214
184	LUTON	40,836	30,712	294	1219	907	636	583	56	50	440	467	312
	13.—CAMBRIDGESHIRE.												
185	CAXTON	49,885	10,946	78	446	238	235	211	19	16	130	108	208
186	CHESTERTON *L*	75,728	25,083	201	940	578	445	465	32	38	313	265	332
187	CAMBRIDGE *H*	3,470	26,361	210	794	572	393	401	22	26	294	278	222
188	LINTON	47,869	13,510	105	498	315	248	220	23	20	168	147	183
189	NEWMARKET	97,373	28,675	204	946	570	494	452	30	36	302	268	376
190	ELY	79,894	21,910	176	770	483	396	374	28	24	239	244	287
191	NORTH WITCHFORD	59,823	14,791	97	526	334	283	243	27	20	171	163	192
192	WHITTLESEY	25,181	6,966	44	225	160	111	114	7	6	77	83	65
193	WISBECH	181,585	33,323	237	991	773	513	478	46	41	400	373	218

IV.—EASTERN COUNTIES.—MARRIAGES, BIRTHS, AND DEATHS, 1864—DISTRICTS.

	14.—ESSEX.												
194	WEST HAM *ww*	19,477	59,319	436	2443	1549	1245	1198	40	48	832	717	894
195	EPPING	46,452	16,549	87	580	350	285	295	17	10	191	159	230
196	ONGAR	47,465	11,317	89	382	230	204	178	19	13	117	115	152
197	ROMFORD	48,244	26,965	114	1008	581	501	507	26	31	305	276	427
198	ORSETT	45,597	11,595	57	451	233	227	204	13	8	115	118	198
199	BILLERICAY *wL*	50,845	15,031	69	436	336	206	230	3	16	176	160	100
200	CHELMSFORD	83,906	32,765	180	1046	613	558	488	26	29	285	328	433
201	ROCHFORD	107,246	18,282	112	693	397	334	352	17	16	215	182	298
202	MALDON	107,050	22,556	160	779	421	414	365	26	27	220	201	358
203	TENDRING	89,803	27,105	182	857	556	426	431	21	28	296	260	301
204	COLCHESTER *H*	11,200	23,815	274	780	518	415	365	25	20	294	224	262
205	LEXDEN	73,881	22,950	172	835	469	414	421	22	22	231	238	366
206	WITHAM	38,938	16,324	99	529	317	257	272	26	17	166	151	212
207	HALSTEAD	38,913	18,482	130	633	446	337	296	28	21	207	239	187
208	BRAINTREE	38,652	17,170	130	579	401	293	286	21	25	188	213	178
209	DUNMOW	72,594	19,759	111	622	462	316	306	16	14	251	211	160
210	SAFFRON WALDEN	62,630	19,721	134	617	394	309	308	10	14	211	183	223

IV.—EASTERN COUNTIES.—MARRIAGES, BIRTHS, AND DEATHS, 1864—DISTRICTS—*continued*.

No.	DISTRICTS.	Area in Statute Acres.	Population, 1861.	TOTAL			BIRTHS.				DEATHS.		Excess of Births over Deaths.
				MARRIAGES.	BIRTHS.	DEATHS.	Including Illegitimate Births.		Illegitimate Births.				
							Males.	Females.	Males.	Females.	Males.	Females.	
	15.—SUFFOLK.												
211	RISBRIDGE	53,664	17,432	129	682	401	358	324	34	27	196	205	281
212	SUDBURY	78,302	31,415	243	1112	812	569	543	47	44	415	397	300
213	COSFORD	52,696	17,376	113	581	412	283	298	19	23	197	215	169
214	THINGOE	82,404	18,224	138	606	345	287	319	23	24	175	170	261
215	BURY ST. EDMUNDS *with*	2,934	13,318	98	464	305	235	229	18	21	165	140	159
216	MILDENHALL	61,244	9,595	82	302	174	143	159	10	14	89	85	128
217	STOW	57,312	20,988	127	711	417	353	358	30	33	206	211	294
218	HARTISMERE	54,215	17,965	107	638	364	326	312	30	36	200	164	274
219	HOXNE	53,035	14,694	82	518	273	281	237	20	19	132	141	245
220	BOSMERE	57,899	16,174	94	511	325	276	235	20	23	174	151	186
221	SAMFORD	50,230	12,736	77	408	257	206	202	8	12	133	124	151
222	IPSWICH *H*	8,395	37,881	359	1275	870	644	631	54	44	441	429	405
223	WOODBRIDGE *L*	82,195	22,754	130	687	491	339	348	32	29	234	257	196
224	PLOMESGATE	75,064	20,720	141	650	385	327	323	21	21	186	199	265
225	BLYTHING	92,097	26,818	196	883	494	454	429	33	27	253	241	389
226	WANGFORD	38,079	13,819	96	404	237	206	198	33	21	131	106	167
227	MUTFORD	35,490	24,050	187	955	453	469	486	27	30	239	214	502
	16.—NORFOLK.												
228	YARMOUTH *H*	1,510	30,338	331	1102	778	586	516	49	46	426	352	324
229	FLEGG	29,087	8,031	54	326	151	157	169	16	15	85	66	175
230	TUNSTEAD	62,607	14,516	107	514	298	275	239	29	20	160	138	216
231	ERPINGHAM	72,513	20,874	140	712	384	382	330	36	31	203	181	328
232	AYLSHAM	68,123	19,052	114	629	445	313	316	35	49	221	224	184
233	ST. FAITHS *	48,304	11,298	78	340	228	182	158	24	15	119	109	112
234	NORWICH *H* *	4,325	74,891	749	2570	1882	1289	1281	120	123	954	928	688
235	FOREHOE	37,834	12,818	75	376	255	192	184	20	20	130	125	121
236	HENSTEAD	43,358	11,290	69	351	195	184	167	14	11	91	107	153
237	BLOFIELD *L*	44,178	11,521	78	373	233	176	197	18	16	124	109	140
238	LODDON	59,401	14,242	90	435	262	231	204	24	14	139	123	173
239	DEPWADE	72,681	25,248	153	846	533	426	420	39	36	266	267	313
240	GUILTCROSS	44,585	11,541	80	408	254	209	199	24	23	117	137	154
241	WAYLAND	51,063	11,562	82	359	225	172	178	17	17	91	134	125
242	MITFORD	105,233	28,020	164	868	606	447	421	63	50	319	287	262
243	WALSINGHAM	87,342	21,118	127	655	573	338	317	37	49	295	278	82
244	DOCKING	101,136	17,596	131	584	345	286	298	37	35	170	175	239
245	FREEBRIDGE LYNN	78,775	13,486	77	478	266	225	253	30	24	135	131	212
246	KINGS LYNN *H*	5,499	16,701	140	487	365	244	243	26	30	167	198	122
247	DOWNHAM	83,637	20,264	142	720	490	381	359	47	36	246	244	230
248	SWAFFHAM	81,200	18,747	93	466	239	235	231	27	36	125	114	227
249	THETFORD	117,870	18,712	147	573	434	296	277	27	28	210	224	139

V.—SOUTH WESTERN COUNTIES.—MARRIAGES, BIRTHS, AND DEATHS, 1864—DISTRICTS.

	17.—WILTSHIRE.												
250	HIGHWORTH	50,064	19,237	147	778	441	406	372	31	30	221	220	337
251	CRICKLADE	41,566	11,470	71	366	247	191	175	15	18	127	120	119
252	MALMSBURY	57,508	14,556	118	478	266	251	227	21	22	130	136	212
253	CHIPPENHAM	60,035	22,029	122	680	446	382	348	19	20	211	235	234
254	CALNE	28,610	8,885	60	302	181	151	151	13	5	100	81	121
255	MARLBOROUGH	42,092	9,774	55	330	243	168	162	13	11	125	118	87
256	DEVIZES *L*	63,491	21,030	126	585	455	288	297	25	28	238	217	130
257	MELKSHAM	17,768	17,233	135	686	396	278	308	18	15	202	196	188
258	BRADFORD-ON-AVON	18,899	14,475	65	316	273	164	152	15	13	153	140	43
259	WESTBURY	30,944	11,751	86	374	260	185	189	17	16	129	131	114
260	WARMINSTER	56,356	15,942	110	484	351	252	232	10	9	167	184	133
261	PEWSEY	65,650	12,466	66	404	204	195	209	16	18	148	146	110
262	AMESBURY	62,420	8,127	39	251	159	131	120	11	11	80	79	92
263	ALDERBURY *H*	52,660	14,770	102	482	324	242	240	12	18	176	148	158
264	SALISBURY	480	9,039	73	306	203	149	157	10	12	92	111	103
265	WILTON	55,304	10,674	72	351	197	181	174	7	11	109	88	158
266	TISBURY	40,494	9,862	61	302	194	151	151	8	13	100	94	108
267	MERE	33,211	8,057	63	294	143	151	143	12	13	63	80	151
	18.—DORSETSHIRE.												
268	SHAFTESBURY	36,493	12,386	111	420	268	214	206	17	8	115	153	152
269	STURMINSTER	37,934	10,340	69	379	207	183	196	11	19	100	107	172
270	BLANDFORD	57,271	14,821	115	463	260	242	221	21	17	152	128	203
271	WIMBORNE	81,163	17,253	121	567	358	277	290	26	27	167	191	209
272	POOLE	27,023	15,742	129	475	281	238	237	16	15	153	128	194
273	WAREHAM	96,309	17,072	108	572	330	300	272	7	14	177	153	242
274	WEYMOUTH	37,282	27,291	229	904	544	461	443	23	10	274	270	360
275	DORCHESTER *HL*	115,359	24,810	199	805	504	427	378	31	13	262	242	301
276	SHERBORNE	40,018	13,463	95	476	251	217	259	9	20	117	134	225
277	BEAMINSTER	53,764	13,587	110	418	285	216	202	19	20	154	131	133
278	BRIDPORT	33,187	16,828	150	566	413	300	266	18	18	199	214	153
	19.—DEVONSHIRE.												
279	AXMINSTER	61,738	19,758	140	641	417	328	313	11	20	213	204	224
280	HONITON	80,867	22,729	147	731	400	369	362	32	27	203	197	331
281	ST. THOMAS *L*	130,141	48,405	254	1439	1128	716	723	45	47	552	576	311
282	EXETER *H*	1,800	33,742	420	1021	992	532	489	28	36	500	492	29
283	NEWTON ABBOT	117,396	59,063	440	1826	1156	918	908	55	48	586	570	670
284	TOTNES	98,342	32,942	229	1089	719	547	542	33	32	386	333	370
285	KINGSBRIDGE	72,918	19,394	115	619	362	300	319	20	25	177	185	257
286	PLYMPTON ST. MARY	75,569	20,502	84	662	424	360	302	15	11	234	190	238
287	PLYMOUTH *H*	1,935	62,569	786	2173	1470	1095	1078	58	62	714	756	703
288	EAST STONEHOUSE	385	14,343	196	539	357	273	266	10	7	203	154	182
289	STOKE DAMEREL	2,380	50,440	668	1616	1007	801	815	27	27	496	511	609

* See page 12, Note *.

V.—SOUTH WESTERN COUNTIES.—MARRIAGES, BIRTHS, AND DEATHS, 1864—DISTRICTS—*continued.*

No.	DISTRICTS.	Area in Statute Acres.	Population, 1861.	TOTAL			BIRTHS.				DEATHS.		Excess of Births over Deaths.
				MARRIAGES.	BIRTHS.	DEATHS.	Including Illegitimate Births.		Illegitimate Births.				
							Males.	Females.	Males.	Females.	Males.	Females.	
	19.—DEVONSHIRE—*continued.*												
290	TAVISTOCK	158,767	35,285	218	1237	977	655	582	18	28	514	463	260
291	OKEHAMPTON	126,797	18,580	97	560	330	270	290	24	25	175	155	230
292	CREDITON	91,866	20,274	112	621	373	294	327	22	19	164	209	248
293	TIVERTON	103,212	30,875	192	928	683	459	469	32	32	354	329	245
294	SOUTH MOLTON	142,503	19,532	105	627	349	334	293	23	12	167	182	278
295	BARNSTAPLE *H*	149,729	36,293	241	1127	631	555	572	41	50	283	348	496
296	TORRINGTON	81,472	16,876	113	497	303	252	245	18	28	160	143	194
297	BIDEFORD	63,864	17,790	154	540	376	305	235	25	19	178	198	164
298	HOLSWORTHY	82,519	9,876	54	285	178	150	135	11	14	97	81	107
	20.—CORNWALL.												
299	STRATTON	54,406	8,028	56	250	139	128	122	11	8	71	68	111
300	CAMELFORD	51,847	7,784	64	277	165	136	141	10	14	74	91	112
301	LAUNCESTON	101,777	17,005	109	594	371	307	287	14	15	187	184	223
302	ST. GERMANS	47,148	17,631	88	580	403	291	289	14	14	206	197	177
303	LISKEARD	107,320	33,562	213	1314	854	677	637	32	34	452	402	460
304	BODMIN *L*	88,981	19,891	127	594	426	284	310	19	25	216	210	168
305	ST. COLUMB	78,693	16,754	106	541	346	296	245	25	21	176	170	195
306	ST. AUSTELL	57,446	33,797	248	1179	650	585	594	39	40	321	329	520
307	TRURO	92,211	43,070	348	1522	918	759	763	56	68	436	482	604
308	FALMOUTH	27,996	28,372	225	821	526	423	395	21	20	253	273	295
309	HELSTON	72,571	30,036	217	1115	623	565	550	35	41	350	293	492
310	REDRUTH	40,305	57,173	525	2185	1159	1117	1068	44	47	597	562	1026
311	PENZANCE	65,092	54,554	450	2032	1282	1030	1002	49	52	640	642	750
312	SCILLY ISLANDS	3,560	2,431	15	64	47	26	38	2	1	25	24	17
	21.—SOMERSETSHIRE.												
313*a*	WILLITON	109,202	19,918	104	605	366	309	296	13	12	197	169	239
313*b*	DULVERTON	57,906	6,158	27	175	167	86	89	4	10	90	77	8
314	WELLINGTON	60,454	20,480	137	566	499	301	265	19	17	232	267	67
315	TAUNTON *H*	70,432	35,691	331	1011	711	530	481	35	49	343	368	300
316	BRIDGWATER	92,273	34,420	237	1170	672	610	560	24	24	345	327	498
317	LANGPORT	59,291	18,077	98	559	422	279	280	25	21	220	202	137
318	CHARD	60,242	25,591	198	837	604	449	388	23	32	309	295	233
319	YEOVIL	52,151	28,189	223	993	614	514	479	30	36	326	288	379
320	WINCANTON	66,120	21,500	126	699	419	370	329	26	31	210	209	280
321	FROME	51,239	23,704	172	719	503	368	351	22	20	249	254	216
322	SHEPTON MALLET	49,657	16,619	94	503	332	251	252	20	14	150	182	171
323	WELLS *L*	64,822	21,889	120	614	474	324	290	17	19	254	220	140
324	AXBRIDGE	105,679	36,106	207	1080	700	558	522	41	30	325	375	380
325	CLUTTON	47,028	23,721	95	763	540	396	367	16	18	266	274	223
326	BATH *HH*	30,321	68,336	699	1806	1811	924	882	48	42	862	949	−5
327	KEYNSHAM	33,358	21,802	94	698	540	348	355	14	19	256	284	158
328	BEDMINSTER *H*	57,068	41,257	303	1625	977	853	772	27	27	486	491	648

VI.—WEST MIDLAND COUNTIES.—MARRIAGES, BIRTHS, AND DEATHS, 1864—DISTRICTS.

	22.—GLOUCESTERSHIRE.												
329	BRISTOL *HH*	1,840	66,027	1339	2304	1853	1173	1131	58	69	907	946	451
330	CLIFTON *wL*	29,475	94,687	736	3400	2432	1741	1659	46	40	1178	1254	968
331	CHIPPING SODBURY	62,256	18,763	77	609	395	303	306	15	18	198	197	214
332	THORNBURY	65,840	16,499	77	542	294	285	257	17	14	158	136	248
333	DURSLEY	26,521	13,331	87	413	286	211	202	12	18	143	143	127
334	WESTBURY-ON-SEVERN	43,246	20,189	160	731	409	376	355	24	28	221	188	322
335	NEWENT	45,281	12,420	88	467	274	219	188	21	17	136	138	133
336	GLOUCESTER *HL*	32,222	34,050	289	1328	838	696	632	31	41	435	403	490
337	WHEATENHURST	24,471	7,213	32	222	141	121	101	8	7	76	65	81
338	STROUD	43,720	36,448	286	1226	862	618	608	31	40	426	436	364
339	TETBURY	25,841	6,110	33	196	138	96	100	5	4	68	70	58
340	CIRENCESTER	85,366	20,934	151	687	401	346	341	29	18	199	202	286
341	NORTHLEACH	67,647	10,895	76	355	207	172	183	12	9	100	107	148
342	STOW-ON-THE-WOLD	41,131	9,687	63	330	206	169	161	17	11	98	108	124
343	WINCHCOMB	57,494	10,082	64	333	204	174	159	14	8	91	113	120
344	CHELTENHAM *H*	24,876	49,792	430	1381	964	718	663	41	44	504	460	417
345	TEWKESBURY	38,918	14,908	97	474	329	250	224	20	16	154	175	145
	23.—HEREFORDSHIRE.												
346	LEDBURY	48,783	14,880	89	432	309	213	219	25	25	167	142	123
347	ROSS	55,508	16,306	113	543	386	273	270	24	18	184	182	177
348	HEREFORD *H*	144,091	39,287	339	1301	999	643	658	58	37	512	487	302
349	WEOBLY	48,859	9,018	55	292	179	145	147	14	11	98	83	113
350	BROMYARD	61,659	11,811	67	377	249	191	186	24	21	133	116	128
351	LEOMINSTER	65,620	15,494	86	459	365	225	234	21	12	175	190	94
	24.—SHROPSHIRE.												
352	LUDLOW	87,573	17,721	126	576	376	303	273	33	26	196	180	200
353	CLUN	82,886	10,615	52	355	196	192	163	22	23	96	100	159
354	CHURCH STRETTON	46,184	9,289	32	204	119	104	100	8	14	48	71	85
355	CLEOBURY MORTIMER	54,640	8,304	56	240	126	124	116	15	15	75	51	114
356	BRIDGNORTH *w*	60,896	15,920	86	466	303	248	218	16	18	138	165	163
357	SHIFFNAL	46,053	11,994	135	433	258	235	198	8	12	126	132	175
358	MADELEY	27,951	30,403	209	1186	744	576	610	64	48	385	349	442
359	ATCHAM	104,144	19,455	131	564	360	284	280	26	22	172	188	204
360	SHREWSBURY *HL*	18,032	25,784	290	837	717	419	418	39	37	396	321	120
361	OSWESTRY	77,048	23,817	190	896	572	473	423	33	36	297	275	324
362	ELLESMERE	71,081	14,611	68	467	309	226	241	20	26	165	144	158
363*a*	WEM	51,197	10,644	70	548	214	186	192	15	20	109	105	134
363*b*	WHITCHURCH	39,876	11,272	74	364	223	192	172	29	19	124	99	141
364	MARKET DRAYTON	67,910	14,260	98	478	294	246	232	21	19	153	141	184
365	WELLINGTON	33,528	23,873	195	954	525	471	483	39	39	280	245	429
366	NEWPORT	47,477	15,447	113	508	265	248	260	23	21	132	133	243

VI.—WEST MIDLAND COUNTIES.—MARRIAGES, BIRTHS, AND DEATHS, 1864—DISTRICTS—*continued.*

No.	DISTRICTS.	AREA in Statute Acres.	POPULATION, 1861.	TOTAL			BIRTHS.				DEATHS.		Excess of Births over Deaths.
				MARRIAGES.	BIRTHS.	DEATHS.	Including Illegitimate Births.		Illegitimate Births.				
							Males.	Females.	Males.	Females.	Males.	Females.	
	25.—STAFFORDSHIRE.												
367	STAFFORD *HL*	52,022	24,474	204	794	595	432	362	37	29	312	283	199
368	STONE	68,524	21,926	178	727	457	357	370	30	18	218	239	270
369	NEWCASTLE-UNDER-LYME	26,718	24,567	194	1066	563	564	502	40	29	288	275	503
370	WOLSTANTON	13,679	54,356	697	2705	1515	1379	1326	95	92	821	694	1190
371	STOKE-UPON-TRENT *H*	10,490	71,308	816	3290	1985	1715	1576	136	102	1100	885	1305
372	LEEK	72,893	24,806	149	877	548	457	430	53	40	272	276	329
373	CHEADLE	55,146	20,988	186	824	428	416	408	33	27	232	196	396
374	UTTOXETER	62,890	14,787	107	444	282	209	235	10	30	147	135	162
375	BURTON-UPON-TRENT *L*	90,652	41,065	362	1734	1004	888	846	50	60	513	491	730
376	TAMWORTH	46,740	15,504	98	555	343	288	267	15	11	169	174	212
377	LICHFIELD	71,613	27,541	194	919	611	451	468	31	38	321	290	308
378	PENKRIDGE	70,799	18,662	114	646	413	300	346	14	25	218	195	233
379	WOLVERHAMPTON *H*	53,900	126,902	1215	5487	3607	2795	2692	184	163	1960	1647	1880
380	WALSALL	21,603	53,908	483	2027	1834	1505	1422	77	80	1014	820	1093
381	WEST BROMWICH	19,364	92,480	968	4297	2372	2200	2097	122	96	1237	1115	1925
382	DUDLEY	17,984	130,267	1611	6412	4176	3252	3160	181	181	2161	2015	2236
	26.—WORCESTERSHIRE.												
383	STOURBRIDGE	16,200	68,726	507	3098	1934	1611	1487	109	96	1045	889	1164
384	KIDDERMINSTER	37,321	30,307	235	1050	698	529	521	31	26	364	334	352
385	TENBURY	35,941	7,366	52	245	150	139	106	19	12	80	70	95
386	MARTLEY	53,718	15,098	83	481	306	252	249	20	21	153	153	175
387	WORCESTER *H*	6,699	30,969	301	1061	873	510	551	34	47	454	419	188
388	UPTON-ON-SEVERN *L*	53,016	21,010	131	686	529	345	341	26	18	277	252	157
389	EVESHAM	46,309	14,767	84	478	260	249	229	18	18	123	137	218
390	PERSHORE	52,269	13,865	88	418	282	217	201	17	17	156	126	136
391	DROITWICH	55,225	19,237	197	715	458	365	350	22	29	235	223	257
392	BROMSGROVE	48,074	26,259	162	982	557	468	514	37	39	286	271	425
393	KINGS NORTON	28,404	47,349	611	1803	1014	927	876	42	33	514	500	789
	27.—WARWICKSHIRE.												
394	BIRMINGHAM *HH*	2,660	212,621	2339	8875	6589	4433	4442	208	260	3425	3164	2286
395	ASTON	31,273	100,522	908	4830	2594	2555	2275	91	80	1341	1253	2236
396	MERIDEN	48,618	11,290	49	302	225	149	153	10	9	102	123	77
397	ATHERSTONE	27,883	12,118	85	425	283	208	217	9	14	139	144	142
398	NUNEATON	20,428	13,054	98	509	350	259	250	19	23	168	182	159
399	FOLESHILL	19,389	19,907	115	681	480	359	322	27	22	258	222	201
400	COVENTRY *H*	5,489	41,647	426	1395	858	714	681	49	39	425	433	537
401	RUGBY	30,753	24,436	174	730	488	406	324	17	19	270	218	242
402	SOLIHULL	46,015	15,231	88	411	264	209	202	12	12	138	126	147
403	WARWICK *L*	66,639	44,047	330	1267	977	689	598	53	42	488	489	290
404	STRATFORD-ON-AVON	79,051	21,249	142	685	415	359	326	28	11	204	211	270
405	ALCESTER	52,430	16,878	120	586	357	290	296	20	22	167	190	229
406	SHIPSTON-ON-STOUR	78,899	19,852	141	650	448	322	328	35	30	226	222	202
407	SOUTHAM	50,409	10,392	61	350	184	183	167	13	14	91	93	166

VII.—NORTH MIDLAND COUNTIES.—MARRIAGES, BIRTHS, AND DEATHS, 1864—DISTRICTS.

	28.—LEICESTERSHIRE.												
408	LUTTERWORTH	59,031	15,515	69	485	306	263	222	21	11	146	160	179
409	MARKET HARBOROUGH	64,094	16,059	92	575	299	281	294	18	17	146	153	276
410	BILLESDON	50,721	7,272	50	214	112	106	108	5	7	61	51	102
411	BLABY	34,207	14,305	110	486	363	261	225	18	12	189	174	123
412	HINCKLEY	28,070	16,374	101	522	300	235	227	29	21	149	151	222
413	MARKET BOSWORTH	53,526	13,428	90	439	280	209	230	22	28	147	133	159
414	ASHBY-DE-LA-ZOUCH	51,932	28,543	195	1155	583	581	574	43	52	310	273	572
415	LOUGHBOROUGH	43,340	24,147	185	837	522	443	394	43	31	253	269	315
416	BARROW-UPON-SOAR	47,868	19,778	133	730	443	363	367	26	26	208	235	287
417	LEICESTER *HL*	3,960	68,056	973	3115	2108	1615	1500	125	107	1078	1030	1007
418	MELTON MOWBRAY	98,077	20,171	135	643	384	317	326	30	28	195	189	259
	29.—RUTLANDSHIRE.												
419	OAKHAM	55,030	11,112	70	364	245	197	167	15	16	131	114	119
420	UPPINGHAM	52,698	12,367	96	398	235	210	188	19	14	110	125	163
	30.—LINCOLNSHIRE.												
421	STAMFORD *H*	52,858	18,213	110	550	350	280	270	21	19	171	179	200
422	BOURN	90,644	20,113	144	686	396	346	340	29	33	205	191	290
423	SPALDING	86,471	22,129	174	686	400	377	309	34	31	224	176	286
424	HOLBEACH	107,299	18,402	134	612	385	314	298	34	22	180	155	277
425	BOSTON	126,547	37,969	320	1147	665	582	585	50	54	323	342	482
426	SLEAFORD	137,777	24,919	192	876	468	463	413	45	43	251	217	408
427	GRANTHAM	163,229	28,886	195	973	623	485	488	38	39	312	311	350
428	LINCOLN *HL*	158,920	47,063	435	1697	1250	842	855	57	61	633	617	447
429	HORNCASTLE	113,588	24,718	110	831	481	456	375	38	29	218	263	350
430	SPILSBY	140,269	28,799	241	981	517	532	449	49	43	276	241	464
431	LOUTH	170,708	34,711	276	1225	672	594	631	46	49	327	345	553
432	CAISTOR	183,164	37,517	339	1363	827	698	665	44	45	432	395	536
433	GLANFORD BRIGG	165,470	34,731	281	1195	820	586	609	62	44	431	389	375
434	GAINSBOROUGH	108,668	25,975	214	834	516	433	401	44	28	274	242	318
	31.—NOTTINGHAMSHIRE.												
435	EAST RETFORD	86,797	22,677	140	720	443	376	344	40	35	222	221	277
436	WORKSOP	80,850	20,704	140	725	400	359	366	28	25	205	195	325
437	MANSFIELD	55,960	30,593	247	1134	722	621	513	56	55	380	342	412
438	BASFORD	88,039	74,357	532	2857	1642	1493	1364	129	126	822	820	1215
439	RADFORD *L*	6,890	30,479	205	1065	784	544	521	38	38	404	380	281

VII.—NORTH MIDLAND COUNTIES.—MARRIAGES, BIRTHS, AND DEATHS, 1864—DISTRICTS—*continued*.

No.	DISTRICTS.	Area in Statute Acres.	Population, 1861.	TOTAL			BIRTHS.				DEATHS.		Excess of Births over Deaths.
				MARRIAGES.	BIRTHS.	DEATHS.	Including Illegitimate Births.		Illegitimate Births.				
							Males.	Females.	Males.	Females.	Males.	Females.	
	31.—NOTTINGHAMSHIRE—*cont.*												
440	NOTTINGHAM *H*	1,870	74,693	913	2602	2049	1343	1259	136	126	1035	1014	553
441	SOUTHWELL	117,134	24,425	141	708	508	343	360	31	28	265	243	195
442	NEWARK	94,202	30,186	205	997	712	498	499	42	36	339	373	285
443	BINGHAM	68,139	15,670	97	450	308	215	235	25	20	185	173	142
	32.—DERBYSHIRE.												
444	SHARDLOW	73,290	31,113	185	1041	672	551	490	45	34	323	349	369
445	DERBY *H*	2,970	51,049	639	2110	1285	1044	1066	78	91	640	645	825
446	BELPER	66,590	51,711	458	1928	1177	972	956	74	63	593	584	751
447	ASHBORNE	100,937	20,648	147	648	361	324	324	27	36	180	181	287
448	CHESTERFIELD	94,825	61,779	533	2826	1537	1459	1367	103	110	807	730	1289
449	BAKEWELL	107,905	31,378	182	959	647	479	480	24	36	312	335	312
450	CHAPEL-EN-LE-FRITH	63,248	14,020	118	548	342	262	286	11	20	171	171	206
451	HAYFIELD	48,855	32,176	187	993	639	488	505	37	39	324	315	354

VIII.—NORTH WESTERN COUNTIES.—MARRIAGES, BIRTHS, AND DEATHS, 1864—DISTRICTS.

	33.—CHESHIRE.												
452	STOCKPORT *HL*	30,709	94,360	900	3205	2145	1623	1582	104	98	1088	1057	1060
453	MACCLESFIELD	81,561	61,543	497	1937	1202	961	976	102	123	637	655	645
454	ALTRINCHAM	73,665	40,517	226	1417	829	715	702	59	52	456	373	588
455	RUNCORN	45,776	26,792	196	1115	761	586	529	34	43	443	318	354
456	NORTHWICH	67,445	33,388	249	1364	751	753	611	63	56	398	353	613
457	CONGLETON	52,889	34,328	281	1272	714	652	620	61	64	344	370	558
458	NANTWICH	111,126	40,955	326	1690	899	850	840	62	59	448	451	791
459	GREAT BOUGHTON (CHESTER) *HL*	107,755	58,501	704	2049	1375	1034	1015	86	61	837	738	474
460*a*	WIRRAL	88,238	18,429	148	685	386	351	334	31	20	199	187	299
460*b*	BIRKENHEAD *H*	23,852	61,420	505	2979	1779	1520	1459	42	47	969	810	1200
	34.—LANCASHIRE.												
461	LIVERPOOL *HH*	2,220	269,742	4420	10056	10811	5142	4914	207	239	5576	5235	−755
462	WEST DERBY *W*	50,567	225,845	2285	10973	7763	5589	5384	186	151	3902	3851	3220
463	PRESCOT *L*	56,859	73,127	572	3356	2674	1695	1661	96	89	1434	1240	682
464	ORMSKIRK	111,968	46,252	388	1826	1258	959	867	82	80	634	624	568
465	WIGAN	47,018	94,561	805	4510	2613	2306	2204	262	282	1420	1193	1897
466	WARRINGTON *L*	29,984	43,875	410	1931	1256	1005	946	59	47	647	609	695
467	LEIGH	23,410	37,700	314	1503	1178	780	723	83	70	585	593	325
468	BOLTON	48,936	130,369	1164	5531	3610	2834	2637	181	194	1857	1753	1921
469	BURY	32,990	101,135	787	3517	2381	1769	1748	116	111	1163	1218	1136
470	BARTON-UPON-IRWELL	23,279	39,038	318	1438	908	750	688	48	50	464	444	530
471	CHORLTON	11,549	169,579	659	6733	4499	3377	3356	193	206	2283	2216	2234
472	SALFORD	4,830	105,335	714	4332	2964	2164	2168	126	142	1487	1477	1368
473	MANCHESTER *HL*	12,028	243,988	4304	9003	7637	4586	4417	316	270	3899	3738	1366
474	ASHTON-UNDER-LYNE	38,637	134,753	1027	4526	2721	2359	2164	152	144	1837	1854	1802
475	OLDHAM	16,872	111,276	813	4151	2447	2114	2037	137	123	1263	1184	1704
476	ROCHDALE	40,340	91,754	697	3241	2366	1638	1603	98	73	1213	1153	875
477	HASLINGDEN	26,681	69,781	568	2623	1724	1343	1280	74	74	870	854	899
478	BURNLEY	54,126	73,595	628	2904	1780	1438	1466	108	115	915	865	1124
479	CLITHEROE	114,697	20,476	149	677	389	346	331	18	17	195	194	288
480	BLACKBURN	45,529	119,042	1109	5256	3142	2478	2358	140	121	1587	1715	2094
481	CHORLEY	59,213	41,678	278	1326	852	703	696	67	58	423	429	547
482	PRESTON	68,035	110,523	925	4284	3012	2229	2064	190	185	1534	1477	1273
483	FYLDE	76,397	25,682	196	919	587	489	430	50	38	293	294	332
484	GARSTANG	62,617	12,425	63	406	210	210	196	20	10	109	101	196
485	LANCASTER *L*	138,746	35,297	263	1238	782	618	620	57	43	417	365	456
486	ULVERSTON	135,043	35,738	337	1510	1031	776	734	56	60	552	479	479

IX.—YORKSHIRE.—MARRIAGES, BIRTHS, AND DEATHS, 1864—DISTRICTS.

	35.—WEST RIDING.												
487	SEDBERGH	59,882	4,391	23	120	71	56	64	11	9	36	35	49
488	SETTLE	154,591	12,528	83	387	199	201	186	15	18	91	108	188
489	SKIPTON	157,073	31,343	267	1025	680	503	522	43	41	312	368	345
490	PATELEY BRIDGE	74,275	9,534	71	322	182	160	162	10	18	92	90	140
491	RIPON	70,590	15,742	125	486	308	240	246	22	16	153	155	178
492*a*	GREAT OUSEBURN	51,808	11,534	62	384	227	185	199	18	16	125	102	157
492*b*	KNARESBOROUGH	39,942	17,176	141	549	385	278	271	20	15	189	196	164
492*c*	WETHERBY	50,546	6,486	29	213	184	114	99	9	7	89	95	29
492*d*	KIRKDEIGHTON	3,054	941	3	24	11	18	6	–	–	5	6	13
493*a*	OTLEY	43,254	18,569	151	711	436	361	356	23	21	232	204	275
493*b*	WHARFEDALE	30,798	15,463	123	658	393	359	308	22	21	214	179	265
494	KEIGHLEY	39,144	43,122	357	1664	1076	847	817	61	53	555	521	555
495	TODMORDEN	26,920	31,113	143	974	833	494	480	41	32	440	393	441
496	SADDLEWORTH	18,280	18,631	102	638	372	316	322	22	23	195	177	266
497	HUDDERSFIELD *H*	66,560	131,336	1148	5094	3523	2607	2487	219	197	1906	1617	1571
498	HALIFAX *H*	51,784	128,673	1396	5054	3845	2551	2503	167	137	2033	1807	1209
499	BRADFORD *H*	40,334	196,475	2159	8440	6060	4320	4120	327	290	2968	3092	2380
500*a*	KIRKSTALL	29,301	49,440	389	2109	1240	1092	1017	48	44	617	623	869
500*b*	HUNSLET	1,100	25,763	221	1375	800	707	668	44	39	421	379	575
500*c*	HOLBECK	760	15,824	149	711	465	375	336	17	7	253	212	246
500*d*	BRAMLEY	3,451	11,391	26	540	334	273	267	15	16	174	160	206
501	LEEDS *HH*	2,100	117,566	1938	4967	3756	2498	2469	163	175	1967	1789	1211
502	DEWSBURY	24,456	92,883	1038	4660	2719	2366	2294	134	129	1423	1296	1941
503	WAKEFIELD *L*	41,028	54,399	490	2308	1656	1168	1140	83	86	863	793	652
504*a*	PONTEFRACT	27,465	14,635	129	620	383	275	245	17	21	188	175	157
504*b*	HEMSWORTH	23,870	7,793	53	235	168	114	121	8	8	106	62	67
504*c*	CASTLEFORD	37,613	19,954	163	893	499	471	427	25	30	265	234	399

IX.—YORKSHIRE.—MARRIAGES, BIRTHS, AND DEATHS, 1864—DISTRICTS—*continued.*

No.	DISTRICTS.	Area in Statute Acres.	Population, 1861.	TOTAL			BIRTHS.				DEATHS.		Excess of Births over Deaths.
				MARRIAGES.	BIRTHS.	DEATHS.	Including Illegitimate Births.		Illegitimate Births.				
							Males.	Females.	Males.	Females.	Males.	Females.	
	35.—WEST RIDING—*continued.*												
505	Barnsley	35,376	45,797	412	2064	1107	1040	1024	74	88	613	494	957
506	Wortley	85,790	38,511	203	1620	952	821	799	57	68	525	427	668
507	Ecclesall Bierlow	20,860	63,618	294	2690	1694	1380	1310	75	68	867	827	996
508	Sheffield *H*	10,590	128,951	2185	6043	4246	3071	2972	174	185	2262	1984	1797
509	Rotherham	50,591	44,350	406	2080	1143	1083	997	82	61	637	506	937
510	Doncaster	109,031	39,388	351	1345	960	669	676	45	59	470	490	385
511	Thorne	71,946	16,011	110	604	343	304	300	20	21	174	169	261
512	Goole	40,906	15,153	145	555	404	271	284	18	14	202	202	151
513	Selby	56,014	16,091	91	565	313	285	280	17	26	150	163	252
514a	Tadcaster	20,702	5,033	24	161	84	81	80	11	2	44	40	77
514b	Bramham	48,043	13,899	99	435	299	226	209	19	21	141	158	136
	36.—EAST RIDING (*with York*).												
515	York *L*	82,912	59,909	592	2019	1381	1021	998	77	78	702	679	638
516	Pocklington	107,636	16,710	122	517	284	257	260	21	21	149	135	233
517	Howden	72,253	15,001	135	484	319	236	248	27	21	169	150	165
518	Beverley	78,134	21,029	157	715	399	347	363	32	26	204	195	316
519	Sculcoates	45,884	51,956	660	2160	1245	1108	1052	66	73	644	601	915
520	Hull *HL*	1,827	56,888	790	2125	1649	1057	1068	60	67	872	777	476
521	Patrington	88,872	9,681	50	317	179	162	155	15	21	82	97	138
522	Skirlaugh	67,028	9,654	59	322	191	172	150	19	16	105	86	131
523	Driffield	105,114	19,226	150	718	379	392	326	47	38	198	181	339
524	Bridlington	67,984	14,371	104	486	267	231	255	34	22	128	139	219
	37.—NORTH RIDING.												
525	Scarborough	81,460	30,425	370	1186	734	628	558	71	50	384	350	452
526	Malton	112,407	23,483	160	756	461	391	365	53	49	231	230	295
527	Easingwold	63,603	10,148	66	311	164	159	152	12	10	71	93	147
528	Thirsk	62,444	12,299	94	365	242	175	190	17	18	104	138	123
529	Helmsley	131,516	11,832	87	418	251	228	190	31	23	127	124	167
530	Pickering	88,082	10,549	101	384	259	213	171	28	23	139	120	125
531	Whitby	90,371	23,033	226	892	513	427	465	24	37	259	254	379
532	Guisbrough	95,862	22,128	215	1110	629	585	525	28	21	365	264	481
533	Stokesley	79,345	10,381	71	341	202	189	152	16	15	103	99	139
534	Northallerton	68,342	12,174	106	363	205	177	186	20	18	104	102	157
535	Bedale	45,588	8,450	54	255	166	130	125	7	13	87	79	89
536	Leyburn	84,018	10,105	71	301	191	166	135	13	14	73	118	110
537	Askrigg	77,308	5,649	32	179	117	81	98	13	11	59	58	62
538	Reeth	70,267	6,196	37	175	118	83	92	7	15	52	66	57
539	Richmond	78,369	13,457	81	369	289	180	189	19	20	126	154	89

X.—NORTHERN COUNTIES.—MARRIAGES, BIRTHS, AND DEATHS, 1864—DISTRICTS.

	38.—DURHAM.												
540	Darlington	62,952	26,122	304	1142	632	560	582	41	29	336	296	510
541a	Stockton *L*	101,358	57,099	704	3054	1641	1582	1472	85	64	840	801	1413
541b	Hartlepool	26,369	20,153	362	1500	704	776	724	37	34	375	329	796
542	Auckland	59,303	50,491	521	2745	1307	1419	1326	92	73	703	604	1438
543	Teesdale	174,162	20,880	157	725	348	365	360	33	38	172	176	377
544	Weardale	90,533	16,418	146	687	377	327	360	27	49	194	183	310
545	Durham *H*	98,368	70,274	544	3058	1515	1555	1503	104	81	788	727	1543
546	Easington	38,493	27,293	201	1207	620	650	617	23	27	307	313	647
547	Houghton-le-Spring	16,202	21,773	135	957	493	476	481	29	26	248	250	459
548	Chester-le-Street	33,079	27,560	151	1289	695	671	618	42	25	339	356	594
549	Sunderland	11,944	90,704	1214	4165	2273	2129	2036	98	104	1176	1097	1892
550	South Shields	15,477	44,849	499	2349	1443	1249	1100	49	53	779	664	905
551	Gateshead *L*	25,943	59,409	505	2703	1573	1376	1327	89	95	799	774	1130
	39.—NORTHUMBERLAND.												
552	Newcastle-upon-Tyne *H*	7,102	110,968	1835	4668	3151	2382	2286	162	153	1588	1563	1517
553	Tynemouth	39,757	77,955	690	3464	1849	1777	1687	78	81	955	894	1615
554	Castle Ward	88,787	14,943	39	506	286	259	247	29	26	149	137	220
555	Hexham	198,586	31,850	223	1124	636	567	557	61	65	323	313	488
556	Haltwhistle	88,861	6,693	50	228	124	114	114	22	14	66	58	104
557	Bellingham	235,861	7,080	47	230	128	134	96	13	18	81	67	102
558	Morpeth *L*	95,429	24,003	115	966	503	538	428	38	24	307	286	373
559	Alnwick	98,935	21,053	121	614	444	309	305	26	22	235	209	170
560	Belford	41,753	6,260	33	176	102	86	90	7	12	50	52	74
561	Berwick	57,975	21,832	154	682	459	367	315	29	28	233	226	223
562	Glendale	142,305	13,211	75	411	208	206	205	23	32	98	110	203
563	Rothbury	159,168	7,147	38	222	110	115	107	7	10	41	69	112
	40.—CUMBERLAND.												
564	Alston	35,060	6,404	39	198	109	104	94	17	11	54	55	89
565	Penrith	181,286	22,322	161	768	440	388	380	39	65	226	214	328
566	Brampton	95,473	10,866	67	338	240	167	171	28	24	128	112	98
567	Longtown	86,871	10,469	47	305	176	155	150	31	27	81	95	129
568	Carlisle *HL*	70,810	44,820	373	1483	1169	771	712	98	78	580	589	314
569	Wigton	176,529	23,273	162	750	475	380	370	63	43	237	238	275
570	Cockermouth	156,025	41,292	343	1690	1049	808	792	98	85	545	504	551
571	Whitehaven	99,203	39,950	376	1648	1065	830	818	64	71	539	526	583
572	Bootle	100,066	6,380	39	186	110	103	83	10	9	60	50	76
	41.—WESTMORLAND.												
573	East Ward	177,910	15,411	96	444	285	223	221	23	26	145	140	159
574	West Ward	120,523	8,072	63	271	157	127	144	20	24	75	82	114
575	Kendal	189,134	37,463	268	1219	685	597	622	59	51	335	350	534

XI.—MONMOUTHSHIRE AND WALES.—MARRIAGES, BIRTHS, AND DEATHS, 1864—DISTRICTS.

No.	DISTRICTS.	Area in Statute Acres.	Population, 1861.	TOTAL			BIRTHS.				DEATHS.		Excess of Births over Deaths.
				MARRIAGES.	BIRTHS.	DEATHS.	Including Illegitimate Births.		Illegitimate Births.				
							Males.	Females.	Males.	Females.	Males.	Females.	
	42. MONMOUTHSHIRE.												
576	CHEPSTOW	81,255	17,941	91	581	439	296	285	18	12	243	196	142
577	MONMOUTH	101,791	30,244	192	938	699	484	474	32	42	337	362	239
578*a*	ABERGAVENNY *L*	60,178	19,527	191	766	581	376	390	33	24	319	262	185
578*b*	BEDWELTY	27,998	47,565	518	2014	1320	1038	976	55	40	718	602	694
579	PONTYPOOL	51,429	30,388	364	1274	940	640	634	27	27	506	434	534
580	NEWPORT *H*	110,255	51,412	542	1944	1377	1027	917	44	33	707	670	567
	43.—SOUTH WALES.												
	GLAMORGANSHIRE.												
581*a*	CARDIFF *H*	82,198	58,235	635	2301	1572	1317	1184	44	45	833	719	929
581*b*	PONTYPRIDD	78,496	30,387	287	1527	953	771	756	46	45	510	443	574
582	MERTHYR TYDFIL	69,989	93,008	1201	3926	2743	1979	1947	99	115	1493	1250	1183
583	BRIDGEND	109,511	28,495	240	934	614	498	456	30	32	332	282	340
584	NEATH *L*	162,817	58,533	538	2560	1586	1317	1243	64	66	842	744	974
585*a*	SWANSEA *H*	44,166	51,260	564	2203	1548	1097	1106	32	45	812	736	655
585*b*	GOWER	59,803	8,316	50	229	211	116	113	5	5	109	102	18
	CARMARTHENSHIRE.												
586	LLANELLY	73,451	27,979	222	1215	630	647	568	47	27	314	316	585
587	LLANDOVERY	154,572	14,775	88	481	311	250	211	24	15	160	151	150
588	LLANDILOFAWR	97,207	17,222	145	508	366	256	247	23	25	164	202	137
589	CARMARTHEN *H*	172,546	36,675	271	1092	751	554	538	41	43	369	382	341
	PEMBROKESHIRE.												
590	NARBERTH	124,903	21,344	118	632	436	332	300	35	33	208	228	196
591	PEMBROKE	70,276	29,003	246	1015	639	511	504	30	32	315	324	376
592	HAVERFORDWEST	170,861	37,343	249	1107	797	593	514	66	45	373	424	310
	CARDIGANSHIRE.												
593	CARDIGAN	85,481	18,585	110	434	345	225	209	15	16	154	191	89
594	NEWCASTLE-IN-EMLYN	113,346	19,081	142	550	322	266	284	18	31	170	152	228
595	LAMPETER	75,710	9,994	61	310	167	175	135	20	17	92	75	143
596	ABERAYRON	65,704	13,540	96	407	273	227	180	20	19	141	132	134
597	ABERYSTWITH	132,592	25,464	239	940	513	486	454	27	25	247	266	427
598	TREGARON	122,050	10,737	42	206	167	148	148	12	19	94	73	129
	BRECKNOCKSHIRE.												
599	BUILTH	102,953	8,305	66	283	186	148	135	15	9	96	90	97
600	BRECKNOCK	196,793	17,279	114	590	384	310	280	30	23	180	201	209
601	CRICKHOWELL	55,832	22,457	202	857	509	440	407	27	20	286	223	347
602	HAY	89,695	10,819	76	369	250	176	193	20	22	128	122	119
	RADNORSHIRE.												
603	PRESTEIGNE	104,963	15,671	106	507	303	250	257	18	28	150	153	204
604	KNIGHTON	97,492	10,379	57	360	198	200	160	30	23	99	99	162
605	RHAYADER	105,732	6,816	48	263	148	121	142	22	24	84	64	115
	44.—NORTH WALES.												
	MONTGOMERYSHIRE.												
606	MACHYNLLETH	116,647	12,295	111	407	286	207	200	14	20	142	144	121
607	NEWTOWN	189,537	23,732	152	850	512	445	405	81	56	257	255	338
608	MONTGOMERY	74,037	10,097	121	580	361	306	274	29	19	185	176	219
609	LLANFYLLIN	187,870	21,699	137	650	502	325	305	46	62	237	265	128
	FLINTSHIRE.												
610	HOLYWELL	89,479	30,941	236	1353	951	700	653	35	42	483	468	402
	DENBIGHSHIRE.												
611	WREXHAM	78,292	47,975	411	1978	1392	1006	972	68	73	727	665	586
612	RUTHIN	92,953	16,083	106	435	293	227	208	19	14	160	133	142
613	ST. ASAPH *L*	95,934	27,518	200	866	614	451	415	34	31	294	320	252
614	LLANRWST	100,931	12,770	109	393	242	201	192	15	17	124	118	151
	MERIONETHSHIRE.												
615	CORWEN	123,807	16,107	119	474	306	233	241	15	25	158	148	168
616	BALA	58,292	6,552	27	176	103	96	80	5	7	53	50	73
617	DOLGELLY	145,213	12,182	112	401	297	189	212	23	21	151	143	104
618	FESTINIOG	135,714	18,289	225	775	551	462	571	43	29	256	195	322
	CARNARVONSHIRE.												
619	PWLLHELI	93,319	20,068	103	583	341	310	278	40	40	168	173	247
620	CARNARVON	97,635	32,425	284	1111	764	561	550	37	29	401	393	347
621	BANGOR	108,280	36,209	325	1196	800	609	587	46	30	386	414	396
622	CONWAY	57,151	13,806	82	520	287	264	265	23	22	155	132	242
	ANGLESEY.												
623	ANGLESEY	123,082	38,157	263	1005	708	533	472	50	42	378	420	207

I.—LONDON.—BIRTHS AND DEATHS, 1864—SUB-DISTRICTS.

No.	SUB-DISTRICTS.*	Area in Statute Acres.	Population, 1861.	TOTAL		BIRTHS.				DEATHS.		Excess of Births over Deaths.‡
				BIRTHS.	DEATHS.†	Including Illegitimate Births.		Illegitimate Births.				
						Males.	Females.	Males.	Females.	Males.	Females.	
	MIDDLESEX (*part of*).											
	1.—KENSINGTON.											
1	St. Mary Paddington *WH*	795	39015	1554	1014	756	798	35	38	505	509	540
2	St. John Paddington *H*	459	36769	810	797	423	387	11	11	396	401	13
3	Kensington Town *W*	1244	51910	2035	1460	1057	978	54	50	686	774	575
4	Brompton *H*	698	18198	516	511	249	267	8	4	269	242	5
5	St. Peter Hammersmith	203	5415	179	123	95	84	2	–	57	66	56
6	St. Paul Hammersmith	2118	19104	657	544	339	318	19	20	242	302	113
7	Fulham *W*	1834	15539	638	495	307	331	20	21	259	236	143
	2.—CHELSEA.											
1	Chelsea South *H*	368	21654	718	609	337	381	12	13	361	248	109
2	Chelsea North-West *WuH*	213	19899	680	679	344	345	35	27	298	381	10
3	Chelsea North-East	284	21886	721	476	350	371	14	12	261	215	245
	3.—ST. GEORGE HANOVER SQUARE.											
1	Hanover Square	445	19773	424	327	206	218	7	9	161	166	97
2	May Fair *W*	136	12885	273	276	144	129	25	19	148	128	−3
3	Belgrave *H*	580	55113	1688	1391	863	825	18	33	728	663	297
	4.—WESTMINSTER.											
1	St. John	260	37483	1340	1020	709	631	14	11	544	476	320
2	St. Margaret *WH*	657	30730	857	1124	413	444	54	48	570	554	−267
	5. ST. MARTIN-IN-THE-FIELDS.											
1	Charing Cross *WH*	263	11071	190	351	104	86	11	11	217	134	−161
2	Long Acre	42	11618	358	280	189	169	3	1	159	130	78
	6.—ST. JAMES WESTMINSTER.											
1	Berwick Street	25	10607	371	243	163	208	6	2	114	129	128
2	St. James's Square	85	10753	199	153	101	98	2	5	91	62	46
3	Golden Square *W*	54	13956	407	409	204	203	17	20	190	219	−2
	7.—MARYLEBONE.											
1	All Souls *H*	112	29952	949	890	508	441	12	18	460	430	59
2	Cavendish Square	113	15090	311	231	161	150	4	6	111	120	80
3	Rectory *W*	116	26892	972	1026	524	448	104	104	483	543	−54
4	St. Mary	108	22493	801	502	417	384	81	77	239	263	299
5	Christchurch	518	34913	1140	845	553	587	21	20	392	453	295
6	St. John	542	32540	988	717	518	470	15	11	335	382	271
	8.—HAMPSTEAD.											
1	Hampstead *W*	2252	19106	541	372	290	251	6	9	173	199	169
	9.—PANCRAS.											
1	Regent's Park	427	34927	1161	753	610	551	13	11	354	399	408
2	Tottenham Court *wH*	145	28371	808	1019	470	398	31	37	537	482	−151
3	Gray's Inn Lane *H*	155	27808	946	753	460	486	13	17	377	376	193
4	Somers Town	184	39099	1383	876	714	669	12	17	444	432	507
5	Camden Town *W*	171	23266	900	1023	496	494	86	84	465	558	−33
6	Kentish Town	1634	44317	1928	1025	968	960	24	17	497	558	903
	10.—ISLINGTON.											
1	Islington West *WHH*	1228	75442	3208	2677	1648	1560	96	64	1350	1327	531
2	Islington East *Ww*	1899	79899	3141	1917	1580	1561	51	37	909	1008	1224
	11.—HACKNEY.											
1	Stoke Newington	639	6608	186	133	114	72	1	1	71	62	53
2	Stamford Hill	615	5483	135	105	61	74	1	2	56	49	30
3	West Hackney	472	24265	815	490	394	421	11	16	212	278	325
4	Hackney *WwH*	1731	31481	1257	987	663	594	38	39	500	487	270
5	South Hackney *L*	472	15458	791	433	391	400	8	3	201	232	358
	12.—ST. GILES.											
1	St. George Bloomsbury	122	17392	418	356	207	211	4	7	162	194	62
2	St. Giles South *W*	63	19483	870	837	439	431	35	39	433	404	33
3	St. Giles North	60	17201	485	437	263	217	12	6	217	220	48
	13.—STRAND.											
1	St. Anne Soho	53	17426	508	380	269	239	8	13	203	177	128
2	St. Mary-le-Strand	67	10346	272	247	143	129	2	2	130	117	25
3	St. Clement Danes *H*	52	12207	547	651	284	263	16	17	344	307	−104

* The Sub-districts are sub-divisions of the Districts, and comprise the Parishes or Places in which the Births and Deaths are registered by Registrars severally appointed for that purpose. The letter *W* denotes that the Sub-district contains within its limits a Workhouse belonging to the District or Union; *w* indicates that a Workhouse belonging to *another* District or Union is included; *H* indicates Hospital or Infirmary; and *L* Lunatic Asylum.

† For the number of Deaths in the Hospitals, Workhouses, and other principal Public Institutions in London, see pp. 83-4.

‡ Wherever the minus sign (−) is prefixed to the numbers given in the Column headed "Excess of Births over Deaths," it denotes that the Births in the Sub-district, instead of exceeding the Deaths, were, in fact, *less than the Deaths* to the extent stated. The Excess of *Deaths* over Births in several of the Sub-districts of London is attributable to the mortality in Hospitals.

I.—LONDON.—BIRTHS AND DEATHS, 1864—SUB-DISTRICTS—*continued.*

No.	SUB-DISTRICTS.	Area in Statute Acres.	Population, 1861.	TOTAL BIRTHS.	TOTAL DEATHS.	BIRTHS. Including Illegitimate Births. Males.	BIRTHS. Including Illegitimate Births. Females.	BIRTHS. Illegitimate Births. Males.	BIRTHS. Illegitimate Births. Females.	DEATHS. Males.	DEATHS. Females.	Excess of Births over Deaths.
	MIDDLESEX (*part of*)—*continued.*											
	14.—HOLBORN.											
1	St. George-the-Martyr *H*	103	19903	575	587	293	282	12	8	280	307	−12
2	St. Andrew Eastern *W*	33	12947	438	544	198	240	16	21	268	276	−106
3	Saffron Hill	60	12012	327	275	160	167	2	1	122	153	52
	15.—CLERKENWELL.											
1	St. James *W*	74	19152	699	658	364	335	29	32	333	325	41
2	Amwell	82	17250	556	422	282	274	5	4	226	196	184
3	Pentonville	134	13079	422	300	225	197	7	4	149	151	122
4	Goswell Street	90	16200	557	362	289	268	3	6	177	185	195
	16.—ST. LUKE.											
1	Old Street	52	11504	462	282	239	223	3	13	137	145	180
2	City Road *HL*	77	17860	1177	513	612	565	3	10	249	264	664
3	Whitecross Street	33	14778	473	527	245	228	4	7	273	254	−54
4	Finsbury	58	12931	433	288	232	201	4	3	151	137	145
	17.—EAST LONDON.											
1	St. Botolph	85	20990	615	446	318	297	2	3	242	204	169
2	Cripplegate	68	19697	580	428	270	310	13	15	206	222	152
	18.—WEST LONDON.											
1	West London North* *WH*	47	11750	323	1009	151	172	16	18	616	393	−686
2	West London South	91	15395	461	382	234	227	1	5	195	187	79
	19.—LONDON CITY.											
1	London City South-west	67	7762	184	147	80	104	1	2	75	72	37
2	London City North-west	72	9020	124	121	69	55	1	2	73	48	3
3	London City South	100	8570	148	166	69	79	3	2	92	74	−18
4	London City South-east	103	8659	152	169	79	73	–	3	94	76	−17
5	London City North-east	92	11544	223	200	115	108	3	–	103	97	23
	20.—SHOREDITCH.											
1	Holywell	68	17313	534	388	277	257	7	6	188	200	146
2	St. Leonard *L*	75	19188	674	483	333	341	8	5	265	218	191
3	Hoxton New Town *w*	130	26516	1063	892	532	531	42	44	450	442	171
4	Hoxton Old Town	116	25777	1041	643	522	519	18	15	305	338	398
5	Haggerstone West *W*	132	26360	976	778	479	497	34	34	389	389	198
6	Haggerstone East	125	17310	809	464	440	369	5	3	253	211	345
	21.—BETHNAL GREEN.											
1	Hackney Road	141	26208	1072	676	537	535	7	11	334	342	396
2	Green *WHL*	391	31739	1467	1203	755	712	24	38	595	608	264
3	Church	132	25528	1011	628	529	482	7	9	323	305	383
4	Town	96	21486	929	572	473	456	7	3	275	297	357
	22.—WHITECHAPEL.											
1	Artillery	25	6557	214	125	114	100	1	–	66	59	89
2	Spitalfields	53	15750	545	389	300	245	3	3	208	181	156
3	Mile End New Town *W*	64	15392	671	791	357	314	36	33	403	388	−120
4	Whitechapel North	58	12122	428	375	205	223	2	5	189	186	53
5	Whitechapel Church* *H*	47	8062	300	633	158	142	1	1	409	224	−333
6	Goodman's Fields	51	11166	410	273	223	187	5	4	140	133	137
7	Aldgate	108	9971	255	227	123	132	1	–	123	104	28
	23.—ST. GEORGE-IN-THE-EAST.											
1	St. Mary	62	18181	692	492	376	316	7	8	249	243	200
2	St. Paul	84	21015	803	565	418	385	7	11	266	299	238
3	St. John *W*	97	9695	413	531	202	211	37	36	252	279	−118
	24 *a.*—STEPNEY.											
1	Shadwell *W*	179	12537	303	370	166	137	3	1	187	183	−67
2	Ratcliff *W*	132	16874	545	391	264	281	7	7	181	210	154
3	Limehouse *W*	265	27161	1113	653	570	543	6	8	318	335	460
	24 *b.* MILE END OLD TOWN.											
1	Mile End Old Town Western	191	33747	1465	837	735	730	15	14	432	405	628
2	Mile End Old Town Eastern *Ww*	490	39317	1683	1105	864	849	33	27	529	576	578
	25.—POPLAR.											
1	Bow *wcL*	1428	33867	1805	1420	908	897	29	23	770	650	335
2	Poplar *W*	1490	43529	2234	1586	1114	1120	25	29	740	646	848
	SURREY (*part of*).											
	26.—ST. SAVIOUR SOUTHWARK.											
1	Christchurch *W*	95	17069	539	476	264	275	13	13	228	248	63
2	St. Saviour *H*	155	19101	572	418	287	285	8	8	202	216	154
	27.—ST. OLAVE SOUTHWARK.											
1	St. Olave* *H*	75	7663	160	599	85	75	4	3	387	212	−439
2	St. John Horsleydown *W*	94	11393	367	313	198	169	4	18	149	164	54

*The Excess of *Deaths* over Births in these Sub-districts is attributable to the fact of Hospitals for the sick being situated in them. For the number of Deaths in Hospitals, &c. in London, see Table pp. 83-4.

I.—LONDON.—BIRTHS AND DEATHS, 1864—SUB-DISTRICTS—*continued.*

No.	SUB-DISTRICTS.	Area in Statute Acres.	Population, 1861.	TOTAL		BIRTHS.				DEATHS.		Excess of Births over Deaths.
						Including Illegitimate Births.		Illegitimate Births.				
				BIRTHS.	DEATHS.	Males.	Females.	Males.	Females.	Males.	Females.	
	SURREY (*part of*)—*continued.*											
	28.—BERMONDSEY.											
1	St. James	454	25154	1280	661	649	631	9	8	329	332	619
2	St. Mary Magdalen *W*	142	16505	679	468	347	332	19	21	226	242	211
3	Leather Market	92	16696	643	395	332	311	5	10	216	179	248
	29.—ST. GEORGE SOUTHWARK.											
1	Kent-road	105	19652	691	480	352	339	9	7	242	238	211
2	Borough-road *W*	65	19668	653	775	325	328	43	38	384	391	−122
3	London-road *L*	112	19190	654	477	325	329	6	10	238	239	177
	30.—NEWINGTON.											
1	Trinity Newington	142	22675	896	535	458	438	8	6	288	247	361
2	St. Peter Walworth *W*	321	44463	1806	1145	938	868	42	30	545	600	661
3	St. Mary *H*	161	15082	491	550	262	229	12	6	284	266	−59
	31.—LAMBETH.											
1	Waterloo-road First	91	15269	607	344	303	304	10	7	193	151	263
2	Waterloo-road Second	142	18640	888	484	476	412	32	32	257	227	404
3	Lambeth Church First	206	19839	768	558	399	369	14	13	291	267	210
4	Lambeth Church Second *W*	186	29542	1271	1059	646	625	93	67	504	555	212
5	Kennington First	459	30785	1279	772	660	619	13	15	356	416	507
6	Kennington Second	510	20440	630	481	328	302	9	9	241	240	149
7	Brixton	1445	20067	702	404	369	333	10	9	185	219	298
8	Norwood *W*	976	7462	316	163	157	159	4	1	70	93	153
	32.—WANDSWORTH.											
1	Clapham	1233	20894	640	408	303	337	9	9	176	232	232
2	Battersea *Ww*	2343	19600	1150	668	610	540	28	28	356	312	482
3	Wandsworth *L*	2478	13346	440	316	242	198	7	4	158	158	124
4	Putney	2176	6481	211	120	105	106	2	2	54	66	91
5	Streatham	3465	10082	277	174	153	124	5	3	95	79	103
	33.—CAMBERWELL.											
1	Dulwich	1423	1723	53	25	29	24	1	1	13	12	28
2	Camberwell *WLL*	1339	21297	778	630	410	368	29	33	296	334	148
3	Peckham	1146	28135	1165	677	580	585	23	15	323	354	488
4	St. George	434	20333	1063	519	527	536	17	26	258	261	544
	34.—ROTHERHITHE.											
1	Rotherhithe *W*	886	24502	877	594	439	438	10	9	314	280	283
	KENT (*part of*).											
	35.—GREENWICH.											
1	St. Paul Deptford	1609	37834	1725	1099	908	817	16	20	538	561	626
2	St. Nicholas Deptford	149	8139	371	254	198	173	5	3	148	106	117
3	Greenwich West *H*	326	21696	758	732	407	351	18	15	420	312	26
4	Greenwich East* *WH*	1687	18306	614	869	318	296	31	25	544	325	−255
5	Woolwich Dockyard *H*	495	22919	731	545	377	354	9	8	282	263	186
6	Woolwich Arsenal *H*	1101	18776	710	552	358	352	4	5	299	253	158
	36.—LEWISHAM.											
1	Plumstead	5057	32974	1331	748	682	649	10	11	377	371	583
2	Eltham	4350	3009	94	44	38	56	—	2	23	21	50
3	Lee	2399	11807	368	217	188	180	3	—	95	122	151
4	Lewisham Village *W*	5418	7372	249	187	126	123	12	4	86	101	62
5	Sydenham		10595	509	223	254	255	3	5	109	114	286

II.—SOUTH EASTERN COUNTIES.—BIRTHS AND DEATHS, 1864—SUB-DISTRICTS.

	1.—SURREY (*extra-metropolitan*).											
	37.—EPSOM.											
1	Carshalton *w*	12119	8341	285	163	136	149	3	6	83	80	122
2	Epsom *W*	12377	7908	198	164	95	103	6	8	93	71	34
3	Leatherhead	16684	6160	148	107	85	63	3	1	57	50	41
	38.—CHERTSEY.											
1	Walton	8126	5613	196	96	99	97	2	4	42	54	100
2	Chertsey *W*	14165	7740	232	184	113	119	12	10	94	90	48
3	Chobham	21250	5280	182	72	97	85	9	3	38	34	110
	39.—GUILDFORD.											
1	Woking *H*	19051	6171	220	132	116	104	4	6	79	53	88
2	Ripley	8823	2591	78	41	44	34	1	2	21	20	37
3	Albury	19760	4453	127	78	69	58	1	—	40	38	49
4	Guildford *W*	5329	9643	305	246	160	145	15	18	135	111	59
5	Godalming	12629	6472	198	113	94	104	3	2	58	55	85

* Greenwich Hospital and the Union Workhouse are situated in this Sub-district. For the number of Deaths in those institutions see Table pp. 83–4.

II.—SOUTH EASTERN COUNTIES.—BIRTHS AND DEATHS, 1864—SUB-DISTRICTS—*continued*.

No.	SUB-DISTRICTS.	Area in Statute Acres.	Population, 1861.	TOTAL BIRTHS.	TOTAL DEATHS.	BIRTHS. Including Illegitimate Births. Males.	BIRTHS. Including Illegitimate Births. Females.	BIRTHS. Illegitimate Births. Males.	BIRTHS. Illegitimate Births. Females.	DEATHS. Males.	DEATHS. Females.	Excess of Births over Deaths.
	1.—SURREY (*extra-metropolitan*) —*continued*.											
	40.—FARNHAM.											
1	Frimley – – – – – – – – –	11649	19403	751	380	404	347	12	6	223	157	371
2	Farnham *W* – – – – – – –	19548	11304	408	200	211	197	17	8	152	138	118
	41.—FARNBOROUGH.											
1	Farnborough *W* – – – – – –	24142	11190	223	156	106	117	6	3	92	64	67
2	Headley *W* – – – – – – –	15429	3128	96	74	55	41	3	3	44	30	22
	42.—HAMBLEDON.											
1	Witley *W* – – – – – – – –	28157	6354	198	135	102	96	9	11	64	71	63
2	Cranley – – – – – – – – –	32194	7353	254	152	128	126	7	5	78	54	122
	43.—DORKING.											
1	Capel – – – – – – – – –	23989	4094	125	75	65	60	1	4	43	32	50
2	Dorking *W* – – – – – – –	16017	8351	253	168	124	129	3	4	88	80	85
	44.—REIGATE.											
1	Reigate *WL* – – – – – – –	22726	13704	531	280	269	262	7	10	161	119	251
2	Horley – – – – – – – – –	28550	6405	215	107	99	116	2	4	60	47	108
	45.—GODSTONE.											
1	Godstone *W* – – – – – – –	43848	9642	338	180	184	154	7	6	103	77	158
	46.—CROYDON.											
1	Croydon *Ww* – – – – – – –	21209	37093	1576	936	799	777	45	18	465	471	640
2	Mitcham *w* – – – – – – –	11594	9381	350	192	185	165	2	3	105	87	158
	47.—KINGSTON.											
1	Wimbledon – – – – – – – –	3700	4644	199	83	107	92	4	2	38	45	116
2	Kingston *W* – – – – – – –	6037	18112	691	439	335	356	21	16	203	236	252
3	Esher – – – – – – – – –	8440	7185	203	157	98	105	2	3	83	74	46
4	Hampton – – – – – – – –	4310	6538	216	102	105	111	4	2	87	75	54
	48.—RICHMOND.											
1	Richmond *W* – – – – – – –	2120	12065	381	239	195	186	14	10	119	140	122
2	Mortlake – – – – – – – –	2219	6137	189	122	109	80	2	3	60	62	67
	2.—KENT (*extra-metropolitan*).											
	49.—BROMLEY.											
1	Bromley – – – – – – – – –	23118	11755	436	215	214	222	8	6	112	103	221
2	Chislehurst *W* – – – – – –	16809	8613	313	240	166	147	7	8	140	100	73
	50.—DARTFORD.											
1	Bexley – – – – – – – – –	12969	13026	537	281	280	257	3	16	141	140	256
2	Dartford *W* – – – – – – –	17075	13180	523	379	227	246	17	18	208	171	144
3	Farningham – – – – – – –	22463	6110	201	89	100	101	9	2	49	49	112
	51.—GRAVESEND.											
1	Gravesend *W* – – – – – – –	1541	16782	690	395	366	324	14	14	200	195	295
	52.—NORTH AYLESFORD.											
1	Northfleet – – – – – – –	21687	9600	379	210	186	193	6	6	116	94	169
2	Strood *W* – – – – – – – –	20045	9521	382	242	204	178	7	13	127	115	140
	53.—HOO.											
1	Hoo *W* – – – – – – – – –	33281	2861	128	77	67	61	5	5	35	42	51
	54.—MEDWAY.											
1	Rochester – – – – – – – –	3120	17550	634	345	313	321	8	7	183	162	289
2	Gillingham *W* – – – – – –	11445	34255	1407	849	729	678	26	21	460	359	598
	55.—MALLING.											
1	Aylesford – – – – – – – –	19208	8026	336	163	177	159	5	6	78	88	170
2	East Peckham *W* – – – – –	12007	7554	265	185	138	127	25	16	101	82	82
3	Wrotham – – – – – – – –	16183	5857	195	129	101	84	14	5	64	65	66
	56.—SEVENOAKS.											
1	Shoreham – – – – – – – –	10290	5183	185	123	97	89	4	3	66	57	62
2	Sevenoaks *W* – – – – – – –	20173	9508	366	229	157	149	6	9	121	108	77
3	Penshurst – – – – – – – –	28025	7288	258	118	146	115	4	7	56	62	140
	57.—TUNBRIDGE.											
1	Tunbridge Wells *H* – – – –	30401	17655	585	370	318	267	7	15	180	190	215
2	Tunbridge *W* – – – – – –		11129	407	227	221	197	12	18	172	105	150
3	Brenchley – – – – – – – –	15778	5486	187	85	96	94	4	7	41	42	104

II.—SOUTH EASTERN COUNTIES.—BIRTHS AND DEATHS, 1864—SUB-DISTRICTS—*continued*.

No.	SUB-DISTRICTS.	Area in Statute Acres.	Population, 1861.	TOTAL BIRTHS.	TOTAL DEATHS.	BIRTHS. Including Illegitimate Births. Males.	BIRTHS. Including Illegitimate Births. Females.	BIRTHS. Illegitimate Births. Males.	BIRTHS. Illegitimate Births. Females.	DEATHS. Males.	DEATHS. Females.	Excess of Births over Deaths.
	2.—KENT (*extra-metropolitan*)—*cont.*											
	58.—MAIDSTONE.											
1	Yalding	10807	4882	166	90	85	81	7	4	43	47	76
2	Marden *W*	15317	4905	154	142	79	75	14	13	76	66	12
3	Loose *W*	7916	5867	176	110	88	88	3	7	66	44	66
4	West Maidstone *L*	2056	10907	309	329	157	152	10	10	162	167	− 20
5	East Maidstone *H*	1986	12109	484	331	234	250	15	14	168	163	153
	59.—HOLLINGBOURN.											
1	Hollingbourn *W*	22026	4690	180	114	88	92	13	10	58	56	66
2	Lenham	16142	3808	120	69	66	54	2	2	35	34	51
3	Headcorn	18849	5286	164	86	69	95	2	2	45	41	78
	60.—CRANBROOK.											
1	Cranbrook *W*	19688	6688	227	130	117	110	6	10	66	64	97
2	Hawkhurst	20561	6724	216	118	117	99	7	5	62	56	98
	61.—TENTERDEN.											
1	Rolvenden	20517	4331	140	59	66	74	5	4	29	30	81
2	Tenterden *W*	26372	6616	181	118	98	83	8	7	56	62	63
	62.—WEST ASHFORD.											
1	Calehill *W*	22535	5311	180	99	97	83	5	1	53	46	81
2	Ashford	19366	9826	364	194	171	193	5	10	110	84	170
	63.—EAST ASHFORD.											
1	Aldington	16127	2487	100	47	52	48	3	1	24	23	53
2	Braybourne *W*	11035	4032	128	76	59	69	8	6	44	32	52
3	Wye	27336	5767	177	121	90	87	5	4	61	60	56
	64.—BRIDGE.											
1	Chartham	18523	5020	176	107	97	79	3	6	61	46	69
2	Barham *W*	22871	6296	187	117	97	90	8	11	68	49	70
	65.—CANTERBURY.											
1	Canterbury *WH*	3121	16643	533	429	283	250	15	22	218	211	104
	66.—BLEAN.											
1	Sturry	9791	6467	206	146	96	110	10	8	73	73	60
2	Herne *W*	13887	4473	156	92	83	75	5	7	43	49	66
3	Whitstable	8543	5221	238	142	118	120	3	1	74	68	96
	67.—FAVERSHAM.											
1	Boughton	22200	5333	164	93	83	81	2	5	45	48	71
2	Faversham *W*	8371	9473	412	245	224	188	6	12	133	112	167
3	Teynham	15877	4061	128	97	62	66	3	2	40	57	31
	68.—MILTON.											
1	Milton *W*	35409	14775	721	353	355	366	20	15	183	165	368
	69.—SHEPPEY.											
1	Minster *WH*	11535	16937	668	306	338	330	12	3	166	140	362
2	Eastchurch	19548	1557	62	25	35	27	1	1	12	13	37
	70.—THANET.											
1	Minster *W*	17063	3836	145	110	75	70	12	12	52	58	35
2	Margate *HH*	4572	10019	299	270	155	144	6	2	138	137	29
3	Ramsgate	8098	18007	580	401	304	276	9	11	210	191	179
	71.—EASTRY.											
1	Sandwich *W*	24870	8759	291	246	151	140	17	11	135	111	45
2	Wingham	8447	2878	96	43	42	54	1	2	18	25	53
3	Eythorn	8639	2158	54	34	29	25	2	−	15	19	20
4	Deal	8754	12105	361	235	181	180	3	4	104	131	126
	72.—DOVER.											
1	St. James	9935	12419	445	238	222	223	6	9	128	110	207
2	St. Mary	125	10914	333	231	170	163	6	4	123	108	102
3	Hougham *W*	19821	8242	335	240	162	173	15	14	129	111	95
	73.—ELHAM.											
1	Folkestone	7072	17341	535	267	291	244	16	9	136	131	268
2	Elham *W*	20916	3841	136	85	74	62	8	5	32	46	51
3	Hythe	15209	5743	206	91	102	104	9	7	43	48	115
	74.—ROMNEY MARSH.											
1	New Romney *W*	20671	2882	116	58	56	60	1	5	36	22	58
2	Lydd	28114	2326	115	53	67	48	4	1	28	25	62

II.—SOUTH EASTERN COUNTIES.—BIRTHS AND DEATHS, 1864—SUB-DISTRICTS—*continued*.

No.	SUB-DISTRICTS.	Area in Statute Acres.	Population, 1861.	TOTAL		BIRTHS.				DEATHS.		Excess of Births over Deaths.
				BIRTHS.	DEATHS.	Including Illegitimate Births.		Illegitimate Births.				
						Males.	Females.	Males.	Females.	Males.	Females.	
	3.—SUSSEX.											
	75.—Rye.											
1	Rye *W*	16296	6353	193	137	104	89	10	9	61	76	56
2	Beckley	23073	5574	170	96	84	86	6	4	46	50	74
	76.—Hastings.											
1	Ore *W*	11372	3188	128	90	72	56	6	6	45	45	38
2	All Saints	585	7559	295	242	150	145	6	9	122	120	53
3	St. Mary-in-the-Castle *H*	2070	15884	501	386	242	259	6	13	194	192	115
	77.—Battle.											
1	Bexhill	20660	4512	173	79	89	84	6	1	41	38	94
2	Ewhurst	12804	2674	94	38	50	44	–	3	14	24	56
3	Battle *W*	20476	5494	172	104	85	87	10	7	58	46	68
	78.—Eastbourne.											
1	Westham	18927	2594	84	48	40	44	2	2	16	32	36
2	Eastbourne *W*	19145	8127	327	160	163	164	11	6	86	74	167
	79.—Hailsham.											
1	Hailsham	23245	6005	180	89	92	88	4	7	40	49	91
2	Hellingly *W*	29120	6663	217	102	107	110	7	9	42	60	115
	80.—Ticehurst.											
1	Ticehurst *W*	15523	4901	159	77	69	90	6	14	41	36	82
2	Salehurst	11827	3181	107	63	46	61	4	4	34	29	44
3	Wadhurst	15437	4075	162	63	86	76	4	3	32	31	99
4	Frant	8872	2469	79	38	44	35	5	2	17	21	41
	81.—Uckfield.											
1	Rotherfield	28837	6101	246	125	128	118	7	4	64	61	121
2	Framfield	14918	3102	120	57	59	61	3	1	23	34	63
3	Isfield *W*	5819	2494	85	61	50	35	12	8	39	22	24
4	Maresfield	25156	5563	194	106	107	87	10	4	49	57	88
	82.—East Grinstead.											
1	Withyham	18353	3048	111	49	55	56	2	2	27	22	62
2	East Grinstead *W*	24081	6463	227	112	119	108	3	4	55	57	115
3	Worth *W*	18883	4581	124	63	64	60	2	6	34	29	61
	83.—Cuckfield.											
1	Lindfield	18633	4213	144	64	86	58	7	3	36	28	80
2	Cuckfield *W*	24534	6792	225	146	123	102	11	5	69	77	79
3	Hurstpierpoint	18576	6158	240	94	119	121	5	5	53	41	146
	84.—Lewes.											
1	Ditchling *WL*	17814	3948	110	126	56	54	1	–	73	53	– 16
2	Chailey *W*	18464	4947	136	70	68	68	2	1	40	30	66
3	Lewes *W*	5870	10116	328	203	163	165	13	9	94	109	125
4	Westfirle *W*	14494	2379	70	37	43	27	1	–	15	22	33
5	Newhaven *W*	11751	3213	138	65	65	73	4	1	35	30	73
6	Rottingdean	16711	2392	81	69	48	33	–	1	40	29	12
	85.—Brighton.											
1	Kemp Town	2320	13589	348	284	198	150	6	12	154	130	64
2	St. Peter *WH*		42156	1748	1187	882	866	80	78	613	574	561
3	The Palace		21948	446	379	226	220	10	2	196	183	67
	86.—Steyning.											
1	Shoreham *W*	20973	18369	515	327	266	249	10	9	170	157	188
2	Steyning	23371	5684	165	90	90	75	4	7	49	41	75
	87.—Horsham.											
1	South Horsham	24416	4514	158	86	83	75	4	5	43	43	72
2	North Horsham *W*	32607	10799	360	267	171	189	11	10	142	125	93
	88.—Petworth.											
1	Billingshurst *W*	21072	4245	114	98	67	47	1	1	57	41	16
2	Petworth *W*	18257	5152	144	144	70	74	6	3	72	72	–
	89.—Thakeham.											
1	Pulborough	12064	3378	113	71	62	51	4	2	36	35	42
2	Washington *W*	22585	4189	120	72	61	59	3	5	33	39	48
	90.—Worthing.											
1	Broadwater	8485	[8387	224	149	112	112	4	7	74	75	75
2	Littlehampton *W*	19882	6737	229	128	123	106	8	4	73	55	101
3	Arundel *W*	14090	3797	116	96	52	64	10	5	52	44	20

II.—SOUTH EASTERN COUNTIES.—BIRTHS AND DEATHS, 1864—SUB-DISTRICTS—*continued*.

No.	SUB-DISTRICTS.	Area in Statute Acres.	Population, 1861.	TOTAL BIRTHS.	TOTAL DEATHS.	BIRTHS. Including Illegitimate Births. Males.	BIRTHS. Including Illegitimate Births. Females.	BIRTHS. Illegitimate Births. Males.	BIRTHS. Illegitimate Births. Females.	DEATHS. Males.	DEATHS. Females.	Excess of Births over Deaths.
	3.—SUSSEX—*continued*.											
	91.—WESTHAMPNETT.											
1	Manhood	17455	3418	124	54	60	64	–	4	30	24	70
2	Wyke	11452	2909	73	39	42	31	2	–	18	21	34
3	Yapton	13674	3006	97	54	41	56	3	–	30	24	43
4	Boxgrove *W*	16752	3632	111	87	57	54	4	9	47	40	24
5	Singleton	16580	1846	58	30	30	28	1	2	20	10	28
	92.—CHICHESTER.											
1	Sutton *W*	16216	2763	99	44	56	43	7	1	18	26	55
2	Chichester *WH*	1830	8884	257	207	113	144	10	8	113	94	50
3	South Bersted	3008	3128	63	52	34	29	–	2	22	30	11
	93.—MIDHURST.											
1	Midhurst *W*	20218	5258	162	140	80	82	14	10	59	81	22
2	Fernhurst	17894	2786	99	55	52	47	2	3	27	28	44
3	Harting	27608	4537	152	107	77	75	5	6	57	50	45
	94.—WESTBOURNE.											
1	Funtington	18766	3231	87	63	48	39	1	–	36	27	24
2	Westbourne *W*	14120	3726	125	85	60	65	1	6	45	38	42
	4.—HAMPSHIRE.											
	95.—HAVANT.											
1	Havant *W*	24527	7212	226	133	101	125	5	4	57	76	93
	96.—PORTSEA ISLAND.											
1	Kingston *W*	7806	23089	924	681	461	463	30	35	346	335	243
2	Portsea Town		19967	500	421	226	264	5	4	232	189	79
3	Portsmouth Town		10346	287	170	141	146	6	7	93	77	117
4	Landport		41426	1790	964	902	888	32	25	473	491	826
	97.—ALVERSTOKE.											
1	Alverstoke *W*	5222	22653	750	472	392	358	16	3	275	197	278
	98.—FAREHAM.											
1	Fareham *WL*	21089	9640	324	310	172	162	9	5	159	151	24
2	Titchfield	21136	5224	192	88	107	85	7	8	34	54	104
	99.—ISLE OF WIGHT.											
1	Cowes	10330	10449	354	203	168	186	7	12	95	108	151
2	Newport *W*	19484	13761	420	256	213	207	25	26	147	109	164
3	Ryde	17894	17715	615	292	317	298	10	16	159	142	323
4	Godshill	26988	8020	241	141	121	120	5	6	74	67	100
5	Calbourne	25050	5417	188	76	99	89	5	8	42	34	112
	100.—LYMINGTON.											
1	Lymington *W*	24267	8070	235	171	116	119	5	14	86	85	64
2	Milford	17902	4024	116	77	51	65	3	4	37	40	39
	101.—CHRISTCHURCH.											
1	Christchurch *W*	36775	10438	307	208	157	150	9	10	97	111	99
	102.—RINGWOOD.											
1	Ringwood *W*	33300	5357	131	93	64	67	6	3	48	45	38
	103.—FORDINGBRIDGE.											
1	Fordingbridge *W*	31167	6377	207	103	112	95	9	13	53	50	104
	104.—NEW FOREST.											
1	Lyndhurst	25723	3355	115	49	69	46	5	6	33	16	66
2	Fawley	33430	4202	135	79	63	72	2	2	42	37	56
3	Eling *W*	26379	5352	174	103	92	82	7	6	55	48	71
	105.—SOUTHAMPTON.											
1	Southampton *WH*	2630	43414	1577	1141	801	776	43	43	602	539	436
	106.—SOUTH STONEHAM.											
1	St. Mary Extra	9895	5675	201	149	100	101	3	–	99	50	52
2	South Stoneham *W*	10764	8621	317	175	187	130	7	6	83	92	142
3	Millbrook	10056	11246	391	229	210	181	10	7	124	105	162
	107.—ROMSEY.											
1	Romsey *W*	9776	6795	212	147	110	102	12	4	68	79	65
2	Michelmersh	18427	3976	121	73	59	62	3	4	37	36	48

II.—SOUTH EASTERN COUNTIES.—BIRTHS AND DEATHS, 1864—SUB-DISTRICTS—*continued*.

No.	SUB-DISTRICTS.	AREA in Statute Acres.	POPULATION, 1861.	TOTAL		BIRTHS.				DEATHS.		Excess of Births over Deaths.
				BIRTHS.	DEATHS.	Including Illegitimate Births.		Illegitimate Births.				
						Males.	Females.	Males.	Females.	Males.	Females.	
	4.—HAMPSHIRE—*continued*.											
	108.—STOCKBRIDGE.											
1	Broughton	24694	3709	122	57	61	61	1	2	40	17	65
2	Stockbridge *W*	20649	3577	115	90	48	67	9	5	50	40	25
	109.—WINCHESTER.											
1	Mitcheldever	18373	2347	59	39	28	31	2	–	19	20	20
2	The Worthys	21119	2577	93	42	49	44	3	2	16	26	51
3	Winchester *WH*	3861	14930	410	335	216	194	12	14	180	155	75
4	Twyford	18785	4203	133	58	64	69	6	5	30	28	75
5	Hursley *W*	16338	2550	67	42	38	29	5	2	24	18	25
	110.—DROXFORD.											
1	Bishops Waltham	12714	3267	113	60	58	55	1	3	30	30	53
2	Westmeon	13709	2177	76	52	36	40	3	2	27	25	24
3	Hambledon *W*	21840	5221	167	95	98	69	3	7	49	46	72
	111.—CATHERINGTON.											
1	Horndean *W*	10561	2497	89	56	54	35	1	1	28	28	33
	112.—PETERSFIELD.											
1	Petersfield *W*	19561	5172	143	113	84	59	10	5	62	51	30
2	Eastmeon	20551	2681	74	47	39	35	3	–	23	24	27
	113.—ALRESFORD.											
1	Ropley	23142	3508	97	68	48	49	1	5	20	48	29
2	Alresford *W*	16619	3674	115	72	59	56	1	3	36	36	43
	114.—ALTON.											
1	Alton *W*	25575	7197	221	200	118	108	13	6	104	96	21
2	Binsted	27482	4866	166	99	90	76	5	6	50	49	67
	115.—HARTLEY WINTNEY.											
1	Odiham *W*	22058	6515	216	114	117	99	9	7	54	60	102
2	Hartley Wintney *W*	19993	4965	169	94	88	81	7	2	54	40	75
	116.—BASINGSTOKE.											
1	Basingstoke *W*	19884	7784	246	177	126	120	11	11	87	90	69
2	Bramley	21591	5006	166	94	82	84	5	5	44	50	72
3	Dummer	32377	4639	156	89	77	79	4	11	45	44	67
	117.—WHITCHURCH.											
1	Whitchurch *W*	29513	5522	175	129	90	85	3	4	68	61	46
	118.—ANDOVER.											
1	Longparish	27353	4284	128	56	63	65	2	2	24	32	72
2	Ludgershall	24658	3538	107	64	59	48	4	1	31	33	43
3	Andover *W*	12706	6435	207	136	104	103	6	7	59	77	71
4	Hurstbourne Tarrant	18898	2875	82	47	46	36	3	4	26	21	35
	119.—KINGSCLERE.											
1	Highclere	19500	3257	101	61	54	47	2	1	28	33	40
2	Kingsclere *W*	27287	5260	202	107	118	84	7	13	57	50	95
	5.—BERKSHIRE.											
	120.—NEWBURY.											
1	Thatcham	15827	5226	180	102	87	93	3	4	53	49	78
2	Newbury *W*	6521	7193	234	179	130	104	18	12	98	81	55
3	Speen	21108	7580	253	167	138	115	10	10	88	79	86
	121.—HUNGERFORD.											
1	Kintbury	28783	4398	142	65	74	68	3	1	35	30	77
2	Hungerford *W*	40590	9830	310	203	155	155	11	7	109	94	107
3	Lambourn	33964	5654	179	110	98	81	5	4	58	52	69
	122.—FARINGDON.											
1	Shrivenham	19114	4521	141	91	73	68	3	6	42	49	50
2	Faringdon *W*	19738	6222	228	189	123	105	15	9	103	86	39
3	Buckland	25355	4945	192	118	103	89	9	8	62	56	74
	123.—ABINGDON.											
1	Fyfield	7963	1861	69	43	39	30	5	–	19	24	26
2	Abingdon *W*	12983	8672	295	174	152	143	17	15	92	82	121
3	Cumnor	13113	2853	107	60	51	56	7	6	28	32	47
4	Nuneham Courtney *L*	12009	3500	81	112	39	42	2	3	61	51	– 31
	Sutton Courtney	10377	3975	134	59	71	63	4	1	26	33	75

II.—SOUTH EASTERN COUNTIES.—BIRTHS AND DEATHS, 1864—SUB-DISTRICTS—*continued*.

No.	SUB-DISTRICTS.	Area in Statute Acres.	Population, 1861.	TOTAL BIRTHS.	TOTAL DEATHS.	BIRTHS. Including Illegitimate Births. Males.	BIRTHS. Including Illegitimate Births. Females.	BIRTHS. Illegitimate Births. Males.	BIRTHS. Illegitimate Births. Females.	DEATHS. Males.	DEATHS. Females.	Excess of Births over Deaths.
	5.—BERKSHIRE—*continued*.											
	124.—WANTAGE.											
1	Wantage *W*	23648	7304	262	181	134	128	8	9	102	79	81
2	Ilsley	32992	5635	178	121	85	93	15	8	56	65	57
3	Hendred	19060	4369	169	70	81	88	5	6	35	35	99
	125.—WALLINGFORD.											
1	Cholsey	22811	6232	220	126	109	111	11	8	62	64	94
2	Wallingford *W*	18049	7785	219	163	108	111	4	7	87	76	56
	126.—BRADFIELD.											
1	Bucklebury *W*	23949	5532	181	118	93	88	8	6	51	67	63
2	Mortimer	22402	4931	137	84	73	64	4	1	34	50	53
3	Tilehurst	15815	5308	147	80	73	74	3	4	32	48	67
	127.—READING.											
1	St. Mary *W*	1846	10940	418	237	199	219	5	7	112	125	181
2	St. Lawrence *W*	315	4736	159	102	76	83	10	11	56	46	57
3	St. Giles *H*	2538	10200	417	236	221	196	7	9	133	103	181
	128.—WOKINGHAM.											
1	Wokingham *W*	23107	7807	260	137	120	140	7	4	76	61	123
2	Wargrave *W*	19119	6058	207	122	103	104	8	5	55	67	85
	129.—COOKHAM.											
1	Bray	16462	6714	231	108	118	113	4	5	52	56	123
2	Cookham *W*	13126	6317	195	106	102	93	11	2	62	44	89
	130.—EASTHAMPSTEAD.											
1	Bracknell *W*	20614	6165	178	124	91	87	3	6	62	62	54
2	Sandhurst	4562	1271	62	42	31	31	1	–	25	17	20
	131.—WINDSOR.											
1	Egham	12103	7680	216	130	92	124	7	8	68	62	86
2	Windsor *W*	10304	13621	429	361	204	225	12	14	182	179	68

III.—SOUTH MIDLAND COUNTIES.—BIRTHS AND DEATHS, 1864—SUB-DISTRICTS.

	6.—MIDDLESEX—(*Extra-Metropolitan*).											
	132.—STAINES.											
1	Sunbury *w*	11603	7289	262	141	123	136	3	4	74	67	121
2	Staines *W*	13278	8687	330	201	165	165	5	8	111	90	129
	133.—UXBRIDGE.											
1	Hillingdon *W*	11783	8844	300	225	166	134	16	6	120	105	75
2	Uxbridge		5154	197	105	110	87	6	5	66	39	92
3	Hayes *wL*	14123	9157	282	335	188	144	5	6	178	157	– 53
	134.—BRENTFORD.											
1	Isleworth *Ww*	6848	15533	529	462	279	250	10	18	233	229	67
2	Twickenham	2349	8077	271	143	148	123	3	1	75	68	128
3	Brentford	4334	13976	571	336	276	295	16	19	161	175	235
4	Chiswick	1311	6505	202	188	87	115	6	6	97	91	14
5	Acton *w*	5963	6443	175	147	83	92	3	1	69	78	28
	135.—HENDON.											
1	Harrow	13590	7374	264	149	136	128	3	4	77	72	115
2	Edgware	6737	3423	105	75	55	50	2	3	39	36	30
3	Willesden	4190	3879	245	143	126	119	1	2	59	84	102
4	Hendon *W*	8250	4544	139	99	65	74	2	2	58	41	40
	136.—BARNET.											
1	South Mimms	14186	5381	149	121	69	80	3	3	64	57	28
2	Barnet *W*	7312	5466	145	151	65	80	1	4	77	74	– 6
3	Finchley *L*	4191	8281	215	314	110	105	3	3	178	136	– 99
	137.—EDMONTON.											
1	Hornsey	2895	11082	459	250	237	222	5	6	114	136	209
2	Tottenham	4403	13240	528	270	278	250	12	11	133	137	258
3	Edmonton *W w*	7480	10980	357	318	165	172	12	8	169	149	19
4	Enfield *W*	12460	12424	435	236	221	214	4	7	117	119	199
5	Waltham Abbey	10876	5044	148	85	81	67	3	4	52	33	63
6	Cheshunt	8493	6592	183	146	96	88	3	2	68	78	37

III.—SOUTH MIDLAND COUNTIES.—BIRTHS AND DEATHS, 1864—SUB-DISTRICTS—*cont.*

No.	SUB-DISTRICTS.	Area in Statute Acres.	Population, 1861.	TOTAL BIRTHS.	TOTAL DEATHS.	BIRTHS. Including Illegitimate Births. Males.	BIRTHS. Including Illegitimate Births. Females.	BIRTHS. Illegitimate Births. Males.	BIRTHS. Illegitimate Births. Females.	DEATHS. Males.	DEATHS. Females.	Excess of Births over Deaths.
	7.—HERTFORDSHIRE.											
	138.—WARE.											
1	Hoddesdon	7932	4895	135	83	69	66	2	5	44	39	52
2	Stanstead	7839	2431	65	33	35	30	2	2	16	17	32
3	Ware *W*	6900	5886	197	121	103	94	5	7	69	52	76
4	Standon	13076	3303	110	51	61	49	3	1	32	19	59
	139.—BISHOP STORTFORD.											
1	Sawbridgeworth	12385	4278	118	63	63	55	6	1	28	35	55
2	Stansted	16326	5040	175	93	84	91	5	3	47	46	82
3	Bishop Stortford *W*	12732	7982	279	185	132	147	15	13	98	87	94
4	Braughing	12246	2912	100	58	46	54	5	3	25	33	42
	140.—ROYSTON.											
1	Buntingford *W*	28351	6389	216	128	115	101	6	6	66	62	88
2	Royston	33204	10175	359	178	170	189	8	10	89	89	181
3	Melbourne *W*	27236	8450	315	198	158	157	11	8	104	94	117
	141.—HITCHIN.											
1	Baldock	28660	8738	277	244	141	136	9	7	125	119	33
2	Hitchin *W*	36187	16865	585	545	306	279	22	29	254	291	40
	142.—HERTFORD.											
1	Watton	16133	4138	131	100	62	69	5	2	44	56	31
2	Hertford *W*	18277	11163	267	205	125	142	5	6	95	110	62
	143.—HATFIELD.											
1	Hatfield *W*	23027	6189	189	114	96	93	2	5	60	54	75
2	Welwyn *W*	6457	2211	71	53	37	34	1	2	30	23	18
	144.—ST. ALBANS.											
1	Harpenden	20375	7000	248	140	129	119	14	6	71	69	108
2	St. Albans *W*	14240	11926	371	279	179	192	20	14	139	140	92
	145.—WATFORD.											
1	Bushey	9028	4928	188	110	93	95	2	8	55	55	78
2	Watford *W*	10792	7418	253	178	114	139	9	7	86	92	75
3	Rickmansworth	11487	5609	178	165	85	93	14	6	79	86	13
4	Abbots Langley	5213	2400	76	62	37	39	2	1	25	27	24
	146.—HEMEL HEMPSTEAD.											
1	Kings Langley	8818	2908	108	57	45	63	4	3	33	24	51
2	Hemel Hempstead *W*	7136	7948	271	211	133	138	12	6	103	108	60
3	Flamstead	10003	3066	131	60	68	63	6	7	32	28	71
	147.—BERKHAMPSTEAD.											
1	Berkhampstead *W*	9474	5733	230	157	118	112	10	12	69	88	73
2	Tring	15109	7471	289	160	138	151	8	14	66	94	129
	8.—BUCKINGHAMSHIRE.											
	148.—AMERSHAM.											
1	Missenden	6231	2366	101	65	48	53	2	2	33	32	36
2	Chesham	13562	6203	218	145	108	110	2	8	78	67	73
3	Amersham *W*	10544	3550	111	122	57	54	10	4	63	59	− 11
4	Chalfont	10102	3029	100	72	55	45	5	3	42	30	28
5	Beaconsfield	9401	3092	99	75	52	47	3	2	43	32	24
	149.—ETON.											
1	Iver	17380	5787	203	99	104	99	5	3	56	43	104
2	Eton *W*	7629	10432	377	242	187	190	8	11	117	125	135
3	Burnham	16580	6134	139	92	68	71	4	2	44	48	47
	150.—WYCOMBE.											
1	High Wycombe	13040	11583	437	291	214	223	12	16	140	151	146
2	Great Marlow	9771	5450	188	100	86	102	2	6	44	56	88
3	West Wycombe	23687	7156	275	135	146	129	9	10	74	61	140
4	Wendover	19150	5042	183	113	83	100	4	4	56	57	70
5	Princes Risborough *W*	15660	5907	212	176	108	104	16	12	99	77	36
	151.—AYLESBURY.											
1	Haddenham	19221	4652	148	111	75	73	9	7	49	62	37
2	Aylesbury *WL*	11239	8272	247	250	144	103	9	9	124	126	− 3
3	Aston Clinton	17732	5246	203	129	101	102	5	8	67	62	74
4	Waddesdon	25152	5430	186	107	93	93	8	4	51	56	79
	152.—WINSLOW.											
1	Winslow *W*	35395	9265	328	191	182	146	13	13	97	94	137

III.—SOUTH MIDLAND COUNTIES.—BIRTHS AND DEATHS, 1864—SUB-DISTRICTS—*cont.*

No.	SUB-DISTRICTS.	Area in Statute Acres.	Population, 1861.	TOTAL. BIRTHS.	TOTAL. DEATHS.	BIRTHS. Including Illegitimate Births. Males.	BIRTHS. Including Illegitimate Births. Females.	BIRTHS. Illegitimate Births. Males.	BIRTHS. Illegitimate Births. Females.	DEATHS. Males.	DEATHS. Females.	Excess of Births over Deaths.
	8.—BUCKINGHAMSHIRE—*cont.*											
	153.—NEWPORT PAGNELL.											
1	Fenny Stratford	31274	10453	385	246	182	203	5	7	126	120	139
2	Newport Pagnell *W*	3290	3823	120	99	63	57	5	5	52	47	21
3	Olney	34227	10579	356	206	180	176	11	9	90	116	150
	154.—BUCKINGHAM.											
1	Leckhampstead	21474	4098	155	83	79	76	2	2	36	47	72
2	Buckingham *W*	14983	5087	206	104	92	114	10	6	39	65	102
3	Tingewick	15962	3671	119	61	64	55	6	7	31	30	58
	9.—OXFORDSHIRE.											
	155.—HENLEY.											
1	Henley *W*	41349	13791	475	313	264	211	9	16	173	140	162
2	Watlington	20313	4409	125	91	67	58	3	4	49	42	34
	156.—THAME.											
1	Lewknor	18412	3701	140	74	77	63	7	5	39	35	66
2	Thame *W*	15845	5958	170	136	78	92	12	8	69	67	34
3	Brill	20720	5646	150	117	72	78	7	13	55	62	33
	157.—HEADINGTON.											
1	Wheatley	12517	3079	151	74	72	79	2	5	38	36	77
2	St. Clement *W*	12210	13503	508	391	264	244	23	16	205	186	117
	158.—OXFORD.											
1	Oxford	2930	20637	647	451	324	323	14	14	201	250	196
	159.—BICESTER.											
1	Bletchington	30178	7440	279	167	125	134	13	14	96	71	92
2	Bicester *W*	33949	8115	267	166	145	122	9	6	77	89	101
	160.—WOODSTOCK.											
1	Deddington	22577	6458	231	122	112	139	4	6	52	70	129
2	Woodstock *W*	23336	7778	250	161	139	111	13	10	84	77	89
	161.—WITNEY.											
1	Ensham	17571	5237	191	105	97	94	12	10	53	52	86
2	Bampton	20300	5629	209	109	102	98	5	8	48	61	91
3	Witney *W*	14453	7556	226	181	102	124	4	3	96	85	45
4	Burford	17345	4816	172	116	86	86	8	4	55	61	56
	162.—CHIPPING NORTON.											
1	Charlbury	40288	8015	310	146	164	146	9	8	75	71	164
2	Chipping Norton *W*	36130	8391	270	185	154	116	11	6	109	76	85
	163.—BANBURY.											
1	Bloxham	18770	6216	212	180	104	108	2	9	93	87	32
2	Swalcliffe	21720	6219	225	176	119	106	7	9	90	86	49
3	Cropredy	19009	4443	152	83	71	81	6	7	46	37	69
4	Banbury *W*	14925	13293	462	289	242	220	21	13	132	157	173
	10.—NORTHAMPTONSHIRE.											
	164.—BRACKLEY.											
1	Brackley *W*	31620	7636	282	167	147	135	11	10	91	76	115
2	Sulgrave	27139	5815	185	115	97	88	6	7	60	55	70
	165.—TOWCESTER.											
1	Abthorpe	22323	5473	165	130	91	74	5	4	62	68	35
2	Towcester *W*	19893	7531	264	150	132	132	4	9	90	66	108
	166.—POTTERSPURY.											
1	Potterspury *W*	22401	11632	400	210	200	200	12	14	99	111	190
	167.—HARDINGSTONE.											
1	Brafield	12225	3414	115	76	63	52	3	2	40	36	39
2	Hardingstone	12253	3657	164	97	86	78	7	—	40	57	67
3	Milton *W*	7930	2857	115	62	59	56	4	2	30	32	53
	168.—NORTHAMPTON.											
1	St. Giles *WHL*	10908	23674	1009	797	486	523	18	24	447	350	212
2	All Saints		11028	502	394	251	241	14	9	218	176	108
3	Bugbrooke	9545	3459	132	105	57	75	2	3	54	51	27
	169.—DAVENTRY.											
1	Weedon	18496	5926	185	117	105	80	4	2	58	59	68
2	Daventry *W*	24617	8917	274	188	143	131	12	8	97	91	86
3	Long Buckby	20188	5767	183	97	93	90	6	4	52	45	86

III.—SOUTH MIDLAND COUNTIES.—BIRTHS AND DEATHS, 1864—SUB-DISTRICTS—*continued*.

No.	SUB-DISTRICTS.	Area in Statute Acres.	Population, 1861.	TOTAL BIRTHS.	TOTAL DEATHS.	BIRTHS. Including Illegitimate Births. Males.	BIRTHS. Including Illegitimate Births. Females.	BIRTHS. Illegitimate Births. Males.	BIRTHS. Illegitimate Births. Females.	DEATHS. Males.	DEATHS. Females.	Excess of Births over Deaths.
	10.—NORTHAMPTONSHIRE—*continued*.											
	170.—BRIXWORTH.											
1	Spratton	23600	5914	178	142	85	93	2	6	73	69	36
2	Moulton	17341	4808	140	95	72	68	2	2	45	50	45
3	Brixworth *W*	19435	4555	167	123	76	91	9	5	65	58	44
	171.—WELLINGBOROUGH.											
1	Earls Barton	19284	6239	229	131	124	105	7	4	71	60	98
2	Higham Ferrers	18356	7100	258	163	135	123	5	6	72	91	95
3	Wellingborough *W*	17865	10885	408	237	199	209	10	10	119	118	171
	172.—KETTERING.											
1	Kettering *W*	14375	8606	309	231	159	150	13	14	122	109	78
2	Rothwell	20783	6179	209	156	110	99	5	1	69	87	53
3	Corby	20108	4210	137	100	74	63	6	–	47	53	37
	173.—THRAPSTON.											
1	Thrapston *W*	27387	7459	273	143	151	122	8	7	65	78	130
2	Raunds	23801	6606	262	139	124	138	8	8	62	77	123
	174.—OUNDLE.											
1	Oundle *W*	27895	6669	199	140	112	87	15	6	77	63	59
2	Weldon	15817	2543	96	53	52	44	3	3	24	29	43
3	Fotheringhay	26110	6251	219	145	116	103	9	10	68	77	74
	175.—PETERBOROUGH.											
1	Stilton	28884	5797	206	122	98	110	3	10	62	60	84
2	Peterborough *W*	22390	17158	654	400	330	324	21	29	220	180	254
3	Crowland	31650	8004	299	206	147	152	9	12	94	112	93
4	Thorney	17590	2219	73	37	30	43	2	2	15	19	36
	11.—HUNTINGDONSHIRE.											
	176.—HUNTINGDON.											
1	Ramsey	20805	5206	197	98	107	90	6	5	51	47	99
2	Sawtry	15028	2329	92	47	44	48	3	1	25	22	45
3	Spaldwick	20140	3555	140	87	73	67	9	2	42	45	53
4	Huntingdon *WH*	20607	9368	334	240	161	173	8	11	132	108	94
	177.—ST. IVES.											
1	Warboys	16115	3355	132	107	60	72	6	7	54	53	25
2	Somersham	15424	4480	132	88	59	73	–	6	41	47	44
3	Swavesey	14161	3675	123	71	57	66	4	5	38	33	52
4	St. Ives *W*	17230	8144	278	205	137	141	9	15	102	103	73
	178.—ST. NEOTS.											
1	St. Neots	30827	9616	307	174	143	164	10	7	82	92	133
2	Kimbolton *W*	34429	9349	333	195	186	147	12	12	112	83	138
	12.—BEDFORDSHIRE.											
	179.—BEDFORD.											
1	Riseley	13190	2778	108	49	58	50	3	2	23	26	59
2	Sharnbrook	13083	2894	80	66	39	41	4	2	27	39	14
3	Harrold	12100	3218	103	95	48	55	2	3	47	48	8
4	Turvey	9280	2407	72	36	43	29	2	2	15	21	36
5	Bedford and Kempston *W*	18051	11921	393	291	194	199	11	17	152	139	102
6	Bedford and Cardington *H*	18376	11734	381	306	181	200	16	10	150	156	75
7	Barford	12340	3100	105	64	59	46	6	4	32	32	41
	180.—BIGGLESWADE.											
1	Potton	26125	9280	350	165	180	170	16	9	77	88	185
2	Biggleswade *WL*	31916	16113	622	450	327	295	27	29	228	222	172
	181.—AMPTHILL.											
1	Shillington	12242	4188	158	93	80	78	9	5	48	45	65
2	Ampthill *W*	19118	9076	352	235	176	176	14	17	114	121	117
3	Cranfield	10191	3706	132	74	73	59	4	3	29	45	58
	182.—WOBURN.											
1	Woburn *W*	16791	6771	216	154	108	108	5	6	86	68	62
2	Toddington	12812	4913	185	92	95	88	14	7	46	46	91
	183.—LEIGHTON BUZZARD.											
1	Leighton Buzzard *W*	12278	9243	316	231	147	169	13	18	125	106	85
2	Wing	11010	2492	80	44	32	48	4	7	24	21	36
3	Ivinghoe	6658	2477	96	44	55	41	2	2	22	22	52
4	Edlesborough	8069	3436	136	94	67	68	6	3	46	48	41
	184.—LUTON.											
1	Dunstable	13869	9293	319	232	172	147	13	9	101	131	87
2	Luton *W*	26967	21419	900	675	464	436	43	41	339	336	225

III.—SOUTH MIDLAND COUNTIES.—BIRTHS AND DEATHS, 1864—SUB-DISTRICTS—*continued.*

No.	SUB-DISTRICTS.	Area in Statute Acres.	Population, 1861.	TOTAL		Births.				Deaths.		Excess of Births over Deaths.
				BIRTHS.	DEATHS.	Including Illegitimate Births.		Illegitimate Births.				
						Males.	Females.	Males.	Females.	Males.	Females.	
	13.—CAMBRIDGESHIRE.											
	185.—CAXTON.											
1	Caxton *W*	49885	10966	446	238	235	211	19	16	130	108	208
	186.—CHESTERTON.											
1	Willingham	33215	9633	340	233	163	177	12	16	117	116	107
2	Fulbourn *WL*	21933	8293	309	212	152	157	16	15	128	84	97
3	Shelford	21580	7157	201	133	130	131	4	7	68	65	128
	187.—CAMBRIDGE.											
1	St. Andrew the Less *W*	3470	11848	458	282	220	238	15	19	140	142	176
2	St. Mary the Great *H*		4293	89	96	45	44	–	1	49	47	– 7
3	St. Andrew the Great		6078	114	97	63	51	3	1	52	45	17
4	St. Giles		4142	133	97	65	68	4	5	53	44	36
	188.—LINTON.											
1	Duxford	14928	4772	185	108	88	75	9	5	54	54	55
2	Linton *W*	15169	4813	178	125	90	88	8	7	74	51	53
3	Balsham	17772	3925	127	82	70	57	6	8	40	42	45
	189.—NEWMARKET.											
1	Cheveley	21645	6489	206	88	119	87	7	9	53	35	118
2	Newmarket *W*	28323	5967	209	134	104	105	11	13	74	60	75
3	Bottisham		3353	105	51	60	45	2	2	30	24	51
4	Gazeley	17421	3446	107	54	52	55	1	6	24	30	53
5	Soham	29084	9400	319	240	159	160	9	6	121	119	79
	190.—ELY.											
1	Haddenham	18085	3998	134	81	66	68	5	2	44	37	53
2	Sutton	35884	4023	144	66	73	71	5	3	26	40	78
3	Ely *W*		7919	253	185	126	127	10	10	98	87	68
4	Littleport	25925	5908	259	151	131	108	8	9	71	80	88
	191.—NORTH WITCHFORD.											
1	Chatteris *W*	33093	8222	290	197	161	129	16	16	110	87	93
2	March	26730	6569	236	137	122	114	11	4	61	76	99
	192.—WHITTLESEY.											
1	Whittlesey *W*	25131	6966	225	160	111	114	7	6	77	83	65
	193.—WISBECH.											
1	Leverington	25524	5385	172	103	92	80	8	3	62	41	69
2	Wisbech *W*	6432	9276	251	249	134	117	20	17	141	108	2
3	Walpole St. Peter	15095	2925	75	62	35	40	1	2	29	33	13
4	Terrington St. Clement	45252	5155	187	114	103	84	10	8	52	62	73
5	Walsoken	19210	5435	134	123	71	63	1	2	49	74	11
6	Upwell	19472	4947	172	122	78	94	6	9	67	55	50

IV.—EASTERN COUNTIES.—BIRTHS AND DEATHS, 1864—SUB-DISTRICTS.

	14.—ESSEX.											
	194.—WEST HAM.											
1	Stratford	8648	15994	709	416	344	365	7	15	223	193	293
2	West Ham *wo*		25105	1155	685	593	562	14	15	363	322	470
3	Leyton *W*	4245	7536	220	220	108	112	14	14	136	84	–
4	Walthamstow	6584	10594	359	228	200	159	5	4	110	118	131
	195.—EPPING.											
1	Chigwell	12634	5987	239	133	114	125	5	3	76	57	106
2	Epping *W*	16040	5018	171	131	81	90	7	4	65	66	40
3	Harlow	16878	5544	170	86	90	80	5	3	50	36	84
	196.—ONGAR.											
1	Bobbingworth	24163	5465	190	86	98	92	7	6	41	45	104
2	Chipping Ongar *W*	23302	5852	192	144	106	83	12	7	76	68	48
	197.—ROMFORD.											
1	Romford *W*	12741	9741	373	246	190	188	14	14	136	110	132
2	Ilford		5405	213	102	114	99	5	6	53	49	111
3	Barking Town		5591	218	104	106	112	2	4	50	54	114
4	Hornchurch	19722	6228	199	129	91	108	5	7	66	63	70
	198.—ORSETT.											
1	Grays	15982	6361	245	109	121	124	7	1	50	59	136
2	Orsett *W*	20615	5234	186	124	106	80	6	7	65	59	62

IV.—EASTERN COUNTIES.—BIRTHS AND DEATHS, 1864—SUB-DISTRICTS—*continued.*

No.	SUB-DISTRICTS.	Area in Statute Acres.	Population, 1861.	TOTAL		BIRTHS.				DEATHS.		Excess of Births over Deaths.
				BIRTHS.	DEATHS.	Including Illegitimate Births.		Illegitimate Births.				
						Males.	Females.	Males.	Females.	Males.	Females.	
	14.—ESSEX—*continued.*											
	199.—BILLERICAY.											
1	Brentwood *wL*	14438	8167	215	222	106	109	3	3	117	105	– 7
2	Great Burstead *W*	20357	4803	161	76	78	83	–	7	38	38	85
3	Wickford	16040	2061	60	38	22	38	–	–	21	17	22
	200.—CHELMSFORD.											
1	Ingatestone	27534	6373	190	100	100	90	2	6	50	50	90
2	Chelmsford *W*	3533	8664	288	201	145	143	11	15	94	107	87
3	Writtle	19107	5076	130	81	68	62	4	2	33	48	49
4	Great Waltham	19047	5595	183	89	98	85	3	3	38	51	94
5	Great Baddow	14085	6857	255	142	147	108	6	3	70	72	118
	201.—ROCHFORD.											
1	Rayleigh	23764	4937	158	101	75	83	5	3	55	46	57
2	Prittlewell	18089	5394	201	108	99	102	4	2	55	53	93
3	Rochford *W*	16793	3895	142	94	61	81	6	7	59	35	48
4	Great Wakering	49200	4056	185	94	99	86	2	4	46	48	91
	202.—MALDON.											
1	Southminster	21923	4639	175	88	89	86	5	4	43	40	87
2	Bradwell	25887	2826	106	42	55	51	5	4	20	13	64
3	All Saints	24773	4714	148	74	72	76	4	3	36	38	74
4	St. Peter *W*	18311	6741	233	163	130	103	10	13	78	85	70
5	Tollesbury	21156	3684	117	54	68	49	2	3	29	25	63
	203.—TENDRING.											
1	St. Osyth	26942	6072	200	111	97	103	6	5	57	54	89
2	Thorpe *W*	24176	5776	160	116	84	76	3	7	69	47	44
3	Harwich	3306	5070	189	154	98	91	–	2	80	74	35
4	Manningtree	17342	5223	162	96	80	82	9	6	51	45	66
5	Ardleigh	18037	4964	146	79	67	79	3	3	39	40	67
	204.—COLCHESTER.											
1	Colchester First Ward *WH*	11200	11456	385	275	195	190	14	12	152	123	110
2	Colchester Second Ward		5870	170	114	97	73	3	7	61	63	56
3	Colchester Third Ward		6489	225	129	123	102	8	1	81	48	96
	205.—LEXDEN.											
1	Wivenhoe	5157	4428	201	93	101	100	5	3	46	47	108
2	Peldon	22769	4685	191	85	84	107	3	7	37	48	106
3	Stanway *W*	17338	4063	157	102	73	84	8	9	58	44	55
4	Fordham	15025	4021	155	102	89	66	5	–	51	54	50
5	Dedham	12042	4553	131	84	67	64	1	3	39	45	47
	206.—WITHAM.											
1	Kelvedon	14053	4423	138	76	70	68	6	4	36	40	62
2	Witham *W*	17251	6947	225	147	109	116	16	6	83	64	78
3	Coggeshall	7634	4954	166	94	78	88	4	7	47	47	72
	207.—HALSTEAD.											
1	Halstead *W*	20307	11544	387	248	207	180	21	15	109	139	139
2	Hedingham	18406	6938	246	198	130	116	7	6	98	100	48
	208.—BRAINTREE.											
1	Finchingfield	16706	5289	193	120	97	96	7	10	56	64	73
2	Bocking *W*	11507	5281	170	123	96	74	8	9	51	72	47
3	Braintree	10439	6600	216	158	100	116	6	6	81	77	58
	209.—DUNMOW.											
1	Stebbing	17307	4956	150	109	77	73	3	4	52	57	41
2	Dunmow *W*	18556	5686	167	153	83	84	6	6	87	66	14
3	Hatfield	21381	4554	139	100	75	64	4	3	55	45	39
4	Thaxted	15350	4563	166	100	81	85	3	1	57	43	66
	210.—SAFFRON WALDEN.											
1	Newport	18096	5040	153	104	85	68	4	2	54	50	49
2	Saffron Walden *W*	22522	9646	298	200	141	157	2	8	103	97	98
3	Radwinter	21412	5035	166	90	83	83	4	4	54	36	76
	15.—SUFFOLK.											
	211.—RISBRIDGE.											
1	Haverhill *W*	18289	7328	286	179	151	135	18	14	98	81	107
2	Wickhambrook	18698	4825	171	89	88	83	6	4	35	54	82
3	Clare	16677	5279	225	133	119	106	10	9	63	70	92
	212.—SUDBURY.											
1	Bulmer	17504	4853	176	111	104	72	5	4	56	55	65
2	Bures	17622	5642	184	111	92	92	4	8	60	51	73
3	Sudbury *W*	8067	8918	358	278	175	163	19	10	141	137	60
4	Melford	16799	5574	185	144	83	102	6	9	72	72	41
5	Hartest	18310	6498	229	168	115	114	13	13	86	82	61

IV.—EASTERN COUNTIES.—BIRTHS AND DEATHS, 1864—SUB-DISTRICTS—*continued.*

No.	SUB-DISTRICTS.	Area in Statute Acres.	Population, 1861.	TOTAL		BIRTHS.				DEATHS.		Excess of Births over Deaths.
				BIRTHS.	DEATHS.	Including Illegitimate Births.		Illegitimate Births.				
						Males.	Females.	Males.	Females.	Males.	Females.	
	15.—SUFFOLK—*continued.*											
	213.—COSFORD.											
1	Lavenham	27110	7742	261	157	130	131	10	11	70	87	104
2	Hadleigh *W*	25586	9634	320	255	153	167	9	12	127	128	65
	214.—THINGOE.											
1	Rougham	26113	6185	221	117	103	118	8	8	56	61	104
2	Fornham	32369	5789	183	103	94	89	9	6	50	53	80
3	Ixworth	23982	6250	202	125	90	112	6	10	69	56	77
	215.—BURY ST. EDMUNDS.											
1	Bury St. Edmunds *WwH*	2934	13313	464	305	235	229	18	21	165	140	159
	216.—MILDENHALL.											
1	Worlington	61244	3705	112	51	48	64	3	4	24	27	61
2	Lakenheath *W*		5890	190	123	95	95	7	10	65	58	67
	217.—STOW.											
1	Walsham-le-Willows	18585	5990	175	118	91	84	6	7	59	59	57
2	Rattlesden *W*	20180	6551	243	145	123	120	10	17	79	66	98
3	Stowmarket	16577	8357	293	154	139	154	14	9	68	86	139
	218.—HARTISMERE.											
1	Mendlesham	20092	5830	185	111	101	84	4	7	60	51	74
2	Botesdale *W*	15081	5288	186	108	91	95	9	12	53	55	78
3	Eye *W*	19042	6547	267	145	134	133	17	17	87	58	122
	219.—HOXNE.											
1	Stradbroke *W*	26402	7692	274	155	151	123	13	13	72	83	119
2	Dennington	26543	7002	244	118	130	114	7	6	60	58	126
	220.—BOSMERE.											
1	Coddenham *W*	30765	8480	275	176	147	128	14	17	92	84	99
2	Needham Market	27134	7094	236	149	129	107	6	6	82	67	87
	221.—SAMFORD.											
1	Capel St. Mary	22565	6592	208	140	111	97	7	6	70	70	68
2	Holbrook *W*	27665	6144	200	117	95	105	1	6	63	54	83
	222.—IPSWICH.											
1	St. Matthew *W*	8395	16028	570	391	293	277	24	23	196	195	179
2	St. Clement		8911	301	207	165	136	20	11	108	99	94
3	St. Margaret *H*		12942	404	272	186	218	10	10	137	135	132
	223.—WOODBRIDGE.											
1	Carlford	19694	5358	177	110	82	95	4	7	60	50	67
2	Colneis *W*	28365	5833	201	128	100	101	12	9	69	59	73
3	Woodbridge and Wilford	23145	7782	210	150	111	99	13	8	65	85	60
4	Woodbridge Out *L*	11051	3731	99	103	46	53	3	5	40	63	− 4
	224.—PLOMESGATE.											
1	Earl-Soham	9722	2629	86	41	53	33	3	3	19	22	45
2	Framlingham	9465	3330	89	55	42	47	2	4	27	28	34
3	Wickham Market *W*	12734	4322	152	78	68	84	4	6	44	34	74
4	Orford	20762	3231	116	43	60	56	6	5	19	24	73
5	Aldeburgh	12946	4049	121	93	59	62	3	2	40	53	28
6	Saxmundham	9435	3109	86	75	45	41	3	1	37	38	11
	225.—BLYTHING.											
1	Westleton *W*	37494	10074	377	204	197	180	18	12	101	103	173
2	Halesworth	26292	7983	232	130	112	120	7	9	75	55	102
3	Wenhaston	28311	8791	274	160	145	129	8	6	77	83	114
	226.—WANGFORD.											
1	Bungay	16898	6398	172	114	89	83	11	8	65	49	53
2	Beccles *W*	18181	7221	232	123	117	115	22	13	66	57	109
	227.—MUTFORD.											
1	Kessingland	10621	4759	181	83	78	103	6	8	46	37	98
2	Lowestoft *W*	13927	12952	543	261	280	263	15	13	142	119	282
3	Gorleston	10942	6339	231	109	111	120	6	9	51	58	122
	16.—NORFOLK.											
	228.—YARMOUTH.											
1	Yarmouth Southern *H*	1570	13073	497	313	260	237	10	15	178	135	184
2	Yarmouth Northern *W*		17265	605	465	326	279	39	31	248	217	140
	229.—FLEGG.											
1	East Flegg	13301	4060	149	66	85	64	9	5	41	25	83
2	West Flegg *W*	15786	4571	177	85	72	105	7	10	44	41	96

IV.—EASTERN COUNTIES.—BIRTHS AND DEATHS, 1864—SUB-DISTRICTS—*continued*.

No.	SUB-DISTRICTS.	Area in Statute Acres.	Population, 1861.	TOTAL BIRTHS.	TOTAL DEATHS.	BIRTHS. Including Illegitimate Births. Males.	BIRTHS. Including Illegitimate Births. Females.	BIRTHS. Illegitimate Births. Males.	BIRTHS. Illegitimate Births. Females.	DEATHS. Males.	DEATHS. Females.	Excess of Births over Deaths.
	16.—NORFOLK—*continued*.											
	230.—TUNSTEAD.											
1	Ludham	18219	3682	143	74	78	65	7	6	44	30	69
2	Smallburgh *W*	16999	4229	147	88	77	70	14	4	47	41	59
3	Stalham	15794	4031	146	81	79	67	4	8	46	35	65
4	Bacton	11595	2574	78	55	41	37	4	2	23	32	23
	231.—ERPINGHAM.											
1	Walsham	20523	6942	250	136	145	105	13	9	69	67	114
2	Cromer *W*	23769	7145	243	130	131	112	16	9	69	61	113
3	Holt *W*	28221	6787	219	118	106	113	7	13	65	53	101
	232.—AYLSHAM.											
1	Eynsford	40099	8960	295	249	146	149	17	20	128	121	46
2	Buxton *W*	28024	10092	334	196	167	167	18	29	93	103	138
	233.—ST. FAITHS.											
1	St. Faiths *W*	28370	5630	163	126	89	74	14	7	63	58	37
2	Sprowston*	19934	5668	177	102	93	84	10	8	51	51	75
	234.—NORWICH.											
1	Coslany	4325	13260	460	310	246	214	21	19	160	150	150
2	East Wymer*		14092	529	332	269	260	25	28	169	163	197
3	Conisford		12983	424	323	197	227	22	23	154	169	101
4	Mancroft *H*		14397	389	360	197	192	13	15	196	164	29
5	West Wymer *W*		20159	768	557	380	388	39	38	275	282	211
	235.—FOREHOE.											
1	Costessey	15018	4116	126	74	68	58	8	3	44	30	52
2	Wymondham *W*	22216	8702	250	181	124	126	12	17	86	95	69
	236.—HENSTEAD.											
1	Humbleyard *W*	24027	5620	170	99	81	89	6	7	45	54	71
2	Henstead	19331	5670	181	99	103	78	8	4	46	53	82
	237.—BLOFIELD.											
1	Blofield *WL*	17816	5787	184	141	94	90	13	7	76	65	43
2	South Walsham	26362	5734	189	92	82	107	5	9	48	44	97
	238.—LODDON.											
1	Aldeby	24573	4954	151	78	84	67	7	5	44	34	73
2	Loddon *W*	19330	5072	155	100	82	73	13	5	56	44	55
3	Woodton	15498	4216	129	84	65	64	4	4	39	45	45
	239.—DEPWADE.											
1	Harleston	17447	5922	161	104	89	72	8	3	59	45	57
2	Diss	17412	7567	268	151	131	137	12	10	66	85	117
3	Stratton *W*	19737	6065	210	178	98	112	10	14	93	85	32
4	Forncett	18085	5694	207	100	108	99	9	9	48	52	107
	240.—GUILTCROSS.											
1	Banham	13681	5516	201	112	99	102	9	8	56	56	89
2	Kenninghall *W*	25904	6025	207	142	110	97	15	15	61	81	65
	241.—WAYLAND.											
1	Attleborough *W*	22885	5506	145	111	77	68	6	8	42	69	34
2	Watton	28178	6056	205	114	95	110	11	9	49	65	91
	242.—MITFORD.											
1	Shipdham	11349	2777	70	54	32	38	4	6	28	26	16
2	Mattishall	16664	4340	132	92	61	71	8	9	44	48	40
3	Bawdeswell	14076	3333	95	45	47	48	7	6	21	24	50
4	East Dereham *W*	18172	7531	228	187	127	101	22	10	99	88	41
5	Litcham	26585	5413	185	127	96	89	12	11	66	61	58
6	North Elmham	18387	4626	158	101	84	74	10	8	61	40	57
	243.—WALSINGHAM.											
1	Fakenham	27818	7325	237	175	120	117	19	18	89	86	62
2	Walsingham *W*	28251	6492	204	196	104	100	13	20	103	93	8
3	Wells	31273	7301	214	202	114	100	5	11	103	99	12
	244.—DOCKING.											
1	Burnham	33180	6497	210	131	108	102	17	7	64	67	79
2	Snettisham	39480	5702	189	102	91	98	7	11	58	44	87
3	Docking *W*	28476	5397	185	112	87	98	13	17	48	64	73
	245.—FREEBRIDGE LYNN.											
1	Hillington	26155	4543	163	100	83	80	12	6	51	49	63
2	Gayton *W*	22766	4284	144	80	67	77	13	11	44	36	64
3	Middleton	10848	2239	94	41	44	50	2	5	18	23	53
4	Castle Rising	19006	2420	77	45	31	46	3	2	22	23	32

* See page 12, note *.

IV.—EASTERN COUNTIES.—BIRTHS AND DEATHS, 1864—SUB-DISTRICTS—*continued*.

No.	SUB-DISTRICTS.	AREA in Statute Acres.	POPULATION, 1861.	TOTAL BIRTHS.	TOTAL DEATHS.	BIRTHS. Including Illegitimate Births. Males.	BIRTHS. Including Illegitimate Births. Females.	BIRTHS. Illegitimate Births. Males.	BIRTHS. Illegitimate Births. Females.	DEATHS. Males.	DEATHS. Females.	Excess of Births over Deaths.
	16.—NORFOLK—*continued*.											
	246.—KINGS LYNN.											
1	Kings Lynn North	5499	3962	125	78	54	71	6	9	39	39	47
2	Kings Lynn Middle		6955	160	114	81	79	9	7	45	69	46
3	Kings Lynn South *WH*		6784	204	173	109	93	11	14	83	90	29
	247.—DOWNHAM.											
1	Wiggenhall		32152	6171	234	129	116	118	21	10	68	61	105
2	Downham *W*		28086	8878	327	244	161	166	19	14	127	117	83
3	Fincham		22849	5215	159	117	84	75	7	12	51	66	42
	248.—SWAFFHAM.											
1	Swaffham *W*		41458	6516	213	127	107	106	13	19	70	57	86
2	Saham Toney		39742	7231	253	112	128	125	14	17	55	57	141
	249.—THETFORD.											
1	Methwold		68693	8869	290	211	151	139	14	14	113	98	79
2	Thetford *W*		49177	9843	283	223	145	138	13	14	97	126	60

V.—SOUTH WESTERN COUNTIES.—BIRTHS AND DEATHS, 1864—SUB-DISTRICTS.

	17.—WILTSHIRE.											
	250.—HIGHWORTH.											
1	Highworth *W*	23456	7013	263	159	148	120	17	18	79	80	109
2	Swindon	26608	12224	510	282	258	252	14	12	142	140	228
	251.—CRICKLADE.											
1	Wootton Bassett	20229	5675	184	116	94	90	7	7	59	57	68
2	Cricklade *W*	21337	5793	182	131	97	85	8	11	68	63	51
	252.—MALMSBURY.											
1	Malmsbury Eastern	37116	7475	241	119	124	117	6	6	55	64	122
2	Malmsbury Western *W*	20392	7081	237	147	127	110	15	16	75	72	90
	253.—CHIPPENHAM.											
1	Castle Combe	14011	3286	95	72	47	48	–	2	29	43	23
2	Corsham	17127	6979	214	147	100	114	3	4	71	76	67
3	Chippenham *W*	10288	8574	285	180	140	145	14	12	84	96	105
4	Christian Malford	12609	3190	86	47	45	41	2	2	27	20	39
	254.—CALNE.											
1	Calne *W*	28610	8885	302	181	151	151	13	5	100	81	121
	255.—MARLBOROUGH.											
1	Marlborough *W*	42002	9774	330	243	168	162	13	11	125	118	87
	256.—DEVIZES.											
1	Bishops Cannings	22892	3812	120	71	66	54	6	9	35	36	49
2	Luvington	23419	5620	136	91	65	71	6	6	54	37	45
3	Bromham	13903	4884	115	87	53	62	2	4	48	39	28
4	Devizes *WL*	3287	7364	214	206	104	110	11	9	101	105	8
	257.—MELKSHAM.											
1	Melksham *W*	14248	5866	180	127	77	103	9	10	60	67	53
2	Trowbridge	3520	11367	406	271	201	205	9	5	142	129	135
	258.—BRADFORD-ON-AVON.											
1	Bradford South Eastern *W*	18800	6679	205	178	101	104	11	6	85	93	27
2	Bradford North Western		5796	111	95	63	48	4	3	48	47	16
	259.—WESTBURY.											
1	Bradley	6076	2510	68	43	33	35	2	1	20	23	25
2	Edington	24808	3490	100	71	51	49	7	10	31	40	29
3	Westbury *W*		5751	206	146	101	105	8	5	78	68	60
	260.—WARMINSTER.											
1	Warminster *W*	28810	7643	213	163	103	110	8	4	81	82	50
2	Longbridge Deverill		3927	131	101	65	66	–	3	44	57	30
3	Heytesbury	27546	4372	140	87	84	56	2	2	42	45	53
	261.—PEWSEY.											
1	Netheravon	36866	5471	168	104	78	90	7	6	50	54	64
2	Pewsey *W*	28784	6995	236	190	117	119	9	12	98	92	46

V.—SOUTH WESTERN COUNTIES.—BIRTHS AND DEATHS, 1864.—SUB-DISTRICTS—*cont.*

No.	SUB-DISTRICTS.	Area in Statute Acres.	Population, 1861.	TOTAL		BIRTHS.				DEATHS.		Excess of Births over Deaths.
				BIRTHS.	DEATHS.	Including Illegitimate Births.		Illegitimate Births.				
						Males.	Females.	Males.	Females.	Males.	Females.	
	17. WILTSHIRE—*continued.*											
	262.—AMESBURY.											
1	Orcheston	18496	2454	65	48	34	31	3	2	23	25	17
2	Amesbury *W*	27363	3756	126	81	59	67	5	9	38	43	45
3	Winterbourne	16561	1917	60	30	38	22	3	–	19	11	30
	263.—ALDERBURY.											
1	Alderbury	23721	4357	151	73	73	78	2	6	29	44	78
2	Downton	19844	4790	150	85	69	81	6	5	46	39	65
3	Britford *WH*	9025	5523	181	166	100	81	4	7	101	65	15
	264.—SALISBURY.											
1	Salisbury *W*	480	9039	306	203	149	157	10	12	92	111	103
	265.—WILTON.											
1	Wilton *W*	22345	5770	190	117	96	94	5	7	65	52	73
2	Bishopstone	31459	4904	165	80	85	80	2	4	44	36	85
	266.—TISBURY.											
1	Donhead	19842	4154	121	70	65	56	4	4	36	34	51
2	Tisbury *W*	10839	3207	95	86	49	46	3	2	48	38	9
3	Hindon	9813	2501	86	38	37	49	1	7	16	22	48
	267.—MERE.											
1	Mere *W*	33211	8057	294	143	151	143	12	13	63	80	151
	18. DORSETSHIRE.											
	268.—SHAFTESBURY.											
1	Shaftesbury *W*	8171	4940	153	125	76	77	5	2	55	70	28
2	Fontmell	14944	3238	111	50	54	57	4	2	21	29	61
3	Gillingham	13378	4688	156	93	84	72	8	4	39	54	63
	269.—STURMINSTER.											
1	Stalbridge	15678	4422	165	80	84	81	6	6	40	40	85
2	Sturminster *W*	22256	5918	214	127	99	115	5	13	60	67	87
	270.—BLANDFORD.											
1	Milton Abbas	26201	6285	204	86	105	99	8	7	39	47	118
2	Blandford *W*	31070	8536	259	174	137	122	13	10	93	81	85
	271.—WIMBORNE.											
1	Cranborne	45437	7624	285	131	127	138	11	13	71	60	134
2	Witchampton	13153	4196	146	96	78	68	8	4	40	56	50
3	Wimborne *W*	22573	5433	156	131	72	84	7	10	56	75	25
	272.—POOLE.											
1	Canford	12708	2326	113	48	61	52	2	3	29	19	65
2	Poole *W*	5071	9366	294	195	143	151	13	10	102	93	99
3	Lytchett	8554	2050	68	38	34	34	1	2	22	16	30
	273.—WAREHAM.											
1	Swanage	15872	3632	133	77	70	63	–	–	44	33	56
2	Corfe Castle	12804	2411	70	34	41	29	–	1	15	19	36
3	Wareham *W*	33800	6220	207	140	109	98	5	9	78	62	67
4	Bere Regis	33833	4749	162	79	80	82	2	4	40	39	83
	274.—WEYMOUTH.											
1	Upway	15510	3931	132	65	58	74	2	2	26	39	67
2	Weymouth *W*	6859	12858	480	294	246	234	17	5	147	147	186
3	Portland	3555	8468	245	140	127	118	3	2	77	63	105
4	Abbotsbury	11358	2034	47	45	30	17	1	1	24	21	2
	275.—DORCHESTER.											
1	Dorchester *WH*	9830	7709	278	171	152	126	17	4	91	80	107
2	Puddletown	24912	4180	104	60	54	50	–	1	27	33	44
3	Maiden Newton *L*	35234	5603	178	125	93	85	6	1	70	55	53
4	Cerne *W*	45363	7318	245	148	128	117	8	7	74	74	97
	276.—SHERBORNE.											
1	Yetminster	20715	4298	165	91	81	84	4	8	45	46	74
2	Sherborne *W*	6467	5793	190	106	83	107	5	10	50	56	84
3	Bradford Abbas	12836	3372	121	54	53	68	–	7	22	32	67
	277.—BEAMINSTER.											
1	Evershot	16317	2874	87	49	43	44	2	5	26	23	38
2	Misterton	5180	1630	40	32	21	19	2	1	20	12	8
3	Netherbury *W*	20396	4971	169	128	97	72	11	10	70	58	41
4	Beaminster	11901	4112	122	76	55	67	4	4	38	38	46
	278.—BRIDPORT.											
1	Burton Bradstock	16306	4724	143	106	77	66	2	4	50	56	37
2	Bridport *W*	1622	8009	285	200	149	136	9	9	99	101	85
3	Whitchurch Canonicorum	15259	4095	133	107	74	64	7	5	50	57	31

V.—SOUTH WESTERN COUNTIES.—BIRTHS AND DEATHS, 1864—SUB-DISTRICTS—*cont.*

No.	SUB-DISTRICTS.	Area in Statute Acres.	Population, 1861.	TOTAL		BIRTHS.				DEATHS.		Excess of Births over Deaths.
				BIRTHS.	DEATHS.	Including Illegitimate Births.		Illegitimate Births.				
						Males.	Females.	Males.	Females.	Males.	Females.	
	19.—DEVONSHIRE.											
	279.—AXMINSTER.											
1	Lyme	5216	4204	148	90	80	68	3	6	48	42	58
2	Axminster *W*	19219	5537	184	135	89	95	4	6	69	66	49
3	Chardstock	17447	3827	125	56	60	65	2	5	32	24	69
4	Colyton	19856	6190	184	136	99	85	2	3	64	72	48
	280.—HONITON.											
1	Honiton *W*	48387	10783	383	187	189	194	23	20	95	92	196
2	Ottery St. Mary	32480	11946	348	213	180	168	9	7	108	105	135
	281.—ST. THOMAS.											
1	East Budleigh	12021	4649	113	98	54	59	4	4	45	53	15
2	Exmouth	7668	7171	225	133	110	115	9	7	57	76	92
3	Woodbury	15142	3916	132	109	66	66	6	5	49	60	23
4	Broad-Clist	14992	3537	124	53	54	70	4	3	23	30	71
5	Topsham	6207	4777	150	95	82	68	4	3	44	51	55
6	Heavitree	10854	6556	174	161	107	67	4	8	87	74	13
7	St. Thomas *W*	11271	6053	196	162	91	105	7	11	81	81	34
8	Alphington	17479	4097	106	90	52	54	–	1	46	44	16
9	Christow	11432	2207	73	44	36	37	4	1	26	18	29
10	Kenton *L*	23084	5442	146	183	64	82	3	4	94	89	−37
	282. EXETER.											
1	St. Sidwell *WH*	1800	18530	556	577	284	272	19	22	295	282	−21
2	St. David		13212	465	415	248	217	9	14	205	210	50
	283.—NEWTON ABBOT.											
1	Teignmouth	7540	11184	392	210	161	141	5	7	104	106	92
2	Chudleigh	23736	6747	216	120	102	114	6	1	71	49	96
3	Moreton Hampstead	22042	2718	91	42	48	43	2	2	19	23	49
4	Ashburton	31599	6382	197	126	98	99	9	5	54	72	71
5	Newton Abbot *W*	21313	10467	350	247	175	175	22	24	126	121	103
6	Torquay	10566	21585	670	411	334	336	11	9	212	199	259
	284.—TOTNES.											
1	Paignton	10494	4266	158	85	79	79	4	8	45	40	73
2	Brixham	8517	6750	220	175	120	100	4	–	94	81	45
3	Dartmouth	5508	5429	178	107	80	98	2	3	52	55	71
4	Totnes *W*	12876	5851	196	145	98	98	9	10	84	61	51
5	Buckfastleigh	15646	4253	132	84	66	66	7	5	43	41	48
6	Ugborough	24849	3778	125	72	64	61	3	6	42	30	53
7	Harberton	16452	2575	80	51	40	40	4	–	26	25	29
	285.—KINGSBRIDGE.											
1	Blackawton	12408	2371	68	37	43	45	3	1	21	16	51
2	Stokenham	18354	3877	124	70	53	71	3	2	29	41	54
3	West Alvington *W*	15901	4835	173	113	82	91	9	15	55	58	60
4	Kingsbridge	10147	4432	123	96	58	65	3	2	46	50	27
5	Modbury	16108	3679	111	46	64	47	2	5	26	20	65
	286.—PLYMPTON ST. MARY.											
1	Yealmpton	27760	9209	322	164	168	154	6	2	83	81	153
2	Plympton *W*	47809	11293	340	260	192	148	9	9	151	109	80
	287.—PLYMOUTH.											
1	Charles-the-Martyr *W*	1116	23390	883	570	440	443	33	35	273	297	313
2	St. Andrew *H*	519	32209	1290	880	655	635	25	27	441	439	410
	288.—EAST STONEHOUSE.											
1	East Stonehouse *W*	385	14343	539	357	273	266	10	7	203	154	182
	289.—STOKE DAMEREL.											
1	St. Aubyn	2330	7239	190	115	95	95	4	2	53	62	75
2	Clowance		10662	417	231	215	202	8	8	132	99	186
3	Morice		14089	301	213	152	149	5	4	102	111	88
4	Stoke *W*		9034	313	206	137	176	9	10	125	141	47
5	Tamar		9416	395	182	202	193	1	3	84	98	213
	290.—TAVISTOCK.											
1	Buckland Monachorum	89562	8698	247	117	130	117	5	3	70	47	130
2	Tavistock *W*	20212	17844	686	648	362	324	11	20	342	301	38
3	Milton Abbot	22743	4728	170	118	90	80	–	3	61	57	52
4	Lifton	22947	3975	134	94	73	61	2	2	41	53	40
	291.—OKEHAMPTON.											
1	Bratton Clovelly	23363	2339	70	52	34	36	2	4	32	20	18
2	Bathercleigh	26143	3966	113	68	53	60	4	3	36	32	45
3	Okehampton *W*	32610	5026	148	80	69	79	11	7	44	36	68
4	Chagford	19821	2907	94	55	53	41	4	3	26	29	39
5	North Tawton	24560	4322	125	75	61	74	3	8	37	38	60

V.—SOUTH WESTERN COUNTIES.—BIRTHS AND DEATHS, 1864—SUB-DISTRICTS—*continued.*

No.	SUB-DISTRICTS.	Area in Statute Acres.	Population, 1861.	TOTAL		BIRTHS.				DEATHS.		Excess of Births over Deaths.
				BIRTHS.	DEATHS.	Including Illegitimate Births.		Illegitimate Births.				
						Males.	Females.	Males.	Females.	Males.	Females.	
	19.—DEVONSHIRE—*continued.*											
	202.—CREDITON.											
1	Morchard Bishop	27659	4569	155	76	72	83	6	4	30	46	79
2	Bow	19402	3516	114	69	55	59	2	4	34	35	45
3	Crediton *W*	17298	6533	186	147	94	92	11	7	65	82	39
4	Cheriton-Fitzpaine	27507	5656	166	81	73	93	3	4	35	46	85
	293.—TIVERTON.											
1	Silverton	19026	5120	167	101	78	89	1	6	47	54	66
2	Cullompton	12057	4482	130	83	56	74	4	2	47	36	47
3	Uffculme	17778	5229	187	153	92	75	4	3	81	72	14
4	Tiverton *W*	17450	10147	316	237	157	159	17	15	127	130	59
5	Washfield	22412	2731	65	32	34	31	3	3	24	8	32
6	Bampton	14269	2866	83	57	42	41	3	3	28	29	26
	294.—SOUTH MOLTON.											
1	Witheridge	48070	5449	173	86	93	80	3	5	45	41	87
2	Chulm'eigh	33286	5062	169	85	90	79	7	4	37	48	84
3	South Molton *W*	59147	9021	285	178	151	134	13	3	85	93	107
	295.—BARNSTAPLE.											
1	Barnstaple *WH*	12711	10652	355	229	173	182	24	25	104	125	126
2	Parracombe	35537	2839	71	40	39	32	3	3	22	18	31
3	Combmartin	24042	3875	94	37	45	49	–	1	13	24	57
4	Ilfracombe	19231	5663	186	103	90	96	3	6	37	66	83
5	Braunton	31469	6957	236	107	119	117	8	10	53	54	129
6	Bishops Tawton	25709	6307	185	115	89	96	3	5	54	61	70
	296.—TORRINGTON.											
1	High Bickington	17455	2937	103	52	45	58	2	7	32	20	51
2	Winkleigh	16516	2472	86	38	44	42	2	4	15	23	48
3	Dolton	15480	3181	89	52	51	38	–	3	32	20	37
4	Shebbear	17666	3063	75	60	34	41	2	5	33	27	15
5	Great Torrington *W*	14355	5223	144	101	78	66	12	9	48	53	43
	297.—BIDEFORD.											
1	Bideford *W*	3527	5871	181	157	104	77	14	11	73	84	24
2	Northam	7198	4400	160	100	87	73	3	2	47	53	60
3	Parkham	16797	2794	63	42	30	27	3	3	17	25	21
4	Hartland	28071	3774	113	65	66	47	5	2	36	29	48
5	Bradworthy	7671	911	23	12	12	11	–	1	5	7	11
	298.—HOLSWORTHY.											
1	Milton Damerel	21281	2542	82	37	39	43	2	3	21	16	45
2	Holsworthy *W*	18857	2756	87	67	47	40	6	6	33	34	20
3	Black Torrington	16804	1970	54	34	25	29	1	4	17	17	20
4	Broadwoodwidger	8587	803	10	9	5	–	–	–	6	3	1
5	Clawton	16990	1805	52	31	34	18	2	1	20	11	21
	20.—CORNWALL.											
	299.—STRATTON.											
1	Kilkhampton	16228	2066	72	28	41	31	3	4	13	15	44
2	Stratton *W*	13583	3092	103	69	52	51	3	1	34	35	34
3	Week St. Mary	24495	2570	75	42	35	40	5	3	24	18	33
	300.—CAMELFORD.											
1	Boscastle	17368	2429	76	52	41	35	1	3	28	24	24
2	Camelford *W*	31479	5335	201	115	95	106	9	11	46	67	88
	301.—LAUNCESTON.											
1	Altarnon	22489	2496	73	32	32	41	2	5	13	19	41
2	North Petherwin	26015	2269	80	55	45	38	2	3	32	26	25
3	St. Stephen	28776	3097	106	71	60	48	3	–	34	37	37
4	Launceston *W*	4899	3125	100	83	51	49	3	4	43	45	14
5	North-Hill	25088	5508	230	124	119	111	4	3	65	59	106
	302.—ST. GERMANS.											
1	Antony *W*	9740	7878	232	181	126	126	8	6	98	83	71
2	St. Germans	12944	3513	134	64	66	68	1	6	27	37	70
3	Saltash	24464	6240	194	158	99	95	5	2	81	77	36
	303.—LISKEARD.											
1	Callington	22851	8899	294	281	194	200	15	4	149	132	113
2	Liskeard *W*	43817	15198	601	388	305	293	16	24	217	181	203
3	Looe	19953	5695	190	160	106	84	–	5	44	56	90
4	Lerrin	19099	3804	129	75	69	60	1	1	42	33	54
	304. BODMIN.											
1	Lanlivery	18891	5118	160	100	73	87	6	8	43	57	60
2	St Mabyn	28569	3085	84	49	39	45	1	2	30	19	35
3	Bodmin *WL*	16947	6524	197	175	98	99	11	10	90	85	22
4	Egloshayle	25674	4964	153	102	74	79	1	5	53	49	51

V.—SOUTH WESTERN COUNTIES.—BIRTHS AND DEATHS, 1864—SUB-DISTRICTS—*continued*.

No.	SUB-DISTRICTS.	Area in Statute Acres.	Population, 1861.	TOTAL		BIRTHS.				DEATHS.		Excess of Births over Deaths.
				BIRTHS.	DEATHS.	Including Illegitimate Births.		Illegitimate Births.				
						Males.	Females.	Males.	Females.	Males.	Females.	
	20.—CORNWALL—*continued*.											
	305.—St. Columb.											
1	Padstow	28263	6649	230	147	124	106	8	6	77	70	83
2	St. Columb *W*	30313	6512	193	121	109	84	9	12	58	63	72
3	Newlyn	20117	3593	118	78	63	55	8	3	41	37	40
	306. St. Austell.											
1	Fowey	8464	9343	335	167	167	168	10	10	83	84	168
2	St. Austell *W*	21365	14768	555	301	284	271	21	26	155	146	254
3	Mevagissey	12874	4575	135	80	59	74	4	2	32	48	53
4	Grampound	14443	5111	156	102	75	81	4	2	51	51	54
	307.—Truro.											
1	Probus *W*	21670	3702	115	61	57	58	3	1	29	32	54
2	St. Just	18448	4737	144	86	72	72	4	4	45	41	58
3	St. Agnes	19694	9509	365	172	180	185	9	11	80	92	193
4	St. Clement *W*	11692	8089	273	209	129	144	26	34	90	119	64
5	Kenwyn	10004	10673	411	255	202	209	10	11	130	125	156
6	Kea	10703	6360	214	135	119	95	4	7	62	73	79
	308.—Falmouth.											
1	Mylor	6798	3730	162	86	79	83	1	2	42	44	76
2	Falmouth *W*	5203	11643	366	270	193	173	11	13	131	139	96
3	Penryn	2899	4760	174	99	88	86	5	4	43	56	75
4	Constantine	13006	3199	119	71	66	53	4	1	37	34	48
	309.—Helston.											
1	Wendron	18927	9314	372	215	182	190	10	10	126	89	157
2	Helston *W*	9838	5499	192	129	83	109	10	16	67	62	63
3	St. Keverne	28119	4994	134	93	65	69	3	4	42	51	41
4	Breage *W*	8448	6188	243	110	144	99	7	7	60	50	133
5	Crowan	7239	4131	174	76	91	83	5	4	35	41	98
	310.—Redruth.											
1	Gwennap	10856	12895	452	240	244	238	8	5	121	119	242
2	Redruth	3907	11504	423	206	217	206	8	11	103	103	217
3	Illogan *W*	8317	9083	287	227	210	177	13	15	128	99	160
4	Camborne	6744	14056	564	317	276	288	5	12	161	156	247
5	Phillack	10481	9035	329	169	170	159	10	4	84	85	160
	311.—Penzance.											
1	Uny-Lelant	12603	8357	208	198	142	156	13	5	108	90	100
2	St. Ives	8899	8967	337	181	171	166	7	9	93	88	156
3	Marazion	4909	5098	163	110	81	82	3	–	52	58	53
4	Penzance *W*	13971	18741	678	446	365	313	16	28	221	225	232
5	St. Just-in-Penwith	13118	10903	481	294	239	242	9	7	141	148	187
6	St. Buryan	11592	2488	75	53	32	43	1	3	25	28	22
	312.—Scilly Islands.											
1	Scilly Islands	3560	2431	64	47	26	38	2	1	23	24	17
	21.—SOMERSETSHIRE.											
	313 *a*.—Williton.											
1	Minehead	25869	3480	97	56	56	41	1	2	23	30	41
2	Dunster	26984	4293	145	57	69	76	3	3	24	33	88
3	Williton *W*	17709	5679	157	139	83	74	3	2	87	52	18
4	Stogursey	18628	2677	79	44	25	51	1	2	27	17	35
5	Stogumber	20012	3729	127	70	73	54	5	3	33	37	57
	313 *b*.—Dulverton.											
1	Dulverton *W*	57900	6158	175	167	86	89	4	10	90	77	8
	314.—Wellington.											
1	Wiveliscombe	10949	3526	115	96	60	55	2	3	54	42	19
2	Milverton	15130	4214	89	69	42	47	3	3	33	36	20
3	Wellington *W*	13563	8305	249	239	145	104	11	6	102	137	10
4	Culmstock	20812	4435	113	95	54	59	3	5	43	52	18
	315.—Taunton.											
1	Pitminster	21702	4950	133	78	71	62	5	5	38	40	55
2	North Curry	17064	5909	194	130	94	100	2	7	64	66	64
3	Taunton St. Mary Magdalen *WH*	3926	16283	295	251	157	138	17	22	123	128	44
4	Taunton St. James	12678	10339	281	176	147	134	5	13	83	93	105
5	Bishops-Lydeard	15082	4030	108	76	61	47	6	2	35	41	32
	316.—Bridgwater.											
1	Stowey	19540	4977	162	95	82	80	4	2	47	48	67
2	North Petherton	} 37102	5305	176	81	98	78	4	3	38	43	95
3	Middlezoy		2737	72	54	37	35	3	6	28	26	18
4	Bridgwater *W*		13694	498	288	260	238	11	8	146	142	210
5	Huntspill	19481	4003	151	71	76	75	–	4	36	35	80
6	Polden Hill	16150	3704	111	83	57	54	2	1	50	33	28
	317.—Langport.											
1	Somerton	20744	5797	183	173	102	81	6	4	95	78	10
2	Langport *W*	21032	7091	207	159	97	110	15	8	79	80	45
3	Curry-Rivell	17615	5189	169	90	80	89	4	9	46	44	79

V. SOUTH WESTERN COUNTIES.—BIRTHS AND DEATHS, 1864—SUB-DISTRICTS—*continued.*

No.	SUB-DISTRICTS.	Area in Statute Acres.	Population, 1861.	TOTAL BIRTHS.	TOTAL DEATHS.	Births. Including Illegitimate Births. Males.	Births. Including Illegitimate Births. Females.	Illegitimate Births. Males.	Illegitimate Births. Females.	Deaths. Males.	Deaths. Females.	Excess of Births over Deaths.
	21.—SOMERSETSHIRE—*cont.*											
	318.—CHARD.											
1	Ilminster	20220	7448	282	157	154	128	7	9	84	73	125
2	Combe St. Nicholas	16743	3398	107	76	61	46	5	2	46	30	31
3	Chard *W*	10276	6681	204	158	107	97	3	10	73	85	46
4	Crewkerne	13103	8084	244	213	127	117	8	11	105	107	31
	319.—YEOVIL.											
1	Coker	15929	6321	231	118	118	113	8	5	69	49	113
2	South Petherton	5385	3832	139	116	73	66	5	8	58	58	23
3	Martock	11945	5979	198	103	102	92	8	8	57	46	95
4	Yeovil *W*	8048	9535	345	224	176	169	6	13	121	103	121
5	Ilchester	10844	2492	80	53	41	39	1	2	21	32	27
	320.—WINCANTON.											
1	Castle Cary	16906	6129	194	130	102	92	8	11	70	60	64
2	Milborne Port	17606	5395	193	113	105	88	6	4	64	49	80
3	Wincanton *W*	19646	6007	205	109	115	90	11	11	51	58	96
4	Bruton	11962	3969	107	67	48	59	1	5	25	42	40
	321.—FROME.											
1	Nunney	28303	4589	160	81	71	59	1	1	43	38	49
2	Frome *W*		11543	359	272	190	160	17	12	130	142	78
3	Road	11348	3573	116	77	55	61	3	5	40	37	39
4	Kilmersdon	11588	3999	123	73	52	71	1	2	33	37	50
	322.—SHEPTON MALLET.											
1	Stoke Lane	13172	3326	107	63	60	47	3	3	24	39	44
2	Evercreech	21233	5141	158	114	77	81	5	2	48	66	44
3	Shepton Mallet *W*	15252	8152	238	155	114	124	12	9	78	77	83
	323.—WELLS.											
1	Wells *WL*	33423	11254	301	241	160	141	9	13	129	112	60
2	Glastonbury	31394	10635	313	233	164	149	8	6	125	108	80
	324.—AXBRIDGE.											
1	Wedmore	20044	6265	162	132	81	81	3	3	65	67	30
2	Burnham	25256	5707	200	105	108	92	7	7	55	50	95
3	Banwell	19906	12949	404	254	213	187	6	4	113	141	146
4	Axbridge *W*	18297	5856	165	124	89	76	21	12	57	67	41
5	Blagdon	22176	5629	153	85	67	86	4	4	35	50	68
	325.—CLUTTON.											
1	Harptree	16128	3562	107	64	53	54	2	1	33	31	43
2	Chew Magna	13009	4422	130	117	76	54	3	3	54	63	13
3	Clutton *W*	7684	6363	207	189	106	101	10	10	93	96	18
4	Midsomer-Norton	10205	9074	319	170	161	158	1	4	86	84	149
	326.—BATH.											
1	Twerton	14192	6953	231	185	137	124	5	3	90	95	76
2	Bathwick	3452	7132	136	120	68	68	1	3	56	64	16
3	Abbey *HH*	*	11086	289	372	149	120	7	12	187	185	−103
4	Lyncombe *W*	1845	9900	333	329	161	172	17	9	173	156	4
5	Walcot	10832*	11268	297	303	148	149	2	8	136	167	−6
6	Lansdown		15008	311	361	165	146	11	5	150	211	− 50
7	Batheaston		6989	199	141	96	103	5	2	70	71	58
	327.—KEYNSHAM.											
1	Bitton	8237	5071	182	136	93	89	2	7	67	69	46
2	Oldland	5180	10091	372	240	186	186	9	7	104	136	132
3	Newton	10193	2426	58	44	23	35	–	2	23	16	14
4	Keynsham *W*	9713	4214	86	120	41	45	3	3	57	63	− 34
	328.—BEDMINSTER.											
1	Bedminster *H*	4161	22346	1008	596	520	488	10	11	297	299	412
2	Long Ashton *W*	19349	5864	189	130	103	86	11	11	68	62	59
3	Yatton	20048	8236	258	155	138	120	5	3	71	84	103
4	St. George	13510	4811	170	96	92	78	1	2	50	46	74

VI. WEST MIDLAND COUNTIES.—BIRTHS AND DEATHS, 1864—SUB-DISTRICTS.

	22.—GLOUCESTERSHIRE.											
	329.—BRISTOL.											
1	St. Mary Redcliff *H*	1340	14335	483	427	263	230	7	7	202	225	56
2	Castle Precincts		10194	311	274	155	156	35	34	142	132	37
3	St. Paul		15775	668	390	348	320	6	9	189	201	278
4	St. James *H*		10325	312	437	147	165	5	9	210	227	−125
5	St. Augustine		15398	530	325	270	260	5	10	164	161	205

* The area of the Abbey sub-district (326; 3) is returned with that of sub-districts 326; 5—7.

VI.—WEST MIDLAND COUNTIES.—BIRTHS AND DEATHS, 1864—SUB-DISTRICTS—*continued.*

No.	SUB-DISTRICTS.	Area in Statute Acres.	Population, 1861.	TOTAL		BIRTHS.				DEATHS.		Excess of Births over Deaths.
				BIRTHS.	DEATHS.	Including Illegitimate Births.		Illegitimate Births.				
						Males.	Females.	Males.	Females.	Males.	Females.	
	22.—GLOUCESTERSHIRE—*cont.*											
	330.—CLIFTON.											
1	Clifton	740	21375	561	453	296	265	3	4	217	236	108
2	Ashley	1777	11690	419	281	218	201	2	2	129	152	138
3	St. George	1831	10276	472	268	235	237	8	5	125	143	204
4	St. Philip and Jacob	310	31753	1392	825	711	681	23	20	405	420	567
5	Westbury	15998	10409	290	194	150	140	4	2	84	110	96
6	Stapleton *WwL*	8819	9184	266	411	131	135	6	7	218	193	−145
	331.—CHIPPING SODBURY.											
1	Chipping Sodbury	14115	5252	168	102	77	91	2	4	50	52	66
2	Marshfield	16177	4103	136	89	76	60	3	2	43	46	47
3	Hawkesbury	20668	4156	130	61	61	69	3	4	31	30	69
4	Iron Acton *W*	11396	5252	175	143	89	86	7	8	74	69	32
	332.—THORNBURY.											
1	Almondsbury	23087	5233	156	108	89	67	2	2	63	45	48
2	Thornbury *W*	21617	5870	211	99	104	107	8	7	55	44	112
3	Berkeley	21136	5396	173	87	92	83	7	5	40	47	88
	333.—DURSLEY.											
1	Wotton-under-Edge	10475	5754	176	112	91	85	5	6	59	53	64
2	Uley	6147	2471	90	61	40	50	2	7	28	33	29
3	Dursley *W*	9899	5106	147	113	80	67	5	5	56	57	34
	334.—WESTBURY-ON-SEVERN.											
1	Newnham	24023	14474	564	295	303	261	16	10	157	138	289
2	Huntley *W*	19223	5715	167	114	73	94	8	8	64	50	53
	335.—NEWENT.											
1	Newent *W*	23122	6689	220	159	131	89	16	9	82	77	61
2	Redmarley	22159	5731	187	115	88	99	5	8	54	61	72
	336.—GLOUCESTER.											
1	Kingsholm *L*	18993	7309	228	196	109	119	6	5	102	94	32
2	St. Nicholas *W*	680	7416	275	194	157	118	9	15	57	97	81
3	St. John the Baptist *H*		7793	271	194	126	145	7	9	94	100	77
4	South Hamlet	12549	12427	554	254	304	250	9	12	142	112	300
	337.—WHEATENHURST.											
1	Haresfield	13157	3314	102	54	57	45	7	3	29	25	48
2	Frampton *W*	11314	4499	120	87	64	56	1	4	47	40	33
	338.—STROUD.											
1	Stonehouse	3955	4538	130	96	77	62	1	2	40	56	43
2	Painswick	10325	4334	155	103	80	75	–	2	53	50	52
3	Bisley	8033	4692	147	90	74	73	9	7	52	38	57
4	Stroud *W*	3810	9090	319	246	154	165	12	17	123	121	73
5	Rodborough	4192	5019	136	140	86	70	3	2	76	64	16
6	Minchinhampton	4895	4147	144	75	65	79	1	7	28	47	69
7	Horsley	8510	4628	166	112	82	84	5	3	52	60	54
	339.—TETBURY.											
1	Didmarton	9382	1470	46	26	25	21	2	–	16	10	20
2	Tetbury *W*	16259	4640	150	112	71	79	3	4	52	60	38
	340. CIRENCESTER.											
1	Cotswold	20094	3946	126	53	59	67	4	1	20	24	73
2	Cirencester *W*	30074	10840	339	242	171	168	19	13	122	120	97
3	Fairford	26198	6148	222	106	116	106	6	4	48	58	116
	341.—NORTHLEACH.											
1	Bibury *W*	31198	5642	179	106	82	97	6	6	52	54	73
2	Chedworth	36449	5253	176	101	90	86	6	3	48	53	75
	342.—STOW-ON-THE-WOLD.											
1	Bourton-on-the-Water	23087	4624	157	86	83	74	7	5	46	40	71
2	Stow-on-the-Wold *W*	18094	5063	173	120	86	87	10	6	52	68	53
	343.—WINCHCOMB.											
1	Guiting *W*	36568	5974	194	139	102	92	8	4	60	79	55
2	Cleeve	20026	4168	139	65	72	67	6	2	31	34	74
	344.—CHELTENHAM.											
1	Charlton Kings	21136	10099	339	206	174	165	7	10	121	85	133
2	Cheltenham *WH*	3740	39693	1042	758	544	498	34	34	388	375	284
	345.—TEWKESBURY.											
1	Deerhurst	18152	4229	131	66	64	67	7	3	38	28	65
2	Overbury	10427	2970	93	51	49	44	1	3	23	28	42
3	Tewkesbury *W*	16339	7709	250	212	137	113	12	10	93	119	38

VI.—WEST MIDLAND COUNTIES.—BIRTHS AND DEATHS, 1864—SUB-DISTRICTS—*continued*.

No.	SUB-DISTRICTS.	AREA in Statute Acres.	POPULATION, 1861.	TOTAL BIRTHS.	TOTAL DEATHS.	BIRTHS. Including Illegitimate Births. Males.	BIRTHS. Including Illegitimate Births. Females.	BIRTHS. Illegitimate Births. Males.	BIRTHS. Illegitimate Births. Females.	DEATHS. Males.	DEATHS. Females.	Excess of Births over Deaths.
	23.—HEREFORDSHIRE.											
	346.—LEDBURY.											
1	Ledbury *W*	27704	10295	290	219	149	141	17	21	122	97	71
2	Yarkhill	21079	4585	142	90	64	78	8	4	45	45	52
	347.—ROSS.											
1	Sollershope	18509	3641	113	70	61	52	2	3	39	31	43
2	Ross *W*	17250	9032	300	209	151	149	17	6	106	103	91
3	St. Weonards	19809	3633	130	87	61	69	5	4	39	48	43
	348.—HEREFORD.											
1	Dewchurch	24727	4332	166	87	86	80	8	1	44	43	79
2	Fownhope	19079	3614	148	111	73	75	4	5	59	52	37
3	Burghill	23851	5737	199	124	100	99	10	5	56	68	75
4	Hereford City *WH*	2417	14057	483	471	242	241	20	15	232	219	12
5	Madley	19790	3088	94	73	37	57	3	3	40	33	21
6	Kentchurch *W*	26723	3567	129	72	56	73	8	4	34	38	57
7	Clodock	28404	2864	82	61	49	33	5	4	27	34	21
	349.—WEOBLY.											
1	Weobly *W*	28407	5317	173	122	84	89	10	6	63	59	51
2	Dilwyn	20552	3701	119	57	61	58	4	5	33	24	62
	350.—BROMYARD.											
1	Bromyard	17542	3656	112	76	53	59	7	6	34	42	36
2	Bishops Frome	22305	4439	153	100	84	69	9	7	52	48	53
3	Brockhampton *W*	21812	3716	112	73	54	58	8	8	47	26	39
	351.—LEOMINSTER.											
1	Leominster *W*	13844	6618	194	174	95	99	7	5	80	94	20
2	Bodenham	24884	4021	120	91	65	55	7	2	42	49	29
3	Kingsland	26892	4855	145	100	65	80	7	5	53	47	45
	24.—SHROPSHIRE.											
	352.—LUDLOW.											
1	Leintwardine	19178	2556	90	48	40	50	2	4	23	25	42
2	Ludlow *W*	22697	8801	293	211	158	135	21	15	103	102	83
3	Cainham	12195	2227	66	39	32	34	4	–	19	20	27
4	Munslow	15193	2051	62	33	44	18	4	1	18	15	29
5	Diddlebury	18310	2086	65	45	29	36	2	6	27	18	20
	353.—CLUN.											
1	Clun	31358	4152	142	60	74	68	9	12	28	32	82
2	Bishops Castle *W*	16834	2924	111	82	60	51	7	9	39	43	29
3	Norbury	21282	1636	51	26	30	21	3	2	16	10	25
4	Lydbury	13412	1903	51	28	28	23	3	–	13	15	23
	354.—CHURCH STRETTON.											
1	Church Stretton *W*	24870	3928	127	82	65	62	5	10	31	51	45
2	Wall	21314	2361	77	37	39	38	3	4	17	20	40
	355.—CLEOBURY MORTIMER.											
1	Cleobury Mortimer *W*	29817	5514	158	82	80	78	10	10	52	30	76
2	Stottesden	24823	2790	82	44	44	38	5	5	23	21	38
	356.—BRIDGNORTH.											
1	Chetton	38589	4725	147	88	75	72	4	1	39	49	59
2	Bridgnorth *W*	3382	6240	175	129	90	85	7	13	58	71	46
3	Worfield *w*	27025	4955	144	86	83	61	5	4	41	45	58
	357.—SHIFFNAL.											
1	Albrighton	22511	4145	118	64	67	51	2	3	33	31	54
2	Shiffnal *W*	23542	7849	315	194	168	147	6	9	93	101	121
	358.—MADELEY.											
1	Dawley	3576	11323	472	247	226	246	23	12	133	114	225
2	Madeley *W*	7682	10753	419	320	197	222	19	21	170	150	99
3	Broseley	7847	5853	205	129	104	101	13	10	65	64	76
4	Much Wenlock	8846	2494	90	48	49	41	9	2	27	21	42
	359.—ATCHAM.											
1	Condover *W*	37057	6003	178	132	92	86	15	8	60	72	46
2	Ponteshury	12052	3866	132	75	55	77	2	6	37	38	37
3	Westhury	11274	2545	77	52	48	29	4	4	24	28	25
4	Alberbury	12034	2235	53	27	29	24	2	2	14	13	26
5	Montford	7857	1166	38	15	20	18	1	–	9	6	23
6	Battlefield	11534	1881	52	31	22	30	1	1	16	15	21
7	Atcham	12316	1639	34	28	18	16	1	1	12	16	6
	360.—SHREWSBURY.											
1	St. Mary *HL*	18032	16251	539	458	284	255	23	17	258	200	81
2	St. Chad *W*		9533	298	259	135	163	16	20	138	121	39

VI.—WEST MIDLAND COUNTIES.—BIRTHS AND DEATHS, 1864—SUB-DISTRICTS—*continued.*

No.	SUB-DISTRICTS.	Area in Statute Acres.	Population, 1861.	TOTAL		Births.				Deaths.		Excess of Births over Deaths.
				BIRTHS.	DEATHS.	Including Illegitimate Births.		Illegitimate Births.				
						Males.	Females.	Males.	Females.	Males.	Females.	
	24.—SHROPSHIRE—*continued.*											
	361.—OSWESTRY.											
1	Knockin	19422	4423	153	90	77	76	2	3	39	51	63
2	Llansilin	22978	4128	142	87	82	60	5	7	42	45	55
3	Oswestry *W*	15703	9357	375	272	189	186	18	18	146	126	103
4	St. Martin	18945	5909	226	123	125	101	8	8	70	53	103
	362.—ELLESMERE.											
1	Overton	6434	1779	46	35	22	24	4	1	23	12	11
2	Hanmer	14718	2519	83	60	49	34	7	6	29	31	23
3	Ellesmere *W*	28646	6878	241	160	110	131	13	19	96	64	81
4	Baschurch	21283	3435	97	54	45	52	2	2	17	37	43
	363 *a*.—WEM.											
1	Wem *W*	34547	7282	246	144	127	119	10	12	78	66	102
2	Prees	16650	3362	102	70	59	43	5	8	31	39	32
	363 *b*.—WHITCHURCH.											
1	Whitchurch *W*	23229	7651	252	152	132	120	14	16	83	69	100
2	Malpas	15847	3621	112	71	60	52	15	3	41	30	41
	364.—MARKET DRAYTON.											
1	Moreton Say	21490	3923	136	75	71	65	8	4	43	32	61
2	Market Drayton *W*	14216	5242	195	128	97	98	7	10	70	58	67
3	Hodnet	32204	5095	147	91	78	69	6	5	40	51	56
	365.—WELLINGTON.											
1	Ercall Magna *W*	17370	3230	104	56	50	54	2	5	34	22	48
2	Wellington *W*	12863	14046	558	329	276	282	26	26	175	154	229
3	Wombridge	3295	6557	292	140	145	147	11	8	71	69	152
	366.—NEWPORT.											
1	Newport *W*	22662	10478	359	192	179	180	18	13	99	93	167
2	Gnosall	24815	4909	149	73	69	80	5	8	33	40	76
	25.—STAFFORDSHIRE.											
	367.—STAFFORD.											
1	Stafford *WHL*	17581	14739	474	437	256	218	25	17	227	210	37
2	Castle Church	13071	5413	194	90	109	85	5	3	49	41	104
3	Colwich	21370	4322	126	68	67	59	4	9	36	32	58
	368.—STONE.											
1	Stone *W*	26657	9528	298	208	139	159	14	7	94	114	90
2	Eccleshall	32810	6139	187	126	88	99	6	8	66	60	61
3	Trentham	9057	6259	242	123	130	112	10	3	58	65	119
	369.—NEWCASTLE-UNDER-LYME.											
1	Whitmore	6080	1802	38	30	20	18	3	1	22	8	8
2	Newcastle-under-Lyme *W*	8867	15640	637	355	336	301	20	20	167	188	282
3	Audley	11171	7625	391	178	208	183	17	8	99	79	213
	370.—WOLSTANTON.											
1	Wolstanton	10739	9563	492	241	249	243	14	11	126	115	251
2	Tunstall *W*		22466	1232	588	616	616	44	46	316	272	644
3	Burslem	2940	22327	981	686	514	467	37	35	379	307	295
	371.—STOKE-UPON-TRENT.											
1	Hanley	10490	16848	727	412	362	365	21	17	224	186	315
2	Shelton *H*		18331	855	551	446	409	28	18	312	239	304
3	Stoke-upon-Trent *W*		11390	463	282	234	227	17	12	153	129	181
4	Fenton		7882	430	216	231	199	18	20	120	96	214
5	Longton		16857	815	524	440	375	52	35	289	235	291
	372.—LEEK.											
1	Norton	43174	5634	241	136	124	117	12	9	65	71	105
2	Leek *W*		12341	423	275	222	201	20	14	158	137	148
3	Leek Frith		1790	47	19	29	18	6	1	12	7	28
4	Longnor	29719	5041	166	118	82	84	15	16	57	61	48
	373.—CHEADLE.											
1	Alton	9487	2693	83	45	40	43	3	1	24	21	38
2	Ipstones	20677	6118	294	105	142	152	8	8	67	38	189
3	Dilhorne	12638	5070	189	141	86	103	10	7	75	66	48
4	Cheadle *W*	12344	7107	258	137	148	110	12	11	68	69	121
	374.—UTTOXETER.											
1	Uttoxeter *W*	24807	8008	237	172	120	137	8	19	92	80	85
2	Abbots Bromley	17355	2976	94	65	42	52	–	3	31	34	29
3	Sudbury	20728	3803	93	45	47	46	2	8	21	21	48
	375.—BURTON-UPON-TRENT.											
1	Tutbury	27211	6797	210	118	105	105	9	7	60	58	92
2	Repton *L*	27430	6484	183	130	80	103	5	7	54	76	53
3	Gresley	18873	9039	451	230	232	219	15	19	127	103	221
4	Burton-upon-Trent *W*	17138	18745	890	526	471	419	21	27	272	254	364

VI.—WEST MIDLAND COUNTIES.—BIRTHS AND DEATHS, 1864—SUB-DISTRICTS—*continued.*

No.	SUB-DISTRICTS.	AREA in Statute Acres.	POPULATION, 1861.	TOTAL BIRTHS.	TOTAL DEATHS.	BIRTHS. Including Illegitimate Births. Males.	BIRTHS. Including Illegitimate Births. Females.	BIRTHS. Illegitimate Births. Males.	BIRTHS. Illegitimate Births. Females.	DEATHS. Males.	DEATHS. Females.	Excess of Births over Deaths.
	25.—STAFFORDSHIRE—*continued.*											
	376.—TAMWORTH.											
1	Tamworth *W*	26176	8047	251	180	131	120	9	9	88	92	71
2	Fazeley	20564	6857	304	163	157	147	6	2	81	82	141
	377.—LICHFIELD.											
1	Lichfield *W*	37688	13628	556	385	272	284	15	21	206	179	171
2	Yoxall	20417	4765	143	87	69	74	8	12	44	43	56
3	Rugeley	13303	7143	220	139	110	110	8	5	71	68	81
	378.—PENKRIDGE.											
1	Penkridge	27134	4230	145	79	68	77	3	6	42	37	66
2	Brewood *W*	20782	5629	170	120	75	95	4	12	59	61	50
3	Cannock	22583	8773	331	214	157	174	7	7	117	97	117
	379.—WOLVERHAMPTON.											
1	Tettenhall	14222	6046	205	104	104	101	8	4	52	52	101
2	Kinfare	16391	4832	103	83	82	81	1	2	41	42	80
3	Wombourn *W*	12961	4991	157	95	78	79	5	9	42	54	61
4	Wolverhampton Western	3008	24514	1043	553	538	505	24	25	289	270	484
5	Wolverhampton Eastern *WH*		36346	1524	1238	778	746	74	65	676	562	286
6	Willenhall	5588	25809	1236	763	633	603	34	27	493	330	476
7	Bilston	1730	24364	1159	764	582	577	38	31	427	337	395
	380.—WALSALL.											
1	Darlaston	2551	13230	682	407	359	323	15	16	256	241	185
2	Bloxwich		9237	459	299	229	230	9	16	160	130	169
3	Walsall *W*	19052	30415	1543	892	765	738	44	41	491	371	641
4	Aldridge		7026	283	185	152	131	9	7	107	78	98
	381.—WEST BROMWICH.											
1	Handsworth	7080	11459	374	224	187	187	8	4	120	104	150
2	Oldbury	3799	17258	878	438	456	412	35	28	225	223	459
3	West Bromwich South West	1500	21588	1018	554	527	491	17	19	306	248	464
4	West Bromwich North East *W*	4210	20207	949	565	475	474	37	33	294	269	384
5	Wednesbury	2175	21968	1033	591	535	533	25	12	340	251	427
	382.—DUDLEY.											
1	Rowley-Regis	3670	19785	1074	760	529	525	38	30	386	374	244
2	Tipton	3020	28870	1440	938	725	715	21	41	516	422	442
3	Sedgley *W*	7364	30637	1843	1124	913	930	61	61	546	535	718
4	Dudley	3930	44975	2075	1329	1085	990	61	49	649	654	722
	26.—WORCESTERSHIRE.											
	383.—STOURBRIDGE.											
1	Halesowen	5570	11511	569	336	305	264	24	16	175	161	233
2	Stourbridge	3315	22958	938	575	489	449	31	24	299	276	363
3	Kingswinford *W*	7315	34257	1591	1023	817	774	54	56	575	459	568
	384.—KIDDERMINSTER.											
1	Chaddesley Corbett	9582	2091	59	33	24	35	1	3	21	12	26
2	Wolverley	7172	3204	110	56	55	54	–	2	26	30	54
3	Kidderminster *W*	10685	17912	655	439	336	319	23	16	230	209	216
4	Lower Mitton	861	2958	94	67	51	43	2	3	35	32	27
5	Bewdley	9021	4142	132	103	62	70	5	2	52	51	29
	385.—TENBURY.											
1	Tenbury *W*	18164	4320	140	92	80	60	13	8	51	41	48
2	Bockleton	17777	3046	105	58	59	46	6	1	29	29	47
	386.—MARTLEY.											
1	Martley *W*	13335	3128	90	68	43	47	2	9	34	34	22
2	Witley	13299	3480	99	65	49	50	3	4	37	28	34
3	Holt	13947	3509	122	57	67	55	5	2	25	32	65
4	Leigh	13087	4981	170	116	93	77	10	6	57	59	54
	387.—WORCESTER.											
1	West Worcester	3950	8593	280	220	137	143	12	15	107	113	60
2	North Worcester *WH*	1440	10725	331	338	162	169	14	17	185	153	– 7
3	South Worcester	1309	11651	450	315	211	239	8	15	162	153	135
	388.—UPTON-ON-SEVERN.											
1	Hanley *L*	20007	11377	370	320	185	185	13	12	168	152	50
2	Upton-on-Severn *W*	20604	6122	208	149	107	101	11	5	86	66	59
3	Kempsey	12405	3511	103	60	53	55	2	1	26	34	48
	389.—EVESHAM.											
1	Evesham *W*	18039	7897	250	130	132	118	9	9	62	77	111
2	Broadway	28570	6870	228	121	117	111	9	9	61	60	107

VI.—WEST MIDLAND COUNTIES.—BIRTHS AND DEATHS, 1864—SUB-DISTRICTS—*continued.*

No.	SUB-DISTRICTS.	Area in Statute Acres.	Population, 1861.	TOTAL		Births.				Deaths.		Excess of Births over Deaths.
				BIRTHS.	DEATHS.	Including Illegitimate Births.		Illegitimate Births.				
						Males.	Females.	Males.	Females.	Males.	Females.	
	26.—WORCESTERSHIRE— *continued.*											
	390.—PERSHORE.											
1	Eckington	16897	4228	129	73	64	65	3	8	40	33	56
2	Pershore *W*	17781	6507	184	155	106	78	12	3	89	66	29
3	Upton Snodsbury	17591	3130	105	54	47	58	2	6	27	27	51
	391.—DROITWICH.											
1	Claines	16782	7435	319	186	161	158	9	13	93	93	133
2	Ombersley	18837	5131	155	100	80	75	1	3	56	44	55
3	Droitwich *W*	19576	6591	241	172	124	117	12	13	86	86	69
	392.—BROMSGROVE.											
1	Bromsgrove *W*	16088	12496	489	274	237	282	16	25	141	133	215
2	Belbroughton	15584	4867	156	67	74	82	10	3	33	34	89
3	Tardebigg	17002	8896	337	216	167	170	11	11	112	104	121
	393.—KINGS NORTON.											
1	Kings Norton *W*	10012	14316	595	326	309	295	13	13	167	159	269
2	Edgbaston	8496	16037	485	242	200	235	11	8	135	147	203
3	Harborne	3295	16996	723	406	367	356	18	12	212	194	317
	27.—WARWICKSHIRE.											
	394.—BIRMINGHAM.											
1	Lady Wood			34793	909	832	817	24	27	476	433	740
2	St. Thomas *H*			3329	948	704	691	24	34	505	443	447
3	St. Martin			30252	850	627	627	19	38	425	425	404
4	St. Peter			14806	530	382	242	9	10	203	179	148
5	St. Philip	2660		9375	247	222	132	135	9	10	100	122	45
6	St. Paul			9489	249	258	127	122	5	5	138	120	− 9
7	St. Mary			17477	558	583	275	283	9	23	293	290	− 25
8	St. George *H*			44495	1957	1514	978	979	31	31	810	704	443
9	All Saints *W*			19820	1016	923	490	526	74	84	475	448	93
	395.—ASTON.											
1	Deritend	1690	31788	1665	847	873	792	34	30	421	426	818
2	Duddeston	936	38760	1818	1016	957	893	29	28	539	477	802
3	Erdington *W*	11251	24447	1196	641	650	546	22	17	334	307	555
4	Sutton Coldfield	17396	5527	151	90	77	74	6	5	47	43	61
	396.—MERIDEN.											
1	Coleshill	22223	4903	123	90	62	61	1	2	45	45	33
2	Meriden *W*	20395	6387	179	135	87	92	9	7	57	78	44
	397.—ATHERSTONE.											
1	Atherstone *W*	27883	12118	425	283	208	217	9	14	139	144	142
	398.—NUNEATON.											
1	Nuneaton *W*	20428	13054	509	350	239	250	19	23	168	182	159
	399.—FOLESHILL.											
1	Foleshill *W*	7799	15327	525	375	277	248	25	17	197	178	150
2	Sowe	11590	4670	156	105	82	74	2	5	61	44	51
	400.—COVENTRY.											
1	St. John *WH*	3665	22136	731	476	365	366	27	22	235	241	253
2	Holy Trinity	1824	19481	664	382	349	315	22	17	190	192	282
	401.—RUGBY.											
1	Rugby *W*	25130	13601	415	266	240	175	9	9	113	123	149
2	Crick	23689	4962	149	115	80	69	3	8	65	50	34
3	Dunchurch	23956	5873	166	107	86	80	5	2	62	45	59
	402.—SOLIHULL.											
1	Solihull *W*	19778	7383	237	151	122	115	9	6	81	70	86
2	Knowle	11461	2819	79	51	41	38	2	3	20	31	28
3	Tanworth	14776	3029	95	62	46	49	1	3	37	25	33
	403.—WARWICK.											
1	Budbrooke *L*	18403	4416	108	115	55	53	3	7	58	57	− 7
2	Leamington	2900	18768	546	429	296	250	18	14	197	232	117
3	Kenilworth	23393	6195	158	94	78	80	3	2	49	45	64
4	Warwick *W*	5410	10389	336	259	182	154	26	15	142	117	77
5	Radford	16168	4049	119	80	58	61	3	4	42	38	39
	404. STRATFORD-ON-AVON.											
1	Kineton	10166	2378	83	45	41	42	2	1	14	31	38
2	Wellesbourne	14074	3026	109	61	48	61	3	−	31	30	48
3	Stratford-on-Avon	14984	6117	180	103	96	84	9	2	55	48	77
4	Old Stratford *W*	22080	5031	193	137	106	89	10	8	63	74	56
5	Wootton Wawen	17747	3797	118	69	68	50	4	−	41	28	49

VI.—WEST MIDLAND COUNTIES.—BIRTHS AND DEATHS, 1864—SUB-DISTRICTS—*continued*.

No.	SUB-DISTRICTS.	Area in Statute Acres.	Population, 1861.	TOTAL BIRTHS.	TOTAL DEATHS.	Births. Including Illegitimate Births. Males.	Births. Including Illegitimate Births. Females.	Illegitimate Births. Males.	Illegitimate Births. Females.	Deaths. Males.	Deaths. Females.	Excess of Births over Deaths.
	27.—WARWICKSHIRE—*cont.*											
	405.—ALCESTER.											
1	Studley	12095	4274	145	73	71	74	2	5	27	46	72
2	Alcester *W*	15419	4787	175	115	81	94	7	10	60	55	60
3	Feckenham	15536	5068	185	114	95	90	6	5	53	61	71
4	Bidford	9280	2749	81	55	43	38	5	2	27	28	26
	406.—SHIPSTON-ON-STOUR.											
1	Campden	20186	4845	143	91	68	75	6	6	43	48	52
2	Moreton	20612	6086	181	13	84	97	8	11	64	72	45
3	Shipston-on-Stour *W*	17021	5064	181	122	98	83	13	12	69	53	59
4	Halford	21080	3857	145	99	72	73	8	1	50	49	46
	407.—SOUTHAM.											
1	Southam *W*	50409	10392	350	184	183	167	13	14	91	93	166

VII.—NORTH MIDLAND COUNTIES.—BIRTHS AND DEATHS, 1864.—SUB-DISTRICTS.

	28.—LEICESTERSHIRE.											
	408.—LUTTERWORTH.											
3	Lutterworth *W*	59031	15515	485	306	263	222	21	11	146	160	179
	409.—MARKET HARBOROUGH.											
1	Market Harborough *W*	64094	16059	575	299	281	294	18	17	145	153	276
	410.—BILLESDON.											
1	Billesdon *W*	50721	7272	214	112	106	108	5	7	61	51	102
	411.—BLABY.											
1	Wigston	13210	7314	266	194	147	119	8	4	102	92	72
2	Enderby *W*	20997	6991	220	169	114	106	10	8	87	82	51
	412.—HINCKLEY.											
1	Burbage	15000	5137	158	80	91	67	5	-	38	42	78
2	Hinckley *W*	8210	7658	258	159	132	116	18	13	73	66	109
3	Earl Shilton	4860	3579	116	81	72	44	6	8	38	43	35
	413.—MARKET BOSWORTH.											
1	Market Bosworth *W*	35137	7185	227	153	109	118	14	14	80	73	74
2	Ibstock	18389	6245	212	127	109	112	8	14	67	60	85
	414.—ASHBY-DE-LA-ZOUCH.											
1	Measham	9457	4109	137	65	77	60	5	4	32	33	72
2	Hartshorn	14007	6207	233	114	116	117	12	8	60	54	119
3	Ashby-de-la-Zouch *W*	12480	8200	325	207	153	172	12	22	117	90	118
4	Whitwick	16008	9937	460	197	235	225	14	18	101	96	263
	415.—LOUGHBOROUGH.											
1	Loughborough *W*	18690	17520	631	401	332	299	32	21	191	210	220
2	Leake	25150	6627	206	121	111	95	11	10	62	59	85
	416.—BARROW-UPON-SOAR.											
1	Barrow-upon-Soar	13521	5144	190	115	97	93	7	7	53	62	75
2	Quorndon	8830	5089	171	117	84	87	2	4	57	60	54
3	Rothley *W*	14657	4796	189	84	86	103	3	7	46	38	105
4	Syston	10860	4749	180	127	96	84	14	8	52	75	53
	417.—LEICESTER.											
1	East Leicester *W*	3960	41194	1960	1284	1021	939	92	74	674	630	676
2	West Leicester *HL*		26862	1155	824	594	561	33	33	424	400	331
	418.—MELTON MOWBRAY.											
1	Somerby	22068	3892	137	63	67	70	3	6	28	35	74
2	Melton Mowbray *W*	17000	6375	200	129	105	95	14	6	73	56	71
3	Clawson	27064	5537	170	115	85	87	8	6	55	60	55
4	Waltham	30425	4367	136	77	62	74	5	10	39	38	59
	29.—RUTLANDSHIRE.											
	419.—OAKHAM.											
1	Oakham *W*	55030	11112	364	245	197	167	15	16	131	114	119
	420.—UPPINGHAM.											
1	Uppingham *W*	19007	5345	162	103	77	85	6	8	47	56	59
2	Great Easton	14882	3185	106	57	65	44	5	3	24	33	52
3	Barrowden	18809	3887	127	75	68	59	8	3	39	36	52

VII.—NORTH MIDLAND COUNTIES.—BIRTHS AND DEATHS, 1864—SUB-DISTRICTS—*cont.*

No.	SUB-DISTRICTS.	Area in Statute Acres.	Population, 1861.	TOTAL BIRTHS.	TOTAL DEATHS.	BIRTHS. Including Illegitimate Births. Males.	BIRTHS. Including Illegitimate Births. Females.	BIRTHS. Illegitimate Births. Males.	BIRTHS. Illegitimate Births. Females.	DEATHS. Males.	DEATHS. Females.	Excess of Births over Deaths.
	30.—LINCOLNSHIRE.											
	421.—STAMFORD.											
1	Stamford *WH*	24136	12521	355	242	178	177	16	14	119	123	113
2	Barnack	28722	5692	195	108	102	93	5	5	52	56	87
	422.—BOURN.											
1	Corby	20103	3396	126	60	63	63	2	5	34	26	66
2	Aslackby	23635	4730	180	103	83	77	5	3	44	59	57
3	Bourn *W*	33106	7354	240	132	118	122	15	20	74	58	108
4	Deeping	13800	4633	160	101	82	78	7	5	53	48	59
	423.—SPALDING.											
1	Pinchbeck	11640	3052	105	57	51	54	3	1	35	22	48
2	Donington	10390	2391	68	37	41	27	4	2	25	12	31
3	Gosberton	12220	3060	108	63	55	53	2	1	30	33	45
4	Spalding *W*	16540	9253	272	185	158	114	20	20	107	78	87
5	Moulton	19171	2893	96	46	56	40	5	6	22	24	50
6	Deeping St. Nicholas	16290	1180	37	12	16	21	–	1	5	7	25
	424.—HOLBEACH.											
1	Gedney Hill	107299	2994	107	56	57	50	3	2	28	28	51
2	Long Sutton		7999	272	121	143	129	12	6	66	55	151
3	Holbeach *W*		7409	233	158	114	119	19	14	86	72	75
	425.—BOSTON.											
1	Kirton-in-Holland	31412	5028	133	92	66	67	6	4	45	47	41
2	Bennington	50285	6572	184	107	105	79	4	6	63	44	77
3	Sibsey	15290	3259	110	38	67	43	7	3	18	20	72
4	Boston *W*	7850	17527	523	349	241	282	29	33	156	193	174
5	Swineshead	20710	5583	197	79	103	94	4	8	41	38	118
	426.—SLEAFORD.											
1	Billinghay	68646	5423	201	93	111	90	7	5	51	42	108
2	Sleaford *W*		8131	293	165	154	139	16	18	89	76	128
3	Leadenham	19202	3940	138	78	73	65	10	7	41	37	60
4	Heckington	28189	4366	143	75	76	67	5	7	38	37	68
5	Aswarby	17740	3059	101	57	49	52	7	6	32	25	44
	427.—GRANTHAM.											
1	Colsterworth	33320	5391	184	105	97	87	6	4	50	55	79
2	Denton	36512	7225	236	146	106	130	8	13	72	74	90
3	Grantham *W*	32097	16270	553	372	282	271	19	22	190	182	181
	428.—LINCOLN.											
1	Lincoln South-West	70276	13605	426	280	207	219	10	13	133	147	146
2	Lincoln Home *WHL*	59014	24917	995	818	490	505	41	41	420	398	177
3	Lincoln North-East	59030	8541	276	152	145	131	6	7	80	72	124
	429.—HORNCASTLE.											
1	Wragby	31004	4537	173	66	106	67	3	1	29	37	107
2	Horncastle *W*	27209	9112	300	204	160	140	23	14	97	107	96
3	Tetford	28035	4460	156	97	69	87	4	8	47	50	59
4	Tattershall	27310	6609	202	114	121	81	8	6	45	69	88
	430.—SPILSBY.											
1	Stickney	11910	2131	81	38	31	50	3	2	22	16	43
2	Wainfleet	37673	5502	183	80	80	103	6	3	49	31	103
3	Spilsby *W*	32834	8421	317	165	184	133	29	21	89	76	152
4	Burgh	25282	4941	147	100	81	66	5	5	52	48	47
5	Alford	32570	7804	253	134	156	97	6	12	64	70	119
	431.—LOUTH.											
1	Withern	27131	4043	181	86	80	101	2	6	36	50	95
2	Louth *W*	38555	14442	490	315	250	240	29	27	151	164	175
3	Binbrook	29072	4468	149	68	73	76	4	6	34	34	81
4	Saltfleet	39876	5503	208	114	94	114	6	8	61	53	94
5	Tetney	36074	5655	197	89	97	100	5	2	45	44	108
	432.—CAISTOR.											
1	Great Grimsby	63215	18288	741	455	380	361	12	16	242	213	286
2	Caistor *W*	63811	9005	295	202	147	148	17	14	100	102	93
3	Market Rasen	56138	10224	327	170	171	156	15	15	90	80	157
	433.—GLANFORD BRIGG.											
1	Brigg *W*	52077	12326	418	286	200	218	26	17	154	132	132
2	Winterton	58316	9805	372	287	189	183	13	8	144	143	85
3	Barton	57077	12399	405	247	197	208	23	19	133	114	158
	434.—GAINSBOROUGH.											
1	Owston	13820	4649	165	92	92	73	10	4	53	39	73
2	Scotter	30104	4706	130	96	66	64	6	4	55	41	34
3	Misterton	14763	3151	100	46	49	51	5	2	24	22	54
4	Gainsborough *W*	7390	7399	222	182	116	106	17	10	86	96	40
5	Willingham	28034	4037	146	66	67	79	4	5	35	31	80
6	Marton	14047	2091	71	34	43	28	2	3	21	13	37

VII.—NORTH MIDLAND COUNTIES.—BIRTHS AND DEATHS, 1864—SUB-DISTRICTS—*cont.*

No.	SUB-DISTRICTS.	Area in Statute Acres.	Population, 1861.	TOTAL		BIRTHS.				DEATHS.		Excess of Births over Deaths.
				BIRTHS.	DEATHS.	Including Illegitimate Births.		Illegitimate Births.				
						Males.	Females.	Males.	Females.	Males.	Females.	
	31.—NOTTINGHAMSHIRE.											
	435.—EAST RETFORD.											
1	Gringley	18591	3446	99	65	53	43	5	3	32	33	34
2	Clarborough *W*	19570	6076	206	117	108	98	14	18	65	52	89
3	East Retford	23607	8157	269	152	135	134	11	13	72	80	117
4	Tuxford	23039	4998	146	109	80	66	10	6	53	56	37
	436.—WORKSOP.											
1	Worksop *W*	20630	8373	346	181	165	181	11	10	86	95	165
2	Carlton	25200	3586	101	61	47	54	4	3	31	30	40
3	Anston	16580	3222	101	63	49	52	6	5	35	28	38
4	Carburton	18440	5523	177	95	98	79	7	7	53	42	82
	437. MANSFIELD.											
1	Warsop	9570	3689	138	62	83	55	4	5	35	27	76
2	Pleasley	16294	2484	66	48	37	29	-	5	25	23	18
3	Blackwell	6920	4552	206	104	100	106	9	8	56	48	102
4	Sutton-in-Ashfield	7493	8455	326	212	175	151	19	18	112	100	114
5	Mansfield *W*	9070	10225	357	276	203	154	23	15	144	132	81
6	Blidworth	6610	1188	41	20	23	18	1	4	8	12	21
	438.—BASFORD.											
1	Greasley	31680	18028	747	392	400	347	22	19	193	199	355
2	Ilkeston		13745	508	257	320	278	23	17	136	121	341
3	Basford *W*	6500	17007	550	406	276	274	30	30	193	213	144
4	Bulwell	8264	7323	341	181	172	169	24	18	103	78	160
5	Arnold	18540	8878	282	182	144	138	16	19	91	91	100
6	Carlton	8435	4328	103	110	88	80	7	10	47	63	58
7	Wilford	14620	5048	171	114	93	78	7	15	56	58	57
	439.—RADFORD.											
1	Lenton	6080	5078	182	110	97	85	8	4	59	51	72
2	Radford *W*		10192	383	294	191	192	31	16	145	149	89
3	Hyson Green		3561	104	73	53	51	3	3	39	34	31
4	Snenton *L*	720	11043	396	307	203	193	16	15	161	146	89
	440.—NOTTINGHAM.											
1	Sherwood	1870	12572	415	283	202	213	8	14	140	143	132
2	St. Mary		6659	225	182	120	105	14	13	91	91	43
3	St. Ann *W*		20079	819	679	428	391	60	48	351	328	140
4	Byron		14673	531	358	280	251	31	29	174	184	173
5	Exchange		8964	294	211	146	148	11	9	111	100	83
6	Castle		6723	208	168	106	102	10	11	71	97	40
7	Park *H*		5023	110	168	61	49	2	2	97	71	−58
	441.—SOUTHWELL.											
1	Southwell *W*	51511	13055	375	288	178	197	13	14	152	136	87
2	Kneesal	65623	11370	328	220	165	163	18	14	113	107	108
	442.—NEWARK.											
1	North Collingham	23813	5683	177	110	85	92	5	3	47	63	67
2	Bassingham	20272	3852	113	97	59	54	7	2	53	44	16
3	Newark	18?9	11498	421	307	202	219	18	18	144	163	114
4	Bennington	22342	4666	134	102	70	64	4	5	47	55	32
5	Claypole *W*	25586	4487	152	96	82	70	8	8	48	48	56
	443. BINGHAM.											
1	Bingham *W*	31695	7879	231	152	113	118	15	11	76	76	79
2	Ratcliffe-on-Trent	36444	7791	219	156	102	117	10	9	59	97	63
	32. DERBYSHIRE.											
	444.—SHARDLOW.											
1	Castle Donington	13355	5775	186	144	111	75	7	8	72	72	42
2	Melbourne	15143	4694	145	81	72	73	9	5	42	39	64
3	Shardlow *W*	11586	4454	142	84	74	68	6	4	37	47	58
4	Stapleford	33206	8952	318	191	186	162	12	16	92	162	154
5	Spondon		7238	220	109	108	112	11	7	80	80	61
	445.—DERBY.											
1	St. Alkmund	2070	17817	642	398	320	322	21	28	194	204	244
2	St. Peter *WH*		33232	1468	887	724	744	52	63	446	441	581
	446.—BELPER.											
1	Duffield	23975	6466	174	136	91	83	6	3	68	68	28
2	Horsley	9672	5930	224	122	110	114	8	6	54	68	102
3	Belper *W*	3078	9509	330	236	168	162	25	18	162	134	34
4	Ripley	10967	12185	534	276	280	274	15	23	139	137	258
5	Alfreton	4550	11549	479	240	250	229	17	9	124	116	239
6	Wirksworth	14348	6072	187	107	93	94	3	4	46	61	80
	447.—ASHBORNE.											
1	Brailsford	15362	3168	96	45	51	45	3	3	20	25	51
2	Mayfield	12766	3446	109	59	49	60	3	11	27	32	50
3	Ashborne *W*	11442	4876	156	89	81	75	10	9	44	45	67
4	Calton	17689	3036	88	57	47	41	1	-	35	22	31
5	Hartington	19671	1652	57	24	25	32	1	5	12	12	33
6	Brassington	14007	4470	142	87	71	71	9	8	42	45	55

VII.—NORTH MIDLAND COUNTIES.—BIRTHS AND DEATHS, 1864—SUB-DISTRICTS—*cont.*

No.	SUB-DISTRICTS.	Area in Statute Acres.	Population, 1861.	TOTAL		BIRTHS.				DEATHS.		Excess of Births over Deaths.
				BIRTHS.	DEATHS.	Including Illegitimate Births.		Illegitimate Births.				
						Males.	Females.	Males.	Females.	Males.	Females.	
	32.—DERBYSHIRE—*continued.*											
	448.—CHESTERFIELD.											
1	Ashover	21334	10737	423	221	238	185	22	20	108	113	202
2	Chesterfield *W*	27993	24983	1379	760	693	686	37	50	402	358	619
3	Bolsover	11247	2402	86	45	42	44	7	8	17	28	41
4	Eckington	14988	13948	674	388	357	317	30	19	219	169	286
5	Dronfield	19340	5389	264	123	129	135	7	13	61	62	141
	449. BAKEWELL.											
1	Bakewell *W*	56916	12547	337	235	167	170	12	16	114	121	102
2	Matlock	14895	9315	269	215	155	134	8	11	102	113	74
3	Tideswell	36094	9016	333	197	157	176	4	9	96	101	136
	450.—CHAPEL-EN-LE-FRITH.											
1	Buxton	5741	4142	167	98	78	89	3	5	50	48	69
2	Chapel-en-le-Frith *W*	57507	9878	381	244	184	197	8	15	121	123	137
	451.—HAYFIELD.											
1	Glossop *W*	48855	21200	573	376	277	296	24	25	180	196	197
2	Hayfield *W*		10976	420	263	211	209	13	14	144	119	157

VIII.—NORTH WESTERN COUNTIES.—BIRTHS AND DEATHS, 1864—SUB-DISTRICTS.

	33.—CHESHIRE.											
	452.—STOCKPORT.											
1	Marple	6230	5128	191	100	91	100	6	5	45	55	91
2	Hyde	4970	20594	719	394	385	364	26	29	195	199	325
3	Heaton Norris	3649	17696	575	378	293	282	17	15	200	178	197
4	Stockport First *WH*	7017	28224	871	752	499	481	36	34	387	365	219
5	Stockport Second		12869	428	317	236	192	12	12	156	161	111
6	Cheadle *L*	8843	4941	160	117	81	79	2	–	70	47	43
7	Hazelgrove		4917	161	87	77	84	5	3	35	52	74
	453.—MACCLESFIELD.											
1	Prestbury	12647	5197	145	104	69	76	4	11	57	47	41
2	Bollington	8676	10357	318	181	155	163	15	18	83	98	137
3	Rainow	15995	3478	112	62	52	60	3	3	27	35	50
4	East Macclesfield	2410	10901	352	215	192	160	13	16	109	106	137
5	West Macclesfield *W*		10574	340	202	270	281	20	19	197	205	138
6	Sutton	11420	7292	234	178	108	126	16	17	77	101	56
7	Gawsworth	10854	3118	99	60	55	44	7	6	29	31	39
8	Alderley	13559	4526	137	90	71	66	5	3	58	32	47
	454.—ALTRINCHAM.											
1	Wilmslow	15325	7531	264	145	134	130	15	13	75	70	119
2	Altrincham	17796	18214	706	371	357	349	19	19	195	176	325
3	Lymm	18170	7395	218	141	106	112	8	7	86	55	77
4	Knutsford *W*	22174	7377	229	172	118	111	17	13	100	72	57
	455.—RUNCORN.											
1	Budworth	11823	4311	129	104	75	54	–	9	58	46	25
2	Daresbury *W*	8963	2841	93	69	45	48	5	7	42	27	24
3	Runcorn	10002	13590	648	456	343	305	15	17	271	185	192
4	Frodsham	14388	6050	245	152	123	122	14	10	72	60	113
	456.—NORTHWICH.											
1	Weaverham	19686	6449	249	138	136	113	6	6	72	66	111
2	Northwich *W*	12475	12901	529	315	285	246	29	26	180	135	214
3	Over	18146	8364	372	179	200	172	18	14	82	97	193
4	Middlewich	16140	5644	214	119	134	80	10	10	64	55	95
	457.—CONGLETON.											
1	Church Hulme	12600	2514	90	43	50	40	2	4	24	19	47
2	Congleton	18657	19124	730	397	383	347	40	42	186	211	333
3	Sandbach *W*	21632	12690	452	274	219	233	19	18	134	140	178
	458.—NANTWICH.											
1	Wybunbury	32400	16901	833	399	432	401	19	23	208	191	434
2	Nantwich *W*	21480	10062	378	231	193	185	19	14	111	120	147
3	Bunbury	27127	7969	279	168	128	151	11	11	83	85	111
4	Wrenbury	30139	6033	209	101	97	103	13	11	46	55	99
	459.—GREAT BOUGHTON.											
1	Tattenhall	34088	7539	212	132	121	91	16	4	76	56	80
2	Chester Castle *W*	19680	21072	779	577	382	388	29	29	307	270	198
3	Chester Cathedral *LH*	23222	15762	708	644	358	350	28	15	338	305	64
4	Hawarden *W*	31015	9528	359	222	173	186	13	13	116	106	137

VIII.—NORTH WESTERN COUNTIES.—BIRTHS AND DEATHS, 1864—SUB-DISTRICTS—*cont.*

No.	SUB-DISTRICTS.	Area in Statute Acres.	Population, 1861.	TOTAL		BIRTHS.				DEATHS.		Excess of Births over Deaths.
				BIRTHS.	DEATHS.	Including Illegitimate Births.		Illegitimate Births.				
						Males.	Females.	Males.	Females.	Males.	Females.	
	33.—CHESHIRE—*continued.*											
	460 *a*.—WIRRAL.											
1	Neston	24170	5223	186	137	95	91	12	8	71	66	49
2	Eastham *W*	19324	9167	357	177	177	180	12	9	96	81	180
3	Woodchurch	44764	4020	142	72	79	63	7	3	32	40	70
	460 *b*.—BIRKENHEAD.											
1	Birkenhead *H*	1265	36212	1926	1236	993	933	23	31	683	553	690
2	Tranmere	4812	14485	625	339	314	311	15	13	170	169	286
3	Wallasey	17775	10723	428	204	213	215	4	3	116	88	224
	34.—LANCASHIRE.											
	461.—LIVERPOOL.											
1	St. Martin	2220	81228	3503	2760	1780	1723	24	35	1387	1373	743
2	Howard-street *H*		24816	895	1060	492	403	12	9	672	488	− 105
3	Dale-street		29078	1056	1003	538	518	6	14	511	492	56
4	St. George		16827	362	382	169	193	2	4	205	177	− 20
5	St. Thomas		29142	885	970	457	428	14	11	513	457	− 85
6	Mount Pleasant *WH*		47410	1827	3244	921	906	134	151	1703	1541	−1447
7	Islington		41241	1528	1392	785	743	15	15	685	707	136
	462.—WEST DERBY.											
1	Toxteth Park *W*	3768	69284	3180	2731	1626	1554	51	43	1363	1368	449
2	Everton *Ww*	1832	70983	4056	2733	2079	1977	75	60	1394	1339	1323
3	Walton	9275	11834	617	419	307	310	10	7	218	201	198
4	Crosby	14899	5075	201	157	107	94	4	2	70	87	44
5	Litherland	6269	5084	161	104	74	87	2	4	57	47	57
6	West Derby	7076	52740	2347	1388	1180	1167	40	31	675	713	959
7	Wavertree	7448	10845	411	221	216	195	4	4	125	96	190
	463.—PRESCOT.											
1	Hale	13042	2424	87	56	45	42	–	2	35	21	31
2	Much Woolton	2130	4608	185	133	83	102	9	9	73	60	52
3	Huyton	9807	4094	124	88	59	65	2	3	51	35	38
4	Farnworth	10861	8879	522	415	254	271	8	5	226	189	105
5	Prescot *W*	15216	12377	492	432	265	227	20	18	231	201	60
6	St. Helens *L*		37961	1848	1471	940	908	54	50	775	696	377
7	Rainford	5803	2784	98	81	52	46	3	2	43	38	17
	464.—ORMSKIRK.											
1	Bickerstaffe	11335	2826	113	72	53	60	1	2	32	40	41
2	Aughton	8530	3862	125	94	67	58	7	3	44	50	31
3	Halsall	10470	1952	71	34	32	39	2	4	20	14	37
4	Formby	25218	3606	136	101	71	65	3	6	57	44	35
5	North Meols	18871	14661	633	425	335	298	30	21	212	213	208
6	Tarleton	12139	3656	132	73	77	55	13	12	32	41	59
7	Scarisbrick	13336	4573	164	103	82	82	9	13	55	48	61
8	Ormskirk *W*	572	6426	241	200	132	109	7	6	104	96	40
9	Lathom	11497	4690	211	156	110	101	10	13	78	78	55
	465.—WIGAN.											
1	Standish	10661	6894	298	172	148	150	25	19	88	84	126
2	Aspull	6355	8372	425	219	227	198	28	25	122	97	206
3	Wigan *W*	2161	37658	1716	1053	877	839	85	111	556	497	663
4	Hindley	6801	17654	898	526	468	430	49	51	311	215	373
5	Pemberton	6283	10435	536	257	267	269	45	36	131	126	279
6	Upholland	9220	6982	342	200	175	167	17	20	104	96	142
7	Ashton-in-Makerfield	5557	6566	295	186	144	151	13	20	108	78	109
	466.—WARRINGTON.											
1	Newton *L*	5054	9524	423	304	214	209	8	6	159	145	119
2	Winwick	4121	1798	55	44	27	28	2	4	26	18	11
3	Sankey	8818	2529	99	52	42	57	3	1	20	32	47
4	Warrington *W*	2507	24050	1156	758	614	542	58	31	583	355	418
5	Latchford	3967	4054	155	84	81	74	4	3	42	42	71
6	Rixton	5517	1920	63	34	27	36	4	2	17	17	29
	467.—LEIGH.											
1	Lowton	5055	5434	224	131	126	98	4	7	69	62	33
2	Culcheth	10427	10881	405	290	211	194	19	19	140	150	115
3	West Leigh	3331	9449	395	284	205	190	29	12	150	134	111
4	Atherton *W*	4797	11936	479	473	238	241	31	32	226	247	6
	468.—BOLTON.											
1	Farnworth	2350	13723	640	465	330	310	30	40	237	228	175
2	Hulton	5350	6488	275	149	140	135	4	6	81	68	126
3	Westhoughton	4460	5156	178	118	97	81	14	9	62	56	60
4	Halliwell	3950	6908	294	192	156	138	1	3	91	101	102
5	Horwich	4656	4051	144	84	75	69	7	5	42	42	60
6	Tonge-with-Haulgh	3100	7186	257	144	140	117	12	6	76	68	113
7	Turton *W*	7080	5459	169	111	90	79	5	8	60	51	58
8	Edgeworth	4430	2025	71	44	38	33	4	2	16	28	27
9	Sharples	5370	4243	157	93	88	69	5	4	52	41	64
10	Little Bolton		24942	1111	739	559	552	27	24	362	377	372
11	Bolton Eastern *W*	820	24986	1048	701	528	520	25	34	361	340	347
12	Bolton Western		18439	924	638	464	460	43	52	351	287	286
13	Lever	2330	6683	263	132	129	134	4	1	66	66	131

VIII.—NORTH WESTERN COUNTIES.—BIRTHS AND DEATHS, 1864—SUB-DISTRICTS—*cont.*

No.	SUB-DISTRICTS.	Area in Statute Acres.	Population, 1861.	TOTAL BIRTHS.	TOTAL DEATHS.	BIRTHS. Including Illegitimate Births. Males.	BIRTHS. Including Illegitimate Births. Females.	BIRTHS. Illegitimate Births. Males.	BIRTHS. Illegitimate Births. Females.	DEATHS. Males.	DEATHS. Females.	Excess of Births over Deaths.
	34.—LANCASHIRE—*continued.*											
	469.—BURY.											
1	Holcombe		6845	192	179	103	89	9	5	83	96	13
2	Pottington Lower End	10094	5119	172	97	73	99	1	6	49	48	75
3	Walmersley		5062	156	134	74	82	2	8	65	66	25
4	Birtle *W*		4758	185	191	79	106	11	7	100	91	− 6
5	Heywood	8865	17591	611	362	300	311	26	16	196	166	249
6	South Bury		15726	608	347	323	285	13	17	170	177	261
7	North Bury	2370	15375	540	392	247	253	20	15	195	197	148
8	Elton	3817	9384	298	220	147	151	15	13	109	111	78
9	Radcliffe	2486	8972	345	203	172	173	2	8	83	120	142
10	Pilkington	5378	12303	410	259	211	199	17	16	113	146	151
	470.—BARTON-UPON-IRWELL.											
1	Worsley	7060	14015	537	296	290	247	22	17	146	150	241
2	Barton *W*	10530	14216	541	399	291	250	21	25	200	199	142
3	Stretford	5689	10807	360	213	169	191	5	8	118	95	147
	471.—CHORLTON.											
1	Didsbury *W*	5943	5904	283	414	131	152	48	62	213	201	−131
2	Ardwick	4031	47752	2178	1274	1104	1074	43	59	663	611	904
3	Chorlton-upon-Medlock	700	44795	1459	975	753	716	41	41	478	497	494
4	Hulme	870	71128	2803	1835	1389	1414	61	44	929	907	967
	472.—SALFORD.											
1	Pendleton	2650	24448	1005	570	524	481	24	28	263	307	435
2	Broughton	960	9885	281	166	141	140	5	4	94	72	115
3	Greengate	1220	37534	1654	1159	826	828	45	48	583	576	495
4	Regent-road *W*		33468	1392	1069	673	719	52	62	547	522	323
	473.—MANCHESTER.											
1	Ancoats		55983	2186	1560	1097	1089	54	37	758	802	626
2	Deansgate		29029	898	874	455	443	33	26	438	436	24
3	London-road	1480	28817	999	843	510	489	37	32	407	436	156
4	Market-street *WII*		23526	868	1476	455	413	86	90	813	663	−608
5	St. George		48055	1893	1308	955	938	30	27	663	645	585
6	Newton	1924	19311	786	494	410	376	17	23	275	219	292
7	Cheetham *W*	1632	21731	790	567	398	392	39	20	286	281	223
8	Failsworth	2335	6312	216	118	125	91	8	7	57	61	98
9	Blackley	1956	4939	156	134	83	73	5	4	68	66	22
10	Prestwich *WL*	3281	6285	211	263	98	113	7	4	134	129	− 52
	474.—ASHTON-UNDER-LYNE.											
1	Knott-lanes		7312	274	128	143	128	3	7	59	69	146
2	Ashton Town *W*	*9300	33917	1131	787	615	516	59	44	401	386	344
3	Audenshaw	1611	15125	546	307	286	280	11	10	162	145	239
4	Denton	2777	6706	285	159	144	141	6	11	81	78	126
5	Newton	1507	7625	243	120	129	114	11	5	62	58	123
6	Dukinfield	1690	29953	981	602	502	479	37	29	283	319	379
7	Hartshead	*	19245	637	368	331	306	15	27	182	186	269
8	Mottram	21772	7652	192	127	106	86	5	3	68	59	65
9	Stayley		7218	254	123	120	114	5	8	69	54	111
	475.—OLDHAM.											
1	Oldham-below-Town *W*	4617	41770	1681	1014	843	838	59	47	531	483	667
2	Oldham-above-Town		30563	1113	613	572	541	37	32	326	287	590
3	Chadderton	3345	12092	473	228	236	247	15	16	111	117	245
4	Middleton	2896	10299	313	228	147	166	5	5	97	131	85
5	Royton	3350	9520	336	203	197	139	7	10	109	94	133
6	Crompton	2864	7032	235	161	129	106	14	13	89	72	74
	476.—ROCHDALE.											
1	Butterworth Freehold-side *W*		2909	105	84	45	60	6	-	39	45	21
2	Butterworth Lordship-side		3795	120	98	67	53	7	2	47	51	22
3	Castleton-without *W*		9800	350	257	192	158	8	9	138	119	93
4	Castleton-within		13971	562	341	291	271	19	12	190	171	201
5	Spotland-nearer-side *W*	40340	9867	352	283	162	190	8	17	141	147	64
6	Spotland-further-side		6305	227	128	112	125	6	4	74	54	109
7	Wardleworth *W*		17840	620	497	318	302	20	14	253	244	123
8	Wuerdle		8201	270	236	135	135	11	6	125	111	34
9	Blatchinworth		4860	165	90	88	77	2	1	45	45	75
10	Whitworth		14006	460	327	228	232	11	8	161	166	133
	477.—HASLINGDEN.											
1	Newchurch *W*	9650	24413	824	635	432	392	35	32	325	310	189
2	Rossendale	4175	12837	500	256	239	261	11	9	136	120	244
3	Edenfield	4856	4723	171	97	89	82	2	2	48	49	74
4	Haslingden *W*	4780	16320	388	239	207	181	7	9	129	110	149
5	Accrington	3220	17688	740	497	376	364	19	22	232	265	243
	478.—BURNLEY.											
1	Burnley *W*	21448	42702	1663	1059	813	850	67	69	544	515	604
2	Padiham	11983	9806	394	198	200	194	12	5	103	95	196
3	Colne	15435	21203	808	503	409	399	29	36	262	241	305
4	Pendle	5280	1784	39	20	16	23	-	5	6	14	19

* The area of the Hartshead sub-district (474; 7) is returned with that of sub-districts 474; 1-3.

VIII.—NORTH WESTERN COUNTIES.—BIRTHS AND DEATHS, 1864—SUB-DISTRICTS—*cont.*

No.	SUB-DISTRICTS.	Area in Statute Acres.	Population, 1861.	TOTAL BIRTHS.	TOTAL DEATHS.	BIRTHS. Including Illegitimate Births. Males.	BIRTHS. Including Illegitimate Births. Females.	BIRTHS. Illegitimate Births. Males.	BIRTHS. Illegitimate Births. Females.	DEATHS. Males.	DEATHS. Females.	Excess of Births over Deaths.
	34.—LANCASHIRE—*continued.*											
	479.—CLITHEROE.											
1	Gisburn *W*	24374	2693	93	61	43	50	–	2	31	30	32
2	Skidburn	40321	1799	69	18	33	36	–	2	7	11	51
3	Chipping *W*	22226	5217	83	72	47	36	2	1	33	39	11
4	Clitheroe	18776	9804	347	198	181	166	12	9	99	99	149
5	Whalley	9000	2993	85	40	42	43	4	3	25	15	45
	480.—BLACKBURN.											
1	Billington	5550	1717	43	29	26	17	3	1	13	16	14
2	Harwood	6950	10220	400	236	242	218	10	12	128	108	224
3	Mellor	6227	2863	75	50	42	33	8	3	24	26	25
4	Blackburn *W*	3610	63126	2730	1746	1361	1369	83	67	878	868	984
5	Oswaldtwisle	5390	12454	543	332	303	240	9	6	161	171	211
6	Darwen	9632	21447	1052	547	537	515	22	25	287	260	505
7	Witton	6190	5115	333	202	167	166	5	7	105	96	131
	481.—CHORLEY.											
1	Brindle *W*	10388	6021	146	155	65	81	5	1	79	76	– 9
2	Leyland	10182	8768	240	152	117	123	8	8	73	79	88
3	Rivington	7742	3491	151	66	85	68	6	3	32	34	85
4	Chorley *W*	10859	18027	697	366	351	346	38	29	183	183	331
5	Croston	13042	5369	105	113	57	78	10	12	56	57	52
	482.—PRESTON.											
1	Longton	14240	6620	102	126	92	100	6	3	59	67	66
2	Preston *W*	2753	82985	3421	2431	1754	1667	104	103	1220	1202	990
3	Walton-le-Dale	9400	8654	264	158	144	120	8	7	75	83	106
4	Alston *W*	11773	4414	166	125	101	65	6	3	77	48	41
5	Broughton *W*	29869	7850	241	171	129	112	6	7	94	77	70
	483.—FYLDE.											
1	Kirkham *W*	31464	9141	316	267	174	142	24	20	97	110	109
2	Lytham	15542	3627	103	110	52	51	5	1	49	61	– 7
3	Poulton-le-Fylde	29391	12914	500	270	263	237	21	17	147	123	230
	484.—GARSTANG.											
1	Stalmine	15618	3037	100	45	47	53	4	2	22	23	55
2	St. Michael	15965	3359	109	53	51	58	4	3	22	31	56
3	Garstang *W*	31034	6029	197	112	112	85	12	5	65	47	85
	485.—LANCASTER.											
1	Ellel	28888	4020	115	70	51	64	6	4	33	37	45
2	Heaton	12865	3455	151	85	77	74	4	4	48	37	66
3	Lancaster *WL*	13280	18347	643	468	326	317	32	23	247	221	175
4	Caton *W*	16516	1817	49	39	25	24	3	3	25	14	10
5	Wray	28053	2270	78	36	39	39	1	2	20	16	42
6	Tunstal	11034	916	33	7	14	19	–	–	4	3	26
7	Arkholme	9278	910	35	9	18	17	2	–	6	3	26
8	Warton	17032	3362	134	68	68	66	9	7	34	34	66
	486.—ULVERSTON.											
1	Cartmel	22960	5108	168	116	93	75	7	7	55	61	52
2	Colton	22486	3858	124	73	67	57	3	3	39	34	51
3	Ulverston *W*	7317	8781	325	308	155	170	20	23	149	159	17
4	Dalton	25158	11243	683	406	348	335	15	21	248	158	277
5	West Broughton	26990	3169	98	64	45	53	5	3	23	41	34
6	Hawkshead	30182	3599	112	64	68	44	6	3	38	26	48

IX.—YORKSHIRE.—BIRTHS AND DEATHS, 1864.—SUB-DISTRICTS.

	35.—WEST RIDING.											
	487—SEDBERGH.											
1	Sedbergh *W*	21402	2246	65	38	32	33	7	6	19	19	27
2	Garsdale	8280	618	20	11	8	12	–	–	6	5	9
3	Dent	23200	1427	35	22	16	19	4	3	11	11	13
	488.—SETTLE.											
1	Rentham	51632	5436	182	108	95	87	6	9	44	64	74
2	Settle *W*	47009	4563	122	63	57	65	6	8	31	32	59
3	Long Preston	14823	1358	38	16	23	15	1	1	12	4	22
4	Kirkby Malham	20310	826	29	9	19	10	1	–	3	6	20
5	Arncliffe	20797	405	16	3	7	9	1	–	1	2	13
	489.—SKIPTON.											
1	Kettlewell	30262	1141	31	22	12	19	–	3	11	11	9
2	Gargrave	18614	1852	65	43	34	31	2	–	14	29	22
3	Barnoldswick	17463	5986	178	109	90	88	10	8	48	61	69
4	Kildwick	17717	7853	244	174	115	129	8	11	81	93	70
5	Skipton *W*	22556	8890	318	199	157	161	16	11	92	107	119
6	Addingham	22890	3157	93	75	52	41	4	6	40	35	18
7	Grassington	27571	2764	96	58	43	53	3	2	26	32	38

IX.—YORKSHIRE.—BIRTHS AND DEATHS, 1864—SUB-DISTRICTS—*continued.*

No.	SUB-DISTRICTS.	AREA in Statute Acres.	POPULATION, 1861.	TOTAL		BIRTHS.				DEATHS.		Excess of Births over Deaths.
				BIRTHS.	DEATHS.	Including Illegitimate Births.		Illegitimate Births.				
						Males.	Females.	Males.	Females.	Males.	Females.	
	35.—WEST RIDING—*continued.*											
	490.—PATELEY BRIDGE.											
1	Ramscill	33703	1180	36	28	11	25	–	3	16	12	8
2	Pateley Bridge *W*	11685	3349	145	76	74	71	2	11	36	38	69
3	Thornthwaite	12450	1925	54	26	34	20	4	2	12	14	28
4	Dacre Banks	10437	3071	87	52	41	46	4	2	26	26	35
	491.—RIPON.											
1	Ripon *W*	22251	8079	300	202	153	147	14	10	104	98	98
2	Kirkby Malzeard	24300	3239	82	61	34	48	4	2	28	33	21
3	Wath	13413	1700	42	21	21	21	2	2	14	7	21
4	Dishforth	10326	1794	62	24	32	30	2	2	7	17	38
	492*a*.—GREAT OUSEBURN.											
1	Boroughbridge	21461	5061	181	95	91	90	9	7	57	38	86
2	Whixley *W*	17084	3781	130	82	56	74	6	7	42	40	48
3	Poppleton	13253	2742	73	50	38	35	3	2	26	24	23
	492*b*.—KNARESBOROUGH.											
1	Knaresborough *W*	18297	8371	281	212	144	137	14	10	115	97	69
2	Harrogate	21645	8605	268	173	134	134	6	5	74	99	95
	492*c*.—WETHERBY.											
1	Wetherby	30546	6483	213	184	114	99	9	7	89	95	29
	492*d*.—KIRKDEIGHTON.											
1	Kirkdeighton	6054	941	24	11	18	6	–	–	5	6	13
	493*a*.—OTLEY.											
1	Harewood	14408	2762	89	48	47	42	3	–	27	21	41
2	Otley *W*	28756	15907	622	388	314	308	20	21	205	183	234
	493*b*.—WHARFEDALE.											
1	Yeadon *W*	3995	7194	320	198	172	148	9	12	104	94	122
2	Horsforth	5330	5773	240	128	126	114	11	7	77	51	112
3	Fewston	21273	2526	58	67	52	46	2	2	33	34	31
	494.—KEIGHLEY.											
1	Bingley	13892	15367	583	354	290	293	17	22	185	169	229
2	Keighley *W*	14712	21859	885	590	473	427	36	23	306	284	295
3	Haworth	10540	5896	195	132	99	97	8	8	64	68	64
	495.—TODMORDEN.											
1	Hebden Bridge	26920	10826	334	262	164	170	19	10	138	124	72
2	Todmorden		20287	619	471	330	310	22	22	302	269	69
	496.—SADDLEWORTH.											
1	Delph	18260	9754	349	175	182	167	15	11	92	83	174
2	Upper Mill *W*		8877	289	197	134	155	7	12	103	94	92
	497.—HUDDERSFIELD.											
1	Slaithwaite	10740	7971	274	156	131	143	11	11	82	74	118
2	Meltham	6085	6840	255	177	119	136	7	9	80	97	78
3	Honley *W*	3640	5723	215	183	112	103	13	13	88	95	32
4	Holmfirth	6460	10845	373	213	198	175	16	18	125	88	160
5	Newmill	9760	6322	271	141	136	135	10	13	77	64	130
6	Kirkburton	7160	12501	484	265	237	247	35	29	205	160	119
7	Almondbury *W*	4206	11063	413	260	207	206	13	16	132	128	153
8	Kirkheaton *W*	6468	11923	460	320	245	215	13	16	183	137	140
9	Huddersfield *WH*	3950	34877	1302	1047	650	652	63	43	506	481	255
10	Lockwood	1329	9488	419	264	224	195	10	7	145	119	155
11	Golcar *W*	6760	13783	628	397	348	280	28	17	223	174	231
	498.—HALIFAX.											
1	Rastrick	2180	4904	211	149	111	100	5	3	78	71	62
2	Brighouse	5514	9992	433	302	212	221	15	12	151	151	131
3	Southowram	2280	7245	344	285	188	156	8	7	148	137	59
4	Halifax *WH*	2330	36437	1343	1163	659	684	46	46	608	555	180
5	Elland	5090	13573	568	385	284	284	15	12	213	172	183
6	Ripponden	13570	6620	210	126	96	114	2	6	70	56	84
7	Sowerby	10900	13945	503	327	255	248	17	11	170	157	176
8	Luddenden		5850	196	126	108	88	11	9	73	53	70
9	Ovenden	5170	11067	421	296	209	212	13	15	160	136	125
10	Northowram	4750	19240	825	686	429	396	35	16	367	319	139
	499.—BRADFORD.											
1	Cleckheaton	3956	10446	474	278	249	225	20	14	137	141	196
2	Drighlington	3774	7309	345	214	175	170	13	11	119	95	131
3	North Bierley	3060	12500	488	309	238	250	19	16	154	155	179
4	Bowling	1545	14404	685	481	382	303	28	18	234	227	204
5	Bradford East-End	1680	28579	1387	1113	684	703	56	61	499	614	274
6	Bradford West-End *H*		20047	808	680	402	406	25	23	246	334	128
7	Horton *W*	3365	43078	1820	1337	918	902	83	72	668	660	483
8	Thornton *W*	6000	13282	542	385	281	261	19	28	183	202	157
9	Wilsden	4420	4902	184	110	98	86	4	5	51	59	74
10	Shipley	2426	6573	360	248	184	176	8	7	113	135	112
11	Idle	4226	14874	642	427	348	294	29	17	201	224	215
12	Calverley	3500	5579	211	150	109	102	6	6	78	72	61
13	Pudsey	2342	12912	494	328	252	242	17	9	165	163	166

IX.—YORKSHIRE.—BIRTHS AND DEATHS, 1864—SUB-DISTRICTS—*continued*.

No.	SUB-DISTRICTS.	Area in Statute Acres.	Population, 1861.	TOTAL Births.	TOTAL Deaths.	Births. Including Illegitimate Births. Males.	Births. Including Illegitimate Births. Females.	Births. Illegitimate Births. Males.	Births. Illegitimate Births. Females.	Deaths. Males.	Deaths. Females.	Excess of Births over Deaths.
	35.—WEST RIDING—*continued*.											
	500 a.—KIRKSTALL.											
1	Wortley	5956	25967	1199	667	640	559	21	15	347	320	332
2	Kirkstall	3058	9674	370	255	166	204	12	5	119	136	115
3	Chapeltown	7274	5930	199	115	103	96	2	9	51	64	84
4	Whitkirk	8030	3747	157	72	82	75	6	6	36	36	85
5	Rothwell	4983	4122	184	131	101	83	7	9	64	67	53
	500 b.—HUNSLET.											
1	Hunslet *W*	1100	25763	1375	800	707	668	44	39	421	379	575
	500 c.—HOLBECK.											
1	Holbeck *W*	760	15824	711	465	375	336	17	7	253	212	246
	500 d.—BRAMLEY.											
1	Bramley *W*	2331	8690	405	280	202	203	9	12	146	134	125
2	Gildersome	1129	2701	135	54	71	64	6	4	28	26	81
	501.—LEEDS.											
1	South-East Leeds	2100	29193	1280	978	663	617	37	42	526	452	302
2	North Leeds *WH*		41136	1957	1469	949	1008	75	84	733	736	488
3	West Leeds *H*		47234	1730	1309	886	844	51	49	708	601	421
	502.—DEWSBURY.											
1	Morley	2698	6840	348	173	170	178	4	9	92	81	175
2	Batley	2140	14173	760	384	400	360	20	10	215	169	376
3	Gomersal	3119	11230	474	258	246	228	18	12	147	121	216
4	Liversedge	2807	14520	752	437	375	377	21	29	213	224	315
5	Mirfield	3390	9263	437	282	220	217	12	9	155	147	155
6	Dewsbury *W*	1892	18148	975	666	482	493	40	35	351	315	309
7	Soothill	2393	6238	314	176	159	155	8	8	95	81	138
8	Ossett	3019	7350	353	227	194	158	8	8	122	105	125
9	Thornhill	3498	4521	248	116	120	128	8	9	63	53	132
	503.—WAKEFIELD.											
1	Bretton	9820	5037	222	129	119	103	10	9	60	69	93
2	Sandal	14285	7438	320	189	168	152	12	6	107	82	131
3	Stanley *WL*	4345	8237	325	376	151	174	19	19	204	172	− 51
4	Wakefield	630	17611	703	520	364	339	20	20	260	260	183
5	Horbury	1183	3246	160	81	76	84	8	6	39	42	79
6	Alverthorpe	3153	6645	299	174	158	141	5	5	91	83	125
7	Ardsley	4414	2786	120	66	53	67	5	10	33	33	54
8	Oulton	3198	3879	159	121	79	80	4	5	69	52	38
	504 a.—PONTEFRACT.											
1	Knottingley *W*	8713	5645	245	148	130	115	7	12	81	67	97
2	Whitley	15086	2439	83	68	41	42	4	3	37	31	15
3	Pontefract *W*	3666	6551	192	147	104	88	6	6	70	77	45
	504 b.—HEMSWORTH.											
1	Hemsworth *W*	33870	7793	235	168	114	121	8	8	106	62	67
	504 c.—CASTLEFORD.											
1	Castleford	22296	11496	544	288	305	239	17	19	154	134	256
2	Kippax *W*	15215	8458	354	211	166	188	8	11	111	100	143
	505.—BARNSLEY.											
1	Darton	11170	4450	203	107	93	110	5	6	59	48	96
2	Barnsley *W*	10328	24468	1078	696	561	517	48	54	337	239	482
3	Darfield	8292	10028	526	260	268	258	13	19	187	124	286
4	Worsbrough	5286	5851	257	144	118	139	8	9	80	64	113
	506.—WORTLEY.											
1	Cawthorne	8396	4825	217	102	106	111	7	11	58	44	115
2	High Hoyland	4804	3569	145	85	66	79	7	5	36	49	60
3	Penistone	20646	6025	250	151	124	129	10	16	87	64	99
4	Wortley	8404	2524	96	59	47	49	−	2	35	24	37
5	Ecclesfield *W*	9810	12479	542	341	290	252	21	23	191	150	201
6	Bradfield	33730	9089	370	214	191	179	12	11	115	96	156
	507.—ECCLESALL BIERLOW.											
1	Nether Hallam	5480	17305	766	523	386	380	10	12	274	249	243
2	Upper Hallam	5870	2649	95	60	49	46	7	2	31	29	35
3	Norton	5110	2140	86	44	47	39	2	2	24	20	42
4	Ecclesall Bierlow *W*	4400	41224	1743	1067	808	845	56	52	536	529	676
	508.—SHEFFIELD.											
1	West Sheffield *WH*	3120	17307	627	497	319	308	22	23	254	243	139
2	North Sheffield		33904	1600	1435	827	773	61	75	822	611	164
3	South Sheffield		17680	647	469	326	341	19	28	241	228	198
4	Sheffield Park		18737	896	541	496	457	24	18	261	280	352
5	Brightside	2690	29818	1686	1067	859	817	29	26	531	476	689
6	Attercliffe	1270	7444	384	221	191	193	16	12	117	104	163
7	Handsworth	3510	3951	176	79	96	88	6	5	36	59	101
	509.—ROTHERHAM.											
1	Beighton	10656	3279	132	72	72	60	6	5	43	29	60
2	Rotherham *W*	10633	12 94	500	389	261	249	14	15	217	172	111
3	Kimberworth	7717	17921	992	484	515	477	41	24	243	191	558
4	Wath	8697	8468	378	201	194	184	17	15	104	97	177
5	Maltby	12888	2588	78	47	41	37	4	2	30	17	31

IX.—YORKSHIRE.—BIRTHS AND DEATHS, 1864—SUB-DISTRICTS—*continued.*

No.	SUB-DISTRICTS.	Area in Statute Acres.	Population, 1861.	TOTAL		Births.				Deaths.		Excess of Births over Deaths.
				BIRTHS.	DEATHS.	Including Illegitimate Births.		Illegitimate Births.				
						Males.	Females.	Males.	Females.	Males.	Females.	
	35.—WEST RIDING—*continued.*											
	510.—DONCASTER.											
1	Tickhill	25763	6950	219	171	122	97	8	8	93	78	48
2	Barnbrough	23953	5860	217	109	102	115	7	10	52	57	108
3	Doncaster *W*	1879	16406	625	473	307	318	18	27	237	236	152
4	Campsall	25671	4549	115	85	57	58	3	4	36	49	30
5	Bawtry	31765	5623	169	122	81	88	9	10	52	70	47
	511.—THORNE.											
1	Epworth	19916	4360	172	91	96	76	4	1	50	41	81
2	Thorne *W*	39220	7153	242	144	113	129	10	9	71	75	96
3	Crowle	12810	4498	190	106	95	95	6	11	53	53	84
	512.—GOOLE.											
1	Swinefleet	17303	4042	146	93	75	71	5	3	46	47	53
2	Goole *W*	9680	6994	273	216	123	150	11	6	109	107	57
3	Snaith	13925	4117	136	95	73	63	2	5	47	48	41
	513.—SELBY.											
1	Carlton	11829	2422	61	31	30	31	–	2	17	14	30
2	Selby *W*	26774	10091	372	214	196	176	14	20	101	113	158
3	Riccall	17411	3487	132	68	59	73	3	4	32	36	64
	514 *a*.—TADCASTER.											
1	Aberford *W*	8830	2188	65	30	31	34	6	–	20	10	35
2	Tadcaster *W*	11872	2845	96	54	50	46	5	2	24	30	42
	514 *b*.—BRAMHAM.											
1	Appleton Roebuck	18978	5191	174	145	93	81	9	9	66	79	29
2	Bramham *W*	19262	6956	204	122	104	100	8	9	56	66	82
3	Bilton	10403	1752	57	32	29	28	2	3	19	13	25
	36.—EAST RIDING (with YORK).											
	515.—YORK.											
1	Skelton	7698	1533	55	22	31	24	2	2	12	10	33
2	Bootham *WL*	9447	14425	406	367	212	194	19	21	198	169	39
3	Micklegate	9861	13790	453	305	226	227	16	16	139	167	147
4	Walmgate	6030	22832	885	567	429	456	34	30	298	269	318
5	Escrick	18633	2786	85	53	43	42	3	5	22	31	32
6	Dunnington	17484	3066	88	48	54	34	1	2	25	23	40
7	Flaxton	13159	1677	47	18	26	21	2	2	8	10	29
	516.—POCKLINGTON.											
1	East Stamford Bridge	35160	4592	127	65	59	64	3	4	35	30	58
2	Pocklington *W*	40076	6954	222	129	114	108	11	10	66	63	93
3	Market Weighton	32400	5254	172	90	84	88	7	7	48	42	82
	517.—HOWDEN.											
1	Holme	10820	1913	58	42	21	37	5	4	28	14	16
2	Bubwith	15861	2108	59	29	35	24	5	–	16	13	30
3	Howden *W* *	28443	6834	222	129	114	108	11	10	66	63	93
4	Newport	17129	4046	145	119	66	79	6	7	59	60	25
	518.—BEVERLEY.											
1	Cave	20354	3390	95	54	48	47	4	2	25	29	41
2	Beverley *W*	24639	13007	466	263	225	241	23	19	136	127	203
3	Lockington	22457	3163	116	69	54	62	3	5	37	32	47
4	Leven	10984	1469	38	13	20	18	2	–	6	7	25
	519.—SCULCOATES.											
1	Sutton	4450	8348	352	197	183	169	17	6	89	108	155
2	Cottingham	10315	3391	122	74	65	57	2	1	36	38	48
3	Ferriby	10595	1858	58	17	32	26	2	3	12	5	41
4	Hessle	7480	2522	111	70	53	58	–	1	49	21	41
5	Hedon	8948	2053	56	35	27	29	1	5	11	22	23
6	Drypool	2286	6417	349	169	184	165	7	5	93	74	180
7	East Sculcoates	1010	12160	470	306	243	227	15	18	177	129	164
8	West Sculcoates *W*		15007	642	379	321	321	22	34	175	208	263
	520.—HULL.											
1	Humber	1827	10690	287	237	144	143	13	7	120	117	50
2	St. Mary		6142	217	172	104	113	10	7	80	83	45
3	Myton *WHL*		40066	1621	1210	809	812	37	53	663	577	331
	521.—PATRINGTON.											
1	Patrington *W*	88872	9681	317	179	162	155	15	21	82	97	138
	522.—SKIRLAUGH.											
1	Humbleton	10782	1438	50	21	31	19	2	1	9	12	29
2	Skirlaugh *W*	18364	2436	76	49	41	35	10	5	28	21	27
3	Aldbrough	10669	1735	57	42	31	26	1	3	22	20	15
4	Hornsea	14327	2529	92	45	44	48	4	3	25	20	47
5	Brandesburton	12886	1616	47	34	25	22	2	4	21	13	13
	523.—DRIFFIELD.											
1	Foston	17437	3171	108	59	56	52	7	8	36	23	49
2	Driffield *W*	20927	7787	297	187	159	138	17	19	93	94	110
3	Bainton	31014	4009	146	60	86	60	6	2	26	34	86
4	Langtoft	35736	4259	167	75	91	76	17	9	43	30	94
	524.—BRIDLINGTON.											
1	Skipsea	39727	1939	61	30	24	37	1	1	14	16	31
2	Bridlington *W*		8518	280	166	130	150	20	15	78	89	115
3	Hunmanby	39257	3014	145	72	77	68	13	6	38	34	73

* On account of fraudulent entries made by the Registrar of the sub district of Howden, the numbers of births and deaths have been corrected on the assumption that they were about the same as in Pocklington sub-district (516 : 2).

IX.—YORKSHIRE.—BIRTHS AND DEATHS, 1864—SUB-DISTRICTS—*continued.*

No.	SUB-DISTRICTS.	Area in Statute Acres.	Population, 1861.	TOTAL BIRTHS.	TOTAL DEATHS.	Births. Including Illegitimate Births. Males.	Births. Including Illegitimate Births. Females.	Illegitimate Births. Males.	Illegitimate Births. Females.	Deaths. Males.	Deaths. Females.	Excess of Births over Deaths.
	37.—NORTH RIDING.											
	525.—SCARBOROUGH.											
1	Filey	12477	3728	161	79	86	75	8	10	46	33	82
2	Scarborough *W*	20078	20407	803	539	419	384	49	31	274	265	264
3	Hutton Bushell	35445	4636	154	86	85	69	10	4	43	43	68
4	Sherburn	12450	1564	68	30	38	30	4	5	21	9	38
	526.—MALTON.											
1	Rillington	37303	4287	122	85	64	58	10	11	44	41	37
2	Westow	22969	2952	96	43	45	51	3	5	23	20	53
3	Malton *W*	18159	9972	367	230	192	175	29	27	113	117	137
4	Howingham	12754	2198	66	33	32	34	5	1	14	19	33
5	Bulmer	21222	4074	105	70	58	47	6	5	37	33	35
	527.—EASINGWOLD.											
1	Stillington	21217	2846	94	51	46	48	1	4	20	31	43
2	Easingwold *W*	28479	5478	157	90	85	72	11	4	44	46	67
3	Coxwold	13907	1824	60	23	28	32	–	2	7	16	37
	528.—THIRSK.											
1	Topcliffe	12337	1810	74	27	33	41	3	3	9	18	47
2	Pickhill	8447	1357	40	30	15	25	2	1	15	15	10
3	Thirsk *W*	14169	5743	171	127	84	87	10	12	47	80	44
4	Sutton	9814	1431	29	25	14	15	1	1	16	9	4
5	Knayton	17477	1758	51	33	29	22	1	1	17	16	18
	529.—HELMSLEY.											
1	Helmsley *W*	56844	3969	124	73	64	60	5	11	29	44	51
2	Oswaldkirk	16041	2124	65	35	34	31	3	1	16	19	30
3	Kirkby Moorside *W*	53831	5739	229	143	130	99	23	11	82	61	86
	530.—PICKERING.											
1	Lastingham	23780	1659	97	71	56	41	5	4	43	28	26
2	Pickering *W*	26920	4701	157	111	76	81	12	10	60	51	46
3	Sinnington	5772	1119	36	22	24	12	4	2	12	10	14
4	Allerston	22018	2526	79	43	48	31	6	7	18	25	36
5	Lockton	9572	544	15	12	9	6	1	–	6	6	3
	531.—WHITBY.											
1	Egton	43568	4226	200	95	118	82	10	9	52	43	105
2	Whitby *W*	28419	14484	502	328	215	287	10	23	164	164	174
3	Lythe	18384	4923	190	90	94	96	4	5	43	47	100
	532.—GUISBOROUGH.											
1	Lofthouse	16302	2339	84	42	50	34	5	1	23	19	42
2	Marske	17618	4803	255	138	132	123	9	4	76	62	117
3	Kirk Leatham	19705	3178	456	275	235	221	5	5	160	115	181
4	Guisbrough *W*	12316	4762	240	137	126	114	4	6	85	52	103
5	Danby	30921	2046	75	37	42	33	5	5	21	16	38
	533.—STOKESLEY.											
1	Stokesley *W*	60236	7853	254	152	144	110	11	9	74	78	102
2	Hutton	19109	2328	87	50	45	42	5	6	29	21	37
	534.—NORTHALLERTON.											
1	Appleton-upon-Wiske	26590	2052	83	51	40	43	3	4	24	27	32
2	Northallerton *W*	41752	9222	280	155	137	143	17	14	80	75	125
	535.—BEDALE.											
1	Bedale *W*	25210	6000	180	115	93	87	4	7	55	60	65
2	Masham	20378	2650	75	51	37	38	3	6	32	19	24
	536.—LEYBURN.											
1	Middleham	48071	4230	126	80	66	60	6	6	27	53	46
2	Leyburn *W*	41847	5875	175	111	100	75	7	8	46	65	64
	537.—ASKRIGG.											
1	Askrigg *W*	44206	3207	95	61	41	54	7	9	27	34	34
2	Hawes	33102	2442	84	56	40	44	6	2	32	24	28
	538.—REETH.											
1	Muker	40368	2627	73	45	37	36	1	4	21	24	28
2	Reeth *W*	29899	3569	102	73	46	56	6	11	31	42	29
	539.—RICHMOND.											
1	Richmond *W*	29913	7174	199	170	93	106	11	11	74	96	29
2	Catterick	20179	3164	83	65	45	38	2	5	31	34	18
3	Newsham	16481	1413	46	19	24	22	3	1	7	12	27
4	Aldborough	11096	1766	41	26	18	23	3	3	14	12	15

X.—NORTHERN COUNTIES.—BIRTHS AND DEATHS, 1864—SUB-DISTRICTS.

No.	SUB-DISTRICTS.	Area in Statute Acres.	Population, 1861.	TOTAL BIRTHS.	TOTAL DEATHS.	BIRTHS. Including Illegitimate Births. Males.	BIRTHS. Including Illegitimate Births. Females.	BIRTHS. Illegitimate Births. Males.	BIRTHS. Illegitimate Births. Females.	DEATHS. Males.	DEATHS. Females.	Excess of Births over Deaths.
	38.—DURHAM.											
	540.—DARLINGTON.											
1	Darlington *W*	35207	21167	979	557	470	509	36	23	292	265	422
2	Aycliffe	27745	4955	163	75	90	73	5	4	44	31	88
	541*a*.—STOCKTON.											
1	Yarm	33842	25079	1506	738	755	751	36	21	365	373	788
2	Stockton *W*	23563	20246	1058	587	576	482	34	30	307	280	471
3	Sedgefield *WL*	43953	11774	490	316	251	239	15	13	168	148	174
	541*b*.—HARTLEPOOL.											
1	Hartlepool *W*	26369	29153	1500	704	776	724	37	34	375	329	796
	542.—AUCKLAND.											
1	Bishop Auckland *W*	23545	34878	1972	952	1011	921	62	57	522	430	980
2	Hamsterley	35758	15613	813	355	408	405	30	16	181	174	458
	543.—TEESDALE.											
1	Staindrop	26828	5246	166	72	79	87	3	4	35	37	94
2	Barnard Castle *W*	58307	8555	294	156	151	143	10	20	82	74	138
3	Middleton	88727	7079	265	120	135	130	20	14	55	65	145
	544.—WEARDALE.											
1	St. John	32190	5691	223	124	107	116	6	21	63	61	99
2	Stanhope *W*	37940	5196	230	126	97	133	12	15	62	64	104
3	Wolsingham	20403	5531	234	127	123	111	9	13	69	58	107
	545.—DURHAM.											
1	Tanfield	9357	7594	379	178	180	199	13	11	96	82	201
2	Lanchester *W*	45186	20218	909	369	453	456	28	24	184	185	540
3	St. Oswald *WH*	27720	18714	836	481	444	392	25	21	257	224	355
4	St. Nicholas	16105	23748	934	487	478	456	38	25	251	236	447
	546.—EASINGTON.											
1	Easington *W*	38493	27293	1267	620	650	617	23	27	307	313	647
	547.—HOUGHTON-LE-SPRING.											
1	Houghton-le-Spring *W*	9720	11238	430	212	209	221	13	15	100	112	218
2	Hetton-le-Hole	6482	10535	527	286	267	260	16	11	148	138	241
	548.—CHESTER-LE-STREET.											
1	Chester-le-Street *W*	16306	14237	679	357	338	341	23	16	173	184	322
2	Harraton	16773	13423	610	338	333	277	19	9	166	172	272
	549.—SUNDERLAND.											
1	North Bishop-Wearmouth *W*	6347	23749	1182	671	594	588	42	51	361	310	511
2	South Bishop-Wearmouth		25083	1075	548	542	533	20	12	279	269	527
3	East Sunderland	178	9915	456	300	250	206	6	13	145	155	156
4	West Sunderland		8517	325	211	180	145	15	9	111	100	114
5	Monk Wearmouth	5419	23440	1127	543	563	564	15	16	280	263	584
	550.—SOUTH SHIELDS.											
1	Westoe *W*	12155	29382	1428	916	739	689	29	33	506	410	512
2	South Shields	3322	15467	921	527	510	411	20	20	273	254	394
	551.—GATESHEAD.											
1	Heworth	2833	10315	451	265	230	215	13	12	140	125	186
2	Gateshead *W*	3255	32749	1540	967	788	752	37	59	472	495	573
3	Whickham *L*	5993	5921	251	129	130	121	17	8	74	55	122
4	Winlaton	13342	10424	401	212	222	239	22	16	113	99	249
	39.—NORTHUMBERLAND.											
	552.—NEWCASTLE-UPON-TYNE.											
1	Westgate *W*	2778	37477	1871	1159	966	905	68	60	537	642	712
2	St. Andrew	1469	17100	519	488	257	262	21	21	246	242	141
3	St. Nicholas *H*	2855	16632	471	558	238	233	19	20	335	223	− 87
4	All Saints		20765	1221	728	616	605	36	35	345	383	493
5	Byker		12994	556	298	275	281	18	17	145	153	258
	553.—TYNEMOUTH.											
1	Wallsend	2787	6715	376	156	186	190	9	10	80	76	220
2	North Shields	3733	17158	699	538	321	288	12	8	184	157	271
3	Tynemouth *W*	3489	18266	785	554	407	378	18	16	263	291	231
4	Longbenton	5040	13304	667	298	343	324	11	17	176	122	369
5	Earsdon	10466	9543	422	195	222	200	11	16	103	92	227
6	Blyth	10222	12989	605	308	298	307	17	14	152	156	297
	554.—CASTLE WARD.											
1	Ponteland *W*	47563	7190	247	149	123	124	15	14	83	66	98
2	Stamfordham	41019	7753	259	137	136	123	14	12	66	71	122

X.—NORTHERN COUNTIES.—BIRTHS AND DEATHS, 1864—SUB-DISTRICTS—*continued.*

No.	SUB-DISTRICTS.	Area in Statute Acres.	Population, 1861.	TOTAL		BIRTHS.				DEATHS.		Excess of Births over Deaths.
				BIRTHS.	DEATHS.	Including Illegitimate Births.		Illegitimate Births.				
						Males.	Females.	Males.	Females.	Males.	Females.	
	39.—NORTHUMBERLAND *continued.*											
	555.—HEXHAM.											
1	Bywell	47859	8128	317	159	161	156	16	18	74	85	158
2	Hexham *W*	53542	9735	317	222	166	151	22	24	106	116	95
3	Allendale	50955	8622	306	184	149	157	17	14	99	85	122
4	Chollerton	49250	5365	184	71	91	93	6	7	44	27	113
	556.—HALTWHISTLE.											
1	Haltwhistle *W*	83861	6693	228	124	114	114	22	14	66	58	104
	557.—BELLINGHAM.											
1	Bellingham *W*	235861	4247	124	75	70	54	8	8	33	42	49
2	Kirkwhelpington		2833	106	53	64	42	5	10	28	25	53
	558.—MORPETH.											
1	Morpeth *WL*	44807	8426	268	206	152	116	19	9	95	111	62
2	Bedlington	50622	15577	698	387	386	312	19	15	212	175	311
	559.—ALNWICK.											
1	Warkworth	31864	7631	253	171	128	125	9	11	102	69	82
2	Alnwick *W*	16484	7359	218	180	104	114	11	9	92	88	38
3	Embleton	50587	6063	143	93	77	66	6	2	41	52	50
	560.—BELFORD.											
1	Belford *W*	41753	6260	176	102	86	90	7	12	50	52	74
	561.—BERWICK.											
1	Islandshire	26791	4052	126	57	64	62	6	7	26	31	69
2	Berwick-upon-Tweed *W*	11335	14027	410	338	240	200	19	17	169	169	102
3	Norhamshire	19849	3783	116	64	63	53	4	4	38	26	52
	562.—GLENDALE.											
1	Ford	59774	6833	225	105	111	114	14	18	46	59	120
2	Wooler *W*	82531	6378	186	103	95	91	9	14	52	51	83
	563.—ROTHBURY.											
1	Rothbury *W*	83187	5310	169	82	87	82	7	10	29	53	87
2	Elsdon	75981	1837	53	28	28	25	–	–	12	16	25
	40.—CUMBERLAND.											
	564.—ALSTON.											
1	Alston *W*	35060	6404	198	109	104	94	17	11	54	55	89
	565.—PENRITH.											
1	Penrith *W*	49291	11532	449	248	226	223	21	42	128	120	201
2	Greystoke	67536	4075	157	91	82	75	8	14	51	40	66
3	Kirkoswald	64409	5815	162	101	80	82	10	9	47	54	61
	566.—BRAMPTON.											
1	Hayton	21281	2583	86	51	49	37	4	6	32	19	35
2	Brampton *W*	74192	5501	172	145	74	98	15	11	74	71	27
3	Walton		2782	80	44	44	36	9	7	22	22	36
	567.—LONGTOWN.											
1	High Longtown	48637	3291	83	29	41	42	5	9	15	14	54
2	Low Longtown *W*	38234	7178	222	147	114	108	26	18	66	81	75
	568.—CARLISLE.											
1	Wetheral	16861	3886	100	66	46	54	2	8	39	27	34
2	St. Cuthbert *WL*	9828	14127	469	431	262	227	45	27	228	203	38
3	St. Mary *WWH*	1954	17648	635	484	332	303	31	27	228	256	151
4	Stanwix	15840	3801	115	83	57	58	9	6	41	42	32
5	Burgh	21249	1493	29	24	14	15	2	1	14	10	5
6	Dalston	17078	3865	115	81	60	55	9	9	30	51	34
	569.—WIGTON.											
1	Wigton *W*	115702	10052	302	227	159	143	32	20	106	121	75
2	Abbey Holme		8024	240	158	131	129	20	12	86	72	102
3	Caldbeck	60767	5197	188	90	90	98	11	11	45	45	98
	570.—COCKERMOUTH.											
1	Keswick	72143	6274	238	122	110	128	7	14	61	61	116
2	Cockermouth *W*	44560	10546	441	307	242	199	44	41	172	135	134
3	Workington	18863	10765	425	303	206	219	19	15	162	141	122
4	Maryport	20329	13707	498	317	250	246	28	15	150	167	179
	571.—WHITEHAVEN.											
1	Harrington	51080	6765	289	187	144	145	14	12	89	68	132
2	Whitehaven	267	14064	490	402	243	247	18	21	193	209	88
3	St. Bees *W*	19107	8681	362	239	180	182	21	22	114	125	123
4	Egremont	37440	10440	507	267	263	244	11	16	143	124	240

X.—NORTHERN COUNTIES.—BIRTHS AND DEATHS, 1864—SUB-DISTRICTS—*continued.*

No.	SUB-DISTRICTS.	Area in Statute Acres.	Population, 1861.	TOTAL		BIRTHS.				DEATHS.		Excess of Births over Deaths.
						Including Illegitimate Births.		Illegitimate Births.				
				BIRTHS.	DEATHS.	Males.	Females.	Males.	Females.	Males.	Females.	
	40.—CUMBERLAND— *continued.*											
	572.—BOOTLE.											
1	Muncaster	37684	2282	58	30	32	26	3	4	15	15	28
2	Bootle *W*	62382	3598	128	80	71	57	7	5	45	35	48
	41.—WESTMORLAND.											
	573.—EAST WARD.											
1	Appleby	55873	5529	174	106	79	95	9	15	50	56	68
2	Kirkby Stephen *W*	70762	6543	176	118	93	80	12	8	64	54	58
3	Orton	51275	3319	94	61	48	46	2	3	31	30	33
	574.—WEST WARD.											
1	Morland	59414	4212	136	88	59	77	11	8	42	46	48
2	Lowther *W*	61109	3860	135	69	68	67	9	16	33	36	66
	575.—KENDAL.											
1	Ambleside	*110616	8404	287	143	139	144	10	10	69	74	140
2	Grayrigg		4036	132	64	65	66	2	5	27	37	68
3	Kirkby Lonsdale	44255	6731	192	91	87	105	6	9	43	48	101
4	Kendal *W*	*	12305	427	261	206	221	22	17	134	127	166
5	Milnthorpe *W*	34263	5994	185	126	99	86	19	10	62	64	59

XI.—MONMOUTHSHIRE AND WALES.—BIRTHS AND DEATHS, 1864.—SUB-DISTRICTS.

	42.—MONMOUTHSHIRE.											
	576.—CHEPSTOW.											
1	Shire-Newton	37623	4893	161	95	77	84	5	1	45	50	66
2	Chepstow *W*	21297	7141	225	189	131	94	9	7	122	67	36
3	Lydney	22335	5907	195	155	88	107	4	4	76	79	40
	577.—MONMOUTH.											
1	Coleford	22672	13964	470	348	225	245	13	25	169	179	122
2	Dingestow	45407	5459	147	91	82	65	7	8	44	47	56
3	Monmouth *W*	7268	6024	178	171	95	82	8	5	82	89	7
4	Trelleck	26444	4797	143	89	61	82	4	4	42	47	54
	578 *a*.—ABERGAVENNY.											
1	Llanarth	11061	1884	47	44	29	18	3	1	17	27	3
2	Llanvihangel	20510	1859	58	39	30	28	3	3	17	22	19
3	Abergavenny *WL*	20674	8669	306	247	150	156	15	9	140	107	59
4	Blaenavon	7933	7124	355	251	107	188	12	11	145	106	104
	578 *b*.—BEDWELTY.											
1	Aberystruth	11788	16055	648	442	335	313	23	16	240	202	206
2	Tredegar *W*	16210	28548	1250	797	648	602	29	21	440	357	453
3	Rock Bedwelty		2962	116	81	55	61	3	3	38	43	35
	579.—PONTYPOOL.											
1	Pontypool	20434	22633	1048	747	525	523	18	19	401	346	301
2	Llangibby *W*	12633	3629	127	124	63	64	8	7	69	55	3
3	Usk	18360	4035	99	69	52	47	1	1	36	33	30
	580.—NEWPORT.											
1	Caerleon	51398	7615	216	161	94	122	1	4	75	86	55
2	Newport *WH*	3584	24756	943	649	512	434	23	17	350	299	294
3	St. Woollos	29862	8445	330	276	193	137	9	3	138	138	54
4	Mynyddyslwyn	25311	10596	455	291	228	227	11	9	144	147	164
	43.—SOUTH WALES. GLAMORGANSHIRE.											
	581 *a*.—CARDIFF.											
1	Whitchurch	17520	5739	189	120	90	99	1	4	62	58	69
2	Cardiff *WH*	20343	46954	2135	1380	1125	1010	41	40	760	620	755
3	St. Nicholas	38135	5592	177	72	102	75	2	1	31	41	105
	581 *b*.—PONTYPRIDD.											
1	Pontypridd	32001	17445	848	601	440	408	30	24	333	268	247
2	Llantrisant	21980	9997	477	285	223	252	10	19	139	146	192
3	Ystrady.odwg	24515	3035	202	67	106	95	6	2	38	29	135
	582.—MERTHYR TYDFIL.											
1	Gellicaer	16573	5778	259	141	130	129	10	7	72	69	118
2	Lower Merthyr-Tydfil *W*	15244	23990	968	652	487	481	24	35	363	289	316
3	Upper Merthyr-Tydfil	9097	27478	1077	758	570	507	26	27	378	380	319
4	Aberdare	29075	34452	1622	1192	792	850	39	46	680	512	430
	583.—BRIDGEND.											
1	Maesteg	43164	8562	371	245	193	178	17	18	149	96	126
2	Cowbridge	32951	6486	173	125	94	79	5	3	67	58	48
3	Bridgend *W*	33408	11417	410	244	211	199	8	11	116	128	166

* The area of the Kendal sub-district (575 : 4) is returned with that of sub-districts 575 ; 1-2.

XI.—MONMOUTHSHIRE AND WALES.—BIRTHS AND DEATHS, 1864—SUB-DISTRICTS—*cont.*

No.	SUB-DISTRICTS.	Area in Statute Acres.	Population, 1861.	TOTAL		BIRTHS.				DEATHS.		Excess of Births over Deaths.
				BIRTHS.	DEATHS.	Including Illegitimate Births.		Illegitimate Births.				
						Males.	Females.	Males.	Females.	Males.	Females.	
	43.—SOUTH WALES—*continued.*											
	GLAMORGANSHIRE—*cont.*											
	584.—NEATH.											
1	Margam	32009	16815	761	406	382	379	22	24	233	213	295
2	Neath *WL*	20183	13462	584	418	295	289	17	17	216	202	136
3	Ystradveltley	39089	3303	122	67	71	51	2	5	39	28	55
4	Ystradgynlais	31504	12428	530	287	239	261	15	16	154	133	243
5	Cadoxton	27304	7522	355	225	186	169	4	4	117	108	130
6	Llansamlet	8335	5103	208	123	114	94	4	–	63	60	85
	585*a*.—SWANSEA.											
1	Llandilotalybont	34706	5114	190	118	100	90	6	6	67	51	72
2	Llangafelach	2750	14553	690	431	331	349	8	12	244	197	249
3	Swansea *WH*	6710	31595	1333	999	636	667	18	27	511	488	334
	585*b*.—GOWER.											
1	Gower Eastern	21858	4962	176	141	87	89	3	2	76	65	35
2	Gower Western	37745	8354	83	70	29	24	2	3	33	37	– 17
	CARMARTHENSHIRE.											
	586.—LLANELLY.											
1	Loughor	24468	3070	172	101	79	93	8	4	52	49	71
2	Llanelly *W*		14619	712	341	372	340	23	18	180	181	371
3	Pembrey	31905	5797	220	121	126	94	10	2	67	54	99
4	Llannon	17078	3593	111	67	70	41	6	3	35	32	44
	587.—LLANDOVERY.											
1	Llanddausaint	10307	848	27	15	13	14	1	1	7	8	12
2	Llangadock	15642	2789	90	66	45	45	3	2	35	31	24
3	Llansadwrn	11505	1710	45	25	23	22	3	1	17	8	20
4	Myddfai	11914	1118	24	15	18	6	2	–	4	11	9
5	Llandingat *W*	8107	2389	91	61	48	43	4	2	33	28	30
6	Llanfairarybryn	23457	1559	61	31	28	33	2	4	19	12	30
7	Llanwrtyd	14555	731	26	21	21	5	1	1	11	10	5
8	Cilycwm	17300	1380	37	23	20	17	–	1	10	13	14
9	Conwil Cayo	41785	2251	60	54	34	26	8	3	24	30	6
	588.—LLANDILOFAWR.											
1	Talley	17184	2023	52	58	20	32	1	2	22	36	– 6
2	Llanfynydd	11790	1410	36	18	18	18	1	2	5	13	18
3	Llangathen	17843	2897	77	46	41	36	4	5	13	28	31
4	Llandilo *W*	20969	4546	126	81	66	60	4	9	42	39	45
5	Llandebie	29481	6344	212	163	111	101	13	7	77	86	49
	589.—CARMARTHEN.											
1	Llangendeirne	48501	9034	272	168	131	141	8	12	84	84	104
2	St. Clears	42238	6862	190	155	90	100	8	9	78	77	35
3	Carmarthen *WH*	18566	12583	385	320	204	181	11	14	159	161	65
4	Conwil	63244	8196	245	195	129	116	14	8	48	60	137
	PEMBROKESHIRE.											
	590.—NARBERTH.											
1	Llanboidy	26655	3635	99	67	54	45	3	4	33	34	32
2	Llandissilio	25886	3340	85	85	45	40	5	4	41	44	–
3	Amroth	24608	2295	106	61	53	53	3	7	25	38	43
4	Narberth	34921	3620	105	81	53	52	7	5	42	39	24
5	Slebech *W*		3171	91	68	47	47	10	8	31	37	26
6	Begelly	13033	4313	143	72	80	63	7	5	36	36	71
	591.—PEMBROKE.											
1	Tenby	29740	9219	295	212	151	144	11	11	97	115	83
2	Pembroke *W*	30991	16559	563	344	234	234	15	17	167	177	224
3	Roose	9545	3225	152	85	76	76	4	4	51	32	69
	592.—HAVERFORDWEST.											
1	Milford	36186	9771	320	203	174	146	20	11	99	104	117
2	Haverfordwest *W*	40356	12330	387	309	198	179	23	14	137	198	77
3	St. Davids	44524	7347	240	157	112	88	11	8	64	75	65
4	Fishguard	50092	7895	210	157	109	101	9	12	73	84	53
	CARDIGANSHIRE.											
	593.—CARDIGAN.											
1	Newport	37639	5566	148	117	80	68	7	5	48	69	31
2	Cardigan *W*	27982	8886	195	156	108	87	5	6	78	78	39
3	Llandygwidd	19360	4133	91	72	37	54	3	5	28	44	19
	594.—NEWCASTLE-IN-EMLYN.											
1	Kenarth *W*	47459	8072	231	151	117	114	9	9	77	74	80
2	Penbryn	25165	5075	135	76	67	68	3	9	43	33	59
3	Llanfyssil	40722	5904	184	95	82	102	6	13	50	45	89
	595.—LAMPETER.											
1	Llanybyther	25667	2541	83	47	45	38	6	2	24	23	36
2	Pencarreg	22231	2878	91	40	50	41	4	4	24	16	51
3	Lampeter	14612	2710	83	40	50	33	6	7	2	15	43
4	Llanwenog	18200	1865	63	40	30	23	4	4	19	21	13

XI.—MONMOUTHSHIRE AND WALES.—BIRTHS AND DEATHS, 1864—*continued*.

No.	SUB-DISTRICTS.	Area in Statute Acres.	Population, 1861.	TOTAL		Births.				Deaths.		Excess of Births over Deaths.
				BIRTHS.	DEATHS.	Including Illegitimate Births.		Illegitimate Births.				
						Males.	Females.	Males.	Females.	Males.	Females.	
	43.—SOUTH WALES—*continued*.											
	CARDIGANSHIRE—*continued*.											
	596.—ABERAYRON.											
1	Llandisilio	33730	6459	194	138	109	85	6	8	75	63	56
2	Llansaintffraid *W*	31974	7081	213	135	118	95	14	11	66	69	78
	597.—ABERYSTWITH.											
1	Llanrhystyd	22403	3419	104	63	53	51	6	–	30	33	41
2	Aberystwith *W*	15440	8772	370	206	200	170	5	8	98	108	164
3	Geneurglynn	32290	4638	183	115	91	92	8	8	52	63	68
4	Rheidol	62459	3635	283	129	142	141	8	9	67	62	154
	598.—TREGARON.											
1	Gwnnws	33140	3423	101	46	55	46	3	5	30	16	55
2	Llangeitho	21622	3336	86	63	41	45	3	6	33	30	23
3	Tregaron	67288	3978	109	58	52	57	6	8	31	27	51
	BRECKNOCKSHIRE.											
	599.—BUILTH.											
1	Abergwessin	46144	2897	92	62	51	41	5	2	32	30	30
2	Colwyn	25020	1964	82	47	45	37	6	3	23	24	35
3	Builth	31789	3444	109	77	52	57	4	4	41	36	32
	600.—BRECKNOCK.											
1	Merthyr-Cynog	34651	1593	54	36	35	19	1	–	21	15	18
2	Devynnock	65053	4075	137	90	64	73	12	10	48	51	38
3	Brecknock *W*	43018	7054	240	151	127	113	12	7	72	79	89
4	Penkelly	23749	1657	61	30	29	32	2	4	13	18	31
5	Llangorse	28322	2000	98	65	55	43	3	2	27	38	33
	601.—CRICKHOWELL.											
1	Cwmdû	10063	1036	27	22	18	9	–	–	14	8	5
2	Llangunider	13908	3594	153	99	81	72	2	3	56	43	54
3	Llangattock *W*	9597	5759	260	132	133	127	13	6	72	60	128
4	Llanelly	5183	9603	341	215	174	167	6	8	124	91	126
5	Crickhowell	14936	2445	75	41	43	32	6	3	20	21	34
	602.—HAY.											
1	Talgarth	28155	2476	87	69	42	45	4	4	33	36	18
2	Clyro	31753	3521	103	76	48	55	7	7	43	33	27
3	Hay *W*	29787	4822	179	105	86	93	9	11	52	53	74
	RADNORSHIRE.											
	603.—PRESTEIGNE.											
1	Brilley	15315	2067	62	60	27	35	3	1	23	37	2
2	Radnor	39265	3567	114	51	56	58	5	9	30	21	63
3	Kington *W*	24849	6296	200	115	106	94	7	11	59	56	85
4	Presteigne	25534	3741	131	77	61	70	3	7	38	39	54
	604.—KNIGHTON.											
1	Knighton *W*	97492	6099	192	116	102	90	10	15	60	56	76
2	Llanbister		4370	168	82	98	70	11	8	39	43	86
	605.—RHAYADER.											
1	Rhayader	74004	3639	144	69	68	76	17	15	36	33	75
2	Nantmel	31528	3177	119	79	53	66	5	9	43	31	40
	44. NORTH WALES.											
	MONTGOMERYSHIRE.											
	606.—MACHYNLLETH.											
1	Machynlleth	34210	4068	131	108	63	63	3	7	55	53	23
2	Pennal	44184	4167	152	104	75	77	8	4	54	50	48
3	Darowen	38253	4160	124	74	64	60	3	9	33	41	50
	607.—NEWTOWN.											
1	Upper Llanidloes	83956	3663	139	88	76	63	11	6	47	41	51
2	Lower Llanidloes		3666	121	88	63	58	10	6	47	41	33
3	Llanwnog *W*	45535	4802	197	108	106	91	33	19	60	48	89
4	Kerry	28455	2601	88	38	37	51	3	6	17	21	50
5	Newtown	7162	6086	205	134	112	93	14	11	63	71	71
6	Tregynon	26429	2914	100	56	51	49	10	8	23	33	44
	608.—MONTGOMERY.											
1	Montgomery	33351	6121	192	113	92	100	7	6	51	62	79
2	Chirbury	18438	5756	168	123	96	72	12	5	69	54	45
3	Pool *W*	22048	7220	220	125	118	102	10	8	65	60	95
	609.—LLANFYLLIN.											
1	Llanfair	71059	6375	207	153	117	90	20	23	66	85	54
2	Llansaintffraid *W*	54095	10223	262	232	135	127	20	30	124	108	30
3	Llanrhaiadr	62716	5101	161	117	73	88	6	9	45	72	44

XI.—MONMOUTHSHIRE AND WALES.—BIRTHS AND DEATHS, 1864—*continued*.

No.	SUB-DISTRICTS.	Area in Statute Acres.	Population, 1861.	TOTAL		BIRTHS.				DEATHS.		Excess of Births over Deaths.
				BIRTHS.	DEATHS.	Including Illegitimate Births.		Illegitimate Births.				
						Males.	Females.	Males.	Females.	Males.	Females.	
	44.—NORTH WALES—*continued*.											
	FLINTSHIRE.											
	610.—HOLYWELL.											
1	Whitford	28302	8043	243	131	122	121	2	10	84	97	62
2	Holywell *W*	22079	12100	565	289	190	175	13	10	148	141	76
3	Flint	18145	8079	292	205	153	139	6	8	102	103	87
4	Mold	20953	11719	453	276	235	218	14	14	149	127	177
	DENBIGHSHIRE.											
	611.—WREXHAM.											
1	Hope	26903	11297	472	280	230	242	17	20	149	131	192
2	Holt	20909	4452	183	94	77	56	10	4	44	50	39
3	Ruabon	15966	14680	690	519	301	299	15	15	246	233	81
4	Wrexham *W*	14754	17546	773	499	398	375	26	34	298	231	274
	612.—RUTHIN.											
1	Llanarmon	18385	3198	100	53	51	49	3	4	37	16	47
2	Ruthin *W*	9740	4438	131	102	72	59	7	6	58	46	29
3	Llanelidan	13840	2684	56	51	32	24	2	–	25	26	5
4	Gyffylliog	18923	1326	37	24	16	21	2	2	11	13	13
5	Llanrhaiadr	21897	2611	61	31	30	31	4	1	18	13	30
6	Llandyrnog	10068	1826	50	32	26	24	1	1	13	19	18
	613.—ST. ASAPH.											
1	St. Asaph *W*	33589	11022	413	256	228	185	25	14	116	140	157
2	Abergele	22145	6546	178	151	103	73	4	8	73	78	25
3	Denbigh *L*	38200	9053	277	207	120	157	5	9	105	102	70
	614.—LLANRWST.											
1	Llanrwst *W*	40665	7100	194	136	107	87	11	7	68	68	58
2	Bettwsycoed	35118	2735	98	55	46	52	1	5	29	26	43
3	Ysgutty	24848	2935	101	51	48	53	3	5	27	24	50
	MERIONETHSHIRE.											
	615.—CORWEN.											
1	Gwyddelwern	69921	5479	186	90	68	68	3	8	47	43	46
2	Corwen *W*	53886	10028	388	216	165	173	12	17	111	105	122
	616.—BALA.											
1	Bala *W*	58292	6352	176	103	96	80	5	7	53	50	73
	617.—DOLGELLY.											
1	Talyllyn	73066	4839	148	105	62	86	2	6	53	52	43
2	Barmouth *W*	72147	7643	253	192	127	126	21	15	101	91	61
	618.—FESTINIOG.											
1	Llanfihangelytraethau *W*	51954	3658	161	82	96	65	19	10	42	40	79
2	Festiniog	51353	7783	340	248	168	172	12	14	147	102	91
3	Tremadoc	55407	6848	272	120	138	134	12	5	67	53	152
	CARNARVONSHIRE.											
	619.—PWLLHELI.											
1	Criccieth	30734	5591	160	97	84	76	10	10	55	42	63
2	Pwllheli *W*	23526	6579	183	117	97	86	16	15	69	48	66
3	Aberdaron	20433	3800	116	48	66	50	9	5	16	32	68
4	Nevin	18626	4938	129	79	63	66	5	10	28	51	50
	620.—CARNARVON.											
1	Llandwrog	40556	8518	275	183	142	133	14	6	104	79	92
2	Llanrug	29204	10404	421	245	210	211	11	8	125	120	176
3	Carnarvon *W*	8676	10190	335	269	171	164	11	13	134	135	66
4	Llanidan	19199	3313	80	67	38	42	1	2	38	29	13
	621.—BANGOR.											
1	Beaumaris	51172	13139	388	310	192	196	19	16	139	171	78
2	Bangor *W*	23643	14013	440	301	221	219	14	6	152	149	139
3	Llanllechid	33465	9127	368	189	196	172	13	8	95	94	179
	622.—CONWAY.											
1	Conway *W*	11936	3956	140	65	69	71	3	6	30	35	75
2	Creuddyn	24867	7963	314	176	156	158	15	12	101	74	139
3	Llechwedd-Isaf	20328	2037	75	47	39	36	5	4	24	23	28
	ANGLESEY.											
	623.—ANGLESEY.											
1	Llangefni	23259	5431	135	136	73	62	9	6	59	77	– 1
2	Bryngwran	25738	5746	141	111	81	60	9	8	48	62	30
3	Llanfytrydog	23384	4580	108	89	53	55	5	2	43	46	19
4	Amlwch	13375	7777	285	177	109	120	13	16	73	104	58
5	Llanddausaint	27758	5388	120	115	70	50	7	6	64	51	5
6	Holyhead	9568	9235	266	170	147	119	7	4	90	80	96

LONDON.—Number of DEATHS in the different Classes of PUBLIC INSTITUTIONS during the Year 1864.*

INSTITUTIONS.	DEATHS in 1864.	Of the Total Deaths in London the Proportion per Cent. in Public Institutions.
LONDON.—TOTAL DEATHS IN 117 PUBLIC INSTITUTIONS	12,731	16·27
In 46 WORKHOUSES (*a*)	7055	9·02
12 PRISONS (*a*)	125	·16
4 MILITARY AND NAVAL ASYLUMS	315	·40
15 GENERAL HOSPITALS (*a*)	3558	4·55
7 HOSPITALS FOR SPECIAL DISEASES	982	1·26
4 LYING-IN-HOSPITALS — Women	24	·03
4 LYING-IN-HOSPITALS — Children	48	·06
7 MILITARY AND NAVAL HOSPITALS	215	·27
3 HOSPITALS AND ASYLUMS FOR FOREIGNERS	82	·10
19 LUNATIC ASYLUMS (*a*)	327	·42

(*a*) In London, at the Census of 1861 (April 8th), the inmates of 45 Workhouses were 23,745, of the 12 Prisons 5,612, of the 15 general Hospitals 3,123, and of 18 Lunatic Asylums 3,102. The officers of the institutions, their families, and the infant children of female prisoners, are not included in these numbers or in the number of deaths. One Workhouse (belonging to the Stepney Union, but situate in Poplar 25; 1), and one Lunatic Asylum (in Hackney) included in the Table, have been instituted since the Census of 1861.

DEATHS in PUBLIC INSTITUTIONS in each District of LONDON during the Year 1864.

No.	DISTRICTS.	Deaths in Public Institutions, 1864.	No.	DISTRICTS.	Deaths in Public Institutions, 1864.	No.	DISTRICTS.	Deaths in Public Institutions, 1864.
	LONDON	12,731	12	St. Giles	330		SURREY (*part of*).	
	MIDDLESEX (*part of*).		13	Strand	215	26	St. Saviour Southwark	142
1	Kensington	677	14	Holborn	236	27	St. Olave Southwark	533
2	Chelsea	278	15	Clerkenwell	210	28	Bermondsey	127
3	St. George Hanover-squ.	433	16	St. Luke	47	29	St. George Southwark	328
4	Westminster	484	17	East London	–	30	Newington	376
5	St. Martin-in-the-Fields	188	18	West London	751	31	Lambeth	375
6	St. James Westminster	134	19	London City	–	32	Wandsworth	194
7	Marylebone	849	20	Shoreditch	473	33	Camberwell	195
8	Hampstead	22	21	Bethnal Green	334	34	Rotherhithe	23
9	Pancras	978	22	Whitechapel	853		KENT (*part of*).	
10	Islington	939	23	St. George-in-the-East	242	35	Greenwich	634
11	Hackney	306	24*a*	Stepney	53	36	Lewisham	45
			24	Mile End Old Town	172			
			25	Poplar	555			

SUB-DISTRICTS of LONDON in which the principal PUBLIC INSTITUTIONS are situated, and DEATHS in those Institutions registered in 1864.

SUB-DISTRICTS.	PUBLIC INSTITUTIONS.	Deaths in 1864.
WEST DISTRICTS.		
1.—KENSINGTON.		
1. St. Mary Paddington	Workhouse	90
	Lock Hospital	6
2. St. John Paddington	St. Mary's Hospital	200
3. Kensington Town	Workhouse	120
	Kensington House Lunatic Asylum	6
4. Brompton	Consumption Hospital	161
	Cancer Hospital	57
7. Fulham	Workhouse	57
	Normand House Lunatic Asylum	–
	Munster House ditto	3
	Otto House ditto	–
	Sussex and Brandenburgh House ditto	7
2.—CHELSEA.		
1. Chelsea South	Royal Hospital (*Chelsea Pensioners*)	94
	Royal Military Asylum (*Boys*)	–
2. Chelsea North-west	Workhouse	146
	Workhouse belonging to St. George Hanover Sq. District 3.	38
3. Chelsea North-east	Blacklands House Lunatic Asylum	–
3.—ST. GEORGE HANOVER SQUARE.		
2. Mayfair	Workhouse (*see also Chelsea North-west* 2; 2.)	115
3. Belgrave	St. George's Hospital	318
4.—WESTMINSTER.		
1. St. John Westminster	Grenadier Guards Hospital	13
	Coldstream Guards ditto	8
	Scots Fusilier Guards ditto	7
	Millbank Prison (*the Penitentiary*)	19
2. St. Margaret Westminster.	Workhouse, York-street	241
	Workhouse, Wright's Lane, Kensington	
	Westminster Hospital	183
	Westminster House of Correction	13
5.—ST. MARTIN-IN-THE-FIELDS.		
1. Charing Cross	Workhouse	87
	Charing Cross Hospital	101
6.—ST. JAMES WESTMINSTER.		
3. Golden Square	Workhouse	134
NORTH DISTRICTS.		
7.—MARYLEBONE.		
1. All Souls	Middlesex Hospital	300
3. Rectory	Workhouse	524
4. St. Mary	Queen Charlotte's Lying-in-Hospital — Women	13
	Queen Charlotte's Lying-in-Hospital — Children	12
8.—HAMPSTEAD.		
1. Hampstead	Workhouse	22

* This Table is compiled from the Weekly Returns made by the Registrars of London and relates to the 52 weeks of the year; viz., from 3d January to 31st December 1864.

Sub-districts of London in which the principal Public Institutions are situated, &c.—*continued.*

Sub-districts.	Public Institutions.	Deaths in 1864.
9.—Pancras.		
2. Tottenham Court	*Workhouse belonging to the Strand Union, District* 13.	146
	University College Hospital	216
3. Gray's Inn Lane	Royal Free Hospital	109
5. Camden Town	Workhouse	507
10.—Islington.		
1. Islington West	Workhouse	103
	Small-pox Hospital	103
	Fever Hospital	639
	Pentonville Prison	4
	City House of Correction	2
	Great Northern Hospital	13
2. Islington East	Infant Poor	13
	Infant Poor establishment belonging to Clerkenwell Parish, District 15.	2
11.—Hackney.		
1. Stoke Newington	Northumberland House Lunatic Asylum	3
4. Hackney	Workhouse	85
	Workhouse belonging to the East London Union, District 17.	131
	German Hospital	75
	Brook House Lunatic Asylum	6
5. South Hackney	Pembroke House Lunatic Asylum	6
CENTRAL DISTRICTS.		
12.—St. Giles.		
2. St. Giles South	Workhouse	325
	British Lying-in-Hospital (Women)	—
	British Lying-in-Hospital (Children)	5
13.—Strand.		
—	Workhouse (*see Tottenham-court*, 9; 2.)	
3. St. Clement Danes	King's College Hospital.	215
14.—Holborn.		
1. St. George the Martyr	Hospital for Sick Children	84
2. St. Andrew Eastern	Workhouse	152
15.—Clerkenwell.		
1. St. James Clerkenwell	Workhouse	165
	Middlesex House of Detention	3
2. Amwell, Clerkenwell	Middlesex House of Correction	42
16.—St. Luke.		
—	Workhouse (*see Hoxton New Town*, 20; 3.)	
1. Old Street	St. Mark's Hospital	3
2. City-road	City of London Lying-in-Hospital (Women)	9
	City of London Lying-in-Hospital (Children)	27
	St. Luke's Hospital for Lunatics	8
17.—East London.		
—	Workhouse (*see Hackney*, 11; 4.)	
2. Cripplegate	Whitecross-street Prison	—
18.—West London.		
1. West London North	Workhouse	115
	St. Bartholomew's Hospital	628
	Newgate Prison	8
19.—London City.		
—	Workhouse (*see Bow*, 25; 1. *and Mile End Old Town Eastern*, 24*b*; 2.)	
EAST DISTRICTS.		
20.—Shoreditch.		
2. St. Leonard	Hoxton House Lunatic Asylum	28
3. Hoxton New Town	*Workhouse belonging to the Parish of St. Luke, District* 16.	235
5. Haggerstone West	Workhouse	190
21.—Bethnal Green.		
2. The Green	Workhouse	246
	Bethnal House Lunatic Asylum	45
	City of London Hospital for Diseases of Chest	43
22.—Whitechapel.		
3. Mile End New Town	Workhouse	396
5. Whitechapel Church	London Hospital	452
7. Aldgate	Tower Hospital	5

Sub-districts.	Public Institutions.	Deaths in 1864.
23.—St. George-in-the-East.		
3. St. John	Workhouse	242
24*a*.—Stepney.		
1. Shadwell	Workhouse	43
2. Ratcliff	Workhouse	4
3. Limehouse	Workhouse (*for Children*)	6
24*b*.—Mile End Old Town.		
2. Mile End Old Town, Eastern.	Workhouse	128
	Part of Workhouse belonging to the London City Union, Dist. 19.	57
	Portuguese Jews Hospital	6
	German Jews Hospital	1
25.—Poplar.		
1. Bow	*Part of Workhouse belonging to the London City Union, Dist.* 19.	200
	Workhouse belonging to the Stepney Union, District 24*a*	156
	Grove Hall Lunatic Asylum	48
	Poplar Hospital	21
2. Poplar	Workhouse	130
SOUTH DISTRICTS.		
26.—St. Saviour Southwark.		
1. Christchurch	Workhouse	124
2. St. Saviour	Part of Guy's Hospital	18
27.—St. Olave Southwark.		
1. St. Olave	Part of Guy's Hospital	469
2. St. John Horsley-down.	Workhouse	64
28.—Bermondsey.		
2. St. Mary Magdalen	Workhouse	127
29.—St. George Southwark.		
2. Borough-road	Workhouse	309
	Military Prison, Queen's Bench	—
3. London-road	Bethlehem Lunatic Asylum	19
30.—Newington.		
1. Trinity, Newington	Surrey County Gaol	7
2. St. Peter Walworth	Workhouse	138
3. St. Mary	St. Thomas's temporary Hospital	231
31.—Lambeth.		
2. Waterloo-road, 2d part	General Lying-in-Hospital, York-rd. (Women)	2
	General Lying-in-Hospital, York-rd. (Children)	4
4. Lambeth Church, 2d part.	Workhouse	334
7. Brixton	Effra Hall Lunatic Asylum	1
	Female Convict Prison	17
8. Norwood	Workhouse (*for Children*)	17
32.—Wandsworth.		
1. Clapham	Retreat Lunatic Asylum	1
2. Battersea	Workhouse	113
3. Wandsworth	Surrey House of Correction	10
	Surrey County Lunatic Asylum	70
33.—Camberwell.		
2. Camberwell	Workhouse	119
	Peckham House Lunatic Asylum	57
	Camberwell House Lunatic Asylum	32
34.—Rotherhithe.		
1. Rotherhithe	Workhouse	23
35.—Greenwich.		
3. Greenwich West	Dreadnought Hospital Ship for Seamen	111
4. Greenwich East	Workhouse	231
	Royal Hospital (*Greenwich Pensioners*)	220
	Naval School (*Boys*)	1
5. Woolwich Dockyard	Royal Marine Infirmary	22
6. Woolwich Arsenal	Woolwich Garrison Hospital	49
36.—Lewisham.		
4. Lewisham Village	Workhouse	45

TABLES SHOWING THE NUMBER

OF

BIRTHS,

OF

BIRTHS OF CHILDREN BORN OUT OF WEDLOCK,

AND OF

DEATHS,

REGISTERED IN EACH OF THE FOUR QUARTERS OF THE YEAR;

ALSO

DEATHS AT DIFFERENT AGES,

AND

CAUSES OF DEATH;

IN 1864.

Note.—The Number of Marriages *celebrated in each Quarter of the Year* 1864 *will be found stated in the Abstract of Marriages, Page* 2.

BIRTHS registered in England in the Four Quarters ending (*Exclusive of*

No.	DIVISIONS AND REGISTRATION COUNTIES.	Area in Statute Acres.	Population, 1861.	MALES AND FEMALES. Total.	Registered in the Quarter ending the last day of March.	June.	Sept.	Dec.
	ENGLAND AND WALES	37,324,883	20,066,224	740,275	192,947	188,835	181,015	177,478
	DIVISIONS.							
I.	LONDON	77,997	2,803,989	102625	26597	25066	25285	25677
II.	SOUTH EASTERN	4,065,935	1,847,661	62919	16715	15493	15539	15172
III.	SOUTH MIDLAND	3,201,290	1,295,497	44848	11993	11303	10830	10716
IV.	EASTERN	3,214,099	1,142,580	38793	10483	9744	9355	9211
V.	SOUTH WESTERN	4,993,660	1,835,714	59987	16026	15228	14519	14214
VI.	WEST MIDLAND	3,865,332	2,436,568	93635	24857	23949	22525	22304
VII.	NORTH MIDLAND	3,540,797	1,288,928	45925	11838	11803	11323	10961
VIII.	NORTH WESTERN	2,000,227	2,935,540	115553	29989	30201	28187	27176
IX.	YORK	3,654,636	2,015,541	80196	20444	20740	19911	19401
X.	NORTHERN	3,492,322	1,151,372	48142	12099	12459	11986	11598
XI.	WELSH	5,218,588	1,312,834	47352	11906	12843	11555	11048
	I.—LONDON.							
	MIDDLESEX (*part of*)	32,455	2,030,814	72619	18806	17697	17923	18193
	SURREY (*part of*)	22,951	579,748	22546	5803	5508	5547	5688
	KENT (*part of*)	22,591	193,427	7460	1988	1861	1815	1796
	II.—SOUTH EASTERN.							
1	SURREY (*extra-metropolitan*)	476,191	273,264	9366	2377	2262	2366	2361
2	KENT (*extra-metropolitan*)	1,013,838	545,272	19521	5121	4867	4780	4753
3	SUSSEX	949,581	366,836	11927	3297	2951	2867	2812
4	HAMPSHIRE	1,061,608	456,654	15275	4120	3720	3373	3562
5	BERKSHIRE	564,717	205,635	6830	1800	1693	1653	1684
	III.—SOUTH MIDLAND.							
6	MIDDLESEX (*extra-metropolitan*	176,555	187,325	6471	1638	1570	1622	1641
7	HERTFORDSHIRE	428,143	177,452	5932	1630	1504	1426	1372
8	BUCKINGHAMSHIRE	402,616	147,207	5096	1385	1289	1233	1189
9	OXFORDSHIRE	479,267	171,233	5813	1595	1554	1355	1309
10	NORTHAMPTONSHIRE	632,219	231,079	8291	2268	2086	1938	1999
11	HUNTINGDONSHIRE	205,365	59,137	2068	506	516	498	488
12	BEDFORDSHIRE	305,366	140,479	5101	1349	1265	1265	1222
13	CAMBRIDGESHIRE	571,758	181,585	6076	1562	1525	1493	1496
	IV.—EASTERN.							
14	ESSEX	983,443	379,705	13243	3558	3362	3190	3133
15	SUFFOLK	930,345	335,409	11387	3032	2836	2797	2722
16	NORFOLK	1,300,311	427,466	14163	3893	3546	3368	3356

NOTE.—The *Registration Counties* comprise groups of entire Registration Districts, which Districts are generally Counties in which the greater part of

March 31st, June 30th, September 30th, and December 31st, 1864.
Still-born.)

MALES.					FEMALES.					DIVISIONS AND REGISTRATION COUNTIES.
Registered in the Quarter ending the last day of				TOTAL.	TOTAL.	Registered in the Quarter ending the last day of				
March.	June.	Sept.	Dec.			March.	June.	Sept.	Dec.	
98,278	96,686	92,495	90,260	377,719	362,556	94,669	92,149	88,520	87,218	ENGLAND AND WALES.
										DIVISIONS.
13581	12787	12989	13026	52383	50242	13016	12279	12296	12651	LONDON.
8522	8038	7965	7647	32172	30747	8193	7455	7574	7525	SOUTH EASTERN.
6065	5702	5517	5445	22729	22119	5928	5607	5313	5271	SOUTH MIDLAND.
5290	4938	4743	4732	19703	19090	5193	4806	4612	4479	EASTERN.
8127	7865	7389	7165	30546	29441	7899	7363	7130	7049	SOUTH WESTERN.
12716	12201	11501	11402	47820	45815	12141	11748	11024	10902	WEST MIDLAND.
6042	6035	5784	5639	23500	22425	5796	5768	5539	5322	NORTH MIDLAND.
15062	15555	14479	13837	58933	56020	14927	14646	13708	13339	NORTH WESTERN.
10563	10535	10127	9741	40966	39530	9881	10205	9784	9660	YORK.
6176	6413	6105	5948	24642	23500	5923	6046	5881	5650	NORTHERN.
6134	6617	5896	5678	24325	23027	5772	6226	5659	5370	WELSH.
										I.—LONDON.
9510	9019	9258	9184	36971	35648	9296	8678	8665	9009	MIDDLESEX (*part of*).
3030	2793	2801	2934	11558	10988	2773	2715	2746	2754	SURREY (*part of*).
1041	975	930	908	3854	3606	947	886	885	888	KENT (*part of*).
										II.—SOUTH EASTERN.
1210	1188	1183	1207	4788	4578	1167	1074	1183	1154	SURREY (*extra-metropolitan*).
2625	2536	2460	2400	10021	9500	2496	2331	2320	2353	KENT (*extra-metropolitan*).
1684	1529	1443	1433	6089	5833	1613	1422	1424	1379	SUSSEX.
2071	1909	2019	1829	7828	7447	2049	1811	1854	1733	HAMPSHIRE.
932	876	860	778	3446	3384	868	817	793	906	BERKSHIRE.
										III.—SOUTH MIDLAND.
820	799	809	853	3281	3190	818	771	813	788	MIDDLESEX (*extra-metropolitan*).
787	754	718	683	2942	2990	843	750	708	689	HERTFORDSHIRE.
681	655	643	592	2571	2525	704	634	590	597	BUCKINGHAMSHIRE
829	821	663	667	2980	2833	766	733	692	642	OXFORDSHIRE.
1148	1020	992	1052	4212	4079	1120	1066	946	947	NORTHAMPTONSHIRE.
277	249	250	251	1027	1041	289	267	248	237	HUNTINGDONSHIRE.
707	640	656	595	2598	2503	642	625	609	627	BEDFORDSHIRE.
816	764	766	752	3118	2958	746	761	707	744	CAMBRIDGESHIRE.
										IV.—EASTERN.
1783	1735	1626	1597	6741	6502	1775	1627	1564	1536	ESSEX.
1511	1427	1407	1411	5756	5631	1521	1409	1390	1311	SUFFOLK.
1996	1776	1710	1724	7206	6957	1897	1770	1658	1632	NORFOLK.

co-extensive with Poor Law Unions. Districts extending into more than one county are referred to the Registration
the population was enumerated in 1861.

BIRTHS registered in England in the Four Quarters ending

No.	REGISTRATION COUNTIES.	Area in Statute Acres.	Population, 1861.	MALES AND FEMALES.				
				Total.	Registered in the Quarter ending the last day of			
					March.	June.	Sept.	Dec.
	V.—SOUTH WESTERN.							
17	WILTSHIRE	777,453	236,027	7673	2175	1932	1806	1760
18	DORSETSHIRE	615,783	182,193	6045	1581	1554	1409	1501
19	DEVONSHIRE	1,643,700	589,278	18778	4949	4687	4592	4550
20	CORNWALL	889,263	364,848	13068	3487	3361	3155	3065
21	SOMERSETSHIRE	1,067,461	463,368	14423	3834	3694	3557	3338
	VI.—WEST MIDLAND.							
22	GLOUCESTERSHIRE	716,045	443,535	14938	4066	3781	3599	3492
23	HEREFORDSHIRE	425,580	106,796	3404	890	882	798	834
24	SHROPSHIRE	924,676	260,409	8876	2318	2276	2196	2086
25	STAFFORDSHIRE	755,017	769,541	33704	8924	8686	8060	8034
26	WORCESTERSHIRE	434,076	294,953	11017	2838	2763	2650	2716
27	WARWICKSHIRE	609,938	561,334	21696	5771	5561	5222	5142
	VII.—NORTH MIDLAND.							
28	LEICESTERSHIRE	535,346	243,648	9201	2511	2301	2253	2136
29	RUTLANDSHIRE	107,728	23,479	762	193	206	171	192
30	LINCOLNSHIRE	1,739,312	404,143	13656	3428	3433	3374	3421
31	NOTTINGHAMSHIRE	599,791	323,784	11253	2867	2971	2716	2699
32	DERBYSHIRE	558,620	293,874	11053	2839	2892	2809	2513
	VIII.—NORTH WESTERN.							
33	CHESHIRE	680,836	470,174	17713	4707	4708	4245	4053
34	LANCASHIRE	1,319,391	2,465,366	97840	25282	25493	23942	23123
	IX.—YORK.							
35	WEST RIDING	1,706,430	1,530,007	63228	16007	16419	15553	15249
36	EAST RIDING (*with York*)	717,144	274,425	9863	2577	2430	2479	2377
37	NORTH RIDING	1,231,062	211,109	7405	1860	1891	1879	1775
	X.—NORTHERN.							
38	DURHAM	754,183	542,125	25641	6397	6613	6356	6275
39	NORTHUMBERLAND	1,249,299	343,025	13291	3403	3388	3329	3171
40	CUMBERLAND	1,001,273	205,276	7276	1790	1971	1802	1713
41	WESTMORLAND	487,567	60,946	1934	509	487	499	439
	XI.—WELSH.							
42	MONMOUTHSHIRE	432,906	196,977	7517	1918	1932	1834	1833
43	SOUTH WALES	2,816,599	699,722	26090	6487	7102	6370	6131
44	NORTH WALES	1,969,083	416,135	13745	3501	3809	3351	3084

March 31st, June 30th, September 30th, and December 31st, 1864 — *continued.*

MALES.					FEMALES.					REGISTRATION COUNTIES.
Registered in the Quarter ending the last day of				Total.	Total.	Registered in the Quarter ending the last day of				
March.	June.	Sept.	Dec.			March.	June.	Sept.	Dec.	
										V.—SOUTH WESTERN.
1095	1004	918	849	3866	3807	1080	928	888	911	WILTSHIRE.
801	814	696	764	3075	2970	780	740	713	737	DORSETSHIRE.
2480	2398	2362	2273	9513	9265	2469	2289	2230	2277	DEVONSHIRE.
1782	1725	1585	1535	6627	6441	1705	1636	1570	1530	CORNWALL.
1969	1924	1828	1744	7465	6958	1865	1770	1729	1594	SOMERSETSHIRE.
										VI.—WEST MIDLAND.
2066	1967	1859	1776	7668	7270	2000	1814	1740	1716	GLOUCESTERSHIRE.
440	436	390	424	1690	1714	450	446	408	410	HEREFORDSHIRE.
1192	1149	1122	1064	4527	4349	1126	1127	1074	1022	SHROPSHIRE.
4561	4414	4108	4125	17208	16496	4363	4272	3952	3909	STAFFORDSHIRE.
1495	1395	1343	1379	5612	5405	1393	1368	1307	1337	WORCESTERSHIRE.
2962	2840	2679	2634	11115	10581	2809	2721	2543	2508	WARWICKSHIRE.
										VII.—NORTH MIDLAND.
1302	1166	1153	1113	4734	4467	1209	1135	1100	1023	LEICESTERSHIRE.
97	106	104	100	407	355	96	100	67	92	RUTLANDSHIRE.
1727	1784	1733	1744	6988	6668	1701	1649	1641	1677	LINCOLNSHIRE.
1496	1500	1399	1397	5792	5461	1371	1471	1317	1302	NOTTINGHAMSHIRE.
1420	1479	1395	1285	5579	5474	1419	1413	1414	1228	DERBYSHIRE.
										VIII.—NORTH WESTERN.
2391	2407	2172	2075	9045	8668	2316	2301	2073	1978	CHESHIRE.
12671	13148	12307	11762	49888	47952	12611	12345	11635	11361	LANCASHIRE.
										IX.—YORK.
8222	8353	7892	7704	32171	31057	7785	8066	7661	7545	WEST RIDING.
1359	1208	1264	1152	4983	4880	1218	1222	1215	1225	EAST RIDING (*with York*).
982	974	971	885	3812	3593	878	917	908	890	NORTH RIDING.
										X.—NORTHERN.
3293	3426	3209	3207	13135	12506	3104	3187	3147	3068	DURHAM.
1728	1752	1714	1630	6854	6437	1675	1636	1585	1541	NORTHUMBERLAND.
904	996	911	895	3706	3570	886	975	891	818	CUMBERLAND.
251	239	241	216	947	987	258	248	258	223	WESTMORLAND.
										XI.—WELSH.
1005	991	909	936	3841	3676	913	941	925	897	MONMOUTHSHIRE.
3344	3653	3271	3151	13419	12671	3143	3449	3099	2980	SOUTH WALES.
1785	1973	1715	1591	7065	6680	1716	1836	1635	1493	NORTH WALES.

BIRTHS (included in the foregoing Table, pp. 86–89) of CHILDREN BORN OUT OF WEDLOCK and December 31st, 1864.

No.	DIVISIONS AND REGISTRATION COUNTIES.	Area in Statute Acres.	Population, 1861.	MALES AND FEMALES. Total.	Registered in the Quarter ending the last day of March.	June.	Sept.	Dec.
	ENGLAND AND WALES	37,321,883	20,066,224	47,448	12,802	11,738	11,631	11,277
	DIVISIONS.							
I.	LONDON	77,997	2,803,989	4311	1143	1014	1069	1085
II.	SOUTH EASTERN	4,065,935	1,847,661	3457	942	865	837	763
III.	SOUTH MIDLAND	3,201,290	1,295,497	2379	785	776	683	635
IV.	EASTERN	3,214,099	1,142,580	3555	986	886	829	854
V.	SOUTH WESTERN	4,993,660	1,835,714	3644	981	898	901	864
VI.	WEST MIDLAND	3,865,332	2,436,568	5938	1647	1485	1418	1358
VII.	NORTH MIDLAND	3,540,797	1,288,928	3767	992	936	922	917
VIII.	NORTH WESTERN	2,000,227	2,935,540	7381	2020	1803	1780	1773
IX.	YORK	3,654,636	2,015,541	5729	1560	1393	1400	1376
X.	NORTHERN	3,492,322	1,151,372	3489	868	818	894	909
XI.	WELSH	5,218,588	1,312,834	3298	878	859	818	743
	I.—LONDON.							
	MIDDLESEX (*part of*)	32,455	2,030,814	3143	851	727	750	815
	SURREY (*part of*)	22,951	579,748	959	232	230	264	233
	KENT (*part of*)	22,591	193,427	209	60	57	55	37
	II.—SOUTH EASTERN.							
1	SURREY (*extra-metropolitan*)	476,191	273,264	408	101	99	121	87
2	KENT (*extra-metropolitan*)	1,013,838	545,272	1012	295	242	267	208
3	SUSSEX	949,581	366,836	741	209	187	174	171
4	HAMPSHIRE	1,061,608	456,654	845	221	210	228	186
5	BERKSHIRE	564,717	205,635	451	116	127	97	111
	III.—SOUTH MIDLAND.							
6	MIDDLESEX (*extra-metropolitan*)	176,555	187,325	260	68	66	63	63
7	HERTFORDSHIRE	428,143	177,452	407	102	107	104	94
8	BUCKINGHAMSHIRE	402,616	147,207	330	99	98	64	69
9	OXFORDSHIRE	479,267	171,233	395	105	114	96	80
10	NORTHAMPTONSHIRE	632,219	231,079	478	152	121	102	103
11	HUNTINGDONSHIRE	205,366	59,137	138	46	32	35	25
12	BEDFORDSHIRE	305,366	140,479	410	98	105	108	99
13	CAMBRIDGESHIRE	571,758	181,585	461	115	133	111	102
	IV.—EASTERN.							
14	ESSEX	983,443	379,705	1165	309	326	272	258
15	SUFFOLK	930,345	335,409	907	254	212	207	234
16	NORFOLK	1,300,311	427,466	1483	423	348	350	362

registered in England in the Four Quarters ending March 31st, June 30th, September 30th, (*Exclusive of Still-born.*)

MALES.					FEMALES.					DIVISIONS AND REGISTRATION COUNTIES.
Registered in the Quarter ending the last day of				Total.	Total.	Registered in the Quarter ending the last day of				
March.	June.	Sept.	Dec.			March.	June.	Sept.	Dec.	
6,383	6,103	6,021	5,733	24,240	23,208	6,419	5,635	5,610	5,544	**ENGLAND AND WALES.**
										DIVISIONS.
586	509	550	541	2186	2125	557	505	519	544	LONDON.
477	458	500	364	1799	1658	465	407	387	399	SOUTH EASTERN.
387	399	355	330	1471	1408	398	377	328	305	SOUTH MIDLAND.
495	437	439	437	1808	1747	491	449	390	417	EASTERN.
446	454	467	427	1794	1850	535	444	434	437	SOUTH WESTERN.
834	761	778	685	3058	2880	813	724	670	673	WEST MIDLAND.
505	499	465	470	1939	1828	487	437	457	447	NORTH MIDLAND.
989	955	876	946	3766	3615	1031	853	904	827	NORTH WESTERN.
803	744	714	672	2933	2796	757	649	686	704	YORK.
423	443	446	482	1794	1695	445	375	448	427	NORTHERN.
438	444	431	379	1692	1606	440	415	387	364	WELSH.
										I.—LONDON.
423	354	396	404	1577	1566	428	373	354	411	MIDDLESEX (*part of*).
130	121	126	121	498	461	102	109	138	112	SURREY (*part of*).
33	34	28	16	111	98	27	23	27	21	KENT (*part of*).
										II.—SOUTH EASTERN.
56	57	73	41	227	181	45	42	48	46	SURREY (*extra-metropolitan*).
150	130	141	91	512	500	145	112	126	117	KENT (*extra-metropolitan*).
96	98	103	90	387	354	113	89	71	81	SUSSEX.
109	99	127	93	428	417	112	111	101	93	HAMPSHIRE.
66	74	56	49	245	206	50	53	41	62	BERKSHIRE.
										III.—SOUTH MIDLAND.
29	35	28	35	127	133	39	31	35	28	MIDDLESEX (*extra-metropolitan*).
48	62	54	49	213	194	54	45	50	45	HERTFORDSHIRE.
53	46	36	35	170	160	46	52	28	34	BUCKINGHAMSHIRE.
53	66	47	35	201	194	52	48	49	45	OXFORDSHIRE.
75	63	53	54	245	233	77	58	49	49	NORTHAMPTONSHIRE.
23	13	17	14	67	71	23	19	18	11	HUNTINGDONSHIRE.
50	55	57	52	214	196	48	50	51	47	BEDFORDSHIRE.
56	59	63	56	234	227	59	74	48	46	CAMBRIDGESHIRE.
										IV.—EASTERN.
149	168	145	128	590	575	160	158	127	130	ESSEX
129	96	112	122	459	448	125	116	95	112	SUFFOLK.
217	173	182	187	759	724	206	175	168	175	NORFOLK.

BIRTHS of CHILDREN BORN OUT OF WEDLOCK registered in England in the Four

No.	REGISTRATION COUNTIES.	Area in Statute Acres.	Population, 1861.	MALES AND FEMALES.				
				Total.	Registered in the Quarter ending the last day of			
					March.	June.	Sept.	Dec.
	V.—SOUTH WESTERN.							
17	WILTSHIRE	777,453	236,027	552	157	134	126	135
18	DORSETSHIRE	615,783	182,193	379	108	88	101	82
19	DEVONSHIRE	1,643,700	589,278	1117	292	265	287	273
20	CORNWALL	889,263	364,848	771	187	192	189	203
21	SOMERSETSHIRE	1,067,461	463,368	825	237	219	198	171
	VI.—WEST MIDLAND.							
22	GLOUCESTERSHIRE	716,045	443,535	791	223	201	186	181
23	HEREFORDSHIRE	425,580	106,796	285	90	54	65	76
24	SHROPSHIRE	924,676	260,409	814	231	202	197	184
25	STAFFORDSHIRE	755,017	769,541	2129	565	541	535	488
26	WORCESTERSHIRE	434,076	294,953	731	199	177	192	163
27	WARWICKSHIRE	609,938	561,334	1188	339	310	273	266
	VII.—NORTH MIDLAND.							
28	LEICESTERSHIRE	535,346	243,648	720	219	180	170	151
29	RUTLANDSHIRE	107,728	23,479	64	15	21	12	16
30	LINCOLNSHIRE	1,739,312	404,143	1126	300	252	279	295
31	NOTTINGHAMSHIRE	599,791	323,784	1034	267	275	240	252
32	DERBYSHIRE	558,620	293,874	823	191	208	221	203
	VIII.—NORTH WESTERN.							
33	CHESHIRE	680,836	470,174	1267	361	295	306	305
34	LANCASHIRE	1,319,391	2,465,366	6114	1659	1513	1474	1468
	IX.—YORK.							
35	WEST RIDING	1,706,430	1,530,007	4252	1165	1016	1044	1027
36	EAST RIDING (*with York*)	717,144	274,425	781	217	179	185	200
37	NORTH RIDING	1,231,062	211,109	696	178	198	171	149
	X.—NORTHERN.							
38	DURHAM	754,183	542,125	1447	341	370	341	395
39	NORTHUMBERLAND	1,249,299	343,025	978	262	220	262	234
40	CUMBERLAND	1,001,273	205,276	861	207	177	239	238
41	WESTMORLAND	487,567	60,946	203	58	51	52	42
	XI.—WELSH.							
42	MONMOUTHSHIRE	432,906	196,977	387	89	92	113	93
43	SOUTH WALES	2,816,599	699,722	1709	455	449	413	392
44	NORTH WALES	1,969,083	416,135	1202	334	318	292	258

Quarters ending March 31st, June 30th, September 30th, and December 31st, 1864 —*continued.*

MALES.					FEMALES.					REGISTRATION COUNTIES.
Registered in the Quarter ending the last day of				Total.	Total.	Registered in the Quarter ending the last day of				
March.	June.	Sept.	Dec.			March.	June.	Sept.	Dec.	
										V.—SOUTH WESTERN.
73	69	67	64	273	279	84	65	59	71	WILTSHIRE.
61	43	55	39	198	181	47	45	46	43	DORSETSHIRE.
134	139	140	135	548	569	158	126	147	138	DEVONSHIRE.
84	105	85	97	371	400	103	87	104	106	CORNWALL.
94	98	120	92	404	421	143	121	78	79	SOMERSETSHIRE.
										VI.—WEST MIDLAND.
106	105	103	87	401	390	117	96	83	94	GLOUCESTERSHIRE.
58	31	39	38	166	119	32	23	26	38	HEREFORDSHIRE.
107	110	109	91	417	397	124	92	88	93	SHROPSHIRE.
291	277	278	262	1108	1021	274	264	257	226	STAFFORDSHIRE.
100	90	99	86	375	356	99	87	93	77	WORCESTERSHIRE.
172	148	150	121	591	597	167	162	123	145	WARWICKSHIRE.
										VII.—NORTH MIDLAND.
122	96	89	73	380	340	97	84	81	78	LEICESTERSHIRE.
4	9	10	11	34	30	11	12	2	5	RUTLANDSHIRE.
152	137	143	154	586	540	148	115	136	141	LINCOLNSHIRE.
144	140	122	139	545	489	123	135	118	113	NOTTINGHAMSHIRE.
83	117	101	93	394	429	108	91	120	110	DERBYSHIRE.
										VIII.—NORTH WESTERN.
163	165	153	163	644	623	198	130	153	142	CHESHIRE.
826	790	723	783	3122	2992	833	723	751	685	LANCASHIRE.
										IX.—YORK.
601	527	529	519	2176	2076	564	489	515	508	WEST RIDING.
117	98	101	82	398	383	100	81	84	118	EAST RIDING (*with York*).
85	119	84	71	359	337	93	79	87	78	NORTH RIDING.
										X.—NORTHERN.
165	201	181	202	749	698	176	169	160	193	DURHAM.
125	109	129	132	495	483	137	111	133	102	NORTHUMBERLAND.
112	102	109	125	448	413	95	75	130	113	CUMBERLAND.
21	31	27	23	102	101	37	20	25	19	WESTMORLAND.
										XI.—WELSH.
48	48	59	54	209	178	41	44	54	39	MONMOUTHSHIRE.
218	224	218	200	860	849	237	225	195	192	SOUTH WALES.
172	172	154	125	623	579	162	146	138	133	NORTH WALES.

DEATHS registered in England in the Four Quarters ending

No.	DIVISIONS AND REGISTRATION COUNTIES.	Area in Statute Acres.	Population, 1861.	MALES AND FEMALES. Total.	Registered in the Quarter ending the last day of March.	June.	Sept.	Dec.
	ENGLAND AND WALES	37,324,883	20,066,224	495,531	142,977	116,880	112,223	123,451
	DIVISIONS.							
I.	LONDON	77,997	2,803,989	78238	22721	17457	18272	19788
II.	SOUTH EASTERN	4,065,935	1,847,661	39349	11573	9281	9057	9438
III.	SOUTH MIDLAND	3,201,290	1,295,497	30107	8735	7087	6764	7521
IV.	EASTERN	3,214,099	1,142,580	24732	7044	6100	5526	6062
V.	SOUTH WESTERN	4,993,660	1,835,714	39648	11965	9643	8468	9572
VI.	WEST MIDLAND	3,865,332	2,436,568	60607	17428	14053	13329	15297
VII.	NORTH MIDLAND	3,540,797	1,288,928	28728	8460	7015	6370	6883
VIII.	NORTH WESTERN	2,900,227	2,935,540	81715	23826	19057	18157	20675
IX.	YORK	3,654,636	2,015,541	53156	14713	12785	12430	13228
X.	NORTHERN	3,492,322	1,151,372	27676	7615	6649	6501	6911
XI.	WELSH	5,218,588	1,312,834	31575	8897	7753	6849	8076
	I.—LONDON.							
	MIDDLESEX (*part of*)	32,455	2,030,814	57080	16380	12759	13526	14415
	SURREY (*part of*)	22,951	579,748	15688	4802	3548	3373	3965
	KENT (*part of*)	22,591	193,427	5470	1539	1150	1373	1408
	II.—SOUTH EASTERN.							
1	SURREY (*extra-metropolitan*)	476,191	273,264	5723	1811	1312	1236	1364
2	KENT (*extra-metropolitan*)	1,013,838	545,272	11957	3391	2849	2905	2812
3	SUSSEX	949,581	366,836	7652	2172	1801	1731	1948
4	HAMPSHIRE	1,061,608	456,654	9697	2861	2295	2269	2272
5	BERKSHIRE	564,717	205,635	4320	1338	1024	916	1042
	III.—SOUTH MIDLAND.							
6	MIDDLESEX (*extra-metropolitan*)	176,555	187,325	4640	1297	1110	1127	1106
7	HERTFORDSHIRE	428,143	177,452	4021	1189	869	964	999
8	BUCKINGHAMSHIRE	402,616	147,207	3314	994	754	735	831
9	OXFORDSHIRE	479,267	171,233	3833	1129	886	816	1002
10	NORTHAMPTONSHIRE	632,219	231,079	5474	1574	1279	1192	1429
11	HUNTINGDONSHIRE	205,366	59,137	1312	376	362	266	308
12	BEDFORDSHIRE	305,366	140,479	3490	988	821	798	883
13	CAMBRIDGESHIRE	571,758	181,585	4023	1188	1006	866	963
	IV.—EASTERN.							
14	ESSEX	983,443	379,705	8273	2280	1950	2024	2019
15	SUFFOLK	930,345	335,409	7015	2211	1821	1425	1558
16	NORFOLK	1,300,311	427,466	9444	2553	2329	2077	2485

March 31st, June 30th, September 30th, and December 31st, 1864.

MALES.					FEMALES.					DIVISIONS AND REGISTRATION COUNTIES.
Registered in the Quarter ending the last day of				TOTAL.	TOTAL.	Registered in the Quarter ending the last day of				
March.	June.	Sept.	Dec.			March.	June.	Sept.	Dec.	
72,430	60,540	57,532	63,117	253,619	241,912	70,547	56,340	54,691	60,334	**ENGLAND AND WALES.**
										DIVISIONS.
11229	9014	9333	9975	39551	38687	11492	8443	8939	9813	LONDON.
6034	4851	4656	4859	20400	18949	5539	4430	4401	4579	SOUTH EASTERN.
4419	3614	3421	3819	15273	14334	4316	3473	3343	3702	SOUTH MIDLAND.
3571	3118	2894	3076	12659	12073	3473	2982	2632	2986	EASTERN.
5892	4829	4215	4923	19859	19789	6073	4814	4253	4649	SOUTH WESTERN.
8962	7318	7185	7928	31393	29214	8466	6735	6644	7369	WEST MIDLAND.
4307	3599	3214	3417	14537	14191	4153	3416	3156	3466	NORTH MIDLAND.
11974	9979	9370	10595	41918	39797	11852	9078	8787	10080	NORTH WESTERN.
7556	6751	6383	6849	27539	25617	7157	6034	6047	6379	YORK.
3858	3432	3323	3554	14167	13509	3757	3217	3178	3357	NORTHERN.
4328	4035	3538	4122	16323	15252	4269	3718	3311	3954	WELSH.
										I.—LONDON.
8035	6589	6881	7267	28772	28308	8345	6170	6645	7148	MIDDLESEX (*part of*).
2369	1796	1727	1966	7858	7830	2433	1752	1646	1999	SURREY (*part of*).
825	629	725	742	2921	2549	714	521	648	666	KENT (*part of*).
										II.—SOUTH EASTERN.
957	693	620	738	3008	2715	854	619	616	626	SURREY (*extra-metropolitan*).
1822	1474	1526	1427	6249	5708	1569	1375	1379	1385	KENT (*extra-metropolitan*).
1111	948	884	978	3921	3731	1061	853	847	970	SUSSEX.
1464	1188	1176	1178	5006	4691	1397	1107	1093	1094	HAMPSHIRE.
680	548	450	538	2216	2104	658	476	466	504	BERKSHIRE.
										III.—SOUTH MIDLAND.
657	602	569	561	2389	2251	640	508	558	545	MIDDLESEX (*extra-metropolitan*).
580	431	478	495	1984	2037	609	438	486	504	HERTFORDSHIRE.
508	399	345	399	1651	1663	486	355	390	432	BUCKINGHAMSHIRE.
588	411	433	503	1935	1898	541	475	383	499	OXFORDSHIRE.
821	645	598	747	2811	2663	753	634	594	682	NORTHAMPTONSHIRE.
174	196	146	163	679	633	202	166	120	145	HUNTINGDONSHIRE.
479	421	388	442	1730	1760	509	400	410	441	BEDFORDSHIRE.
612	509	464	509	2094	1929	576	497	402	454	CAMBRIDGESHIRE.
										IV.—EASTERN.
1176	1027	1064	1033	4300	3973	1104	923	960	986	ESSEX.
1136	890	741	799	3566	3449	1075	931	684	759	SUFFOLK.
1259	1201	1089	1244	4793	4651	1294	1128	988	1241	NORFOLK.

DEATHS registered in England in the Four Quarters ending

No.	REGISTRATION COUNTIES.	Area in Statute Acres.	Population, 1861.	MALES AND FEMALES. Total.	Registered in the Quarter ending the last day of March.	June.	Sept.	Dec.
	V.—SOUTH WESTERN.							
17	WILTSHIRE	777,453	236,027	5075	1597	1258	1053	1167
18	DORSETSHIRE	615,783	182,193	3701	1163	933	776	829
19	DEVONSHIRE	1,643,700	589,278	12612	3665	2955	2696	3296
20	CORNWALL	889,263	364,848	7909	2451	1934	1684	1840
21	SOMERSETSHIRE	1,067,461	463,368	10351	3089	2563	2259	2440
	VI.—WEST MIDLAND.							
22	GLOUCESTERSHIRE	716,045	443,535	10233	3131	2341	2263	2498
23	HEREFORDSHIRE	425,580	106,796	2467	689	587	582	609
24	SHROPSHIRE	924,676	260,409	5601	1708	1366	1164	1363
25	STAFFORDSHIRE	755,017	769,541	20733	5688	4894	4863	5288
26	WORCESTERSHIRE	434,076	294,953	7061	2181	1682	1490	1708
27	WARWICKSHIRE	609,938	561,334	14512	4031	3183	3467	3831
	VII.—NORTH MIDLAND.							
28	LEICESTERSHIRE	535,346	243,648	5700	1748	1409	1335	1208
29	RUTLANDSHIRE	107,728	23,479	480	125	145	93	117
30	LINCOLNSHIRE	1,739,312	404,143	8320	2358	2142	1766	2054
31	NOTTINGHAMSHIRE	599,791	323,784	7568	2231	1720	1714	1903
32	DERBYSHIRE	558,620	293,874	6660	1998	1599	1462	1601
	VIII.—NORTH WESTERN.							
33	CHESHIRE	680,836	470,174	11131	3442	2663	2306	2720
34	LANCASHIRE	1,319,391	2,465,366	70584	20384	16394	15851	17955
	IX.—YORK.							
35	WEST RIDING	1,706,430	1,530,007	42330	11701	10005	9950	10674
36	EAST RIDING (*with York*)	717,144	274,425	6293	1729	1585	1483	1496
37	NORTH RIDING	1,231,062	211,109	4533	1283	1195	997	1058
	X.—NORTHERN.							
38	DURHAM	754,183	542,125	13626	3642	3179	3252	3553
39	NORTHUMBERLAND	1,249,299	343,025	8090	2211	1894	2001	1984
40	CUMBERLAND	1,001,273	205,276	4833	1438	1267	1000	1128
41	WESTMORLAND	487,567	60,946	1127	324	309	248	246
	XI.—WELSH.							
42	MONMOUTHSHIRE	432,906	196,977	5356	1484	1317	1192	1363
43	SOUTH WALES	2,816,599	699,722	16919	4546	4062	3725	4586
44	NORTH WALES	1,969,083	416,135	9300	2867	2374	1932	2127

March 31st, June 30th, September 30th, and December 31st, 1864—*continued.*

MALES.					FEMALES.					REGISTRATION COUNTIES.
Registered in the Quarter ending the last day of				Total.	Total.	Registered in the Quarter ending the last day of				
March.	June.	Sept.	Dec.			March.	June.	Sept.	Dec.	
										V.—SOUTH WESTERN.
760	641	540	610	2551	2524	837	617	513	557	WILTSHIRE.
622	458	353	417	1850	1851	541	475	423	412	DORSETSHIRE.
1826	1508	1347	1675	6356	6256	1839	1447	1349	1621	DEVONSHIRE.
1224	986	841	931	3982	3927	1227	948	843	909	CORNWALL.
1460	1236	1134	1290	5120	5231	1629	1327	1125	1150	SOMERSETSHIRE.
										VI.—WEST MIDLAND.
1546	1165	1152	1229	5092	5141	1585	1176	1111	1269	GLOUCESTERSHIRE.
348	311	295	313	1267	1200	341	276	287	296	HEREFORDSHIRE.
883	713	617	689	2902	2699	825	653	547	674	SHROPSHIRE.
2996	2612	2560	2835	11003	9730	2692	2282	2303	2453	STAFFORDSHIRE.
1121	905	753	908	3687	3374	1060	777	737	800	WORCESTERSHIRE.
2068	1612	1808	1954	7442	7070	1963	1571	1659	1877	WARWICKSHIRE.
										VII.—NORTH MIDLAND.
882	708	683	609	2882	2818	866	701	652	599	LEICESTERSHIRE.
60	80	49	52	241	239	65	65	44	65	RUTLANDSHIRE.
1231	1127	879	1020	4257	4063	1127	1015	887	1034	LINCOLNSHIRE.
1117	867	880	943	3807	3761	1114	853	834	960	NOTTINGHAMSHIRE.
1017	817	723	793	3350	3310	981	782	739	808	DERBYSHIRE.
										VIII.—NORTH WESTERN.
1760	1437	1162	1440	5819	5312	1682	1226	1124	1280	CHESHIRE.
10214	8542	8188	9155	36099	34485	10170	7852	7663	8800	LANCASHIRE.
										IX.—YORK.
5985	5303	5151	5563	22002	20328	5716	4702	4799	5111	WEST RIDING.
930	807	769	747	3253	3040	799	778	714	749	EAST RIDING (*with York*).
641	641	463	539	2284	2249	642	554	534	519	NORTH RIDING
										X.—NORTHERN.
1888	1650	1697	1821	7056	6570	1754	1529	1555	1732	DURHAM.
1111	955	995	1045	4106	3984	1100	939	1006	939	NORTHUMBERLAND.
704	669	512	565	2450	2383	734	598	488	563	CUMBERLAND.
155	158	119	123	555	572	169	151	129	123	WESTMORLAND.
										XI.—WELSH.
798	724	595	713	2830	2526	686	593	597	650	MONMOUTHSHIRE.
2368	2122	1921	2364	8775	8144	2178	1940	1804	2222	SOUTH WALES.
1462	1189	1022	1045	4718	4582	1405	1185	910	1082	NORTH WALES.

ENGLAND.—DEATHS at different Ages Registered in the Year 1864—in the Divisions and Registration Counties.

No.	Divisions and Registration Counties.	Males. Total Births.	Total Deaths.	Ages at Death. Under 1 Year.	1	2	3	4	Under 5 Years	5—	10—	15—	20—	25—	35—	45—	55—	65—	75—	85—	95 and upwards*
	ENGLAND † -	377,719	253,619	62,818	21,025	10538	7338	5437	107,212	12,094	5469	6518	8083	15,941	16,780	17,787	20,779	22,536	16,774	4286	227
	DIVISIONS.																				
I.	LONDON † - - - -	52383	39551	9528	4140	1957	1247	759	17631	1536	608	795	1181	2021	3262	3476	3439	2910	1749	330	13
II.	SOUTH EASTERN -	32172	20400	4370	1235	698	481	306	7230	941	412	513	708	1484	1469	1464	1712	2170	1776	492	29
III.	SOUTH MIDLAND -	22729	15273	3613	1130	589	436	316	6084	788	355	346	396	783	920	949	1276	1679	1334	350	13
IV.	EASTERN - - - -	19703	12659	2971	813	420	292	260	4756	652	321	354	406	624	712	713	1043	1434	1231	391	22
V.	SOUTH WESTERN -	30546	19859	4375	1449	751	550	402	7527	993	480	505	563	1033	1074	1184	1653	2279	1971	570	27
VI.	WEST MIDLAND -	47820	31693	8241	2636	1493	944	719	13973	1363	676	772	892	1677	1941	2113	2510	2834	2069	540	33
VII.	NORTH MIDLAND -	23500	14537	3892	952	530	393	288	6055	721	318	414	429	766	721	825	1211	1490	1252	323	12
VIII.	NORTH WESTERN -	58933	41918	10940	3906	1847	1285	990	18977	2099	822	1116	1348	2573	3174	3285	3550	2890	1792	336	16
IX.	YORK - - - - -	40666	27539	7574	2305	1112	810	632	12433	1431	688	729	926	1496	1726	1795	2148	2280	1548	335	9
X.	NORTHERN - - -	24642	14467	3928	1229	563	340	245	6305	538	344	428	466	878	846	975	1053	1160	925	238	11
XI.	WELSH - - - -	24325	16323	3386	1180	728	560	387	6241	1032	475	546	771	1106	935	1008	1184	1410	1102	381	42
	I.—LONDON.																				
	MIDDLESEX (*part of*)	36071	28772	6878	3067	1442	904	560	12851	1104	416	586	850	1904	2371	2594	2523	2132	1212	221	8
	SURREY (*part of*) - -	11558	7858	1960	788	380	242	140	3510	285	128	152	224	497	686	675	716	595	325	60	5
	KENT (*part of*) - - -	3854	2021	690	285	135	101	59	1270	147	64	57	107	220	203	207	200	183	212	49	–
	II.—SOUTH EASTERN.																				
1	**SURREY** (*extra-metrop.*)	4788	3008	652	189	94	83	52	1070	140	46	66	93	222	243	221	272	319	260	54	2
2	**KENT** (*extra-metropolitan*)	10621	6249	1458	413	238	143	132	2384	332	146	171	191	425	431	423	473	621	485	155	12
3	**SUSSEX** - - - - -	6089	3921	779	243	139	102	96	1359	197	89	107	157	237	267	268	343	438	352	99	8
4	**HAMPSHIRE** - - -	7828	5006	1017	322	157	115	78	1689	184	96	121	192	453	377	373	434	503	445	134	5
5	**BERKSHIRE** - - -	3446	2216	464	118	70	88	38	728	88	35	48	75	147	151	179	190	289	234	50	2
	III.—SOUTH MIDLAND.																				
6	**MIDDLESEX** (*ex.-met.*)	3281	2289	510	168	89	55	39	861	89	52	35	67	167	235	199	232	230	172	47	3
7	**HERTFORDSHIRE** -	2942	1984	412	139	91	51	40	733	101	50	45	48	90	137	133	185	231	179	51	1
8	**BUCKINGHAMSHIR**	2571	1651	405	123	55	32	22	637	64	22	42	44	81	78	100	142	207	180	50	4
9	**OXFORDSHIRE** - -	2980	1935	418	124	54	59	36	693	86	37	41	60	97	111	123	172	245	221	48	1
10	**NORTHAMPTONSH**	4212	2811	707	208	124	113	89	1271	193	76	59	69	134	140	143	222	251	203	49	1
11	**HUNTINGDONSHIR**	1027	679	162	50	30	16	9	267	25	19	22	21	26	41	42	54	88	62	13	–
12	**BEDFORDSHIRE** -	2598	1780	491	133	73	64	38	799	119	41	41	41	79	87	77	116	180	118	21	1
13	**CAMBRIDGESHIRE**	3118	2094	508	155	73	46	41	823	111	58	61	47	109	91	132	153	247	199	61	2
	IV.—EASTERN.																				
14	**ESSEX** - - - - -	6741	4200	1008	310	145	93	83	1639	202	96	115	148	213	289	247	365	457	418	105	6
15	**SUFFOLK** - - - -	5756	3565	832	216	111	69	70	1298	191	101	107	120	175	195	204	294	410	353	116	2
16	**NORFOLK** - - - -	7206	4793	1131	287	164	130	107	1819	259	124	132	138	236	228	262	384	567	430	170	14

NOTE.—The Table may be read thus:—Of the 253,619 deaths of Males, 62,818 were those of children under 1 year of age; 21,025 those of the age 1 and under 2 years; 12,094 of the age 5 and under 10 years; 6,518 of the age 15 and under 20 years, and so on.

* This column includes the deaths of 28 males aged 100 years and upwards; namely, 16 aged 100, 4 aged 101, 3 aged 102, 1 aged 103, 3 aged 104, and 1 aged 109 years.

† The *Causes of Death* in England and in London, in combination with the Ages at Death, are given at pp. 120–135.

ENGLAND.—DEATHS at different Ages Registered in the Year 1864—in the Divisions and Registration Counties.

No.	Divisions and Registration Counties.	Females. Total Births.	Total Deaths.	Ages at Death. Under 1 Year.	1	2	3	4	Under 5 Years.	5—	10—	15—	20—	25—	35—	45—	55—	65—	75—	85—	95— *
	ENGLAND -	362,556	241,912	50,117	19,540	10,353	7324	5257	92,791	11,541	5536	7063	8398	16,650	15,878	15,465	18,954	23,584	19,733	6040	4
	DIVISIONS.																				
I.	LONDON - - - -	30242	38087	7786	3830	1970	1238	792	15616	1445	579	793	1097	2657	2872	2972	3479	3817	2635	687	3
II.	SOUTH EASTERN -	30747	18949	3434	1192	638	479	346	6089	836	506	623	660	1364	1318	1243	1578	2122	1964	606	4
III.	SOUTH MIDLAND -	22119	14834	2846	979	561	416	342	5141	754	399	447	497	964	900	885	1162	1725	1486	444	3
IV.	EASTERN - - - -	19090	12073	2368	695	373	279	229	3944	617	356	430	464	789	759	684	890	1263	1328	503	4
V.	SOUTH WESTERN -	29441	19789	3369	1204	726	587	408	6294	1029	492	555	704	1201	1133	1149	1550	2345	2468	800	6
VI.	WEST MIDLAND -	45815	29214	6563	2521	1349	967	670	12070	1327	675	785	945	1868	1723	1710	2119	2814	2353	772	8
VII.	NORTH MIDLAND -	22425	14191	2976	885	470	354	278	4963	690	390	497	549	1017	903	822	1151	1505	1276	403	2
VIII.	NORTH WESTERN -	56620	33797	8705	3301	1854	1313	960	16633	1924	849	1145	1402	3001	2937	2965	3230	3193	2012	458	2
IX.	YORK - - - - -	39530	25617	6080	2151	1106	806	582	10725	1359	623	855	935	1780	1556	1461	1868	2244	1745	440	2
X.	NORTHERN - - -	23500	13509	3247	1191	583	341	228	5590	557	287	416	528	954	843	758	939	1184	1071	343	3
XI.	WELSH - - -	23027	15252	2746	1091	723	544	422	5526	1003	410	517	617	1061	909	816	988	1367	1395	584	8
	I.—LONDON.																				
	MIDDLESEX (*part of*)	35048	28308	5605	2811	1448	926	589	11379	1033	399	584	795	1964	2141	2212	2565	2816	1920	473	3
	SURREY (*part of*) - -	10988	7830	1645	752	364	232	143	3141	290	115	149	232	518	560	596	743	771	540	167	
	KENT (*part of*) - -	3606	2549	536	267	158	80	55	1096	122	65	60	70	175	171	164	171	230	175	47	
	II.—SOUTH EASTERN.																				
1	SURREY (*extra-metrop.*)	4578	2715	502	186	91	74	51	904	122	79	99	101	203	179	171	224	306	235	90	
2	KENT (*extra-metropolitan*)	9500	5708	1143	390	210	140	114	1997	285	158	171	184	388	360	387	461	587	534	182	1
3	SUSSEX - - - -	5838	3731	604	195	113	99	71	1082	192	111	137	138	288	273	254	327	435	385	102	
4	HAMPSHIRE - - -	7447	4691	820	301	173	124	79	1497	166	101	153	165	354	368	300	389	530	527	140	1
5	BERKSHIRE - - -	3384	2104	365	120	51	42	31	609	71	57	63	72	131	138	131	186	264	283	92	
	III.—SOUTH MIDLAND.																				
6	MIDDLESEX (*ex.-met.*)	3190	2251	416	138	71	52	40	717	81	44	48	71	151	161	184	195	288	229	73	
7	HERTFORDSHIRE -	2090	2037	414	130	87	65	43	739	100	68	55	59	116	104	107	174	240	197	73	
8	BUCKINGHAMSHIR.	2525	1663	308	110	67	44	28	557	60	32	48	59	117	94	99	137	223	179	57	
9	OXFORDSHIRE - -	2833	1898	314	116	75	44	40	589	88	51	52	61	132	123	113	158	236	222	72	
10	NORTHAMPTONSH.	4079	2663	536	173	113	98	85	1005	180	83	91	92	180	149	145	177	266	239	53	
11	HUNTINGDONSHIR.	1041	633	115	47	23	17	18	220	28	14	23	20	33	40	41	47	78	68	18	
12	BEDFORDSHIRE -	2503	1760	367	138	66	45	47	663	105	52	55	64	116	106	93	127	181	161	35	
13	CAMBRIDGESHIRE	2958	1929	373	127	59	51	41	651	112	53	75	71	119	123	103	147	213	191	63	
	IV.—EASTERN.																				
14	ESSEX - - - - -	6502	3973	759	287	159	100	72	1377	185	100	127	126	256	264	245	302	437	398	145	1
15	SUFFOLK - - - -	5031	3449	636	198	93	77	54	1058	167	110	142	155	225	222	203	234	362	394	165	1
16	NORFOLK - - - -	6057	4651	973	210	121	102	103	1509	265	146	161	183	308	273	236	354	469	536	193	1

* This column includes the deaths of 70 females aged 100 years and upwards: namely, 29 aged 100, 12 aged 101, 9 aged 102, 8 aged 103, 4 aged 104, 4 aged 105, 1 aged 106, 2 aged 107, and 1 aged 108 years.

ENGLAND.—DEATHS at different Ages Registered in the Year 1864—in the Registration Counties—*continued*.

No.	Registration Counties.	Males. Total Births.	Total Deaths.	Ages at Death. Under 1 Year.	1	2	3	4	Under 5 Years.	5—	10—	15—	20—	25—	35—	45—	55—	65—	75—	85—	95 & upwards.
	V.—SOUTH WESTERN.																				
17	WILTSHIRE	3866	2551	513	183	75	58	53	882	109	58	81	76	119	164	171	233	312	253	88	5
18	DORSETSHIRE	3075	1850	402	140	66	38	27	673	56	46	48	49	103	106	94	159	244	200	68	4
19	DEVONSHIRE	9513	6355	1337	462	239	166	141	2345	347	151	163	186	371	352	386	482	743	642	176	12
20	CORNWALL	6627	3982	1068	315	156	91	62	1695	186	109	111	115	187	175	216	357	425	314	89	3
21	SOMERSETSHIRE	7465	5120	1055	349	215	194	119	1932	205	116	102	137	253	277	317	422	535	562	149	3
	VI.—WEST MIDLAND.																				
22	GLOUCESTERSHIRE	7668	5092	1143	314	199	161	128	1885	177	119	141	159	291	333	370	460	552	465	129	11
23	HEREFORDSHIRE	1690	1207	228	54	42	38	27	389	56	28	38	43	64	87	98	129	158	130	43	4
24	SHROPSHIRE	4527	2902	641	170	86	59	40	996	113	65	93	100	166	190	194	273	398	291	89	7
25	STAFFORDSHIRE	17208	11063	3228	1122	522	388	238	5518	528	238	273	318	595	661	685	772	799	493	111	4
26	WORCESTERSHIRE	5612	3687	987	288	138	115	94	1642	169	80	66	79	175	196	254	306	371	272	73	4
27	WARWICKSHIRE	11115	7442	2014	688	396	243	202	3543	320	146	161	193	389	471	512	570	586	453	95	3
	VII.—NORTH MIDLAND.																				
28	LEICESTERSHIRE	4734	2982	873	192	90	68	47	1270	82	52	68	67	151	137	158	252	290	271	71	4
29	RUTLANDSHIRE	407	241	58	13	8	8	4	91	13	5	3	6	13	17	13	25	29	18	8	–
30	LINCOLNSHIRE	6988	4257	1017	239	155	118	93	1652	257	113	135	141	227	290	250	331	459	375	104	7
31	NOTTINGHAMSHIRE	5792	3807	1067	276	147	102	73	1665	214	70	101	104	184	183	189	292	366	352	87	–
32	DERBYSHIRE	5579	3350	847	252	130	97	71	1377	155	78	107	111	191	178	215	311	387	236	53	1
	VIII.—NORTH WESTERN.																				
33	CHESHIRE	9045	5819	1500	440	191	145	87	2363	259	122	170	211	382	392	446	548	519	373	78	6
34	LANCASHIRE	49888	36099	9440	3466	1656	1110	942	16614	1840	700	946	1137	2241	2782	2830	3002	2571	1559	258	10
	IX.—YORK.																				
35	WEST RIDING	32171	22002	6121	1957	936	655	551	10220	1152	548	573	720	1197	1387	1451	1708	1767	1088	206	3
36	EAST RIDING (*with York*)	4983	3253	863	247	124	99	72	1405	175	80	86	117	178	218	210	249	259	213	61	2
37	NORTH RIDING	3812	2284	590	101	52	56	29	828	104	60	70	89	121	121	153	191	254	242	68	2
	X.—NORTHERN.																				
38	DURHAM	13135	7056	2225	707	327	208	128	3595	274	164	221	238	394	417	433	451	466	325	74	4
39	NORTHUMBERLAND	6851	4106	1077	324	143	78	55	1677	153	102	115	136	274	257	327	332	357	295	77	4
40	CUMBERLAND	3706	2450	518	176	84	45	53	876	83	69	73	75	174	141	169	221	266	237	63	3
41	WESTMORLAND	947	555	108	22	9	9	9	157	28	9	19	17	36	31	46	49	71	68	24	–
	XI.—WELSH.																				
42	MONMOUTHSHIRE	3841	2830	578	280	138	120	92	1208	211	68	81	115	153	147	179	190	230	175	56	8
43	SOUTH WALES	13119	8775	1834	667	449	328	233	3511	600	289	317	422	589	514	546	561	699	564	198	25
44	NORTH WALES	7065	4718	974	233	141	112	62	1522	221	118	148	234	364	274	263	424	541	453	127	9

ENGLAND.—DEATHS at different Ages Registered in the Year 1864—in the REGISTRATION COUNTIES—*continued*.

No.	REGISTRATION COUNTIES.	FEMALES.																		
		TOTAL BIRTHS.	TOTAL DEATHS.	AGES AT DEATH.																
				Under 1 Year.	1	2	3	4	Under 5 Years.	5—	10—	15—	20—	25—	35—	45—	55—	65—	75—	85—	95 and upwards
	V.—SOUTH WESTERN.																			
17	WILTSHIRE - - -	3807	2524	379	142	70	62	44	697	109	57	82	93	163	184	164	232	349	300	88	6
18	DORSETSHIRE - -	2070	1351	280	99	52	50	28	509	77	44	43	69	126	118	110	157	253	237	101	7
19	DEVONSHIRE - - -	9265	6256	1008	387	245	189	131	1960	383	167	145	230	388	356	357	484	726	803	233	24
20	CORNWALL - - - -	6441	3927	896	274	146	110	70	1496	182	90	108	140	221	201	219	262	414	440	146	8
21	SOMERSETSHIRE -	6958	5231	805	302	213	176	135	1632	278	134	177	172	303	279	299	415	603	688	232	19
	VI.—WEST MIDLAND.																			
22	GLOUCESTERSHIRE -	7270	5141	895	325	173	109	96	1598	208	127	135	182	337	345	343	438	626	576	205	11
23	HEREFORDSHIRE -	1714	1200	201	53	47	49	26	376	59	25	30	40	85	70	62	104	152	137	59	1
24	SHROPSHIRE - - -	4349	2699	539	148	80	61	46	874	112	71	89	88	179	168	161	198	306	318	127	8
25	STAFFORDSHIRE - -	16496	9730	2929	1051	570	382	232	4864	459	219	234	288	620	552	483	621	719	523	136	12
26	WORCESTERSHIRE -	5405	3374	724	263	161	104	86	1338	149	86	89	118	177	196	202	234	351	313	114	7
27	WARWICKSHIRE - -	10581	7070	1575	681	318	262	184	3020	340	157	208	229	470	392	450	524	660	486	131	14
	VII.—NORTH MIDLAND.																			
28	LEICESTERSHIRE -	4467	2818	672	202	92	70	39	1075	97	56	95	98	167	177	167	205	330	258	91	2
29	RUTLANDSHIRE - -	355	239	48	16	8	5	5	82	11	8	9	9	15	16	19	10	21	28	11	–
30	LINCOLNSHIRE - -	6668	4063	811	216	125	92	97	1341	244	134	141	145	300	253	240	316	412	392	132	13
31	NOTTINGHAMSHIRE	5461	3761	806	251	153	100	81	1371	174	107	140	160	261	217	205	339	395	296	91	5
32	DERBYSHIRE - - -	5474	3310	639	200	112	87	56	1094	164	85	112	137	274	240	191	281	347	302	73	5
	VIII.—NORTH WESTERN.																			
33	CHESHIRE - - - -	8663	5312	1101	370	224	138	107	1940	217	121	180	181	421	389	367	465	526	393	110	2
34	LANCASHIRE - - -	47952	34485	7604	3461	1630	1175	853	14693	1707	728	965	1221	2580	2568	2593	2765	2667	1619	348	26
	IX.—YORK.																			
35	WEST RIDING - - -	31057	20328	4915	1841	951	672	500	8879	1082	507	672	735	1389	1235	1152	1482	1710	1211	262	12
36	EAST RIDING (*with York*)	4880	3040	688	210	108	82	57	1145	171	68	99	105	208	178	177	215	306	270	92	6
37	NORTH RIDING - -	3503	2249	477	100	47	52	25	701	106	48	84	95	183	143	132	171	228	264	86	8
	X.—NORTHERN.																			
38	DURHAM - - - -	12506	6570	1820	672	318	166	116	3092	503	129	194	248	449	359	341	414	473	398	151	19
39	NORTHUMBERLAND -	6437	3984	883	333	146	114	75	1551	147	84	102	147	298	287	229	307	370	348	103	11
40	CUMBERLAND - -	3570	2383	449	156	103	53	27	788	87	60	94	115	171	146	163	172	266	250	66	5
41	WESTMORLAND - -	987	572	95	30	16	8	10	159	20	14	26	18	36	51	25	46	75	75	23	4
	XI.—WELSH.																			
42	MONMOUTHSHIRE -	3676	2526	486	221	135	122	93	1057	221	76	73	95	154	135	132	157	188	148	78	12
43	SOUTH WALES - -	12671	8144	1496	622	450	326	258	3152	567	214	266	307	556	494	482	489	650	702	280	35
44	NORTH WALES - -	6680	4582	764	248	138	96	71	1317	215	120	178	215	351	280	252	342	529	545	226	12

I.—LONDON.—DEATHS at different Ages Registered in the Year 1864—in Districts.

No.	DISTRICTS.	Total Births.	Total Deaths.	MALES. Ages at Death. Under 1 Year.	1	2	3	4	Under 5 Years.	5—	10—	15—	20—	25—	35—	45—	55—	65—	75—	85—	95 & upwds.
	MIDDLESEX (*part of*).																				
1	Kensington	3226	2414	612	219	130	83	40	1084	82	40	51	83	167	201	182	209	200	86	29	-
2	Chelsea	1031	920	213	82	27	23	8	353	29	13	13	24	49	78	86	90	98	77	10	-
3	St. George Hanover Square	1213	1037	193	70	42	27	11	343	25	23	26	31	99	99	131	114	85	55	6	-
4	Westminster	1122	1114	256	94	44	35	22	451	55	13	33	33	87	111	108	106	79	31	7	-
5	St. Martin-in-the-Fields	295	367	69	26	13	7	3	118	14	4	11	9	32	48	45	51	32	15	4	-
6	St. James Westminster	488	395	71	50	18	8	5	152	16	7	10	3	26	57	46	48	35	23	2	-
7	Marylebone	2681	2020	515	178	92	45	34	864	67	25	48	66	125	139	186	205	168	99	26	2
8	Hampstead	290	173	46	10	5	2	2	65	7	2	6	6	9	14	13	22	17	11	1	-
9	Pancras	3718	2644	676	283	117	79	58	1213	115	39	34	65	158	205	232	227	218	117	18	3*
10	Islington	3228	2259	523	217	81	61	39	921	89	45	66	108	188	209	202	177	153	88	15	-
11	Hackney	1023	1040	245	106	37	30	18	436	26	21	26	38	82	75	87	70	98	65	16	-
12	St. Giles	914	812	180	92	50	22	16	360	28	7	14	15	45	76	91	82	61	24	9	-
13	Strand	696	677	141	73	47	17	11	289	25	15	15	21	51	67	68	67	40	17	2	-
14	Holborn	651	670	137	83	56	22	29	327	42	7	9	13	26	45	54	62	54	25	6	-
15	Clerkenwell	1160	885	221	104	49	31	19	424	29	5	17	23	59	59	86	79	64	36	4	-
16	St. Luke	1328	810	252	120	53	45	22	492	37	5	11	10	36	46	62	46	44	19	2	-
17	East London	588	448	109	51	31	22	8	221	16	3	6	7	29	32	41	34	38	18	2	1
18	West London	385	811	97	61	28	19	9	214	26	19	34	56	93	113	106	96	37	11	2	-
19	London City	412	437	89	35	29	10	6	169	16	6	8	12	23	36	48	54	44	20	1	-
20	Shoreditch	2383	1850	459	246	98	72	40	915	91	16	29	48	111	139	129	144	134	80	13	1†
21	Bethnal Green	2294	1527	404	208	103	66	48	829	61	16	24	40	76	98	109	111	100	59	4	-
22	Whitechapel	1480	1538	319	155	72	43	25	614	45	29	33	55	102	155	199	164	83	49	10	-
23	St. George-in-the-East	496	767	226	112	50	25	14	427	17	10	7	15	29	50	61	50	62	31	7	1
24a	Stepney	1000	686	200	111	35	31	16	393	31	10	15	7	35	53	47	46	29	18	2	-
24b	Mile End Old Town	1569	941	245	113	54	29	33	474	51	12	13	18	55	73	69	76	60	50	10	-
25	Poplar	2022	1510	380	168	81	50	24	703	60	24	27	44	112	123	106	109	99	90	13	-
	SURREY (*part of*).																				
26	St. Saviour Southwark	551	430	95	40	20	17	10	182	17	4	14	19	17	35	45	43	37	16	1	-
27	St. Olave Southwark	283	536	53	25	12	9	8	107	18	14	24	38	66	106	63	56	20	13	1	-
28	Bermondsey	1328	771	218	101	51	28	21	419	22	9	5	15	36	65	49	66	54	27	4	-
29	St. George Southwark	1092	864	195	100	44	32	20	391	25	8	15	22	51	63	95	91	65	35	7	1
30	Newington	1658	1117	297	82	41	37	16	473	39	19	26	45	78	101	102	95	80	52	6	1
31	Lambeth	3338	2097	581	236	115	72	36	1040	81	42	28	38	116	153	155	179	159	83	22	1
32	Wandsworth	1413	839	217	84	32	20	15	368	30	11	19	20	54	63	68	73	77	46	10	-
33	Camberwell	1546	890	230	89	42	14	10	385	39	15	10	18	61	76	70	84	73	49	9	1
34	Rotherhithe	439	314	74	31	23	13	4	145	10	6	11	8	18	24	28	29	21	13	-	1
	KENT (*part of*).																				
35	Greenwich	2566	2231	495	201	99	80	44	919	107	54	45	89	180	163	154	157	150	172	41	-
36	Lewisham	1288	690	195	84	36	21	15	351	40	10	12	16	40	42	53	43	33	40	8	-

II.—SOUTH EASTERN COUNTIES.

	1.—SURREY (*extra-metropol.*)																				
37	Epsom	316	233	36	8	11	2	1	58	10	4	2	7	20	21	21	26	29	30	5	-
38	Chertsey	309	174	41	12	5	3	2	63	3	2	2	6	12	11	14	18	24	19	4	1†
39	Guildford	483	333	67	18	8	9	7	109	12	6	10	6	24	22	35	27	46	30	6	-
40	Farnham	615	375	86	32	20	17	14	169	27	2	9	18	46	31	14	17	20	19	3	-
41	Farnborough	161	136	22	7	4	6	4	43	9	-	3	7	11	17	8	12	13	10	3	-
42	Hambledon	230	142	30	5	6	7	2	50	5	4	4	5	5	11	6	16	14	17	5	-
43	Dorking	189	131	18	10	1	4	3	36	8	3	3	4	12	11	5	14	13	16	6	-
44	Reigate	368	221	43	15	9	6	6	79	11	5	15	11	12	10	11	22	27	15	3	-
45	Godstone	184	103	13	3	1	2	-	19	9	-	1	1	13	5	13	11	13	14	4	-
46	Croydon	984	570	164	46	14	12	8	244	24	9	4	10	30	49	41	57	57	37	7	1
47	Kingston	645	411	103	27	11	10	3	154	15	6	7	12	27	31	35	37	45	39	3	-
48	Richmond	804	179	29	6	4	5	2	46	7	5	6	6	10	24	18	20	18	14	5	-
	2.—KENT (*extra-metropolitan*).																				
49	Bromley	330	232	46	18	6	6	3	79	9	7	6	7	16	18	20	22	31	31	5	1
50	Dartford	657	389	80	37	11	12	12	152	21	6	11	12	24	40	31	21	37	27	7	-
51	Gravesend	366	200	46	17	10	3	5	81	8	5	2	4	14	16	11	18	26	13	2	-
52	North Aylesford	390	243	66	16	15	8	4	109	11	5	11	7	15	13	14	15	25	7	9	2‡
53	Hoo	67	35	8	1	-	-	-	9	2	2	-	4	1	5	5	3	2	2	-	-
54	Medway	1042	643	167	36	34	14	15	266	23	7	19	28	80	51	41	45	39	34	9	1
55	Malling	416	243	52	18	3	7	7	87	14	9	4	3	18	10	14	26	31	19	7	1
56	Sevenoaks	397	243	47	13	10	6	1	77	18	4	8	9	13	15	18	19	31	24	7	-
57	Tunbridge	621	393	93	25	8	9	5	140	27	9	12	10	19	29	33	33	40	29	12	-
58	Maidstone	643	515	117	30	15	4	10	176	16	17	12	19	32	47	49	43	57	33	13	1
59	Hollingbourn	223	138	27	10	5	3	4	49	8	4	8	1	6	11	9	10	15	15	7	-
60	Cranbrook	234	128	22	4	2	1	4	33	8	2	6	6	2	6	3	15	24	15	3	-
61	Tenterden	104	85	22	2	1	1	3	29	4	1	2	5	1	2	3	11	10	13	3	1†
62	West Ashford	268	163	43	12	11	7	6	79	5	5	5	4	9	10	7	10	9	14	6	-
63	East Ashford	201	129	40	6	3	3	2	54	9	3	4	1	5	8	5	4	19	12	5	-
64	Bridge	194	129	37	3	3	2	2	47	7	3	4	2	10	5	9	10	12	15	4	1
65	Canterbury	283	218	45	13	11	4	8	81	16	7	5	7	18	16	14	14	15	19	5	1
66	Blean	297	190	46	7	12	7	8	80	23	2	6	3	8	11	9	19	13	13	3	-
67	Faversham	369	218	52	14	6	4	4	80	9	4	1	5	21	17	15	16	17	23	9	1
68	Milton	355	188	69	11	8	2	3	93	7	1	4	7	12	14	8	10	16	12	4	-
69	Sheppey	373	178	46	25	14	8	2	95	9	5	7	7	11	9	9	11	7	8	1	-
70	Thanet	834	395	99	18	12	12	11	152	24	15	18	8	23	21	32	27	39	32	6	-
71	Eastry	403	272	39	10	8	10	5	72	23	8	10	8	18	12	23	20	34	30	13	1
72	Dover	554	380	80	40	18	7	6	151	19	4	7	15	30	26	27	28	45	22	5	1
73	Elham	467	218	54	18	7	2	1	82	9	4	5	7	17	18	11	19	18	9	1	-
74	Romney Marsh	123	64	15	7	3	-	1	26	3	7	1	2	2	1	4	4	8	5	1	-

* Two aged 100. † Aged 100. ‡ Aged 101.

I.—LONDON.—DEATHS at different Ages Registered in the Year 1864—in Districts.

No.	Districts.	Total Births.	Total Deaths.	Females. Ages at Death. Under 1 Year.	1	2	3	4	Under 5 Years.	5—	10—	15—	20—	25—	35—	45—	55—	65—	75—	85—	95 & upwds.
	MIDDLESEX (*part of*).																				
1	Kensington	3163	2330	497	209	93	79	54	932	98	36	58	68	220	196	189	208	281	199	42	3
2	Chelsea	1097	844	171	75	33	17	13	309	25	14	15	29	55	50	67	92	86	77	22	3*
3	St. George Hanover Square	1172	957	199	55	35	25	11	325	35	18	26	27	74	83	113	98	112	63	11	3†
4	Westminster	1079	1039	229	95	62	29	23	438	48	15	30	27	95	67	76	96	92	49	19	-
5	St. Martin-in-the-Fields	235	264	44	27	9	8	2	90	11	-	7	5	22	24	29	27	30	17	2	-
6	St. James Westminster	509	410	79	41	20	8	8	156	23	7	5	13	31	25	28	42	46	30	4	-
7	Marylebone	2480	2191	394	169	88	57	42	750	62	17	46	55	156	175	207	232	262	184	43	2†
8	Hampstead	251	199	47	13	7	9	4	80	7	7	5	6	20	10	8	15	18	22	1	-
9	Pancras	3558	2805	577	239	132	91	53	1092	97	53	43	72	179	234	220	245	309	218	42	1
10	Islington	3121	2335	454	180	96	53	43	826	59	46	57	99	195	187	205	216	232	166	46	1
11	Hackney	1561	1108	236	88	38	26	18	406	43	19	29	31	65	75	78	86	137	101	35	2‡
12	St. Giles	859	818	166	74	36	24	7	307	29	7	9	18	51	69	75	110	82	48	12	1§
13	Strand	631	601	122	68	33	20	12	255	21	11	11	17	49	53	54	58	42	28	2	-
14	Holborn	689	736	127	62	44	33	23	289	36	15	14	19	58	55	45	71	73	51	10	-
15	Clerkenwell	1074	857	176	105	47	24	22	374	25	11	12	17	38	64	69	86	94	53	13	1
16	St. Luke	1217	800	187	116	66	45	25	439	39	4	6	18	54	59	53	48	45	25	9	1
17	East London	607	426	88	52	22	15	9	186	19	8	7	10	23	36	37	34	35	32	9	-
18	West London	399	580	71	41	34	17	13	176	25	9	24	26	46	75	67	62	35	29	6	-
19	London City	419	366	60	33	16	9	7	125	19	8	7	10	17	27	32	32	54	25	10	-
20	Shoreditch	2514	1798	343	212	109	81	86	801	65	21	31	46	107	123	136	161	161	105	39	2
21	Bethnal Green	2185	1552	344	224	135	75	38	816	62	25	32	52	66	77	82	116	126	85	27	4‖
22	Whitechapel	1343	1275	244	147	73	39	27	530	52	12	26	35	99	104	107	125	111	62	10	2
23	St. George-in-the-East	912	821	167	102	39	27	21	356	18	7	15	30	60	52	57	68	87	59	12	-
24a	Stepney	961	728	158	114	57	35	14	378	19	4	15	16	37	57	46	59	61	30	6	-
24b	Mile End Old Town	1579	981	204	119	53	36	22	434	52	12	16	31	61	63	58	69	85	78	22	-
25	Poplar	2017	1296	269	153	73	46	25	566	47	13	28	38	96	101	74	109	120	84	19	1
	SURREY (*part of*).																				
26	St. Saviour Southwark	560	464	100	53	24	12	7	196	15	2	10	6	22	30	44	42	61	26	10	-
27	St. Olave Southwark	244	376	40	17	15	5	6	83	8	12	12	30	44	45	41	49	26	21	5	-
28	Bermondsey	1274	753	184	92	45	20	15	356	31	4	15	16	40	67	59	65	59	31	9	1
29	St. George Southwark	998	868	190	101	49	26	13	379	37	10	19	22	54	62	62	83	76	54	11	-
30	Newington	1535	1113	245	93	55	28	23	444	45	17	20	37	85	83	93	108	104	59	16	2
31	Lambeth	3123	2168	463	220	97	72	49	901	78	29	34	57	143	123	151	198	223	173	50	2*
32	Wandsworth	1805	847	166	64	38	26	12	306	34	17	22	25	50	51	90	87	84	30	1	
33	Camberwell	1513	961	185	81	29	31	18	344	35	20	14	32	66	74	76	84	114	73	28	1
34	Rotherhithe	438	280	72	31	12	12	5	132	7	4	3	7	14	20	19	24	22	19	8	1
	KENT (*part of*).																				
35	Greenwich	2343	1820	368	199	108	61	37	773	84	47	44	50	124	126	122	121	168	127	32	2
36	Lewisham	1263	729	168	68	50	19	18	323	38	18	16	20	51	45	42	50	62	48	15	1¶

II.—SOUTH EASTERN COUNTIES.

	1.—SURREY (*extra-metropol.*)																				
37	Epsom	315	201	35	11	2	5	2	55	9	6	11	4	16	15	16	22	25	9	13	-
38	Chertsey	301	178	26	18	6	2	1	53	7	8	7	5	11	12	12	17	20	19	6	1
39	Guildford	445	277	56	10	9	3	4	82	12	5	10	9	21	14	21	27	37	32	6	1
40	Farnham	544	295	78	33	23	12	10	151	21	13	9	14	25	18	9	8	17	6	4	-
41	Farnborough	158	94	14	5	3	3	2	27	5	2	4	3	10	6	8	10	11	4	4	-
42	Hambledon	222	125	12	7	2	4	4	29	5	8	4	2	14	6	5	19	10	15	8	-
43	Dorking	189	112	16	6	4	1	5	32	5	4	6	4	10	6	5	7	15	13	5	-
44	Reigate	378	166	41	8	4	2	1	56	5	7	14	9	12	12	9	8	10	18	6	-
45	Godstone	154	77	12	4	1	4	1	22	6	1	4	4	3	6	6	9	5	11	-	-
46	Croydon	942	558	116	40	19	17	9	201	23	9	14	20	46	44	42	47	55	45	12	-
47	Kingston	664	430	71	26	12	17	9	135	16	11	13	21	23	27	28	34	57	47	18	-
48	Richmond	266	202	30	18	6	4	3	61	8	5	3	6	12	13	10	16	44	16	8	-
	2.—KENT (*extra-metropolitan*).																				
49	Bromley	369	203	38	7	7	6	3	63	12	4	10	6	10	18	13	16	26	20	6	-
50	Dartford	601	360	86	29	14	9	7	145	18	9	6	7	13	28	22	24	48	28	11	1
51	Gravesend	824	495	141	23	5	4	4	77	5	3	6	4	9	15	15	18	19	17	6	1
52	North Aylesford	371	209	55	26	4	3	6	94	10	7	2	11	13	9	11	12	11	22	6	1
53	Hoo	61	42	12	4	3	1	-	20	2	2	1	2	1	3	-	2	4	5	-	-
54	Medway	999	521	122	46	17	13	9	207	19	14	9	20	34	51	36	38	37	39	17	-
55	Malling	380	235	56	20	9	9	6	100	11	4	7	7	15	14	11	17	22	20	6	1**
56	Sevenoaks	353	227	36	11	10	3	4	64	12	3	5	7	23	8	16	20	24	35	10	-
57	Tunbridge	538	337	58	22	7	11	2	100	20	9	15	13	27	24	20	30	43	21	11	-
58	Maidstone	646	487	88	36	16	4	5	149	26	11	13	15	38	30	38	47	67	40	13	-
59	Hollingbourn	241	151	20	8	2	-	3	33	9	6	5	1	11	4	8	14	18	18	3	1
60	Cranbrook	269	120	19	2	8	2	1	32	5	7	9	4	12	4	5	6	22	10	3	1
61	Tenterden	157	92	12	5	2	1	2	22	4	4	4	2	10	7	6	6	14	8	5	-
62	West Ashford	276	130	29	11	5	3	2	50	8	7	2	6	11	4	7	8	9	12	6	-
63	East Ashford	204	115	22	9	1	1	2	35	7	6	5	2	9	8	11	7	7	15	3	-
64	Bridge	169	95	13	2	5	1	3	24	4	5	3	5	5	1	5	13	12	17	3	-
65	Canterbury	250	211	40	9	9	8	5	71	9	5	5	10	9	13	17	22	17	21	10	2
66	Blean	305	190	43	10	10	12	5	80	19	8	5	7	8	6	14	10	17	11	5	-
67	Faversham	335	217	40	10	5	6	4	65	14	7	5	7	18	16	14	17	19	28	7	-
68	Milton	366	165	42	12	11	2	6	73	6	5	4	5	10	15	5	8	17	11	6	-
69	Sheppey	357	163	27	18	12	4	6	67	11	5	6	7	10	10	12	7	9	6	3	-
70	Thanet	490	386	70	18	16	10	6	120	14	11	13	12	24	24	38	40	34	35	19	2
71	Eastry	399	286	43	14	9	8	6	80	16	8	8	9	24	16	17	23	36	37	9	3
72	Dover	559	329	71	22	12	11	12	128	11	2	8	12	24	16	22	25	39	34	8	-
73	Eltham	410	225	47	13	8	7	3	78	10	4	12	5	18	14	16	27	16	23	1	1
74	Romney Marsh	108	47	12	3	3	1	2	21	3	2	3	-	2	2	4	4	-	6	-	-

* One aged 101. † One aged 100. ‡ One aged 105. § Aged 102. ‖ One aged 101 and one 108. ¶ Aged 106. ** Aged 108.

II.—SOUTH EASTERN COUNTIES.—DEATHS at different Ages, 1864—DISTRICTS—*continued.*

No.	DISTRICTS.	TOTAL BIRTHS.	TOTAL DEATHS.	MALES.																				
				AGES AT DEATH.																				
				Under 1 Year.	1	2	3	4	Under 5 Years.	5–	10–	15–	20–	25–	35–	45–	55–	65–	75–	85–	95 & upwds.
	3.—SUSSEX.																							
75	RYE	188	107	22	3	2	4	3	34	9	1	5	4	7	10	4	8	9	12	4	-
76	HASTINGS	464	361	77	31	24	13	17	169	21	9	8	21	30	24	27	26	16	16	3	-
77	BATTLE	224	113	23	7	2	1	2	35	8	-	4	5	6	9	8	8	15	11	3	1
78	EASTBOURNE	203	102	22	8	3	1	2	36	6	2	3	5	9	3	4	8	13	10	3	-
79	HAILSHAM	199	82	15	3	5	2	-	25	5	2	2	1	3	4	7	7	7	16	3	-
80	TICEHURST	245	121	16	8	3	1	3	31	11	2	5	4	12	7	4	9	20	15	4	-
81	UCKFIELD	344	175	49	12	3	5	3	72	6	3	2	8	11	15	8	16	14	18	2	-
82	EAST GRINSTEAD	248	116	21	7	3	4	3	38	4	2	4	4	8	6	7	14	15	12	2	-
83	CUCKFIELD	328	158	44	3	8	3	4	62	7	3	2	3	11	6	7	12	19	19	4	3
84	LEWES	445	267	40	10	12	5	6	73	6	7	14	10	22	26	31	29	43	29	6	1
85	BRIGHTON	1306	933	238	84	33	25	16	396	38	22	16	34	53	74	77	83	98	59	10	1
86	STEYNING	356	219	52	12	4	3	5	76	7	6	2	6	9	13	16	21	31	21	10	1
87	HORSHAM	254	185	21	13	10	11	11	66	18	6	6	7	3	9	13	14	20	16	7	-
88	PETWORTH	237	129	14	8	3	5	7	37	10	2	5	13	8	3	3	11	18	13	6	-
89	THAKEHAM	123	69	12	1	1	-	3	17	4	2	1	2	5	4	2	7	11	13	1	-
90	WORTHING	287	199	25	10	3	2	1	41	4	5	12	6	12	16	21	22	23	24	13	-
91	WESTHAMPNETT	230	145	27	8	2	1	1	39	7	3	6	2	7	7	14	18	20	15	7	-
92	CHICHESTER	266	153	25	4	6	6	-	41	3	6	6	9	10	16	10	18	20	17	2	1
93	MIDHURST	269	143	22	7	10	4	6	49	19	3	3	5	12	6	12	3	6	16	7	1
94	WESTBOURNE	108	81	16	4	2	3	3	28	4	3	1	1	5	9	2	6	10	9	3	-
	4.—HAMPSHIRE.																				
95	HAVANT	101	57	13	-	1	1	2	17	2	2	1	2	4	5	8	3	3	8	2	-
96	PORTSEA ISLAND	1740	1154	256	93	55	29	21	487	34	15	20	35	120	85	87	75	87	88	16	-
97	ALVERSTOKE	302	275	45	16	11	6	4	82	6	6	4	20	50	30	21	16	18	18	4	-
98	FAREHAM	279	193	30	3	3	3	1	40	2	3	9	9	15	26	22	21	27	15	4	-
99	ISLE OF WIGHT	913	508	86	27	10	10	11	144	23	9	18	25	43	37	38	43	58	50	16	1
100	LYMINGTON	167	123	20	4	4	4	2	34	8	2	-	4	10	3	8	13	16	18	6	1
101	CHRISTCHURCH	157	97	17	4	2	2	2	27	4	2	6	4	7	7	8	8	11	10	3	-
102	RINGWOOD	64	48	3	3	1	-	-	7	1	-	3	2	2	4	3	5	11	10	-	-
103	FORDINGBRIDGE	112	53	10	3	1	-	2	16	3	2	1	2	1	2	5	4	6	3	3	2
104	NEW FOREST	224	130	21	5	5	4	1	36	6	3	2	2	10	9	6	15	18	14	5	2
105	SOUTHAMPTON	891	602	157	52	22	12	10	253	17	11	14	23	53	55	50	56	46	20	4	-
106	SOUTH STONEHAM	497	308	79	16	5	9	2	111	7	2	8	19	49	19	22	26	19	19	5	-
107	ROMSEY	163	105	15	5	2	3	3	28	6	1	3	7	3	8	9	17	14	3	1	
108	STOCKBRIDGE	109	90	15	8	3	1	-	27	2	3	3	4	10	4	8	9	11	6	3	-
109	WINCHESTER	395	269	33	16	9	11	5	74	13	7	8	10	15	24	19	33	30	22	14	-
110	DROXFORD	192	106	14	6	3	5	3	31	4	3	2	2	6	10	7	14	7	16	4	-
111	CATHERINGTON	54	28	4	1	1	-	1	7	2	2	1	-	1	3	1	4	4	2	1	-
112	PETERSFIELD	123	85	13	5	4	1	2	25	10	2	5	1	5	5	3	8	14	4	3	-
113	ALRESFORD	167	56	8	2	1	1	-	12	3	1	-	3	9	2	1	5	6	11	4	-
114	ALTON	203	154	24	16	3	3	1	47	3	3	3	9	6	12	12	16	18	11	7	-
115	HARTLEY WINTNEY	205	108	23	7	-	3	1	34	6	4	1	4	3	8	8	9	13	11	7	-
116	BASINGSTOKE	285	176	36	17	3	3	3	62	7	2	5	3	11	13	11	16	17	25	4	-
117	WHITCHURCH	90	68	17	1	3	1	-	22	2	1	-	1	2	1	8	8	7	6	4	-
118	ANDOVER	272	140	26	4	3	1	-	34	7	4	3	3	8	5	8	18	22	22	6	-
119	KINGSCLERE	172	85	22	5	2	2	1	32	4	1	3	2	4	5	-	5	11	13	5	-
	5.—BERKSHIRE.																				
120	NEWBURY	355	239	66	15	8	2	3	94	4	3	2	9	10	18	13	14	34	27	11	-
121	HUNGERFORD	327	202	51	14	2	5	2	74	4	5	3	3	12	13	18	8	29	29	4	-
122	FARINGDON	209	207	47	8	6	9	8	78	21	8	6	5	6	11	14	16	18	22	2	-
123	ABINGDON	352	226	44	13	5	2	4	68	8	2	2	10	16	16	24	16	11	31	24	4	-
124	WANTAGE	300	193	41	9	6	3	2	61	9	4	5	5	11	12	16	11	31	24	4	-
125	WALLINGFORD	217	149	30	8	2	2	1	43	4	2	1	3	6	8	14	19	28	20	1	-
126	BRADFIELD	239	117	24	3	10	1	5	43	5	1	3	3	8	8	2	6	13	19	11	3	-
127	READING	496	301	67	14	12	6	4	103	13	6	8	18	31	25	19	22	29	20	7	-
128	WOKINGHAM	223	131	25	6	1	2	2	36	7	2	4	2	11	8	8	13	21	17	2	-
129	COOKHAM	220	114	24	5	3	2	-	34	6	1	4	2	6	7	10	15	14	12	-	1
130	EASTHAMPSTEAD	122	87	7	8	6	4	2	27	4	1	4	5	4	7	8	7	12	8	-	-
131	WINDSOR	296	250	38	15	9	-	5	67	3	-	4	10	26	24	29	31	26	23	7	-

III.—SOUTH MIDLAND COUNTIES.

	6.–MIDDLESEX (*extra-met.*)																						
132	STAINES	201	185	47	18	5	2	4	76	5	7	3	5	7	8	8	20	17	19	9	1
133	UXBRIDGE	414	364	72	26	4	4	8	114	14	6	8	6	43	39	35	30	24	6	-	
134	BRENTFORD	873	635	151	40	32	17	10	250	21	13	6	19	29	66	52	65	67	42	5	-
135	HENDON	382	263	54	19	11	4	3	91	5	8	5	8	12	21	16	19	19	20	8	1
136	BARNET	344	319	84	35	9	7	6	71	16	7	3	17	31	50	39	33	29	21	2	
137	EDMONTON	1077	653	152	50	28	21	8	259	28	11	10	12	45	51	45	60	68	46	17	1
	7.—HERTFORDSHIRE.																				
138	WARE	268	161	24	7	7	4	3	45	8	5	8	4	10	8	11	15	27	16	4	-
139	BISHOP STORTFORD	325	198	30	14	3	2	4	53	4	4	4	9	8	16	15	20	33	26	7	-
140	ROYSTON	443	259	62	20	8	4	6	100	13	4	6	5	7	14	20	24	33	27	6	-
141	HITCHIN	447	379	80	38	25	17	11	171	37	14	7	7	14	16	22	22	32	29	8	-
142	HERTFORD	187	139	21	11	4	3	2	41	6	1	5	5	6	10	9	22	16	18	5	-
143	HATFIELD	133	90	12	3	3	1	1	20	5	3	1	3	3	15	13	4	14	7	2	-
144	ST. ALBANS	308	210	53	10	6	5	1	75	3	3	2	7	13	16	10	28	26	21	6	-
145	WATFORD	329	245	53	17	13	8	6	92	10	9	6	4	12	26	18	23	23	18	4	-
146	HEMEL HEMPSTEAD	246	168	41	9	11	6	3	70	12	4	4	3	10	8	13	15	13	11	4	1
147	BERKHAMPSTEAD	256	135	36	10	11	6	3	66	3	3	2	1	7	8	2	12	15	11	5	-
	8.–BUCKINGHAMSHIRE.																				
148	AMERSHAM	320	259	70	24	8	11	1	114	6	3	3	4	8	11	14	32	30	25	8	1
149	ETON	359	217	47	12	6	2	3	70	4	4	3	4	17	17	18	20	28	25	7	-
150	WYCOMBE	637	413	111	41	11	9	9	181	16	5	12	7	24	15	32	25	44	40	10	2
151	AYLESBURY	413	291	70	12	11	4	4	101	13	1	9	13	12	21	10	26	47	31	6	1
152	WINSLOW	182	97	28	4	2	1	-	35	5	2	1	4	2	1	7	10	16	12	2	-
153	NEWPORT PAGNELL	425	268	54	24	15	1	3	97	14	5	12	11	15	8	16	21	30	29	10	-
154	BUCKINGHAM	235	106	25	6	2	4	2	39	6	2	2	1	3	5	3	8	12	18	7	-

II.—SOUTH EASTERN COUNTIES.—DEATHS at different Ages, 1864—DISTRICTS—*continued.*

No.	DISTRICTS.	TOTAL BIRTHS.	TOTAL DEATHS.	FEMALES. AGES AT DEATH. Under 1 Year.	1	2	3	4	Under 5 Years.	5–	10–	15–	20–	25–	35–	45–	55–	65–	75–	85–	95 & upwds.
	3.—SUSSEX.																				
75	RYE	175	126	19	4	3	3	2	31	6	5	4	4	5	11	8	17	13	20	2	-
76	HASTINGS	460	357	63	20	10	15	14	122	25	13	18	20	28	24	23	19	35	24	6	-
77	BATTLE	215	108	14	3	2	5	4	28	10	1	4	2	9	7	5	10	13	17	2	-
78	EASTBOURNE	208	106	20	6	5	4	4	39	3	3	3	3	12	6	7	3	9	15	3	-
79	HAILSHAM	198	109	20	3	4	3	1	31	5	2	5	3	7	13	3	9	15	15	1	-
80	TICEHURST	202	117	11	7	5	5	3	31	7	6	4	3	7	7	7	7	16	18	4	-
81	UCKFIELD	301	174	26	8	5	3	1	43	14	2	6	4	21	12	12	16	26	14	4	-
82	EAST GRINSTEAD	224	108	18	8	1	1	-	28	1	2	4	3	11	3	9	8	16	15	2	1
83	CUCKFIELD	231	146	20	7	3	1	4	35	8	6	9	9	14	7	10	9	18	15	6	-
84	LEWES	420	273	42	16	6	8	3	75	9	8	7	9	18	26	19	23	35	30	14	-
85	BRIGHTON	1236	887	169	50	24	19	14	276	34	20	24	37	67	63	67	98	104	79	17	1
86	STEYNING	324	198	34	12	9	3	2	60	9	6	5	7	14	17	18	17	19	19	7	-
87	HORSHAM	264	168	29	10	7	8	5	59	14	8	9	9	11	12	3	14	13	15	-	1
88	PETWORTH	121	113	17	4	3	3	5	32	13	7	6	6	6	7	7	4	13	9	3	-
89	THAKEHAM	110	74	10	3	3	2	2	20	3	1	2	4	2	5	10	9	8	7	3	-
90	WORTHING	232	174	27	12	4	3	2	49	6	5	11	4	17	12	13	19	19	19	7	-
91	WESTHAMPNETT	233	119	22	5	4	3	-	34	3	4	4	4	9	13	8	6	19	9	6	-
92	CHICHESTER	216	150	20	7	9	4	-	40	5	4	8	2	12	10	12	15	21	13	6	2
93	MIDHURST	204	159	22	9	3	4	5	43	9	6	4	4	10	9	9	14	18	25	6	2
94	WESTBOURNE	104	65	6	2	3	2	-	13	8	2	-	1	8	4	4	10	5	7	3	-
	4.—HAMPSHIRE.																				
95	HAVANT	125	76	15	1	2	-	2	20	2	1	7	2	4	7	5	4	11	9	4	-
96	PORTSEA ISLAND	1761	1092	224	101	52	36	17	430	41	17	22	46	97	96	62	72	102	85	20	2
97	ALVERSTOKE	358	197	47	12	9	3	3	74	6	2	8	5	15	17	7	10	28	15	10	-
98	FAREHAM	247	205	31	8	4	4	2	49	3	3	6	8	19	15	19	24	18	32	9	2
99	ISLE OF WIGHT	900	460	59	24	20	7	9	119	26	16	20	21	25	35	42	43	46	46	19	2
100	LYMINGTON	184	125	19	6	4	3	-	32	3	2	6	6	10	7	8	12	19	16	4	-
101	CHRISTCHURCH	150	111	12	6	1	3	2	24	3	3	5	-	9	15	2	11	18	18	3	-
102	RINGWOOD	67	45	5	1	-	-	-	6	-	1	2	-	3	2	4	9	8	7	3	-
103	FORDINGBRIDGE	93	50	8	4	-	1	-	11	1	3	-	-	3	1	3	4	5	10	3	-
104	NEW FOREST	200	101	13	6	1	3	1	24	4	3	4	2	6	4	5	10	18	18	2	1*
105	SOUTHAMPTON	776	539	108	45	28	21	15	216	15	8	16	14	45	45	44	41	38	43	13	1
106	SOUTH STONEHAM	412	247	40	23	10	4	5	82	5	9	10	11	18	21	18	18	24	25	5	1*
107	ROMSEY	164	115	16	2	3	7	-	28	2	1	2	5	10	11	10	12	10	21	3	-
108	STOCKBRIDGE	128	57	12	1	2	2	-	17	-	1	-	3	2	5	5	7	11	5	1	-
109	WINCHESTER	367	247	40	14	7	2	4	67	7	11	12	10	15	14	14	22	30	37	7	1
110	DROXFORD	164	101	22	4	4	3	2	35	11	2	4	3	4	4	5	8	10	13	2	-
111	CATHERINGTON	36	28	6	1	-	-	1	8	1	-	1	1	2	2	1	1	7	4	-	-
112	PETERSFIELD	94	75	13	2	2	5	1	23	6	1	2	3	8	3	1	7	8	10	3	-
113	ALRESFORD	105	84	14	1	1	1	2	23	3	3	2	4	7	7	6	7	12	8	1	1
114	ALTON	184	145	25	9	5	3	4	46	3	2	8	5	17	10	3	6	18	20	6	1†
115	HARTLEY WINTNEY	180	100	18	1	2	4	2	27	4	7	4	1	11	5	5	3	19	9	5	-
116	BASINGSTOKE	283	184	25	14	4	5	3	51	8	4	8	6	6	12	11	20	25	29	4	-
117	WHITCHURCH	85	61	10	1	2	-	-	13	3	1	1	4	-	4	2	6	9	12	6	-
118	ANDOVER	252	163	28	6	3	4	3	44	5	-	2	3	10	15	10	16	27	26	5	-
119	KINGSCLERE	131	83	12	8	3	3	2	28	4	-	1	2	8	11	2	7	9	9	2	-
	5.—BERKSHIRE.																				
120	NEWBURY	312	209	32	6	3	5	3	49	4	4	11	10	13	17	19	16	23	34	7	2
121	HUNGERFORD	304	176	34	12	4	1	1	52	5	6	4	9	13	8	8	18	25	18	9	1
122	FARINGDON	262	191	35	14	12	8	6	75	10	4	5	3	14	12	12	7	21	18	10	-
123	ABINGDON	334	222	43	10	2	1	1	57	4	6	9	6	14	21	12	23	26	32	12	-
124	WANTAGE	309	179	32	13	6	3	2	56	6	4	5	13	6	16	10	18	20	21	4	-
125	WALLINGFORD	222	140	20	11	3	3	3	40	4	6	4	5	8	8	3	10	18	25	11	-
126	BRADFIELD	226	165	22	8	2	1	6	39	6	3	3	8	11	17	9	17	23	22	6	1
127	READING	498	274	57	13	9	8	3	90	8	8	9	5	22	16	18	25	29	39	5	-
128	WOKINGHAM	244	128	24	2	3	1	-	30	6	7	3	5	1	4	6	11	21	24	7	-
129	COOKHAM	206	109	14	5	1	3	-	26	2	3	1	1	5	3	6	14	21	11	5	2‡
130	EASTHAMPSTEAD	118	79	11	5	1	2	3	22	6	2	1	2	11	3	8	3	7	10	3	1
131	WINDSOR	349	241	41	18	5	6	3	73	10	4	5	5	15	13	20	24	30	29	13	-

III.—SOUTH MIDLAND COUNTIES.

	6.—MIDDLESEX (*extra-met.*)																				
132	STAINES	301	157	29	14	5	3	5	56	9	1	1	4	6	9	12	14	18	18	9	-
133	UXBRIDGE	365	301	43	17	4	3	3	70	6	7	7	7	29	26	30	30	31	29	7	2
134	BRENTFORD	865	641	135	47	23	24	11	240	27	15	16	14	32	45	44	48	71	67	21	1
135	HENDON	371	233	53	15	10	6	5	89	7	5	5	8	9	10	20	24	33	31	14	-
136	BARNET	265	267	21	9	6	3	-	43	6	6	8	14	23	29	22	32	45	29	6	1
137	EDMONTON	1013	652	135	36	23	12	13	219	26	10	11	24	52	53	43	51	89	64	25	5
	7.—HERTFORDSHIRE.																				
138	WARE	239	127	34	9	-	1	2	46	3	1	-	6	11	5	8	13	13	19	2	-
139	BISHOP STORTFORD	347	201	39	5	2	3	-	49	11	6	5	6	14	14	12	19	28	23	12	2
140	ROYSTON	447	245	58	8	10	2	3	81	6	8	6	6	11	10	15	24	33	31	14	-
141	HITCHIN	415	410	71	33	23	20	24	173	34	26	11	11	26	14	16	18	46	23	10	2
142	HERTFORD	211	166	27	11	6	4	4	54	5	5	8	3	7	4	13	19	16	25	7	-
143	HATFIELD	127	77	14	4	3	3	-	27	3	1	3	3	4	8	3	6	11	7	1	-
144	ST. ALBANS	311	209	46	11	12	6	6	81	8	3	12	8	15	12	10	15	18	19	8	-
145	WATFORD	366	260	42	22	5	9	4	82	15	11	5	7	13	16	11	32	37	22	8	1
146	HEMEL HEMPSTEAD	264	160	43	12	6	8	-	69	5	4	4	3	7	12	10	9	18	15	4	-
147	BERKHAMPSTEAD	263	182	40	15	13	9	-	77	10	3	1	6	8	9	9	19	20	13	7	-
	8.—BUCKINGHAMSHIRE.																				
148	AMERSHAM	309	220	38	18	15	6	2	74	13	7	3	9	14	11	12	16	29	27	5	-
149	ETON	360	216	40	10	3	5	3	61	10	2	5	5	15	16	15	22	34	24	7	-
150	WYCOMBE	658	402	79	44	22	11	6	162	7	4	10	21	27	20	21	28	57	39	11	-
151	AYLESBURY	871	306	57	18	13	9	10	107	11	9	9	6	25	15	20	27	40	27	9	1
152	WINSLOW	146	94	11	-	2	5	3	21	5	3	4	5	8	7	5	12	10	9	5	-
153	NEWPORT PAGNELL	436	283	55	17	11	3	3	89	12	5	8	12	15	14	17	21	40	38	12	-
154	BUCKINGHAM	245	142	28	8	1	5	1	43	2	2	9	1	13	11	9	16	13	15	8	-

* Aged 100. †Aged 104. ‡ One aged 101.

III.—SOUTH MIDLAND COUNTIES.—DEATHS at different Ages, 1864—DISTRICTS—*continued*.

DISTRICTS.	TOTAL BIRTHS.	TOTAL DEATHS.	MALES. AGES AT DEATH. Under 1 Year.	1	2	3	4	Under 5 Years.	5–	10–	15–	20–	25–	35–	45–	55–	65–	75–	85–	95 & upwds.
9.—OXFORDSHIRE.																				
No. 155 HENLEY	331	222	34	16	5	8	5	68	9	5	4	7	11	12	15	21	32	29	9	-
156 THAME	227	163	34	14	5	4	4	61	9	6	3	9	5	11	10	9	18	18	3	1
157 HEADINGTON	336	243	44	11	9	3	2	69	6	5	7	13	12	19	21	25	37	26	3	-
158 OXFORD	324	291	48	19	4	11	4	86	12	2	4	4	17	10	17	18	18	11	2	-
159 BICESTER	270	173	41	7	5	5	7	65	6	4	5	5	5	12	7	12	27	21	4	-
160 WOODSTOCK	251	136	23	7	2	4	-	36	2	-	2	2	9	4	10	20	21	28	4	-
161 WITNEY	337	232	58	15	10	11	9	103	10	3	1	12	6	11	16	27	28	26	9	-
162 CHIPPING NORTON	318	184	33	7	4	2	1	47	9	3	4	5	11	9	9	21	19	23	4	-
163 BANBURY	536	361	83	28	10	11	6	138	23	9	11	3	21	23	18	19	45	41	10	-
10.—NORTHAMPTONSH.																				
164 BRACKLEY	244	151	39	9	2	2	4	56	4	7	3	6	7	7	8	10	19	15	9	-
165 TOWCESTER	223	152	50	13	5	3	-	71	4	3	4	5	7	8	6	10	18	13	3	-
166 POTTERSPURY	200	99	34	3	2	4	-	43	2	2	1	4	4	2	11	8	10	7	5	-
167 HARDINGSTONE	208	110	24	11	6	9	5	55	8	1	2	1	3	6	3	8	9	12	2	-
168 NORTHAMPTON	504	719	174	70	43	33	26	346	61	18	17	25	37	36	42	53	47	32	5	-
169 DAVENTRY	341	207	47	16	13	7	6	89	20	3	3	2	9	11	9	24	20	12	5	-
170 BRIXWORTH	233	183	35	16	13	12	10	86	18	5	3	5	4	12	5	14	13	14	3	1
171 WELLINGBOROUGH	458	262	65	21	11	7	10	114	14	7	4	8	13	17	14	28	21	19	3	-
172 KETTERING	343	238	64	25	11	10	11	121	19	9	5	5	10	6	7	18	20	16	2	-
173 THRAPSTON	275	127	27	11	2	5	7	52	10	7	1	4	7	6	4	10	14	10	2	-
174 OUNDLE	280	169	46	9	4	3	3	65	12	5	6	-	9	6	10	9	20	23	4	-
175 PETERBOROUGH	603	394	102	34	12	18	7	173	21	9	10	4	24	23	24	30	40	30	6	-
11. HUNTINGDONSHIRE.																				
176 HUNTINGDON	385	250	66	15	9	6	4	100	7	2	8	5	13	21	19	21	28	19	7	-
177 ST. IVES	313	235	49	16	12	6	3	86	14	9	10	12	3	12	13	13	37	23	3	-
178 ST. NEOTS	329	194	47	19	9	4	2	81	4	8	4	3	10	8	10	20	23	20	3	-
12.—BEDFORDSHIRE.																				
179 BEDFORD	622	446	118	25	27	20	7	197	37	14	14	17	15	19	16	33	42	32	10	-
180 BIGGLESWADE	507	305	83	26	6	5	2	122	10	5	6	8	17	22	18	30	39	23	5	-
181 AMPTHILL	329	191	71	8	4	6	6	95	15	2	-	2	10	7	13	10	17	16	4	-
182 WOBURN	203	132	37	9	3	3	2	54	6	1	6	4	5	5	6	13	14	15	2	1
183 LEIGHTON BUZZARD	391	216	49	20	8	8	4	89	7	6	5	5	14	15	10	12	26	19	5	-
184 LUTON	636	440	133	45	25	22	17	242	44	13	10	5	18	16	14	18	42	13	5	-
13.—CAMBRIDGESHIRE.																				
185 CAXTON	235	130	39	9	3	2	1	54	4	6	3	2	6	5	5	8	17	15	4	1
186 CHESTERTON	445	313	69	19	10	4	4	106	17	7	6	8	24	13	24	25	35	39	9	-
187 CAMBRIDGE	393	294	55	17	8	6	5	91	11	5	7	10	21	20	35	30	34	28	7	-
188 LINTON	248	168	35	10	6	7	5	63	8	4	7	4	6	4	9	14	16	23	9	1
189 NEWMARKET	494	302	69	26	10	5	8	118	13	8	9	7	16	8	11	22	47	31	12	-
190 ELY	396	239	73	18	8	8	10	117	18	8	10	3	7	9	7	14	18	20	8	-
191 NORTH WITCHFORD	283	171	47	17	8	1	-	73	6	3	4	4	9	7	8	18	18	17	4	-
192 WHITTLESEY	111	77	17	6	1	1	1	26	7	4	3	-	4	6	4	2	12	7	2	-
193 WISBECH	513	400	104	33	19	12	7	175	27	13	12	9	16	19	29	20	50	24	6	-

IV.—EASTERN COUNTIES.

14.—ESSEX.																				
194 WEST HAM	1245	832	219	91	84	18	16	578	55	19	16	24	40	62	53	64	59	51	10	1
195 EPPING	285	191	40	7	6	7	6	66	7	2	8	6	12	16	15	21	21	21	2	-
196 ONGAR	204	117	18	2	4	3	5	32	4	4	4	4	9	10	8	7	12	19	3	1
197 ROMFORD	501	305	82	25	9	9	11	136	14	8	7	7	16	13	16	22	32	23	11	-
198 ORSETT	227	115	32	4	5	2	-	43	4	3	5	3	8	7	7	7	19	8	1	-
199 BILLERICAY	206	176	34	9	2	1	1	47	7	1	4	10	15	18	11	21	22	17	3	-
200 CHELMSFORD	558	285	56	15	7	3	4	85	12	9	7	12	8	22	20	26	39	36	8	1*
201 ROCHFORD	334	215	55	12	11	3	5	86	7	4	6	6	4	15	16	18	22	19	4	1
202 MALDON	414	220	47	14	4	7	7	79	5	6	10	11	6	13	16	20	25	24	5	-
203 TENDRING	426	296	65	25	13	12	2	117	14	2	7	9	16	18	12	24	27	37	12	1
204 COLCHESTER	415	294	67	24	9	2	9	111	16	4	9	11	19	28	16	32	22	21	5	-
205 LEXDEN	414	231	56	12	11	5	3	87	14	6	8	9	12	7	9	16	28	31	4	-
206 WITHAM	257	166	31	8	3	1	3	46	4	3	8	5	11	13	8	17	25	19	7	-
207 HALSTEAD	337	207	60	12	7	3	3	85	13	8	4	13	8	9	6	12	22	21	6	-
208 BRAINTREE	293	188	52	16	8	3	-	79	6	7	-	4	5	13	10	21	16	18	9	-
209 DUNMOW	316	251	55	23	3	6	4	91	11	3	4	9	19	15	13	26	28	26	5	1
210 SAFFRON WALDEN	309	211	39	11	9	8	4	71	9	7	8	5	5	10	11	17	31	27	10	-
15.—SUFFOLK.																				
211 RISBRIDGE	358	196	35	8	6	5	7	61	11	8	10	4	12	8	14	14	33	19	2	-
212 SUDBURY	569	415	102	26	13	17	14	172	38	16	10	15	13	13	21	24	41	36	11	-
213 COSFORD	283	197	33	17	6	9	5	70	21	5	3	3	8	9	9	23	27	15	4	-
214 THINGOE	287	175	37	10	5	2	5	59	7	2	5	6	10	12	13	18	25	13	5	-
215 BURY ST. EDMUNDS	235	165	42	12	4	-	2	60	4	2	2	6	14	13	12	11	17	21	3	-
216 MILDENHALL	143	89	23	8	2	1	-	34	4	3	-	3	3	5	8	7	11	8	3	-
217 STOW	353	206	50	7	4	4	3	68	9	6	3	11	7	11	7	17	32	28	7	-
218 HARTISMERE	326	200	44	12	12	1	3	72	7	8	10	8	14	9	8	12	23	22	7	-
219 HOXNE	231	132	41	10	5	5	1	62	6	-	3	5	2	5	6	10	14	12	7	-
220 BOSMERE	276	174	47	10	4	4	2	67	8	5	6	4	10	6	6	12	19	25	6	-
221 SAMFORD	206	133	27	8	6	2	4	47	6	8	4	3	6	9	6	16	17	8	3	-
222 IPSWICH	644	441	102	33	20	2	9	166	19	10	20	13	22	26	34	43	41	33	13	1
223 WOODBRIDGE	339	234	46	15	8	3	-	67	10	4	6	9	9	16	16	22	30	31	13	1
224 PLOMESGATE	327	186	43	15	5	4	5	72	8	7	7	1	14	9	7	14	19	16	12	-
225 BLYTHING	454	253	60	7	10	5	4	86	20	5	9	6	7	15	19	24	27	30	5	-
226 WANGFORD	206	131	25	6	3	1	3	38	5	6	3	7	10	6	9	9	15	19	4	-
227 MUTFORD	469	239	75	12	3	4	3	97	3	6	6	16	14	18	9	18	19	17	11	-

* Aged 100.

III.—SOUTH MIDLAND COUNTIES.—DEATHS at different Ages, 1864—DISTRICTS—*continued.*

No.	DISTRICTS.	TOTAL BIRTHS.	TOTAL DEATHS.	FEMALES. AGES AT DEATH. Under 1 Year.	1	2	3	4	Under 5 Years.	5–	10–	15–	20–	25–	35–	45–	55–	65–	75–	85–	95 & upwds.
	9.—OXFORDSHIRE.																				
155	Henley	239	182	23	13	5	3	4	51	8	8	4	6	18	14	10	12	26	14	10	1
156	Thame	233	184	23	8	11	3	4	49	5	1	5	6	10	7	9	15	23	23	11	-
157	Headington	323	222	36	9	6	2	3	56	12	6	8	11	14	17	12	20	28	32	6	-
158	Oxford	323	250	50	16	14	11	3	94	10	7	5	10	16	28	11	28	23	16	7	-
159	Bicester	256	160	33	11	3	4	6	57	6	7	2	2	13	15	9	9	23	16	1	-
160	Woodstock	250	147	23	7	3	1	1	35	3	2	3	5	14	8	15	8	28	21	5	-
161	Witney	402	259	46	17	11	6	8	88	19	12	3	4	10	12	17	26	23	35	10	-
162	Chipping Norton	262	147	31	7	6	-	1	45	7	1	6	7	9	6	9	15	17	18	7	-
163	Banbury	515	367	46	28	16	14	10	114	18	7	16	10	28	16	21	30	45	47	15	-
	10.—NORTHAMPTONSH.																				
164	Brackley	223	131	23	8	5	2	2	40	3	5	5	8	8	10	9	9	13	17	4	-
165	Towcester	203	134	31	8	4	1	2	46	5	2	1	4	12	7	7	13	18	17	2	-
166	Potterspury	200	111	23	5	7	1	2	38	-	4	5	6	9	10	8	7	13	10	1	-
167	Hardingstone	186	125	19	7	6	8	4	44	12	4	6	3	8	6	7	9	16	9	1	-
168	Northampton	839	577	137	47	30	28	20	262	50	17	18	17	44	27	37	28	37	32	7	1
169	Daventry	301	195	27	12	14	6	4	63	15	4	5	6	13	12	6	18	28	19	6	-
170	Brixworth	252	177	28	9	2	5	9	53	15	8	6	7	5	13	9	10	19	20	3	-
171	Wellingborough	437	269	58	16	4	8	8	94	17	13	11	7	20	16	19	14	25	27	5	1
172	Kettering	312	249	52	20	11	11	10	104	18	8	9	7	11	11	15	13	25	26	9	-
173	Thrapston	200	155	31	6	12	6	4	59	9	4	5	8	15	10	8	5	14	9	8	-
174	Oundle	234	169	21	12	7	6	7	53	13	4	7	5	14	8	8	12	19	21	5	-
175	Peterborough	629	371	86	23	11	16	13	149	23	10	13	14	21	19	17	24	39	32	9	1
	11. HUNTINGDONSHIRE.																				
176	Huntingdon	378	222	29	26	9	6	5	75	12	3	6	6	12	14	14	21	34	17	5	3
177	St. Ives	352	236	52	14	10	9	10	95	9	7	6	9	12	18	17	14	22	21	6	-
178	St. Neots	311	175	34	7	4	2	3	50	7	4	11	5	9	8	10	12	22	30	7	-
	12.—BEDFORDSHIRE.																				
179	Bedford	620	461	97	29	18	15	14	173	28	17	14	15	30	29	27	31	42	47	8	-
180	Biggleswade	465	310	74	24	9	1	4	112	10	5	8	10	21	20	17	24	42	32	9	-
181	Ampthill	313	211	37	25	4	7	4	77	13	11	6	12	10	7	8	20	23	18	6	-
182	Woburn	196	114	17	9	3	-	2	31	4	5	6	4	4	7	5	10	17	18	2	1
183	Leighton Buzzard	326	197	33	14	8	4	6	70	11	3	6	8	13	16	10	16	24	17	3	-
184	Luton	583	407	104	37	24	18	17	200	39	11	15	15	38	27	26	26	33	29	7	1
	13.—CAMBRIDGESHIRE.																				
185	Caxton	211	108	28	6	2	-	-	36	2	1	2	5	6	7	5	15	11	15	2	1
186	Chesterton	465	265	43	19	7	6	14	92	14	5	12	14	15	22	13	13	22	23	13	-
187	Cambridge	401	278	38	21	5	4	1	69	9	8	6	8	29	20	28	27	36	28	9	1
188	Linton	220	147	21	7	5	6	4	43	7	5	6	7	9	9	6	14	21	13	7	-
189	Newmarket	452	268	48	17	6	9	7	87	11	11	18	11	14	18	9	21	28	29	10	1
190	Ely	374	244	62	19	7	8	5	101	16	7	11	10	15	8	16	15	22	17	5	1
191	North Witchford	243	163	38	9	5	3	1	56	11	4	4	4	8	11	9	7	25	19	5	-
192	Whittlesey	114	83	12	2	3	2	2	21	8	2	5	-	7	8	3	10	6	12	1	-
193	Wisbech	478	376	80	27	19	13	7	146	34	12	11	12	16	20	14	25	35	35	11	2

IV.—EASTERN COUNTIES.

	14.—ESSEX.																				
194	West Ham	1198	717	173	85	45	31	17	351	26	13	15	19	36	49	45	45	64	42	11	1*
195	Epping	295	159	26	11	5	-	2	44	7	4	4	6	14	6	13	10	21	20	8	2
196	Ongar	178	113	21	4	2	1	2	30	5	3	4	3	2	3	8	13	18	16	8	-
197	Romford	507	276	33	26	9	7	8	103	15	8	9	7	18	21	20	22	22	24	6	1
198	Orsett	204	118	27	14	6	3	1	51	5	4	2	4	4	7	3	10	15	8	1	-
199	Billericay	230	160	18	8	6	5	-	37	6	5	7	5	9	12	23	12	19	21	4	-
200	Chelmsford	488	328	45	15	5	5	3	73	14	9	13	11	22	26	16	37	49	40	18	-
201	Rochford	352	182	39	18	10	3	5	75	7	4	7	4	13	9	8	13	17	18	6	1
202	Maldon	365	201	42	16	10	7	1	76	8	6	3	11	14	10	14	16	25	18	5	-
203	Tendring	431	260	52	19	11	8	5	95	14	10	5	11	12	17	18	14	20	33	11	-
204	Colchester	365	224	40	13	11	5	1	70	16	5	8	8	18	21	9	24	23	14	10	-
205	Lexden	421	238	41	12	4	7	2	66	21	10	3	8	13	7	6	22	35	32	6	3†
206	Witham	272	151	19	2	2	1	3	27	5	5	8	6	9	16	8	5	23	25	13	1
207	Halstead	296	239	43	8	8	4	8	71	13	4	13	13	21	17	13	15	24	29	7	-
208	Braintree	286	213	51	10	8	4	4	77	4	3	9	3	18	16	13	15	24	19	12	-
209	Dunmow	306	211	39	17	12	3	7	78	9	4	7	8	17	15	15	14	18	20	6	-
210	Saffron Walden	305	185	30	9	5	6	3	53	10	3	8	3	10	15	9	22	26	17	6	1
	15.—SUFFOLK.																				
211	Risbridge	324	205	32	16	6	8	4	66	13	3	14	14	17	9	12	9	19	22	7	-
212	Sudbury	543	397	64	24	12	11	12	123	35	24	24	19	20	25	17	30	31	30	18	1
213	Cosford	298	215	35	12	11	7	5	70	12	7	9	5	10	13	9	14	28	26	11	1
214	Thingoe	319	170	28	8	7	5	2	50	7	6	10	8	7	14	12	7	23	19	5	2
215	Bury St. Edmunds	229	140	38	4	2	1	1	41	4	1	7	6	4	11	14	9	20	18	5	-
216	Mildenhall	159	85	21	1	3	5	3	33	6	2	3	1	7	4	5	5	9	9	1	-
217	Stow	358	211	33	11	3	2	4	53	9	6	13	7	15	12	13	21	22	22	16	2
218	Hartismere	312	164	31	9	4	3	2	49	11	7	6	11	12	10	8	12	16	18	4	-
219	Hoxne	241	141	26	10	5	3	1	45	8	3	4	1	10	7	5	9	16	16	14	-
220	Bosmere	235	151	26	9	3	3	1	42	4	7	6	5	9	7	7	14	22	22	6	-
221	Samford	202	124	23	9	2	3	3	40	8	4	8	4	8	6	8	14	6	15	8	-
222	Ipswich	631	429	80	35	10	6	5	136	14	15	11	23	24	32	36	30	48	49	18	-
223	Woodbridge	348	257	45	18	5	4	2	74	7	8	5	13	23	28	13	12	34	27	12	1
224	Plomesgate	323	199	38	11	10	3	3	65	12	5	9	12	16	11	5	9	25	23	7	-
225	Blything	429	241	43	12	5	6	3	69	14	6	5	15	20	16	12	18	14	35	17	-
226	Wangford	198	106	26	-	1	-	1	28	1	3	4	4	5	10	9	9	8	19	6	-
227	Mutford	486	214	52	9	4	7	2	74	7	3	4	7	18	7	18	12	23	24	15	2‡

* Aged 105. † One aged 100. ‡ One aged 104.

IV.—EASTERN COUNTIES.—DEATHS at different Ages, 1864—DISTRICTS—*continued*.

No.	DISTRICTS.	TOTAL BIRTHS.	TOTAL DEATHS.	MALES. AGES AT DEATH. Under 1 Year.	1	2	3	4	Under 5 Years.	5–	10–	15–	20–	25–	35–	45–	55–	65–	75–	85–	95 & upwds.
	16.—NORFOLK.																				
228	Yarmouth	583	423	114	37	11	12	6	180	12	7	13	11	25	36	32	31	36	35	6	2
229	Flegg	157	85	30	4	6	1	1	42	8	3	1	3	2	3	4	6	12	20	20	5	8	1
230	Tunstead	275	160	41	7	8	3	3	62	12	4	3	8	7	9	9	15	17	25	16	8	4	1
231	Erpingham	342	203	56	10	4	7	6	83	8	2	5	8	9	13	10	5	15	24	21	4	2	1
232	Aylsham	313	224	48	12	14	10	6	90	19	8	4	9	13	6	10	4	6	16	10	2	2	
233	St. Faiths (*a*)	182	119	21	10	2	3	1	37	7	2	5	3	2	5	3	3	12	11	7	1	1	
234	Norwich (*a*)	1289	554	211	68	43	32	23	377	59	18	23	27	41	52	72	77	110	78	18	8	1	2
235	Forehoe	192	139	31	4	–	3	2	40	6	3	3	3	2	5	10	12	25	10	8	1	–	
236	Henstead	181	91	20	1	4	3	3	31	7	1	3	3	2	5	3	3	12	11	6	7	–	
237	Blofield	176	124	22	2	3	2	–	29	2	4	7	3	10	7	7	8	17	18	7	1	1	
238	Loddon	231	139	39	4	–	1	2	46	3	2	3	3	8	5	7	9	21	22	12	2	–	
239	Depwade	426	286	67	11	5	7	8	98	9	6	7	5	26	11	10	20	30	26	13	2	–	
240	Guiltcross	249	117	24	2	5	1	4	36	6	3	2	5	6	4	5	4	13	13	6	1	–	
241	Wayland	172	91	23	6	3	4	–	36	2	1	2	2	2	3	6	4	13	4	6	1	–	
242	Mitford	447	319	74	16	5	5	7	107	11	5	11	8	21	16	13	27	41	41	17	1	–	
243	Walsingham	353	295	57	19	17	13	11	119	40	16	7	8	17	5	9	19	22	24	9	1	–	
244	Docking	284	170	37	11	7	3	1	59	10	10	7	4	10	2	6	11	18	19	13	1	–	
245	Freebridge Lynn	225	135	30	10	–	2	3	45	4	4	5	6	8	7	3	13	21	15	4	–	–	
246	Kings Lynn	361	246	74	26	6	6	5	117	10	9	6	3	8	12	15	19	22	17	6	1	–	
247	Downham	245	125	29	3	1	2	3	38	5	2	1	4	7	9	12	7	19	18	3	–	–	
248	Swaffham	295	210	44	9	4	4	11	72	9	9	6	7	12	8	12	21	23	23	8	–	–	
249	Thetford																						

V.—SOUTH WESTERN COUNTIES.

	17.—WILTSHIRE.																					
250	Highworth	406	221	57	27	5	1	4	94	10	5	6	7	12	13	16	20	22	14	4	1	–
251	Cricklade	191	127	27	11	3	5	2	48	3	4	2	4	7	4	3	12	18	15	5	2	–
252	Malmsbury	251	150	33	9	3	4	1	50	6	4	2	4	11	6	11	9	21	25	17	6	2
253	Chippenham	332	211	46	16	6	7	2	77	9	4	11	6	11	13	9	21	25	17	6	2	–
254	Calne	151	100	31	6	1	2	3	43	7	5	3	1	5	8	11	12	10	6	3	1	–
255	Marlborough	168	125	30	4	5	5	4	48	7	5	3	6	3	8	11	15	12	10	6	1	–
256	Devizes	288	238	27	11	9	4	5	56	3	5	11	5	12	20	19	24	33	32	7	1	–
257	Melksham	276	202	57	13	1	3	2	76	10	3	7	5	7	9	14	15	29	19	7	1	–
258	Bradford-on-Avon	164	133	22	7	8	6	4	47	5	2	1	5	7	6	7	12	18	12	4	1	–
259	Westbury	185	129	27	11	3	3	4	48	5	2	5	1	5	10	7	12	17	13	4	1	–
260	Warminster	252	167	35	11	4	2	2	54	2	6	1	5	8	17	11	15	18	19	10	1	–
261	Pewsey	195	148	24	13	5	6	6	54	14	3	3	4	6	9	7	11	17	12	7	–	–
262	Amesbury	131	80	12	6	4	–	2	24	4	1	3	2	4	7	9	5	9	9	5	–	–
263	Alderbury	242	176	22	11	3	6	3	45	4	3	3	5	11	19	23	19	23	12	4	2	–
264	Salisbury	149	92	14	9	4	2	1	30	5	2	2	1	3	3	6	11	9	12	6	2	–
265	Wilton	184	109	17	12	3	1	3	37	5	1	2	1	3	3	3	7	17	17	16	3	–
266	Tisbury	151	100	16	5	4	1	2	28	4	1	2	3	5	4	3	5	16	15	6	–	–
267	Mere	151	63	10	1	4	–	–	21	2	1	3	4	2	4	5	3	6	10	2		
	18.—DORSETSHIRE.																					
268	Shaftesbury	214	115	29	9	2	1	1	42	3	4	1	3	6	5	8	13	14	10	6	–	–
269	Sturminster	185	109	13	7	1	3	1	25	2	3	2	4	8	13	4	12	17	14	6	1	–
270	Blandford	212	132	24	13	5	3	4	49	3	2	2	3	6	10	10	14	24	24	8	–	–
271	Wimborne	277	167	32	11	6	3	2	54	4	1	6	2	9	6	5	8	10	22	15	8	–
272	Poole	258	153	31	16	3	4	2	56	8	4	5	7	6	8	10	8	13	24	20	7	–
273	Wareham	200	157	43	13	8	3	1	68	1	5	4	2	3	14	10	8	13	24	24	7	–
274	Weymouth	461	274	35	20	17	9	5	106	9	5	4	12	17	20	19	11	37	24	17	2	–
275	Dorchester	427	262	60	17	8	7	–	92	8	10	3	6	4	14	20	15	35	25	18	10	1
276	Sherborne	217	117	21	6	5	–	–	32	1	1	3	3	2	7	8	6	9	9	9	4	–
277	Beaminster	216	154	30	15	4	5	2	56	5	3	3	2	7	8	6	9	12	19	16	4	1
278	Bridport	300	199	64	18	7	2	6	92	3	5	9	3	7	10	4	13	27	21	5		
	19.—DEVONSHIRE.																					
279	Axminster	328	213	42	23	7	4	2	78	9	8	9	7	8	9	10	15	12	28	15	10	2
280	Honiton	349	203	50	12	6	2	3	73	3	3	2	5	6	9	5	16	15	27	32	6	–
281	St. Thomas	716	552	142	28	23	12	17	172	44	12	15	17	8	29	29	35	30	47	75	66	17	1*
282	Exeter	592	500	105	53	23	22	13	216	37	15	17	10	24	29	35	43	38	31	6	1	–	3†
283	Newton Abbot	945	586	139	34	17	17	5	212	18	13	17	10	30	40	44	43	63	60	15	1	–	
284	Totnes	547	386	80	19	19	6	6	130	21	5	8	14	21	22	23	28	49	49	15	1	–	
285	Kingsbridge	300	177	37	14	5	3	7	66	4	2	4	3	3	13	5	12	22	32	26	6	1	2‡
286	Plympton St. Mary	360	224	50	20	8	6	5	89	11	5	8	5	8	15	12	22	32	36	14			
287	Plymouth	1095	734	185	72	34	21	12	328	35	12	11	16	41	47	58	52	69	36	14			
288	East Stonehouse	273	203	45	15	8	3	6	77	4	2	4	11	16	40	43	27	32	46	47	6	–	
289	Stoke Damerell	891	496	131	45	15	8	5	204	12	12	11	15	40	43	27	32	46	47	7	1	–	
290	Tavistock	455	314	89	43	28	36	17	213	32	12	12	12	16	20	24	36	32	29	6	–	–	
291	Okehampton	270	175	34	9	3	3	3	58	5	3	4	4	6	4	9	13	38	22	9	–	–	
292	Crediton	294	164	26	6	2	2	3	39	4	5	2	10	9	5	9	15	33	24	9	–	–	
293	Tiverton	459	354	63	24	16	8	17	128	28	7	8	14	16	14	21	23	40	39	16	4	–	
294	South Molton	334	167	34	8	3	–	1	48	7	4	4	6	9	6	6	16	31	26	4	–	–	
295	Barnstaple	555	283	54	6	7	4	1	72	13	4	11	9	20	17	14	18	42	39	14	1	–	
296	Torrington	232	160	30	7	4	3	5	49	7	1	4	1	8	9	9	16	27	24	12	1	2	
297	Bideford	305	178	52	14	7	4	3	80	11	4	3	3	4	5	8	11	16	25	21	10	5	
298	Holsworthy	150	97	19	10	4	2	2	37	4	4	3	3	4	5	3	4	7	18	5			
	20.—CORNWALL.																					
299	Stratton	128	71	13	6	1	–	–	20	2	3	5	1	6	2	2	12	8	8	2	–	–
300	Camelford	136	74	16	5	6	–	2	29	5	4	1	2	3	8	4	11	13	20	22	7	1
301	Launceston	307	187	33	13	14	5	4	69	13	8	2	5	12	12	11	22	24	21	4	–	–
302	St. Germans	291	206	54	19	6	2	2	83	10	1	6	3	9	12	11	22	27	21	12	1	–
303	Liskeard	677	452	118	43	22	20	8	211	29	13	9	11	22	17	21	33	38	26	12	1	–
304	Bodmin	284	216	45	17	4	4	1	71	6	4	6	3	11	19	13	22	33	26	8	–	–
305	St. Columb	206	176	39	13	7	5	5	69	17	6	1	6	2	3	2	10	11	28	16	6	–

(*a*) See p. 12, note *.

* Aged 102.

† One aged 101 and one 104.

‡ One aged 100.

IV.—EASTERN COUNTIES.—DEATHS at different Ages, 1864—DISTRICTS—*continued.*

No.	DISTRICTS.	TOTAL BIRTHS.	TOTAL DEATHS.	FEMALES. AGES AT DEATH. Under 1 Year.	1	2	3	4	Under 5 Years.	5–	10–	15–	20–	25–	35–	45–	55–	65–	75–	85–	95 & upwards
	16.—NORFOLK.																				
228	YARMOUTH	516	332	70	26	14	11	5	126	9	2	8	15	29	19	25	28	37	42	12	-
229	FLEGG	169	66	14	2	1	1	1	19	5	-	7	2	-	3	4	2	8	11	5	-
230	TUNSTEAD	239	138	29	3	2	4	3	41	5	3	2	7	6	13	5	9	16	20	4	4
231	ERPINGHAM	330	181	41	4	3	1	2	51	4	5	15	6	12	13	11	10	19	26	10	-
232	AYLSHAM	316	234	45	4	12	4	10	75	17	8	11	9	18	5	11	14	26	22	7	1
233	ST. FAITHS (*a*)	158	109	27	2	-	3	6	38	4	4	5	9	7	4	9	6	9	11	3	-
234	NORWICH (*a*)	1281	928	194	50	30	24	17	315	63	29	22	21	64	71	42	71	100	95	33	2
235	FOREHOE	184	125	15	6	4	2	-	27	14	6	4	5	13	8	5	9	9	16	8	1
236	HENSTEAD	167	107	29	11	-	1	2	43	3	1	4	4	6	1	4	8	15	10	6	2
237	BLOFIELD	197	109	22	2	-	1	1	26	2	2	7	7	9	11	5	13	11	13	3	-
238	LODDON	204	123	27	3	2	2	2	36	3	2	3	6	7	6	8	8	18	18	8	-
239	DEPWADE	420	267	55	7	3	7	3	73	18	8	15	8	15	12	14	25	27	30	16	1
240	GUILTCROSS	199	137	29	6	5	2	4	46	8	8	8	11	6	12	7	13	12	12	2	-
241	WAYLAND	178	134	27	7	2	3	2	41	8	4	7	9	6	9	6	8	12	17	7	-
242	MITFORD	421	287	62	15	4	2	7	90	15	10	6	13	23	15	14	30	26	32	11	2
243	WALSINGHAM	317	278	48	14	15	9	14	100	36	14	8	14	10	13	12	16	26	23	4	1
244	DOCKING	298	175	40	7	-	3	6	56	8	6	5	9	13	7	3	13	21	28	5	1
245	FREEBRIDGE LYNN	233	131	34	7	5	2	5	53	3	5	2	4	5	9	8	10	12	12	7	1
246	KINGS LYNN	243	198	35	7	10	4	2	58	6	5	4	8	12	17	6	23	18	30	11	-
247	DOWNHAM	359	244	58	13	5	9	3	88	14	8	11	11	11	6	12	15	20	29	19	-
248	SWAFFHAM	231	154	31	4	2	1	3	41	5	3	4	2	11	6	6	7	5	21	3	-
249	THETFORD	277	224	38	10	2	6	5	61	15	10	7	6	20	19	14	22	21	19	9	1

V.—SOUTH WESTERN COUNTIES.

	17.—WILTSHIRE.																				
250	HIGHWORTH	372	220	46	17	12	9	3	87	11	5	9	9	11	24	10	13	17	18	5	1
251	CRICKLADE	175	120	16	8	4	6	4	38	7	4	5	8	6	5	9	10	16	9	3	1
252	MALMSBURY	227	136	25	3	5	3	5	41	5	4	4	2	7	9	9	15	19	12	9	-
253	CHIPPENHAM	348	235	44	13	4	5	2	73	13	5	5	12	21	16	17	19	26	25	6	-
254	CALNE	151	81	14	3	3	4	2	26	1	2	3	5	2	7	4	5	11	10	6	-
255	MARLBOROUGH	162	118	18	5	7	2	1	37	11	5	7	3	7	6	6	5	16	10	5	-
256	DEVIZES	297	217	19	8	2	4	5	34	6	5	4	5	17	19	20	27	35	37	8	-
257	MELKSHAM	308	196	32	9	4	2	1	49	4	1	8	7	19	14	6	23	37	25	3	-
258	BRADFORD-ON-AVON	152	140	12	8	3	6	2	33	8	1	5	3	11	6	6	18	20	21	6	2
259	WESTBURY	189	131	20	12	7	2	4	44	7	2	6	4	4	8	8	5	26	14	3	-
260	WARMINSTER	232	184	19	10	3	3	3	38	6	8	5	9	10	12	18	14	28	29	7	-
261	FEWSEY	209	146	20	6	5	6	3	38	14	2	7	7	11	14	6	15	16	13	3	1
262	AMESBURY	120	79	13	7	1	1	1	23	6	2	-	-	4	6	3	9	15	9	-	-
263	ALDERBURY	240	148	22	5	2	3	4	32	4	6	3	10	11	9	12	14	20	22	5	1
264	SALISBURY	157	111	17	6	3	1	-	28	2	2	5	4	3	13	14	16	13	7	3	1
265	WILTON	174	88	11	7	2	4	1	25	4	3	2	2	8	2	6	10	8	12	6	-
266	TISBURY	151	94	20	8	1	-	1	30	2	-	2	2	5	7	7	11	9	14	5	-
267	MERE	143	80	11	2	2	1	2	18	-	2	2	1	6	7	3	4	18	13	6	-
	18.—DORSETSHIRE.																				
268	SHAFTESBURY	206	153	21	9	3	6	5	44	9	2	5	7	8	7	13	8	23	21	6	-
269	STURMINSTER	196	107	14	5	1	2	-	22	4	5	4	5	11	3	3	7	15	15	8	-
270	BLANDFORD	221	128	21	4	4	4	3	36	9	2	4	6	6	8	8	8	14	20	7	-
271	WIMBORNE	290	191	35	14	6	2	1	58	5	6	1	5	9	13	14	19	12	32	14	3
272	POOLE	237	128	20	5	7	4	2	38	6	3	3	6	11	7	9	13	19	7	6	-
273	WAREHAM	272	153	20	7	2	4	1	34	3	1	3	4	14	9	10	18	29	20	8	-
274	WEYMOUTH	443	270	39	21	15	5	3	78	12	6	8	12	16	13	13	22	37	36	17	1
275	DORCHESTER	378	242	36	11	6	9	3	64	3	6	5	7	16	24	17	25	37	28	9	1
276	SHERBORNE	259	134	21	10	3	4	1	39	4	4	2	5	11	6	8	16	21	11	7	-
277	BRIDMINSTER	202	131	21	6	2	5	3	37	11	2	3	4	6	6	4	5	18	26	8	1
278	BRIDPORT	266	214	32	7	9	5	6	59	11	7	5	8	18	17	11	16	28	21	11	2
	19.—DEVONSHIRE.																				
279	AXMINSTER	313	204	27	11	9	6	4	57	13	9	4	5	12	14	13	18	25	24	10	-
280	HONITON	362	197	31	10	2	3	2	48	5	3	2	10	15	18	13	15	32	27	9	-
281	ST. THOMAS	723	576	85	31	24	17	14	171	42	8	10	19	31	32	28	53	74	78	27	3
282	EXETER	489	492	67	48	26	17	14	172	26	17	10	22	31	28	27	53	56	58	10	2
283	NEWTON ABBOT	908	570	108	32	14	13	6	173	25	10	17	24	37	41	29	53	65	77	15	4
284	TOTNES	542	333	49	16	18	12	4	99	22	5	13	14	22	11	11	22	31	55	20	2
285	KINGSBRIDGE	319	185	27	11	4	4	5	51	10	9	6	11	10	9	9	11	18	33	7	1
286	PLYMPTON ST. MARY	302	190	35	14	6	5	6	66	16	3	10	4	10	7	14	8	23	20	8	1
287	PLYMOUTH	1078	736	162	56	18	18	11	265	33	13	18	26	63	43	60	55	56	87	15	2
288	EAST STONEHOUSE	266	154	37	11	6	9	3	66	3	1	6	8	13	12	6	15	16	12	3	-
289	STOKE DAMEREL	615	511	113	31	19	12	8	181	15	11	13	11	44	40	31	45	48	57	9	3
290	TAVISTOCK	582	463	55	45	41	29	25	195	85	28	7	14	14	15	27	19	25	24	8	2*
291	OKEHAMPTON	299	155	21	7	2	5	1	36	9	5	1	6	6	9	7	13	24	27	11	1
292	CREDITON	327	209	27	4	8	3	4	46	11	4	4	5	10	7	15	15	40	37	15	-
293	TIVERTON	469	329	43	24	22	10	9	108	29	16	6	13	15	15	20	10	34	46	17	-
294	SOUTH MOLTON	293	182	23	8	9	10	1	51	6	9	4	6	14	4	8	13	31	35	1	-
295	BARNSTAPLE	572	348	50	9	4	4	6	73	13	3	11	19	18	23	15	31	59	54	27	2†
296	TORRINGTON	245	143	19	7	7	4	4	41	6	4	3	6	8	9	5	10	17	23	11	-
297	HIDEFORD	235	198	19	10	3	12	4	48	5	5	-	7	9	9	13	17	39	38	7	1
298	HOLSWORTHY	135	81	10	2	2	3	2	19	4	4	3	2	6	4	4	8	13	11	3	-
	20.—CORNWALL.																				
299	STRATTON	122	68	11	4	1	1	-	17	4	2	-	3	4	4	5	1	8	14	5	1
300	CAMELFORD	141	91	20	2	2	1	3	28	2	3	4	3	8	5	8	5	15	8	2	1
301	LAUNCESTON	257	184	26	16	7	8	5	62	14	5	2	4	11	8	6	14	26	28	5	1
302	ST. GERMANS	289	197	39	6	11	2	3	61	13	6	3	5	15	11	14	21	14	22	12	-
303	LISKEARD	637	402	85	43	22	19	11	180	28	10	7	13	16	20	19	18	35	45	11	-
304	BODMIN	310	210	33	9	5	7	4	58	13	3	12	9	11	11	10	18	30	30	5	-
305	ST. COLUMB	245	170	32	12	8	10	4	66	8	6	5	4	8	6	14	10	15	17	10	1

(*a*) See p. 12, note *.

* One aged 100.

† One aged 101 and one 102.

V.—SOUTH WESTERN COUNTIES.—DEATHS at different Ages, 1864—DISTRICTS—*continued*.

No.	DISTRICTS.	TOTAL BIRTHS.	TOTAL DEATHS.	MALES. AGES AT DEATH. Under 1 Year.	1	2	3	4	Under 5 Years.	5–	10–	15–	20–	25–	35–	45–	55–	65–	75–	85–	95 upwards
	20.—CORNWALL—*cont.*																				
306	St. Austell	585	321	72	19	16	5	9	121	12	12	9	7	12	10	18	28	47	37	9	1
307	Truro	759	436	106	31	13	14	12	179	22	13	11	13	14	17	20	47	43	42	15	–
308	Falmouth	426	253	69	20	10	3	1	103	3	7	9	11	14	11	11	30	30	19	5	–
309	Helston	355	330	106	25	12	6	4	153	9	6	7	11	8	17	9	20	30	35	27	5	–
310	Redruth	1117	597	183	46	18	18	8	273	30	17	24	21	37	37	37	54	44	29	4	–
311	Penzance	1030	640	209	55	27	12	6	309	28	15	15	23	24	32	34	52	70	32	6	–
312	Scilly Islands	26	23	5	–	–	–	–	5	–	–	1	2	–	4	2	–	3	4	2	–
	21.—SOMERSETSHIRE.																				
313a	Williton	309	197	30	18	6	9	2	65	5	4	10	2	13	9	14	19	17	32	6	1
313b	Dulverton	86	90	13	8	4	7	2	34	3	3	2	3	3	6	3	12	13	5	–	–
314	Wellington	301	242	34	15	15	19	8	91	16	12	3	6	15	7	12	12	23	23	11	1
315	Taunton	530	343	51	17	11	12	4	95	20	7	9	15	7	21	20	28	51	42	19	–
316	Bridgwater	610	345	84	24	10	13	7	138	23	4	4	12	17	15	18	27	33	40	11	–
317	Langport	279	220	33	11	19	7	7	77	15	4	3	8	14	8	14	17	27	28	5	–
318	Chard	449	309	83	27	12	11	12	145	22	8	8	9	11	6	17	21	26	33	3	–
319	Yeovil	514	326	80	18	22	12	8	140	22	7	4	3	8	24	21	21	31	39	6	–
320	Wincanton	370	210	52	15	2	5	1	75	7	5	–	3	12	9	15	21	25	29	8	–
321	Frome	368	249	53	13	5	2	2	75	8	6	8	7	13	17	17	25	23	39	11	–
322	Shepton Mallet	251	150	36	9	3	2	3	53	4	4	2	2	9	11	11	9	19	24	–	–
323	Wells	324	254	47	9	6	6	5	73	7	4	4	13	14	20	19	24	29	37	10	–
324	Axbridge	538	325	63	19	7	10	5	104	17	9	5	9	15	22	22	33	41	36	12	–
325	Clutton	393	247	50	18	12	12	3	95	30	5	5	4	14	12	10	20	28	36	7	–
326	Bath	924	582	167	68	43	42	33	353	53	16	16	18	48	50	51	91	91	58	17	–
327	Keynsham	343	256	51	15	19	10	10	105	17	5	7	10	8	10	15	16	30	25	7	1
328	Bedminster	853	486	128	45	17	15	7	212	26	13	12	13	32	33	26	35	45	28	11	–

VI.—WEST MIDLAND COUNTIES.

	22.—GLOUCESTERSH.																				
329	Bristol	1173	907	209	74	41	13	24	361	33	24	38	36	70	67	86	71	67	41	12	1
330	Clifton	1741	1178	285	97	58	28	27	495	39	29	21	44	70	78	80	89	121	91	19	2
331	Chipping Sodbury	303	198	41	8	4	7	4	64	10	6	3	7	14	12	13	20	20	22	6	1
332	Thornbury	285	158	24	5	4	–	2	35	6	2	5	–	10	6	10	22	24	17	7	1
333	Dursley	211	143	22	5	2	2	1	33	6	2	5	–	10	6	10	22	24	17	7	1
334	Westbury-on-Severn	376	221	53	15	12	2	8	90	11	8	3	8	7	10	15	19	18	22	9	1
335	Newent	219	156	37	6	6	4	1	54	4	3	5	1	8	6	10	7	14	16	7	1*
336	Gloucester	696	435	100	25	15	5	9	154	15	14	19	12	22	34	36	57	36	32	5	1
337	Wheatenhurst	121	76	12	1	1	–	1	15	2	2	4	2	2	7	7	6	15	13	1	–
338	Stroud	618	426	85	22	18	16	13	154	12	9	10	17	20	21	21	41	49	56	15	–
339	Tetbury	96	68	10	3	7	2	2	24	5	1	1	3	2	3	2	6	8	9	2	–
340	Cirencester	346	199	47	3	7	2	11	70	8	4	4	3	5	16	13	20	21	21	11	1
341	Northleach	172	100	22	6	4	1	4	37	2	–	1	6	3	5	11	17	17	17	1	–
342	Stow-on-the-Wold	169	98	17	8	1	–	3	29	5	1	4	2	7	4	5	10	17	9	5	–
343	Winchcomb	174	91	20	7	1	1	3	32	4	3	3	2	1	4	9	4	14	15	–	–
344	Cheltenham	718	504	123	19	12	13	12	179	15	4	12	12	31	41	35	53	60	46	15	1
345	Tewkesbury	250	154	36	10	5	5	3	59	2	5	3	4	6	8	9	11	24	16	7	–
	23.—HEREFORDSHIRE.																				
346	Ledbury	213	167	22	11	7	12	6	58	7	7	4	5	10	6	7	17	27	14	4	1
347	Ross	275	184	34	11	8	5	6	64	12	7	6	9	12	10	18	15	14	5	–	–
348	Hereford	643	512	97	22	15	14	5	153	21	9	12	15	27	42	50	52	57	52	17	2†
349	Weobly	145	96	17	2	4	2	2	27	–	–	4	4	4	4	8	10	11	19	4	1
350	Bromyard	191	133	28	4	5	3	5	45	6	2	5	2	3	6	5	13	25	14	7	–
351	Leominster	225	175	30	4	3	2	3	42	7	3	7	8	8	17	18	19	23	17	6	–
	24.—SHROPSHIRE.																				
352	Ludlow	303	196	45	16	2	1	1	65	10	2	6	6	9	11	13	19	32	13	9	1
353	Clun	192	96	13	6	1	2	–	22	8	1	5	2	6	7	2	9	15	11	8	–
354	Church Stretton	104	48	11	4	2	1	–	18	–	1	–	4	2	4	1	3	8	5	1	–
355	Cleobury Mortimer	124	75	11	1	–	–	–	12	8	3	5	2	4	4	5	6	16	11	4	–
356	Bridgnorth	248	138	21	11	7	1	2	42	4	1	3	5	4	7	10	17	17	9	–	–
357	Shiffnal	235	126	32	5	7	2	2	48	8	3	3	1	7	9	10	8	19	14	3	–
358	Madeley	576	393	93	30	16	13	9	170	22	14	16	7	20	21	22	30	45	19	5	4‡
359	Atcham	272	172	33	6	7	2	7	55	6	7	8	5	11	12	9	14	26	12	7	–
360	Shrewsbury	419	266	72	23	12	5	6	118	16	9	11	16	34	36	38	34	40	36	8	–
361	Oswestry	478	297	64	15	6	6	4	95	12	7	18	15	16	17	18	26	44	20	9	1
362	Ellesmere	226	165	28	7	5	3	1	44	4	3	5	10	17	11	11	16	22	14	7	1
363a	Wem	186	109	18	5	3	5	–	31	5	2	2	3	4	5	12	14	18	10	3	–
363b	Whitchurch	192	124	35	9	3	–	3	49	3	2	3	3	5	7	5	14	18	14	1	–
364	Market Drayton	216	153	38	4	6	3	–	51	7	6	3	3	3	13	12	15	12	19	4	–
365	Wellington	471	280	93	15	4	10	3	125	8	3	3	6	12	18	19	35	20	24	7	–
366	Newport	248	182	34	4	5	5	3	51	2	3	2	7	9	8	7	13	14	12	4	–
	25.—STAFFORDSHIRE.																				
367	Stafford	432	312	60	9	12	5	4	90	12	12	14	17	32	30	24	32	30	15	3	–
368	Stone	357	218	59	21	5	5	1	91	10	2	8	7	9	12	11	22	20	18	7	1
369	Newcastle-under-Lyme	564	288	82	20	15	7	4	128	7	3	4	5	13	22	19	19	35	26	7	–
370	Wolstanton	1379	821	263	87	42	23	16	431	24	18	18	19	43	58	63	70	47	55	5	1
371	Stoke-upon-Trent	1715	1100	325	102	35	30	13	505	44	19	23	29	61	87	107	90	88	40	6	1§
372	Leek	457	272	68	23	12	5	2	110	5	7	9	8	14	19	18	26	22	27	9	1
373	Cheadle	416	232	56	15	6	2	1	80	8	4	8	7	15	19	16	20	31	18	6	–
374	Uttoxeter	209	147	24	8	3	5	2	42	10	4	1	3	10	5	11	11	21	23	6	1
375	Burton-upon-Trent	888	513	159	47	18	17	13	234	14	12	14	23	39	27	23	42	47	30	8	–
376	Tamworth	288	169	39	7	11	9	3	69	6	5	4	7	10	13	9	15	15	22	–	–
377	Lichfield	451	321	89	15	12	7	4	127	23	8	6	14	20	22	15	24	32	22	8	–
378	Penkridge	300	218	53	12	7	5	9	86	8	9	7	5	19	9	12	21	19	15	8	–
379	Wolverhampton	2795	1960	583	207	87	94	62	1033	113	44	39	52	101	114	121	134	129	69	11	–
380	Walsall	1505	1014	285	116	75	37	32	543	66	15	25	23	54	61	54	66	70	33	7	–
381	West Bromwich	2200	1257	391	147	54	39	22	653	57	35	43	56	57	64	87	78	74	45	8	–
382	Dudley	3252	2161	712	286	130	98	70	1296	124	43	50	43	98	102	95	104	121	69	16	–

* Aged 102. † One aged 109. ‡ One aged 100. § Aged 104.

V.—SOUTH WESTERN COUNTIES.—DEATHS at different Ages, 1864—DISTRICTS—*continued.*

No.	DISTRICTS.	TOTAL BIRTHS.	TOTAL DEATHS.	FEMALES. AGES AT DEATH. Under 1 Year.	1	2	3	4	Under 5 Years.	5–	10–	15–	20–	25–	35–	45–	55–	65–	75–	85–	95 & upwards
	20.—CORNWALL—*cont.*																				
306	St. Austell	594	329	72	20	17	6	4	119	17	11	14	8	25	23	17	15	36	27	15	2
307	Truro	763	482	92	34	22	12	7	167	17	15	15	23	29	24	25	38	49	61	20	1
308	Falmouth	395	273	71	11	9	6	6	103	6	2	3	10	14	15	20	25	32	33	10	1
309	Helston	550	293	80	13	7	5	7	115	12	6	10	10	14	11	18	20	32	32	13	–
310	Redruth	1038	562	165	47	11	14	11	248	20	10	18	19	29	30	27	46	51	53	11	–
311	Penzance	1002	642	170	54	24	19	5	272	28	11	15	26	35	31	34	30	67	67	25	1
312	Scilly Islands	38	24	–	–	–	–	–	–	–	–	–	3	2	4	2	3	4	4	2	–
	21.—SOMERSETSHIRE.																				
313a	Williton	296	169	18	17	8	2	6	51	6	4	5	6	7	11	8	9	30	27	5	
313b	Dulverton	89	77	9	5	6	5	7	32	11	2	–	1	2	4	2	5	7	7	3	1
314	Wellington	265	237	22	17	22	20	8	89	16	9	11	8	19	12	13	17	26	36	9	2
315	Taunton	481	358	51	20	10	7	13	101	19	6	11	11	23	23	26	31	30	60	22	5
316	Bridgwater	560	327	56	21	14	5	7	103	6	4	12	8	21	17	10	31	40	59	14	2
317	Langport	289	202	21	14	9	11	5	60	6	7	7	10	9	7	12	9	21	40	12	2*
318	Chard	388	295	49	21	13	14	7	104	17	15	10	5	13	14	12	23	20	40	12	–
319	Yeovil	479	288	62	17	10	7	12	108	20	5	12	9	8	13	18	21	39	22	13	–
320	Wincanton	329	209	35	9	4	5	4	57	7	6	7	9	15	12	14	18	28	26	10	–
321	Frome	351	254	27	10	9	4	1	51	9	3	11	11	21	22	14	22	34	41	14	1
322	Shepton Mallet	252	182	30	3	6	5	2	46	6	4	–	12	10	10	12	16	27	28	11	–
323	Wells	290	220	35	9	9	7	4	64	4	3	6	5	14	19	16	27	22	28	11	1†
324	Axbridge	522	375	62	16	16	8	7	109	14	13	15	20	19	23	25	20	47	47	22	1‡
325	Clutton	367	274	39	12	8	18	10	87	36	12	10	8	18	12	9	16	31	21	14	–
326	Bath	882	949	139	52	40	33	32	296	60	17	24	32	55	45	69	91	110	124	35	1
327	Keynsham	355	284	47	19	12	10	6	94	13	13	20	11	16	13	14	16	29	27	14	2§
328	Bedminster	772	491	107	40	17	15	4	183	28	6	16	16	33	22	25	43	52	55	11	1

VI.—WEST MIDLAND COUNTIES.

	22.—GLOUCESTERSH.																				
329	Bristol	1131	946	157	78	32	25	17	309	28	23	28	32	62	68	84	73	108	99	31	1‖
330	Clifton	1659	1254	258	90	56	32	27	463	46	30	27	45	87	81	80	113	131	102	46	3
331	Chipping Sodbury	306	197	29	9	6	6	4	54	14	13	4	9	10	6	10	12	29	25	10	1
332	Thornbury	257	136	17	7	2	5	2	33	6	5	5	7	6	5	9	12	17	24	7	–
333	Dursley	202	143	17	4	3	1	2	27	11	2	2	4	6	10	5	13	20	24	9	–
334	Westbury-on-Severn	355	188	29	19	11	2	10	71	10	6	7	7	9	12	12	12	18	19	5	–
335	Newent	188	138	17	5	4	4	3	33	5	4	5	2	7	14	8	9	26	17	8	–
336	Gloucester	632	408	88	25	18	4	5	135	17	13	5	11	44	31	21	27	47	36	15	1¶
337	Wheatenhurst	101	65	8	1	–	–	1	10	1	–	4	3	2	8	8	7	9	11	2	–
338	Stroud	608	436	72	30	14	11	5	132	22	15	13	16	26	28	37	46	50	84	17	–
339	Tetbury	100	70	13	6	3	3	3	28	3	1	–	4	2	2	3	9	11	6	1	–
340	Cirencester	341	202	31	11	4	4	3	53	9	2	4	7	14	14	11	21	25	28	13	1
341	Northleach	183	107	25	5	1	–	–	31	6	3	3	–	9	9	7	10	10	12	6	1
342	Stow-on-the-Wold	161	108	23	5	4	3	–	35	5	2	1	6	3	12	4	10	9	13	8	–
343	Winchcombe	159	113	15	8	2	–	3	28	8	5	4	4	13	4	7	7	11	18	4	–
344	Cheltenham	663	460	69	16	11	6	5	107	14	8	14	16	26	29	26	48	73	79	19	1
345	Tewkesbury	224	175	27	6	7	3	6	49	3	5	9	9	11	12	11	9	22	24	9	2
	23.—HEREFORDSHIRE.																				
346	Ledbury	219	142	25	8	5	9	4	51	7	4	1	8	7	5	4	13	22	15	5	–
347	Ross	270	182	28	7	12	13	4	64	11	2	5	4	14	15	4	10	18	22	13	–
348	Hereford	658	487	89	23	22	13	12	159	25	7	9	15	39	33	30	47	52	51	19	1
349	Weobly	147	83	13	2	1	3	2	21	3	–	2	2	6	5	9	5	15	11	4	–
350	Bromyard	186	116	16	10	4	3	2	35	6	3	4	5	5	2	4	10	19	13	10	–
351	Leominster	294	199	39	3	3	8	2	46	7	9	9	6	14	10	11	19	26	25	8	–
	24.—SHROPSHIRE.																				
352	Ludlow	273	180	29	12	4	3	2	61	3	4	2	3	11	12	8	16	25	23	9	–
353	Clun	163	100	21	3	3	1	1	29	4	4	3	2	8	2	4	13	10	17	4	–
354	Church Stretton	100	71	10	4	1	1	–	16	3	2	2	2	7	7	2	8	10	8	4	–
355	Cleobury Mortimer	116	51	6	2	–	1	–	9	2	1	3	–	3	3	6	7	5	6	5	1
356	Bridgnorth	218	165	28	5	5	4	1	43	6	4	7	6	14	12	8	13	22	19	9	2**
357	Shiffnal	198	132	32	8	5	4	4	53	6	4	5	2	7	4	8	7	20	13	3	–
358	Madeley	610	349	79	24	11	10	14	138	23	14	11	9	23	21	21	17	39	25	8	–
359	Atcham	289	188	30	6	4	1	2	43	13	1	8	10	8	3	6	18	23	41	14	–
360	Shrewsbury	418	321	53	15	12	4	6	90	4	6	11	11	29	31	33	21	34	35	14	2
361	Oswestry	423	275	68	16	7	12	5	98	15	7	10	12	16	16	15	18	24	29	11	1
362	Ellesmere	241	144	32	3	3	4	–	42	3	4	8	7	11	10	10	6	13	22	7	1
363a	Wem	162	105	15	5	4	2	3	29	2	4	4	5	8	5	5	6	10	17	10	–
363b	Whitchurch	172	99	19	3	2	3	1	28	6	–	2	4	4	13	5	7	17	10	3	–
364	Market Drayton	232	141	27	9	7	1	2	46	7	6	5	1	8	7	11	11	17	15	7	–
365	Wellington	483	245	68	20	9	9	3	109	11	9	6	6	14	11	14	16	21	17	11	–
366	Newport	260	153	22	13	3	1	1	40	4	1	2	8	8	8	5	14	16	18	8	1
	25.—STAFFORDSHIRE.																				
367	Stafford	362	283	50	8	9	6	1	74	20	11	10	10	28	24	29	29	25	20	4	1‖
368	Stone	370	239	47	20	6	3	2	78	5	5	10	9	16	16	13	27	28	25	7	–
369	Newcastle under-Lyme	502	275	63	23	10	7	6	109	11	6	5	11	20	15	11	27	35	19	6	–
370	Wolstanton	1326	694	215	88	43	24	14	384	23	10	16	15	48	31	38	47	54	23	5	–
371	Stoke-upon-Trent	1575	885	269	91	36	27	13	436	31	16	27	24	72	63	40	69	63	39	5	–
372	Leek	420	276	47	14	9	8	1	79	6	10	15	11	29	8	23	26	30	31	7	1†
373	Cheadle	408	246	44	6	4	5	5	64	5	3	12	5	15	16	14	12	29	16	5	–
374	Uttoxeter	235	125	25	4	4	3	1	46	8	4	3	4	9	11	6	11	22	16	3	–
375	Burton-upon-Trent	846	491	99	34	30	22	6	191	22	13	10	16	48	29	35	30	44	42	11	–
376	Tamworth	267	174	33	13	9	11	3	69	2	3	8	7	18	11	5	7	22	16	5	1†
377	Lichfield	468	290	59	16	6	7	6	94	15	7	6	11	17	22	14	19	44	33	8	–
378	Penkridge	346	195	53	11	9	5	5	83	9	5	6	5	16	6	11	11	20	19	4	–
379	Wolverhampton	2032	1647	451	186	91	86	48	862	96	35	34	56	81	89	78	117	98	72	24	5††
380	Walsall	1422	820	245	94	64	39	24	466	44	19	19	21	38	52	36	45	42	31	6	1
381	West Bromwich	2097	1115	345	146	72	30	28	621	58	17	26	35	59	67	46	49	72	49	14	2‡
382	Dudley	3160	2015	581	297	168	99	69	1214	104	55	27	48	108	92	64	95	93	72	22	1†

* One aged 102.
** One aged 101.
† Aged 100.
‡ Aged 101.
§ One aged 100.
†† One aged 100, one 101, and one 103.
‖ Aged 102.
¶ Aged 103.

VI.—WEST MIDLAND COUNTIES.—DEATHS at different Ages, 1864—DISTRICTS—*continued.*

No.	DISTRICTS.	TOTAL BIRTHS.	TOTAL DEATHS.	MALES. AGES AT DEATH. Under 1 Year.	1	2	3	4	Under 5 Years.	5–	10–	15–	20–	25–	35–	45–	55–	65–	75–	85–	95 & upwds.
	26.—WORCESTERSHIRE.																				
383	STOURBRIDGE	1611	1045	332	108	56	48	34	578	57	31	21	20	45	51	45	60	78	48	11	-
384	KIDDERMINSTER	529	364	99	31	12	10	6	158	12	8	10	2	10	17	29	35	36	35	12	-
385	TENBURY	139	80	16	5	1	4	-	26	2	1	1	2	5	1	10	6	11	11	3	1
386	MARTLEY	252	153	25	13	9	5	7	59	11	1	2	2	7	4	13	5	25	20	4	-
387	WORCESTER	510	454	117	27	15	14	7	180	17	6	10	13	36	41	34	43	37	30	5	2*
388	UPTON-ON-SEVERN	345	277	55	12	6	8	10	91	11	4	2	10	16	27	28	33	31	21	3	-
389	EVESHAM	249	123	23	4	2	3	4	36	5	3	1	4	4	7	5	18	21	13	5	1
390	PERSHORE	217	136	29	6	10	3	6	54	9	2	4	6	5	3	11	16	22	17	7	-
391	DROITWICH	365	235	60	18	9	4	4	95	9	9	4	2	14	5	11	25	27	26	8	-
392	BROMSGROVE	488	286	80	28	10	3	5	126	15	7	4	4	16	13	16	20	31	28	8	-
393	KINGS NORTON	927	514	151	36	28	13	11	239	21	8	7	14	17	27	52	45	52	25	7	-
	27.—WARWICKSHIRE.																				
394	BIRMINGHAM	4433	3425	916	388	207	124	92	1707	154	55	76	90	208	280	262	253	223	116	21	-
395	ASTON	2555	1341	443	140	70	48	34	735	52	29	19	33	69	78	92	86	93	51	6	-
396	MERIDEN	149	102	25	-	-	4	4	33	3	4	4	6	3	7	6	3	14	17	2	-
397	ATHERSTONE	208	139	26	9	14	5	7	61	15	4	1	2	5	5	7	6	19	12	1	1
398	NUNEATON	259	168	43	15	3	6	5	77	5	2	1	3	4	11	14	10	14	25	1	1
399	FOLESHILL	359	238	75	27	21	13	11	147	7	7	6	4	7	4	11	22	17	20	6	-
400	COVENTRY	714	425	121	34	19	11	14	199	24	8	12	14	15	23	19	45	31	28	7	-
401	RUGBY	406	270	78	25	13	8	6	130	10	7	4	8	8	12	12	15	27	27	10	-
402	SOLIHULL	209	138	35	4	2	2	5	48	7	1	1	5	3	5	12	13	15	17	10	1
403	WARWICK	699	488	100	25	18	9	9	161	13	13	18	13	37	35	43	44	38	56	12	-
404	STRATFORD-ON-AVON	359	204	40	11	3	6	4	64	7	2	10	7	9	10	13	24	30	20	8	-
405	ALCESTER	290	167	41	9	4	4	1	59	7	4	7	2	9	7	8	15	25	22	2	-
406	SHIPSTON-ON-STOUR	322	226	50	17	17	3	8	95	8	6	2	4	9	12	8	20	24	32	6	-
407	SOUTHAM	183	91	21	4	-	-	2	27	3	4	-	2	3	4	5	14	16	10	3	-

VII.—NORTH MIDLAND COUNTIES.

	28.—LEICESTERSHIRE.																				
408	LUTTERWORTH	263	146	35	12	6	4	-	57	6	5	2	1	6	4	7	13	18	21	5	1
409	MARKET HARBOROUGH	281	146	35	8	1	3	4	51	4	2	3	4	10	4	7	19	17	18	7	-
410	BILLESDON	106	61	8	3	3	2	2	18	2	3	-	-	4	4	3	4	9	10	4	-
411	BLABY	261	189	69	15	12	7	6	109	5	4	1	2	8	5	5	19	13	14	4	-
412	HINCKLEY	295	149	49	7	-	5	3	64	2	4	2	5	8	7	7	10	20	16	4	-
413	MARKET BOSWORTH	209	147	39	8	2	4	2	55	7	3	5	4	6	4	10	7	22	17	6	1
414	ASHBY-DE-LA-ZOUCH	581	310	92	12	8	7	5	124	9	7	10	8	10	23	21	27	27	36	8	-
415	LOUGHBOROUGH	443	253	79	20	3	3	2	107	8	1	5	4	11	14	16	22	32	23	10	-
416	BARROW-UPON-SOAR	303	208	64	17	9	4	2	96	4	7	4	6	8	9	7	16	29	13	9	-
417	LEICESTER	1615	1078	383	79	40	25	19	526	27	15	31	28	65	52	64	97	86	77	8	2
418	MELTON MOWBRAY	317	195	40	11	6	4	2	63	8	1	5	5	15	11	11	18	25	26	6	-
	29.—RUTLANDSHIRE.																				
419	OAKHAM	197	131	23	8	5	7	2	45	11	4	-	2	8	7	8	15	17	9	5	-
420	UPPINGHAM	210	110	35	5	3	1	2	46	2	1	3	4	5	10	5	10	12	9	3	-
	30.—LINCOLNSHIRE.																				
421	STAMFORD	280	171	32	5	3	5	2	47	12	3	5	7	12	9	8	17	20	22	9	-
422	BOURN	346	205	47	6	8	4	5	70	6	4	8	4	7	12	6	18	41	20	7	2†
423	SPALDING	377	224	49	19	7	2	6	83	13	4	4	9	11	9	12	22	24	28	5	-
424	HOLBEACH	314	180	52	8	5	3	4	72	8	4	5	4	7	10	15	18	20	14	3	-
425	BOSTON	582	323	81	15	12	7	4	119	10	11	11	14	20	17	26	26	34	29	6	-
426	SLEAFORD	463	251	71	11	8	7	1	98	17	9	7	6	9	16	17	15	24	21	12	-
427	GRANTHAM	485	312	79	15	12	8	7	121	11	5	6	12	15	19	22	31	36	28	6	-
428	LINCOLN	842	633	167	44	24	28	13	276	48	12	25	19	40	33	33	42	49	45	11	-
429	HORNCASTLE	456	218	65	11	2	3	2	83	12	10	4	7	14	12	18	16	17	20	5	-
430	SPILSBY	532	276	59	15	10	7	3	94	16	5	7	12	14	12	20	19	47	24	5	1
431	LOUTH	594	327	82	16	13	7	10	128	16	7	15	6	18	12	17	27	45	31	4	1
432	CAISTOR	698	432	94	36	18	15	22	185	31	15	14	14	25	21	23	30	32	35	6	1
433	GLANFORD BRIGG	586	431	91	30	26	13	12	172	41	18	14	16	20	15	24	24	38	31	17	1
434	GAINSBOROUGH	433	274	78	8	7	9	2	104	16	6	10	11	15	9	9	26	32	27	8	1
	31.—NOTTINGHAMSH.																				
435	EAST RETFORD	376	222	58	15	7	4	4	88	12	6	3	5	10	6	12	18	24	36	2	-
436	WORKSOP	359	205	55	9	7	4	1	76	10	3	10	8	8	11	12	18	23	23	8	-
437	MANSFIELD	621	380	113	22	12	7	11	165	15	4	12	9	22	19	16	22	37	49	10	-
438	BASFORD	1493	822	262	69	36	18	9	394	36	15	25	18	36	30	41	60	74	71	22	-
439	RADFORD	544	404	108	36	19	16	16	195	38	6	9	14	21	20	20	31	30	18	3	-
440	NOTTINGHAM	1343	1035	309	78	40	42	23	492	46	17	26	27	54	69	55	81	89	61	18	-
441	SOUTHWELL	343	265	53	12	6	4	2	77	16	7	5	13	14	10	11	26	36	33	15	-
442	NEWARK	498	339	81	28	15	5	5	134	32	9	6	7	11	12	15	24	35	42	12	-
443	BINGHAM	215	135	28	7	5	2	2	44	9	4	5	3	8	6	7	10	18	19	2	-
	32.—DERBYSHIRE.																				
444	SHARDLOW	551	323	85	21	10	11	4	131	23	8	9	10	11	20	10	29	37	26	9	-
445	DERBY	1044	640	173	53	24	14	19	283	24	15	19	19	47	40	51	51	50	36	5	-
446	BELPER	972	593	149	42	33	24	8	256	27	14	18	19	31	29	37	59	50	37	7	-
447	ASHBORNE	324	180	36	3	4	4	3	50	6	2	5	7	13	11	10	13	30	23	9	1
448	CHESTERFIELD	1459	807	239	63	34	29	16	381	47	17	20	31	47	40	41	61	66	45	11	-
449	BAKEWELL	479	342	62	15	4	6	8	95	11	6	12	10	17	19	25	44	34	33	7	-
450	CHAPEL-EN-LE-FRITH	262	171	32	8	3	1	7	51	3	7	10	3	8	11	12	26	20	20	-	-
451	HATFIELD	488	324	71	27	18	8	6	130	14	9	14	12	17	8	29	29	41	16	5	-

* One aged 102. † One aged 100.

VI.—WEST MIDLAND COUNTIES.—DEATHS at different Ages, 1864—DISTRICTS—*continued.*

No.	DISTRICTS.	TOTAL BIRTHS.	TOTAL DEATHS.	FEMALES. AGES AT DEATH. Under 1 Year.	1	2	3	4	Under 5 Years.	5—	10—	15—	20—	25—	35—	45—	55—	65—	75—	85—	95 upwards
	26.—WORCESTERSHIRE.																				
383	STOURBRIDGE	1487	889	248	91	57	38	31	475	47	21	21	31	33	46	41	48	61	51	12	2
384	KIDDERMINSTER	521	334	66	17	18	12	6	119	22	12	9	7	22	22	19	17	38	28	17	2
385	TENBURY	106	70	12	2	–	1	1	16	–	–	3	4	4	1	6	2	10	15	9	–
386	MARTLEY	229	153	15	12	9	6	8	50	9	5	6	3	7	2	7	15	18	22	9	–
387	WORCESTER	551	419	82	30	18	11	13	154	11	14	6	17	19	25	21	47	42	46	17	1
388	UPTON-ON-SEVERN	241	252	38	12	11	7	4	72	13	8	4	8	16	15	27	17	32	32	7	1
389	EVESHAM	229	137	22	6	5	–	4	37	5	1	4	6	3	8	10	19	18	8	8	–
390	PERSHORE	201	126	21	2	5	6	1	35	6	2	4	8	8	8	7	7	20	14	6	1
391	DROITWICH	350	223	48	16	10	4	3	81	10	8	8	9	21	12	18	7	19	22	7	1
392	BROMSGROVE	514	271	63	17	7	5	3	95	7	3	9	13	17	15	12	20	40	30	10	–
393	KINGS NORTON	376	600	109	48	21	14	12	204	19	12	15	12	27	42	34	35	58	35	12	–
	27.—WARWICKSHIRE.																				
394	BIRMINGHAM	4442	3164	767	389	174	135	88	1553	147	53	86	88	204	170	206	231	230	155	34	7
395	ASTON	2273	1253	342	135	59	51	32	619	62	24	30	41	86	68	92	71	79	62	17	2*
396	MERIDEN	153	123	19	7	3	1	3	33	6	2	5	2	5	11	10	9	16	18	4	–
397	ATHERSTONE	217	144	24	18	7	3	6	58	12	1	3	1	6	9	3	7	22	11	6	–
398	NUNEATON	250	182	34	24	9	10	12	89	11	3	5	2	9	8	9	9	23	12	2	–
399	POLESHILL	322	232	50	15	15	14	11	105	8	3	6	9	15	9	7	14	23	20	3	–
400	COVENTRY	681	433	86	26	16	12	11	151	16	8	12	22	34	28	26	41	52	33	8	2
401	RUGBY	324	218	43	12	3	5	1	64	13	6	9	8	16	17	11	15	26	24	9	–
402	SOLIHULL	202	126	25	5	1	4	2	37	3	–	5	4	8	7	8	12	18	15	8	1†
403	WARWICK	598	489	69	18	11	13	7	118	21	17	18	20	25	29	42	56	70	56	17	–
404	STRATFORD-ON-AVON	326	211	33	10	4	5	3	55	13	8	10	10	14	11	12	15	35	23	5	–
405	ALCESTER	296	190	29	4	9	4	2	48	11	3	5	9	23	11	14	18	22	21	5	–
406	SHIPSTON-ON-STOUR	328	222	36	17	6	5	4	68	10	6	13	9	15	10	9	21	29	22	8	2‡
407	SOUTHAM	167	93	18	1	1	–	2	22	5	3	1	4	10	4	5	5	15	14	5	–

VII.—NORTH MIDLAND COUNTIES.

	28.—LEICESTERSHIRE.																				
408	LUTTERWORTH	222	160	25	10	6	7	1	49	4	2	3	3	8	18	9	18	17	21	8	–
409	MARKET HARBOROUGH	294	153	37	5	8	5	2	57	5	3	2	4	7	10	11	11	21	17	5	–
410	BILLESDON	108	51	8	6	2	1	2	19	3	2	1	–	4	1	5	2	7	4	3	–
411	BLABY	225	174	38	20	4	6	2	70	9	6	8	3	6	11	7	13	27	11	3	–
412	HINCKLEY	227	151	27	8	7	5	1	48	5	3	8	4	17	10	9	9	16	17	5	–
413	MARKET BOSWORTH	230	133	25	10	3	7	1	46	8	–	8	5	4	6	3	6	24	19	4	–
414	ASHBY-DE-LA-ZOUCH	374	273	63	13	6	1	7	90	7	5	11	14	15	20	22	17	32	30	10	–
415	LOUGHBOROUGH	394	269	67	17	9	4	3	100	7	2	7	13	21	17	10	25	35	25	6	1
416	BARROW-UPON-SOAR	367	235	55	16	4	7	3	85	6	2	9	7	20	11	9	14	33	27	11	1
417	LEICESTER	1500	1030	290	88	42	23	16	459	36	25	33	37	55	62	67	77	91	65	23	–
418	MELTON MOWBRAY	326	189	37	9	1	4	1	52	7	6	5	8	10	11	15	13	27	22	13	–
	29.—RUTLANDSHIRE.																				
419	OAKHAM	167	114	20	5	4	2	3	34	6	4	6	7	6	9	11	6	9	10	6	–
420	UPPINGHAM	188	125	28	11	4	3	2	48	5	4	3	2	9	7	8	4	12	18	5	–
	30.—LINCOLNSHIRE.																				
421	STAMFORD	270	170	32	5	5	1	5	48	9	7	2	4	12	12	8	24	23	21	8	1
422	BOURN	340	191	38	11	3	2	6	60	11	4	2	9	16	14	6	16	25	19	8	1
423	SPALDING	309	176	32	7	2	3	4	47	11	6	6	4	13	13	11	17	18	24	2	–
424	HOLBEACH	236	155	42	3	3	1	2	51	5	2	6	5	10	2	8	18	22	21	3	2§
425	BOSTON	565	342	69	13	6	4	3	95	17	10	11	12	20	22	34	23	44	41	12	1
426	SLEAFORD	413	217	38	13	10	6	4	71	13	9	7	10	14	13	16	15	25	11	12	1
427	GRANTHAM	488	311	68	12	7	10	5	102	17	9	15	12	19	19	21	24	30	29	13	1
428	LINCOLN	855	617	115	49	19	23	20	226	49	23	23	19	55	42	34	45	48	45	8	–
429	HORNCASTLE	375	263	57	11	6	5	5	82	12	9	11	9	20	21	14	23	21	29	12	–
430	SPILSBY	349	241	42	11	5	4	4	66	9	13	13	12	25	4	18	14	28	25	13	1
431	LOUTH	631	345	78	25	11	6	7	127	12	9	15	9	20	24	18	25	34	31	16	5‖
432	CAISTOR	395	235	37	20	20	10	12	149	22	12	10	13	30	23	31	33	31	33	8	–
433	GLANFORD BRIGG	609	389	62	26	17	15	20	140	40	16	12	18	28	23	11	24	29	40	8	–
434	GAINSBOROUGH	401	242	51	10	11	8	2	77	17	5	8	5	18	11	18	17	32	25	9	–
	31.—NOTTINGHAMSHIR.																				
435	EAST RETFORD	344	221	40	8	3	2	4	57	8	4	10	9	25	13	13	15	25	27	14	1
436	WORKSOP	366	195	46	11	6	3	2	68	6	6	5	6	12	11	15	16	28	18	7	1
437	MANSFIELD	513	342	88	23	12	7	5	135	14	15	13	23	11	24	18	24	33	28	4	–
438	BASFORD	1364	820	191	58	35	19	17	320	31	29	31	32	55	49	41	73	75	67	17	–
439	RADFORD	521	380	91	24	16	18	8	157	18	14	19	17	27	14	21	37	31	20	5	–
440	NOTTINGHAM	1239	1014	200	89	44	32	26	391	51	23	33	48	72	55	57	106	102	56	19	1
441	SOUTHWELL	360	243	42	11	9	5	7	74	12	4	6	9	15	12	12	30	37	22	10	–
442	NEWARK	499	373	73	19	6	12	10	120	21	10	15	11	30	25	17	28	44	39	8	2
443	BINGHAM	235	173	35	8	2	2	2	49	10	2	8	5	14	14	11	19	24	19	7	–
	32.—DERBYSHIRE.																				
444	SHARDLOW	490	349	48	19	15	7	5	94	14	11	12	16	27	23	19	31	42	47	13	–
445	DERBY	1086	645	125	44	15	19	11	214	32	21	19	34	59	54	40	48	56	50	17	1
446	BELPER	956	584	101	31	21	17	11	181	40	18	17	22	46	43	33	53	64	55	12	1
447	ASHBORNE	324	181	31	5	2	8	4	50	8	6	7	9	14	13	9	12	27	17	8	1
448	CHESTERFIELD	1367	730	174	56	34	23	16	303	37	17	24	20	58	50	31	52	66	59	13	–
449	BAKEWELL	480	335	51	22	5	8	4	90	16	5	15	13	29	29	18	35	43	33	7	2
450	CHAPEL-EN-LE-FRITH	288	171	36	7	7	–	1	51	5	2	7	6	19	13	15	14	21	14	5	–
451	HAYFIELD	503	315	73	16	13	5	4	111	12	5	11	17	22	15	26	37	28	27	8	1

* One aged 108. † Aged 100. ‡ One aged 102. § One aged 101. ‖ One aged 105.

VIII.—NORTH WESTERN COUNTIES.—DEATHS at different Ages, 1864.—DISTRICTS—*continued.*

No.	DISTRICTS.	TOTAL BIRTHS.	TOTAL DEATHS.	MALES. AGES AT DEATH. Under 1 Year.	1	2	3	4	Under 5 Years.	5–	10–	15–	20–	25–	35–	45–	55–	65–	75–	85–	95 & upwards
	33.—CHESHIRE.																				
452	Stockport	1623	1088	291	83	22	20	8	429	38	17	33	49	53	62	104	127	105	63	8	–
453	Macclesfield	961	657	130	31	10	14	10	195	28	18	24	23	29	49	49	80	82	50	9	1
454	Altrincham	715	456	100	20	8	16	7	151	23	9	16	14	28	27	44	26	45	39	29	5
455	Runcorn	586	443	103	31	16	15	4	175	27	10	14	14	24	44	26	45	39	29	5	1
456	Northwich	753	398	110	35	15	9	3	172	17	14	10	11	15	22	21	37	40	32	6	–
457	Congleton	652	344	113	21	7	10	6	157	11	5	8	13	12	7	25	31	37	31	7	–
458	Nantwich	840	448	135	27	16	8	8	194	21	4	19	10	27	20	37	31	44	40	5	–
459	Great Boughton (Chester)	1034	857	197	51	29	17	8	302	35	24	19	31	68	65	72	79	67	56	19	–
460	Wirral	851	390	42	11	12	8	5	78	12	6	6	5	13	13	10	15	22	13	5	1
460a	Birkenhead	1520	969	268	130	56	28	28	510	44	15	26	41	63	73	74	57	56	26	3	1
	34.—LANCASHIRE.																				
461	Liverpool	5142	5576	1867	525	235	132	106	2865	169	74	125	214	484	655	602	490	272	109	16	1
462	West Derby	5589	3902	1139	417	170	110	81	1908	105	52	83	142	283	336	342	282	173	87	19	–
463	Prescot	1635	1434	321	104	104	106	70	705	143	35	28	42	72	72	88	76	57	41	4	1
464	Ormskirk	959	634	158	48	30	15	18	269	43	16	13	19	44	51	44	56	48	46	14	1
465	Wigan	2306	1429	432	143	87	56	40	778	88	34	35	38	59	67	67	78	110	52	15	1
466	Warrington	1005	647	182	70	34	20	19	325	30	11	14	22	10	57	49	48	43	23	5	–
467	Leigh	780	585	159	64	33	27	28	311	48	12	9	11	23	28	31	41	36	30	5	–
468	Bolton	2834	1857	513	178	75	50	37	853	107	38	57	55	81	114	130	101	102	85	14	–
469	Bury	1569	1163	276	102	50	35	29	492	66	32	36	25	64	79	85	125	96	33	8	–
470	Barton-upon-Irwell	750	464	125	34	12	12	8	189	32	15	14	17	20	33	24	38	44	24	5	–
471	Chorlton	3377	2283	594	254	130	96	56	1130	116	41	55	51	154	178	193	169	131	56	11	–
472	Salford	2164	1487	386	173	73	55	50	746	79	29	35	39	73	103	98	137	102	34	5	–
473	Manchester	4586	3899	993	448	192	112	98	1649	177	55	69	76	126	245	357	327	384	245	131	16	2†
474	Ashton	2359	1367	366	91	47	35	24	563	62	25	43	51	89	99	123	142	142	61	9	–
475	Oldham	2114	1263	330	100	46	29	27	532	64	24	42	47	67	107	94	118	94	59	14	1
476	Rochdale	1638	1213	290	107	64	48	33	542	93	31	42	38	56	61	100	104	90	50	5	–
477	Haslingden	1343	870	239	75	50	38	20	422	79	17	21	27	29	43	54	74	67	29	7	–
478	Burnley	1488	915	287	101	38	22	15	463	28	17	27	32	40	53	62	76	63	19	5	–
479	Clitheroe	844	495	138	70	33	8	2	251	46	15	20	18	38	36	23	32	33	43	15	–
480	Blackburn	2678	1597	530	182	52	34	34	832	58	38	50	43	94	91	99	140	103	54	13	1
481	Chorley	703	423	98	35	15	8	7	163	15	6	15	12	23	22	28	40	54	35	10	1
482	Preston	2220	1534	441	147	67	52	43	750	87	31	28	34	80	99	106	112	112	76	23	–
483	Fylde	489	293	69	24	10	11	6	120	12	6	7	5	18	21	10	25	30	25	6	–
484	Garstang	210	109	16	6	3	4	5	34	4	2	2	3	8	3	11	16	17	7	2	–
485	Lancaster	618	417	85	18	7	6	7	123	8	10	7	17	38	40	28	49	45	44	11	–
486	Ulverston	776	532	112	50	31	20	20	233	46	15	20	18	38	36	23	32	33	43	15	–

IX.—YORKSHIRE.

	35.—WEST RIDING.																				
487	Sedbergh	56	36	6	1	–	1	2	10	1	–	1	1	5	–	2	4	4	4	3	1
488	Settle	201	91	19	5	1	–	1	26	1	4	2	2	8	6	9	7	12	12	2	–
489	Skipton	503	312	70	18	9	4	6	107	15	9	13	8	20	16	19	27	45	32	1	–
490	Pateley Bridge	160	92	19	3	7	1	2	32	4	3	4	6	2	4	6	8	12	9	2	–
491	Ripon	240	153	32	7	4	5	8	56	8	2	5	3	12	9	7	15	13	15	8	2
492a	Great Ouseburn	185	125	26	3	4	4	1	38	4	1	6	5	3	6	7	6	9	24	15	2
492b	Knaresborough	278	189	41	8	4	–	4	57	6	1	6	6	9	21	15	20	31	15	4	–
492c	Wetherby	114	89	12	2	5	4	2	25	4	–	1	3	8	5	2	8	6	14	11	4
492d	Kirkdeighton	18	5	1	–	2	–	–	3	–	1	–	–	–	–	–	1	–	–	–	–
493a	Otley	361	262	63	16	6	6	2	89	4	8	4	9	5	19	30	23	26	12	3	–
493b	Wharfedale	350	214	53	21	10	4	4	92	13	2	8	4	16	14	11	17	17	4	7	–
493c	Keighley	847	557	152	47	21	10	9	252	43	19	20	19	32	38	38	32	56	32	7	–
494	Todmorden	494	340	108	24	25	22	20	199	59	15	11	8	18	20	23	33	42	20	3	–
495	Todmorden	316	195	46	9	5	1	4	65	8	7	8	9	17	10	13	17	22	17	2	–
496	Saddleworth	2807	1904	502	161	75	70	47	855	121	78	58	65	77	93	119	159	155	106	19	1
497	Huddersfield	2751	2038	485	207	130	90	72	984	142	19	60	52	87	113	140	169	112	86	14	–
498	Halifax	4320	2968	849	304	159	110	80	1502	189	68	79	109	140	181	178	190	135	105	17	–
499	Bradford	4320	2968	849	304	159	110	80	1502	189	68	79	109	140	181	178	190	135	105	17	–
500a	Kirkstall	1092	617	196	61	20	24	10	308	24	12	23	14	28	36	41	49	53	54	6	3
500b	Hunslet	707	421	146	53	15	4	13	231	14	15	11	13	18	29	29	23	21	20	10	–
500c	Holbeck	375	253	84	33	6	6	3	132	9	4	8	7	9	16	17	21	20	8	10	2
500d	Bramley	275	174	43	18	6	7	9	83	12	–	11	3	6	9	10	20	8	10	2	–
501	Leeds	2498	1967	515	216	88	54	38	911	87	29	44	70	132	135	149	162	144	67	7	–
502	Dewsbury	2366	1423	475	134	60	29	37	735	78	39	36	47	74	73	70	93	101	58	12	–
503	Wakefield	1198	893	225	69	18	13	13	341	50	23	19	25	66	72	74	85	79	42	7	–
503a	Pontefract	275	188	62	9	3	11	5	90	7	2	3	5	8	16	8	21	13	10	5	–
504a	Hemsworth	114	106	29	9	1	2	2	43	1	3	2	5	4	4	9	7	9	13	6	–
504b	Castleford	471	265	71	32	21	5	3	132	12	12	2	6	12	15	17	17	21	17	2	–
505	Barnsley	1040	613	203	54	26	13	13	309	19	6	10	20	30	39	44	50	52	29	2	–
506	Wortley	821	525	132	76	10	7	12	237	30	22	9	16	29	44	53	54	71	42	12	1
507	Ecclesall Bierlow	1350	867	224	80	28	22	16	398	30	20	26	34	47	61	52	71	62	36	9	1
508	Sheffield	3674	2262	674	205	93	69	54	1096	109	55	69	88	136	167	180	183	143	90	7	–
509	Rotherham	1083	647	182	92	35	16	13	338	37	12	14	26	48	39	49	44	52	45	4	–
510	Doncaster	669	470	109	30	20	13	10	173	41	14	6	12	36	35	29	36	42	40	8	1
511	Thorne	304	174	49	8	8	3	4	67	6	4	6	9	6	9	10	14	20	14	8	1
512	Goole	271	202	48	16	8	12	8	92	14	5	4	4	15	16	8	14	18	8	3	1
513	Selby	285	150	44	5	3	4	2	58	3	4	3	6	10	9	7	18	14	16	2	–
514a	Tadcaster	81	44	12	–	–	–	–	12	3	1	–	2	5	1	1	6	8	5	–	–
514b	Bramham	226	141	31	10	3	3	3	50	3	3	4	2	6	13	6	12	19	20	3	–
	36.—EAST RIDING (with York).																				
515	York	1021	702	180	33	26	21	12	272	29	18	13	33	40	68	50	62	59	47	11	–
516	Pocklington	237	149	33	6	2	1	2	44	7	3	4	3	7	9	11	16	19	19	6	1
517	Howden	236	169	40	5	4	6	4	59	12	6	15	7	11	9	10	9	11	16	4	–
518	Beverley	347	204	54	14	6	4	3	81	6	5	7	5	6	9	17	14	23	19	12	–
519	Sculcoates	1108	644	182	74	38	29	16	339	45	8	13	22	32	34	38	41	46	24	4	–
520	Hull	1057	872	219	92	38	30	27	406	51	27	20	32	52	65	55	72	54	28	5	–
521	Patrington	162	82	23	2	2	2	2	31	5	2	1	3	5	4	6	7	8	7	3	–
522	Skirlaugh	172	105	32	4	4	–	2	42	5	2	3	2	5	2	3	9	11	16	5	1
523	Driffield	392	198	61	10	2	3	3	79	6	3	6	7	13	9	16	10	21	20	4	1
524	Bridlington	231	128	39	7	2	3	1	52	4	3	4	3	7	9	6	9	7	17	7	–

* Aged 100.

† One aged 103.

VIII.—NORTH WESTERN COUNTIES.—DEATHS at different Ages, 1864—DISTRICTS—*continued*.

No.	DISTRICTS.	TOTAL BIRTHS.	TOTAL DEATHS.	FEMALES. AGES AT DEATH. Under 1 Year	1	2	3	4	Under 5 Years,	5–	10–	15–	20–	25–	35–	45–	55–	65–	75–	85–	95 & upwds,
	33.—CHESHIRE.																				
452	STOCKPORT	1582	1057	219	69	33	19	18	361	26	19	40	38	78	94	97	113	119	57	15	–
453	MACCLESFIELD	976	655	137	34	15	8	9	203	18	12	25	25	55	57	51	60	87	49	12	1
454	ALTRINCHAM	702	373	68	15	18	6	11	118	22	13	15	18	27	21	16	42	41	33	7	–
455	RUNCORN	529	318	66	24	11	14	9	128	17	7	12	10	21	19	20	17	35	23	9	–
456	NORTHWICH	611	353	88	27	8	13	9	145	16	4	10	13	23	18	23	28	31	29	8	–
457	CONGLETON	620	370	68	14	13	6	7	108	9	13	17	18	41	31	25	33	33	34	8	–
458	NANTWICH	840	451	104	34	25	10	5	178	17	9	13	15	32	37	16	28	41	48	16	1
459	GREAT BOUGHTON (CHESTER)	1015	738	133	43	23	15	11	241	30	15	19	22	65	63	64	64	63	77	25	–
460*a*	WIRRAL	334	187	32	14	11	5	6	68	12	11	11	5	7	4	9	22	24	11	3	–
460*b*	BIRKENHEAD	1459	810	186	89	63	40	22	400	50	18	18	17	67	45	46	58	52	32	7	–
	34.—LANCASHIRE.																				
461	LIVERPOOL	4914	5235	1149	550	249	156	111	2215	188	82	100	198	464	506	548	445	306	147	33	3‖
462	WEST DERBY	5384	3851	910	408	173	112	84	1687	161	69	106	131	328	302	327	291	250	163	35	1
463	PRESCOT	1661	1240	275	140	107	87	53	655	104	36	25	32	70	70	58	69	54	45	12	–
464	ORMSKIRK	867	624	127	47	23	21	17	245	48	15	19	16	49	43	36	42	67	33	13	1
465	WIGAN	2204	1193	313	103	71	43	19	609	65	27	35	41	60	72	62	67	93	52	8	2
466	WARRINGTON	946	609	151	75	27	23	13	289	38	13	16	20	34	39	37	38	41	35	9	–
467	LEIGH	723	593	110	67	43	36	28	284	43	13	15	24	47	36	26	40	37	22	6	–
468	BOLTON	2597	1753	411	170	76	65	54	776	96	40	60	41	111	124	104	131	156	95	16	3†
469	BURY	1743	1218	259	106	54	49	29	497	83	23	39	39	77	95	83	100	101	70	11	–
470	BARTON-UPON-IRWELL	688	444	79	23	15	14	13	149	20	15	13	23	28	34	31	48	50	30	3	–
471	CHORLTON	3356	2216	503	223	123	76	48	978	121	50	58	74	152	159	146	187	176	97	18	–
472	SALFORD	2168	1477	323	160	85	57	40	665	64	28	42	60	98	115	91	112	121	72	9	–
473	MANCHESTER	4417	3738	775	373	153	108	91	1500	154	72	84	123	259	288	381	359	319	170	23	6‡
474	ASHTON	2164	1354	274	87	37	30	20	448	48	31	42	55	129	112	117	138	138	69	17	–
475	OLDHAM	2037	1184	274	101	39	36	15	465	57	26	45	39	100	93	95	102	96	54	11	–
476	ROCHDALE	1603	1153	190	110	77	61	54	492	97	26	37	35	80	71	61	81	89	75	9	–
477	HASLINGDEN	1280	854	176	74	36	44	43	373	58	26	35	34	65	41	58	51	65	36	12	–
478	BURNLEY	1466	865	202	107	30	17	10	366	33	13	41	39	59	53	43	66	94	48	9	1
479	CLITHEROE	331	194	35	10	4	3	1	53	10	2	8	8	13	10	11	21	31	21	6	–
480	BLACKBURN	2558	1545	421	162	77	51	30	746	66	37	42	67	101	101	83	107	101	69	20	2
481	CHORLEY	698	429	93	40	11	8	5	157	11	13	27	14	29	35	26	40	34	31	11	1
482	PRESTON	2004	1477	345	150	65	52	39	651	67	31	39	40	121	88	94	117	128	75	20	4
483	FYLDE	430	294	52	15	13	4	13	97	16	3	7	16	26	14	13	27	31	28	16	–
484	GARSTANG	196	101	13	3	1	4	1	22	4	3	6	5	8	10	10	15	7	8	3	–
485	LANCASTER	620	365	55	22	10	5	2	94	8	7	9	21	34	31	34	42	37	43	4	1
486	ULVERSTON	734	479	84	35	25	12	17	173	47	27	15	16	38	26	21	29	42	31	14	–

IX.—YORKSHIRE.

	35.—WEST RIDING.																				
487	SEDBERGH	64	35	5	–	2	1	2	10	1	2	3	1	4	3	2	2	2	5	–	–
488	SETTLE	186	108	17	5	2	2	1	27	3	–	3	6	13	9	6	7	17	15	2	–
489	SKIPTON	522	368	78	21	9	9	4	121	19	9	18	11	35	26	20	32	43	28	6	–
490	PATELEY BRIDGE	162	90	21	4	3	3	1	32	7	4	4	5	4	7	2	5	8	3	4	–
491	RIPON	246	155	27	5	4	2	7	45	10	5	4	7	9	6	7	14	17	24	6	1
492*a*	GREAT OUSEBURN	199	102	18	3	2	4	2	29	6	3	2	3	–	8	7	7	17	14	6	–
492*b*	KNARESBOROUGH	271	196	42	9	7	5	4	67	7	5	4	7	17	16	15	15	22	18	3	–
492*c*	WETHERBY	99	95	17	6	4	3	2	32	10	6	2	1	11	4	6	5	9	8	1	–
492*d*	KIRKDEIGHTON	6	6	–	–	–	–	–	–	–	1	–	–	–	1	–	2	1	–	1	–
493*a*	OTLEY	304	247	47	17	6	4	3	77	3	2	12	15	14	8	10	17	21	20	5	–
493*b*	WHARFEDALE	308	179	40	15	5	3	–	63	10	8	6	10	19	14	7	13	12	14	3	–
494	KEIGHLEY	817	521	152	45	19	16	9	229	12	20	20	30	34	33	27	39	41	31	4	1‖
495	TODMORDEN	480	393	65	31	20	20	11	147	42	10	14	16	33	21	26	19	38	21	6	–
496	SADDLEWORTH	322	177	32	12	3	2	3	52	8	11	9	9	10	9	9	18	19	16	7	–
497	HUDDERSFIELD	2487	1617	368	130	80	54	56	688	95	36	64	54	118	84	81	122	143	103	28	1
498	HALIFAX	2503	1807	385	185	101	90	53	814	108	59	65	63	88	108	113	117	146	107	19	–
499	BRADFORD	4120	3092	708	346	161	108	102	1425	190	79	105	129	236	180	175	204	213	137	19	–
500*a*	KIRKSTALL	1017	623	150	57	41	15	10	273	35	10	28	19	35	39	34	53	54	35	7	1
500*b*	HUNSLET	668	379	113	39	23	13	3	191	17	9	8	11	24	23	21	24	39	10	2	–
500*c*	HOLBECK	834	212	48	23	11	5	4	91	6	3	5	8	12	17	15	18	25	12	–	–
500*d*	BRAMLEY	267	160	38	21	7	10	7	83	9	4	3	3	9	12	8	8	8	10	3	–
501	LEEDS	2469	1780	453	157	78	58	30	776	71	32	39	76	120	131	128	186	153	68	9	2
502	DEWSBURY	2294	1296	377	131	60	44	26	638	72	36	53	39	77	69	52	79	101	65	13	2
503	WAKEFIELD	1140	793	194	67	29	13	11	314	26	15	21	24	58	59	50	75	78	59	12	2
504*a*	PONTEFRACT	245	175	43	16	8	2	1	70	9	5	6	4	10	13	5	16	22	9	6	–
504*b*	HEMSWORTH	121	62	6	5	2	1	–	14	2	–	5	1	6	2	4	7	9	11	1	–
504*c*	CASTLEFORD	427	234	59	22	11	12	8	112	17	7	4	3	16	11	14	10	14	22	4	–
505	BARNSLEY	1024	494	132	47	23	16	9	227	19	15	20	19	37	27	29	32	31	32	5	1
506	WORTLEY	799	427	112	33	14	9	9	184	24	14	16	30	24	24	21	39	27	3	–	–
507	ECCLESALL BIERLOW	1310	827	214	75	37	24	21	371	37	22	30	30	52	43	47	78	72	36	8	1
508	SHEFFIELD	2972	1984	540	214	112	76	57	999	112	29	52	63	120	119	129	124	136	79	22	–
509	ROTHERHAM	997	506	138	37	31	12	13	231	27	8	16	15	40	35	16	38	32	43	5	–
510	DONCASTER	676	490	97	29	21	8	13	168	28	18	10	13	33	34	28	28	52	61	17	–
511	THORNE	300	169	40	6	1	10	4	61	5	8	3	8	18	11	11	7	19	11	7	–
512	GOOLE	284	202	52	20	9	9	8	98	7	5	7	6	19	6	7	14	16	13	4	–
513	SEDBURGH	280	163	47	6	4	5	2	64	14	1	3	4	5	13	8	12	17	16	6	–
514*a*	TADCASTER	80	40	6	–	1	–	1	8	1	1	2	–	2	5	4	5	3	4	1	–
514*b*	BRAMHAM	209	158	34	2	5	4	3	48	11	5	12	6	12	6	4	11	20	14	7	2¶
	36.—EAST RIDING (WITH YORK).																				
515	YORK	998	679	132	28	22	14	9	205	30	19	20	23	47	52	52	59	76	68	27	1**
516	POCKLINGTON	230	135	28	4	6	3	–	41	6	2	3	7	9	4	7	9	19	22	9	–
517	HOWDEN	248	150	29	7	3	4	3	46	19	5	7	11	10	6	5	7	15	17	2	–
518	BEVERLEY	368	195	34	14	9	5	3	65	8	5	8	9	10	13	5	15	30	20	5	2
519	SCULCOATES	1052	601	156	54	20	21	16	267	31	10	21	18	45	31	30	42	60	36	10	–
520	HULL	1068	777	174	77	39	28	19	337	54	15	17	16	57	48	54	54	64	46	12	3
521	PATRINGTON	155	97	20	4	2	1	3	30	8	1	4	9	2	4	5	6	10	11	7	–
522	SKIRLAUGH	150	86	22	2	–	1	2	27	1	1	6	4	11	2	3	6	5	13	7	–
523	DRIFFIELD	326	181	53	15	5	2	2	77	6	7	7	1	10	8	9	13	13	21	5	–
524	BRIDLINGTON	255	139	40	5	2	3	–	50	8	3	6	7	7	9	7	7	11	16	8	–

‖ Aged 104. † One aged 108. ‡ Two aged 100. § One aged 100 and one 104. ‖ Aged 100. ¶ One aged 102. ** One aged 107.

IX.—YORKSHIRE.—DEATHS at different Ages, 1864—DISTRICTS—*continued.*

No.	DISTRICTS.	TOTAL BIRTHS.	TOTAL DEATHS.	MALES. AGES AT DEATH. Under 1 Year.	1	2	3	4	Under 5 Years.	5–	10–	15–	20–	25–	35–	45–	55–	65–	75–	85–	95 & upwards.
	37.—NORTH RIDING.																				
525	Scarborough	628	384	122	20	9	14	4	169	15	10	12	12	20	21	23	26	41	29	6	–
526	Malton	391	231	59	7	3	4	3	76	12	6	7	6	8	8	11	22	32	33	10	–
527	Easingwold	159	71	17	2	–	2	2	23	3		2	1	3	1	6	6	8	16		–
528	Thirsk	175	104	22	1	3	1	1	28	4	6	3	4	4	4	11	14	18	11	3	–
529	Helmsley	228	127	35	4	1	3	1	44	6	1	3	4	5	5	8	9	16	10	5	–
530	Pickering	213	139	42	6	6	1	1	56	4	2	4	6	12	7	6	19	8	11	4	–
531	Whitby	249	209	60	17	6	8	2	93	8	8	12	12	12	16	15	24	28	23	8	–
532	Guisbrough	303	195	109	20	6	14	7	156	31	11	15	20	22	24	14	21	24	23	3	1
533	Stokesley	185	103	30	4	4	1	2	41	1	4	3	1	3	5	3	7	10	17	7	–
534	Northallerton	177	104	18	1	2	1	–	22	5	3	2	5	8	9	7	12	14	10	7	–
535	Bedale	159	87	19	4	1	–	2	26	1	5	–	2	2	3	1	7	11	10	1	1
536	Leyburn	166	73	12	4	2	4	1	23	1	2	2	1	5	3	6	6	2	4	4	–
537	Askrigg	81	59	14	1	–	–	–	15	3	1	1	1	3	4	7	6	3	7	3	–
538	Reeth	83	52	9	4	4	–	–	17	2	–	1	1	3	7	5	6	10	5	–	–
539	Richmond	180	126	22	6	5	3	3	39	6	1	2	3	4	7	5	6	10	17	23	7	–

X.—NORTHERN COUNTIES.

	38.—DURHAM.																					
540	Darlington	560	336	92	26	10	12	6	146	9	6	14	15	21	18	20	24	32	23	7	1*
541a	Stockton	1582	840	234	69	47	31	13	424	38	23	20	20	44	65	65	38	48	36	9	1
541b	Hartlepool	775	365	125	36	16	16	3	196	19	8	7	12	24	25	20	21	22	17	3	–
542	Auckland	1419	703	278	76	38	15	14	421	28	10	20	20	42	29	29	28	38	24	3	–
543	Teesdale	365	172	40	6	3	3	1	53	7	7	7	7	12	9	12	14	25	15	4	–
544	Weardale	327	194	39	15	2	5	1	62	5	4	15	18	18	8	6	27	16	15	2	–
545	Durham	1555	788	247	65	40	23	17	392	23	19	25	21	34	52	57	54	59	35	14	1
546	Easington	650	307	102	38	9	9	1	159	7	17	14	12	10	16	18	23	21	7	2	–
547	Houghton-le-Spring	476	248	92	26	4	7	3	132	7	5	13	3	19	9	10	16	14	16	4	–
548	Chester-le-Street	671	339	115	36	13	11	9	186	6	14	11	12	22	19	17	19	19	11	3	–
549	Sunderland	2129	1176	358	97	59	31	22	567	54	20	28	33	69	78	78	78	58	53	10	–
550	South Shields	1249	779	222	86	51	23	22	404	34	16	28	18	44	49	52	40	47	40	7	–
551	Gateshead	1376	709	271	79	35	22	16	423	37	15	19	29	33	40	49	69	47	33	5	–
	39.—NORTHUMBERLAND.																				
552	Newcastle-upon-Tyne	2382	1588	424	138	65	28	19	674	53	31	40	58	141	109	150	129	126	65	12	–
553	Tynemouth	1777	955	295	106	32	23	15	471	37	25	33	38	50	49	73	59	64	49	7	2
554	Castle Ward	367	229	49	13	9	6	3	80	13	7	8	8	8	8	13	6	22	18	9	1
555	Hexham	567	323	71	17	12	1	7	108	17	7	7	7	15	21	26	35	37	37	6	–
556	Haltwhistle	114	66	16	3	–	1	–	20	1	2	–	3	3	1	1	8	9	9	9	–
557	Bellingham	134	61	10	5	1	–	–	16	2	3	3	3	5	6	4	7	6	3	1	–
558	Morpeth	538	307	98	29	8	9	5	149	8	4	5	8	17	21	18	23	17	27	9	1*
559	Alnwick	309	235	42	5	6	2	2	57	11	3	1	6	14	20	16	27	27	25	10	–
560	Belford	86	50	14	1	2	–	1	18	1	1	1	1	3	2	2	4	7	9	–	–
561	Berwick	367	234	49	13	9	6	3	80	13	7	8	8	8	8	18	19	26	31	7	–
562	Glendale	206	98	29	1	3	3	1	38	4	4	1	2	3	10	3	11	12	17	3	–
563	Rothbury	115	41	6	–	1	–	1	8	2	1	–	1	7	2	3	4	4	5	4	–
	40.—CUMBERLAND.																				
564	Alston	104	54	8	4	1	–	1	14	4	1	1	2	2	6	8	11	4	1	–	–
565	Penrith	388	226	44	6	7	2	3	62	4	4	6	8	16	13	19	22	32	29	11	–
566	Brampton	167	125	14	4	5	2	1	26	4	3	4	3	10	10	8	15	24	14	7	–
567	Longtown	155	81	14	10	1	–		25	3	3	3	2	4	4	3	4	12	11	7	–
568	Carlisle	771	580	159	27	27	14	12	249	29	15	17	27	37	31	40	53	38	35	9	–
569	Wigton	380	237	45	14	4	3	10	76	4	9	4	3	22	13	18	25	25	31	7	–
570	Cockermouth	808	545	130	52	22	15	10	229	15	15	21	15	33	27	39	42	50	47	10	2
571	Whitehaven	830	539	123	57	17	9	15	221	19	17	15	12	45	33	31	40	35	40	10	1
572	Bootle	103	60	11	2	–	–	1	14	1	2	2	3	5	4	3	9	6	9	2	–
	41.—WESTMORLAND.																				
573	East Ward	223	145	28	5	3	4	4	44	7	2	3	3	10	8	10	12	26	16	4	–
574	West Ward	127	75	11	3	2	2	1	22	4	3	4	2	1	2	3	11	7	12	4	–
575	Kendal	597	335	66	14	4	3	4	91	17	4	12	12	25	21	33	26	38	40	16	–

XI.—MONMOUTHSHIRE AND WALES.

	42.—MONMOUTHSHIRE.																					
576	Chepstow	296	243	36	20	13	14	5	88	28	3	3	6	14	10	18	13	24	28	8	–
577	Monmouth	464	337	58	29	17	8	15	127	22	8	12	17	15	12	17	32	37	27	12	1
578a	Abergavenny	376	319	64	20	17	13	9	123	21	7	8	6	11	21	24	22	37	23	4	2†
578b	Bedwellty	1148	718	155	85	49	25	21	343	46	22	25	34	42	48	45	54	52	28	8	1
578c	Pontypool	640	506	109	45	34	23	19	230	36	12	12	22	26	18	30	31	44	30	11	4‡
579	Newport	1027	707	156	73	28	37	23	317	58	16	21	30	47	38	45	47	36	39	13	–
	43.—SOUTH WALES. GLAMORGANSHIRE.																					
581a	Cardiff	1317	853	200	85	48	37	27	397	51	31	19	47	75	57	63	37	39	38	8	1
581b	Pontypridd	771	510	131	41	28	28	16	244	44	20	31	32	23	32	33	15	20	21	4	1
582	Merthyr Tydfil	1959	1493	354	156	105	58	53	726	119	63	57	67	93	78	93	70	71	34	16	3§
583	Bridgend	458	332	70	24	14	14	8	130	24	11	11	13	27	22	21	27	20	16	8	4§
584	Neath	1317	842	185	80	72	40	31	408	70	24	32	36	53	43	49	58	36	22	10	1
585a	Swansea	1095	812	140	72	68	54	27	358	57	30	23	34	49	59	42	54	45	34	7	–
585b	Gower	116	109	11	1	7	5	6	30	13	4	6	5	5	5	7	10	12	8	3	1

* Aged 100. † One aged 104. ‡ One aged 101. § One aged 100.

IX.—YORKSHIRE.—DEATHS at different Ages, 1864—DISTRICTS—*continued.*

No.	DISTRICTS.	TOTAL BIRTHS.	TOTAL DEATHS.	FEMALES.																		
				AGES AT DEATH.																		
				Under 1 Year.	1	2	3	4	Under 5 Years.	5—	10—	15—	20—	25—	35—	45—	55—	65—	75—	85—	95 & upwds.
	37.—NORTH RIDING.																					
525	SCARBOROUGH	558	350	96	14	10	10	2	132	17	7	15	14	35	24	18	19	27	37	4	1
526	MALTON	365	230	52	11	7	6	3	79	13	7	5	14	16	13	10	21	22	20	9	1
527	EASINGWOLD	152	93	20	4	3	1	1	29	4	1	5	1	5	6	6	12	6	11	5	2
528	THIRSK	190	138	24	3	2	4	–	33	4	5	6	8	15	8	11	12	11	20	5	–
529	HELMSLEY	190	124	25	8	1	5	1	40	4	1	4	7	8	9	6	11	16	14	4	–
530	PICKERING	171	120	22	10	1	2	1	36	6	1	3	4	15	6	8	16	7	13	5	–
531	WHITBY	465	254	47	9	5	7	3	71	9	8	13	8	22	16	14	14	33	38	8	–
532	GUISBROUGH	525	264	74	20	9	10	5	118	21	8	10	7	24	10	12	8	18	20	8	–
533	STOKESLEY	152	99	19	4	–	1	–	24	6	1	8	2	8	9	12	8	10	7	4	–
534	NORTHALLERTON	186	102	15	2	–	1	–	18	4	1	1	3	4	6	7	7	16	15	17	4	3
535	BEDALE	125	79	17	5	2	–	1	25	4	1	4	3	2	5	4	5	13	8	5	–
536	LEYBURN	135	118	22	2	2	2	–	28	5	3	4	8	4	7	7	9	17	18	8	–
537	ASKRIGG	98	58	7	1	1	–	–	9	2	–	3	1	6	5	5	5	9	11	2	–
538	REETH	92	66	12	2	–	1	3	18	1	1	4	6	7	7	2	7	7	9	1	–
539	RICHMOND	189	154	25	5	4	2	5	41	6	1	2	11	10	12	5	13	17	21	14	1
	X.—NORTHERN COUNTIES.																					
	38.—DURHAM.																					
540	DARLINGTON	582	296	74	19	12	5	4	114	17	4	16	12	23	15	11	19	29	21	14	1
541*a*	STOCKTON	1472	801	226	83	39	28	13	389	32	16	22	31	58	47	30	54	50	51	19	2
541*b*	HARTLEPOOL	721	329	109	39	16	7	7	178	13	12	5	19	24	18	16	7	14	12	9	2
542	AUCKLAND	1326	604	201	75	26	11	9	322	28	13	22	22	45	33	21	36	31	21	8	2
543	TRESDALE	360	176	37	4	4	2	–	47	7	5	12	6	18	6	9	20	31	15	9	1*
544	WEARDALE	260	133	39	10	8	4	1	62	11	4	10	22	13	13	11	12	14	7	4	–
545	DURHAM	1203	727	201	75	31	20	14	341	28	16	22	33	50	42	30	37	55	54	18	1
546	EASINGTON	617	313	104	34	20	5	8	171	8	8	12	10	14	14	15	24	18	14	3	2†
547	HOUGHTON-LE-SPRING	481	250	64	16	12	1	4	97	14	5	9	11	16	9	13	19	25	23	8	1‡
548	CHESTER-LE-STREET	618	356	104	30	20	9	5	168	16	8	13	14	27	15	17	19	28	18	10	3§
549	SUNDERLAND	2036	1097	289	102	60	24	21	496	44	13	20	33	79	73	80	81	84	72	20	2
550	SOUTH SHIELDS	1100	604	171	90	43	25	18	347	48	14	13	17	35	33	40	39	32	42	9	–
551	GATESHEAD	1227	774	211	95	27	25	12	370	42	11	18	18	47	41	48	47	62	48	20	2‖
	39.—NORTHUMBERLAND.																					
552	NEWCASTLE-UPON-TYNE	2286	1573	407	149	63	48	37	704	52	22	35	58	118	117	99	113	129	93	22	1
553	TYNEMOUTH	1037	894	236	86	39	23	13	397	38	17	22	35	53	54	49	67	68	76	17	1
554	CASTLE WARD	247	137	17	7	2	5	3	34	4	6	3	7	13	11	9	10	12	17	11	–
555	HEXHAM	557	313	57	14	8	11	2	92	13	9	12	13	26	24	22	24	36	31	8	3
556	HALTWHISTLE	114	58	8	–	2	–	–	10	1	4	3	2	6	5	2	3	9	10	2	1
557	BELLINGHAM	96	67	14	2	1	1	–	18	1	1	2	3	2	11	5	4	8	9	2	1‡
558	MORPETH	428	286	51	37	18	6	4	116	7	6	5	9	27	23	8	23	23	29	10	–
559	ALNWICK	305	209	24	13	2	6	5	50	9	6	8	7	26	14	11	16	27	27	8	–
560	BELFORD	90	52	12	4	1	–	–	17	2	1	2	4	3	2	4	6	6	6	2	1
561	BERWICK	213	226	29	18	6	7	7	67	14	5	5	4	11	14	10	25	35	25	10	1
562	GLENDALE	205	110	29	1	3	6	3	29	3	5	4	7	6	4	6	11	13	15	5	2§
563	ROTHBURY	107	69	12	2	1	1	1	17	3	2	1	1	6	6	4	5	8	10	6	–
	40.—CUMBERLAND.																					
564	ALSTON	94	55	14	2	2	–	–	18	2	1	3	3	4	2	3	6	8	3	2	–
565	PENRITH	380	214	47	7	6	1	1	62	3	6	10	17	16	10	10	16	23	29	10	2
566	BRAMPTON	171	112	19	8	6	1	–	34	3	2	5	4	9	8	7	10	19	10	1	–
567	LONGTOWN	150	95	11	2	5	1	1	20	3	2	1	2	7	9	7	8	14	16	5	1
568	CARLISLE	712	589	114	38	24	18	8	202	31	13	24	29	44	28	48	42	59	55	12	2
569	WIGTON	370	238	53	7	8	4	1	73	13	9	8	15	12	10	18	16	22	30	12	–
570	COCKERMOUTH	792	504	101	44	21	12	4	182	12	15	22	19	31	40	37	32	52	51	11	–
571	WHITEHAVEN	816	526	81	48	29	15	12	185	16	10	18	25	42	36	31	49	63	49	12	–
572	BOOTLE	83	50	9	–	2	1	–	12	4	2	3	1	6	4	2	2	6	7	1	–
	41.—WESTMORLAND.																					
573	EAST WARD	221	140	22	9	6	1	1	39	3	2	8	2	11	11	6	10	22	21	3	2
574	WEST WARD	144	82	20	4	–	–	2	26	2	–	3	4	4	6	4	5	14	9	5	–
575	KENDAL	622	350	53	17	10	7	7	94	15	12	15	12	21	34	15	31	39	45	15	2
	XI.—MONMOUTHSHIRE AND WALES.																					
	42.—MONMOUTHSHIRE.																					
576	CHEPSTOW	285	196	28	7	9	11	7	62	25	7	3	10	9	8	8	17	14	24	8	1
577	MONMOUTH	474	362	67	23	22	16	15	143	33	15	13	12	15	22	11	17	23	36	16	6¶
578*a*	ABERGAVENNY	380	262	43	15	10	7	8	83	18	6	6	9	20	15	17	25	37	14	10	2
578*b*	BEDWELLTY	370	202	149	61	34	30	17	292	44	15	17	23	43	28	44	33	39	19	12	–
579	PONTYPOOL	534	434	80	38	30	18	20	201	48	9	14	19	20	13	19	26	32	25	8	–
580	NEWPORT	917	670	128	62	30	40	26	286	53	21	20	22	47	49	33	39	43	30	24	**§
	43.—SOUTH WALES. GLAMORGANSHIRE.																					
581*a*	CARDIFF	1184	719	169	72	51	33	27	352	57	12	10	34	62	39	38	43	27	28	7	1
581*b*	PONTYPRIDD	736	443	119	43	24	13	15	217	34	9	9	16	33	30	22	20	22	18	11	2
582	MERTHYR TYDFIL	1947	1250	296	135	103	52	50	636	92	30	23	47	80	81	68	65	56	48	22	2§
583	BRIDGEND	456	282	42	25	16	12	8	103	16	4	15	8	14	15	16	16	30	31	14	–
584	NEATH	1243	744	142	71	50	59	45	367	76	25	31	26	43	46	31	29	37	25	7	1
585*a*	SWANSEA	1106	736	135	80	59	49	33	356	71	15	12	25	44	36	38	30	42	39	14	1*
585*b*	GOWER	113	102	10	3	4	3	4	24	8	6	3	4	12	3	7	4	4	12	5	–

* Aged 103. † One aged 103. ‡ Aged 100. § One aged 100. ‖ One aged 107.
¶ One aged 100 and one 101. ** One aged 102,

XI.—MONMOUTHSHIRE AND WALES.—DEATHS at different Ages, 1864—DISTRICTS—*cont.*

No.	DISTRICTS.	TOTAL BIRTHS.	TOTAL DEATHS.	MALES. AGES AT DEATH. Under 1 Year.	1	2	3	4	Under 5 Years.	5–	10–	15–	20–	25–	35–	45–	55–	65–	75–	85–	95 & upwds.
	43.—SOUTH WALES—*cont.*																				
	CARMARTHENSHIRE.																				
586	Llanelly	647	314	84	20	6	12	6	128	21	10	16	14	22	21	16	24	17	16	7	2
587	Llandovery	230	109	42	11	1	5	2	61	10	2	4	7	13	7	9	11	14	18	4	–
588	Llandilofawr	256	104	22	7	7	8	4	48	16	7	11	10	7	12	8	10	15	14	6	–
589	Carmarthen	554	399	37	22	15	11	11	109	30	7	9	13	20	18	25	34	40	41	12	2
	PEMBROKESHIRE.																				
590	Narberth	332	208	37	6	5	7	4	59	17	5	7	12	12	5	11	29	19	34	6	1
591	Pembroke	511	315	81	24	7	6	3	121	9	5	11	17	25	15	18	22	37	24	7	4
592	Haverfordwest	593	373	78	15	17	12	8	130	14	14	10	13	29	18	23	27	43	40	12	–
	CARDIGANSHIRE.																				
593	Cardigan	225	154	34	3	3	1	–	41	7	2	6	11	8	6	11	17	17	18	10	–
594	Newcastle-in-Emlyn	266	170	16	3	1	3	3	26	8	6	5	7	21	8	10	18	26	25	9	1*
595	Lampeter	175	92	10	4	–	1	2	17	2	9	4	12	4	4	5	6	8	16	5	1
596	Aberayron	227	141	20	7	6	2	4	39	9	3	9	7	10	5	9	8	21	15	5	1
597	Aberystwith	486	247	37	20	7	4	1	69	14	5	9	10	23	20	13	21	27	27	9	–
598	Tregaron	148	94	16	5	5	1	1	28	4	4	5	7	4	3	8	8	14	7	2	–
	BRECKNOCKSHIRE.																				
599	Builth	148	96	26	4	4	–	–	34	1	4	5	4	6	5	7	4	6	12	8	–
600	Brecknock	310	180	34	4	5	4	5	52	5	1	3	10	15	7	14	12	21	27	12	1
601	Crickhowell	449	286	56	21	10	6	8	101	16	11	8	13	15	23	27	21	16	25	8	2
602	Hay	176	128	28	7	3	3	2	43	7	3	5	4	6	13	12	7	14	10	4	–
	RADNORSHIRE.																				
603	Presteigne	250	150	32	11	5	3	1	52	6	4	3	7	7	10	9	7	19	18	8	–
604	Knighton	200	99	26	4	–	3	–	33	2	1	3	7	11	9	3	11	10	5	4	–
605	Rhayader	121	84	17	7	–	3	–	27	4	3	5	3	8	9	10	2	–	9	4	–
	44.—NORTH WALES.																				
	MONTGOMERYSHIRE.																				
606	Machynlleth	207	142	28	4	3	6	2	44	6	1	4	7	12	3	13	16	17	17	2	–
607	Newtown	445	257	52	21	8	7	2	90	12	4	12	9	13	13	11	18	38	30	7	–
608	Montgomery	306	185	44	7	1	3	2	57	2	3	5	7	13	11	6	21	29	26	3	–
609	Llanfyllin	325	237	43	10	7	7	6	73	10	9	7	15	18	9	12	22	33	23	6	–
	FLINTSHIRE.																				
610	Holywell	700	483	86	26	14	8	3	137	28	13	11	18	40	41	40	43	63	38	11	–
	DENBIGHSHIRE.																				
611	Wrexham	1006	727	196	54	27	18	12	307	27	15	21	33	56	46	61	56	56	49	5	1
612	Ruthin	227	160	26	1	2	2	3	34	6	–	1	9	12	6	12	24	22	25	9	–
613	St. Asaph	451	294	59	7	6	11	2	85	16	8	9	15	23	14	15	25	41	31	11	–
614	Llanrwst	201	124	31	3	3	3	1	41	2	3	5	3	9	6	6	16	17	13	3	–
	MERIONETHSHIRE.																				
615	Corwen	233	158	31	11	5	3	1	51	8	5	4	7	12	9	10	13	18	16	4	1
616	Bala	96	53	6	2	2	1	–	11	2	3	–	3	7	5	3	4	4	7	3	1
617	Dolgelly	189	134	19	8	5	5	6	43	10	7	7	7	10	8	10	17	17	11	7	–
618	Festiniog	402	256	57	12	8	8	4	89	16	9	12	16	27	11	13	23	18	18	3	1
	CARNARVONSHIRE.																				
619	Pwllheli	310	168	25	8	4	5	4	46	8	4	4	5	8	11	9	16	25	23	9	–
620	Carnarvon	561	401	90	20	17	7	2	136	23	12	15	21	33	23	16	33	45	34	10	3†
621	Bangor	609	386	74	21	12	4	6	117	17	10	12	21	31	25	22	34	43	34	10	–
622	Conway	264	155	37	9	6	4	2	58	10	2	–	11	8	7	6	11	14	22	6	–
	ANGLESEY.																				
623	Anglesey	533	378	69	9	11	10	4	103	18	10	12	27	32	26	18	37	41	36	16	2†

* Aged 101. † One aged 100.

XI.—MONMOUTHSHIRE AND WALES.—DEATHS at different Ages, 1864—DISTRICTS—*cont.*

No.	DISTRICTS.	FEMALES.																		
		TOTAL BIRTHS.	TOTAL DEATHS.	AGES AT DEATH.																
				Under 1 Year.	1	2	3	4	Under 5 Years.	5—	10—	15—	20—	25—	35—	45—	55—	65—	75—	85—	95 & upwds.
	43.—SOUTH WALES—*cont.*																			
	CARMARTHENSHIRE.																			
586	LLANELLY	563	316	62	25	29	18	11	145	17	3	10	10	16	12	18	28	20	24	10	3
587	LLANDOVERY	211	151	18	6	8	5	2	38	11	5	10	10	10	8	5	8	15	23	7	1
588	LLANDILOFAWR	247	202	29	7	7	5	5	44	16	13	12	10	15	14	10	14	16	22	15	1
589	CARMARTHEN	538	382	36	18	11	12	13	90	15	8	16	15	32	21	18	30	55	55	20	7*
	PEMBROKESHIRE.																			
590	NARBERTH	300	223	19	8	12	7	10	56	20	11	9	8	13	10	13	15	24	29	15	2†
591	PEMBROKE	504	324	65	25	8	6	6	110	14	2	12	8	19	13	27	22	32	42	16	2
592	HAVERFORDWEST	514	424	68	19	15	9	10	121	13	13	23	13	29	25	16	35	41	67	21	2‡
	CARDIGANSHIRE.																			
593	CARDIGAN	200	101	15	3	7	5	3	33	2	4	5	9	10	13	14	17	28	42	13	1
594	NEWCASTLE-IN-EMLYN	284	152	14	4	3	3	–	24	8	9	6	2	9	9	11	14	24	24	12	–
595	LAMPETER	155	75	6	2	4	–	2	14	3	–	2	4	8	6	6	5	9	10	6	2
596	ABERAYRON	180	132	21	5	3	4	–	33	6	4	6	4	8	9	7	6	19	17	10	–
597	ABERYSTWITH	454	296	42	13	8	7	5	70	9	6	6	16	23	22	16	25	33	27	13	–
598	TREGARON	148	73	15	1	1	1	1	19	4	3	2	9	4	6	5	2	7	7	2	2
	BRECKNOCKSHIRE.																			
599	BUILTH	135	90	15	2	–	2	1	20	5	5	4	1	9	6	4	11	15	7	2	1
600	BRECKNOCK	260	201	35	7	7	1	1	51	8	5	13	3	12	21	10	17	25	26	9	1§
601	CRICKHOWELL	467	323	50	24	11	4	6	95	18	9	5	8	12	16	8	8	16	18	10	–
602	HAY	193	122	23	9	4	4	1	41	4	8	3	5	9	5	7	11	14	15	4	1
	RADNORSHIRE.																			
603	PRESTEIGNE	257	153	23	8	4	3	–	38	7	6	7	1	15	10	7	8	19	28	7	–
604	KNIGHTON	160	99	24	3	1	3	1	32	2	3	–	9	10	10	4	5	6	13	4	1‖
605	RHAYADER	142	64	12	2	5	1	–	20	3	1	3	2	5	3	2	1	14	5	4	1
	44.—NORTH WALES.																			
	MONTGOMERYSHIRE.																			
606	MACHYNLLETH	200	144	18	8	3	2	2	33	5	5	7	4	13	10	13	4	18	25	7	–
607	NEWTOWN	405	235	51	17	12	8	2	90	10	7	9	9	17	14	15	19	28	28	8	1§
608	MONTGOMERY	274	176	28	8	2	5	6	49	3	2	11	3	12	9	9	18	27	24	8	1
609	LLANFYLLIN	305	265	43	9	9	7	5	73	10	5	11	16	25	25	14	15	29	32	9	1
	FLINTSHIRE.																			
610	HOLYWELL	653	468	83	26	18	11	8	146	23	7	11	23	35	37	22	35	44	54	29	–
	DENBIGHSHIRE.																			
611	WREXHAM	972	665	147	62	32	15	10	266	39	21	24	28	43	43	38	33	66	49	15	–
612	RUTHIN	203	133	16	2	2	3	1	24	7	3	3	8	8	5	4	14	20	23	14	–
613	ST. ASAPH	415	320	42	13	3	8	6	72	22	7	12	20	24	18	20	29	41	39	16	–
614	LLANRWST	192	118	23	4	1	2	2	31	2	7	5	9	8	5	5	12	9	18	6	1
	MERIONETHSHIRE.																			
615	CORWEN	241	148	24	7	1	3	3	38	3	1	7	6	10	12	6	16	23	15	11	–
616	BALA	80	50	5	2	–	–	1	8	1	–	–	2	4	1	5	6	8	9	6	–
617	DOLGELLY	212	143	18	8	3	1	1	31	7	1	10	4	11	10	6	9	18	18	16	2
618	FESTINIOG	371	195	32	10	7	5	5	59	9	3	6	10	19	7	14	17	19	22	9	1
	CARNARVONSHIRE.																			
619	PWLLHELI	278	173	23	2	4	5	2	36	8	1	4	8	12	4	8	16	33	29	13	1
620	CARNARVON	363	261	61	23	11	6	6	107	20	12	12	21	33	24	21	30	28	35	20	–
621	BANGOR	587	414	73	18	18	9	4	122	17	10	25	12	32	19	23	25	52	55	22	–
622	CONWAY	265	132	22	5	–	2	2	31	3	6	8	4	15	8	7	11	21	14	3	1
	ANGLESEY.																			
623	ANGLESEY	472	420	56	24	12	4	5	101	24	22	13	23	30	29	22	33	45	56	14	3

* Three aged 100 and one 101. † One aged 105. ‡ One aged 101. § Aged 100. ‖ Aged 102.

ENGLAND.—CAUSES of DEATH at different Periods of Life in the Year 1864—MALES.

Class.	CAUSES OF DEATH.	MALES. ALL AGES.	Ages at Death. Total under 1 Year.	1	2	3	4	Total under 5 Years.	5—	10—	15—	20—	25—	35—	45—	55—	65—	75—	85—	95 and upwards
	ALL CAUSES - - -	253,619	62,818	21,023	10538	7328	5433	107,212	12,004	5499	551	808	15,041	16,780	17,787	20,779	22,536	16,774	4286	227
	SPECIFED CAUSES -	249,268	61,154	20,518	10515	7283	5395	105,165	11,981	5436	6456	8007	14,882	16,478	17,427	20,260	22,096	16,583	4270	227
	(CLASSES.)																			
I.	ZYMOTIC DISEASES -	59,889	13560	8535	5901	4745	3596	36337	7324	2020	1545	1524	2383	2262	1956	1892	1587	883	174	4
II.	CONSTITUTIONAL „ -	41,613	4281	2685	1124	608	454	9152	1421	1173	2525	3767	6496	5575	4443	3462	2330	1073	187	9
III.	LOCAL „ -	99,328	24408	6874	2676	1492	981	36431	2235	1218	1488	1759	4361	6905	9437	13019	14045	7377	937	36
IV.	DEVELOPMENTAL „ -	33,862	18024	2331	447	152	83	21037	184	56	36	26	43	73	164	754	3480	6984	2869	176
V.	VIOLENT DEATHS -	12,576	881	393	357	286	281	2208	817	939	862	931	1599	1663	1427	1153	656	286	53	2
	(ORDERS.)																			
I.	1. MIASMATIC DISEASES -	56,484	11740	8450	5869	4727	3571	34357	7291	1990	1524	1459	2141	1891	1659	1687	1467	840	165	4
	2. ENTHETIC „ -	1040	602	38	7	1	5	651	1	3	5	30	67	81	64	51	50	30	7	-
	3. DIETIC „ -	1738	676	32	7	12	7	734	16	16	15	35	173	288	232	149	67	12	1	-
	4. PARASITIC „ -	627	542	17	18	5	13	595	16	2	1	-	2	2	1	5	1	1	1	-
II.	1. DIATHETIC „ -	6635	215	99	81	70	54	519	173	87	65	89	229	470	875	1347	1604	982	188	9
	2. TUBERCULAR „ -	34,978	4036	2586	1043	538	400	8603	1248	1086	2460	3678	6267	5105	3568	2115	726	91	1	-
III.	1. DISEASES OF NERVOUS SYSTEM -	31,864	12708	2045	827	479	357	16416	792	359	375	417	1040	1634	2004	2789	3358	2210	257	16
	2. „ ORGANS OF CIRCULATION -	10,923	80	31	25	20	28	184	191	231	266	492	858	1281	1650	2474	2304	993	98	1
	3. „ RESPIRATORY ORGANS -	40,485	9874	4469	1652	824	470	17289	751	235	354	540	1324	2257	3449	7019	5572	3002	473	20
	4. „ DIGESTIVE ORGANS - -	10,336	1424	228	103	93	74	1922	270	213	237	291	681	1109	1558	1815	1604	551	65	-
	5. „ URINARY ORGANS - -	4277	32	30	38	45	29	174	109	76	115	125	318	473	605	739	926	539	77	1
	6. „ ORGANS OF GENERATION -	66	4	4	-	1	-	9	-	-	4	2	8	7	10	11	7	5	3	-
	7. „ ORGANS OF LOCOMOTION -	1049	87	26	21	20	18	122	110	120	103	81	106	102	96	94	79	32	4	-
	8. „ INTEGUMENTARY SYSTEM -	728	249	41	10	10	5	315	12	14	14	11	26	42	65	78	95	45	10	1
IV.	1. CONGENITAL MALFORMATIONS AND DEV. DISEASES OF CHILDREN	7080	6526	1019	96	10	4	7655	10	7	6	2	-	-	-	-	-	-	-	-
	2. DEV. DISEASES, ADULTS	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	3. „ OLD PEOPLE -	12,586	-	-	-	-	-	-	-	-	-	-	-	-	-	-	2572	6974	2864	176
	4. DISEASES OF NUTRITION	15,706	11498	1512	351	112	70	13543	174	49	30	24	43	73	134	734	908	10	5	-
V.	1. ACCIDENT OR NEGLIGENCE - - - -	11,505	791	391	363	283	279	2107	805	923	810	843	1385	1108	1173	921	547	232	49	2
	3. HOMICIDE - - -	231	86	1	-	2	-	89	4	9	11	21	25	29	20	16	7	-	-	-
	4. SUICIDE - - -	993	-	-	-	-	-	-	-	2	36	53	159	199	220	202	89	29	4	-
	5. EXECUTION - - -	21	-	-	-	-	-	-	-	-	-	9	9	2	-	1	-	-	-	-
	VIOLENT DEATHS, NOT CLASSED - - - -	126	4	1	4	1	2	12	8	5	5	5	21	25	14	13	13	5	-	-
	SUDDEN DEATHS, CAUSE UNASCERTAINED - -	2044	449	92	22	14	10	595	26	1	27	38	97	221	275	320	548	163	16	-
	CAUSES NOT SPECIFIED -	2307	1224	158	61	41	28	1512	87	45	35	41	62	81	105	189	122	28	-	-

(*continued at page* 122.)

Note.—For the Causes of Death more in detail *see*

ENGLAND.—CAUSES of DEATH at different Periods of Life in the Year 1864—FEMALES.

Class.	CAUSES OF DEATH.	FEMALES.																
		ALL AGES.	AGES AT DEATH.															
			Total under 1 Year.	1	2	3	4	Total under 5 Years.	5—	10—	15—	20—	25—	35—	45—	55—	65—	75—	85—	95 & upwds.
	ALL CAUSES - - -	241,912	50,117	19,540	10,353	7324	5257	92,591	11,541	5566	7063	8398	16,656	15,878	15,465	18,954	23,584	19,733	6040	443
	SPECIFIED CAUSES -	238,464	48,682	19,352	10,277	7277	5216	90,804	11,423	5505	6995	8325	16,504	15,676	15,224	18,655	23,297	19,595	6018	443
	(CLASSES.)																			
I.	ZYMOTIC DISEASES -	58,936	11762	8481	6038	4894	3664	34839	7430	2482	1692	1719	2867	2152	1371	1565	1449	955	201	16
II.	CONSTITUTIONAL „ -	45,577	3236	2375	956	569	441	7577	1254	1567	3546	4230	8045	6389	4801	3648	2886	1396	228	10
III.	LOCAL „ -	89,711	18,263	6017	2563	1455	883	29181	2099	1246	1455	1748	4244	5802	8249	12249	14182	7927	1279	50
IV.	DEVELOPMENTAL „ -	39,798	14,572	2153	451	153	78	17407	188	54	146	497	1113	1044	322	934	4473	9042	1214	364
V.	VIOLENT DEATHS -	4442	849	326	269	206	150	1800	452	156	156	131	235	289	281	261	307	275	96	3
	(ORDERS.)																			
I.	1. MIASMATIC DISEASES -	30,567	10208	8368	6005	4869	3649	33099	7387	2471	1668	1667	2727	2025	1463	1485	1420	941	197	16
	2. ENTHETIC „ -	753	487	43	7	2	1	540	4	–	11	39	82	47	19	9	2	–	–	–
	3. DIETIC „ -	1072	635	35	13	8	4	695	17	6	10	13	53	82	86	67	26	14	3	–
	4. PARASITIC „ -	544	432	35	13	15	10	505	22	2	3	–	5	–	3	2	1	–	1	–
II.	1. DIATHETIC „ -	10,757	217	135	80	70	55	557	125	73	85	118	472	1238	1991	2178	2357	1322	222	9
	2. TUBERCULAR „ -	34,820	3019	2240	876	499	386	7020	1129	1494	3461	4112	7573	5151	2810	1470	519	74	6	1
III.	1. DISEASES OF NERVOUS SYSTEM - -	27,763	9585	1764	800	473	305	12927	732	367	400	408	908	1239	1743	2629	3584	2406	403	17
	2. „ ORGANS OF CIRCULATION -	11,496	70	23	17	21	27	158	267	300	304	325	786	1192	1753	2591	2672	1101	104	3
	3. „ RESPIRATORY ORGANS - -	35,291	7416	3942	1583	846	439	14226	740	271	342	438	1109	1602	2476	4403	5570	3428	660	26
	4. „ DIGESTIVE ORGANS - -	10,633	942	208	107	79	68	1404	272	165	247	357	916	1133	1539	1910	1807	788	91	4
	5. „ URINARY ORGANS - -	1827	24	21	19	20	27	111	65	41	57	103	224	263	280	307	275	94	7	–
	6. „ ORGANS OF GENERATION -	1223	2	4	2	1	–	9	1	4	14	41	159	249	334	255	121	27	4	–
	7. „ ORGANS OF LOCOMOTION -	811	28	13	13	10	13	77	73	83	76	57	95	94	78	92	59	26	1	–
	8. „ INTEGUMENTARY SYSTEM -	662	196	42	22	5	4	269	9	15	15	19	47	30	46	62	84	57	9	–
IV.	1. CONGENITAL MALFORMATIONS AND DEV. DISEASES OF CHILDREN	6241	5147	969	103	7	–	6226	7	2	2	–	2		1	1	–	–	–	–
	2. DEV. DISEASES, ADULTS	2307	–	–	–	–	–	–	–	7	114	465	1026	916	77	2	–	–	–	–
	3. „ OLD PEOPLE	16,912	–	–	–	–	–	–	–	–	–	–	–	–	–	–	3309	9051	4208	364
	4. DISEASES OF NUTRITION	14,038	9425	1184	348	146	78	11181	181	45	30	32	85	128	244	931	1164	11	6	–
V.	1. ACCIDENT OR NEGLIGENCE - - - -	3885	739	317	264	205	148	1673	442	153	127	97	165	185	195	212	275	265	94	3
	3. HOMICIDE - - -	181	106	5	3	–	1	115	8	–	3	6	11	16	10	6	3	3	–	–
	4. SUICIDE - - - -	347	–	–	–	–	–	–	–	2	26	28	56	86	74	41	27	5	2	–
	5. EXECUTION - - -	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	VIOLENT DEATHS NOT CLASSED - - - -	28	4	4	2	1	1	12	2	1	–	–	3	2	2	2	2	2	–	–
	SUDDEN DEATHS, CAUSE UNASCERTAINED - -	1277	354	85	10	13	11	423	24	21	26	33	82	99	121	136	178	117	17	–
	CAUSES NOT SPECIFIED -	2171	1081	153	66	34	30	1364	94	40	42	40	70	103	120	163	109	21	5	–

(*continued at page 123.*)

Supplementary Table of Causes of Death, pp. 126–129.

ENGLAND.—CAUSES of DEATH at different Periods of Life in the Year 1864—MALES—*cont.*

Class.	CAUSES OF DEATH.	MALES. ALL AGES.	AGES AT DEATH. Total under 1 Year.	1	2	3	4	Total under 5 Years.	5—	10—	15—	20—	25—	35—	45—	55—	65—	75—	85—	95 upwards.
	ORDER 1.																			
I.	1 Small-pox	4179	991	414	303	259	204	2171	403	130	195	350	459	244	125	68	22	7	–	–
	2 Measles	4235	812	1324	899	434	245	3824	258	27	9	5	4	3	1	–	–	–	–	–
	3 Scarlatina	15010	978	2067	2272	2344	1858	9569	4579	787	266	119	112	33	22	9	2	2	–	–
	4 Diphtheria	2419	307	358	332	308	251	1556	577	165	77	65	61	33	30	24	11	3	1	–
	5 Quinsy	197	28	23	18	12	13	97	17	8	11	12	10	19	9	12	5	3	1	–
	6 Croup	3384	501	808	771	585	372	3137	417	14	–	–	–	–	–	–	–	–	–	–
	7 Whooping cough	3827	1705	1123	491	267	141	3727	89	6	2	1	–	1	–	1	–	–	–	–
	8 Typhus	9971	295	413	433	581	591	1912	1173	650	768	731	1117	1108	948	801	511	192	21	–
	9 Erysipelas	1129	309	32	14	8	9	372	10	10	19	29	56	94	100	168	160	93	18	–
	10 Metria	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	11 Carbuncle	191	1	–	–	–	–	1	–	2	3	5	7	15	27	52	46	29	4	–
	12 Influenza	410	104	24	8	4	3	143	11	4	4	2	11	20	15	31	73	77	19	–
	13 Dysentery	565	165	30	18	11	9	233	12	2	12	12	47	35	29	35	58	34	4	1
	14 Diarrhœa	8447	5316	1335	255	83	59	7048	83	27	29	24	46	71	121	227	357	330	92	93
	15 Cholera	521	194	43	15	10	11	273	26	7	5	11	23	28	40	48	48	13	–	–
	16 Ague	67	1	3	3	1	1	8	3	3	3	6	5	10	10	9	5	3	–	–
	17 Remittent Fever	84	10	7	8	6	–	31	9	5	7	4	4	5	3	6	5	5	–	–
	18 Rheumatism	1353	3	2	6	3	14	28	115	113	128	76	177	168	164	175	156	48	5	–
	19 *Other Zymotic Diseases*	84	25	10	13	6	5	59	6	–	–	5	2	2	2	2	5	1	–	–
	ORDER 2.																			
	1 Syphilis	798	602	36	7	1	5	651	–	1	2	23	48	46	15	9	1	2	–	–
	2 Stricture of Urethra	229	–	–	–	–	–	–	–	–	2	4	15	35	47	42	49	28	7	–
	3 Hydrophobia	11	–	–	–	–	–	–	1	2	1	3	3	–	1	–	–	–	–	–
	4 Glanders	2	–	–	–	–	–	–	–	–	–	–	1	–	1	–	–	–	–	–
	ORDER 3.																			
	1 Privation	46	3	1	–	–	–	4	1	2	–	–	1	7	7	15	8	1	–	–
	2 Want of Breast-milk	637	629	8	–	–	–	637	–	–	–	–	–	–	–	–	–	–	–	–
	3 Purpura and Scurvy	225	41	23	7	12	7	93	15	11	12	12	16	16	17	12	12	5	1	–
	4 Alcoholism { *a* Del.Trem.	532	–	–	–	–	–	–	–	–	2	15	124	188	120	57	24	2	–	–
	4 Alcoholism { *b* Intemp.	298	–	–	–	–	–	–	–	–	1	8	32	77	88	65	23	4	–	–
	ORDER 4.																			
	1 Thrush	550	532	10	2	1	–	545	1	–	–	–	–	–	1	1	1	1	–	–
	2 Worms, &c.	77	10	7	16	4	18	50	15	2	1	–	2	2	1	4	–	–	–	–
II.	ORDER 1.																			
	1 Gout	262	–	–	–	–	–	–	–	–	1	–	5	22	50	68	74	36	6	–
	2 Dropsy	3099	157	83	68	59	45	412	162	72	42	51	130	208	302	506	706	432	78	3
	3 Cancer	2459	2	1	6	6	3	18	5	13	21	32	84	224	490	681	610	256	24	1
	4 Noma	52	7	9	3	5	5	29	6	–	–	2	–	2	2	1	5	4	1	–
	5 Mortification	763	49	6	4	–	1	60	–	2	1	4	10	19	31	91	209	254	77	5
	ORDER 2.																			
	1 Scrofula	1665	281	151	55	37	27	551	167	169	147	135	178	101	84	69	51	12	1	–
	2 Tabes Mesenterica	2177	1492	742	270	127	75	2706	193	83	66	23	29	24	28	22	3	–	–	–
	3 Phthisis	25,707	594	444	232	108	112	1490	511	720	2229	3508	4951	4974	3453	2023	669	79	–	–
	4 Hydrocephalus	4429	1639	1249	487	267	186	3885	357	114	18	12	9	6	3	1	3	–	–	–
III.	ORDER 1.																			
	1 Cephalitis	2208	409	272	169	131	105	1086	322	117	110	90	169	142	88	55	27	9	–	–
	2 Apoplexy	5152	204	81	47	33	31	396	67	33	63	73	230	442	700	1040	1264	760	79	5
	3 Paralysis	5209	11	9	12	8	2	42	13	12	18	37	248	478	606	996	1565	1101	144	7
	4 Insanity	301	–	–	–	–	–	–	1	–	9	9	30	49	46	60	55	36	6	–
	5 Chorea	19	1	–	1	–	1	3	6	5	2	–	–	1	–	1	1	–	–	–
	6 Epilepsy	1324	48	15	16	14	20	113	39	58	89	114	204	212	175	131	127	59	3	–
	7 Convulsions	14,084	11819	1578	531	252	156	14336	248	58	9	5	8	14	8	5	5	7	1	–
	8 *Brain Disease, &c.*	2067	196	89	52	40	39	416	124	96	75	89	191	316	381	501	515	248	24	1
	ORDER 2.																			
	1 Pericarditis	311	8	1	3	1	5	18	28	28	30	24	33	48	29	40	21	11	1	–
	2 Aneurism	338	3	1	–	–	–	4	–	1	8	35	97	69	43	22	8	1	–	–
	3 *Heart Disease, &c.*	10,274	69	29	22	19	23	162	163	203	235	260	740	1186	1552	2391	2361	974	96	1
	ORDER 3.																			
	1 Laryngitis	860	208	169	97	68	46	588	83	19	9	12	34	30	31	34	16	4	–	–
	2 Bronchitis	19,510	4204	1791	595	282	136	7008	189	43	56	106	368	906	1734	2897	3572	2231	383	17
	3 Pleurisy	541	16	12	6	5	6	45	13	10	22	36	72	89	89	90	49	25	1	–
	4 Pneumonia	13,954	4822	2345	872	432	256	8727	397	124	197	200	583	814	842	935	715	288	41	1
	5 Asthma	2393	9	7	2	2	1	21	2	2	12	9	37	172	305	649	727	315	23	1
	6 *Lung Disease, &c.*	2827	615	145	80	55	25	900	67	37	58	87	210	246	360	496	291	139	25	1
	ORDER 4.																			
	1 Gastritis	399	44	11	10	3	4	72	10	3	10	13	19	44	65	65	71	23	4	–
	2 Enteritis	1617	546	122	36	30	29	763	83	58	70	68	81	78	97	115	140	57	7	–
	3 Peritonitis	727	86	15	13	16	11	141	65	73	53	50	68	56	82	71	44	25	1	–
	4 Ascites	272	14	4	3	2	2	25	8	8	7	7	24	35	46	49	40	21	2	–
	5 Ulceration of Intestines	429	25	10	3	3	3	44	10	8	20	18	46	54	75	86	52	16	–	–
	6 Hernia	409	38	4	1	–	1	44	5	4	2	14	20	35	47	79	97	52	10	–
	7 Ileus	618	103	10	2	7	6	128	17	13	26	15	35	51	57	96	113	53	9	–
	8 Intussusception	158	32	2	3	2	3	42	7	7	1	6	11	16	12	20	26	9	1	–
	9 Stricture of Intestines	123	–	–	–	1	–	1	2	1	2	1	8	6	18	36	32	14	2	–
	10 Fistula	77	1	–	–	1	–	2	–	1	2	–	5	13	15	17	18	4	–	–
	11 *Stomach Disease, &c.*	1297	155	22	11	9	5	202	22	13	13	24	66	125	193	269	276	84	10	–
	12 *Pancreas Disease, &c.*	3	–	–	–	–	–	–	–	–	–	–	1	1	–	–	–	1	–	–
	13 Hepatitis	713	11	5	5	3	4	28	5	3	8	23	80	124	137	169	110	25	–	–
	14 Jaundice	788	312	12	11	7	1	343	11	6	11	8	20	40	62	95	148	65	8	–
	15 *Liver Disease, &c.*	2676	57	8	4	9	5	83	26	15	30	42	191	426	648	648	460	96	11	–
	16 *Spleen Disease, &c.*	30	–	3	1	–	–	4	1	–	2	2	6	5	4	2	2	2	–	–

(*continued at page* 124.)

ENGLAND.—CAUSES OF DEATH at different Periods of Life in the Year 1864—FEMALES—*cont.*

Class.	CAUSES OF DEATH.	FEMALES. ALL AGES.	AGES AT DEATH. Total under 1 Year.	1	2	3	4	Total under 5 Years.	5–	10–	15–	20–	25–	35–	45–	55–	65–	75–	85–	95 & upwards
	ORDER 1.																			
I.	1 Small-pox	3505	891	432	340	274	186	2123	394	150	164	197	244	120	71	25	16	1	–	–
	2 Measles	4087	673	1561	799	465	240	3738	257	34	19	6	11	9	2	1	–	–	–	–
	3 Scarlatina	14660	800	1858	2310	2227	1905	9100	3948	924	255	162	168	63	22	11	5	2	–	–
	4 Diphtheria	2845	240	326	349	353	284	1552	715	260	94	64	69	46	30	22	12	1	–	–
	5 Quinsy	183	17	24	16	16	11	84	26	11	11	8	9	9	4	9	5	7	–	–
	6 Croup	3200	379	787	706	612	341	2825	368	13	2	–	1	–	–	–	–	–	–	–
	7 Whooping-cough	4743	1778	1467	717	370	193	4525	202	11	3	1	–	–	–	1	–	–	–	–
	8 Typhus	10135	237	394	437	408	392	1868	1223	869	856	710	1174	1025	878	761	516	196	23	3
	9 Erysipelas	975	309	23	16	7	6	361	5	12	19	32	54	77	94	106	111	87	16	1
	10 Metria	1484	–	–	–	–	–	–	–	–	79	349	704	342	13	–	–	–	–	–
	11 Carbuncle	75	3	–	1	–	–	4	1	–	–	–	2	6	10	15	15	17	5	–
	12 Influenza	394	89	13	6	3	3	114	6	3	6	1	11	4	19	40	80	90	18	2
	13 Dysentery	435	109	50	9	4	6	178	12	3	6	8	30	29	31	43	54	36	5	–
	14 Diarrhœa	7935	4502	1351	286	97	48	6284	77	28	23	43	118	133	117	230	393	433	116	10
	15 Cholera	418	153	52	10	5	9	229	28	4	5	5	9	21	32	32	34	9	5	–
	16 Ague	47	–	2	1	5	5	13	3	4	1	–	3	4	3	3	5	3	–	–
	17 Remittent Fever	118	3	12	13	16	6	50	17	8	7	6	3	7	–	2	3	3	1	–
	18 Rheumatism	1206	2	1	1	3	9	16	85	140	108	76	111	128	129	183	107	56	7	–
	19 *Other Zymotic Diseases*	68	23	15	8	4	5	55	7	–	–	2	1	–	–	1	1	–	1	–
	ORDER 2.																			
	1 Syphilis	752	487	43	7	2	1	540	3	–	11	39	82	47	19	9	2	–	–	–
	2 Stricture of Urethra	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	3 Hydrophobia	1	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–
	4 Glanders	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	ORDER 3.																			
	1 Privation	60	5	4	1	–	–	10	1	1	–	2	9	7	9	14	4	3	–	–
	2 Want of Breast-milk	616	604	12	–	–	–	616	–	–	–	–	–	–	–	–	–	–	–	–
	3 Purpura and Scurvy	167	26	19	12	8	4	69	16	5	9	8	7	8	15	13	8	5	2	–
	4 Alcoholism {*a* Del. Trem. *b* Intemp.	60 169	– –	– –	– –	– –	– –	– –	– –	– –	– –	– 1	15 3	18 22	15 49	9 47	1 29	1 13	1 5	– –
	ORDER 4.																			
	1 Thrush	456	425	21	4	1	1	452	1	–	–	–	1	–	–	1	–	–	1	–
	2 Worms, &c.	88	7	14	9	14	9	53	21	2	3	–	4	–	3	1	1	–	–	–
II.	ORDER 1.																			
	1 Gout	47	–	–	–	–	–	–	–	–	–	–	–	–	–	6	16	12	13	–
	2 Dropsy	4237	142	91	52	46	41	372	102	56	62	68	204	334	474	717	1149	661	85	3
	3 Cancer	5658	4	4	5	4	5	22	10	16	21	43	261	879	1486	1379	1051	430	58	2
	4 Noma	113	18	36	19	17	8	98	10	–	–	2	–	–	1	1	–	1	–	–
	5 Mortification	552	53	4	4	3	1	65	3	1	2	5	7	25	24	65	155	217	79	4
	ORDER 2.																			
	1 Scrofula	1446	233	177	74	32	33	549	88	104	125	99	133	113	105	66	44	14	1	–
	2 Tabes Mesenterica	2764	1167	702	226	102	79	2296	136	92	85	48	49	20	37	23	7	2	–	–
	3 Phthisis	27319	482	448	206	145	125	1406	593	1180	3220	3958	7379	5014	2669	1381	466	58	5	1
	4 Hydrocephalus	3271	1137	913	368	220	158	2796	312	109	31	7	7	4	3	–	2	–	–	–
III.	ORDER 1.																			
	1 Cephalitis	1806	295	215	166	118	86	880	280	137	121	60	111	82	48	38	35	13	1	–
	2 Apoplexy	5170	141	69	43	39	24	316	58	46	77	76	222	398	696	1067	1311	780	117	6
	3 Paralysis	5400	11	15	10	4	7	47	14	17	20	31	160	285	503	984	1746	1332	251	10
	4 Insanity	361	–	–	1	–	–	1	–	1	6	14	34	57	58	82	63	39	6	–
	5 Chorea	54	–	–	–	1	1	2	7	14	14	5	3	1	4	2	2	–	–	–
	6 Epilepsy	1082	29	13	16	15	12	85	32	47	82	123	192	172	119	102	77	49	2	–
	7 Convulsions	11698	8972	1071	533	255	148	11279	233	52	13	20	29	12	10	9	10	10	1	–
	8 *Brain Disease, &c.*	2192	137	81	31	41	27	317	88	53	67	79	157	232	305	345	340	183	25	1
	ORDER 2.																			
	1 Pericarditis	318	4	3	3	4	2	16	35	36	23	22	29	36	36	26	41	16	–	–
	2 Aneurism	141	–	–	–	–	–	–	1	–	–	8	20	19	37	32	18	4	2	–
	3 *Heart Disease, &c.*	11037	66	20	14	17	25	142	171	264	279	295	737	1137	1680	2533	2613	1081	102	3
	ORDER 3.																			
	1 Laryngitis	750	155	109	92	89	55	500	98	14	9	9	31	23	20	18	16	2	1	–
	2 Bronchitis	19459	3196	1615	576	278	137	5802	187	68	84	108	416	788	1562	3006	4108	2751	556	23
	3 Pleurisy	400	22	6	3	5	2	38	14	14	16	27	50	43	57	56	54	28	3	–
	4 Pneumonia	10516	3559	2055	858	435	226	7134	372	128	146	201	388	417	360	511	529	274	55	1
	5 Asthma	1835	8	3	–	–	1	12	–	1	7	8	58	131	257	552	553	240	15	1
	6 *Lung Disease, &c.*	2331	475	154	54	39	18	740	69	46	80	85	166	200	211	260	310	133	30	1
	ORDER 4.																			
	1 Gastritis	484	34	13	6	7	5	65	23	7	10	13	53	48	65	85	82	29	3	1
	2 Enteritis	1547	411	106	49	29	22	617	88	43	64	60	128	86	108	133	141	71	8	–
	3 Peritonitis	1009	54	8	9	8	9	88	70	51	73	116	176	143	76	92	86	35	3	–
	4 Ascites	447	2	3	3	–	–	8	6	4	6	7	41	65	81	85	99	35	9	1
	5 Ulceration of Intestines	478	19	9	5	–	2	35	6	7	23	39	75	77	66	86	63	19	–	–
	6 Hernia	396	11	–	–	–	–	11	1	1	3	4	14	32	73	91	108	51	7	–
	7 Ileus	536	45	6	4	5	3	63	14	7	18	15	47	40	69	86	108	57	11	1
	8 Intussusception	134	13	3	2	1	1	20	6	2	4	5	13	7	21	22	22	11	1	–
	9 Stricture of Intestines	172	3	–	–	–	–	3	2	–	1	1	11	23	33	39	31	26	2	–
	10 Fistula	31	–	–	–	–	–	–	–	–	1	2	4	7	6	4	5	2	–	–
	11 *Stomach Disease, &c.*	1450	116	30	11	10	8	175	25	19	9	37	98	126	222	281	294	145	19	–
	12 *Pancreas Disease, &c.*	7	–	–	–	–	–	–	–	–	–	–	1	–	–	1	5	1	–	–
	13 Hepatitis	716	10	3	2	2	1	18	4	5	7	13	57	102	135	178	152	41	4	–
	14 Jaundice	745	192	17	12	11	7	239	12	5	5	15	35	49	71	89	122	90	13	–
	15 *Liver Disease, &c.*	2445	31	8	4	5	8	56	15	13	22	29	158	321	509	657	481	172	11	1
	16 *Spleen Disease, &c.*	36	1	2	–	1	2	6	–	1	1	1	6	6	4	2	6	3	–	–

(*continued at page 125.*)

ENGLAND.—CAUSES of DEATH at different Periods of Life in the Year 1864—MALES—*cont.*

Class.	CAUSES OF DEATH.	MALES. All Ages.	Ages at Death. Total under 1 Year.	1	2	3	4	Total under 5 Years.	5—	10—	15—	20—	25—	35—	45—	55—	65—	75—	85—	95 & upwds.
	ORDER 5.																			
	1 Nephritis	236	5	10	11	16	9	51	20	8	14	13	15	23	24	27	28	8	5	–
	2 Ischuria	90	–	1	1	1	–	3	1	–	3	2	7	7	11	13	19	21	3	–
	3 Nephria	1081	3	7	10	12	10	42	44	26	40	42	127	190	236	173	121	39	1	–
	4 Diabetes	454	1	1	2	–	1	5	7	11	25	20	62	63	89	98	61	13	–	–
	5 Stone	159	1	1	4	6	5	17	6	5	4	1	6	7	10	24	43	30	6	–
	6 Cystitis	326	3	1	–	2	1	9	4	2	3	2	13	18	19	62	110	73	10	1
	7 *Kidney Disease, &c.*	1931	17	9	10	8	3	47	27	21	26	45	88	165	216	342	544	355	52	–
	ORDER 6.																			
	1 Ovarian Dropsy	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	2 *Uterus Disease, &c.*	66	4	4	–	1	–	9	–	–	4	2	8	7	10	11	7	5	3	–
	ORDER 7.																			
	1 Arthritis	46	1	1	–	3	2	7	4	3	2	1	9	3	1	6	8	2	–	–
	2 *Joint Disease, &c.*	1005	35	25	21	17	16	115	106	117	101	80	97	99	95	88	71	30	4	–
	ORDER 8.																			
	1 Phlegmon	296	81	7	4	6	3	101	6	12	12	8	17	24	42	36	28	7	2	1
	2 Ulcer	216	37	4	4	2	–	47	2	2	1	1	4	9	19	32	55	37	7	–
	3 *Skin Disease, &c.*	216	131	30	2	2	2	167	4	–	1	2	5	9	4	10	12	1	1	–
IV.	ORDER 1.																			
	1 Premature Birth	4666	4666	–	–	–	–	4666	–	–	–	–	–	–	–	–	–	–	–	–
	2 Cyanosis	229	225	8	4	3	2	240	6	5	6	2	–	–	–	–	–	–	–	–
	3 Spina Bifida	154	147	3	–	–	2	152	2	–	–	–	–	–	–	–	–	–	–	–
	4 Other Malformations	293	230	5	4	–	–	289	2	2	–	–	–	–	–	–	–	–	–	–
	5 Teething	2308	1210	1003	88	7	–	2308	–	–	–	–	–	–	–	–	–	–	–	–
	ORDER 2.																			
	1 Paramenia	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	2 Childbirth	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	ORDER 3.																			
	1 Old Age	12,586	–	–	–	–	–	–	–	–	–	–	–	–	–	–	2572	6974	2864	176
	ORDER 4.																			
	1 Atrophy and Debility	15,396	11498	1312	731	512	729	14782	174	49	79	94	48	73	164	734	908	10	5	–
V.	ORDER 1.																			
	(ACCIDENT or NEGLIGENCE.)																			
	1 Fractures and Contusions	3559	11	18	39	42	54	224	295	502	454	378	349	365	753	615	359	154	36	2
	2 Gunshot	111	–	–	–	–	–	–	5	15	20	18	17	14	16	4	1	–	–	–
	3 Cut, Stab	87	–	1	–	2	–	3	4	13	7	7	7	10	15	9	10	2	–	–
	4 Burns and Scalds	1475	63	226	233	185	151	858	164	61	47	52	81	77	47	29	26	25	8	–
	5 Poison	149	54	4	5	6	4	73	13	5	6	6	13	12	18	15	4	4	–	–
	6 Drowning	2259	18	71	69	34	60	252	214	256	267	211	200	191	267	151	76	39	2	–
	7 Suffocation	744	439	55	7	8	1	510	13	15	18	20	38	30	33	27	25	4	1	–
	8 Otherwise	850	166	6	9	6	9	196	37	48	62	51	103	99	88	78	46	20	2	–
	ORDER 3.																			
	(HOMICIDE.)																			
	1 Murder and Manslaughter	271	85	1	–	2	–	89	4	9	11	21	25	29	29	16	7	–	–	–
	ORDER 4.																			
	(SUICIDE.)																			
	1 Gunshot Wounds	64	–	–	–	–	–	–	–	–	4	6	16	16	14	5	1	1	1	–
	2 Cut, Stab	194	–	–	–	–	–	–	–	–	2	5	35	51	39	36	16	9	1	–
	3 Poison	87	–	–	–	–	–	–	–	–	4	6	25	25	14	10	2	–	1	–
	4 Drowning	123	–	–	–	–	–	–	–	–	6	7	25	18	25	24	14	3	1	–
	5 Hanging	452	–	–	–	–	–	–	–	1	19	22	47	80	109	108	52	14	–	–
	6 Otherwise	73	–	–	–	–	–	–	–	1	1	7	11	9	19	19	4	2	–	–
	ORDER 5.																			
	(EXECUTION.)																			
	1 Hanging	21	–	–	–	–	–	–	–	–	–	–	9	9	2	–	1	–	–	–	–
	Other violent Deaths (not classed)	126	4	1	4	1	2	12	8	5	5	5	21	25	14	13	13	5	–	–
	Sudden Deaths (Cause unascertained)	2044	440	49	22	14	10	535	26	18	27	38	97	221	253	330	318	163	16	–
	Causes not specified or ill-defined	2307	1224	158	61	41	28	1512	87	43	35	41	62	81	105	189	122	28	–	–

ENGLAND.—CAUSES of DEATH at different Periods of Life in the Year 1864—FEMALES—*cont.*

Class.	CAUSES OF DEATH.	FEMALES. ALL AGES.	Ages at Death. Total under 1 Year.	1	2	3	4	Total under 5 Years	5—	10—	15—	20—	25—	35—	45—	55—	65—	75—	85—	95 & upwds.
	ORDER 5.																			
	1 Nephritis	154	7	6	9	4	6	32	13	9	5	5	17	13	19	12	20	6	3	-
	2 Ischuria	36	-	-	-	-	-	-	1	-	-	1	2	9	3	12	7	1	-	-
	3 Nephria	712	3	7	5	10	11	36	20	14	26	49	93	124	121	120	83	26	-	-
	4 Diabetes	211	-	-	-	1	2	3	6	7	13	11	35	31	36	37	26	5	1	-
	5 Stone	25	-	-	-	-	1	1	2	-	-	-	3	1	3	4	8	2	1	-
	6 Cystitis	57	-	-	-	1	-	1	2	-	-	6	7	5	4	6	22	4	-	-
	7 *Kidney Disease, &c.*	632	14	8	5	4	7	38	21	11	13	31	67	80	94	116	109	50	2	-
	ORDER 6.																			
	1 Ovarian Dropsy	259	-	-	-	-	-	-	-	-	1	4	36	51	69	60	30	6	2	-
	2 *Uterus Disease, &c.*	969	2	4	2	1	-	9	1	4	13	37	123	198	265	195	101	21	2	-
	ORDER 7.																			
	1 Arthritis	43	2	-	1	-	-	3	4	8	4	4	2	2	1	10	2	3	-	-
	2 *Joint Disease, &c.*	763	26	13	12	10	13	74	69	75	72	53	93	92	77	82	57	23	1	-
	ORDER 8.																			
	1 Phlegmon	254	58	20	9	4	4	95	7	13	12	17	36	18	14	15	21	4	2	-
	2 Ulcer	247	42	11	5	-	-	58	2	1	1	-	6	10	25	40	55	45	4	-
	3 *Skin Disease, &c.*	161	96	11	8	1	-	116	-	1	2	2	5	2	7	7	8	8	3	-
IV.	ORDER 1.																			
	1 Premature Birth	3673	3673	-	-	-	-	3673	-	-	-	-	-	-	-	-	-	-	-	-
	2 Cyanosis	206	180	10	3	5	-	198	5	2	-	-	-	-	1	-	-	-	-	-
	3 Spina Bifida	217	207	6	2	-	-	215	2	-	-	-	-	-	-	-	-	-	-	-
	4 Other Malformations	168	155	8	-	-	-	163	-	-	2	-	2	-	-	1	-	-	-	-
	5 Teething	1977	932	945	98	2	-	1977	-	-	-	-	-	-	-	-	-	-	-	-
	ORDER 2.																			
	1 Paramenia	75	-	-	-	-	-	-	-	7	10	11	7	16	22	2	-	-	-	-
	2 Childbirth (*see* Metria)	2532	-	-	-	-	-	-	-	-	104	454	1019	900	55	-	-	-	-	-
	ORDER 3.																			
	1 Old Age	16,912	-	-	-	-	-	-	-	-	-	-	-	-	-	-	3309	9031	4208	364
	ORDER 4.																			
	1 Atrophy and Debility	14,038	9425	1184	348	146	78	11181	181	45	30	32	85	128	244	931	1164	11	6	-
V.	ORDER 1. (ACCIDENT or NEGLIGENCE.)																			
	1 Fractures and Contusions	941	30	47	31	14	25	147	74	26	28	23	44	65	71	97	131	171	63	3
	2 Gunshot	15	-	-	1	-	-	1	1	4	-	1	3	1	2	-	1	1	-	-
	3 Cut, Stab	28	2	1	1	1	1	6	2	1	2	-	5	4	3	2	2	1	-	-
	4 Burns and Scalds	1512	70	192	185	164	108	719	295	78	46	30	42	39	36	49	84	67	27	-
	5 Poison	125	34	4	6	4	-	48	14	1	6	4	10	12	12	11	5	2	-	-
	6 Drowning	464	21	44	30	16	9	120	43	33	38	35	42	51	41	27	25	9	-	-
	7 Suffocation	501	437	18	6	4	3	468	4	-	2	-	5	2	5	6	3	3	-	-
	8 Otherwise	300	145	11	4	2	2	164	9	10	7	4	14	11	22	20	24	11	4	-
	ORDER 3. (HOMICIDE.)																			
	1 Murder and Manslaughter	181	106	5	3	-	1	115	8	-	3	6	11	16	10	6	3	3	-	-
	ORDER 4. (SUICIDE.)																			
	1 Gunshot	1	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-
	2 Cut, Stab	55	-	-	-	-	-	-	-	1	-	1	11	16	12	6	6	2	-	-
	3 Poison	67	-	-	-	-	-	-	-	-	8	7	10	24	13	2	3	-	-	-
	4 Drowning	82	-	-	-	-	-	-	-	1	11	11	16	16	10	12	5	-	-	-
	5 Hanging	112	-	-	-	-	-	-	-	-	4	6	15	18	37	19	9	3	1	-
	6 Otherwise	30	-	-	-	-	-	-	-	-	3	3	4	11	2	2	4	-	1	-
	ORDER 5. (EXECUTION.)																			
	1 Hanging	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Other Violent Deaths (not classed)	28	4	4	2	1	1	12	2	1	-	-	3	2	2	2	2	2	-	-
	Sudden Deaths (Cause unascertained)	1277	354	85	10	13	11	423	24	21	26	33	82	99	121	139	178	117	17	-
	Causes not specified or ill-defined	2171	1081	153	66	34	30	1364	94	40	42	40	70	103	120	103	109	21	5	-

ENGLAND.—Supplementary Table of the

[The principles upon which the Causes of Death are tabled have been explained in previous Annual Reports. It will be sufficient to state now that all the Diseases, either having a distinct character, or fatal to any considerable number of persons, are classified under 114 heads; some of which, however, include groups of very distinct diseases,—such as are fatal to only a *few persons*, or *diseases* which are often confounded with other diseases. The rule has been to refer the distinct diseases to heads under which the cases were so numerous, that the additional numbers would not interfere with the calculated proportions. Where it is desired,

No. in the Table of Diseases under which the Cases are entered.	CAUSES OF DEATH.	ALL AGES.	AGES OF MALES.															
			Total under 1 Year.	1	2	3	4	Total under 5 Years.	5—	10—	15—	20—	25—	35—	45—	55—	65—	75—	85—	95 & upwards.
	TOTAL	10,198	1517	322	154	97	78	2168	318	282	328	346	777	914	1055	1384	1541	966	146	3
Class I.																				
I.—1	Chicken-pox	35	19	9	4	2	1	35	–	–	–	–	–	–	–	–	–	–	–	–
4	Cynanche Maligna	178	21	27	19	13	19	99	39	15	10	7	7	2	2	5	1	–	–	–
9	Erysipelas after Vaccination	7	6	–	–	1	–	7	–	–	–	–	–	–	–	–	–	–	–	–
11	Boil	8	1	–	–	–	–	1	–	1	–	–	–	1	1	1	2	1	–	–
18	Rheumatism, with Pericarditis, or Diseased Heart	522	1	–	3	1	5	10	78	70	78	34	75	61	45	43	26	2	–	–
19	Miliaria	3	–	1	–	–	–	1	–	–	–	–	–	1	1	–	–	–	–	–
	Mumps	65	19	10	13	6	3	51	4	–	–	2	1	2	–	1	4	–	–	–
	Hospital Gangrene	3	–	–	–	–	–	–	–	–	–	1	–	–	–	1	–	1	–	–
	Erythema	9	7	–	–	–	–	7	1	–	–	–	–	–	–	–	–	–	–	–
	Yellow Fever	3	–	–	–	–	–	–	–	–	–	2	1	–	–	1	–	–	–	–
	Malignant Pustule	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
II.—1	Ulcer of Groin	3	1	1	–	–	1	3	–	–	–	–	1	–	1	1	–	–	–	–
	Necusia	4	–	–	1	–	–	1	–	–	–	–	–	1	–	–	–	–	–	–
	Gonorrhœa	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
III.—2	Inanition of Infancy	341	338	3	–	–	–	341	–	–	–	–	–	–	–	–	–	–	–	–
3	Rickets	40	11	19	3	3	2	38	2	–	–	–	–	–	–	–	–	–	–	–
	Bronchocele	8	1	–	–	–	–	1	–	–	2	1	–	–	1	1	2	–	–	–
IV.—2	Porrigo	11	10	–	1	–	–	11	–	–	–	–	–	–	–	–	–	–	–	–
	Scabies	1	–	–	–	–	–	–	1	1	1	–	–	1	–	1	–	–	–	–
	Tape Worm	5	–	–	–	–	–	–	–	–	–	–	1	1	1	3	–	–	–	–
	Hydatid in Liver	6	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Class II.																				
I.—2	Anæmia	141	67	13	2	1	1	84	4	2	–	1	5	9	6	8	14	7	1	–
	Hydropericardium	109	7	1	3	1	–	12	5	3	4	1	8	8	13	19	28	8	–	–
3	Melanosis	15	2	–	–	–	–	2	–	1	–	–	4	2	1	2	3	–	–	–
	Fungus Hæmatodes	38	–	–	3	–	1	4	1	–	2	1	5	7	4	3	6	5	–	–
	Sweep's Cancer	1	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–
	Lupus	15	–	–	–	–	–	–	–	–	1	–	3	1	2	3	4	1	–	–
	Polypus	6	–	–	–	1	–	1	–	–	–	–	–	–	2	1	1	–	1	–
5	Gangrœna senilis	306	–	–	–	–	–	–	–	–	–	–	–	–	–	1	19	105	138	42	1
	Bedsore	40	–	–	–	–	–	–	–	–	1	–	1	2	–	4	8	17	7	–
II.—1	White Swelling	4	–	–	–	–	–	–	–	2	–	–	–	–	1	–	1	–	–	–
	Psoas abscess	268	2	1	–	–	1	4	15	27	23	43	65	35	22	18	13	3	–	–
2	Tubercular Peritonitis	77	5	6	3	2	2	18	10	10	10	3	6	8	7	5	–	–	–	–
3	Hæmoptysis	690	–	1	1	2	–	4	8	12	39	88	189	127	110	63	40	10	–	–
	Pneumothorax	15	–	2	–	1	–	3	–	–	1	3	2	1	2	2	1	–	–	–
Class XII.																				
I.—1	Myelitis	59	1	1	–	–	1	3	4	2	4	7	9	9	10	8	3	–	–	–
3	Shaking Palsy	14	–	–	–	–	–	–	–	–	–	–	–	–	–	4	8	2	–	–
4	Fright	1	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–
	Grief	2	–	–	–	–	–	–	–	–	–	–	–	–	–	1	1	–	–	–
	Rage	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Melancholy	16	–	–	–	–	–	–	–	–	–	2	–	1	1	1	7	4	–	–
8	Neuralgia	19	–	–	–	–	–	–	–	–	2	1	–	1	2	3	3	3	4	–
	Spinal Marrow Disease	98	2	4	2	1	2	11	3	8	2	4	6	12	17	19	10	1	–	–
	Necrencephalus (Softening of the Brain)	958	1	1	–	1	1	5	10	7	12	7	51	96	161	253	245	176	10	1
	Ophthalmia	25	18	3	1	–	–	22	2	1	–	–	–	–	–	–	–	–	–	–
	Otitis	56	10	3	2	2	–	17	6	10	5	6	6	2	1	2	1	–	–	–
	Idiopathic Tetanus	11	–	–	–	–	1	1	1	1	1	–	3	2	2	–	–	–	–	–
II.—1	Cardiitis	43	1	–	–	–	–	1	4	4	2	2	7	5	3	6	6	3	–	–
	Endocarditis	44	–	–	–	–	–	–	4	3	7	3	3	14	2	4	3	1	–	–

(*continued at page* 128.)

CAUSES of DEATH at different Periods of Life, in the Year 1864.

partial correction, however, can now be made by means of the following Supplementary Tables, containing many of the deaths from distinct diseases, such as mumps, epistaxis, dry gangrene, polypus, rickets, bronchocele, &c. &c., and deaths from other forms of disease, such as softening of the brain (necrencephalus), which are returned in many cases under other heads, as paralysis, &c.

These Tables are an extension of the Tables of Causes of Death in England, pp. 120–125.]

No. in the Table of Diseases under which the Cases are entered.	CAUSES OF DEATH.	ALL AGES.	AGES OF FEMALES.																
			Total under 1 Year.	1	2	3	4	Total under 5 Years.	5–	10–	15–	20–	25–	35–	45–	55–	65–	75–	85–	95 & upwards.
	TOTAL	9356	1167	310	125	93	70	1765	281	269	393	575	1197	1238	857	982	1059	601	135	4
Class I.																				
I.—1	Chicken-pox	25	10	6	4	2	2	24	–	1	–	–	–	–	–	–	–	–	–	–
4	Cynanche Maligna	188	9	20	18	22	24	93	43	16	7	10	7	4	3	3	2	–	–	–
9	Erysipelas after Vaccination	6	5	–	–	–	–	5	1	–	–	–	–	–	–	–	–	–	–	–
11	Boil	4	1	–	–	–	–	1	–	–	–	–	–	–	–	–	1	1	1	–
18	Rheumatism, with Pericarditis or Diseased Heart	479	–	2	–	2	4	8	58	89	76	36	51	47	41	35	28	9	1	–
19	Miliaria	4	–	–	–	–	–	–	1	–	–	2	–	–	–	1	–	–	–	–
	Mumps	51	14	14	7	4	5	44	5	–	–	–	1	–	–	–	–	–	–	–
	Hospital Gangrene	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	1
	Erythema	11	9	–	1	–	–	10	1	–	–	–	–	–	–	–	–	–	–	–
	Malignant Pustule	1	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–
II.—1	Ulcer of Groin	5	1	2	1	–	–	4	–	–	–	–	–	–	1	–	–	–	–	–
	Necusia	1	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–
	Gonorrhœa	2	–	–	–	–	–	–	–	–	1	–	–	–	1	–	–	–	–	–
III.—2	Inanition of Infancy	352	345	7	–	–	–	352	–	–	–	–	–	–	–	–	–	–	–	–
3	Rickets	39	5	15	7	4	–	31	5	1	1	–	1	–	–	–	–	–	–	–
	Bronchocele	19	–	–	–	–	–	–	–	–	3	–	1	1	7	4	3	–	–	–
IV.—2	Porrigo	4	1	1	2	–	–	4	–	–	–	–	–	–	–	–	–	–	–	–
	Scabies	4	4	–	–	–	–	4	–	–	–	–	–	–	–	–	–	–	–	–
	Tape Worm	3	–	–	–	–	–	–	1	–	–	–	1	–	–	1	–	–	–	–
	Hydatid in Liver	6	–	–	–	–	–	–	–	–	1	–	2	–	3	–	–	–	–	–
Class II.																				
I.—2	Anæmia	268	67	20	2	1	2	92	4	3	16	14	37	43	23	12	15	8	1	–
	Hydropericardium	127	2	4	3	4	1	14	4	4	4	2	13	13	13	22	27	8	3	–
3	Melanosis	6	–	–	–	–	–	–	–	–	–	–	–	–	3	–	3	–	–	–
	Fungus Hæmatodes	39	–	–	–	–	2	2	2	–	1	2	2	6	6	4	6	7	1	–
	Lupus	37	–	1	–	–	–	1	–	4	1	–	5	3	6	8	5	4	–	–
	Polypus	13	–	–	–	–	–	–	–	–	–	–	1	5	1	–	4	2	–	–
5	Gangrœna senilis	219	–	–	–	–	–	–	–	–	–	–	–	–	1	14	62	99	42	1
	Bedsore	75	–	–	–	–	–	–	–	–	–	–	–	2	4	7	20	29	12	1
II.—1	Adenitis	2	1	–	–	–	–	1	–	–	1	–	–	–	–	–	–	–	–	–
	White Swelling	4	–	–	–	–	–	–	–	–	1	1	1	–	–	–	1	–	–	–
	Psoas abscess	237	1	4	1	2	2	10	15	15	26	31	47	36	31	17	6	2	1	–
2	Tubercular Peritonitis	71	3	3	1	4	2	13	10	4	20	9	8	3	1	2	1	–	–	–
3	Hæmoptysis	346	–	2	–	–	2	4	7	13	33	35	88	58	43	34	25	4	1	–
	Pneumothorax	11	–	–	–	–	–	–	–	–	3	1	3	1	–	1	2	–	–	–
Class III.																				
I.—1	Myelitis	38	2	–	–	1	–	3	2	3	6	1	4	8	–	8	3	–	–	–
3	Shaking Palsy	13	–	–	–	–	–	–	–	–	–	–	–	–	2	2	6	2	1	–
4	Fright	8	–	–	1	–	–	1	1	1	2	–	1	1	–	1	–	–	–	–
	Grief	1	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–
	Melancholy	33	–	–	–	–	–	–	–	–	–	1	1	5	9	11	4	1	1	–
6	Hysteria	28	–	–	–	–	–	–	–	2	3	4	9	5	4	–	1	–	–	–
8	Neuralgia	34	–	–	–	–	–	–	–	1	1	–	2	4	3	4	9	9	1	–
	Spinal Marrow Disease	89	3	6	3	1	3	16	3	6	4	5	12	14	14	8	4	3	–	–
	Necrencephalus	619	–	1	1	–	–	2	7	5	7	8	32	62	107	139	150	89	10	1
	Ophthalmia	24	16	3	–	1	1	21	1	–	–	–	1	–	–	–	1	–	–	–
	Otitis	87	6	7	–	1	–	14	8	5	4	1	2	2	1	–	–	–	–	–
	Idiopathic tetanus	8	3	–	–	–	–	3	2	–	–	1	–	1	1	–	–	–	–	–
	Catalepsy	2	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	1	–	–
II.—1	Carditis	66	–	–	1	–	1	2	6	5	3	7	5	–	7	7	16	8	–	–
	Endocarditis	49	1	–	–	1	–	2	3	4	2	4	6	6	9	5	6	2	–	–

(*continued at page* 129.)

ENGLAND.—Supplementary Table of the Causes

No. in the Table of Diseases under which the Cases are entered.	CAUSES OF DEATH.	ALL AGES.	AGES OF MALES.																
			Total under 1 Year.	1	2	3	4	Total under 5 Years.	5–	10–	15–	20–	25–	35–	45–	55–	65–	75–	85–	95 & upwards.
III.—*cont.*																				
3	Angina Pectoris	162	1	–	–	–	–	1	–	1	–	2	8	15	26	46	40	21	2	–
	Syncope	199	5	–	2	–	–	7	2	3	1	7	11	13	24	31	53	35	8	–
	Hypertrophy	257	2	–	1	–	–	3	2	3	3	1	4	6	8	6	7	1	–	–
	Phlebitis	44	1	–	1	1	–	–	–	–	–	–	1	–	–	–	–	–	–	–
	Thrombosis	1	–	–	–	–	–	5	2	–	1	1	1	2	–	4	1	–	–	–
III.—1	Œdema Glottidis	17	1	2	2	–	–	199	3	–	–	–	1	–	–	–	–	–	–	–
	Laryngismus Stridulus	203	118	62	10	5	4	6	4	2	5	6	15	7	12	2	5	–	–	–
3	Empyema	64	2	1	–	1	2	4	2	–	3	5	9	30	37	55	42	15	–	–
5	Emphysema	202	–	2	–	1	1	–	–	–	–	–	–	2	2	1	–	–	–	–
6	Grinders Asthma	5	–	–	–	–	–	4	6	2	3	7	–	1	3	1	4	1	1	–
	Epistaxis	33	3	–	–	1	–	561	29	12	18	14	48	70	82	107	103	75	19	–
	Congestion of Lungs	1138	382	93	51	21	14	7	2	2	3	1	10	14	16	14	16	5	–	–
	Pulmonary Apoplexy	90	6	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
IV.—2	Stomatitis	40	21	10	3	–	1	35	–	2	–	2	–	–	1	1	1	–	–	–
	Glossitis	7	–	–	–	–	–	–	–	–	–	–	–	–	4	–	1	–	–	–
	Pharyngitis	18	4	1	–	2	1	8	–	–	–	–	2	1	1	1	5	–	–	–
	Œsophagitis	2	–	–	–	–	–	–	–	–	–	–	–	–	2	–	–	–	–	–
5	Perforation of Intestine	75	–	2	–	–	1	3	3	2	6	5	19	9	10	10	7	1	–	–
6	Congenital Hernia	7	7	–	–	–	–	7	–	–	–	–	–	–	–	3	4	2	–	–
	Femoral Hernia	13	–	–	–	–	–	–	–	–	–	–	–	–	–	1	1	1	–	–
	Inguinal Hernia	51	3	–	1	–	–	4	1	1	1	2	5	4	7	10	11	5	1	–
	Scrotal Hernia	9	–	–	–	–	–	–	–	–	–	1	–	–	1	1	5	1	–	–
	Umbilical Hernia	11	4	–	–	–	–	4	–	–	–	–	–	–	2	2	2	1	–	–
	Operation for Hernia	19	–	–	–	–	–	–	–	–	–	2	1	3	2	5	4	2	–	–
7	Obstruction of Bowels	440	84	7	2	7	2	102	11	9	17	10	18	37	35	68	89	38	6	–
11	Dyspepsia	98	8	–	1	–	2	11	–	–	1	2	2	7	10	20	24	11	1	–
	Pyrosis	6	–	–	–	–	–	–	–	–	–	–	1	1	2	1	1	–	–	–
	Hæmatemesis	185	5	2	–	–	–	7	4	1	4	6	15	34	39	39	29	7	–	–
	Melœna	56	15	3	–	1	–	19	1	1	1	1	4	6	4	8	7	3	1	–
14	Gallstone	22	1	–	–	–	–	1	1	1	–	–	–	–	–	2	5	7	4	1	–
15	Cirrhosis	409	–	–	–	–	–	–	1	–	2	3	30	96	112	109	47	9	–	–
V.—5	Gravel	20	–	–	–	1	–	1	–	2	–	–	1	1	1	3	6	4	1	–
	Stone (Operation registered)	32	–	–	2	5	1	8	2	–	1	–	2	1	4	4	7	3	–	–
6	Catarrh of Bladder	100	–	–	–	–	–	–	–	–	–	2	1	2	8	5	23	30	24	4	1
7	Prostatic Disease	386	–	–	–	–	–	–	–	–	–	–	4	5	13	69	142	144	16	–	–
	Bladder Disease	511	1	–	–	–	1	2	4	7	6	2	7	25	47	97	173	119	22	–
	Diuresis	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–
	Hæmaturia	56	–	–	–	–	–	–	1	1	2	1	1	3	11	10	14	11	1	–
	Morbus Addisonii	6	–	–	–	–	–	–	–	–	–	–	1	–	–	1	3	–	–	–
	Hematocele (Operation for)	1	–	–	–	–	–	–	–	–	–	1	–	–	1	–	–	–	–	–
VI.—2	Orchitis	8	1	–	–	–	–	1	–	–	–	–	2	1	2	1	1	–	–	–
	Hydrocele	3	–	–	–	–	–	–	–	–	1	1	1	–	2	1	–	–	–	–
	Pelvic Abscess	6	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–
	Spermatorrhœa	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Phymosis (Operation for)	1	–	–	–	1	–	1	–	–	–	–	–	2	1	1	–	–	–	–
	Dis. or Abscess of Perinæum	6	1	1	–	–	–	2	–	–	–	–	–	–	–	–	–	–	–	–
VII.—1	Ostitis	1	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–
	Periostitis	6	–	1	–	1	–	2	–	2	–	–	1	–	–	–	1	–	–	–
2	Exostosis	4	–	–	–	–	1	1	–	–	1	1	–	–	–	1	–	–	–	–
	Mollities Ossium	1	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–
	Caries	118	3	–	4	2	1	9	13	13	11	13	14	16	10	7	8	5	–	–
	Necrosis	85	3	–	2	1	1	7	2	11	8	5	11	13	10	8	8	2	–	–
VIII.—1	Whitlow	2	–	–	–	–	–	–	–	–	–	–	–	–	–	2	–	–	–	–
	Pyœmia	95	7	–	2	3	1	13	2	3	5	3	12	12	19	11	7	2	1	–
3	Eczema	79	52	11	2	1	–	66	2	–	–	–	–	1	1	1	–	8	–	–
	Ecthyma	4	3	1	–	–	–	4	–	–	–	–	–	–	–	–	–	–	–	–
	Herpes	5	1	2	–	–	1	4	–	–	–	–	–	–	–	–	–	–	1	–
	Pemphigus	11	5	2	–	–	–	7	1	–	–	–	1	–	2	–	–	–	–	–
	Impetigo	14	10	2	–	–	–	12	–	–	–	–	–	–	–	–	1	1	–	–
	Ichthyosis	1	1	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–
	Psoriasis	16	10	1	–	–	–	11	–	–	1	–	1	–	1	–	2	–	–	–
	Lepra	12	6	–	–	–	–	6	–	–	–	1	–	1	–	1	2	2	–	–
	Elephantiasis	7	–	–	–	–	–	–	–	–	–	–	–	–	1	3	1	–	1	–
	Rupia	4	1	–	–	–	–	1	–	–	–	–	–	1	1	1	–	–	–	–
Class IV.																				
I.—4	Anus imperforatus	101	101	–	–	–	–	101	–	–	–	–	–	–	–	–	–	–	–	–
	Cleft Palate	34	33	–	–	–	–	33	1	–	–	–	–	–	–	–	–	–	–	–
	Hare Lip (Operation for)	1	1	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–
	Abscess, Tumor	221	53	9	5	4	3	74	12	7	5	10	17	13	16	22	27	18	–	–

of Death at different Periods of Life, in the Year 1864—*continued*.

No. in the Table of Diseases under which the Cases are entered.	CAUSES OF DEATH.	All Ages.	AGES OF FEMALES.																
			Total under 1 Year.	1	2	3	4	Total under 5 Years.	5—	10—	15—	20—	25—	35—	45—	55—	65—	75—	85—	95 & upwards.
III.—*cont.*																				
3	Angina Pectoris	22	–	–	–	1	–	1	–	–	1	–	3	9	12	29	21	14	2	
	Syncope	220	2	1	–	1	–	4	3	3	8	14	30	24	24	43	39	18	7	1
	Hypertrophy	206	1	–	2	–	–	3	4	17	4	10	18	28	36	62	62	20	2	
	Phlebitis	40	–	1	–	–	–	1	2	1	1	3	8	7	9	2	5	1	–	
III.—1	Œdema Glottidis	15	5	2	–	2	–	9	4	–	–	–	1	–	–	1	–	–	–	
	Laryngismus Stridulus	123	78	31	6	5	–	120	1	–	–	–	–	–	2	–	–	–	–	
3	Empyema	30	2	–	–	–	1	3	3	2	1	4	6	4	2	3	2	–	–	
5	Emphysema	142	2	2	–	–	–	4	–	1	–	2	6	16	17	45	40	10	1	
6	Epistaxis	26	5	1	–	–	1	7	–	2	3	1	3	1	1	3	3	2	–	
	Congestion of Lungs	1037	303	103	34	23	8	471	29	14	22	19	32	49	60	90	151	81	19	
	Pulmonary Apoplexy	60	3	4	1	–	1	9	–	–	4	5	6	7	6	9	7	6	1	
IV.—2	Stomatitis	35	17	8	–	2	–	27	–	–	–	–	–	1	–	2	3	2	–	
	Glossitis	3	–	–	–	–	–	–	–	–	1	–	–	–	–	–	1	1	–	
	Pharyngitis	5	1	–	1	–	–	2	1	–	–	–	–	1	–	–	1	–	–	
	Œsophagitis	2	–	–	–	–	–	–	–	–	–	–	1	1	–	–	–	–	–	
5	Perforation of Intestine	84	1	1	–	–	–	2	1	1	7	10	28	14	5	7	6	3	–	
6	Congenital Hernia	4	4	–	–	–	–	4	–	–	–	–	–	–	–	–	–	–	–	
	Femoral Hernia	61	–	–	–	–	–	–	–	–	–	–	–	6	13	15	18	9	–	
	Inguinal Hernia	4	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	3	–	
	Umbilical Hernia	61	4	–	–	–	–	4	–	–	–	–	1	2	13	18	17	5	1	
	Operation for Hernia	15	–	–	–	–	–	–	–	–	–	–	3	2	1	4	3	2	–	
7	Obstruction of Bowels	396	31	6	6	2	2	47	9	5	10	10	37	28	51	59	88	43	9	
11	Dyspepsia	133	7	1	2	–	–	10	–	2	–	1	6	10	24	25	30	21	4	
	Pyrosis	1	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	
	Hæmatemesis	136	2	1	–	–	1	4	4	4	1	4	14	17	31	21	21	7	3	
	Melæna	56	10	–	1	1	–	12	1	1	1	4	5	4	8	6	9	3	2	
14	Gallstone	41	–	–	–	–	–	–	–	–	–	–	1	5	11	9	7	7	1	
15	Cirrhosis	254	–	–	–	–	–	–	–	1	1	–	15	45	73	79	29	11	–	
V.—5	Gravel	3	–	–	–	–	–	–	–	–	–	–	–	–	–	2	1	–	–	
6	Catarrh of Bladder	21	–	–	–	–	–	–	1	–	–	1	2	4	2	3	7	1	–	
7	Bladder Disease	76	–	–	–	–	–	–	1	1	1	5	1	12	12	13	17	11	2	
	Hæmaturia	18	1	–	–	–	–	1	–	–	1	2	–	–	2	5	3	4	–	
	Morbus Addisonii	4	–	–	–	–	–	–	–	–	–	–	1	1	1	1	–	–	–	
VI.—2	Hysteritis	31	–	–	–	–	–	–	–	–	1	6	9	9	4	–	2	–	–	
	Pelvic Abscess	41	–	–	–	–	–	–	–	–	2	1	11	12	8	7	–	–	–	
	Dis. or Abscess of Peritœum	1	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	
VII.—1	Ostitis	3	1	–	1	–	–	2	–	–	–	–	–	–	–	–	1	–	–	
	Periostitis	6	1	–	–	–	–	1	1	1	–	–	1	1	–	1	–	–	–	
2	Exostosis	3	–	–	–	–	–	–	–	–	–	1	–	–	1	1	–	–	–	
	Mollities Ossium	8	1	–	–	–	–	1	–	–	–	–	–	–	2	3	1	1	–	
	Caries	88	1	2	1	2	2	8	8	11	11	3	12	3	7	17	5	3	–	
	Necrosis	51	2	–	1	–	–	3	4	1	4	3	7	8	6	7	6	2	–	
VIII. 1	Whitlow	2	–	–	–	–	–	–	–	–	–	–	–	–	–	–	2	–	–	
	Pyœmia	107	5	2	2	2	1	12	4	7	7	11	31	14	5	5	9	2	–	
3	Urticaria	2	1	–	–	–	–	1	–	–	–	–	–	–	–	–	1	–	–	
	Eczema	47	31	5	2	1	–	39	–	1	–	–	–	1	2	1	1	1	1	
	Ecthyma	1	1	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	
	Herpes	7	4	1	–	–	–	5	–	–	–	–	–	–	–	–	1	1	–	
	Pemphigus	12	6	1	1	–	–	8	–	–	–	–	–	–	3	–	1	–	–	
	Impetigo	6	4	–	2	–	–	6	–	–	–	–	–	–	–	–	–	–	–	
	Psoriasis	17	9	2	–	–	–	11	–	1	–	–	–	–	–	–	–	5	–	
	Lepra	8	3	–	–	–	–	3	–	–	1	–	–	–	1	1	1	–	1	
	Elephantiasis	7	–	–	–	–	–	–	1	–	–	–	2	–	1	3	1	–	–	
	Rupia	4	1	–	1	–	–	2	–	–	–	–	–	–	1	1	–	–	–	
Class IV.																				
I.—4	Anus imperforatus	37	37	–	–	–	–	37	–	–	–	–	–	–	–	–	–	–	–	
	Cleft Palate	28	27	1	–	–	–	28	–	–	–	–	–	–	–	–	–	–	–	
II.—1	Chlorosis	10	–	–	–	–	–	–	–	3	1	3	–	–	1	2	–	–	–	
2	Miscarriage	50	–	–	–	–	–	–	–	–	–	6	21	23	–	–	–	–	–	
	Abortion	93	–	–	–	–	–	–	–	–	2	11	31	44	5	–	–	–	–	
	Puerperal Mania	106	–	–	–	–	–	–	–	–	–	28	49	27	2	–	–	–	–	
	Phlegmasia Dolens	97	–	–	–	–	–	–	–	–	2	17	37	37	4	–	–	–	–	
	Cæsarian Operation	2	–	–	–	–	–	–	–	–	–	–	2	–	–	–	–	–	–	
	Extra-uterine Fœtation	4	–	–	–	–	–	–	–	–	–	1	1	2	–	–	–	–	–	
	Retention of Placenta	29	–	–	–	–	–	–	–	–	2	4	9	13	1	–	–	–	–	
	Breast Abscess	11	–	–	–	–	–	–	–	–	–	2	6	3	–	–	–	–	–	
	Flooding	559	–	–	–	–	–	–	–	–	17	58	212	237	15	–	–	–	–	
	Deformed Pelvis	11	–	–	–	–	–	–	–	–	–	1	6	1	–	–	–	–	–	
	Puerperal Convulsions	346	–	–	–	–	–	–	–	–	40	135	109	57	5	–	–	–	–	
	Placenta Prævia	102	–	–	–	–	–	–	–	–	3	9	29	58	3	–	–	–	–	
	Rupture of Uterus	42	–	–	–	–	–	–	–	–	–	1	21	18	2	–	–	–	–	
	Abscess, Tumor	204	44	16	8	1	2	71	8	7	6	8	13	21	18	19	23	13	2	

CAUSES of DEATH in London at different Periods of Life in the Year 1864—Males.

Class.	CAUSES OF DEATH.	MALES.																		
		ALL AGES.	AGES AT DEATH.																	
			Total under 1 Year.	1	2	3	4	Total under 5 Years	5—	10—	15—	20—	25—	35—	45—	55—	65—	75—	85—	95 & upwds.
	ALL CAUSES - - -	39,551	9528	4140	1957	1247	759	17,631	1536	608	795	1181	2621	3262	3176	3459	2910	1749	330	13
	SPECIFIED CAUSES -	39,310	9417	4131	1951	1244	756	17,499	1531	607	793	1176	2605	3245	3153	3416	2895	1744	330	13
	(Classes.)																			
I.	ZYMOTIC DISEASES -	10178	2609	1719	1000	771	480	6579	478	224	193	230	416	458	445	376	248	110	21	-
II.	CONSTITUTIONAL „ -	7507	907	567	275	130	85	1964	224	119	301	562	1168	1201	1016	575	267	98	11	1
III.	LOCAL „ -	15331	3394	1363	561	281	149	5748	311	162	206	269	795	1362	1775	2330	1948	912	101	3
IV.	DEVELOPMENTAL „ -	4037	2220	421	73	30	14	2758	13	4	1	1	3	3	20	77	364	390	194	9
V.	VIOLENT DEATHS -	1757	287	61	42	32	28	450	108	98	92	114	223	221	197	149	68	34	3	-
	(Orders.)																			
I.	1. Miasmatic Diseases -	9354	2111	1703	995	768	478	6055	876	220	192	214	362	388	373	322	224	109	19	-
	2. Enthetic „ -	247	164	6	1	-	-	171	-	-	-	6	6	15	17	16	15	1	2	-
	3. Dietic „ -	488	248	9	3	3	2	265	2	4	1	10	48	56	55	58	9	-	-	-
	4. Parasitic „ -	89	86	1	1	-	-	88	-	-	-	-	-	1	-	-	-	-	-	-
II.	1. Diathetic „ -	874	45	8	10	8	5	76	21	10	11	11	39	82	18	192	154	81	11	1
	2. Tubercular „ -	6633	862	559	265	122	80	1888	203	109	200	551	1129	1119	831	383	113	17	-	-
III.	1. Diseases of Nervous System - -	4076	1279	310	119	80	49	1837	85	42	46	51	173	262	395	467	472	227	18	1
	2. „ Organs of Circulation -	1725	11	4	4	2	5	26	34	39	48	39	165	282	309	395	222	100	5	-
	3. „ Respiratory Organs - -	7583	1843	1014	412	176	80	3525	122	35	42	106	260	470	686	954	875	447	65	2
	4. „ Digestive Organs - -	1408	202	22	11	8	9	252	37	26	34	31	110	208	236	246	162	54	9	-
	5. „ Urinary Organs - -	759	6	4	11	8	2	31	13	7	18	32	65	108	139	149	121	75	3	-
	6. „ Organs of Generation -	19	3	1	-	1	-	5	-	-	1	1	2	3	2	3	-	2	-	-
	7. „ Organs of Locomotion -	135	3	3	2	4	4	16	19	15	15	6	16	17	11	12	7	3	-	-
	8. „ Integumentary System -	126	47	5	9	2	-	63	1	-	2	3	6	1	5	13	19	4	1	-
IV.	1. Congenital Malformations and Dev. Diseases of Children	1199	941	222	27	4	2	1196	-	3	-	-	-	-	-	-	-	-	-	-
	2 Dev. Diseases, Adults	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	3. „ Old People	1135	-	-	-	-	-	-	-	-	-	-	-	-	-	-	351	585	190	9
	4. Diseases of Nutrition	1703	1279	199	4	25	12	1572	13	1	1	1	3	3	10	77	13	5	4	-
V.	1. Accident or Negligence - - - -	1487	246	61	42	31	28	408	108	96	81	90	173	175	119	117	36	31	3	-
	3. Homicide - - -	73	41	-	-	1	-	42	-	1	3	5	8	6	4	2	2	-	-	-
	4. Suicide - - -	186	-	-	-	-	-	-	-	1	8	12	39	33	44	33	16	3	-	-
	5. Execution - - -	9	-	-	-	-	-	-	-	-	-	7	2	-	-	-	-	-	-	-
	Violent Deaths not classed - - - -	2	-	-	-	2	-	-	-	-	-	-	1	1	-	-	-	-	-	-
	Sudden Deaths, Cause unascertained - -	115	58	2	1	1	-	62	1	-	1	-	7	13	13	8	9	2	-	-
	Causes not specified -	126	53	7	5	2	3	70	1	1	1	5	9	5	10	15	6	3	-	-

(*continued at page* 132.)

CAUSES of DEATH in LONDON at different Periods of Life in the Year 1864—FEMALES.

Class.	CAUSES OF DEATH.	FEMALES. ALL AGES.	AGES AT DEATH. Total under 1 Year.	1	2	3	4	Total under 5 Years	5—	10—	15—	20—	25—	35—	45—	55—	65—	75—	85—	95 & upwds.
	ALL CAUSES - - -	38,687	7786	3830	1970	1238	792	15,616	1445	579	793	1097	2057	2872	2972	3479	3817	2635	687	38
	SPECIFIED CAUSES -	38,506	7685	3822	1969	1237	791	5,504	1440	578	792	1094	2346	2864	2960	3469	3808	2629	682	38
	(CLASSES.)																			
I.	ZYMOTIC DISEASES -	10290	2315	1781	1130	790	546	6571	875	253	224	252	527	447	361	336	272	149	21	2
II.	CONSTITUTIONAL „ -	7030	645	491	203	120	83	1542	194	138	314	505	1195	1134	834	565	407	173	29	2
III.	LOCAL „ -	15305	2131	134	526	272	131	4694	295	170	210	249	754	1080	1683	2405	2547	1289	216	5
IV.	DEVELOPMENTAL „ -	4740	1818	375	77	26	10	2306	14	2	19	69	130	115	27	108	524	988	110	28
V.	VIOLENT DEATHS -	841	276	41	33	20	21	391	62	15	25	19	42	82	61	51	59	36	6	1
	(ORDERS.)																			
I.	1. MIASMATIC DISEASES -	9365	1886	1761	1121	796	544	6107	867	251	222	241	501	407	329	313	262	142	21	2
	2. ENTHETIC „ -	169	129	4	3	-	-	136	-	-	2	5	13	8	1	3	1	-	-	-
	3. DIETIC „ -	392	243	14	5	2	2	266	6	2	-	6	13	32	31	20	9	7	-	-
	4. PARASITIC „ -	64	57	3	1	1	-	62	2	-	-	-	-	-	-	-	-	-	-	-
II.	1. DIATHETIC „ -	1702	40	21	9	13	3	86	19	10	12	18	90	228	390	333	330	157	28	1
	2. TUBERCULAR „ -	5328	605	470	194	107	80	1456	175	128	302	187	1108	904	444	232	77	16	1	1
III.	1. DISEASES OF NERVOUS SYSTEM - -	3734	987	220	125	64	45	1441	85	42	53	38	136	222	316	472	551	320	57	1
	2. „ ORGANS OF CIRCULATION -	1975	14	5	4	3	2	28	40	56	59	50	153	222	366	450	397	135	17	2
	3. „ RESPIRATORY ORGANS - -	7493	1454	871	375	188	71	2959	114	33	45	74	206	321	600	1080	1238	597	124	2
	4. „ DIGESTIVE ORGANS - -	1587	134	28	11	7	7	187	40	23	29	44	158	198	261	273	263	96	15	-
	5. „ URINARY ORGANS - -	362	3	5	1	0	2	17	4	7	14	23	47	47	57	68	57	21	-	-
	6. „ ORGANS OF GENERATION -	257	1	-	2	1	-	4	-	-	5	10	38	59	70	47	17	6	1	-
	7. „ ORGANS OF LOCOMOTION -	82	2	1	2	2	3	10	12	8	3	5	8	11	6	11	5	3	-	-
	8. „ INTEGUMENTARY SYSTEM -	115	36	4	6	1	1	48	-	1	2	5	8	6	7	8	17	11	2	-
IV.	1. CONGENITAL MALFORMATIONS AND DEV. DISEASES OF CHILDREN	1029	803	200	22	1	-	1026	2	-	-	-	1	-	-	-	-	-	-	-
	2. DEV. DISEASES, ADULTS	319	-	-	-	-	-	-	-	-	15	69	125	106	2	2	-	-	-	-
	3. „ OLD PEOPLE -	1927	-	-	-	-	-	-	-	-	-	-	-	-	-	-	508	985	406	28
	4. DISEASES OF NUTRITION	146	1015	175	55	25	10	1280	12	2	4	-	4	9	25	106	16	3	4	-
V.	1. ACCIDENT OR NEGLIGENCE - - - -	704	225	40	33	20	21	339	62	15	20	14	31	42	45	44	49	29	6	1
	3. HOMICIDE - - -	63	51	1	-	-	-	52	-		-	1	3	3	1	2	1	-	-	-
	4. SUICIDE - - - -	74	-	-	-	-	-	-	-	-	5	4	8	30	15	5	6	1	-	-
	5. EXECUTION - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	VIOLENT DEATHS NOT CLASSED - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	SUDDEN DEATHS, CAUSE UNASCERTAINED - -	85	56	3	-	-	-	59	-	-	-	1	4	4	1	5	5	2	4	-
	CAUSES NOT SPECIFIED -	96	45	5	1	1	1	53	5	1	1	2	7	4	5	5	8	4	1	-

(*continued at page* 133.)

CAUSES of DEATH in London at different Periods of Life in the Year 1864—Males—*continued.*

Class.	CAUSES OF DEATH.	MALES. All Ages.	Ages at Death. Total under 1 Year.	1	2	3	4	Total under 5 Years	5—	10—	15—	20—	25—	35—	45—	55—	65—	75—	85—	95 and upwards
I.	ORDER 1.																			
	1 Small-pox	299	73	32	16	15	11	147	29	8	14	29	34	26	7	4	1	–	–	–
	2 Measles	1403	228	582	281	165	79	1335	56	5	1	1	2	1	2	–	–	–	–	–
	3 Scarlatina	1039	106	234	278	279	184	1081	136	62	25	13	15	6	2	–	–	–	–	–
	4 Diphtheria	289	50	48	48	43	27	216	35	4	6	5	9	6	2	2	4	–	–	–
	5 Quinsy	48	8	10	2	3	4	27	2	–	2	3	3	4	3	3	–	1	–	–
	6 Croup	490	87	138	94	84	42	445	45	–	–	–	–	–	–	–	–	–	–	–
	7 Whooping-cough	1080	416	326	162	100	50	1054	20	2	1	1	–	1	–	–	–	–	–	–
	8 Typhus	1837	30	55	59	57	66	276	191	104	111	126	220	246	231	170	98	40	4	–
	9 Erysipelas	245	69	4	3	1	2	79	2	–	4	8	12	16	27	42	34	17	4	–
	10 Metria	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	11 Carbuncle	31	1	–	–	–	–	1	–	–	3	2	–	2	3	10	3	6	1	–
	12 Influenza	29	7	3	1	–	1	12	2	1	–	–	4	3	–	2	2	3	–	–
	13 Dysentery	74	23	4	4	1	1	33	2	–	–	4	6	4	13	5	7	–	–	–
	14 Diarrhœa	1455	932	253	33	12	4	1235	13	4	2	5	9	21	17	28	48	31	10	–
	15 Cholera	81	31	7	2	2	1	43	3	1	–	1	1	3	1	2	1	–	–	–
	16 Acute	8	–	–	–	–	–	–	5	2	–	1	–	1	1	2	1	2	–	–
	17 Remittent Fever	46	10	7	8	5	–	30	5	2	–	1	1	1	1	2	1	2	–	–
	18 Rheumatism	282	–	–	2	1	6	9	24	27	22	12	41	45	30	43	15	5	–	–
	19 *Other Zymotic Diseases*	9	1	–	2	–	–	3	1	–	–	3	–	–	–	2	–	–	–	–
	ORDER 2.																			
	1 Syphilis	193	104	6	1	–	–	171	–	–	–	3	4	8	3	3	1	–	–	–
	2 Stricture of Urethra	53	–	–	–	–	–	–	–	–	–	3	2	5	13	13	14	1	2	–
	3 Hydrophobia	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	4 Glanders	1	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–
	ORDER 3.																			
	1 Privation	20	3	–	–	–	–	3	1	2	–	–	–	2	3	8	1	–	–	–
	2 Want of Breast-milk	242	238	4	–	–	–	242	–	–	–	–	–	–	–	–	–	–	–	–
	3 Purpura and Scurvy	47	7	5	3	3	2	20	1	2	1	4	5	4	3	2	1	–	–	–
	4 Alcoholism { *a* Del. Trem. *b* Intemp.	124	–	–	–	–	–	–	–	–	–	4	38	34	29	14	5	–	–	–
		59	–	–	–	–	–	–	–	–	–	2	5	16	20	14	2	–	–	–
	ORDER 4.																			
	1 Thrush	86	85	1	–	–	–	86	–	–	–	–	–	–	–	–	–	–	–	–
	2 Worms, &c.	3	1	–	1	–	–	2	–	–	–	–	–	1	–	–	–	–	–	–
II.	ORDER 1.																			
	1 Gout	76	–	–	–	–	–	–	–	–	–	–	1	6	19	19	20	9	2	–
	2 Dropsy	300	34	5	9	7	3	58	20	7	5	5	17	24	48	49	43	19	5	–
	3 Cancer	391	–	1	–	1	–	2	–	3	6	4	18	48	111	112	63	27	–	–
	4 Noma	11	1	2	1	–	1	5	1	–	–	1	–	2	1	1	–	–	–	–
	5 Mortification	93	10	–	–	–	1	11	–	–	–	1	3	2	6	11	28	20	4	1
	ORDER 2.																			
	1 Scrofula	264	61	39	16	10	5	131	36	22	11	18	16	10	9	5	6	–	–	–
	2 Tabes Mesenterica	591	283	144	62	29	17	535	27	7	7	3	1	5	4	2	–	–	–	–
	3 Phthisis	4781	124	102	60	21	17	324	81	69	267	523	1103	1101	817	376	106	17	–	–
	4 Hydrocephalus	997	397	274	127	62	41	901	59	11	5	7	9	3	1	–	1	–	–	–
III.	ORDER 1.																			
	1 Cephalitis	334	77	70	29	19	13	208	29	5	7	7	34	26	11	5	2	–	–	–
	2 Apoplexy	876	69	26	13	13	7	128	9	5	11	14	35	92	157	169	177	74	5	–
	3 Paralysis	655	1	2	1	1	1	6	2	2	5	2	21	61	103	152	182	111	7	1
	4 Insanity	38	–	–	–	–	–	–	–	–	–	–	5	5	8	9	6	1	–	–
	5 Chorea	2	–	1	–	–	–	1	1	–	–	–	–	–	–	–	–	–	–	–
	6 Epilepsy	194	2	1	1	3	4	11	8	8	11	13	32	29	30	28	16	8	–	–
	7 Convulsions	1410	1091	195	58	34	14	1392	12	2	1	–	–	–	–	–	–	3	–	–
	8 *Brain Disease, &c.*	567	39	15	17	10	10	91	23	19	11	15	46	49	86	104	89	26	6	–
	ORDER 2.																			
	1 Pericarditis	57	1	–	2	–	–	3	4	6	8	2	11	8	4	8	1	2	–	–
	2 Aneurism	78	1	–	–	–	–	1	–	–	–	2	17	29	18	6	4	1	–	–
	3 *Heart Disease, &c.*	1590	9	4	2	2	5	22	30	34	40	35	137	245	278	381	287	97	5	–
	ORDER 3.																			
	1 Laryngitis	199	58	43	26	21	6	154	10	–	–	4	9	7	7	5	2	1	–	–
	2 Bronchitis	4170	855	423	172	59	24	1533	36	8	11	24	96	229	424	686	692	371	20	1
	3 Pleurisy	103	4	5	1	8	3	16	5	3	4	2	18	22	14	17	4	3	–	–
	4 Pneumonia	2480	848	521	199	88	43	1699	60	16	24	55	105	185	143	128	74	34	4	–
	5 Asthma	208	3	1	1	–	–	5	1	–	–	2	5	22	29	75	67	21	1	–
	6 *Lung Disease, &c.*	423	75	21	13	5	4	118	10	8	3	19	32	55	60	63	36	17	1	1
	ORDER 4.																			
	1 Gastritis	45	7	2	1	1	1	12	1	1	–	1	2	6	9	7	5	1	–	–
	2 Enteritis	147	49	11	6	–	2	68	7	2	5	6	7	12	13	12	9	6	–	–
	3 Peritonitis	110	10	1	1	4	–	16	14	16	7	4	14	9	14	10	3	3	–	–
	4 Ascites	67	2	–	–	–	1	3	1	1	2	1	9	6	19	12	10	3	–	–
	5 Ulceration of Intestines	79	4	–	–	1	1	6	1	1	6	–	9	13	17	19	6	1	–	–
	6 Hernia	62	8	1	–	–	–	9	–	–	–	3	5	9	7	12	11	5	1	–
	7 Ileus	79	22	1	–	1	2	26	–	1	3	3	2	7	5	11	16	5	–	–
	8 Intussusception	22	9	–	1	–	1	11	3	1	–	–	–	–	2	1	4	–	–	–
	9 Stricture of Intestines	22	–	–	–	–	–	–	1	1	–	–	3	1	8	4	4	–	–	–
	10 Fistula	16	–	–	–	1	–	1	–	–	1	–	–	3	4	3	2	–	–	–
	11 *Stomach Disease, &c.*	151	31	3	1	–	–	35	2	–	–	2	10	26	16	29	20	8	3	–
	12 *Pancreas Disease, &c.*	1	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–
	13 Hepatitis	94	1	–	–	–	1	3	1	–	–	4	11	22	18	17	15	3	–	–
	14 Jaundice	112	48	1	–	–	–	49	–	1	3	2	5	5	6	18	13	9	1	–
	15 *Liver Disease, &c.*	390	11	–	1	–	–	12	6	1	7	4	20	86	100	80	43	9	4	–
	16 *Spleen Disease, &c.*	11	–	1	–	–	–	1	–	–	–	1	3	3	1	1	–	1	–	–

(*continued at page 134.*)

CAUSES of DEATH in LONDON at different Periods of Life in the Year 1864—FEMALES—*continued.*

Class.	CAUSES OF DEATH.	FEMALES. ALL AGES.	Ages at Death. Total under 1 Year.	1	2	3	4	Total under 5 Years.	5–	10–	15–	20–	25–	35–	45–	55–	65–	75–	85–	95 & upwards.
I.	ORDER 1.																			
	1 Small-pox	248	74	25	14	18	16	147	22	10	15	17	18	13	5	1	–	–	–	–
	2 Measles	1885	212	573	281	161	95	1322	68	5	4	–	3	3	–	–	–	–	–	–
	3 Scarlatina	1035	81	195	284	256	211	1027	413	72	28	24	24	7	3	1	2	–	–	–
	4 Diphtheria	322	26	45	55	63	28	217	54	16	7	5	7	7	5	2	2	–	–	–
	5 Quinsy	42	5	14	5	3	5	29	5	2	–	1	1	1	2	–	1	1	–	–
	6 Croup	420	54	125	103	69	30	381	35	2	1	–	1	–	–	–	–	–	–	–
	7 Whooping-cough	1334	401	441	234	128	65	1269	61	4	–	–	–	–	–	–	–	–	–	–
	8 Typhus	1864	39	54	80	61	74	308	163	108	121	114	235	232	228	199	116	38	3	1
	9 Erysipelas	205	64	3	4	–	2	73	–	1	4	7	20	19	20	18	26	15	2	–
	10 Metria	287	–	–	–	–	–	–	–	–	14	51	147	74	1	–	–	–	–	–
	11 Carbuncle	21	2	–	–	–	–	2	–	–	–	–	–	–	2	3	6	6	2	–
	12 Influenza	40	8	2	–	–	–	10	–	–	–	–	1	–	5	5	10	8	1	–
	13 Dysentery	45	13	5	1	–	–	19	–	–	–	2	2	4	5	4	4	4	1	–
	14 Diarrhœa	1439	870	274	41	17	8	1210	13	1	1	4	12	11	14	35	67	59	11	1
	15 Cholera	75	33	11	3	1	1	49	2	–	–	–	1	4	7	5	6	–	1	–
	16 Ague	14	–	2	1	2	1	6	1	2	–	–	2	1	–	–	2	–	–	–
	17 Remittent Fever	67	3	12	13	16	5	49	11	1	–	1	1	1	1	–	–	2	–	–
	18 Rheumatism	139	–	–	1	1	2	4	16	27	27	14	25	26	31	40	20	9	–	–
	19 *Other Zymotic Diseases*	10	1	2	1	–	1	5	3	–	–	1	1	–	–	–	–	–	–	–
	ORDER 2.																			
	1 Syphilis	169	129	4	3	–	–	136	–	–	2	5	13	8	1	3	1	–	–	–
	2 Stricture of Urethra	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	3 Hydrophobia	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	4 Glanders	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	ORDER 3.																			
	1 Privation	39	5	4	1	–	–	10	–	1	–	2	4	6	4	9	1	2	–	–
	2 Want of Breast-milk	247	233	4	–	–	–	237	–	–	–	–	–	–	–	–	–	–	–	–
	3 Purpura and Scurvy	33	5	6	4	2	2	19	6	1	–	2	–	1	2	1	1	–	–	–
	4 Alcoholism { *a* Del.Trem. *b* Intemp.	20	–	–	–	–	–	–	–	–	–	–	4	7	5	3	–	1	–	–
		63	–	–	–	–	–	–	–	–	–	2	5	18	20	7	7	4	–	–
	ORDER 4.																			
	1 Thrush	61	57	3	–	1	–	61	–	–	–	–	–	–	–	–	–	–	–	–
	2 Worms, &c.	3	–	–	1	–	–	1	2	–	–	–	–	–	–	–	–	–	–	–
II.	ORDER 1.																			
	1 Gout	10	–	–	–	–	–	–	–	–	–	–	–	–	3	1	4	2	–	–
	2 Dropsy	455	30	14	8	5	2	59	13	6	4	11	27	35	50	66	114	58	10	–
	3 Cancer	1096	2	1	1	2	–	6	2	4	7	7	61	184	328	254	182	56	5	–
	4 Noma	17	3	4	–	6	1	14	3	–	–	–	–	–	–	–	–	–	–	–
	5 Mortification	126	5	2	–	–	–	7	1	–	1	–	2	9	9	12	30	41	13	1
	ORDER 2.																			
	1 Scrofula	231	62	55	19	7	10	153	16	11	12	12	23	8	11	8	4	3	–	–
	2 Tabes Mesenterica	417	180	114	47	18	11	370	19	9	8	2	5	–	1	2	–	1	–	–
	3 Phthisis	3967	91	79	37	25	26	258	101	94	275	471	1072	897	431	222	72	12	1	1
	4 Hydrocephalus	743	272	222	91	57	33	675	39	14	7	2	3	1	1	–	1	–	–	–
III.	ORDER 1.																			
	1 Cephalitis	214	64	35	31	16	13	159	30	11	8	–	11	5	5	6	8	1	–	–
	2 Apoplexy	925	44	21	19	11	7	102	12	5	9	5	38	82	131	192	225	106	20	–
	3 Paralysis	753	1	–	5	2	3	11	1	1	2	2	20	44	79	173	229	158	32	1
	4 Insanity	62	–	–	–	–	–	–	–	1	–	2	7	13	10	14	10	3	2	–
	5 Chorea	7	–	–	–	–	–	–	1	2	–	–	–	–	–	1	–	–	–	–
	6 Epilepsy	158	1	–	2	1	3	7	3	8	10	15	26	24	22	17	15	11	–	–
	7 Convulsions	1135	852	144	57	27	14	1094	27	4	4	2	–	–	3	–	2	–	–	–
	8 *Brain Disease, &c.*	449	25	20	11	7	5	68	11	10	17	12	36	54	66	69	62	41	3	–
	ORDER 2.																			
	1 Pericarditis	70	–	–	1	1	–	2	8	5	8	4	8	11	9	4	7	4	–	–
	2 Aneurism	28	–	–	–	–	–	–	–	–	–	2	4	3	4	9	4	2	–	–
	3 *Heart Disease, &c.*	1877	14	5	3	2	2	26	32	51	51	44	141	208	353	437	386	129	17	2
	ORDER 3.																			
	1 Laryngitis	171	44	27	22	18	7	118	17	3	–	2	7	3	9	8	4	–	–	–
	2 Bronchitis	4618	665	403	146	73	26	1313	29	10	16	19	89	186	416	836	997	595	110	2
	3 Pleurisy	80	6	–	1	2	1	10	3	1	5	6	9	9	19	6	7	5	–	–
	4 Pneumonia	1062	675	111	199	86	35	1404	53	13	15	32	72	72	75	88	95	37	6	–
	5 Asthma	279	2	1	–	–	–	3	–	–	–	1	7	16	42	101	79	28	2	–
	6 *Lung Disease, &c.*	383	62	29	7	9	4	111	12	6	9	14	22	35	39	41	56	32	6	–
	ORDER 4.																			
	1 Gastritis	69	8	2	2	1	1	14	5	1	1	2	7	7	10	11	9	2	–	–
	2 Enteritis	170	45	11	2	2	–	60	11	5	6	7	12	8	10	17	25	8	1	–
	3 Peritonitis	164	9	1	1	1	1	13	12	9	10	16	34	30	13	9	12	5	1	–
	4 Ascites	78	–	1	1	–	–	2	2	–	–	–	8	13	20	15	13	4	1	–
	5 Ulceration of Intestines	75	2	1	–	–	–	3	1	1	6	3	13	11	11	12	10	4	–	–
	6 Hernia	105	3	–	–	–	–	3	–	–	1	–	4	11	16	33	25	9	2	–
	7 Ileus	73	5	1	–	–	–	6	1	1	2	1	9	4	8	13	17	9	2	–
	8 Intussusception	28	5	–	2	–	–	7	2	–	–	–	2	1	5	2	9	–	–	–
	9 Stricture of Intestines	33	2	–	–	–	–	2	1	–	–	1	4	5	7	5	3	4	1	–
	10 Fistula	3	–	–	–	–	–	–	–	–	–	1	1	–	1	–	–	–	–	–
	11 *Stomach Disease, &c.*	175	18	6	1	2	–	27	4	1	–	2	16	13	30	27	39	13	3	–
	12 *Pancreas Disease, &c.*	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–
	13 Hepatitis	87	–	–	–	–	–	–	1	–	1	8	16	21	17	18	5	–	–	–
	14 Jaundice	101	30	1	–	–	–	31	1	–	–	3	3	5	17	17	13	10	1	–
	15 *Liver Disease, &c.*	418	7	3	2	1	5	18	–	4	3	7	36	73	91	94	68	22	2	–
	16 *Spleen Disease, &c.*	7	–	1	–	–	–	1	–	–	–	–	1	1	1	1	2	–	–	–

(*continued at page* 135.)

CAUSES of DEATH in LONDON at different Periods of Life in the Year 1864—MALES—*continued*.

Class.	CAUSES OF DEATH.	MALES. ALL AGES.	AGES AT DEATH. Total under 1 Year.	1	2	3	4	Total under 5 Years	5–	10–	15–	20–	25–	35–	45–	55–	65–	75–	85–	95 & upwds.
	ORDER 5.																			
	1 Nephritis	31	1	1	2	2	1	7	1	1	1	2	2	1	5	5	6	–	–	–
	2 Ischuria	5	–	–	–	–	–	–	–	–	–	–	–	–	3	–	1	1	–	–
	3 Nephria	312	–	2	4	2	1	9	8	5	7	16	34	58	72	66	28	9	–	–
	4 Diabetes	57	–	–	–	–	–	–	1	–	4	3	9	10	8	17	5	–	–	–
	5 Stone	36	1	1	1	1	–	4	–	–	2	1	2	2	2	7	10	6	–	–
	6 Cystitis	52	2	–	–	1	–	3	–	–	–	–	2	1	5	7	15	19	–	–
	7 *Kidney Disease, &c.*	266	2	–	4	2	–	8	3	1	4	10	14	36	44	47	56	40	3	–
	ORDER 6.																			
	1 Ovarian Dropsy	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	2 *Uterus Disease, &c.*	19	3	1	–	1	–	5	–	–	1	1	2	3	2	3	–	2	–	–
	ORDER 7.																			
	1 Arthritis	7	–	1	–	–	1	2	–	–	–	–	3	–	–	1	1	–	–	–
	2 *Joint Disease, &c.*	128	3	2	2	4	3	14	19	13	15	6	13	17	11	11	6	3	–	–
	ORDER 8.																			
	1 Phlegmon	41	6	1	1	2	–	10	–	–	1	2	6	7	5	6	4	–	–	–
	2 Ulcer	33	3	–	–	–	–	3	1	–	–	–	–	2	4	6	12	4	1	–
	3 *Skin Disease, &c.*	52	38	4	1	–	–	43	–	–	1	1	–	3	–	1	3	–	–	–
IV.	ORDER 1.																			
	1 Premature Birth	563	563	–	–	–	–	563	–	–	–	–	–	–	–	–	–	–	–	–
	2 Cyanosis	65	56	4	1	–	2	63	–	2	–	–	–	–	–	–	–	–	–	–
	3 Spina Bifida	13	13	–	–	–	–	13	–	–	–	–	–	–	–	–	–	–	–	–
	4 Other Malformations	65	61	1	2	–	–	64	–	1	–	–	–	–	–	–	–	–	–	–
	5 Teething	493	248	217	24	4	–	493	–	–	–	–	–	–	–	–	–	–	–	–
	ORDER 2.																			
	1 Paramenia	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	2 Childbirth	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	ORDER 3.																			
	1 Old Age	1135	–	–	–	–	–	–	–	–	–	–	–	–	–	–	351	585	190	9
	ORDER 4.																			
	1 Atrophy and Debility	1703	1279	199	46	26	12	1562	13	1	1	1	3	3	20	77	13	5	4	–
V.	ORDER 1. (ACCIDENT or NEGLIGENCE.)																			
	1 Fractures and Contusions	727	19	10	4	9	12	54	55	43	37	51	106	125	103	86	44	22	1	–
	2 Gunshot	8	–	–	–	–	–	–	1	1	3	1	1	–	1	–	–	–	–	–
	3 Cut, Stab	30	–	–	–	1	–	1	1	5	3	2	4	2	6	4	1	1	–	–
	4 Burns and Scalds	148	9	38	29	16	14	106	17	5	1	1	5	4	5	1	1	2	–	–
	5 Poison	26	3	1	–	2	–	6	3	1	–	2	4	2	3	4	1	–	–	–
	6 Drowning	239	5	4	2	–	2	13	23	35	29	23	37	32	18	14	3	2	1	–
	7 Suffocation	218	173	6	4	1	–	184	2	2	3	3	6	5	4	3	6	–	–	–
	8 Otherwise	100	37	2	3	2	–	44	6	4	5	7	10	5	9	5	–	4	1	–
	ORDER 3. (HOMICIDE.)																			
	1 Murder and Manslaughter	73	41	–	–	1	–	42	–	1	3	5	8	6	4	2	2	–	–	–
	ORDER 4. (SUICIDE.)																			
	1 Gunshot Wounds	17	–	–	–	–	–	–	–	–	2	2	7	1	4	1	–	–	–	–
	2 Cut, Stab	33	–	–	–	–	–	–	–	–	1	1	9	10	6	4	–	2	–	–
	3 Poison	29	–	–	–	–	–	–	–	–	1	2	9	6	9	1	1	–	–	–
	4 Drowning	21	–	–	–	–	–	–	–	–	1	1	2	4	3	7	3	–	–	–
	5 Hanging	74	–	–	–	–	–	–	–	–	3	5	11	16	20	13	5	1	–	–
	6 Otherwise	12	–	–	–	–	–	–	–	1	–	1	1	2	2	4	1	–	–	–
	ORDER 5. (EXECUTION.)																			
	1 Hanging	9	–	–	–	–	–	–	–	–	–	7	2	–	–	–	–	–	–	–
	Other Violent Deaths (not classed)	2	–	–	–	–	–	–	–	–	–	–	1	1	–	–	–	–	–	–
	Sudden Deaths (Cause unascertained)	115	53	2	1	1	–	62	1	–	1	–	7	12	13	8	9	2	–	–
	Causes not specified or ill-defined	126	53	7	5	2	3	70	1	1	1	5	9	5	10	15	9	3	–	–

CAUSES of DEATH in London at different Periods of Life in the Year 1864—Females—*continued.*

Class.	CAUSES OF DEATH.	FEMALES. All Ages.	Ages at Death. Total under 1 Year.	1	2	3	4	Total under 5 Years.	5–	10–	15–	20–	25–	35–	45–	55–	65–	75–	85–	95 & upwards.
	Order 5.																			
	1 Nephritis	27	–	3	–	–	1	4	–	1	1	2	3	1	3	3	6	3	–	–
	2 Ischuria	9	–	–	–	–	–	–	–	–	–	–	–	3	1	3	2	–	–	–
	3 Nephria	209	1	2	1	4	1	9	3	2	9	11	30	29	40	42	22	12	–	–
	4 Diabetes	29	–	–	–	–	–	–	–	1	2	3	5	4	4	3	6	1	–	–
	5 Stone	8	–	–	–	–	–	–	1	–	–	–	2	–	1	2	2	–	–	–
	6 Cystitis	6	–	–	–	–	–	–	–	–	–	–	1	–	–	2	1	2	–	–
	7 *Kidney Disease, &c.*	74	2	–	–	2	–	4	–	3	2	7	6	10	8	13	18	3	–	–
	Order 6.																			
	1 Ovarian Dropsy	53	–	–	–	–	–	–	–	–	1	2	9	8	15	10	5	2	1	–
	2 *Uterus Disease, &c.*	204	1	–	2	1	–	4	–	–	4	8	29	51	55	37	12	4	–	–
	Order 7.																			
	1 Arthritis	10	–	–	1	–	–	1	1	–	–	1	1	2	–	1	2	1	–	–
	2 *Joint Disease, &c.*	72	2	1	1	2	3	9	11	8	3	4	7	9	6	10	3	2	–	–
	Order 8.																			
	1 Phlegmon	35	5	1	3	–	1	10	–	–	1	5	6	4	2	2	4	1	–	–
	2 Ulcer	43	9	2	1	–	–	12	–	–	1	–	1	2	4	5	10	7	1	–
	3 *Skin Disease, &c.*	37	22	1	2	1	–	26	–	1	–	–	1	–	1	1	3	3	1	–
IV.	Order 1.																			
	1 Premature Birth	478	478	–	–	–	–	478	–	–	–	–	–	–	–	–	–	–	–	–
	2 Cyanosis	57	51	4	1	–	–	56	1	–	–	–	–	–	–	–	–	–	–	–
	3 Spina Bifida	32	30	1	–	–	–	31	1	–	–	–	–	–	–	–	–	–	–	–
	4 Other Malformations	38	37	–	–	–	–	37	–	–	–	–	1	–	–	–	–	–	–	–
	5 Teething	424	207	195	21	1	–	424	–	–	–	–	–	–	–	–	–	–	–	–
	Order 2.																			
	1 Paramenia	11	–	–	–	–	–	–	–	–	1	2	–	5	1	2	–	–	–	–
	2 Childbirth (*see* Metria)	308	–	–	–	–	–	–	–	–	14	67	125	101	1	–	–	–	–	–
	Order 3.																			
	1 Old Age	1927	–	–	–	–	–	–	–	–	–	–	–	–	–	–	308	385	406	28
	Order 4.																			
	1 Atrophy and Debility	1465	1015	175	55	25	10	1280	12	2	4	–	4	9	25	103	16	3	4	–
V.	Order 1. (Accident or Negligence.)																			
	1 Fractures and Contusions	187	8	9	7	–	4	28	16	2	4	5	11	23	19	27	25	22	4	1
	2 Gunshot	1	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–
	3 Cut, Stab	16	1	–	1	–	–	2	1	1	1	–	3	3	2	2	1	–	–	–
	4 Burns and Scalds	195	7	17	23	20	17	84	31	10	11	4	9	8	8	7	12	6	2	–
	5 Poison	25	5	2	–	–	–	7	4	–	–	1	1	4	5	2	1	–	–	–
	6 Drowning	36	3	3	–	–	–	6	3	1	4	4	1	8	5	1	3	–	–	–
	7 Suffocation	185	168	4	2	–	–	174	2	–	–	–	3	–	3	1	2	–	–	–
	8 Otherwise	59	33	5	–	–	–	38	2	1	–	–	2	3	3	4	5	1	–	–
	Order 3. (Homicide.)																			
	1 Murder and Manslaughter	63	51	1	–	–	–	52	–	–	–	1	3	3	1	2	1	–	–	–
	Order 4. (Suicide.)																			
	1 Gunshot Wounds	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	2 Cut, Stab	12	–	–	–	–	–	–	–	–	–	–	1	2	6	1	2	–	–	–
	3 Poison	22	–	–	–	–	–	–	–	–	2	2	1	13	4	–	–	–	–	–
	4 Drowning	15	–	–	–	–	–	–	–	–	3	1	2	7	2	–	–	–	–	–
	5 Hanging	15	–	–	–	–	–	–	–	–	–	1	2	4	3	2	2	1	–	–
	6 Otherwise	10	–	–	–	–	–	–	–	–	–	–	2	4	–	2	2	–	–	–
	Order 5. (Execution.)																			
	1 Hanging	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Other Violent Deaths (not classed)	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Sudden Deaths (Cause unascertained)	85	56	3	–	–	–	59	–	–	–	1	4	4	1	5	5	2	4	–
	Causes not specified or ill-defined	96	45	5	1	1	1	53	5	1	1	2	7	4	5	5	8	4	1	–

DEATHS of Males and Females from different Causes registered in

Class.	CAUSES OF DEATH.	ENGLAND.		I. LONDON.		II. SOUTH EASTERN.		III. SOUTH MIDLAND.		IV. EASTERN.	
		Males.	Females.	Males.	Females.	Males.	Females.	Males.	Females.	Males.	Females.
	ALL CAUSES - - -	253419	211912	33551	28387	24460	18949	17273	14[illegible]1	12359	12073
	SPECIFIED CAUSES -	249268	208464	33310	28506	20116	18734	14960	14605	12342	11779
	(CLASSES.)										
I.	ZYMOTIC DISEASES -	59889	53936	10178	10200	4223	4064	3471	3469	2632	2402
II.	CONSTITUTIONAL „ -	41613	45577	7507	7030	3823	3975	2168	2818	2154	2537
III.	LOCAL . „ -	99328	89711	15831	15605	8324	7261	5829	5279	4674	4187
IV.	DEVELOPMENTAL „ -	35862	39798	4037	4740	2869	3143	2544	2825	2297	2971
V.	VIOLENT DEATHS -	12576	4442	1757	841	877	291	648	214	535	192
	(ORDERS.)										
I.	1. MIASMATIC DISEASES -	56484	56567	9354	9665	3946	3887	3279	3346	2457	2443
	2. ENTHETIC „ -	1040	753	247	169	99	62	40	29	27	19
	3. DIETIC „ -	1738	1072	488	392	148	72	103	51	87	71
	4. PARASITIC „ -	627	544	89	64	30	43	49	43	61	65
II.	1. DIATHETIC „ -	9635	10757	874	1702	689	1056	519	752	497	599
	2. TUBERCULAR „ -	34978	34820	6333	5328	3134	2919	1949	2066	1747	1938
III.	1. DISEASES OF NERVOUS SYSTEM - -	31864	27763	4076	3734	2545	2228	1902	1679	1445	1243
	2. „ ORGANS OF CIRCULATION -	10923	11496	1725	1975	1148	1108	715	798	565	599
	3. „ RESPIRATORY ORGANS - -	40085	35291	7583	7493	3018	2503	2182	1842	1750	1511
	4. „ DIGESTIVE ORGANS - - -	10336	10633	1408	1587	951	948	633	683	555	549
	5. „ URINARY ORGANS - - -	4277	1827	759	362	480	210	286	107	275	102
	6. „ ORGANS OF GENERATION -	66	1223	19	257	9	118	3	76	5	105
	7. „ ORGANS OF LOCOMOTION -	1049	811	135	82	95	80	49	55	24	33
	8. „ INTEGUMENTARY SYSTEM -	728	662	126	115	78	66	52	39	55	45
IV.	1. CONGENITAL MALFORMATIONS AND DEV. DISEASES OF CHILDREN	7080	6241	1199	1029	625	517	501	404	380	295
	2. DEV. DISEASES, ADULTS	-	2607	-	319	-	231	-	187	-	138
	3. „ OLD PEOPLE	12586	16912	1135	1927	1190	1411	939	1259	929	1087
	4. DISEASES OF NUTRITION	15596	14038	1703	1465	1054	984	1104	975	988	851
V.	1. ACCIDENT OR NEGLIGENCE - - - -	11205	3886	1487	704	740	232	580	188	489	170
	3. HOMICIDE - - -	231	181	73	63	17	17	6	8	6	4
	4. SUICIDE - - - -	993	347	186	74	100	35	48	16	58	17
	5. EXECUTION - - -	21	-	9	-	-	-	2	-	1	-
	VIOLENT DEATHS NOT CLASSED - - - -	126	28	2	-	20	7	12	2	1	1
	SUDDEN DEATHS, CAUSE UNASCERTAINED - -	2044	1277	115	85	118	68	131	76	149	91
	CAUSES NOT SPECIFIED -	2307	2171	126	96	166	147	182	153	198	203

ENGLAND, and in each of the ELEVEN DIVISIONS, in the Year 1864.

V. South Western		VI. West Midland.		VII. North Midland.		VIII. North Western.		IX. Yorkshire.		X. Northern.		XI. Monmouthshire and Wales.	
Males.	Females.	Males.	Females.	Males.	Females.	Males.	Females.	Males.	Females.	Males.	Females.	Males.	Females.
19859	19769	31393	29214	14537	14191	41918	39797	27539	25617	14167	13509	16523	15252
19464	19168	30691	28687	14285	13997	41172	39229	27180	25341	13948	13312	15830	14806
4232	4254	7635	7468	3155	3086	11014	10738	6568	6410	3025	2992	3756	3673
3170	3845	4399	4863	2180	2839	6377	7066	4233	4671	2469	2784	2833	3149
7651	7063	12090	10703	5782	5148	16601	15047	11340	9822	5283	4721	5923	4875
3471	3997	4836	5042	2506	2669	5071	5636	3684	3939	2273	2567	2274	2869
940	309	1731	611	662	255	2109	742	1355	499	898	248	1044	240
4031	4115	7233	7181	2979	2977	10490	10377	6251	6202	2349	2869	3615	3605
72	53	142	109	53	32	178	148	89	72	45	44	48	22
79	44	184	104	74	35	274	157	139	60	95	56	67	30
50	42	76	74	49	42	72	56	89	76	36	23	26	16
723	1121	812	1278	412	647	804	1371	603	991	369	556	423	684
2147	2724	3587	3585	1768	2192	5573	5695	3630	3680	2100	2228	2410	2465
2326	2124	3827	3242	2092	1772	5198	4510	4164	3523	1771	1489	2511	2219
1007	1069	1309	1427	728	775	1420	1547	1150	1119	662	654	494	425
2955	2573	4991	4255	1925	1649	7484	6640	4235	3589	1865	1690	2094	1546
822	919	1231	1237	694	685	1663	1707	1146	1165	668	640	562	513
380	156	519	240	243	83	541	249	420	153	204	92	170	78
4	88	6	135	1	100	4	146	11	98	3	66	1	39
93	80	101	78	68	49	191	152	154	120	78	49	58	33
61	54	100	89	31	35	100	96	60	55	32	41	33	27
514	386	933	717	499	442	1278	991	1037	900	538	429	176	181
–	220	–	306	–	127	–	439	–	278	–	167	–	195
1466	2060	1670	2091	1043	1254	1339	1788	1065	1428	691	974	1119	1633
1491	1331	2233	1928	964	846	2454	2418	1582	1333	1044	997	979	910
835	271	1576	553	580	220	1881	654	1208	449	831	223	998	222
14	5	29	17	9	10	29	35	25	12	11	2	12	8
82	33	113	36	69	25	166	44	94	36	46	21	81	10
–	–	4	–	1	–	2	–	2	–	–	–	–	–
9	–	9	5	3	–	31	9	26	2	10	2	3	–
196	145	328	217	111	68	523	339	117	71	95	46	161	71
199	176	374	310	141	126	223	229	242	205	124	151	332	375

DEATHS of Males and Females from different Causes registered in

Class.	CAUSES OF DEATH.	ENGLAND.		I. LONDON.		II. SOUTH EASTERN.		III. SOUTH MIDLAND.		IV. EASTERN.	
		Males.	Females.	Males	Females.	Males.	Females.	Males.	Females.	Males.	Females.
	ORDER 1.										
I.	1 Small-pox	4179	3505	299	218	296	253	108	80	123	77
	2 Measles	4236	4087	1403	1385	181	174	130	120	200	162
	3 Scarlatina	15040	14660	1639	1695	962	933	1211	1175	624	578
	4 Diphtheria	2619	2845	289	322	263	266	187	189	272	319
	5 Quinsy	195	183	48	43	16	16	16	9	14	14
	6 Croup	3568	3249	490	420	258	193	158	156	130	106
	7 Whooping-cough	3827	4743	1089	1334	243	329	176	217	144	143
	8 Typhus	9971	10135	1837	1866	659	729	507	551	397	409
	9 Erysipelas	1129	975	245	245	127	102	110	63	65	46
	10 Metria	–	1484	–	287	–	92	–	108	–	59
	11 Carbuncle	191	75	31	21	17	10	13	5	14	2
	12 Influenza	410	394	29	40	57	43	37	30	27	12
	13 Dysentery	505	435	74	45	57	39	21	22	36	15
	14 Diarrhœa	8447	7985	1455	1439	610	548	458	472	325	325
	15 Cholera	521	413	81	75	48	24	39	36	12	13
	16 Ague	65	47	8	14	16	3	4	4	5	3
	17 Remittent Fever	84	118	46	67	12	12	2	8	4	2
	18 Rheumatism	1353	1206	282	239	123	117	94	88	60	52
	19 *Other Zymotic Diseases*	84	68	9	10	6	4	8	3	5	6
	ORDER 2.										
	1 Syphilis	798	752	193	169	71	62	24	29	14	13
	2 Stricture of Urethra	229	–	53	–	26	–	16	–	13	–
	3 Hydrophobia	11	1	–	–	2	–	–	–	–	–
	4 Glanders	2	–	1	–	–	–	–	–	–	–
	ORDER 3.										
	1 Privation	46	60	20	39	2	1	–	2		2
	2 Want of Breast-milk	637	616	242	237	51	50	55	31	47	53
	3 Purpura and Scurvy	225	167	43	33	20	12	14	15	8	13
	4 Alcoholism { *a* Del. Trem.	532	60	124	20	63	2	31	2	23	3
	4 Alcoholism { *b* Intemp.	298	169	59	63	12	7	3	–	9	–
	ORDER 4.										
	1 Thrush	550	456	86	61	24	33	40	36	58	61
	2 Worms, &c.	77	88	3	3	6	10	9	7	3	4
II.	ORDER 1.										
	1 Gout	262	47	76	10	48	8	16	4	9	–
	2 Dropsy	3099	4287	300	453	302	400	213	303	155	213
	3 Cancer	2459	5658	394	1096	247	564	201	397	150	337
	4 Noma	52	105	11	17	–	7	–	6	4	3
	5 Mortification	763	652	93	126	92	77	89	42	89	46
	ORDER 2.										
	1 Scrofula	1635	1446	264	261	153	139	103	91	102	125
	2 Tabes Mesenterica	3177	2764	591	417	224	223	170	146	189	178
	3 Phthisis	25707	27339	4781	3907	2423	2338	1432	1674	1280	1512
	4 Hydrocephalus	4429	3271	997	743	354	219	224	155	166	123
III.	ORDER 1.										
	1 Cephalitis	2208	1806	334	244	189	150	119	98	102	92
	2 Apoplexy	5152	5170	876	925	484	564	370	395	297	284
	3 Paralysis	5209	5400	655	753	515	491	485	451	339	321
	4 Insanity	301	361	38	62	45	54	37	32	26	24
	5 Chorea	19	54	2	7	–	4	2	7	–	2
	6 Epilepsy	1324	1082	194	158	148	112	95	76	77	65
	7 Convulsions	14384	11698	1410	1136	844	636	586	465	463	344
	8 *Brain Disease, &c.*	2967	2192	567	449	320	227	185	155	153	111
	ORDER 2.										
	1 Pericarditis	311	318	57	70	30	25	25	28	14	12
	2 Aneurism	388	141	76	28	48	17	19	8	15	6
	3 *Heart Disease, &c.*	10274	11037	1540	1877	1064	1096	671	762	538	579
	ORDER 3.										
	1 Laryngitis	860	750	199	171	77	66	45	41	45	44
	2 Bronchitis	19510	19459	4170	4618	1355	1281	924	912	752	698
	3 Pleurisy	541	400	103	80	56	35	34	27	22	18
	4 Pneumonia	13954	10515	2489	1932	1081	766	854	642	643	533
	5 Asthma	2393	1855	208	279	151	112	123	105	111	81
	6 *Lung Disease, &c.*	2827	2351	423	383	298	240	187	155	197	137
	ORDER 4.										
	1 Gastritis	399	484	45	69	27	35	15	25	19	22
	2 Enteritis	1617	1547	147	170	119	104	86	82	64	70
	3 Peritonitis	727	1009	110	164	58	89	45	61	49	58
	4 Ascites	272	447	67	78	23	35	20	35	15	30
	5 Ulceration of Intestines	429	478	79	75	48	47	21	41	13	17
	6 Hernia	409	396	62	105	47	38	34	28	15	10
	7 Ileus	618	536	79	73	65	59	35	29	30	28
	8 Intussusception	158	154	22	28	18	15	14	9	8	10
	9 Stricture of Intestines	123	172	22	33	11	14	10	11	8	15
	10 Fistula	77	31	16	3	8	1	2	2	4	1
	11 *Stomach Disease, &c.*	1297	1459	151	175	117	120	78	102	63	77
	12 *Pancreas Disease, &c.*	3	7	1	1	–	–	–	–	–	3
	13 Hepatitis	713	716	94	87	49	61	38	42	30	25
	14 Jaundice	788	745	112	101	85	63	54	46	61	48
	15 *Liver Disease, &c.*	2676	2445	390	418	274	262	176	171	154	132
	16 *Spleen Disease, &c.*	30	36	11	7	2	5	3	2	2	3

(*continued at page* 140.)

ENGLAND, and in each of the ELEVEN DIVISIONS, in the Year 1864—*continued*.

V. South Western		VI. West Midland.		VII. North Midland.		VIII. North Western.		IX. Yorkshire.		X. Northern.		XI. Monmouthsh. and Wales.	
Males.	Females.	Males.	Females.	Males.	Females.	Males.	Females.	Males.	Females.	Males.	Females.	Males.	Females.
186	151	1174	1055	158	143	796	600	393	348	363	303	283	247
267	242	424	388	181	176	628	658	438	434	251	228	133	120
1527	1510	1753	1737	879	843	2693	2551	1934	1850	334	332	1481	1526
181	158	346	381	189	199	323	376	237	222	149	180	223	223
14	11	16	17	12	11	26	24	23	22	5	5	5	11
236	195	389	471	178	127	747	683	369	374	271	238	242	245
292	314	293	368	200	233	672	898	337	457	215	280	163	190
645	731	1031	1038	535	560	2108	2123	1001	992	578	529	673	607
61	69	116	122	54	54	180	180	93	104	47	38	31	22
–	88	–	176	–	87	–	239	–	157	–	100	–	91
16	9	23	5	12	3	22	11	26	4	11	3	6	3
69	75	30	35	35	50	42	30	34	20	20	32	28	27
40	40	60	48	23	28	118	94	82	55	40	32	14	17
375	388	1310	1159	426	379	1789	1641	1045	959	458	483	196	192
25	17	33	33	24	15	122	99	85	63	33	23	24	15
2	2	3	1	5	4	10	7	4	3	6	4	2	2
5	3	1	1	3	6	4	8	4	3	2	6	1	2
85	107	155	156	62	57	195	175	133	124	57	48	107	63
5	4	13	10	3	2	12	10	11	11	9	6	3	2
62	53	116	109	34	32	152	147	70	72	37	44	25	22
10	–	25	–	19	–	17	–	19	–	8	–	23	–
–	–	–	–	–	–	9	1	–	–	–	–	–	–
–	–	1	–	–	–	–	–	–	–	–	–	–	–
1	1	9	2	2	1	7	9	4	2	1	–	–	1
23	24	83	69	21	17	36	58	33	30	27	29	19	15
19	9	26	21	11	11	40	18	24	22	9	7	11	8
21	6	48	3	22	1	88	12	50	3	30	5	30	3
13	4	18	9	18	5	103	60	28	3	28	15	7	3
38	31	64	59	43	35	65	44	86	67	31	20	13	9
12	11	10	15	6	7	7	12	3	9	5	3	13	7
41	7	27	6	12	2	13	6	11	3	2	–	7	1
351	499	404	519	199	282	447	607	300	408	181	222	247	381
248	543	274	640	165	329	264	671	217	512	155	290	144	279
3	9	11	21	1	1	8	29	6	8	8	6	–	6
80	65	93	92	35	35	72	58	69	60	23	38	25	17
153	149	169	159	98	92	232	145	154	118	90	68	144	99
291	294	345	320	170	149	472	380	346	305	344	316	125	126
1837	2165	2681	2825	1272	1789	4096	4595	2553	2851	1352	1571	1970	2114
253	208	302	261	228	162	773	575	577	406	314	273	171	126
137	123	262	205	104	98	429	339	294	261	148	110	90	86
503	520	648	578	272	245	655	654	525	524	268	243	244	229
471	569	702	659	297	318	695	777	480	455	286	295	203	311
19	34	25	43	13	25	26	37	20	24	15	12	10	14
2	7	3	8	1	3	5	6	2	7	–	4	2	1
119	105	179	157	86	69	189	159	130	103	48	37	61	41
783	583	1649	1331	1151	881	2832	2267	2403	1939	847	674	1714	1464
280	189	349	261	168	133	357	271	310	210	161	114	97	73
22	23	30	30	11	10	57	42	33	35	11	9	15	13
27	16	32	12	22	9	37	12	31	12	26	15	5	4
958	1027	1247	1374	695	747	1526	1493	1086	1072	625	630	474	408
61	56	104	80	43	23	120	121	92	83	44	42	28	23
1236	1285	2 81	2233	795	759	4128	4045	2119	2048	853	897	797	683
35	31	54	50	27	14	83	56	52	43	29	20	46	23
1124	822	1674	1334	774	596	2357	1751	1479	1061	680	546	791	540
175	141	364	324	98	91	453	355	267	167	158	100	288	178
305	255	415	332	188	166	343	312	226	187	101	85	144	99
26	36	54	49	22	22	85	116	51	60	33	28	22	22
119	119	212	208	93	86	318	293	188	184	166	148	85	83
48	70	95	129	51	72	106	157	81	111	40	52	44	46
19	34	31	58	14	22	35	58	21	55	15	22	12	20
31	33	39	31	28	36	60	83	60	74	28	24	22	14
24	27	58	33	27	17	60	59	34	30	24	20	22	21
47	59	79	65	44	46	87	75	67	48	30	27	55	31
16	9	19	15	11	4	26	21	10	13	6	7	8	6
7	27	29	15	13	19	12	12	8	11	7	9	5	6
5	1	15	4	8	7	8	3	5	7	4	1	2	1
165	177	140	147	97	99	177	232	124	146	84	92	101	83
–	1	–	1	–	–	–	–	–	1	1	–	1	–
31	40	76	93	42	38	151	137	108	102	56	52	38	39
78	78	90	98	55	49	109	100	73	81	33	42	38	39
203	201	305	282	186	168	427	355	316	240	138	115	106	101
3	3	–	6	3	–	2	6	–	2	3	1	1	1

DEATHS of Males and Females from different Causes registered in

Class.	CAUSES OF DEATH.	ENGLAND.		I. LONDON.		II. SOUTH EASTERN.		III. SOUTH MIDLAND.		IV. EASTERN.	
		Males.	Females.	Males.	Females.	Males.	Females.	Males.	Females.	Males.	Females.
	ORDER 5.										
	1 Nephritis	236	154	31	27	20	11	17	8	9	6
	2 Ischuria	90	33	5	9	29	3	5	1	5	3
	3 Nephria	1081	712	312	209	116	73	52	27	52	24
	4 Diabetes	434	214	57	22	44	26	35	19	28	20
	5 Stone	129	25	27	8	11	4	11	3	11	1
	6 Cystitis	326	57	52	6	32	8	18	2	29	4
	7 *Kidney Disease, &c.*	1931	672	236	74	237	85	147	47	141	44
	ORDER 6.										
	1 Ovarian Dropsy	–	239	–	53	–	39	–	14	–	16
	2 *Uterus Disease, &c.*	66	969	19	204	9	88	3	62	5	89
	ORDER 7.										
	1 Arthritis	46	43	7	10	5	2	4	1	1	2
	2 *Joint Disease, &c.*	1003	703	128	72	90	78	45	54	23	31
	ORDER 8.										
	1 Phlegmon	293	254	41	35	35	24	27	12	25	24
	2 Ulcer	216	247	33	43	22	23	10	13	16	13
	3 *Skin Disease, &c.*	216	161	52	37	21	17	15	14	13	8
IV.	ORDER 1.										
	1 Premature Birth	4666	3673	563	478	359	315	320	219	287	199
	2 Cyanosis	239	206	65	57	28	29	20	24	8	16
	3 Spina Bifida	154	217	13	32	19	11	7	13	6	10
	4 Other Malformations	293	165	65	38	47	24	19	12	14	8
	5 Teething	2508	1977	493	424	172	138	135	106	65	62
	ORDER 2.										
	1 Paramenia	–	75	–	11	–	3	–	6	–	3
	2 Childbirth (*see* Metria)	–	2532	–	308	–	228	–	181	–	138
	ORDER 3.										
	1 Old Age	12386	16912	1135	1927	1190	1411	939	1259	929	1087
	ORDER 4.										
	1 Atrophy and Debility	15396	14038	1703	1465	1054	984	1104	975	988	851
V.	ORDER 1. (ACCIDENT or NEGLIGENCE.)										
	1 Fractures and Contusions	5559	911	727	187	287	57	280	51	205	44
	2 Gunshot	111	15	8	1	18	–	11	–	11	2
	3 Cut, Stab	87	28	30	16	5	1	6	1	3	–
	4 Burns and Scalds	1475	1512	148	195	88	88	63	72	40	75
	5 Poison	149	125	26	25	12	12	5	5	11	3
	6 Drowning	2270	464	220	36	172	21	98	16	128	17
	7 Suffocation	744	501	218	185	65	33	46	19	17	10
	8 Otherwise	830	300	100	59	95	20	71	24	74	19
	ORDER 3. (HOMICIDE.)										
	1 Murder and Manslaughter	231	181	73	63	17	17	6	8	6	4
	ORDER 4. (SUICIDE.)										
	1 Gunshot Wounds	64	1	17	–	7	–	5	–	7	1
	2 Cut, Stab	194	55	33	12	23	5	14	4	9	3
	3 Poison	87	67	29	22	5	4	3	3	2	1
	4 Drowning	123	82	21	15	14	15	5	1	2	5
	5 Hanging	452	112	74	15	47	9	15	6	28	7
	6 Otherwise	75	30	12	10	4	2	6	2	10	–
	ORDER 5. (EXECUTION.)										
	1 Hanging	21	–	9	–	–	–	2	–	1	–
	Other Violent Deaths (not classed)	125	23	2	–	20	7	12	2	1	1
	Sudden Deaths (Cause unascertained)	2041	1277	115	85	118	68	131	76	149	91
	Causes not specified or ill-defined	2307	2171	126	96	166	147	182	153	198	203

ENGLAND, and in each of the ELEVEN DIVISIONS, in the Year 1864—*continued*.

V. South Western.		VI. West Midland.		VII. North Midland.		VIII. North Western.		IX. Yorkshire.		X. Northern.		XI. Monmouthsh. and Wales.	
Males.	Females.	Males.	Females.	Males.	Females.	Males.	Females.	Males.	Females.	Males.	Females.	Males.	Females.
14	11	37	20	8	4	48	28	23	22	15	6	14	11
6	2	6	3	11	2	14	3	6	1	5	1	7	8
82	49	138	83	30	28	155	100	77	41	36	49	31	29
33	16	51	35	35	11	65	22	73	21	22	10	10	2
9	–	13	3	16	2	18	–	14	1	5	1	15	2
26	5	38	7	19	2	37	11	29	10	23	1	23	1
210	73	246	89	124	34	294	85	198	57	98	24	70	20
–	25	–	25	–	16	–	39	–	18	–	15	–	8
4	63	6	110	1	84	4	107	11	80	3	51	1	31
4	3	6	7	1	2	6	9	6	4	4	2	2	1
92	77	95	71	67	47	185	143	148	116	74	47	55	32
21	17	51	33	9	14	45	50	26	24	8	6	7	8
21	24	31	30	16	15	31	28	14	20	12	28	10	10
10	13	18	21	6	6	24	18	20	11	12	7	16	9
327	232	620	467	344	292	734	520	667	570	350	286	93	65
12	11	39	16	11	5	37	21	9	12	28	12	2	3
15	14	25	31	11	18	26	42	19	32	9	10	4	4
20	12	36	27	9	8	33	17	24	14	22	5	4	3
140	117	213	176	124	118	448	391	318	273	129	116	71	56
–	8	–	14	–	4	–	13	–	3	–	1	–	12
–	212	–	292	–	123	–	426	–	275	–	166	–	183
1456	2060	1670	2091	1043	1254	1339	1788	1065	1428	691	974	1119	1633
1491	1331	2233	1928	964	846	2454	2418	1582	1333	1044	997	979	910
449	57	737	108	291	45	979	167	597	111	463	62	544	52
13	3	12	–	6	1	10	3	8	3	3	–	11	2
7	1	7	3	5	1	8	3	6	1	6	–	4	1
87	125	302	272	87	85	252	250	158	146	101	93	140	111
9	3	22	11	13	17	18	24	10	8	12	8	5	7
151	38	309	53	88	20	405	65	383	139	149	26	187	23
64	21	109	74	34	18	126	94	34	22	33	16	19	9
65	23	87	32	56	23	83	46	56	19	64	18	79	17
11	5	29	17	9	10	29	35	25	12	11	2	12	8
5	–	11	–	2	–	–	–	3	–	6	–	1	–
12	5	19	6	9	4	41	7	16	4	10	4	4	1
3	5	11	10	7	5	18	5	2	8	5	3	2	1
7	6	13	6	6	3	28	13	18	12	8	5	6	1
41	13	48	11	40	10	76	19	51	11	13	7	16	4
10	4	11	3	5	3	8	–	4	1	1	2	2	3
–	–	4	–	1	–	2	–	2	–	–	–	–	–
9	–	9	5	3	–	31	9	26	2	10	2	3	–
195	145	323	217	111	68	523	339	117	71	93	46	161	71
199	176	374	310	141	126	223	229	242	205	124	151	332	375

DEATHS of MALES from different Causes registered in each of the REGISTRATION COUNTIES in the Year 1864.

Class.	CAUSES OF DEATH.	MALES.															
		DIVISION I. LONDON.			DIVISION II. SOUTH EASTERN COUNTIES.					DIVISION III. SOUTH MIDLAND COUNTIES.							
		Middlesex (*part of*).	Surrey (*part of*).	Kent (*part of*).	1. Surrey (*extra-metropolitan*).	2. Kent (*extra-metropolitan*).	3. Sussex.	4. Hampshire.	5. Berkshire.	6. Middlesex (*extra-metropolitan*).	7. Hertfordshire.	8. Buckinghamshire.	9. Oxfordshire.	10. Northamptonshire.	11. Huntingdonshire.	12. Bedfordshire.	13. Cambridgeshire.
	ALL CAUSES - -	23772	7858	2921	3008	6249	3921	5006	2216	2389	1984	1651	1935	2811	679	1730	2094
	SPECIFIED CAUSES -	23822	7796	2892	2972	6162	3877	4938	2167	2477	1957	1602	1888	2760	661	1671	2044
	(CLASSES.)																
I.	ZYMOTIC DISEASES -	7370	1986	822	608	1458	829	968	360	481	489	283	373	772	147	474	452
II.	CONSTITUTIONAL „ -	5540	1440	527	572	1078	806	938	399	421	285	292	331	413	121	261	344
III.	LOCAL „ -	11518	3231	1082	1313	2452	1495	2075	989	1092	775	652	755	980	248	593	734
IV.	DEVELOPMENTAL „ -	2925	777	335	359	879	577	742	312	271	312	317	346	486	111	300	401
V.	VIOLENT DEATHS -	1269	362	126	120	295	170	185	107	112	96	58	83	109	34	43	113
	(ORDERS.)																
I.	1. MIASMATIC DISEASES -	6763	1813	778	562	1377	773	895	338	449	449	262	352	756	133	448	430
	2. ENTHETIC „ -	190	39	18	15	28	21	26	9	7	7	2	6	1	4	9	4
	3. DIETIC „ -	359	105	24	26	46	25	39	12	16	22	14	12	9	6	12	12
	4. PARASITIC „ -	58	29	2	5	7	10	7	1	9	11	5	3	6	4	5	6
II.	1. DIATHETIC „ -	649	172	53	94	172	155	176	92	57	67	68	72	92	29	62	72
	2. TUBERCULAR „ -	4891	1268	474	478	903	651	792	307	364	218	224	259	321	92	199	272
III.	1. DISEASES OF NERVOUS SYSTEM - -	2870	901	302	404	756	448	657	280	467	253	180	205	315	76	198	215
	2. „ ORGANS OF CIRCULATION -	1251	326	148	179	321	204	296	148	118	112	80	108	111	29	56	101
	3. „ RESPIRATORY ORGANS - -	5641	1492	450	477	900	541	712	388	352	292	274	300	364	102	228	270
	4. „ DIGESTIVE ORGANS - -	988	314	106	146	291	180	240	85	90	74	80	81	121	21	71	95
	5. „ URINARY ORGANS - - -	569	140	50	86	132	84	118	60	38	34	30	41	49	17	31	46
	6. „ ORGANS OF GENERATION -	16	3	-	1	3	1	2	2	1	-	1	1	-	-	-	-
	7. „ ORGANS OF LOCOMOTION -	105	21	9	8	26	21	27	13	11	5	3	11	9	2	4	4
	8. „ INTEGUMENTARY SYSTEM -	78	31	17	12	23	16	14	13	15	5	4	8	11	1	5	3
IV.	1. CONGENITAL MALFORMATIONS AND DEV. DISEASES OF CHILDREN	898	227	74	97	206	134	139	49	69	45	57	61	114	26	62	67
	2. DEV. DISEASES, ADULTS	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	3. „ OLD PEOPLE	770	219	146	141	349	249	318	133	101	143	139	142	156	33	79	146
	4. DISEASES OF NUTRITION	1257	331	115	121	324	194	285	130	101	124	121	143	216	52	139	188
V.	1. ACCIDENT OR NEGLIGENCE - - - -	1051	325	111	101	249	145	162	83	93	86	51	79	97	30	37	105
	3. HOMICIDE - - -	62	7	4	2	3	2	5	5	1	2	2	-	1	-	-	-
	4. SUICIDE - - -	147	29	10	15	33	20	16	16	14	7	4	3	10	1	4	5
	5. EXECUTION - - -	8	1	-	-	-	-	-	-	-	-	1	-	-	-	-	1
	VIOLENT DEATHS NOT CLASSED - - - -	1	-	1	2	10	3	2	3	2	1	-	1	1	3	2	2
	SUDDEN DEATHS, CAUSE UNASCERTAINED - -	63	32	20	6	32	17	25	33	2	4	34	31	14	1	28	17
	CAUSES NOT SPECIFIED -	87	30	9	30	55	27	43	11	10	23	15	16	37	17	31	32

(*continued at page* 148.)

DEATHS of FEMALES from different Causes registered in each of the REGISTRATION COUNTIES in the Year 1864.

Class.	CAUSES OF DEATH.	FEMALES.																
		DIVISION I. LONDON.			DIVISION II. SOUTH EASTERN COUNTIES.					DIVISION III. SOUTH MIDLAND COUNTIES.								
		Middlesex (*part of*).	Surrey (*part of*).	Kent (*part of*).	1. Surrey (*extra-metropolitan*).	2. Kent (*extra-metropolitan*).	3. Sussex.	4. Hampshire.	5. Berkshire.	6. Middlesex (*extra-metropolitan*).	7. Hertfordshire.	8. Buckinghamshire.	9. Oxfordshire.	10. Northamptonshire.	11. Huntingdonshire.	12. Bedfordshire.	13. Cambridgeshire.
	ALL CAUSES - - -	28308	7830	2549	2715	5708	3731	4691	2104	2251	2037	1663	1898	2663	633	1760	1929
	SPECIFIED CAUSES -	281·3	7792	2531	2681	5635	3699	4639	2080	2248	2019	1640	1864	2622	612	1720	1880
	(CLASSES.)																	
I.	ZYMOTIC DISEASES -	7510	1980	800	647	1401	772	918	326	492	502	320	369	748	144	461	433
II.	CONSTITUTIONAL „ -	5180	1374	476	536	1069	895	1023	452	414	319	358	374	524	131	301	307
III.	LOCAL „ -	11460	3252	893	1087	2178	1359	1784	853	980	762	590	655	861	203	593	635
IV.	DEVELOPMENTAL „ -	3376	1034	330	366	909	611	841	416	325	405	353	430	470	125	338	379
V.	VIOLENT DEATHS -	657	152	32	45	78	62	73	33	37	31	19	36	19	9	27	36
	(ORDERS.)																	
I.	1. MIASMATIC DISEASES -	7061	1845	759	620	1354	742	850	311	469	487	307	360	727	141	448	416
	2. ENTHETIC „ -	126	31	12	3	15	12	29	8	10	6	1	2	4	2	-	4
	3. DIETIC „ -	277	95	20	11	21	13	19	8	14	13	5	5	6	-	11	7
	4. PARASITIC „ -	46	9	9	13	11	5	10	4	8	10	7	2	11	1	2	6
II.	1. DIATHETIC „ -	1251	338	113	140	266	229	291	130	108	95	112	105	120	38	75	99
	2. TUBERCULAR „ -	3929	1036	363	396	803	666	782	322	306	224	246	269	404	93	226	298
III.	1. DISEASES OF NERVOUS SYSTEM - -	2600	867	267	305	695	426	559	243	342	242	196	181	278	67	204	169
	2. „ ORGANS OF CIRCULATION -	1473	379	123	178	307	203	269	151	146	121	86	116	145	24	78	82
	3. „ RESPIRATORY ORGANS - -	5612	1516	365	389	757	420	642	295	337	266	200	238	281	75	216	229
	4. „ DIGESTIVE ORGANS - -	1185	305	97	156	271	213	200	108	97	94	88	90	113	28	70	103
	5. „ URINARY ORGANS - -	260	81	21	24	69	43	48	26	25	12	6	16	13	4	10	21
	6. „ ORGANS OF GENERATION -	188	55	14	19	34	25	27	13	13	11	4	7	16	3	6	16
	7. „ ORGANS OF LOCOMOTION -	65	16	1	7	28	13	21	11	9	11	4	7	6	2	5	11
	8. „ INTEGUMENTARY SYSTEM -	77	33	5	9	17	16	18	6	11	5	6	-	9	-	4	4
IV.	1. CONGENITAL MALFORMATIONS AND DEV. DISEASES OF CHILDREN	748	223	58	65	164	121	105	62	46	59	50	42	85	29	45	48
	2. DEV. DISEASES, ADULTS	237	65	17	44	51	54	57	25	24	28	28	27	21	12	29	18
	3. „ OLD PEOPLE -	1348	425	154	157	391	274	388	201	172	179	156	210	186	50	129	177
	4. DISEASES OF NUTRITION	1043	321	101	100	303	162	291	128	83	139	119	151	178	34	135	136
V.	1. ACCIDENT OR NEGLIGENCE - - - -	543	135	26	36	62	51	60	23	30	28	17	32	18	9	24	30
	3. HOMICIDE - - -	58	3	2	2	2	1	6	6	4	-	1	-	-	-	-	3
	4. SUICIDE - - -	56	14	4	6	11	10	5	3	3	3	-	4	1	-	2	3
	5. EXECUTION - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	VIOLENT DEATHS, NOT CLASSED - - - -	-	-	-	1	3	-	2	1	-	-	1	-	-	-	1	-
	SUDDEN DEATHS, CAUSE UNASCERTAINED - -	53	19	13	2	24	12	16	14	-	4	10	25	13	2	13	9
	CAUSES NOT SPECIFIED -	72	19	5	32	49	20	36	10	3	14	13	9	28	19	27	40

(*continued at page* 149.)

DEATHS of MALES from different Causes registered in each of the REGISTRATION COUNTIES in the Year 1864—*continued.*

Class.	CAUSES OF DEATH.	MALES.													
		Division IV. Eastern Counties.			Division V. South Western Counties.					Division VI. West Midland Counties.					
		14. Essex.	15. Suffolk.	16. Norfolk.	17. Wiltshire.	18. Dorsetshire.	19. Devonshire.	20. Cornwall.	21. Somersetshire.	22. Gloucestershire.	23. Hereford hire.	24. Shropshire.	25. Staffordshire.	26. Worcestershire.	27. Warwickshire.
	ALL CAUSES - - -	4300	3566	4793	2551	1859	6353	3982	5129	5092	1247	2902	11003	3687	7442
	SPECIFIED CAUSES -	4229	3490	4593	2528	1802	6270	3825	5023	4934	1197	2778	10776	3619	7337
	(CLASSES.)														
I.	ZYMOTIC DISEASES -	953	672	1007	474	325	1417	837	1179	1032	236	507	2870	972	2020
II.	CONSTITUTIONAL „ -	768	659	727	438	287	985	718	744	797	194	463	1436	426	1083
III.	LOCAL „ -	1673	1315	1693	1144	791	2492	1211	1992	2051	456	1241	1201	1387	2784
IV.	DEVELOPMENTAL „ -	656	699	951	394	329	1068	830	850	775	238	420	1622	649	1132
V.	VIOLENT DEATHS -	186	154	215	108	70	369	190	255	279	73	179	647	185	328
	(ORDERS.)														
I.	1. MIASMATIC DISEASES -	886	640	951	446	306	1950	802	1127	955	223	473	2727	924	1931
	2. ENTHETIC „ -	17	2	8	8	9	28	6	21	31	4	6	49	13	30
	3. DIETIC „ -	34	25	28	17	10	22	11	19	34	4	16	66	27	37
	4. PARASITIC „ -	16	5	40	3	–	17	18	12	12	5	10	28	8	13
II.	1. DIATHETIC „ -	135	123	149	97	70	226	126	204	158	46	99	215	94	209
	2. TUBERCULAR „ -	633	536	578	341	217	757	592	540	639	148	364	1221	332	886
III.	1. DISEASES OF NERVOUS SYSTEM -	527	381	537	318	253	779	407	569	677	152	360	1358	454	826
	2. „ ORGANS OF CIRCULATION -	210	160	195	180	102	308	157	265	245	74	146	347	190	307
	3. „ RESPIRATORY ORGANS - -	664	493	593	405	329	945	457	819	795	149	481	1833	514	1222
	4. „ DIGESTIVE ORGANS - -	161	175	219	129	65	282	154	212	188	51	149	444	150	252
	5. „ URINARY ORGANS - -	76	79	120	65	28	136	62	89	111	22	60	150	56	120
	6. „ ORGANS OF GENERATION -	1	3	1	1	–	–	2	1	3	–	–	3	–	–
	7. „ ORGANS OF LOCOMOTION -	7	8	9	9	7	43	15	22	15	3	6	33	15	29
	8. „ INTEGUMENTARY SYSTEM -	20	16	19	7	7	25	7	15	17	5	9	33	8	28
IV.	1. CONGENITAL MALFORMATIONS AND DEV. DISEASES OF CHILDREN	93	130	154	69	43	161	105	136	124	16	41	269	128	241
	2. DEV. DISEASES, ADULTS	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	3. „ OLD PEOPLE	263	271	302	189	161	467	276	373	310	118	222	410	210	340
	4. DISEASES OF NUTRITION	294	289	405	136	125	440	419	341	307	74	157	843	301	551
V.	1. ACCIDENT OR NEGLIGENCE - - - -	167	134	194	99	63	254	180	239	215	65	165	597	175	320
	3. HOMICIDE - - -	2	1	3	–	–	6	3	5	4	–	3	17	2	3
	4. SUICIDE - - -	16	21	18	8	5	36	6	27	23	9	10	27	6	33
	5. EXECUTION - - -	1	–	–	–	–	–	–	–	1	1	–	2	–	–
	VIOLENT DEATHS NOT CLASSED - - - -	–	1	–	1	2	3	1	2	1	–	–	4	2	2
	SUDDEN DEATHS, CAUSE UNASCERTAINED - -	30	28	91	7	19	24	85	76	72	11	55	119	32	9
	CAUSES NOT SPECIFIED -	41	48	109	16	29	57	61	36	86	59	69	78	36	46

(*continued at page* 150.)

DEATHS of FEMALES from different Causes registered in each of the REGISTRATION COUNTIES in the Year 1864—*continued.*

Class.	CAUSES OF DEATH.	FEMALES.													
		DIVISION IV. EASTERN COUNTIES.			DIVISION V. SOUTH WESTERN COUNTIES.					DIVISION VI. WEST MIDLAND COUNTIES.					
		14. Essex.	15. Suffolk.	16. Norfolk.	17. Wiltshire.	18. Dorsetshire.	19. Devonshire.	20. Cornwall.	21. Somersetshire.	22. Gloucestershire.	23. Herefordshire.	24. Shropshire.	25. Staffordshire.	26. Worcestershire.	27. Warwickshire.
	ALL CAUSES - - -	3973	3449	4651	2524	1851	6256	3927	5231	5141	1200	2699	9730	3374	7070
	SPECIFIED CAUSES -	3905	3384	4490	2513	1837	6185	3803	5160	5009	1137	2625	9541	3340	7035
	(CLASSES.)														
I.	ZYMOTIC DISEASES -	791	668	1033	438	297	1478	811	1230	1055	259	519	2799	908	1928
II.	CONSTITUTIONAL „ -	845	755	937	524	396	1233	787	905	937	224	547	1466	517	1172
III.	LOCAL „ -	1527	1196	1464	1062	699	2226	1154	1922	2048	387	1015	3477	1201	2575
IV.	DEVELOPMENTAL „ -	682	700	989	444	391	1104	1002	996	881	246	486	1616	660	1153
V.	VIOLENT DEATHS -	60	65	67	45	24	84	49	107	88	21	58	183	54	207
	(ORDERS.)														
I.	1. MIASMATIC DISEASES -	744	634	965	423	287	1429	780	1196	1014	253	498	2700	871	1845
	2. ENTHETIC „ -	4	6	3	9	3	26	4	11	17	1	3	37	10	41
	3. DIETIC „ -	23	17	26	3	5	15	8	13	17	1	8	39	16	23
	4. PARASITIC „ -	15	11	39	3	2	8	19	10	7	4	10	23	11	19
II.	1. DIATHETIC „ -	208	156	235	141	126	344	217	293	296	69	162	320	137	294
	2. TUBERCULAR „ -	637	599	702	383	270	889	570	612	641	155	385	1146	380	878
III.	1. DISEASES OF NERVOUS SYSTEM - -	458	347	438	333	185	654	402	550	584	118	352	1158	367	663
	2. „ ORGANS OF CIRCULATION -	225	177	197	177	128	344	160	230	334	60	143	346	198	346
	3. „ RESPIRATORY ORGANS - -	567	417	527	359	259	832	378	745	787	130	354	1421	419	1144
	4. „ DIGESTIVE ORGANS - -	180	175	194	140	87	270	165	257	219	56	127	383	150	302
	5. „ URINARY ORGANS - -	44	24	34	26	18	45	22	45	48	12	16	75	28	61
	6. „ ORGANS OF GENERATION -	32	34	39	12	8	33	12	23	37	4	9	39	16	30
	7. „ ORGANS OF LOCOMOTION -	10	11	12	10	6	33	8	23	16	2	5	21	17	17
	8. „ INTEGUMENTARY SYSTEM -	11	11	23	5	8	15	7	19	23	5	9	34	6	12
IV.	1. CONGENITAL MALFORMATIONS AND DEV: DISEASES OF CHILDREN	80	94	121	59	46	108	76	97	110	7	33	290	96	181
	2. DEV. DISEASES, ADULTS	45	39	54	47	17	56	57	43	58	14	22	100	36	76
	3. „ OLD PEOPLE -	319	312	456	223	221	640	427	549	458	164	304	476	292	397
	4. DISEASES OF NUTRITION	238	255	358	115	107	360	442	307	255	61	127	750	236	499
V.	1. ACCIDENT OR NEGLIGENCE - - - -	53	56	59	42	18	70	47	94	75	16	52	171	49	190
	3. HOMICIDE - - -	1	2	1	-	-	3	-	2	5	1	1	4	2	4
	4. SUICIDE - - - -	3	7	7	3	6	11	2	11	8	4	5	5	1	13
	5. EXECUTION - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	VIOLENT DEATHS, NOT CLASSED - - - -	1	-	-	-	-	-	-	-	-	-	-	3	2	-
	SUDDEN DEATHS, CAUSE UNASCERTAINED - -	17	24	50	4	19	24	53	40	61	9	18	104	12	13
	CAUSES NOT SPECIFIED -	51	41	111	7	25	47	66	31	71	54	56	85	22	22

(*continued at page* 151.)

DEATHS of MALES from different Causes registered in each of the REGISTRATION COUNTIES in the Year 1864—*continued*.

Class.	CAUSES OF DEATH.	MALES.																
		Division VII. North Midland Counties.					Division VIII. North Western Counties.		Division IX. Yorkshire.			Division X. Northern Counties.				Division XI. Monmouthshire and Wales.		
		28. Leicestershire.	29. Rutlandshire.	30. Lincolnshire.	31. Nottinghamshire.	32. Derbyshire.	33. Cheshire.	34. Lancashire.	35. West Riding.	36. East Riding (with York).	37. North Riding.	38. Durham.	39. Northumberland.	40. Cumberland.	41. Westmorland.	42. Monmouthshire.	43. South Wales.	44. North Wales.
	ALL CAUSES - -	2882	241	1257	3807	3350	5819	36099	22002	3253	2284	7056	4106	2450	555	2830	8775	4718
	SPECIFIED CAUSES -	2350	234	1154	3731	3313	5733	35439	21706	3214	2260	6983	4029	2391	545	2778	8476	4576
	(CLASSES.)																	
I.	ZYMOTIC DISEASES -	569	64	903	820	709	1276	9738	5333	758	477	1618	843	505	59	832	2222	702
II.	CONSTITUTIONAL ,, -	410	37	588	613	532	871	5506	3423	482	328	1143	737	466	123	372	1571	890
III.	LOCAL - - ,, -	1180	73	1624	1492	1113	2482	14119	9669	1317	954	2602	1603	849	229	1062	2830	2031
IV.	DEVELOPMENTAL ,, -	581	49	755	645	476	787	4284	2816	494	374	1133	598	433	109	363	1272	699
V.	VIOLENT DEATHS ,, -	110	11	195	163	183	317	1792	1065	163	127	487	248	138	25	209	581	254
	(ORDERS.)																	
I.	1. MIASMATIC DISEASES -	547	58	940	766	668	1210	9230	5094	716	441	1543	781	472	53	799	2146	670
	2. ENTHETIC ,, -	6	-	18	18	11	18	160	73	11	5	23	18	4	-	10	30	8
	3. DIETIC ,, -	13	4	22	15	20	32	242	96	24	19	37	29	24	5	17	32	18
	4. PARASITIC ,, -	3	2	13	21	10	16	56	70	7	12	15	15	5	1	6	14	6
II.	1. DIATHETIC ,, -	93	16	131	92	80	128	676	451	89	63	148	126	71	24	56	231	136
	2. TUBERCULAR ,, -	317	21	457	521	452	743	4830	2972	393	265	995	611	395	99	316	1340	754
III.	1. DISEASES OF NERVOUS SYSTEM -	383	28	618	541	522	858	4340	3267	544	353	966	488	236	81	309	1163	1039
	2. ,, ORGANS OF CIRCULATION -	153	9	207	174	185	257	1163	863	166	121	301	210	125	28	109	229	156
	3. ,, RESPIRATORY ORGANS - -	412	24	492	531	466	962	6522	3568	374	293	944	566	272	83	480	1047	567
	4. ,, DIGESTIVE ORGANS - -	168	8	184	167	167	274	1389	889	135	122	231	239	143	25	118	246	198
	5. ,, URINARY ORGANS - -	49	3	91	50	50	88	453	310	69	41	80	65	49	10	28	93	51
	6. ,, ORGANS OF GENERATION -	1	-	-	-	-	-	4	9	2	-	-	1	2	-	-	1	-
	7. ,, ORGANS OF LOCOMOTION -	11	-	19	21	17	25	166	111	23	20	34	25	16	3	11	33	14
	8. ,, INTEGUMENTARY SYSTEM -	3	1	12	9	6	18	82	52	4	4	16	9	6	1	9	18	6
IV.	1. CONGENITAL MALFORMATIONS AND DEV. DISEASES OF CHILDREN	111	7	161	111	109	187	1091	863	99	70	339	133	69	6	54	82	40
	2. DEV. DISEASES, ADULTS	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	3. ,, OLD PEOPLE -	234	24	330	276	209	293	1046	752	133	180	254	196	183	58	131	590	398
	4. DISEASES OF NUTRITION	236	18	294	258	158	307	2147	1193	262	124	540	269	190	45	118	600	261
V.	1. ACCIDENT OR NEGLIGENCE - - -	96	8	186	137	159	290	1591	911	146	121	461	228	119	23	199	562	237
	3. HOMICIDE - - -	-	-	3	5	1	3	26	20	3	2	4	5	1	1	3	6	3
	4. SUICIDE - - -	13	3	12	16	23	22	144	82	9	3	17	12	16	1	7	11	13
	5. EXECUTION - - -	-	-	-	1	-	-	2	2	-	-	-	-	-	-	-	-	-
	VIOLENT DEATHS, NOT CLASSED - - -	1	-	-	2	-	2	29	20	5	1	5	3	2	-	-	2	1
	SUDDEN DEATHS, CAUSE UNASCERTAINED -	7	1	39	51	13	69	454	92	13	12	33	43	13	6	33	77	51
	CAUSES NOT SPECIFIED -	21	6	64	22	24	17	206	294	26	12	40	34	46	4	19	222	91

(*continued at page* 152.)

DEATHS of FEMALES from different Causes registered in each of the REGISTRATION COUNTIES in the Year 1864—*continued.*

Class.	CAUSES OF DEATH.	FEMALES.																
		Division VII. North Midland Counties.					Division VIII. North Western Counties.		Division IX. Yorkshire.			Division X. Northern Counties.				Division XI. Monmouthshire and Wales.		
		28. Leicestershire.	29. Rutlandshire.	30. Lincolnshire.	31. Nottinghamshire.	32. Derbyshire.	33. Cheshire.	34. Lancashire.	35. West Riding.	36. East Riding (with York).	37. North Riding.	38. Durham.	39. Northumberland.	40. Cumberland.	41. Westmorland.	42. Monmouthshire.	43. South Wales.	44. North Wales.
	ALL CAUSES - - -	2818	239	4063	3761	3310	5312	34485	20328	3040	2249	6570	3984	2383	572	2526	8144	4582
	SPECIFIED CAUSES -	2796	237	3984	3711	3269	5253	33976	20112	3001	2228	6518	3914	2320	560	2481	7865	4460
	(CLASSES.)																	
I.	ZYMOTIC DISEASES -	577	53	977	792	687	1156	9582	5267	698	445	1568	849	497	78	830	2160	683
II.	CONSTITUTIONAL „ -	516	45	792	810	676	1055	6011	3694	537	440	1349	794	521	120	426	1672	1051
III.	LOCAL „ -	1041	71	1327	1420	1289	2060	12987	7752	1190	880	2245	1454	812	210	844	2366	1665
IV.	DEVELOPMENTAL „ -	628	63	793	617	568	892	4744	2996	524	419	1233	748	449	139	332	1561	976
V.	VIOLENT DEATHS -	34	5	95	72	49	90	652	403	52	44	123	71	41	13	49	106	85
	(ORDERS.)																	
I.	1. MIASMATIC DISEASES -	562	53	937	767	658	1115	9262	5109	670	423	1505	812	477	75	806	2130	669
	2. ENTHETIC „ -	5	-	8	10	9	17	131	60	7	5	26	16	1	1	8	11	3
	3. DIETIC „ -	8	-	13	7	7	16	141	33	16	6	28	13	14	1	14	11	5
	4. PARASITIC „ -	2	-	19	8	13	8	48	60	5	11	9	8	5	1	2	8	6
II.	1. DIATHETIC „ -	131	8	211	174	123	224	1147	756	129	106	252	155	124	25	104	358	222
	2. TUBERCULAR „ -	385	37	581	636	553	831	4864	2938	408	334	1097	639	397	95	322	1314	829
III.	1. DISEASES OF NERVOUS SYSTEM - -	343	24	480	467	458	651	3859	2736	458	329	732	447	246	64	306	1017	896
	2. „ ORGANS OF CIRCULATION -	146	10	175	218	226	272	1275	860	144	115	268	205	141	40	104	204	117
	3. „ RESPIRATORY ORGANS - -	352	21	401	481	394	773	5867	2947	386	256	831	517	275	67	318	796	432
	4. „ DIGESTIVE ORGANS - -	136	11	202	191	145	270	1437	875	154	136	291	215	108	26	86	254	173
	5. „ URINARY ORGANS - - -	24	1	20	18	20	37	212	118	21	14	41	28	22	1	12	49	12
	6. „ ORGANS OF GENERATION -	25	3	29	25	18	22	124	76	12	10	35	15	12	4	9	15	15
	7. „ ORGANS OF LOCOMOTION -	7	1	13	10	18	16	136	94	10	16	26	12	4	7	5	19	9
	8. „ INTEGUMENTARY SYSTEM -	8	-	7	10	10	19	77	46	5	4	21	15	4	1	4	12	11
IV.	1. CONGENITAL MALFORMATIONS AND DEV. DISEASES OF CHILDREN	119	10	125	97	91	141	850	764	86	50	256	108	54	11	38	65	28
	2. DEV. DISEASES, ADULTS	20	2	43	31	31	72	367	222	35	21	88	45	29	5	30	111	54
	3. „ OLD PEOPLE	271	33	375	272	303	360	1428	970	218	240	387	303	207	77	167	833	633
	4. DISEASES OF NUTRITION	218	18	250	217	143	319	2099	1040	185	108	502	290	159	46	97	552	261
V.	1. ACCIDENT OR NEGLIGENCE - - -	31	3	78	62	46	83	571	383	47	39	110	68	32	13	43	98	81
	3. HOMICIDE - - -	2	1	3	3	1	3	32	8	1	3	2	-	-	-	3	4	1
	4. SUICIDE - - -	1	1	14	7	2	3	41	30	4	2	10	2	9	-	3	4	3
	5. EXECUTION - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	VIOLENT DEATHS, NOT CLASSED - - - -	-	-	-	-	-	1	8	2	-	-	1	1	-	-	-	-	-
	SUDDEN DEATHS, CAUSE UNASCERTAINED -	4	-	25	29	10	38	301	48	15	8	15	24	6	3	20	25	26
	CAUSES NOT SPECIFIED -	18	2	54	21	31	21	208	168	24	13	39	46	57	9	25	254	96

(*continued at page* 153.)

DEATHS of MALES from different Causes registered in each of the REGISTRATION COUNTIES in the Year 1864—*continued*.

Class.	CAUSES OF DEATH.	MALES.																		
		Division I. London.			Division II. South Eastern Counties.						Division III. South Midland Counties.									
		Middlesex (*part of*).	Surrey (*part of*).	Kent (*part of*).	1. Surrey (*extra-metropolitan*).	2. Kent (*extra-metropolitan*).	3. Sussex.	4. Hampshire.	5. Berkshire.	6. Middlesex (*extra-metropolitan*).	7. Hertfordshire.	8. Buckinghamshire.	9. Oxfordshire.	10. Northamptonshire.	11. Huntingtonshire.	12. Bedfordshire.	13. Cambridgeshire.
I.	ORDER 1.																			
	1 Small-pox	209	63	36	28	14	35	180	9	17	16	6	20	6	4	20	19
	2 Measles	1119	210	74	20	84	31	35	11	33	26	11	14	21	10	10	3
	3 Scarlatina	1144	329	166	155	357	257	114	79	88	186	53	121	498	39	200	126
	4 Diphtheria	208	60	21	36	92	62	54	19	18	15	8	14	33	22	24	47
	5 Quinsy	37	7	4	2	6	5	3	-	1	5	1	2	4	-	2	2
	6 Croup	366	110	44	20	85	54	61	19	20	11	28	13	39	6	11	24
	7 Whooping-cough	783	248	58	36	96	40	35	36	30	32	31	9	24	4	9	37
	8 Typhus	1300	358	179	80	258	112	148	61	95	69	45	59	96	20	62	70
	9 Erysipelas	179	43	23	19	39	23	30	16	18	13	8	23	16	3	15	12
	10 Metria	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	11 Carbuncle	20	10	1	1	7	4	2	3	3	-	1	1	4	-	2	2
	12 Influenza	23	5	1	17	14	12	11	3	3	8	1	9	9	1	5	1
	13 Dysentery	55	11	8	9	18	6	10	3	2	1	7	1	4	-	1	3
	14 Diarrhœa	1033	253	129	87	207	104	179	57	94	48	43	43	70	25	71	64
	15 Cholera	67	9	3	16	17	-	8	2	8	11	7	2	-	2	3	3
	16 Ague	22	16	8	3	6	1	4	2	-	-	1	-	1	-	-	1
	17 Remittent Fever	198	68	16	14	41	24	31	13	18	14	9	12	14	7	4	12
	18 Rheumatism	4	2	3	-	2	-	-	4	1	2	2	1	2	-	-	-
	19 *Other Zymotic Diseases*	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	ORDER 2.																
	1 Syphilis	144	32	17	12	18	16	18	7	3	6	1	5	1	2	4	2
	2 Stricture of Urethra	45	7	1	3	8	5	8	2	4	1	1	1	-	2	5	-
	3 Hydrophobia	-	-	-	-	2	-	-	-	-	-	-	-	-	-	-	-
	4 Glanders	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	ORDER 3.																
	1 Privation	19	1	-	-	1	-	1	-	-	-	-	-	-	-	-	-
	2 Want of Breast-milk	157	73	12	11	15	6	13	6	9	11	2	8	5	3	6	4
	3 Purpura and Scurvy	31	7	5	4	10	2	3	1	-	3	1	4	3	-	2	1
	4 Alcoholism *a* Del. Trem. *b* Intemp.	192	19	3	10	15	15	19	3	6	8	4	-	-	2	4	7
		50	5	3	1	5	1	3	3	1	-	-	-	1	1	-	-
	ORDER 4.																
	1 Thrush	55	29	2	3	7	2	4	-	1	4	2	1	-	-	-	1
	2 Worms, &c.	3	-	-	2	-	1	3	-	1	3	-	-	-	-	-	-
II.	ORDER 1.																
	1 Gout	54	18	4	11	11	4	16	6	2	2	3	4	1	-	1	2
	2 Dropsy	203	55	12	35	58	68	88	35	24	26	30	35	40	6	29	26
	3 Cancer	282	84	28	38	58	61	57	33	26	25	23	24	39	17	21	27
	4 Noma	6	4	1	-	-	-	-	-	-	-	-	-	-	-	-	-
	5 Mortification	72	13	8	12	25	22	15	18	9	13	12	9	12	6	11	17
	ORDER 2.																
	1 Scrofula	192	54	18	20	51	38	39	14	15	10	16	18	13	5	13	13
	2 Tabes Mesenterica	447	102	42	31	78	54	45	17	35	13	30	19	33	9	21	20
	3 Phthisis	3405	903	343	367	678	482	644	232	235	176	149	109	237	76	141	269
	4 Hydrocephalus	757	169	71	69	99	78	73	24	49	19	29	23	48	2	24	30
III.	ORDER 1.																
	1 Cephalitis	242	75	27	38	59	34	38	20	20	20	8	11	20	5	13	22
	2 Apoplexy	695	152	59	88	125	88	108	45	83	55	45	35	61	13	32	45
	3 Paralysis	466	156	33	80	130	76	149	89	169	42	40	54	70	18	43	49
	4 Insanity	24	12	2	-	15	16	8	6	40	1	3	1	1	-	3	8
	5 Chorea	2	-	-	-	-	-	-	-	1	1	-	-	-	-	-	-
	6 Epilepsy	132	54	8	20	51	29	31	17	23	17	8	11	11	1	15	9
	7 Convulsions	962	319	129	129	270	153	208	84	101	88	51	62	128	23	79	64
	8 *Brain Disease, &c.*	387	136	44	49	106	52	85	28	30	29	25	51	24	16	12	18
	ORDER 2.																
	1 Pericarditis	41	9	7	6	11	6	12	1	2	2	1	6	6	1	1	6
	2 Aneurism	57	13	8	9	11	7	7	5	6	1	1	7	2	1	5	1
	3 *Heart Disease, &c.*	1153	304	133	164	299	191	298	142	110	109	78	95	103	27	55	94
	ORDER 3.																
	1 Laryngitis	149	42	8	13	25	15	15	9	15	8	1	3	9	-	5	4
	2 Bronchitis	3069	827	274	224	391	242	319	179	148	137	113	137	135	28	100	96
	3 Pleurisy	74	29	9	11	16	11	11	4	4	4	4	9	6	-	3	-
	4 Pneumonia	1873	475	132	158	355	172	234	132	114	101	117	111	103	40	93	120
	5 Asthma	149	53	6	25	30	42	34	22	25	16	11	11	21	4	7	25
	6 *Lung Disease, &c.*	327	75	21	48	83	39	69	39	22	26	28	26	30	11	19	25
	ORDER 4.																
	1 Gastritis	29	12	4	4	6	6	11	-	3	1	2	1	3	-	2	3
	2 Enteritis	106	31	10	20	35	26	26	12	13	8	12	5	19	2	14	9
	3 Peritonitis	77	20	13	10	16	8	17	7	4	3	2	9	10	-	3	8
	4 Ascites	49	15	3	4	8	3	7	5	3	5	2	6	6	1	2	1
	5 Ulceration of Intestines	57	15	7	8	15	11	15	4	3	4	2	7	1	2	4	2
	6 Hernia	44	14	4	3	17	7	10	5	4	4	4	5	4	-	3	10
	7 Ileus	58	15	6	5	27	13	16	4	-	6	1	5	3	-	-	5
	8 Intussusception	13	7	2	1	6	4	5	-	1	2	-	3	-	-	2	1
	9 Stricture of Intestines	17	4	1	1	2	3	4	1	-	1	-	-	-	-	-	1
	10 Fistula	13	2	1	1	3	2	2	-	-	-	-	-	-	-	-	-

(*continued at page* 154.)

DEATHS of FEMALES from different Causes registered in each of the REGISTRATION COUNTIES in the Year 1864—*continued.*

Class.	CAUSES OF DEATH.	FEMALES.															
		Division I. London.			Division II. South Eastern Counties.					Division III. South Midland Counties.							
		Middlesex (*part of*).	Surrey (*part of*).	Kent (*part of*).	1. Surrey (*extra-metropolitan*).	2. Kent (*extra-metropolitan*).	3. Sussex.	4. Hampshire.	5. Berkshire.	6. Middlesex (*extra-metropolitan*).	7. Hertfordshire.	8. Buckinghamshire.	9. Oxfordshire.	10. Northamptonshire.	11. Huntingdonshire.	12. Bedfordshire.	13. Cambridgeshire.
I.	Order 1.																
	1 Small-pox	159	65	24	30	34	29	157	3	16	19	8	13	2	3	10	9
	2 Measles	1112	210	63	16	79	25	40	14	36	16	14	14	11	16	6	7
	3 Scarlatina	1140	288	177	159	352	226	124	72	72	191	61	123	395	32	182	119
	4 Diphtheria	225	65	32	40	95	65	52	14	18	20	9	12	43	17	22	58
	5 Quinsy	34	7	2	3	4	3	6	–	1	1	1	2	1	–	2	1
	6 Croup	303	37	30	21	67	38	58	9	24	18	34	16	28	9	13	14
	7 Whooping-cough	959	303	72	76	123	45	48	37	44	35	32	11	36	8	8	43
	8 Typhus	1307	376	183	100	257	134	156	72	89	67	59	73	93	19	89	62
	9 Erysipelas	153	41	11	23	32	15	23	9	11	5	10	15	11	2	2	7
	10 Metria	211	53	23	20	27	15	19	11	14	16	11	18	14	7	15	13
	11 Carbuncle	15	5	1	1	3	3	2	1	1	–	2	1	–	–	–	1
	12 Influenza	30	8	2	6	10	14	11	2	1	4	3	5	5	–	10	2
	13 Dysentery	27	14	4	7	17	2	11	2	6	2	–	3	5	–	–	4
	14 Diarrhœa	1081	240	118	93	204	93	117	41	100	64	51	41	66	23	76	51
	15 Cholera	61	13	1	4	9	2	5	4	12	10	7	–	1	1	3	2
	16 Ague	9	3	2	–	1	–	1	1	1	1	1	–	1	–	–	–
	17 Remittent Fever	38	20	9	1	6	2	3	–	–	–	–	1	1	1	–	5
	18 Rheumatism	189	45	5	20	22	31	27	17	12	15	4	12	14	3	10	18
	19 *Other Zymotic Diseases*	8	2	–	–	2	–	–	2	–	3	–	–	–	–	–	–
	Order 2.																
	1 Syphilis	124	31	12	3	15	12	29	3	10	6	1	2	4	2	–	4
	2 Stricture of Urethra	2	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	3 Hydrophobia	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	4 Glanders	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Order 3.																
	1 Privation	37	1	1	–	1	–	–	–	1	–	–	–	–	–	1	–
	2 Want of Breast-milk	153	75	9	6	13	7	16	8	8	2	3	4	4	–	8	5
	3 Purpura and Scurvy	26	5	2	3	4	3	2	–	5	–	2	1	2	–	1	2
	4 Alcoholism { *a* Del.Trem.	17	2	1	–	–	1	1	–	–	1	–	–	–	–	1	–
	4 Alcoholism { *b* Intemp.	44	12	7	2	3	2	–	–	–	–	–	–	–	–	–	–
	Order 4.																
	1 Thrush	45	9	7	11	11	3	5	3	7	6	6	1	9	1	2	4
	2 Worms, &c.	1	–	2	2	–	2	5	1	1	–	1	1	2	–	–	2
II.	Order 1.																
	1 Gout	6	3	1	1	1	2	2	2	2	–	–	2	–	–	–	–
	2 Dropsy	329	85	39	43	101	84	125	47	27	40	59	52	54	5	41	25
	3 Cancer	811	220	65	84	146	124	144	66	71	55	45	44	60	30	31	61
	4 Noma	11	4	2	1	2	1	2	1	–	–	1	2	–	–	1	2
	5 Mortification	94	26	6	11	16	18	18	14	8	–	7	5	6	3	2	11
	Order 2.																
	1 Scrofula	200	41	20	21	37	46	24	11	11	13	13	18	14	7	5	10
	2 Tabes Mesenterica	322	75	20	29	81	55	42	16	23	8	23	20	27	7	24	14
	3 Phthisis	2845	794	268	312	615	518	626	267	245	180	189	215	332	75	183	255
	4 Hydrocephalus	562	126	55	34	70	47	40	28	27	23	21	16	31	4	14	19
III.	Order 1.																
	1 Cephalitis	171	60	13	28	41	34	36	11	13	17	11	14	19	6	8	10
	2 Apoplexy	685	185	55	77	181	112	145	49	86	59	52	38	62	15	41	42
	3 Paralysis	520	195	58	50	140	84	140	77	95	49	47	54	71	21	55	58
	4 Insanity	40	15	7	4	21	7	12	10	17	1	6	–	1	2	3	2
	5 Chorea	3	3	1	2	1	–	–	1	1	–	2	–	1	–	1	2
	6 Epilepsy	117	31	10	17	33	19	31	12	18	15	10	8	8	3	9	5
	7 Convulsions	751	285	100	92	205	121	148	60	77	86	45	48	97	15	67	32
	8 *Brain Disease, &c.*	313	93	43	35	73	49	47	23	35	15	23	19	19	5	19	18
	Order 2.																
	1 Pericarditis	50	16	4	3	7	4	7	4	3	3	1	6	10	2	2	1
	2 Aneurism	25	1	2	5	8	1	2	1	2	–	2	1	1	–	–	2
	3 *Heart Disease, &c.*	1398	362	117	170	292	198	260	146	141	118	83	109	134	22	76	79
	Order 3.																
	1 Laryngitis	129	35	7	10	22	13	16	5	12	6	3	5	5	–	7	3
	2 Bronchitis	3446	939	233	198	376	213	334	160	182	131	95	159	138	37	107	83
	3 Pleurisy	59	18	3	6	11	4	11	3	7	4	1	3	3	1	4	4
	4 Pneumonia	1494	368	100	115	284	116	212	72	85	88	65	72	97	26	65	104
	5 Asthma	210	64	5	14	28	29	26	15	21	11	13	7	23	3	9	18
	6 *Lung Disease, &c.*	274	92	17	46	66	45	43	40	30	26	23	12	15	8	24	17
	Order 4.																
	1 Gastritis	48	14	7	9	10	3	10	3	3	3	2	1	7	4	1	4
	2 Enteritis	127	30	13	17	31	23	24	9	12	7	15	8	10	1	12	17
	3 Peritonitis	129	25	10	18	19	21	18	13	2	14	5	11	12	3	7	7
	4 Ascites	61	13	4	7	7	9	6	6	3	7	3	6	7	1	3	5
	5 Ulceration of Intestines	55	12	8	3	15	10	14	5	6	2	9	5	5	2	2	10
	6 Hernia	76	23	6	8	11	5	10	4	8	4	4	2	4	–	1	5
	7 Ileus	49	19	5	6	17	16	10	10	5	5	3	2	3	1	3	7
	8 Intussusception	23	3	2	2	4	4	1	4	–	–	1	3	1	–	–	1
	9 Stricture of Intestines	22	10	1	2	4	5	1	2	2	1	2	4	–	1	1	–
	10 Fistula	3	–	–	–	–	1	–	–	–	1	–	–	–	1	–	–

(*continued at page 155.*)

DEATHS of MALES from different Causes registered in each of the REGISTRATION COUNTIES in the Year 1864—*continued*.

Class.	CAUSES OF DEATH.	MALES.													
		Division IV. Eastern Counties.			Division V. South Western Counties.					Division VI. West Midland Counties.					
		14. Essex.	15. Suffolk.	16. Norfolk.	17. Wiltshire.	18. Dorsetshire.	19. Devonshire.	20. Cornwall.	21. Somersetshire.	22. Gloucestershire.	23. Herefordshire.	24. Shropshire.	25. Staffordshire.	26. Worcestershire.	27. Warwickshire.
I.	ORDER 1.														
	1 Small-pox	29	48	46	16	10	69	40	51	155	29	55	536	175	224
	2 Measles	75	76	49	39	37	100	15	76	61	5	29	172	40	117
	3 Scarlatina	156	177	291	136	72	521	299	499	229	97	71	567	291	498
	4 Diphtheria	57	61	154	23	22	53	39	44	22	12	50	81	24	117
	5 Quinsy	3	6	5	1	2	3	4	4	3	–	1	5	3	4
	6 Croup	53	25	52	23	24	86	40	63	60	11	27	240	38	113
	7 Whooping-cough	66	34	44	28	17	61	154	32	14	7	55	106	15	99
	8 Typhus	169	84	144	78	67	191	116	193	173	31	76	412	119	220
	9 Erysipelas	27	16	22	14	10	14	7	16	15	4	9	34	13	41
	10 Metria	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	11 Carbuncle	3	4	7	2	–	8	3	3	5	–	2	10	4	2
	12 Influenza	13	9	5	6	5	33	7	18	6	5	4	8	4	3
	13 Dysentery	11	10	15	6	3	18	3	10	3	1	4	16	15	21
	14 Diarrhœa	174	70	81	47	25	148	59	96	179	11	71	483	146	429
	15 Cholera	10	1	1	4	1	11	6	3	4	1	2	9	8	9
	16 Ague	4	1	–	1	–	1	–	–	1	–	1	–	–	1
	17 Remittent Fever	3	1	–	–	1	2	1	1	–	–	–	1	–	–
	18 Rheumatism	30	15	15	19	10	29	9	18	22	9	16	42	27	39
	19 *Other Zymotic Diseases*	3	2	–	3	–	2	–	–	3	–	–	5	2	3
	ORDER 2.														
	1 Syphilis	9	1	4	7	7	25	6	17	25	3	3	40	11	34
	2 Stricture of Urethra	8	1	4	1	2	3	–	4	5	1	3	9	2	5
	3 Hydrophobia	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	4 Glanders	–	–	–	–	–	–	–	–	1	–	–	–	–	–
	ORDER 3.														
	1 Privation	–	–	–	1	–	–	–	–	–	–	3	6	–	–
	2 Want of Breast-milk	19	12	16	2	2	3	7	9	10	–	3	36	19	15
	3 Purpura and Scurvy	1	4	3	6	3	7	3	2	5	–	5	8	4	4
	4 Alcoholism { *a* Del. Trem. *b* Intemp.	12	6	5	5	3	12	–	3	18	2	4	7	3	14
		2	3	4	3	2	2	1	5	1	2	1	9	1	4
	ORDER 4.														
	1 Thrush	14	5	39	2	–	9	16	11	10	2	7	27	7	13
	2 Worms, &c.	2	–	1	1	–	8	2	1	2	3	3	1	1	–
II.	ORDER 1.														
	1 Gout	4	1	4	5	5	15	5	11	8	2	–	8	4	5
	2 Dropsy	62	40	53	31	42	109	68	101	80	30	51	109	49	94
	3 Cancer	42	53	55	45	20	77	45	61	50	11	30	79	28	76
	4 Noma	–	1	3	1	–	2	–	3	3	–	–	5	2	1
	5 Mortification	27	28	34	15	3	23	8	31	17	3	18	23	11	24
	ORDER 2.														
	1 Scrofula	45	28	29	25	18	44	24	45	35	6	19	40	19	50
	2 Tabes Mesenterica	57	51	81	33	19	43	45	61	53	4	25	161	32	79
	3 Phthisis	466	396	428	251	152	537	464	383	494	124	282	875	239	667
	4 Hydrocephalus	65	61	40	32	28	83	69	51	57	14	38	145	42	96
III.	ORDER 1.														
	1 Cephalitis	34	38	30	13	13	52	22	37	47	8	11	101	26	69
	2 Apoplexy	104	84	109	68	66	175	90	114	113	36	63	177	97	162
	3 Paralysis	113	80	137	83	50	154	68	116	173	39	65	173	89	163
	4 Insanity	5	10	8	5	2	6	3	3	8	–	4	5	5	3
	5 Chorea	–	–	–	–	–	2	–	–	1	–	–	–	–	2
	6 Epilepsy	28	18	31	18	16	37	16	32	33	3	18	59	22	44
	7 Convulsions	189	99	175	87	85	267	150	196	205	51	165	753	161	304
	8 *Brain Disease, &c.*	54	52	47	44	21	86	58	71	97	15	34	90	54	79
	ORDER 2.														
	1 Pericarditis	8	1	5	1	3	8	5	5	2	3	6	9	4	6
	2 Aneurism	5	3	5	3	4	11	5	4	3	–	4	10	2	13
	3 *Heart Disease, &c.*	197	156	185	176	95	284	147	256	240	71	136	528	184	288
	ORDER 3.														
	1 Laryngitis	16	14	15	14	5	24	8	10	11	2	11	37	9	36
	2 Bronchitis	318	194	220	194	132	395	162	373	369	66	224	802	262	658
	3 Pleurisy	6	7	9	6	2	18	5	9	9	4	4	21	4	12
	4 Pneumonia	210	191	242	136	131	376	201	279	292	52	158	652	166	334
	5 Asthma	32	35	44	19	19	49	31	57	50	13	40	185	28	48
	6 *Lung Disease, &c.*	82	52	63	36	40	88	50	91	64	12	44	136	45	114
	ORDER 4.														
	1 Gastritis	3	7	9	6	1	6	6	7	7	2	7	18	9	11
	2 Enteritis	31	29	24	23	12	25	20	39	20	5	20	103	26	38
	3 Peritonitis	14	12	23	10	5	12	10	11	12	3	10	35	10	25
	4 Ascites	4	3	8	5	1	5	4	4	5	2	3	12	2	7
	5 Ulceration of Intestines	2	5	6	3	3	12	8	5	1	1	5	20	4	8
	6 Hernia	5	4	6	2	1	9	3	9	10	3	7	18	7	18
	7 Ileus	8	11	11	5	3	16	12	11	14	3	13	25	11	13
	8 Intussusception	3	1	4	–	1	6	3	6	5	–	1	5	3	5
	9 Stricture of Intestines	–	5	3	–	1	3	2	1	6	2	3	7	–	2
	10 Fistula	–	2	2	–	–	1	1	3	5	–	3	6	1	–

(*continued at page* 156.)

DEATHS of FEMALES from different Causes registered in each of the REGISTRATION COUNTIES in the Year 1864—*continued.*

Class.	CAUSES OF DEATH.	FEMALES.													
		DIVISION IV. EASTERN COUNTIES.			DIVISION V. SOUTH WESTERN COUNTIES.					DIVISION VI. WEST MIDLAND COUNTIES.					
		14. Essex.	15. Suffolk.	16. Norfolk.	17. Wiltshire.	18. Dorsetshire.	19. Devonshire.	20. Cornwall.	21. Somersetshire.	22. Gloucestershire.	23. Herefordshire.	24. Shropshire.	25. Staffordshire.	26. Worcestershire.	27. Warwickshire.
I.	ORDER 1.														
	1 Small-pox	12	20	45	10	5	67	23	43	165	28	69	488	132	173
	2 Measles	58	70	34	37	28	91	23	63	53	4	21	153	48	109
	3 Scarlatina	125	176	277	124	66	533	273	514	224	109	76	567	293	468
	4 Diphtheria	57	76	186	27	16	54	26	35	69	16	49	107	17	132
	5 Quinsy	6	3	6	1	1	6	–	3	2	1	2	8	3	1
	6 Croup	42	30	34	31	21	51	31	62	48	6	31	245	37	104
	7 Whooping-cough	71	23	49	24	17	87	153	33	24	2	63	143	26	110
	8 Typhus	153	99	157	86	80	232	122	211	204	39	78	382	111	224
	9 Erysipelas	23	9	14	8	7	18	10	26	27	3	7	34	18	33
	10 Metria	14	12	33	12	10	28	13	25	23	8	19	65	24	37
	11 Carbuncle	–	1	1	3	1	5	–	–	2	1	–	2	–	–
	12 Influenza	8	1	3	15	4	26	9	21	5	3	4	10	3	10
	13 Dysentery	3	4	8	3	2	15	2	18	10	1	8	11	6	12
	14 Diarrhœa	145	85	95	29	22	103	68	106	143	21	60	425	124	386
	15 Cholera	10	–	3	2	1	9	4	1	3	1	2	10	5	12
	16 Ague	1	1	1	–	1	1	–	–	1	–	–	–	–	–
	17 Remittent Fever	1	–	1	2	–	–	–	1	–	–	–	1	–	–
	18 Rheumatism	14	21	17	9	5	42	18	33	17	10	9	46	23	31
	19 *Other Zymotic Diseases*	2	3	1	–	–	1	2	1	3	–	–	3	1	3
	ORDER 2.														
	1 Syphilis	4	6	3	9	3	26	4	11	17	1	3	37	10	41
	2 Stricture of Urethra	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	3 Hydrophobia	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	4 Glanders	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	ORDER 3.														
	1 Privation	–	1	1	–	–	1	–	–	1	–	–	–	1	–
	2 Want of Breast-milk	21	12	20	3	2	5	5	9	9	1	5	27	14	13
	3 Purpura and Scurvy	6	3	4	–	3	5	–	1	5	–	2	8	–	6
	4 Alcoholism { a Del. Trem.	1	1	1	–	–	3	2	1	1	–	1	1	–	–
	4 Alcoholism { b Intemp.	–	–	–	–	–	1	1	2	1	–	–	3	1	4
	ORDER 4.														
	1 Thrush	14	9	38	1	–	5	16	9	6	2	6	20	10	15
	2 Worms, &c.	1	2	1	2	2	3	3	1	1	2	4	3	1	4
II.	ORDER 1.														
	1 Gout	–	–	–	–	–	2	3	2	2	–	–	–	2	2
	2 Dropsy	71	57	85	56	60	146	107	130	121	32	70	128	60	108
	3 Cancer	118	87	132	75	58	167	94	149	148	32	82	163	62	153
	4 Noma	2	–	1	2	1	2	2	2	1	–	–	7	2	11
	5 Mortification	17	12	17	8	7	27	11	10	24	5	10	22	11	20
	ORDER 2.														
	1 Scrofula	40	29	56	30	16	40	21	42	30	12	19	45	10	43
	2 Tabes Mesenterica	60	57	61	25	16	66	43	54	45	8	33	113	45	76
	3 Phthisis	476	477	559	290	215	717	464	477	516	128	313	889	298	681
	4 Hydrocephalus	61	36	26	38	23	66	42	39	50	7	20	99	27	78
III.	ORDER 1.														
	1 Cephalitis	33	32	27	13	13	42	22	33	37	6	19	63	20	60
	2 Apoplexy	114	92	78	85	44	181	81	138	120	23	61	160	76	138
	3 Paralysis	98	79	144	107	43	138	116	145	175	34	61	168	86	135
	4 Insanity	6	7	11	9	6	14	2	3	12	1	5	13	5	7
	5 Chorea	1	1	–	2	–	–	2	1	–	–	1	2	–	5
	6 Epilepsy	23	24	13	18	12	32	19	24	30	2	11	56	21	37
	7 Convulsions	148	66	130	71	52	168	122	136	161	41	165	610	126	228
	8 *Brain Disease, &c.*	30	46	35	28	15	59	38	50	49	11	29	86	33	53
	ORDER 2.														
	1 Pericarditis	5	2	5	2	2	7	3	12	8	2	4	10	7	8
	2 Aneurism	2	2	4	1	2	5	2	6	2	–	3	3	1	3
	3 *Heart Disease, &c.*	218	173	188	174	124	332	155	242	324	58	136	333	190	335
	ORDER 3.														
	1 Laryngitis	18	14	12	7	6	18	10	15	8	–	5	25	5	37
	2 Bronchitis	270	189	239	205	115	427	150	388	434	62	188	673	213	663
	3 Pleurisy	3	10	5	4	5	10	7	8	10	1	2	15	6	16
	4 Pneumonia	198	140	195	102	81	263	148	228	236	44	116	529	134	275
	5 Asthma	27	20	34	15	19	50	21	36	35	7	14	90	19	61
	6 *Lung Disease, &c.*	51	44	42	26	33	64	42	70	64	16	29	89	42	92
	ORDER 4.														
	1 Gastritis	7	9	6	5	3	13	7	8	8	1	8	17	4	11
	2 Enteritis	22	20	28	23	12	34	19	31	26	10	20	89	23	40
	3 Peritonitis	22	15	21	7	16	14	12	21	22	2	5	44	21	35
	4 Ascites	5	7	18	8	1	9	6	10	13	1	6	20	4	14
	5 Ulceration of Intestines	5	8	4	5	3	11	6	8	7	1	4	3	5	14
	6 Hernia	3	4	3	3	2	12	3	15	8	2	2	11	6	4
	7 Ileus	8	12	6	11	2	16	10	16	10	6	8	17	7	17
	8 Intussusception	4	5	1	2	1	3	–	3	3	1	2	4	2	3
	9 Stricture of Intestines	6	6	3	2	1	12	3	4	3	3	2	2	2	3
	10 Fistula	1	–	–	–	–	–	1	–	2	–	–	–	2	–

(*continued at page* 157.)

DEATHS of MALES from different Causes registered in each of the REGISTRATION COUNTIES in the Year 1864—*continued*.

Class.	CAUSES OF DEATH.	MALES.																	
		Division VII. North Midland Counties.					Division VIII. North Western Counties.		Division IX. Yorkshire.			Division X. Northern Counties.				Division XI. Monmouthshire and Wales.		
		28. Leicestershire.	29. Rutlandshire.	30. Lincolnshire.	31. Nottinghamshire.	32. Derbyshire.	33. Cheshire.	34. Lancashire.	35. West Riding.	36. East Riding (with York).	37. North Riding.	38. Durham.	39. Northumberland.	40. Cumberland.	41. Westmorland.	42. Monmouthshire.	43. South Wales.	44. North Wales.
I.	ORDER 1.																	
	1 Small-pox	76	1	23	14	44	192	604	276	32	85	236	109	16	2	45	166	72
	2 Measles	37	2	38	63	41	90	538	354	77	7	145	27	81	-	36	73	24
	3 Scarlatina	83	26	351	225	194	200	2496	1597	244	93	203	69	46	16	368	986	127
	4 Diphtheria	16	4	89	41	39	76	247	177	34	26	61	57	27	4	31	112	80
	5 Quinsy	5	-	3	3	1	5	21	17	3	3	-	1	3	1	-	4	1
	6 Croup	25	1	54	44	54	66	681	312	36	21	134	85	44	10	40	127	75
	7 Whooping-cough	48	4	58	62	28	72	699	397	11	19	117	75	23	-	37	93	33
	8 Typhus	70	10	180	144	151	218	1890	821	102	78	291	164	117	6	151	367	155
	9 Erysipelas	7	1	19	11	16	23	157	69	16	8	27	15	7	-	7	17	7
	10 Metria	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	11 Carbuncle	3	1	3	1	4	5	17	23	1	2	5	4	2	-	3	2	1
	12 Influenza	8	-	8	7	12	10	82	23	6	7	6	8	4	2	1	8	15
	13 Dysentery	4	-	6	4	9	16	102	63	12	7	16	13	9	2	1	8	5
	14 Diarrhœa	148	6	73	132	67	197	1592	870	108	67	250	127	74	7	47	116	33
	15 Cholera	5	1	7	5	6	7	115	73	6	6	17	10	5	1	7	13	4
	16 Ague	-	-	1	2	2	-	10	3	-	1	4	2	-	-	1	-	1
	17 Remittent Fever	-	-	2	-	1	4	2	2	-	-	1	1	-	-	-	1	-
	18 Rheumatism	11	1	24	8	18	33	102	96	26	11	29	15	11	2	10	52	36
	19 *Other Zymotic Diseases*	1	-	1	-	1	-	12	11	-	-	4	3	2	-	1	1	1
	ORDER 2.																	
	1 Syphilis	6	-	8	14	6	12	140	55	10	5	20	14	3	-	7	15	3
	2 Stricture of Urethra	-	-	10	4	5	3	14	18	1	-	3	4	1	-	3	15	5
	3 Hydrophobia	-	-	-	-	-	-	6	-	-	-	-	-	-	-	-	-	-
	4 Glanders	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	ORDER 3.																	
	1 Privation	-	-	-	1	1	1	6	2	2	-	-	-	1	-	-	-	-
	2 Want of Breast-milk	4	1	10	2	4	5	31	20	11	2	9	9	9	-	14	2	3
	3 Purpura and Scurvy	3	-	3	2	3	8	32	20	2	2	2	5	2	-	-	10	1
	4 Alcoholism { *a* Del. Trem. *b* Intemp.	1	3	7	7	4	12	76	32	7	11	13	9	6	2	2	15	13
		5	-	2	3	3	6	97	22	2	4	13	6	6	3	1	5	1
	ORDER 4.																	
	1 Thrush	2	2	12	19	8	14	51	67	7	12	13	13	4	1	2	9	2
	2 Worms, &c.	1	-	1	2	2	2	5	3	-	-	2	2	1	-	4	5	4
II.	ORDER 1.																	
	1 Gout	3	-	6	2	1	2	11	9	1	1	1	1	-	-	2	4	1
	2 Dropsy	45	9	55	37	55	51	396	243	32	25	82	55	34	10	18	147	82
	3 Cancer	36	5	61	42	21	64	200	150	39	28	37	58	28	12	26	75	43
	4 Noma	-	-	-	1	-	1	7	6	-	-	1	7	-	-	-	-	-
	5 Mortification	9	2	11	10	3	10	62	43	17	9	7	5	9	2	10	5	10
	ORDER 2.																	
	1 Scrofula	18	2	31	19	28	42	190	120	21	13	44	22	18	6	25	91	28
	2 Tabes Mesenterica	45	2	41	37	25	55	417	287	30	29	220	98	23	3	35	76	14
	3 Phthisis	221	15	327	273	354	549	3547	2170	289	194	558	411	306	77	225	1085	660
	4 Hydrocephalus	33	2	58	70	65	97	676	405	53	29	173	80	43	13	31	88	52
III.	ORDER 1.																	
	1 Cephalitis	19	1	28	33	23	56	373	265	17	12	79	48	15	6	18	41	21
	2 Apoplexy	48	5	80	51	76	94	561	397	77	51	111	94	47	16	37	105	102
	3 Paralysis	48	5	104	84	59	132	565	358	72	50	141	95	38	12	45	115	133
	4 Insanity	1	-	6	5	1	5	31	11	8	1	4	4	5	2	1	4	5
	5 Chorea	1	-	-	-	-	1	4	2	-	-	-	-	-	-	1	-	1
	6 Epilepsy	20	1	19	21	25	41	148	98	21	11	22	11	11	2	10	31	20
	7 Convulsions	205	15	318	312	301	457	2575	1603	301	199	553	185	74	33	176	819	719
	8 *Brain Disease, &c.*	41	1	54	35	37	72	285	233	48	29	56	51	46	8	21	48	28
	ORDER 2.																	
	1 Pericarditis	1	1	3	2	4	5	52	23	2	8	4	5	2	1	2	5	8
	2 Aneurism	3	-	10	7	2	-	37	22	9	-	10	9	6	1	2	2	1
	3 *Heart Disease, &c.*	149	8	194	165	179	252	1074	818	155	113	287	196	117	25	105	222	147
	ORDER 3.																	
	1 Laryngitis	6	-	9	17	11	10	110	74	13	5	28	9	4	3	4	19	5
	2 Bronchitis	181	9	217	216	172	508	3620	1820	158	141	391	285	134	40	223	381	193
	3 Pleurisy	4	1	10	6	6	12	71	44	4	4	9	16	4	-	5	29	12
	4 Pneumonia	162	9	192	244	167	281	2076	1226	150	103	403	102	91	24	181	411	199
	5 Asthma	22	3	18	13	42	92	361	228	21	18	73	49	25	9	40	147	101
	6 *Lung Disease, &c.*	37	2	46	35	68	59	284	176	28	22	35	45	14	7	27	60	57
	ORDER 4.																	
	1 Gastritis	5	-	2	5	10	12	73	39	3	9	16	9	8	-	6	7	9
	2 Enteritis	30	1	25	26	11	49	269	148	19	21	54	66	39	7	18	43	24
	3 Peritonitis	19	-	11	11	10	18	88	68	8	5	20	10	10	-	3	8	1
	4 Ascites	4	-	3	2	5	3	32	15	5	1	6	5	4	-	5	7	10
	5 Ulceration of Intestines	7	1	4	10	6	5	55	51	4	5	8	11	8	1	2	14	6
	6 Hernia	6	-	7	6	8	10	50	28	2	4	13	6	4	2	11	23	21
	7 Ileus	9	1	17	7	10	16	74	61	9	7	10	13	5	2	2	3	3
	8 Intussusception	5	-	2	1	3	2	24	9	-	1	-	4	2	-	2	2	1
	9 Stricture of Intestines	3	-	3	4	3	2	10	3	3	2	1	4	2	-	1	-	1
	10 Fistula	4	-	1	1	2	1	7	5	-	-	3	-	1	-			

(*continued at page* 153.)

DEATHS of FEMALES from different Causes registered in each of the REGISTRATION COUNTIES in the Year 1864—*continued.*

Class.	CAUSES OF DEATH.	FEMALES.																		
		Division VII. North Midland Counties.					Division VIII. North Western Counties.		Division IX. Yorkshire.			Division X. Northern Counties.				Division XI. Monmouthshire and Wales.				
		28. Leicestershire.	29. Rutlandshire.	30. Lincolnshire.	31. Nottinghamshire.	32. Derbyshire.	33. Cheshire.	34. Lancashire.	35. West Riding.	36. East Riding (with York).	37. North Riding.	38. Durham.	39. Northumberland.	40. Cumberland.	41. Westmorland.	42. Monmouthshire.	43. South Wales.	44. North Wales.		
I.	Order 1.																			
	1 Small-pox	70	–	20	13	40	132	468	258	37	53	196	87	18	2	34	142	71		
	2 Measles	30	7	48	53	38	80	578	359	70	5	118	15	94	1	30	69	21		
	3 Scarlatina	81	22	311	242	187	193	2358	1538	226	86	200	71	64	17	405	1004	117		
	4 Diphtheria	8	2	112	44	33	81	295	167	25	30	63	68	39	10	31	98	94		
	5 Quinsy	8	–	3	2	3	4	20	18	1	3	3	2	–	–	5	6	–		
	6 Croup	20	1	32	37	37	57	626	331	19	24	94	102	35	7	35	143	67		
	7 Whooping-cough	60	9	71	61	32	78	820	411	21	25	139	87	32	2	60	97	33		
	8 Typhus	97	9	151	151	152	217	1906	791	108	93	264	153	97	15	124	338	145		
	9 Erysipelas	16	–	15	16	7	19	131	77	15	12	26	6	4	2	2	14	6		
	10 Metria	14	1	26	21	25	27	212	126	12	19	50	36	11	3	11	56	24		
	11 Carbuncle	–	–	1	1	1	2	9	4	–	–	–	1	–	1	–	2	1		
	12 Influenza	13	–	15	8	14	8	22	14	3	3	11	16	3	2	3	8	16		
	13 Dysentery	6	–	13	2	7	9	35	50	1	4	17	6	8	1	6	4	7		
	14 Diarrhœa	130	2	85	94	68	159	1482	797	115	47	284	133	60	6	49	112	31		
	15 Cholera	3	–	4	2	6	10	89	56	3	4	13	5	5	–	6	3	6		
	16 Ague	–	–	3	1	–	1	6	3	–	–	2	2	–	–	1	–	1		
	17 Remittent Fever	1	–	5	–	–	2	6	2	1	–	2	3	–	1	–	2	–		
	18 Rheumatism	10	–	21	19	7	35	140	100	12	12	18	18	7	5	4	31	28		
	19 *Other Zymotic Diseases*	–	–	1	–	1	1	9	7	1	3	5	1	–	–	–	1	1		
	Order 2.																			
	1 Syphilis	5	–	8	10	9	17	130	60	7	5	26	16	1	1	8	11	3		
	2 Stricture of Urethra	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–		
	3 Hydrophobia	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–		
	4 Glanders	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–		
	Order 3.																			
	1 Privation	–	–	1	–	–	1	8	2	–	–	–	–	–	–	–	1	–		
	2 Want of Breast-milk	3	–	8	2	4	7	51	18	10	2	15	5	9	–	12	2	1		
	3 Purpura and Scurvy	5	–	1	3	2	4	14	15	5	2	3	2	2	–	1	4	3		
	4 Alcoholism { *a* Del. Trem. *b* Intemp.	–	–	–	–	1	1	11	1	–	2	2	2	1	–	–	2	1		
		–	–	3	2	–	3	57	2	1	–	8	4	2	1	1	2	–		
	Order 4.																			
	1 Thrush	2	–	14	6	13	5	39	53	5	9	9	8	3	–	2	6	1		
	2 Worms, &c.	–	–	5	2	–	3	9	7	–	2	–	–	2	1	–	2	5		
II.	Order 1.																			
	1 Gout	–	–	2	–	–	1	5	3	–	–	25	–	5	–	–	1	–		
	2 Dropsy	60	4	37	64	67	83	524	324	46	38	95	60	55	12	49	215	117		
	3 Cancer	57	4	111	103	54	122	549	383	76	53	135	77	65	13	50	130	99		
	4 Noma	–	–	1	–	–	2	27	8	–	–	1	4	1	–	1	4	1		
	5 Mortification	14	–	10	7	2	16	42	38	7	15	21	14	3	–	4	8	5		
	Order 2.																			
	1 Scrofula	12	1	25	31	23	30	115	95	11	12	40	18	9	1	16	61	22		
	2 Tabes Mesenterica	34	3	28	39	25	63	317	241	30	34	219	79	18	–	31	76	19		
	3 Phthisis	310	31	475	512	461	675	3920	2255	333	263	693	467	335	76	254	1117	743		
	4 Hydrocephalus	29	2	53	34	44	63	512	347	34	25	145	75	35	18	21	60	45		
III.	Order 1.																			
	1 Cephalitis	30	1	19	28	20	48	291	232	15	14	55	35	16	4	17	34	35		
	2 Apoplexy	46	5	73	62	59	103	551	400	72	52	109	78	48	8	36	93	100		
	3 Paralysis	54	4	99	88	73	105	672	322	81	52	104	106	65	20	42	139	130		
	4 Insanity	3	1	6	11	4	6	31	17	7	–	4	3	2	1	4	3	7		
	5 Chorea	1	–	–	1	1	1	5	4	2	1	2	2	–	–	–	1	–		
	6 Epilepsy	17	1	17	10	24	32	127	69	22	12	16	10	9	2	8	19	14		
	7 Convulsions	161	9	221	241	249	314	1953	1532	228	179	497	169	73	25	178	698	588		
	8 *Brain Disease, &c.*	31	3	45	26	28	42	229	160	31	19	35	42	33	4	21	30	22		
	Order 2.																			
	1 Pericarditis	3	–	5	7	4	1	41	30	3	2	3	5	1	–	2	9	2		
	2 Aneurism	1	–	4	1	3	1	11	10	1	1	7	4	4	–	–	3	1		
	3 *Heart Disease, &c.*	142	10	166	210	219	270	1223	820	140	112	258	196	136	40	102	192	114		
	Order 3.																			
	1 Laryngitis	4	–	5	10	4	13	108	69	12	2	30	8	2	2	3	17	3		
	2 Bronchitis	175	12	182	242	148	422	3623	1711	199	138	414	280	161	42	159	324	200		
	3 Pleurisy	3	–	5	4	2	10	46	34	2	7	8	7	4	1	4	17	2		
	4 Pneumonia	126	5	142	137	136	208	1543	868	117	76	308	144	76	18	115	309	116		
	5 Asthma	17	3	27	18	26	69	286	135	22	10	40	33	24	3	23	90	65		
	6 *Lung Disease, &c.*	27	1	40	20	78	51	261	130	34	23	31	45	8	1	14	39	46		
	Order 4.																			
	1 Gastritis	6	–	5	7	4	19	97	47	5	8	10	12	5	1	4	12	6		
	2 Enteritis	18	2	20	23	23	43	250	142	22	20	57	56	31	4	19	40	24		
	3 Peritonitis	17	–	23	23	9	19	138	96	8	7	26	21	5	–	8	27	11		
	4 Ascites	4	–	6	5	7	5	53	41	10	4	11	3	7	1	4	11	5		
	5 Ulceration of Intestines	9	–	9	9	9	14	69	55	9	10	9	8	5	2	3	5	6		
	6 Hernia	4	–	4	6	3	7	52	21	4	5	11	3	4	2	1	9	11		
	7 Ileus	9	–	19	8	10	12	63	37	4	7	20	4	3	–	5	15	11		
	8 Intussusception	–	–	4	–	–	3	18	9	1	3	2	4	1	–	–	3	3		
	9 Stricture of Intestines	4	–	4	5	6	2	10	5	4	2	2	3	2	2	1	2	3		
	10 Fistula	–	–	5	1	1	1	2	6	1	–	1	–	–	–	–	1	–		

(*continued at page 159.*)

DEATHS of MALES from different Causes registered in each of the REGISTRATION COUNTIES in the Year 1864—*continued*.

Class.	CAUSES OF DEATH.	MALES.																
		DIVISION I. LONDON.			DIVISION II. SOUTH EASTERN COUNTIES					DIVISION III. SOUTH MIDLAND COUNTIES.								
		Middlesex (*part of*).	Surrey (*part of*).	Kent (*part of*).	1. Surrey (*extra-metropolitan*).	2. Kent (*extra-metropolitan*).	3. Sussex.	4. Hampshire.	5. Berkshire.	6. Middlesex (*extra-metropolitan*).	7. Hertfordshire.	8. Buckinghamshire.	9. Oxfordshire.	10. Northamptonshire.	11. Huntingdonshire.	12. Bedfordshire.	13. Cambridgeshire.
	ORDER 4.—*continued.*																	
	11 *Stomach Disease, &c.*	103	40	8	18	44	17	25	13	8	11	10	9	14	6	3	17	
	12 *Pancreas Disease, &c.*	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	
	13 Hepatitis	68	16	10	3	17	12	12	5	2	6	2	5	12	–	6	5	
	14 Jaundice	66	30	16	14	24	20	19	8	7	5	10	8	10	–	10	4	
	15 *Liver Disease, &c.*	280	89	21	52	75	47	79	21	32	21	17	21	30	8	18	29	
	16 *Spleen Disease, &c.*	7	4	–	–	–	1	1	–	–	–	1	–	2	–	–	–	
	ORDER 5.																	
	1 Nephritis	22	5	4	2	3	3	4	3	2	2	3	2	3	1	2	2	
	2 Ischuria	2	3	–	2	3	5	4	1	–	–	2	–	1	–	1	1	
	3 Nephria	238	57	17	29	25	16	36	10	10	10	2	7	7	2	3	11	
	4 Diabetes	42	12	3	5	12	12	6	9	4	2	7	1	6	5	6	5	
	5 Stone	32	4	–	3	3	–	4	1	–	1	1	1	2	1	1	4	
	6 Cystitis	34	11	7	6	3	4	7	7	2	4	4	1	2	–	2	3	
	7 *Kidney Disease, &c.*	199	48	19	39	68	44	57	29	20	15	11	29	28	8	16	20	
	ORDER 6.																	
	1 Ovarian Dropsy	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	
	2 *Uterus Disease, &c.*	16	3	–	1	3	1	2	2	1	–	1	1	–	–	–	–	
	ORDER 7.																	
	1 Arthritis	6	1	–	–	–	4	–	1	1	–	–	1	2	–	–	–	
	2 *Joint Disease, &c.*	99	20	9	8	26	17	27	12	10	5	3	10	7	2	4	4	
	ORDER 8.																	
	1 Phlegmon	25	9	7	4	12	7	7	5	7	3	2	4	7	–	3	1	
	2 Ulcer	19	9	5	6	6	3	2	5	2	2	–	2	1	1	1	1	
	3 *Skin Disease, &c.*	34	13	5	2	5	6	5	3	6	–	2	2	3	–	1	1	
IV.	ORDER 1.																	
	1 Premature Birth	421	106	36	52	125	82	71	29	44	20	35	35	77	19	52	38	
	2 Cyanosis	48	15	2	7	7	7	4	3	–	–	1	3	3	1	2	5	
	3 Spina Bifida	8	4	1	2	3	4	5	–	1	2	–	1	–	–	1	2	
	4 Other Malformations	45	12	8	9	13	12	11	2	1	3	4	6	2	1	–	2	
	5 Teething	376	90	27	27	53	29	48	15	23	20	17	16	27	5	7	20	
	ORDER 2.																	
	1 Paramenia	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	
	2 Childbirth	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	
	ORDER 3.																	
	1 Old Age	770	219	146	141	349	249	318	133	101	143	139	142	156	33	79	146	
	ORDER 4.																	
	1 Atrophy and Debility	1257	331	115	121	324	194	285	130	101	124	121	143	216	52	159	188	
V.	ORDER 1. (ACCIDENT OR NEGLIGENCE.)																	
	1 Fractures and Contusions	529	156	42	49	71	70	66	31	42	47	22	34	47	18	16	54	
	2 Gunshot	4	4	–	5	3	4	4	2	1	–	1	3	2	1	–	3	
	3 Cut, Stab	18	10	2	2	2	–	–	1	–	2	–	1	1	–	–	2	
	4 Burns and Scalds	105	38	5	11	28	19	23	7	8	11	4	13	15	2	1	9	
	5 Poison	21	4	1	3	6	2	1	–	2	1	–	–	–	1	–	1	
	6 Drowning	138	62	30	16	71	27	36	22	26	7	6	10	20	4	7	18	
	7 Suffocation	109	38	11	9	17	11	15	11	9	7	4	5	7	1	3	10	
	8 Otherwise	67	13	20	6	51	12	17	9	7	11	14	13	5	3	10	8	
	ORDER 3. (HOMICIDE.)																	
	1 Murder and Manslaughter	62	7	4	2	3	2	5	5	1	2	2	–	1	–	–	–	
	ORDER 4. (SUICIDE.)																	
	1 Gunshot Wounds	15	1	1	1	3	1	2	–	3	–	–	1	–	1	–	–	
	2 Cut, Stab	28	3	2	4	7	5	4	3	–	4	1	2	5	–	1	1	
	3 Poison	22	7	–	1	1	1	–	2	2	–	–	–	1	–	–	–	
	4 Drowning	18	3	–	4	3	4	1	2	4	–	–	–	1	–	–	–	
	5 Hanging	52	15	7	4	19	9	7	8	1	2	3	–	3	–	2	4	
	6 Otherwise	12	–	–	1	–	–	2	1	4	1	–	–	–	–	1	–	
	ORDER 5. (EXECUTION.)																	
	1 Hanging	8	1	–	–	–	–	–	–	–	–	1	–	–	–	–	1	
	Other violent Deaths (not classed)	1	–	1	2	10	3	2	3	2	1	–	1	1	3	2	2	
	Sudden Deaths Cause (unascertained)	63	32	20	6	32	17	25	38	2	4	34	31	14	1	28	17	
	Causes not specified or ill-defined	87	30	9	30	55	27	43	11	10	23	15	16	37	17	31	33	

DEATHS of FEMALES from different Causes registered in each of the REGISTRATION COUNTIES in the Year 1864—*continued*.

Class.	CAUSES OF DEATH.	FEMALES.																
		DIVISION I. LONDON.			DIVISION II. SOUTH EASTERN COUNTIES.					DIVISION III. SOUTH MIDLAND COUNTIES.								
		Middlesex (*part of*).	Surrey (*part of*).	Kent (*part of*).	1. Surrey (*extra-metropolitan*).	2. Kent (*extra-metropolitan*).	3. Sussex.	4. Hampshire.	5. Berkshire.	6. Middlesex (*extra-metropolitan*).	7. Hertfordshire.	8. Buckinghamshire.	9. Oxfordshire.	10. Northamptonshire.	11. Huntingdonshire.	12. Bedfordshire.	13. Cambridgeshire.
	ORDER 4.—*continued.*																	
	11 *Stomach Disease, &c.*	142	28	5	23	20	39	23	15	10	16	13	14	14	2	12	21	
	12 *Pancreas Disease, &c.*	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	
	13 Hepatitis	61	18	8	10	22	13	11	5	3	4	5	5	9	–	8	8	
	14 Jaundice	74	22	5	6	21	10	18	8	5	5	5	3	14	3	7	4	
	15 *Liver Disease, &c.*	308	87	23	45	88	54	53	22	38	24	20	26	27	9	13	14	
	16 *Spleen Disease, &c.*	6	1	–	–	2	–	1	2	–	1	1	–	–	–	–	–	
	ORDER 5.																	
	1 Nephritis	17	6	4	–	4	1	5	1	3	2	–	–	–	–	–	3	
	2 Ischuria	7	2	–	1	1	–	–	1	–	–	–	–	–	–	1	–	
	3 Nephria	154	44	11	13	30	7	19	4	4	5	2	6	1	–	1	3	
	4 Diabetes	19	8	2	4	6	8	2	6	3	2	1	6	2	1	1	3	
	5 Stone	6	2	–	–	3	–	–	1	1	–	2	–	–	–	–	–	
	6 Cystitis	4	2	–	2	5	1	–	–	1	–	1	–	–	–	–	–	
	7 *Kidney Disease, &c.*	53	17	4	4	20	26	22	13	13	3	–	4	10	3	7	7	
	ORDER 6.																	
	1 Ovarian Dropsy	43	6	4	1	13	8	5	3	3	–	–	2	4	2	1	2	
	2 *Uterus Disease, &c.*	145	49	10	18	21	17	22	10	10	11	4	5	12	1	5	14	
	ORDER 7.																	
	1 Arthritis	2	1	–	1	1	–	–	–	–	–	–	–	1	–	–	–	
	2 *Joint Disease, &c.*	56	15	1	6	27	13	21	11	9	11	4	7	5	2	5	11	
	ORDER 8.																	
	1 Phlegmon	27	7	1	5	7	2	8	4	4	2	2	–	3	–	1	–	
	2 Ulcer	26	15	2	3	6	7	6	1	5	1	2	–	3	–	–	2	
	3 *Skin Disease, &c.*	24	11	2	1	4	7	4	1	2	2	2	–	3	–	3	2	
IV.	ORDER 1.																	
	1 Premature Birth	360	100	18	44	101	69	64	37	24	30	24	30	55	22	36	28	
	2 Cyanosis	43	11	3	5	10	11	1	2	2	3	3	2	7	1	3	3	
	3 Spina Bifida	18	10	4	1	5	4	1	–	–	–	2	1	4	1	2	3	
	4 Other Malformations	22	7	2	4	8	6	5	1	–	2	1	1	5	1	–	2	
	5 Teething	298	95	31	11	40	31	34	22	20	24	20	8	14	4	4	12	
	ORDER 2.																	
	1 Paramenia	9	1	1	1	1	1	–	–	1	–	1	–	3	1	–	–	
	2 Childbirth (*see* Metria)	228	64	16	43	50	53	57	25	23	28	27	27	18	11	29	18	
	ORDER 3.																	
	1 Old Age	1348	425	154	157	391	274	388	201	172	179	156	210	186	50	129	177	
	ORDER 4.																	
	1 Atrophy and Debility	1043	321	101	100	303	162	291	128	83	139	119	151	178	34	135	136	
V.	ORDER 1. (ACCIDENT OR NEGLIGENCE.)																	
	1 Fractures and Contusions	146	35	6	5	19	11	16	6	9	9	4	8	5	4	8	4	
	2 Gunshot	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	
	3 Cut, Stab	13	3	–	–	–	–	1	–	–	1	–	–	–	–	–	–	
	4 Burns and Scalds	136	52	7	20	19	18	24	7	8	10	7	17	9	1	7	13	
	5 Poison	19	5	1	2	2	7	1	–	1	–	1	–	–	–	1	2	
	6 Drowning	23	7	6	1	9	2	5	4	4	–	2	1	2	1	1	5	
	7 Suffocation	154	28	3	5	7	7	10	4	4	3	2	2	1	2	1	4	
	8 Otherwise	51	5	3	3	6	6	3	2	4	5	1	4	1	1	6	2	
	ORDER 3. (HOMICIDE.)																	
	1 Murder and Manslaughter	58	3	2	2	2	1	6	6	4	–	1	–	–	–	–	3	
	ORDER 4. (SUICIDE.)																	
	1 Gunshot Wounds	–	–	–	–	–	–	–	–	–	–	–	2	1	–	–	–	
	2 Cut, Stab	8	3	1	–	–	2	3	–	–	–	–	1	–	–	–	1	
	3 Poison	18	3	1	1	–	3	–	–	1	1	–	1	–	–	–	–	
	4 Drowning	9	5	1	1	7	3	1	3	1	–	–	–	–	–	–	–	
	5 Hanging	14	–	1	2	4	2	1	–	1	1	–	1	–	–	1	2	
	6 Otherwise	7	3	–	2	–	–	–	–	–	1	–	–	–	–	1	–	
	ORDER 5. (EXECUTION.)																	
	1 Hanging	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	
	Other Violent Deaths (not classed)	–	–	–	1	3	–	2	1	–	–	1	–	–	–	1	–	
	Sudden Deaths (Cause unascertained)	53	19	13	2	24	12	16	14	–	4	10	25	13	2	13	9	
	Causes not specified or ill-defined	72	19	5	32	49	20	36	10	3	14	13	9	28	19	27	40	

DEATHS of MALES from different Causes registered in each of the REGISTRATION COUNTIES in the Year 1864—*continued*.

Class.	CAUSES OF DEATH.	MALES.													
		DIVISION IV. EASTERN COUNTIES.			DIVISION V. SOUTH WESTERN COUNTIES.					DIVISION VI. WEST MIDLAND COUNTIES.					
		14. Essex.	15. Suffolk.	16. Norfolk.	17. Wiltshire.	18. Dorsetshire.	19. Devonshire.	20. Cornwall.	21. Somersetshire.	22. Gloucestershire.	23. Herefordshire.	24. Shropshire.	25. Staffordshire.	26. Worcestershire.	27. Warwickshire.
	ORDER 4.—*continued.*														
	11 *Stomach Disease, &c.*	19	21	23	16	14	59	40	36	36	8	16	30	18	32
	12 *Pancreas Disease, &c.*	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	13 Hepatitis	12	7	11	5	2	9	4	11	9	1	7	33	12	14
	14 Jaundice	19	18	24	16	5	25	11	21	14	3	8	35	14	16
	15 *Liver Disease, &c.*	41	49	64	36	16	73	30	48	44	18	46	102	33	63
	16 *Spleen Disease, &c.*	–	1	1	2	–	1	–	–	–	–	–	–	–	–
	ORDER 5.														
	1 Nephritis	2	5	2	3	–	5	1	5	6	4	4	6	3	14
	2 Ischuria	–	1	4	1	–	3	1	1	3	–	–	–	1	3
	3 Nephria	13	17	22	12	9	30	14	17	30	6	9	46	7	40
	4 Diabetes	7	8	13	7	3	7	6	10	9	1	4	21	7	9
	5 Stone	1	2	8	2	–	3	2	2	–	1	2	4	2	4
	6 Cystitis	5	6	18	3	4	12	5	2	9	3	3	11	8	4
	7 *Kidney Disease, &c.*	48	40	53	37	12	76	33	52	54	7	36	62	28	47
	ORDER 6.														
	1 Ovarian Dropsy	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	2 *Uterus Disease, &c.*	1	3	1	1	–	–	2	1	3	–	–	3	–	–
	ORDER 7.														
	1 Arthritis	–	–	1	–	1	1	1	1	2	–	1	1	2	–
	2 *Joint Disease, &c.*	7	8	8	9	6	42	14	21	13	3	5	32	13	29
	ORDER 8.														
	1 Phlegmon	11	7	8	1	3	10	3	4	8	3	3	16	4	17
	2 Ulcer	3	4	9	2	2	7	3	7	6	1	6	10	2	6
	3 *Skin Disease, &c.*	6	5	2	4	2	8	1	4	3	1	–	7	2	5
IV.	ORDER 1.														
	1 Premature Birth	73	103	111	47	24	92	77	87	84	11	31	236	101	137
	2 Cyanosis	3	3	2	–	2	6	1	3	7	–	–	15	4	13
	3 Spina Bifida	2	2	2	2	2	6	1	4	4	2	2	8	3	6
	4 Other Malformations	3	6	5	2	2	8	–	8	10	1	1	13	4	7
	5 Teething	15	16	34	18	13	49	26	34	23	2	7	97	26	58
	ORDER 2.														
	1 Paramenia	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	2 Childbirth	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	ORDER 3.														
	1 Old Age	266	271	392	189	161	467	276	373	340	148	222	410	210	340
	ORDER 4.														
	1 Atrophy and Debility	294	289	405	136	125	440	449	341	307	74	157	843	301	551
V.	ORDER 1. (ACCIDENT OR NEGLIGENCE.)														
	1 Fractures and Contusions	78	48	79	51	23	133	116	126	111	31	70	304	79	142
	2 Gunshot	3	3	5	2	1	6	3	1	4	–	1	3	1	3
	3 Cut, Stab	–	–	3	1	2	1	1	2	1	1	–	1	1	3
	4 Burns and Scalds	12	8	20	10	6	52	13	26	38	9	30	147	22	56
	5 Poison	1	2	8	1	–	2	–	6	2	–	2	6	5	7
	6 Drowning	53	35	40	12	13	50	30	46	60	17	25	97	51	50
	7 Suffocation	6	6	5	12	4	18	8	12	7	–	8	20	6	59
	8 Otherwise	14	26	34	10	14	22	9	10	13	5	30	19	10	10
	ORDER 3. (HOMICIDE.)														
	1 Murder and Manslaughter	2	1	3	–	–	6	3	5	4	–	3	17	2	3
	ORDER 4. (SUICIDE.)														
	1 Gunshot Wounds	3	4	–	2	1	–	–	2	1	–	1	1	1	7
	2 Cut, Stab	3	4	2	–	–	8	2	6	5	1	1	4	1	7
	3 Poison	1	–	1	1	–	2	–	–	3	1	1	3	–	3
	4 Drowning	1	1	–	2	–	3	1	1	4	1	1	4	1	2
	5 Hanging	7	12	9	3	3	19	2	14	13	6	4	13	3	9
	6 Otherwise	1	3	6	–	1	4	1	4	2	–	2	2	–	5
	ORDER 5. (EXECUTION.)														
	1 Hanging	1	–	–	–	–	–	–	–	1	1	–	2	–	–
	Other violent Deaths (not classed)	–	1	–	1	2	3	1	2	1	–	–	4	2	2
	Sudden Deaths (Cause unascertained)	30	23	21	7	10	29	35	56	72	11	55	149	32	9
	Causes not specified or ill-defined	41	48	109	16	20	57	61	36	36	59	69	78	36	46

DEATHS of FEMALES from different Causes registered in each of the REGISTRATION COUNTIES in the Year 1864—*continued.*

Class.	CAUSES OF DEATH.	FEMALES.													
		DIVISION IV. EASTERN COUNTIES.			DIVISION V. SOUTH WESTERN COUNTIES.					DIVISION VI. WEST MIDLAND COUNTIES.					
		14. Essex.	15. Suffolk.	16. Norfolk.	17. Wiltshire.	18. Dorsetshire.	19. Devonshire.	20. Cornwall.	21. Somersetshire.	22. Gloucestershire.	23. Herefordshire.	24. Shropshire.	25. Staffordshire.	26. Worcestershire.	27. Warwickshire
	ORDER 4.—*continued.*														
	11 *Stomach Disease, &c.*	24	24	29	20	17	57	37	46	35	10	17	33	13	39
	12 *Pancreas Disease, &c.*	2	1	–	–	–	1	–	–	–	–	–	–	–	1
	13 Hepatitis	8	5	12	8	2	15	7	8	11	4	7	24	12	35
	14 Jaundice	14	20	14	10	10	17	20	21	18	1	10	42	9	18
	15 *Liver Disease, &c.*	48	38	46	36	17	55	29	64	51	13	36	74	40	68
	16 *Spleen Disease, &c.*	1	1	1	–	–	1	–	2	2	1	–	3	–	–
	ORDER 5.														
	1 Nephritis	5	–	1	2	1	3	2	3	1	2	1	10	2	4
	2 Ischuria	2	1	–	–	–	1	–	1	1	–	–	2	–	–
	3 Nephria	10	5	9	9	2	17	8	13	14	3	6	19	9	32
	4 Diabetes	3	6	11	6	6	–	2	2	5	2	3	12	6	7
	5 Stone	–	1	–	–	–	–	–	–	–	–	–	2	–	1
	6 Cystitis	1	3	–	1	–	–	2	2	1	–	–	4	1	1
	7 *Kidney Disease, &c.*	23	8	13	8	9	24	8	24	26	5	6	26	10	16
	ORDER 6.														
	1 Ovarian Dropsy	3	8	5	3	4	11	2	5	9	1	3	4	4	4
	2 *Uterus Disease, &c.*	29	26	34	9	4	22	10	18	28	3	6	35	12	26
	ORDER 7.														
	1 Arthritis	–	1	1	–	–	1	2	–	1	–	1	2	1	2
	2 *Joint Disease, &c.*	10	10	11	10	6	32	6	23	15	2	4	19	16	15
	ORDER 8.														
	1 Phlegmon	4	6	14	3	3	6	1	4	7	4	4	11	4	8
	2 Ulcer	4	2	7	2	3	4	5	10	9	–	4	14	1	2
	3 *Skin Disease, &c.*	3	3	2	–	2	5	1	5	7	1	1	9	1	2
IV.	ORDER 1.														
	1 Premature Birth	48	68	83	35	24	62	49	62	79	6	25	174	62	121
	2 Cyanosis	8	7	1	3	1	4	2	1	4	–	–	3	5	4
	3 Spina Bifida	2	3	5	2	1	5	3	3	3	–	6	13	6	3
	4 Other Malformations	2	5	1	2	2	3	2	3	6	–	1	11	3	6
	5 Teething	20	11	31	17	18	34	20	28	18	1	1	39	20	47
	ORDER 2.														
	1 Paramenia	–	–	–	–	1	4	1	2	1	–	–	5	2	6
	2 Childbirth (*see* Metria)	45	39	54	47	16	52	56	41	57	14	22	95	34	70
	ORDER 3.														
	1 Old Age	319	312	456	223	221	640	427	549	458	164	304	476	292	397
	ORDER 4.														
	1 Atrophy and Debility	238	255	358	115	107	360	442	307	255	61	127	750	236	499
V.	ORDER 1. (ACCIDENT OR NEGLIGENCE.)														
	1 Fractures and Contusions	14	16	14	4	1	15	16	21	21	3	10	25	12	37
	2 Gunshot	1	–	1	–	–	–	–	3	–	–	–	–	–	–
	3 Cut, Stab	–	–	–	1	–	–	–	–	–	–	–	1	–	2
	4 Burns and Scalds	19	25	31	19	12	34	16	44	37	8	23	101	22	76
	5 Poison	2	1	–	–	–	–	–	3	2	–	1	4	1	3
	6 Drowning	6	6	5	5	4	9	5	15	8	2	8	16	10	9
	7 Suffocation	7	2	1	6	–	8	3	4	3	1	3	9	4	54
	8 Otherwise	6	6	7	7	1	4	7	4	4	2	2	15	–	9
	ORDER 3. (HOMICIDE.)														
	1 Murder and Manslaughter	1	2	1	–	–	3	–	2	5	1	1	4	2	4
	ORDER 4. (SUICIDE.)														
	1 Gunshot Wounds	–	1	–	–	–	–	–	–	–	–	–	–	–	–
	2 Cut, Stab	–	–	3	2	2	–	–	1	1	–	1	2	–	2
	3 Poison	–	1	–	–	1	1	1	2	3	1	–	1	–	5
	4 Drowning	2	3	–	1	–	2	–	3	1	3	1	–	–	1
	5 Hanging	1	2	4	–	2	7	–	4	2	–	2	2	1	4
	6 Otherwise	–	–	–	–	1	1	1	1	1	–	1	–	–	1
	ORDER 5. (EXECUTION.)														
	1 Hanging	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Other Violent Deaths (not classed)	1	–	–	–	–	–	–	–	–	–	–	3	2	–
	Sudden Deaths (Cause unascertained)	17	24	50	4	19	24	58	40	61	9	18	104	12	13
	Causes not specified or ill-defined	51	41	111	7	25	47	66	31	71	54	56	85	22	22

DEATHS of MALES from different Causes registered in each of the REGISTRATION COUNTIES in the Year 1864—*continued.*

Class.	CAUSES OF DEATH.	MALES.																
		DIVISION VII. NORTH MIDLAND COUNTIES.					DIVISION VIII. NORTH WESTERN COUNTIES.		DIVISION IX. YORKSHIRE.			DIVISION X. NORTHERN COUNTIES.				DIVISION XI. MONMOUTHSHIRE AND WALES.		
		28. Leicestershire.	29. Rutlandshire.	30. Lincolnshire.	31. Nottinghamshire.	32. Derbyshire.	33. Cheshire.	34. Lancashire.	35. West Riding.	36. East Riding (with York).	37. North Ridlng.	38. Durham.	39. Northumberland.	40. Cumberland.	41. Westmorland.	42. Monmouthshire.	43. South Wales.	44. North Wales.
	ORDER 4.—*continued.*																	
	11 *Stomach Disease, &c.*	25	1	30	17	24	21	156	82	19	23	26	27	25	6	9	41	51
	12 *Pancreas Disease, &c.*	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	1	–
	13 Hepatitis	4	2	12	10	14	29	122	98	6	4	27	20	7	2	16	18	4
	14 Jaundice	9	1	16	19	10	17	92	54	15	4	17	11	5	–	9	17	12
	15 *Liver Disease, &c.*	38	1	50	46	51	88	339	238	42	36	58	52	23	5	24	39	43
	16 *Spleen Disease, &c.*	–	–	1	2	–	1	1	–	–	–	2	1	–	–	–	1	–
	ORDER 5.																	
	1 Nephritis	4	–	2	1	1	8	40	15	7	1	7	3	5	–	2	9	3
	2 Ischuria	3	–	4	2	2	2	12	4	–	2	1	1	3	–	1	6	–
	3 Nephria	10	–	12	6	7	17	138	59	14	4	13	14	9	–	5	18	8
	4 Diabetes	6	–	11	9	10	12	53	59	6	8	3	10	9	–	2	4	4
	5 Stone	1	–	6	6	3	2	16	11	1	2	3	1	–	1	2	6	7
	6 Cystitis	6	–	8	4	1	8	29	24	3	2	9	7	4	3	3	14	6
	7 *Kidney Disease, &c.*	19	3	49	22	31	39	165	138	38	22	44	29	19	6	11	36	23
	ORDER 6.																	
	1 Ovarian Dropsy	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	2 *Uterus Disease, &c.*	1	–	–	–	–	–	4	9	2	–	–	1	2	–	–	1	–
	ORDER 7.																	
	1 Arthritis	–	–	–	1	–	1	5	6	–	–	2	1	1	–	1	1	–
	2 *Joint Disease, &c.*	11	–	19	20	17	24	161	105	23	20	32	24	15	3	10	32	14
	ORDER 8.																	
	1 Phlegmon	2	–	3	2	2	8	37	22	2	2	5	2	–	1	1	4	2
	2 Ulcer	–	–	9	5	2	7	24	13	–	1	5	4	3	–	3	4	3
	3 *Skin Disease, &c.*	1	1	–	2	2	3	21	17	2	1	6	3	3	–	5	10	1
IV.	ORDER 1.																	
	1 Premature Birth	78	5	113	75	73	104	630	557	61	49	214	87	45	4	24	41	30
	2 Cyanosis	4	–	3	4	–	6	31	4	4	1	14	11	3	–	1	1	–
	3 Spina Bifida	2	–	2	3	4	6	20	14	4	1	3	3	2	1	4	–	–
	4 Other Malformations	1	–	2	3	3	8	25	19	3	2	20	2	–	–	2	2	–
	5 Teething	26	2	41	26	29	63	385	274	27	17	88	30	16	1	23	38	10
	ORDER 2.																	
	1 Paramenia	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	2 Childbirth	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	ORDER 3.																	
	1 Old Age	234	24	300	276	209	293	1046	752	133	180	254	196	183	58	131	590	398
	ORDER 4.																	
	1 Atrophy and Debility	236	18	294	258	158	307	2147	1196	262	124	340	269	190	45	118	600	261
V.	ORDER 1. (ACCIDENT or NEGLIGENCE.)																	
	1 Fractures and Contusions	50	5	81	67	88	150	829	455	62	80	284	103	67	9	107	316	121
	2 Gunshot	–	–	2	1	3	5	5	4	3	1	1	–	1	1	2	4	5
	3 Cut, Stab	1	–	4	–	–	–	8	5	1	–	4	1	1	–	–	2	2
	4 Burns and Scalds	18	–	18	25	26	32	220	125	15	18	61	25	10	–	21	89	39
	5 Poison	3	1	3	3	3	1	17	14	2	–	7	1	3	1	1	1	3
	6 Drowning	6	1	45	18	18	85	320	271	49	13	68	54	23	4	40	95	52
	7 Suffocation	8	–	9	8	9	10	116	26	6	2	18	10	5	–	4	18	2
	8 Otherwise	10	1	18	15	12	7	76	41	8	7	18	34	9	3	24	42	13
	ORDER 3. (HOMICIDE.)																	
	1 Murder and Manslaughter	–	–	3	5	1	3	26	20	3	2	4	5	1	1	3	6	3
	ORDER 4. (SUICIDE.)																	
	1 Gunshot Wounds	–	–	–	1	1	–	–	3	–	–	3	1	2	–	–	1	–
	2 Cut, Stab	–	–	3	3	2	8	33	13	3	–	2	3	5	–	1	2	1
	3 Poison	1	1	1	2	2	1	17	2	–	–	3	1	1	–	2	–	–
	4 Drowning	1	–	1	–	4	3	20	18	–	–	3	1	4	–	–	3	3
	5 Hanging	9	2	7	9	13	7	69	42	6	3	6	5	4	1	3	5	3
	6 Otherwise	1	–	–	3	1	3	5	4	–	–	–	1	–	–	1	–	1
	ORDER 5. (EXECUTION.)																	
	1 Hanging	–	–	–	1	–	–	2	2	–	–	–	–	–	–	–	–	–
	Other Violent Deaths (not classed)	1	–	–	2	–	2	29	20	5	1	5	3	2	–	–	2	1
	Sudden Deaths (Cause unascertained)	7	1	39	51	13	69	454	92	13	12	33	43	18	6	33	77	51
	Causes not specified or ill-defined	25	6	64	22	24	17	206	204	26	12	40	34	46	4	19	222	91

DEATHS of FEMALES from different Causes registered in each of the REGISTRATION COUNTIES in the Year 1864—*continued.*

Class.	CAUSES OF DEATH.	FEMALES.																		
		Division VII. North Midland Counties.					Division VIII. North Western Counties.		Division IX. Yorkshire.			Division X. Northern Counties.				Division XI. Monmouthshire and Wales.		
		28. Leicestershire.	29. Rutlandshire.	30. Lincolnshire.	31. Nottinghamshire.	32. Derbyshire.	33. Cheshire.	34. Lancashire.	35. West Riding.	36. East Riding (with York).	37. North Riding.	38. Durham.	39. Northumberland.	40. Cumberland.	41. Westmorland.	42. Monmouthshire.	43. South Wales.	44. North Wales.
	ORDER 4.—*continued.*																	
	11 *Stomach Disease, &c.*	21	2	30	25	21	37	195	81	29	36	45	21	20	6	11	34	38
	12 *Pancreas Disease, &c.*	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–
	13 Hepatitis	5	–	7	17	9	23	109	89	8	5	28	17	5	2	13	20	6
	14 Jaundice	15	1	15	10	8	29	80	57	15	9	20	16	5	1	4	26	9
	15 *Liver Disease, &c.*	24	6	51	52	35	58	297	188	34	18	49	46	15	5	12	49	40
	16 *Spleen Disease, &c.*	–	–	–	–	–	2	4	1	–	1	–	1	–	–	1	–	–
	ORDER 5.																	
	1 Nephritis	1	–	2	–	1	2	26	19	1	2	3	2	1	–	–	10	1
	2 Ischuria	1	–	–	1	–	1	2	–	1	–	1	–	–	–	–	7	1
	3 Nephria	11	–	7	5	5	13	82	33	3	5	23	15	10	1	7	15	7
	4 Diabetes	3	–	2	3	3	1	21	15	6	–	3	3	4	–	–	2	–
	5 Stone	1	–	1	–	–	–	–	–	1	–	–	–	1	–	–	2	–
	6 Cystitis	1	–	–	–	1	1	10	9	–	1	1	–	–	–	–	1	–
	7 *Kidney Disease, &c.*	6	1	8	9	10	14	71	42	9	6	10	8	6	–	5	12	3
	ORDER 6.																	
	1 Ovarian Dropsy	2	1	4	6	3	5	34	13	3	2	7	3	5	–	4	2	2
	2 *Uterus Disease, &c.*	23	2	25	19	15	17	90	63	9	8	28	12	7	4	5	13	13
	ORDER 7.																	
	1 Arthritis	–	–	2	–	–	2	7	3	–	1	1	–	–	1	–	–	1
	2 *Joint Disease, &c.*	7	1	11	10	18	14	120	91	10	15	25	12	4	6	5	19	8
	ORDER 8.																	
	1 Phlegmon	3	–	4	4	3	8	42	23	1	–	4	1	–	1	1	6	1
	2 Ulcer	3	–	3	3	6	7	21	15	3	2	14	10	4	–	1	3	6
	3 *Skin Disease, &c.*	2	–	–	3	1	4	14	8	1	2	3	4	–	–	2	3	4
IV.	ORDER 1.																	
	1 Premature Birth	84	8	89	58	53	59	461	487	48	35	170	72	40	4	20	31	14
	2 Cyanosis	2	–	1	1	1	4	17	8	4	–	6	2	2	2	–	2	1
	3 Spina Bifida	1	–	4	8	5	7	35	28	2	2	3	5	1	1	4	–	–
	4 Other Malformations	5	–	–	2	2	1	16	10	3	–	4	1	–	–	1	2	–
	5 Teething	27	2	31	28	30	70	321	231	29	13	73	28	11	4	13	30	13
	ORDER 2.																	
	1 Paramenia	1	–	2	1	–	3	10	1	1	1	–	–	–	1	–	10	2
	2 Childbirth (*see* Metria)	19	2	41	30	31	69	357	221	34	20	88	45	29	4	30	101	52
	ORDER 3.																	
	1 Old Age	271	33	375	272	303	360	1428	970	218	240	337	303	207	77	167	833	633
	ORDER 4.																	
	1 Atrophy and Debility	218	18	250	217	143	319	2099	1040	185	108	502	290	159	46	97	552	261
V.	ORDER 1. (ACCIDENT or NEGLIGENCE.)																	
	1 Fractures and Contusion	7	–	19	10	9	20	147	89	9	13	36	15	11	–	5	23	24
	2 Gunshot	–	–	–	1	–	2	1	2	1	–	–	–	–	–	–	1	1
	3 Cut, Stab	–	–	–	–	1	–	3	1	–	–	–	–	–	–	1	–	–
	4 Burns and Scalds	9	3	27	27	19	34	216	107	24	15	49	28	11	5	28	47	36
	5 Poison	2	–	8	3	4	5	21	5	2	1	3	2	3	–	1	–	6
	6 Drowning	5	–	12	11	2	11	54	130	6	3	7	12	2	5	6	13	4
	7 Suffocation	4	–	7	2	5	5	89	16	2	4	8	3	4	1	–	4	5
	8 Otherwise	4	–	5	8	6	6	40	13	3	3	7	8	1	2	2	10	5
	ORDER 3. (HOMICIDE.)																	
	1 Murder and Manslaughter	2	1	3	3	1	3	32	8	1	3	2	–	–	–	3	4	1
	ORDER 4. (SUICIDE.)																	
	1 Gunshot Wounds	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	2 Cut, Stab	–	–	3	–	1	–	7	4	–	–	2	–	2	–	–	1	1
	3 Poison	–	–	4	1	–	–	5	6	2	–	2	–	1	–	–	–	–
	4 Drowning	–	–	1	2	–	2	11	10	1	1	2	1	2	–	–	1	1
	5 Hanging	1	1	4	3	1	1	18	10	1	–	4	1	2	–	1	3	–
	6 Otherwise	–	–	2	1	–	–	–	–	–	1	–	1	1	–	2	–	1
	ORDER 5. (EXECUTION.)																	
	1 Hanging	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Other Violent Deaths (not classed)	–	–	–	–	–	1	8	2	–	–	1	1	–	–	–	–	–
	Sudden Deaths (Cause unascertained)	4	–	25	29	10	38	301	48	15	8	13	24	6	3	20	25	26
	Causes not specified or ill-defined	18	2	54	21	31	21	208	168	24	13	39	46	57	9	25	254	96

POPULATION 1861, AVERAGE ANNUAL RATE of MORTALITY from ALL CAUSES in the Ten Years 1851–60, and DEATHS from SEVERAL CAUSES in the Year 1864, in the DIVISIONS, COUNTIES, and DISTRICTS of ENGLAND.

No.	DIVISIONS AND REGISTRATION COUNTIES.	POPULATION, 1861.	AVERAGE ANNUAL RATE of MORTALITY from ALL CAUSES to 1,000 Persons living, 1851–60.	DEATHS FROM SEVERAL CAUSES IN 1864. (*See Note.*) Small-pox.	Measles.	Scarlatina.	Diphtheria.	Whooping-cough.	Typhus.	Erysipelas.	Metria or Puerperal Fever.	Childbirth.	Influenza.	Dysentery.	Diarrhœa.	Cholera.	Phthisis or Consumption.	Diseases of Respiratory Organs.	Violence.
	ENGLAND:	20,066,224	22	7684	8323	29700	5464	8570	20,106	2104	1484	2532	804	1000	16,432	984	53,046	75,376	17,018
	DIVISIONS.																		
I.	LONDON - - - -	2,803,989	24	547	2788	3244	611	2423	3703	450	287	308	69	119	2894	156	8388	15076	2598
II.	SOUTH EASTERN -	1,847,661	20	549	355	1895	529	572	1388	223	92	228	100	96	1158	67	4761	5521	1168
III.	SOUTH MIDLAND -	1,295,497	20	188	250	2386	386	393	1058	173	108	181	67	43	930	75	3126	4024	862
IV.	EASTERN - - - -	1,142,580	21	200	362	1202	591	237	806	111	59	138	39	51	650	25	2802	3261	747
V.	SOUTH WESTERN -	1,835,714	20	337	509	3037	339	606	1376	130	88	212	144	80	763	42	4000	5528	1249
VI.	WEST MIDLAND -	2,436,568	22	2229	812	3490	687	664	2069	238	176	202	65	108	2469	66	5506	9249	2342
VII.	NORTH MIDLAND -	1,288,928	21	391	357	1722	388	433	1095	108	87	123	85	51	805	30	3961	3574	917
VIII.	NORTH WESTERN -	2,936,540	26	1396	1286	5247	699	1570	4231	330	239	426	72	212	3130	221	8691	14124	2851
IX.	YORK - - - - -	2,015,541	23	741	872	3784	459	794	1993	197	157	275	56	137	2004	148	5404	7824	1854
X.	NORTHERN - - -	1,151,372	22	666	479	686	329	475	1107	85	100	166	52	72	941	56	2923	3555	1146
XI.	WELSH - - - - -	1,312,834	21	530	253	3007	446	353	1280	53	91	183	55	31	388	39	4084	3640	1284
	I.—LONDON.																		
	MIDDLESEX (*part of*) -	2,030,814	23	359	2231	2284	433	1742	2607	332	211	228	53	82	2144	128	6340	11253	1926
	SURREY (*part of*) - -	579,748	25	128	420	617	125	551	734	84	53	64	13	25	503	22	1737	3008	514
	KENT (*part of*) - - -	193,427	22	60	137	343	53	130	362	34	23	16	8	12	247	6	611	815	158
	II.—SOUTH EASTERN.																		
1	SURREY (*extra-metrop.*) -	273,264	18	58	36	314	76	112	180	42	20	43	23	16	180	20	679	866	165
2	KENT (*extra-metropolitan*)	545,272	20	78	163	709	187	219	525	71	27	50	24	35	407	26	1293	1657	373
3	SUSSEX - - - - -	366,836	19	64	56	483	127	85	246	38	15	53	26	8	197	2	1000	961	232
4	HAMPSHIRE - - -	456,654	20	337	75	238	106	83	304	53	19	57	22	32	276	13	1270	1354	258
5	BERKSHIRE - - -	205,835	20	12	25	151	33	73	133	25	11	25	5	5	98	6	519	683	140
	III.—SOUTH MIDLAND.																		
6	MIDDLESEX (*extra-met.*)	187,225	20	33	69	160	36	74	184	29	14	23	4	10	194	20	510	689	149
7	HERTFORDSHIRE -	177,452	19	35	42	377	35	67	127	18	16	28	12	4	112	21	356	558	127
8	BUCKINGHAMSHIRE	147,207	21	14	25	114	17	63	104	18	11	27	4	7	94	14	338	474	77
9	OXFORDSHIRE - -	171,233	21	33	28	244	26	20	132	40	18	27	14	4	84	2	414	538	119
10	NORTHAMPTONSH. -	231,079	21	8	82	803	82	60	189	27	14	18	14	9	136	1	569	645	128
11	HUNTINGDONSHIRE	59,137	20	7	26	61	39	12	39	5	7	11	1	-	48	3	151	177	43
12	BEDFORDSHIRE - -	140,479	21	30	16	382	46	17	151	17	15	29	15	2	147	10	324	444	70
13	CAMBRIDGESHIRE -	181,585	21	28	12	245	105	80	132	19	13	18	3	7	115	4	464	499	140
	IV.—EASTERN.																		
14	ESSEX - - - -	379,705	20	41	133	281	114	137	322	50	14	45	21	14	319	20	942	1231	246
15	SUFFOLK - - - -	335,409	20	68	146	353	137	57	183	25	12	39	10	14	155	1	873	910	219
16	NORFOLK - - - -	427,466	21	91	83	568	340	93	301	36	33	54	8	23	176	4	987	1120	282

NOTE.—The Total Deaths from ALL CAUSES in each Division, County, and District, of which the numbers here given form a part, will be found at pp. 28-38. For Tables showing the number of deaths of Males and Females under *each* cause in the Divisions and Counties of England, see pp. 136-159.

POPULATION 1861, AVERAGE ANNUAL RATE of MORTALITY from ALL CAUSES in the TEN YEARS 1851–60, and DEATHS from SEVERAL CAUSES in the YEAR 1864, in the DIVISIONS, COUNTIES, and DISTRICTS of ENGLAND—*continued*.

No.	REGISTRATION COUNTIES.	POPULATION, 1861.	AVERAGE ANNUAL RATE of MORTALITY from ALL CAUSES to 1,000 Persons living, 1851-60.	DEATHS FROM SEVERAL CAUSES IN 1864.																
				Small-pox.	Measles.	Scarlatina.	Diphtheria.	Whooping-cough.	Typhus.	Erysipelas.	Metria or Puerperal Fever.	Childbirth.	Influenza.	Dysentery.	Diarrhœa.	Cholera.	Phthisis or Consumption.	Diseases of Respiratory Organs.	Violence.
	V.—SOUTH WESTERN.																			
17	WILTSHIRE	236,027	21	26	76	260	50	52	164	22	12	47	21	9	76	6	541	764	153
18	DORSETSHIRE	182,193	19	15	65	138	38	34	147	17	10	16	9	5	47	2	367	588	94
19	DEVONSHIRE	589,278	20	136	191	1054	107	148	423	32	28	52	59	33	311	20	1304	1777	393
20	CORNWALL	361,848	20	66	38	572	65	307	238	17	13	56	16	5	127	10	928	835	239
21	SOMERSETSHIRE	463,368	20	94	139	1013	79	65	404	42	25	41	39	28	202	4	860	1564	370
	VI.—WEST MIDLAND.																			
22	GLOUCESTERSHIRE	443,535	21	320	114	453	82	38	377	42	23	57	11	13	322	7	1010	1582	367
23	HEREFORDSHIRE	106,796	20	57	9	206	28	9	70	7	8	14	8	2	32	2	252	279	94
24	SHROPSHIRE	260,409	20	124	50	147	99	118	154	16	19	22	8	12	131	4	595	835	237
25	STAFFORDSHIRE	769,541	25	1024	325	1134	188	249	794	68	65	95	18	27	908	19	1764	3254	820
26	WORCESTERSHIRE	294,953	20	307	88	384	41	41	230	31	24	34	7	21	270	13	537	933	239
27	WARWICKSHIRE	561,334	23	307	226	966	249	209	444	74	37	70	13	33	806	21	1348	2386	575
	VII.—NORTH MIDLAND.																			
28	LEICESTERSHIRE	243,648	22	116	67	164	24	108	167	23	14	19	21	10	278	8	531	764	144
29	RUTLANDSHIRE	23,479	18	1	9	48	6	13	19	1	1	2	–	–	8	1	46	45	16
30	LINCOLNSHIRE	404,143	19	43	86	662	201	129	331	34	26	41	23	19	158	11	802	893	290
31	NOTTINGHAMSHIRE	323,784	22	27	116	467	85	123	295	27	21	30	15	6	226	7	887	1012	235
32	DERBYSHIRE	293,874	22	84	79	381	72	60	283	23	25	31	26	16	135	12	795	860	232
	VIII.—NORTH WESTERN.																			
33	CHESHIRE	470,174	22	324	170	393	157	150	435	42	27	69	18	25	356	17	1224	1735	407
34	LANCASHIRE	2,465,366	26	1072	1116	4354	542	1420	3796	288	212	357	54	187	3074	204	7467	12389	2444
	IX.—YORK.																			
35	WEST RIDING	1,530,007	24	534	713	3135	344	718	1612	146	126	221	37	113	1667	129	4325	6515	1468
36	EAST RIDING (*with York*)	274,425	22	69	147	470	59	52	210	31	12	34	9	13	223	9	622	760	215
37	NORTH RIDING	211,109	19	133	12	179	56	44	171	20	19	20	10	11	114	10	457	549	171
	X.—NORTHERN.																			
38	DURHAM	542,125	23	432	261	403	124	256	555	53	50	88	17	33	534	30	1251	1775	610
39	NORTHUMBERLAND	343,025	22	193	42	140	125	162	317	19	36	45	24	19	260	15	878	1083	319
40	CUMBERLAND	205,276	21	34	175	110	66	55	214	11	11	29	7	17	134	10	641	547	179
41	WESTMORLAND	60,946	18	4	1	33	14	2	21	2	3	4	4	3	13	1	153	150	38
	XI.—WELSH.																			
42	MONMOUTHSHIRE	196,977	23	79	66	773	62	97	275	9	11	30	8	7	96	13	479	798	258
43	SOUTH WALES	699,722	22	308	142	1990	210	190	705	31	56	101	16	12	228	16	2202	1843	687
44	NORTH WALES	416,135	20	143	45	244	174	66	300	13	24	52	31	12	64	10	1403	999	339

Population 1861, Average Annual Rate of Mortality from All Causes in the Ten Years 1851-60, and Deaths from several Causes in the Year 1864, in the Districts of England.

I.—LONDON.

No.	DISTRICTS.	Population, 1861.	Average Annual Rate of Mortality from All Causes to 1000 Persons living, 1851-60.	DEATHS FROM SEVERAL CAUSES IN 1864. Small-pox.	Measles.	Scarlatina.	Diphtheria.	Whooping-cough.	Typhus.	Erysipelas.	Metria or Puerperal Fever.	Childbirth.	Influenza.	Dysentery.	Diarrhœa.	Cholera.	Phthisis or Consumption.	Diseases of Respiratory Organs.	Violence.
	MIDDLESEX (*part of*).																		
1	Kensington	185,930	19 *	20	197	191	33	139	153	25	17	34	8	10	194	14	602	959	146
2	Chelsea	63,439	23 (25)	17	14	60	11	81	70	7	5	8	–	1	70	6	258	337	37
3	St. George Hanover Square	87,771	18 (19)	12	11	69	19	45	84	16	10	6	4	4	62	7	228	371	82
4	Westminster	68,213	26	7	52	157	11	65	103	15	3	13	–	3	78	6	259	404	53
5	St. Martin-in-the-Fields	22,689	23	3	8	13	6	29	26	8	1	2	–	1	21	1	84	111	33
6	St. James Westminster	35,326	23	1	30	11	2	29	17	4	–	2	–	–	14	2	119	188	12
7	Marylebone	161,680	24	17	84	136	30	99	96	18	18	17	2	5	160	6	490	917	104
8	Hampstead	19,106	17	3	2	11	10	10	8	–	1	–	4	–	19	2	48	44	24
9	Pancras	198,788	23 (22)	15	148	232	63	161	150	35	33	26	9	14	180	8	632	1094	230
10	Islington	155,341	21	126	128	215	38	112	571	26	20	25	8	11	178	5	418	777	111
11	Hackney	83,295	21 (19)	12	79	67	12	49	77	14	10	11	4	2	85	7	221	415	54
12	St. Giles	54,076	28	11	42	49	10	38	84	8	5	2	1	1	57	3	231	394	40
13	Strand	42,979	22 (24)	10	44	44	9	79	39	8	3	11	–	1	44	3	116	367	54
14	Holborn	44,862	26	4	101	55	16	27	50	8	2	3	–	1	50	1	180	299	29
15	Clerkenwell	65,681	23	7	72	85	12	71	47	11	5	11	2	4	82	2	186	365	38
16	St. Luke	57,073	24 (27)	31	111	85	11	48	80	6	9	3	–	1	65	3	139	307	38
17	East London	40,867	25 (27)	2	44	43	9	22	53	5	2	1	1	3	39	2	121	157	9
18	West London	27,145	25	3	39	31	6	32	65	13	5	3	1	3	36	2	170	248	138
19	London City	45,555	19 (22)	7	34	25	7	14	18	3	2	1	–	3	23	–	90	169	42
20	Shoreditch	129,334	26 (24)	9	100	339	30	125	154	24	14	14	1	–	128	8	438	785	83
21	Bethnal Green	105,101	23	17	185	164	15	124	137	17	9	4	1	1	132	10	285	615	80
22	Whitechapel	78,970	28	6	142	44	5	72	171	17	6	5	–	3	111	3	266	534	251
23	St. George-in-the-East	48,891	29	2	135	30	6	80	46	7	7	4	–	1	49	6	140	324	37
24*a*	Stepney	56,572	27	2	110	57	7	66	79	9	3	4	3	1	73	5	120	276	69
24*b*	Mile End Old Town	73,064	24	7	116	111	19	64	92	11	10	5	1	3	82	7	177	419	39
25	Poplar	73,196	26 (24)	8	142	91	18	83	177	17	11	13	3	5	117	9	322	417	90
	SURREY (*part of*).																		
26	St. Saviour Southwark	36,179	(29	1	31	38	3	19	52	5	2	2	1	2	29	2	78	208	31
27	St. Olave Southwark	19,046	)	2	8	18	6	12	30	8	2	–	–	1	15	–	105	110	148
28	Bermondsey	58,335	26	8	56	61	19	76	61	6	7	8	–	–	50	1	170	347	15
29	St. George Southwark	57,310	27	8	53	96	8	69	156	12	6	2	2	1	45	3	198	377	42
30	Newington	82,220	24	6	81	79	17	103	110	8	9	13	3	3	61	3	295	406	94
31	Lambeth	162,044	23	53	175	177	34	154	196	26	14	21	3	10	152	5	464	804	74
32	Wandsworth	70,407	22 (20)	34	21	49	19	34	55	9	4	4	1	1	61	1	174	290	51
33	Camberwell	71,485	23	10	29	84	16	65	55	5	8	11	3	5	74	7	205	313	32
34	Rotherhithe	24,502	25	6	16	15	3	21	39	5	1	3	–	2	16	–	47	123	27
	KENT (*part of*).																		
35	Greenwich	127,670	24 (23)	38	97	259	30	100	267	22	16	10	–	10	176	4	481	638	124
36	Lewisham	65,787	18	22	40	84	23	30	95	12	7	6	3	2	71	2	130	177	34

II.—SOUTH EASTERN COUNTIES.

	1.—SURREY (*Extra-metrop.*)																		
37	Epsom	22,400	16	11	3	13	4	11	16	4	3	4	–	–	17	2	54	77	12
38	Chertsey	18,642	18	2	1	9	2	8	16	2	–	2	1	–	8	5	39	43	6
39	Guildford	29,380	19	7	2	21	8	21	16	4	1	2	1	6	11	–	86	113	9
40	Farnham	30,707	17 (22)	1	3	102	13	8	16	5	3	13	1	2	26	4	73	78	18
41	Farnborough	14,348	14 (10)	–	–	16	2	1	6	2	2	3	1	1	8	–	34	39	6
42	Hambledon	13,907	17	5	1	15	10	1	7	–	–	2	5	–	2	–	28	33	12
43	Dorking	12,445	17	12	–	17	2	8	6	2	2	1	3	1	2	–	23	27	9
44	Reigate	20,109	17	4	1	23	5	2	12	7	1	4	3	1	4	–	51	66	12
45	Godstone	9,642	17	1	–	9	7	1	4	2	3	–	–	–	3	–	25	20	6
46	Croydon	48,474	19	12	14	41	10	32	35	7	4	10	3	4	61	2	119	176	28
47	Kingston	36,159	18	1	3	39	7	16	33	3	1	1	–	–	33	3	106	114	32
48	Richmond	18,802	20	2	8	9	6	3	13	4	–	1	–	1	10	4	41	80	15
	2.—KENT (*Extra-metropol.*)																		
49	Bromley	20,368	16	3	1	12	3	6	23	4	1	2	2	1	15	–	45	78	27
50	Dartford	32,316	18	3	10	60	3	25	49	3	1	1	1	3	18	2	85	91	36
51	Gravesend	18,782	23	3	12	9	4	2	10	3	–	2	–	2	20	–	45	82	11
52	North Aylesford	19,121	20	5	23	27	12	6	28	3	1	3	–	3	18	2	87	57	26
53	Hoo	2,861	25	–	–	6	–	–	6	1	1	–	–	1	5	–	7	8	5
54	Medway	51,805	23 (30)	3	12	77	5	11	43	7	3	7	5	2	40	3	137	182	32
55	Malling	21,447	19	3	1	40	15	9	17	1	1	3	–	3	28	1	47	52	12
56	Sevenoaks	22,039	18	8	1	19	10	12	12	7	1	3	–	–	7	–	49	43	18
57	Tunbridge	34,271	20	18	2	50	6	9	18	3	3	2	1	2	15	2	89	112	15
58	Maidstone	38,670	23 (21)	2	7	55	13	7	34	4	1	7	3	5	50	1	127	146	24

* Note.—In calculating the average annual rate of mortality from all causes in London, a correction has been made by distributing the deaths in *hospitals* proportionally over every district. The second rate of mortality (in figures of different character) is the result of a further correction, in Chelsea and Greenwich for the Military and Naval Hospitals, in Wandsworth for the County Lunatic Asylum, and in the other London Districts for Workhouses situated out of the Districts to which they belong.

In all the other Districts of England the second rate of mortality is the result of a correction for either a Naval or Military Hospital or Camp, a County Lunatic Asylum or a Workhouse situated out of the District to which it belongs. The particulars of these corrections are given in the Supplement to the 25th Report, pp. xl-lviii.

Population 1861, Average Annual Rate of Mortality from All Causes in the Ten Years 1851-60, and Deaths from several Causes in the Year 1864, in the Districts of England—*continued.*

II.—SOUTH EASTERN COUNTIES—*continued.*

	DISTRICTS.	Population, 1861.	Average Annual Rate of Mortality from All Causes to 1000 Persons living, 1851-60.	DEATHS FROM SEVERAL CAUSES IN 1864.														
				Small-pox.	Measles.	Scarlatina.	Diphtheria.	Whooping-cough.	Typhus.	Erysipelas.	Metria or Puerperal Fever.	Childbirth.	Influenza.	Dysentery.	Diarrhœa.	Cholera.	Phthisis or Consumption.	Diseases of Respiratory Organs.	Violence.
	2.—KENT (*Extra-metrop.*)—*continued.*																	
59	Hollingbourn	13,584	19	4	-	21	9	2	9	-	-	-	-	1	7	-	15	38	9
60	Cranbrook	13,412	17	-	-	5	6	9	11	1	-	1	1	1	8	-	29	37	7
61	Tenterden	10,947	19	-	-	-	3	4	11	1	-	1	1	-	3	-	22	37	4
62	West Ashford	15,137	20	2	3	11	6	27	11	1	1	-	-	-	6	1	37	46	6
63	East Ashford	12,286	18	-	2	2	15	7	6	-	1	-	-	1	6	-	20	43	5
64	Bridge	11,316	18	-	-	16	11	8	7	-	-	1	-	-	2	-	26	26	2
65	Canterbury	16,643	23	-	2	48	2	4	23	1	2	1	1	1	8	-	50	52	7
66	Bleau	16,161	18	1	1	71	2	10	19	2	-	2	2	-	16	1	32	46	9
67	Faversham	18,867	20	2	2	11	10	10	28	-	1	3	1	3	17	3	60	51	15
68	Milton	14,775	21	2	2	22	7	6	34	2	1	1	1	1	13	6	35	58	7
69	Sheppey	18,494	19	-	24	22	4	4	12	1	-	2	-	1	17	-	37	41	16
70	Thanet	31,862	21	4	14	40	9	11	36	6	2	4	3	3	28	1	72	77	26
71	Eastry	23,800	19	1	3	31	21	10	36	3	2	2	1	1	9	-	59	74	12
72	Dover	31,575	20	1	21	43	6	10	25	5	2	1	1	1	30	1	74	116	19
73	Elham	26,925	18 (19)	13	13	11	4	9	12	3	1	1	1	-	23	1	48	61	15
74	Romney Marsh	5,708	21	-	7	-	1	1	1	-	-	1	-	-	-	1	7	25	6
	3.—SUSSEX.																		
75	Rye	11,927	20	2	5	8	2	2	9	1	-	2	-	-	10	-	24	31	7
76	Hastings	26,631	18	1	7	117	2	9	27	2	5	6	2	2	17	-	119	77	15
77	Battle	12,680	17	-	1	15	2	1	17	3	-	4	-	-	2	-	22	33	11
78	Eastbourne	10,721	17	1	1	13	2	-	11	-	-	2	1	-	8	-	28	24	6
79	Hailsham	12,668	17	-	-	12	3	-	8	-	-	6	-	-	4	-	25	16	6
80	Ticehurst	14,626	19	-	1	19	3	3	10	-	-	2	-	-	4	-	28	39	1
81	Uckfield	17,250	19	6	-	18	5	-	21	1	1	5	6	1	4	2	35	34	9
82	East Grinstead	14,097	17	-	4	2	8	4	8	1	1	2	-	1	7	-	32	38	7
83	Cuckfield	17,163	18	1	2	5	9	3	8	1	2	3	2	1	3	-	49	34	7
84	Lewes	26,995	19	-	-	7	10	1	23	-	-	1	3	1	16	-	79	55	22
85	Brighton	77,693	22	38	5	62	29	57	34	10	3	5	1	-	72	-	228	257	57
86	Steyning	24,033	16	4	1	10	16	2	5	1	-	-	-	1	11	-	43	61	17
87	Horsham	15,313	18	3	1	73	8	10	7	1	1	1	-	-	8	-	40	53	7
88	Petworth	9,297	19	1	8	37	12	1	2	1	-	1	-	1	3	-	34	19	8
89	Thakeham	7,367	18	-	-	5	4	-	7	1	-	1	7	-	2	-	19	14	5
90	Worthing	18,921	18	2	-	21	-	1	12	3	1	4	1	-	7	-	60	59	19
91	Westhampnett	14,811	18	-	5	5	-	3	8	1	1	2	-	-	10	-	37	35	9
92	Chichester	14,775	21	2	8	13	-	7	12	4	-	3	2	-	7	-	41	41	8
93	Midhurst	12,581	18	2	6	32	4	1	10	2	-	2	1	-	1	-	32	23	7
94	Westbourne	6,957	17	1	1	9	8	-	5	-	-	2	-	-	1	-	25	18	4
	4.—HAMPSHIRE.																		
95	Havant	7,212	19	4	-	2	1	-	2	1	-	-	-	-	-	-	-	-	-
96	Portsea Island	94,828	23 (22)	228	6	17	17	48	72	16	7	9	1	7	3	-	24	17	6
97	Alverstoke	22,653	26 (20)	41	-	1	4	2	14	3	1	1	-	2	10	1	292	351	48
98	Fareham	14,864	21 (18)	25	-	2	1	-	3	2	-	1	-	1	10	1	82	67	15
99	Isle of Wight	55,362	17	9	-	48	34	3	41	2	1	8	1	-	18	1	140	129	21
100	Lymington	12,994	18	-	3	1	3	1	6	3	-	1	3	-	8	1	51	36	12
101	Christchurch	10,438	18	-	-	6	1	-	4	-	-	-	-	1	2	-	29	28	6
102	Ringwood	5,537	18	-	1	-	-	1	2	1	-	1	-	-	2	-	36	28	3
103	Fordingbridge	6,277	20	-	-	1	-	-	6	-	-	1	-	-	-	-	9	13	4
104	New Forest	13,069	17	1	-	3	2	1	5	-	1	-	-	3	-	-	9	11	4
105	Southampton	43,114	24	13	35	20	3	14	39	7	-	7	3	6	64	1	158	195	36
106	South Stoneham	25,542	17	1	10	5	3	2	12	3	-	4	2	7	13	-	29	34	4
107	Romsey	10,771	19	-	1	4	10	-	4	1	1	1	-	-	4	-	96	61	20
108	Stockbridge	7,286	19	1	-	5	-	3	5	-	-	2	-	-	2	-	27	37	4
109	Winchester	26,907	20	1	2	37	3	1	23	1	2	2	2	-	12	3	60	69	21
110	Droxford	10,665	18	2	-	8	7	3	6	-	-	-	-	1	5	-	24	30	5
111	Catherington	2,197	19	2	1	3	2	-	6	-	1	1	-	-	-	1	7	3	2
112	Petersfield	7,853	19	1	-	15	7	-	5	1	1	1	-	1	-	-	14	14	2
113	Alresford	7,182	18	1	-	15	-	-	4	-	-	1	-	-	-	-	20	10	1
114	Alton	12,963	18	6	-	9	1	-	13	1	1	4	-	-	7	-	39	41	8
115	Hartley Wintney	11,480	19	-	-	4	1	-	3	1	1	2	2	1	3	-	20	24	6
116	Basingstoke	17,129	19	-	5	16	4	-	7	1	-	1	-	-	6	-	44	58	12
117	Whitchurch	5,722	22	1	-	2	-	1	3	-	1	-	3	-	1	-	5	22	3
118	Andover	17,132	18	-	1	12	1	1	4	7	-	1	3	-	2	-	31	35	7
119	Kingsclere	8,517	19	-	10	2	1	2	7	2	2	3	-	-	2	-	11	31	8
	5.—BERKSHIRE.																		
120	Newbury	19,999	21	3	-	2	2	16	10	1	1	2	-	1	7	-	54	77	11
121	Hungerford	19,882	20	1	-	4	-	9	9	3	-	1	1	1	4	-	35	77	11
122	Faringdon	15,088	21	2	4	73	2	3	15	1	1	2	-	-	8	-	52	41	11
123	Abingdon	20,851	23 (22)	1	4	2	1	3	11	5	1	7	1	-	9	1	48	82	5
124	Wantage	17,408	20	-	-	7	-	15	14	-	2	1	1	-	13	-	68	59	7
125	Wallingford	14,017	20	-	-	8	-	-	7	4	1	4	1	-	7	1	26	43	7
126	Bradfield	15,771	19	-	6	1	9	2	11	-	2	3	-	1	8	1	55	36	8
127	Reading	27,876	22	3	6	23	2	16	14	4	1	5	-	1	21	1	67	89	31
128	Wokingham	14,465	18	-	-	18	4	-	8	2	1	-	-	-	3	-	23	56	8
129	Cookham	13,031	18	-	2	-	2	1	2	2	-	2	-	-	4	-	17	34	7
130	Lasthamstead	7,426	16	-	-	9	9	-	16	1	-	2	1	-	6	2	22	14	8
131	Windsor	21,501	20	2	3	4	2	8	14	2	1	2	-	1	16	2	72	75	26

Population 1861, Average Annual Rate of Mortality from All Causes in the Ten Years 1851–60, and Deaths from several Causes in the Year 1864, in the Districts of England—*continued.*

III. SOUTH MIDLAND COUNTIES.

	DISTRICTS.	Population, 1861.	Average Annual Rate of Mortality from All Causes to 1000 Persons living, 1851-60.	DEATHS FROM SEVERAL CAUSES IN 1864.															
				Small-pox.	Measles.	Scarlatina.	Diphtheria.	Whooping-cough.	Typhus.	Erysipelas.	Metria or Puerperal Fever.	Childbirth.	Influenza.	Dysentery.	Diarrhœa.	Cholera.	Phthisis or Consumption.	Diseases of Respiratory Organs.	Violence.
	6. MIDDLESEX (*Extra-met.*)																		
132	Staines	15,976	19	2	6	18	4	5	18	1	3	2	–	4	11	2	20	53	8
133	Uxbridge	23,155	22 (19)	3	3	10	3	7	23	4	3	1	1	–	23	3	83	67	21
134	Brentford	50,534	23	16	24	34	4	34	44	10	1	12	–	–	77	12	142	227	45
135	Hendon	19,220	18	2	4	12	13	8	17	1	1	2	–	1	19	1	55	77	11
136	Barnet	19,128	25 (18)	–	1	32	2	6	22	5	4	2	1	1	12	–	64	67	14
137	Edmonton	59,312	18	10	31	54	10	14	60	8	2	4	2	4	52	2	146	198	50
	7. HERTFORDSHIRE.																		
138	Ware	16,515	18	1	1	4	5	4	9	2	1	3	1	1	7	–	27	45	12
139	Bishop Stortford	20,212	18	–	–	11	3	1	11	5	1	3	5	1	4	4	50	66	10
140	Royston	25,014	19	–	1	24	5	2	11	1	–	5	–	–	16	1	43	58	19
141	Hitchin	25,603	19	9	34	193	6	11	17	4	6	6	5	–	27	2	51	61	17
142	Hertford	15,301	17	–	–	17	2	1	18	1	–	–	–	–	11	–	30	46	11
143	Hatfield	8,400	18	–	–	12	3	2	3	–	1	1	–	1	2	1	16	24	10
144	St. Albans	18,926	19	2	–	23	–	22	32	4	4	1	–	1	14	5	41	59	13
145	Watford	20,355	20	11	1	38	5	8	13	1	1	5	–	–	10	–	45	78	18
146	Hemel Hempstead	13,922	21	11	–	34	4	5	6	–	1	3	–	–	11	–	24	63	10
147	Berkhampstead	13,204	21	1	5	21	2	11	7	–	1	1	1	–	10	8	29	58	7
	8. BUCKINGHAMSH.																		
148	Amersham	18,240	22	1	11	14	2	15	13	3	1	3	–	–	10	–	42	77	12
149	Eton	22,353	18	–	7	3	5	1	12	3	2	3	1	–	13	–	51	61	17
150	Wycombe	35,138	21	2	2	12	4	40	27	1	1	7	3	5	26	2	80	112	18
151	Aylesbury	23,600	22 (21)	1	1	57	–	5	23	3	2	5	–	2	28	11	54	101	12
152	Winslow	9,265	22	–	–	11	3	–	9	1	1	2	–	–	2	–	29	27	2
153	Newport Pagnell	24,855	21	10	4	20	3	2	17	4	3	5	–	–	14	1	53	82	12
154	Buckingham	13,756	22	–	–	17	–	–	3	3	1	2	–	–	1	–	29	14	4
	9. OXFORDSHIRE.																		
155	Henley	18,200	19	5	2	49	2	3	8	7	–	1	10	–	7	–	41	53	8
156	Thame	21,305	21	–	10	18	2	1	11	–	1	2	1	1	1	–	41	52	10
157	Headington	17,185	23 (22)	7	2	12	–	–	18	5	5	4	–	–	16	–	60	57	28
158	Oxford	29,037	21 (22)	3	5	34	3	–	18	6	4	4	–	2	24	2	69	71	10
159	Bicester	15,555	21	8	4	16	2	1	9	2	4	3	–	–	11	–	32	57	8
160	Woodstock	14,236	20	3	2	6	4	–	7	2	4	–	–	–	10	–	27	44	3
161	Witney	23,238	20	1	1	65	1	4	19	9	–	2	3	1	4	–	40	74	20
162	Chipping Norton	17,306	19	1	–	4	–	–	8	4	–	4	–	–	2	–	42	39	13
163	Banbury	30,171	21	5	2	40	12	11	34	5	–	7	–	–	9	–	62	91	19
	10. NORTHAMPTONSH.																		
164	Brackley	13,471	21	–	1	–	–	3	29	2	1	1	1	–	1	–	32	32	4
165	Towcester	13,004	23	1	1	2	3	9	5	2	1	2	–	–	8	–	25	46	5
166	Potterspury	11,632	20	–	–	6	1	–	5	1	–	2	1	–	13	–	23	34	4
167	Hardingstone	9,928	20	–	2	55	3	1	2	–	1	–	1	–	5	–	30	26	3
168	Northampton	41,152	25 (24)	2	14	284	17	20	28	4	3	2	4	1	48	–	128	161	48
169	Daventry	20,600	20	–	–	43	4	4	12	1	2	2	2	1	9	–	38	41	12
170	Brixworth	15,367	20	–	–	93	2	2	16	5	2	1	–	–	8	–	27	43	4
171	Wellingborough	24,224	22	–	–	68	6	3	19	2	–	2	2	–	10	–	73	62	13
172	Kettering	18,995	20	2	11	101	3	2	19	4	–	1	1	1	2	1	44	46	6
173	Thrapston	14,065	20	3	–	40	2	–	16	–	1	2	2	–	6	–	27	32	7
174	Oundle	15,463	19	–	–	46	1	6	12	3	1	1	–	2	3	–	41	29	3
175	Peterborough	33,178	20	–	3	62	40	10	26	3	2	2	–	4	23	–	81	91	19
	11. HUNTINGDONSH.																		
176	Huntingdon	20,518	20	–	20	33	6	5	13	–	4	3	–	–	15	–	53	67	13
177	St. Ives	19,654	20	4	3	18	26	5	17	1	2	5	–	–	12	2	51	65	20
178	St. Neots	18,905	19	3	3	10	7	2	9	4	1	3	1	–	21	1	47	45	10
	12. BEDFORDSHIRE.																		
179	Bedford	38,072	20 (19)	–	2	114	8	6	53	5	3	6	3	2	21	3	95	106	18
180	Biggleswade	25,98	21	5	5	24	1	1	13	5	–	7	–	–	22	–	52	96	12
181	Ampthill	16,970	21	–	2	28	10	2	20	4	3	5	1	–	17	3	36	49	6
182	Woburn	11,684	22	–	–	9	2	1	8	–	1	2	–	–	5	–	26	35	7
183	Leighton Buzzard	17,648	22	24	4	10	17	2	25	3	3	–	9	–	15	3	35	54	9
184	Luton	30,712	20	1	3	197	8	5	32	–	6	9	2	–	57	1	80	104	18
	13. CAMBRIDGESH.																		
185	Caxton	10,906	19	–	–	13	1	1	9	2	–	2	–	–	13	–	18	27	8
186	Chesterton	25,083	20	2	2	35	30	5	16	2	5	3	–	–	14	2	78	60	27
187	Cambridge	26,361	20	11	1	19	4	–	9	2	1	2	–	1	17	–	97	73	20
188	Linton	13,510	19	–	3	25	5	3	13	1	1	3	–	–	6	–	32	30	13
189	Newmarket	28,875	20	–	3	30	9	13	24	3	2	5	2	1	21	–	70	76	9
190	Ely	21,910	21	–	–	44	7	18	18	1	1	2	–	1	5	–	56	54	19
191	North Witchford	14,791	21	9	–	7	9	2	8	3	1	–	–	2	16	2	40	50	13
192	Whittlesey	6,966	23	–	–	7	4	9	7	2	–	1	–	1	5	–	19	17	6
193	Wisbech	33,323	22	6	3	65	36	29	28	3	2	–	1	1	18	–	54	107	34

Population 1861, Average Annual Rate of Mortality from All Causes in the Ten Years 1851-60, and Deaths from several Causes in the Year 1864, in the DISTRICTS of England—*continued*.

IV.—EASTERN COUNTIES.

	DISTRICTS.	Popu-lation, 1861.	Average Annual Rate of Mortality from All Causes to 1000 Persons living, 1851-60.	DEATHS FROM SEVERAL CAUSES IN 1864.															
				Small-pox.	Measles.	Scarlatina.	Diphtheria.	Whooping-cough.	Typhus.	Erysipelas.	Metria or Puer-peral Fever.	Childbirth.	Influenza.	Dysentery.	Diarrhœa.	Cholera.	Phthisis or Con-sumption.	Diseases of Respi-ratory Organs.	Violence.
	14.—ESSEX.																		
194	West Ham	59,319	20	16	59	60	8	28	56	8	1	8	2	5	91	4	155	281	45
195	Epping	16,549	18	2	7	3	2	4	7	1	1	1	–	1	13	–	42	46	14
196	Ongar	11,317	18	5	1	6	3	2	9	3	1	–	–	–	7	–	23	38	8
197	Romford	20,965	20	–	6	28	14	10	16	2	2	4	1	1	32	4	51	91	14
198	Orsett	11,595	21	–	1	3	3	16	19	3	–	–	5	–	18	1	24	36	11
199	Billericay	15,031	21 (19)	–	–	4	5	5	20	2	–	1	1	1	8	1	30	50	13
200	Chelmsford	32,765	19	1	–	5	11	8	24	1	4	6	2	1	12	1	78	65	15
201	Rochford	18,282	21	1	7	7	13	5	20	2	2	2	–	1	31	1	31	69	18
202	Maldon	22,536	21	1	2	10	10	3	31	1	1	2	1	–	10	1	45	64	6
203	Tendring	27,105	20	10	11	21	5	–	18	5	–	2	–	1	16	2	60	83	18
204	Colchester	23,815	22	2	5	45	4	–	18	4	–	3	–	2	15	–	77	54	13
205	Lexden	22,950	19	–	2	30	10	11	21	2	1	–	3	–	13	–	53	76	19
206	Witham	16,324	21	1	3	6	6	1	3	2	–	2	3	–	6	1	44	46	9
207	Halstead	18,482	22	–	10	19	3	5	37	3	–	3	–	–	12	–	57	55	8
208	Braintree	17,170	21	1	12	1	4	12	4	2	–	7	–	–	11	–	56	67	16
209	Dunmow	19,759	20	–	1	16	1	27	17	4	–	2	1	2	10	1	68	63	9
210	Saffron Walden	19,721	19	1	4	17	12	–	12	5	1	2	–	–	14	–	48	47	10
	15.—SUFFOLK.																		
211	Risbridge	17,432	20	1	6	37	5	–	15	3	2	4	–	1	9	–	45	57	9
212	Sudbury	31,415	20	23	53	111	16	2	24	3	2	7	1	–	22	–	79	81	17
213	Cosford	17,376	20	3	18	51	10	1	8	2	–	1	–	1	7	–	37	53	10
214	Thingoe	18,224	19 (20)	6	10	13	10	–	6	3	–	–	–	2	5	–	45	38	12
215	Bury St. Edmunds	13,318	23 (22)	14	8	4	1	2	6	2	–	2	–	–	12	–	37	29	12
216	Mildenhall	9,305	20	1	1	6	8	1	–	–	–	1	–	1	2	–	22	21	4
217	Stow	20,203	19	2	2	6	8	1	25	1	–	3	–	2	8	–	53	52	10
218	Hartismere	17,755	20	3	5	18	6	5	7	1	1	1	2	1	–	–	58	37	10
219	Hoxne	14,691	20	–	6	2	7	1	9	–	1	3	2	1	8	–	19	36	6
220	Bosmere	16,174	19	–	2	13	4	–	10	1	1	1	1	–	7	1	33	40	12
221	Samford	12,756	20	–	7	17	4	1	12	–	–	1	–	–	3	–	37	37	9
222	Ipswich	37,881	22	–	1	31	3	1	20	4	1	4	–	–	34	–	125	140	36
223	Woodbridge	22,754	20 (19)	–	15	10	2	9	11	2	–	2	1	3	6	–	68	83	16
224	Plomesgate	20,720	20	1	7	21	4	10	7	1	1	3	–	1	1	–	53	66	14
225	Blything	26,848	20	1	5	8	33	2	12	1	3	2	1	–	10	–	68	64	13
226	Wangford	13,619	21	1	–	–	11	1	4	–	–	2	–	–	4	–	30	33	12
227	Mutford	24,050	20	12	–	5	5	20	7	1	–	2	2	1	17	–	59	43	17
	16.—NORFOLK.																		
228	Yarmouth	30,238	25	45	22	14	3	7	25	3	1	2	–	4	26	1	74	121	32
229	Flegg	8,631	20	–	1	–	19	4	4	2	–	1	–	–	4	1	13	23	4
230	Tunstead	14,516	21	2	–	23	7	1	7	1	2	–	–	1	5	–	35	30	10
231	Erpingham	20,874	21	5	2	6	7	9	16	3	1	3	2	–	7	–	41	42	16
232	Aylsham	19,052	21	–	–	58	36	–	7	3	2	5	–	–	7	–	57	43	11
233	St. Faiths (a)	11,749	18	–	9	15	11	–	2	1	1	1	–	–	4	–	35	27	5
234	Norwich (a)	74,440	25	6	9	170	20	9	84	7	7	11	–	6	57	–	176	246	48
235	Forehoe	12,818	20	–	–	10	22	1	16	1	–	–	–	–	3	–	20	27	6
236	Henstead	11,290	19	2	–	6	7	3	12	1	1	1	–	–	1	–	22	29	7
237	Blofield	11,521	20 (18)	6	–	–	5	3	7	1	–	–	2	1	2	–	35	18	10
238	Loddon	14,242	19	1	1	3	8	8	3	1	1	3	1	–	5	–	31	30	9
239	Depwade	25,248	20	2	–	6	50	–	5	1	3	2	1	3	4	–	48	77	12
240	Guiltcross	11,541	22	–	–	5	32	3	4	–	1	3	–	–	1	–	24	27	6
241	Wayland	11,562	20	–	1	3	13	5	5	1	1	3	–	–	5	–	26	23	10
242	Mitford	28,020	20	4	–	24	15	1	10	3	3	1	–	4	11	–	85	46	11
243	Walsingham	21,118	20	8	–	135	18	1	30	–	3	1	–	–	3	1	56	31	11
244	Docking	17,596	21	1	1	11	10	4	15	–	1	3	–	–	2	–	27	34	10
245	Freebridge Lynn	18,486	18	1	3	7	5	4	11	1	1	–	1	2	2	–	29	25	10
246	Kings Lynn	16,701	22	–	22	13	5	8	10	1	–	3	–	1	4	1	31	57	13
247	Downham	20,284	21	1	9	23	19	20	11	4	1	3	–	–	7	–	50	64	23
248	Swaffham	13,747	19	1	–	2	11	–	7	–	1	3	–	–	10	–	17	42	7
249	Thetford	18,712	20	6	3	34	17	2	10	2	2	5	1	1	7	–	55	58	11

V.—SOUTH WESTERN COUNTIES.

	17.—WILTSHIRE.																		
250	Highworth	19,237	21	2	30	9	2	4	33	1	1	3	–	–	11	–	46	88	13
251	Cricklade	11,470	20	–	–	22	6	3	5	1	–	1	1	–	3	–	29	28	8
252	Malmsbury	14,556	19	2	2	17	1	–	4	1	1	1	–	–	3	–	21	33	9
253	Chippenham	22,029	21	2	18	9	5	1	22	3	–	3	3	4	7	1	63	57	7
254	Calne	8,885	20	–	9	2	–	13	7	–	1	4	–	–	1	–	21	21	6
255	Marlborough	9,774	19	–	–	45	5	1	7	2	2	–	1	–	3	–	31	33	9
256	Devizes	21,680	21 (20)	7	10	19	3	1	12	1	–	5	–	1	5	1	58	57	16
257	Melksham	17,233	22	2	1	9	–	7	9	6	1	5	4	1	9	–	42	78	7
258	Bradford	10,475	22	–	–	19	6	1	12	6	2	–	1	1	2	–	22	49	10

(a) See Note (*) p. 12.

Population 1861, Average Annual Rate of Mortality from All Causes in the Ten Years 1851–60, and Deaths from several Causes in the Year 1864, in the DISTRICTS of England—*continued*.

V. SOUTH WESTERN COUNTIES—*continued*.

	DISTRICTS.	Population, 1861.	Average Annual Rate of Mortality from All Causes to 1000 Persons living, 1851–60.	Deaths from several Causes in 1864. Small-pox.	Measles.	Scarlatina.	Diphtheria.	Whooping-cough.	Typhus.	Erysipelas.	Metria or Puerperal Fever.	Childbirth.	Influenza.	Dysentery.	Diarrhœa.	Cholera.	Phthisis or Consumption.	Diseases of Respiratory Organs.	Violence.
	17.—WILTSHIRE—*cont.*																		
259	WESTBURY	11,751	22	–	–	10	2	1	4	2	1	–	1	–	2	1	22	34	12
260	WARMINSTER	15,942	20	5	–	12	3	4	6	1	1	4	2	1	4	–	34	50	9
261	PEWSEY	12,466	19	–	–	51	2	5	9	–	1	4	–	–	5	2	30	38	8
262	AMESBURY	8,127	20	–	3	–	3	1	2	1	–	2	1	–	3	–	15	31	5
263	ALDERBURY	14,770	23 (22)	2	2	12	4	6	5	1	–	6	–	1	6	–	40	39	14
264	SALISBURY	9,039	24	–	–	19	–	–	3	–	1	2	–	1	4	1	24	46	5
265	WILTON	10,674	21	4	–	5	1	–	8	–	1	2	3	–	4	–	12	52	3
266	TISBURY	9,862	19	–	1	–	4	4	8	–	–	2	4	–	2	–	19	34	8
267	MERE	8,057	21	–	–	–	3	–	8	–	1	2	4	–	2	–	12	26	4
	18.—DORSETSHIRE.																		
268	SHAFTESBURY	12,986	20	–	–	7	–	15	12	–	2	4	–	–	4	–	25	48	8
269	STURMINSTER	10,310	20	4	3	4	–	1	5	–	2	2	–	–	1	–	29	27	4
270	BLANDFORD	14,821	17	–	5	5	3	1	21	1	–	–	4	2	2	–	25	35	7
271	WIMBORNE	17,253	18	2	12	2	4	–	12	2	1	2	–	–	7	–	31	68	5
272	POOLE	13,742	20	1	11	15	–	–	13	–	–	1	–	1	3	–	34	56	6
273	WAREHAM	17,072	19	–	7	14	3	3	13	–	–	1	2	1	2	–	41	46	5
274	WEYMOUTH	27,291	18	5	4	47	12	1	10	5	2	–	–	–	10	2	34	79	22
275	DORCHESTER	24,810	21	–	7	4	8	5	19	2	–	1	1	–	6	–	52	66	16
276	SHERBORNE	13,463	20	–	5	1	1	–	10	3	1	1	2	–	2	–	33	30	3
277	BEAMINSTER	13,587	20	1	4	22	2	3	7	2	3	1	–	1	6	–	18	60	3
278	BRIDPORT	16,328	21	2	7	17	–	5	25	2	1	3	–	–	4	–	45	73	15
	19.—DEVONSHIRE.																		
279	AXMINSTER	19,753	20	–	22	35	3	1	12	–	1	2	6	3	7	–	37	52	16
280	HONITON	22,729	19	1	–	8	2	–	15	1	1	1	–	2	10	1	53	37	13
281	ST. THOMAS	48,405	19	4	12	134	14	10	30	2	4	4	6	–	33	–	120	157	26
282	EXETER	33,742	24	57	14	106	5	14	32	6	3	4	–	4	36	–	86	149	37
283	NEWTON ABBOT	59,063	18	1	–	56	6	15	43	5	2	7	4	–	38	4	146	162	35
284	TOTNES	32,942	19	4	–	76	4	–	29	1	–	4	7	5	9	1	63	92	23
285	KINGSBRIDGE	19,394	18	–	–	28	4	7	12	2	–	–	6	1	3	–	32	48	6
286	PLYMPTON ST. MARY	20,502	19	3	2	31	11	7	12	1	1	3	1	–	5	1	26	66	10
287	PLYMOUTH	62,599	24	11	19	60	14	36	45	3	5	8	4	4	66	3	176	233	39
288	EAST STONEHOUSE	14,343	27 (24)	4	3	17	5	4	14	1	1	–	5	3	9	–	52	69	5
289	STOKE DAMEREL	50,440	23 (22)	33	9	4	6	18	38	4	2	3	2	1	40	1	105	174	32
290	TAVISTOCK	35,265	20	1	70	295	19	7	39	1	1	3	1	1	9	2	57	96	28
291	OKEHAMPTON	18,580	18	–	10	12	2	5	9	–	–	3	1	1	2	1	28	38	14
292	CREDITON	20,274	18	1	1	17	1	–	10	4	–	1	1	–	4	1	37	48	20
293	TIVERTON	30,875	21	16	1	122	–	2	14	1	2	1	2	–	14	1	66	71	21
294	SOUTH MOLTON	19,532	18	–	–	18	1	2	15	–	1	2	–	2	5	–	33	57	10
295	BARNSTAPLE	36,293	18	–	–	21	1	9	20	–	2	4	2	3	14	1	94	95	27
296	TORRINGTON	16,876	17	–	1	2	6	10	17	–	1	1	8	1	4	–	44	90	7
297	BIDEFORD	17,790	19	–	23	4	2	–	11	–	1	4	3	2	12	3	34	71	18
298	HOLSWORTHY	9,876	18	–	4	8	1	7	6	–	–	–	–	–	1	–	15	32	6
	20.—CORNWALL.																		
299	STRATTON	8,028	20	–	9	2	1	–	–	–	–	1	–	–	1	–	16	14	8
300	CAMELFORD	7,784	19	–	–	11	13	3	3	2	2	–	2	–	2	–	18	14	7
301	LAUNCESTON	17,005	19	2	4	72	1	7	11	1	–	3	5	–	3	–	29	55	11
302	ST. GERMANS	17,631	21	15	2	18	1	4	27	–	1	3	–	–	7	–	42	59	15
303	LISKEARD	33,502	20	46	22	76	9	35	33	2	2	5	1	2	20	1	86	113	32
304	BODMIN	19,691	20 (19)	1	–	30	5	5	8	1	1	2	–	–	5	1	50	51	9
305	ST. COLUMB	18,754	18	–	–	74	2	12	9	1	1	2	–	–	6	–	24	20	8
306	ST. AUSTELL	33,797	20	–	–	58	4	1	21	1	2	7	1	–	6	–	86	70	10
307	TRURO	43,070	20	–	–	83	3	27	32	3	1	5	2	1	17	–	84	84	25
308	FALMOUTH	23,332	20	–	–	11	3	21	11	2	–	1	1	1	10	1	53	52	23
309	HELSTON	20,036	20	–	–	37	4	42	14	–	–	1	2	–	8	1	92	57	14
310	REDRUTH	57,178	21	1	–	36	8	34	32	3	1	11	–	–	19	5	175	102	35
311	PENZANCE	54,554	21	1	1	64	11	116	35	1	2	11	2	1	23	1	165	130	40
312	SCILLY ISLANDS	2,431	18	–	–	–	–	–	2	–	–	1	–	–	2	–	8	4	2
	21.—SOMERSETSHIRE.																		
313*a*	WILLITON	19,918	18	–	9	25	3	–	15	1	–	2	–	2	8	2	31	52	19
313*b*	DULVERTON	6,158	16	–	5	51	1	–	6	–	2	–	–	–	2	–	8	19	4
314	WELLINGTON	20,480	18	1	5	134	3	1	15	1	1	3	1	2	4	–	45	52	14
315	TAUNTON	35,601	20	–	11	29	6	–	18	2	2	4	–	2	21	1	59	104	34
316	BRIDGWATER	34,420	19	1	13	59	6	1	19	2	1	1	1	1	19	–	66	122	27
317	LANGPORT	18,077	19	6	5	50	6	7	14	2	2	–	4	1	4	–	36	66	10
318	CHARD	25,591	20	1	13	53	4	14	40	2	–	2	1	2	9	–	42	116	20
319	YEOVIL	28,189	21	2	20	64	3	4	32	1	1	–	6	–	9	–	49	90	18
320	WINCANTON	21,560	20	1	8	19	1	–	15	1	2	2	4	1	7	1	32	78	16
321	FROME	23,764	22	–	4	8	2	1	17	6	1	3	9	2	21	–	45	91	14
322	SHEPTON MALLET	16,619	20	3	1	19	1	1	3	1	–	3	3	–	2	–	25	29	13
323	WELLS	21,889	21 (19)	–	–	21	2	1	15	–	1	2	4	1	5	–	47	58	15
324	AXBRIDGE	36,146	17	13	2	19	12	5	43	5	4	4	2	4	11	–	39	111	29
325	CLUTTON	23,721	19	2	1	100	7	2	28	2	1	3	2	3	19	–	37	83	15
326	BATH	68,336	22	7	9	275	14	18	46	10	–	8	–	3	45	–	148	332	70
327	KEYNSHAM	21,802	19	9	5	72	3	–	22	3	–	1	–	2	14	–	55	67	20
328	BEDMINSTER	41,257	20	48	27	35	2	10	39	2	7	3	2	2	18	–	86	184	38

Population 1861, Average Annual Rate of Mortality from All Causes in the Ten Years 1851–60, and Deaths from several Causes in the Year 1864, in the Districts of England—*continued*.

VI.—WEST MIDLAND COUNTIES.

	DISTRICTS.	Population, 1861.	Average Annual Rate of Mortality from All Causes to 1000 Persons living, 1851-60.	Deaths from several causes in 1864.															
				Small-pox.	Measles.	Scarlatina.	Diphtheria.	Whooping-cough.	Typhus.	Erysipelas.	Metria or Puerperal Fever.	Childbirth.	Influenza.	Dysentery.	Diarrhœa.	Cholera.	Phthisis or Consumption.	Diseases of Respiratory Organs.	Violence.
	22.—GLOUCESTERSH.																		
329	Bristol	66,027	27 (28)	107	32	43	7	9	74	8	-	4	-	1	71	1	195	349	101
330	Clifton	94,687	21 (20)	180	66	123	15	12	107	14	3	11	1	4	88	1	242	385	41
331	Chipping Sodbury	18,763	19	6	-	43	2	-	19	2	1	2	2	-	11	1	47	68	8
332	Thornbury	16,499	17	1	-	12	5	1	12	-	-	-	-	1	7	-	32	49	9
333	Dursley	13,331	21	1	-	11	4	-	10	-	-	1	-	1	12	-	22	42	12
334	Westbury-on-Severn	20,189	18	4	-	57	1	6	15	2	1	3	-	4	3	-	28	58	15
335	Newent	12,420	19	-	1	9	-	2	20	1	-	1	-	-	5	-	30	42	3
336	Gloucester	34,950	22 (21)	2	4	30	6	1	29	4	7	5	1	1	44	3	80	91	45
337	Wheatenhurst	7,813	19	5	-	1	-	-	5	1	-	-	-	-	4	-	14	14	10
338	Stroud	36,418	22	-	1	23	15	4	33	2	5	7	1	-	19	-	75	154	26
339	Tetbury	6,110	18	-	-	25	-	-	9	-	-	1	-	-	-	-	11	20	7
340	Cirencester	20,934	20	2	-	20	3	-	10	2	2	4	2	-	5	-	37	52	15
341	Northleach	10,895	19	-	-	4	3	-	2	-	-	2	-	-	1	-	18	31	8
342	Stow-on-the-Wold	9,687	18	-	1	4	9	-	5	-	-	4	-	-	3	-	13	18	13
343	Winchcomb	10,082	18	1	1	7	-	-	8	2	2	4	1	-	2	-	32	15	3
344	Cheltenham	49,792	19	1	1	20	12	2	10	2	1	6	2	1	36	1	97	171	38
345	Tewkesbury	14,908	21	10	7	4	-	1	9	2	1	2	1	-	11	-	37	33	12
	23.—HEREFORDSHIRE.																		
346	Ledbury	14,880	18	1	5	47	7	-	11	1	1	2	-	-	2	-	17	52	7
347	Ross	16,306	20	2	2	47	10	2	10	2	-	4	-	-	5	1	40	33	18
348	Hereford	39,287	21	12	2	84	4	3	23	4	4	5	2	-	19	1	125	113	50
349	Weobly	9,018	20	3	-	4	-	1	6	-	-	2	5	1	1	-	19	10	4
350	Bromyard	11,811	20	1	-	22	2	-	10	-	1	1	-	-	2	-	12	18	6
351	Leominster	15,494	21	33	-	2	5	3	10	-	2	-	-	1	3	-	39	53	9
	24.—SHROPSHIRE.																		
352	Ludlow	17,721	19		1	-	18	4	14	14	1	-	2	-	-	16	2	27	76	12
353	Clun	10,615	18		-	-	6	3	5	2	1	-	1	-	-	3	-	24	32	3
354	Church Stretton	6,289	18		-	-	2	-	2	2	-	-	1	-	1	1	-	16	14	4
355	Cleobury Mortimer	8,394	18		2	-	-	1	-	3	-	-	-	1	-	2	-	14	8	6
356	Bridgnorth	15,920	19		-	12	8	4	7	9	3	2	2	1	3	1	9	-	30	45	12
357	Shiffnal	11,994	18		8	1	3	5	12	5	1	-	1	-	3	3	8	-	21	37	13
358	Madeley	30,403	21		33	5	48	14	12	33	1	3	1	1	-	19	-	80	98	30
359	Atcham	19,455	18		-	1	6	8	8	6	3	2	1	-	-	5	-	37	41	14
360	Shrewsbury	25,784	25 (24)	24	21	6	7	2	24	-	-	2	3	1	-	24	1	80	117	47
361	Oswestry	23,817	19	28	6	25	8	14	12	-	-	5	2	1	-	11	-	61	74	20
362	Ellesmere	14,611	19		-	-	14	1	-	10	1	2	2	-	3	4	-	57	48	6
363a	Wem	10,644	20		7	-	2	11	-	3	1	-	1	-	1	3	-	18	39	12
363b	Whitchurch	11,272	20*		1	3	2	-	-	4	2	1	1	1	1	9	-	20	32	10
364	Market Drayton	14,260	20		2	-	-	27	5	6	1	1	2	-	-	5	1	33	48	18
365	Wellington	23,873	22		17	1	6	1	34	17	1	2	2	-	-	4	-	27	63	13
366	Newport	15,447	20		1	-	1	5	3	4	-	2	1	-	2	13	-	44	73	18
	25.—STAFFORDSHIRE.																		
367	Stafford	24,474	22 (20)	16	-	19	20	-	19	2	2	1	-	2	10	-	95	54	22
368	Stone	21,926	20	-	1	4	3	3	10	1	-	-	-	1	13	-	63	72	20
369	Newcastle-under-Lyme	24,567	23	1	4	12	11	7	12	2	2	2	-	-	10	-	56	85	32
370	Wolstanton	54,356	26	4	53	20	15	30	56	5	3	6	-	1	74	1	113	332	47
371	Stoke-upon-Trent	77,705	26	1	42	45	13	31	56	6	2	7	4	4	68	5	251	351	91
372	Leek	24,806	24	-	21	2	4	3	19	3	3	4	5	3	17	2	84	88	13
373	Cheadle	20,998	21	3	-	8	3	6	17	1	1	4	4	1	12	-	43	69	14
374	Uttoxeter	14,787	20	2	1	21	-	5	5	2	-	2	2	-	2	-	26	37	6
375	Burton-upon-Trent	41,965	21 (20)	23	27	48	22	17	23	6	4	6	-	-	24	-	111	125	38
376	Tamworth	15,504	20	4	-	31	4	1	11	-	3	1	-	1	11	-	36	52	15
377	Lichfield	27,541	20	5	1	32	7	9	18	1	2	4	-	1	14	-	58	94	30
378	Penkridge	18,662	20	8	-	32	8	6	15	1	2	4	-	-	11	-	37	49	21
379	Wolverhampton	126,902	28	244	32	325	29	45	115	19	13	12	-	2	167	2	281	594	141
380	Walsall	59,805	25	166	13	90	14	17	89	3	2	8	-	1	115	-	133	268	84
381	West Bromwich	92,484	24	121	47	75	20	13	114	4	5	18	1	2	136	4	169	399	120
382	Dudley	130,267	26	420	83	301	16	56	218	13	18	16	1	9	229	5	215	585	146
	26.—WORCESTERSH.																		
383	Stourbridge	68,725	23	157	52	170	6	11	67	10	10	9	2	4	92	7	121	222	87
384	Kidderminster	30,907	21	31	5	36	1	2	20	1	-	7	1	2	28	1	78	107	18
385	Tenbury	7,366	17	3	-	1	1	4	5	-	-	-	-	1	1	-	12	13	3
386	Martley	15,098	18	1	-	56	2	1	11	3	-	3	4	1	2	1	14	33	9
387	Worcester	30,089	23	51	2	101	2	1	19	4	3	6	-	-	59	-	84	91	37
388	Upton-on-Severn	21,910	20 (19)	2	3	52	1	2	22	4	1	2	-	-	8	2	38	67	10
389	Evesham	14,767	19	-	-	7	8	-	9	1	-	2	-	-	17	-	24	35	6
390	Pershore	18,865	17	8	1	32	1	-	6	1	-	1	-	-	12	1	19	39	13
391	Droitwich	19,257	18	14	-	44	2	5	5	4	4	-	-	2	23	-	24	73	26
392	Bromsgrove	20,259	20	2	-	18	7	9	20	-	2	8	-	8	16	1	47	87	12
393	Kings Norton	47,349	17	43	25	67	13	6	37	3	4	4	-	8	32	-	78	163	24

* The mortality for Whitchurch is the average annual rate in 7¾ years.

Population 1861, Average Annual Rate of Mortality from All Causes in the Ten Years 1851–60, and Deaths from several Causes in the Year 1864, in the Districts of England—*continued.*

VI.—WEST MIDLAND COUNTIES—*continued.*

	DISTRICTS.	Population, 1861.	Average Annual Rate of Mortality from All Causes to 1000 Persons living, 1851–60.	Deaths from several Causes in 1864.															
				Small-pox.	Measles.	Scarlatina.	Diphtheria.	Whooping-cough.	Typhus.	Erysipelas.	Metria or Puerperal Fever.	Childbirth.	Influenza.	Dysentery.	Diarrhœa.	Cholera.	Phthisis or Consumption.	Diseases of Respiratory Organs.	Violence.
	27.—WARWICKSHIRE.																		
394	Birmingham	212,621	27	232	153	401	114	141	187	33	14	30	4	10	422	5	646	1163	332
395	Aston	100,522	21	54	45	190	62	22	87	12	7	9	1	4	206	7	217	487	83
396	Meriden	11,290	18	6	1	8	10	3	3	3	–	1	–	–	13	–	15	38	5
397	Atherstone	12,118	20	1	1	71	4	2	4	1	–	1	1	1	13	–	18	29	13
398	Nuneaton	13,054	23	7	9	31	2	2	15	2	–	–	–	1	6	3	25	58	6
399	Foleshill	19,997	25	13	1	81	6	1	9	2	2	6	–	2	12	–	33	54	16
400	Coventry	41,647	25	40	2	44	11	1	27	7	7	4	–	5	28	3	81	124	16
401	Rugby	24,436	19	2	5	12	8	18	18	1	2	4	–	6	28	1	33	79	13
402	Solihull	13,231	18	1	2	9	5	–	3	–	–	–	–	–	7	–	23	44	8
403	Warwick	44,017	21 (20)	25	–	46	15	3	39	4	–	5	3	3	28	1	106	160	39
404	Stratford-on-Avon	21,249	19	8	2	14	5	–	13	4	3	3	–	–	13	–	43	56	12
405	Alcester	16,878	21	–	–	11	4	2	10	–	1	2	1	1	10	–	43	59	12
406	Shipston-on-Stour	19,852	20	6	–	43	2	13	19	5	1	4	2	–	16	1	45	57	9
407	Southam	10,392	19	2	–	5	1	1	10	–	–	1	1	–	4	–	20	20	11

VII.—NORTH MIDLAND COUNTIES.

	28.—LEICESTERSHIRE.																		
408	Lutterworth	15,515	19	3	6	18	3	–	5	1	–	3	1	1	1	2	16	37	5
409	Market Harborough	16,059	20	2	7	13	1	4	7	1	1	1	–	–	12	–	28	37	13
410	Billesdon	7,272	16	1	4	12	4	4	2	1	–	–	–	–	1	–	12	4	4
411	Blaby	14,305	21	23	4	22	–	19	13	4	–	1	1	1	10	1	22	54	7
412	Hinckley	16,374	23	4	1	15	1	8	11	–	3	–	1	–	11	–	37	42	5
413	Market Bosworth	13,428	19	1	7	16	1	13	9	–	–	2	–	–	1	–	28	28	8
414	Ashby-de-la-Zouch	28,543	21	3	3	7	2	–	36	1	6	3	–	–	7	1	62	67	16
415	Loughborough	24,147	23	–	10	–	–	–	10	1	3	2	2	1	15	–	51	67	12
416	Barrow-on-Soar	10,778	22	3	13	12	3	12	15	3	–	2	8	2	15	–	46	50	12
417	Leicester	68,056	25	104	2	46	4	47	45	11	1	4	6	2	176	4	200	324	53
418	Melton Mowbray	20,171	19	2	10	3	5	1	14	–	–	1	2	3	19	–	29	54	9
	29.—RUTLANDSHIRE.																		
419	Oakham	11,112	19	–	–	35	5	6	13	1	1	1	–	–	4	1	22	22	6
420	Uppingham	12,367	18	1	9	13	1	7	6	–	–	1	–	–	4	–	24	23	10
	30.—LINCOLNSHIRE.																		
421	Stamford	18,213	20	2	–	25	8	11	11	1	1	3	–	–	15	–	27	36	14
422	Bourn	20,113	19	–	–	26	7	2	32	2	–	1	2	1	14	–	24	26	22
423	Spalding	22,129	20	–	–	30	7	1	15	–	1	3	1	–	6	1	42	68	12
424	Holbeach	18,402	21	1	1	6	12	1	9	2	–	1	2	–	9	3	29	56	13
425	Boston	37,969	19	2	1	17	7	8	12	2	2	1	3	3	9	1	84	88	29
426	Sleaford	24,319	19	–	7	12	16	9	25	1	1	2	–	1	14	–	44	55	15
427	Grantham	28,886	19	–	3	24	16	7	41	6	–	3	8	–	11	4	55	76	22
428	Lincoln	47,063	20	19	48	160	26	23	53	6	5	7	1	2	15	1	128	99	35
429	Horncastle	24,718	19	–	1	10	25	18	15	2	4	4	–	–	3	–	46	33	12
430	Spilsby	28,789	19	3	–	7	25	14	22	2	2	2	–	1	1	–	84	43	16
431	Louth	34,711	20	–	14	24	16	12	12	5	1	5	1	–	7	–	57	54	25
432	Caistor	37,517	19	1	2	118	21	12	33	2	2	5	3	1	23	–	74	89	33
433	Glanford Brigg	34,731	19	9	8	188	11	2	19	3	7	3	2	2	14	1	61	90	19
434	Gainsborough	25,973	20	6	–	15	4	9	32	–	–	1	–	3	17	–	47	80	23
	31.—NOTTINGHAMSH.																		
435	East Retford	22,677	19	8	4	5	8	10	13	–	2	–	1	–	10	–	51	55	13
436	Worksop	20,704	20	9	1	6	10	4	17	1	1	3	1	1	8	–	35	57	13
437	Mansfield	30,593	21	2	6	32	2	33	24	6	4	6	2	–	16	–	73	75	19
438	Basford	74,257	23	2	35	47	23	39	67	4	6	5	2	1	41	1	200	238	56
439	Radford	30,479	25	–	18	79	8	7	47	5	–	–	–	3	37	2	103	108	16
440	Nottingham	74,693	27	1	24	203	15	22	62	5	5	9	1	–	75	2	251	290	76
441	Southwell	24,425	19	3	6	22	7	5	19	1	–	3	2	–	6	2	59	56	14
442	Newark	30,156	20	2	13	57	11	2	36	4	3	3	4	1	26	–	69	77	20
443	Bingham	15,670	19	–	9	13	1	1	10	1	–	1	2	–	7	–	46	56	8
	32.—DERBYSHIRE.																		
444	Shardlow	31,113	20	1	9	64	3	1	20	2	4	3	1	–	16	6	88	76	24
445	Derby	51,049	24	52	2	86	7	10	36	6	2	6	1	1	46	2	189	140	50
446	Belper	51,711	21	4	19	62	10	22	85	3	3	5	7	3	12	1	124	165	37
447	Ashborne	20,648	20	1	4	6	12	2	17	1	1	1	7	2	5	–	46	84	10
448	Chesterfield	31,779	22	9	26	97	23	22	77	5	8	12	2	4	33	3	147	231	67
449	Bakewell	31,378	20	3	11	24	10	1	13	3	2	3	6	1	3	–	77	74	19
450	Chapel-en-le-Frith	14,220	20	13	–	4	4	2	8	1	5	–	–	–	2	–	44	44	15
451	Hayfield	32,176	23	1	8	38	3	–	27	2	–	1	2	5	18	–	80	96	10

Population 1861, Average Annual Rate of Mortality from All Causes in the Ten Years 1851–60, and Deaths from several Causes in the Year 1864, in the Districts of England—*continued*.

VIII.—NORTH WESTERN COUNTIES.

	Districts.	Population, 1861.	Average Annual Rate of Mortality from All Causes to 1000 Persons living, 1851–60.	Deaths from several Causes in 1864.																
				Small-pox.	Measles.	Scarlatina.	Diphtheria.	Whooping-cough.	Typhus.	Erysipelas.	Metria or Puerperal Fever.	Childbirth.	Influenza.	Dysentery.	Diarrhœa.	Cholera.	Phthisis or Consumption.	Diseases of Respiratory Organs.	Violence.
	33.—CHESHIRE.																		
452	Stockport	94,360	26	36	36	45	7	30	69	7	5	10	–	10	107	–	257	500	65
453	Macclesfield	61,513	25	1	1	32	25	3	41	3	3	12	5	–	39	2	170	221	37
454	Altrincham	40,517	20	4	–	64	19	4	19	3	–	5	1	–	24	–	101	105	31
455	Runcorn	20,792	21	46	8	43	10	23	45	6	1	3	2	4	25	2	73	119	30
456	Northwich	33,338	22	10	4	8	17	18	21	2	2	2	1	2	13	–	81	107	33
457	Congleton	34,328	23	1	2	9	12	13	21	–	2	8	3	–	15	1	112	88	20
458	Nantwich	40,055	20	7	5	17	20	19	31	5	4	10	1	5	6	1	82	134	35
459	Great Boughton (Chester)	58,501	22	74	24	25	15	18	77	5	1	8	3	1	41	7	177	149	51
460a	Wirral	18,420	19	12	10	34	12	1	14	1	3	1	–	–	7	2	32	54	22
460b	Birkenhead	61,420	19	133	80	116	20	21	97	8	6	10	2	3	79	2	139	253	83
	34.—LANCASHIRE.																		
461	Liverpool	269,742	33	272	223	192	47	209	1290	58	29	44	3	32	530	29	1106	2044	542
462	West Derby	225,845	23	272	186	219	96	198	720	51	29	49	8	30	384	39	786	1161	264
463	Prescot	73,127	24 (23)	151	12	78	37	40	79	5	6	10	–	5	98	8	201	429	92
464	Ormskirk	46,272	19	6	16	115	23	14	34	3	3	5	1	3	48	15	125	198	42
465	Wigan	94,551	27	37	24	209	13	79	133	10	8	7	–	16	132	4	195	473	149
466	Warrington	43,875	24	23	4	119	12	47	53	2	5	6	–	7	66	7	109	221	43
467	Leigh	37,700	25	–	43	195	1	49	25	4	8	8	1	–	19	4	107	195	28
468	Bolton	130,269	27	23	9	261	11	159	99	8	5	18	–	7	163	33	386	799	110
469	Bury	101,135	23	59	11	204	14	69	95	6	5	11	–	10	95	4	268	348	79
470	Barton-upon-Irwell	39,038	22	8	8	74	5	11	52	–	5	5	6	5	31	3	91	158	35
471	Chorlton	169,579	24	63	108	423	44	95	156	28	13	27	1	8	191	3	465	882	87
472	Salford	105,335	26	32	39	282	21	82	97	7	9	8	2	6	162	1	295	571	77
473	Manchester	243,988	31	58	156	453	37	138	341	39	21	34	3	16	417	6	802	1500	298
474	Ashton	134,753	27	12	13	50	14	2	103	8	4	17	5	9	106	6	389	435	87
475	Oldham	111,276	25	21	43	119	26	16	103	7	11	20	1	6	95	7	326	375	74
476	Rochdale	91,754	24	1	9	463	7	22	41	8	7	16	–	4	52	5	262	346	47
477	Haslingden	66,781	22	7	5	280	10	23	35	12	4	11	–	4	35	4	181	261	48
478	Burnley	75,595	24	2	62	16	15	81	92	6	8	4	–	2	57	6	247	239	33
479	Clitheroe	20,476	21	–	10	15	–	2	7	–	1	1	–	–	9	–	41	59	14
480	Blackburn	119,942	26	14	24	146	12	54	73	14	7	18	–	8	131	4	334	673	97
481	Chorley	41,678	22	–	11	18	6	15	31	–	7	6	–	2	17	2	107	147	25
482	Preston	110,523	27	2	95	202	50	22	77	7	8	16	3	4	194	11	315	557	69
483	Fylde	25,682	19	4	4	30	5	–	26	1	2	5	4	1	11	2	54	85	25
484	Garstang	12,425	18	–	–	4	5	2	9	–	2	2	7	–	4	–	28	26	10
485	Lancaster	35,297	23 (21)	–	–	10	7	–	11	2	2	5	8	–	11	1	116	124	39
486	Ulverston	33,738	20	3	31	168	24	–	34	2	3	4	1	2	13	–	113	92	30

IX.—YORKSHIRE.

	35.—WEST RIDING.																		
487	Sedbergh	4,291	19	–	–	1	1	2	4	–	–	–	1	–	–	15	3	2	
488	Settle	12,528	20	–	–	1	–	–	8	3	–	2	3	1	–	30	19	4	
489	Skipton	31,343	21	1	7	24	–	13	21	3	4	7	2	2	8	1	98	77	10
490	Pateley Bridge	9,534	21	–	–	2	–	4	5	1	1	–	1	–	4	–	31	20	5
491	Ripon	15,742	20	–	2	33	1	–	5	–	–	–	1	3	7	–	32	28	12
492a	Great Ouseburn	11,534	18*	–	–	11	2	–	5	1	–	1	2	–	7	–	20	31	5
492b	Knaresborough	17,176	21	–	8	11	8	–	17	1	1	–	1	4	2	–	55	62	13
492c	Wetherby	6,486	18*	–	–	24	4	1	3	–	1	–	–	–	2	–	19	28	8
492d	Kirkdeighton	941		–	–	2	1	–	1	–	–	–	–	–	–	–	–	–	–
493a	Otley	18,669	22	–	1	1	3	18	13	4	1	2	1	–	12	–	57	75	10
493b	Wharfedale	15,453		7	2	12	6	6	9	2	2	8	–	–	2	2	51	45	19
494	Keighley	43,122	23	11	26	17	2	35	53	5	3	7	2	2	33	3	170	142	25
495	Todmorden	31,113	20	–	15	177	1	14	24	1	3	8	–	–	16	5	82	122	20
496	Saddleworth	18,631	24	5	–	3	3	3	15	6	1	2	–	–	8	–	47	43	22
497	Huddersfield	137,536	22	6	44	435	13	51	147	12	12	13	2	6	110	33	427	489	76
498	Halifax	128,673	24	6	176	482	27	39	108	6	7	18	1	4	83	4	360	618	114
499	Bradford	196,475	26	57	103	549	70	158	265	13	21	26	3	13	226	13	643	876	134
500a	Kirkstall	49,440		25	8	79	17	27	59	6	3	7	1	4	56	7	102	201	32
500b	Hunslet	25,763	24	2	5	32	8	10	24	1	1	3	–	–	41	1	85	167	14
500c	Holbeck	15,824		1	4	12	5	7	12	3	2	3	–	1	20	1	43	103	11
500d	Bramley	11,391		11	3	59	5	3	16	1	–	2	–	2	6	1	26	43	6
501	Leeds	117,566	28	27	47	250	23	66	125	17	11	18	1	14	247	5	340	785	131
502	Dewsbury	92,883	25	35	13	147	28	57	99	8	6	15	1	7	107	15	263	440	76
503	Wakefield	54,899	24 (23)	15	10	67	13	38	52	9	9	5	–	10	69	2	160	253	51
504a	Pontefract	14,655	22†	1	–	25	5	6	16	–	–	3	1	–	16	1	32	39	10
504b	Hemsworth	7,793	16	–	–	5	2	2	3	–	–	–	1	1	1	–	15	28	11
504c	Castleford	19,954	†	1	34	19	4	9	27	–	3	3	–	–	27	1	28	47	25
505	Barnsley	45,797	24	6	32	61	7	8	36	3	3	5	–	–	52	1	128	146	45
506	Wortley	38,511	21	25	12	55	15	12	39	3	3	6	2	6	16	3	107	133	60
507	Ecclesall Bierlow	63,618	23	25	30	84	13	27	53	9	5	12	1	3	85	6	184	276	95
508	Sheffield	128,951	28	152	89	215	34	70	170	14	15	23	5	22	261	15	383	756	240
509	Rotherham	44,350	22	53	16	54	5	15	55	5	6	6	1	1	71	3	76	178	70
510	Doncaster	30,888	22	12	23	88	4	9	65	4	1	6	1	4	27	4	79	107	38
511	Thorne	16,011	21	22	2	8	5	1	17	2	–	1	3	1	7	–	34	34	22
512	Goole	15,153	21	23	–	44	3	4	13	–	1	4	–	2	16	1	29	42	26
513	Selby	16,001	21	3	1	21	2	–	16	–	–	3	–	–	13	1	24	26	12
514a	Tadcaster	5,033		–	–	1	1	–	1	–	–	1	–	–	–	–	12	2	4
514b	Bramham	13,899	19	1	–	22	3	3	12	2	–	1	–	–	8	–	38	31	10

* The mortality for Great Ouseburn and Wetherby is the average annual rate in 6½ years.
† The mortality for Castleford is returned with Pontefract.

Population 1861, Average Annual Rate of Mortality from All Causes in the Ten Years 1851–60, and Deaths from several Causes in the Year 1864, in the Districts of England—*continued*.

IX.—YORKSHIRE—*continued*.

	DISTRICTS.	Population, 1861.	Average Annual Rate of Mortality from All Causes to 1000 Persons living, 1851–60.	Deaths from several causes in 1864.																
				Small-pox.	Measles.	Scarlatina.	Diphtheria.	Whooping-cough.	Typhus.	Erysipelas.	Metria or Puerperal Fever.	Childbirth.	Influenza.	Dysentery.	Diarrhœa.	Cholera.	Phthisis or Consumption.	Diseases of Respiratory Organs.	Violence.
	36.—EAST RIDING (WITH YORK).																		
515	York	59,909	24 (23)	5	1	93	8	5	25	6	2	8	–	1	54	–	160	165	58
516	Pocklington	16,710	19	3	–	11	6	–	8	2	1	4	2	1	9	1	23	21	4
517	Howden	15,901	23	17	–	32	10	1	4	2	–	3	–	–	11	–	35	34	12
518	Beverley	21,929	19	3	11	–	3	9	14	3	1	2	–	–	11	–	35	51	18
519	Sculcoates	51,956	22	7	48	135	12	8	55	6	2	7	3	3	57	1	125	136	35
520	Hull	56,888	25	6	75	189	4	6	74	8	4	7	1	4	56	3	152	227	55
521	Patrington	9,681	20	–	–	9	10	–	10	–	–	–	1	–	5	1	13	17	3
522	Skirlaugh	19,226	19	1	3	3	2	–	4	3	1	2	1	1	10	2	20	21	5
523	Driffield	14,371	20	13	8	–	2	2	13	–	1	–	1	–	6	1	38	44	15
524	Bridlington			14	1	1	2	1	6	1	–	1	–	–	9	–	24	44	10
	37.—NORTH RIDING.																		
525	Scarborough	30,425	21	76	1	12	7	6	23	2	3	7	–	1	14	1	70	77	19
526	Malton	23,483	19	4	4	19	4	8	14	2	–	2	–	2	24	1	51	52	11
527	Easingwold	10,118	18	1	–	15	2	–	6	1	–	–	2	–	8	1	15	20	4
528	Thirsk	11,852	19	1	1	8	3	–	15	3	2	1	1	–	5	–	33	18	9
529	Helmsley	10,549	19	2	–	9	2	–	9	1	–	1	2	3	9	2	28	38	8
530	Pickering	21,633	20	9	2	7	3	2	12	3	3	–	1	2	3	2	20	39	18
531	Whitby	22,138	20	4	3	6	3	1	36	4	1	3	1	–	8	2	45	69	22
532	Guisborough	10,381	20	34	–	63	19	8	11	1	3	1	–	1	24	1	45	68	41
533	Stokesley	12,174	19	5	–	11	2	2	9	–	–	–	–	1	2	–	21	21	6
534	Northallerton	8,650	18	2	–	–	1	1	6	–	–	–	–	–	3	–	30	23	10
535	Bedale	10,105	17	–	–	5	4	3	8	1	1	2	–	–	3	–	15	16	3
536	Leyburn	5,649	20	–	–	–	11	3	3	1	1	–	1	1	2	–	20	29	7
537	Askrigg	6,196	20	–	–	–	3	3	3	2	–	1	–	1	1	–	14	19	3
538	Reeth	13,467	19	–	1	13	–	2	14	–	–	2	–	–	3	–	16	15	3
539	Richmond			–	1	13	–	5	1	1	2	–	1	–	3	–	34	45	7

X.—NORTHERN COUNTIES.

	38.—DURHAM.																		
540	Darlington	26,122	20	9	6	10	23	17	8	2	–	3	1	3	30	1	91	77	16
541	Stockton	57,099	22	64	18	70	14	36	55	6	2	14	3	6	56	3	129	255	79
541a	Stockton	29,153		2	29	2	3	23	30	3	3	3	2	–	44	2	79	117	85
541b	Hartlepool	50,491	25	42	54	25	10	53	51	5	5	13	1	3	43	6	117	145	52
542	Auckland	20,880	19	1	–	1	6	5	6	1	–	1	2	3	4	–	46	49	11
543	Teesdale	16,418	21	16	–	2	7	3	29	1	4	4	–	–	8	1	47	68	19
544	Weardale	70,274	22	37	24	25	10	25	80	6	12	6	–	1	52	2	135	174	72
545	Durham	27,393	20	16	11	12	4	1	17	2	3	2	1	1	24	1	52	57	49
546	Easington	21,773	21	39	1	3	2	3	16	1	2	3	–	1	28	–	32	47	29
547	Houghton-le-Spring	27,660	21	58	6	13	–	7	33	2	3	6	1	2	21	3	72	82	35
548	Chester-le-Street	9,704	25	17	93	91	17	50	86	6	5	14	–	9	108	5	249	291	89
549	Sunderland	44,849	24	53	34	84	14	35	76	12	7	8	5	2	91	5	98	203	67
550	South Shields	59,409	26	59	5	67	14	24	66	6	4	11	1	2	53	1	144	208	57
551	Gateshead																		
	39.—NORTHUMBERLD.																		
552	Newcastle-upon-Tyne	110,968	27	86	18	70	31	77	115	9	12	11	10	7	143	10	335	439	122
553	Tynemouth	77,955	22	30	6	29	14	35	98	3	8	7	4	3	65	4	180	250	100
554	Castle Ward	14,943	19	2	2	–	5	2	6	–	1	4	–	2	6	–	40	33	4
555	Hexham	31,850	19	10	7	3	21	9	15	3	4	3	1	2	8	1	72	100	19
556	Haltwhistle	6,693	17	–	2	–	2	4	1	–	–	–	2	–	–	–	18	10	3
557	Bellingham	7,080	14	9	1	–	5	–	3	2	2	2	1	–	–	–	17	17	5
558	Morpeth	21,903	19	5	5	5	10	18	28	1	5	9	3	3	23	–	66	88	28
559	Alnwick	21,053	19	16	–	20	3	8	16	–	3	3	1	1	9	–	66	55	15
560	Belford	6,260	16	1	–	1	1	1	3	–	–	3	–	1	–	–	13	13	1
561	Berwick	21,862	19	32	–	5	20	3	12	–	1	–	1	1	1	–	40	53	23
562	Glendale	13,211	15	5	–	6	6	6	15	1	–	3	1	–	5	–	15	19	2
563	Rothbury	7,147	15	–	1	1	7	–	5	–	–	–	–	–	–	–	16	6	2
	40.—CUMBERLAND.																		
564	Alston	6,404	20	–	5	–	1	2	1	1	–	–	–	–	5	–	15	24	2
565	Penrith	22,322	19	10	–	6	7	1	8	2	1	1	–	1	11	1	58	52	8
566	Brampton	10,856	17	3	16	1	9	–	3	2	1	1	2	–	1	–	36	17	11
567	Longtown	10,469	17	–	2	–	3	2	4	2	2	–	–	–	3	–	31	11	8
568	Carlisle	41,830	23	3	3	74	22	33	53	1	8	6	2	8	33	1	155	142	33
569	Wigton	23,273	19	–	13	2	5	10	8	1	2	3	–	2	8	2	76	85	18
570	Cockermouth	41,292	22	2	76	9	9	7	66	1	1	12	–	3	42	3	121	107	47
571	Whitehaven	39,950	23	9	52	13	9	–	68	1	1	5	2	3	30	3	130	149	51
572	Bootle	5,880	16	–	–	5	1	–	3	–	–	1	1	–	1	–	19	10	7
	41.—WESTMORLAND.																		
573	East Ward	15,411	18	2	–	17	2	–	7	1	1	1	2	2	1	1	35	29	10
574	West Ward	8,972	18	1	–	5	5	1	–	1	–	1	–	1	3	–	14	11	5
575	Kendal	37,463	19	1	1	11	7	1	14	–	2	2	2	–	9	–	104	110	23

Population 1861, Average Annual Rate of Mortality from All Causes in the Ten Years 1851-60, and Deaths from several Causes in the Year 1864, in the Districts of England—*continued*.

XI.—MONMOUTHSHIRE and WALES.

	DISTRICTS.	Population, 1861.	Average Annual Rate of Mortality from All Causes to 1000 Persons living, 1851-60.	Deaths from several Causes in 1864.															
				Small-pox.	Measles.	Scarlatina.	Diphtheria.	Whooping-cough.	Typhus.	Erysipelas.	Metria or Puerperal Fever.	Childbirth.	Influenza.	Dysentery.	Diarrhœa	Cholera.	Phthisis or Consumption.	Diseases of Respiratory Organs.	Violence.
	42.—MONMOUTHSHIRE.																		
576	Chepstow	17,941	20	-	-	64	9	1	25	3	-	2	1	-	1	2	43	41	24
577	Monmouth	30,244	19	-	3	125	8	3	21	-	-	6	1	-	15	1	60	100	17
578a	Abergavenny	19,527	25	-	3	33	3	7	19	2	-	6	4	-	8	-	47	107	24
578b	Bedwelty	47,565		42	10	145	4	47	86	2	6	5	-	3	22	3	137	225	72
579	Pontypool	30,288	23	18	21	152	18	19	49	-	-	4	1	1	25	2	60	124	45
580	Newport	51,412	22	19	29	204	20	20	75	2	5	7	1	3	25	5	132	201	76
	43.—SOUTH WALES.																		
	GLAMORGANSHIRE.																		
581a	Cardiff	58,285	23*	52	51	223	22	13	58	3	7	8	3	3	50	5	178	170	85
581b	Pontypridd	30,787	*	29	1	143	2	3	43	3	5	3	-	-	22	3	130	113	50
582	Merthyr Tydfil	93,008	29*	76	15	388	40	32	106	6	13	14	1	3	37	3	326	368	155
583	Bridgend	26,465	20	1	3	83	1	2	26	2	4	3	1	1	9	-	83	80	39
584	Neath	58,533	22	50	4	343	6	8	115	1	4	11	-	-	28	-	156	161	81
585a	Swansea	51,260	20	47	4	325	43	21	49	-	5	9	1	1	28	3	176	187	48
585b	Gower	8,316		2	-	48	6	-	14	-	1	3	-	-	-	-	27	13	4
	CARMARTHENSHIRE.																		
586	Llanelly	27,979	20	6	25	35	-	22	29	1	1	2	2	-	4	-	88	70	38
587	Llandovery	14,775	18	2	-	26	5	4	19	1	1	4	-	-	-	-	41	24	9
588	Llandilofawr	17,222	19	2	-	60	1	-	18	-	3	3	-	-	1	-	77	18	9
589	Carmarthen	36,675	21	1	4	78	1	4	16	3	1	8	-	1	3	-	119	99	19
	PEMBROKESHIRE.																		
590	Narberth	21,344	19	-	-	61	23	1	16	-	1	2	-	-	2	-	76	13	5
591	Pembroke	29,903	19	-	-	24	2	19	29	1	2	2	-	-	9	1	89	56	21
592	Haverfordwest	37,343	21	1	7	45	6	12	50	-	1	4	2	1	5	-	109	68	12
	CARDIGANSHIRE.																		
593	Cardigan	18,585	19	-	1	1	1	2	7	-	-	3	-	-	-	-	56	20	11
594	Newcastle-in-Emlyn	19,081	18	-	5	4	13	1	14	-	-	1	-	-	2	-	72	29	5
595	Lampeter	9,594	18	-	-	-	1	3	7	-	-	1	-	-	-	-	47	9	4
596	Aberayron	13,540	20	-	7	6	5	5	2	1	-	4	1	-	-	-	51	21	4
597	Aberystwith	25,464	19	5	10	18	4	3	14	1	-	4	-	-	2	-	64	55	15
598	Tregaron	10,737	18	3	-	3	1	-	5	1	1	1	2	-	-	-	30	12	3
	BRECKNOCKSHIRE.																		
599	Builth	8,305	18	2	-	7	1	-	4	-	-	-	1	-	-	-	20	29	5
600	Brecknock	17,279	21	6	-	2	6	9	6	1	2	5	-	-	3	1	38	46	16
601	Crickhowell	22,457	25	4	4	45	7	17	15	2	1	1	2	1	11	-	72	93	26
602	Hay	10,819	22	1	1	11	1	3	11	-	-	2	-	-	4	-	22	37	9
	RADNORSHIRE.																		
603	Presteigne	15,671	19	1	-	5	5	-	25	2	1	1	-	-	2	-	36	32	3
604	Knighton	10,379	16	4	-	1	6	1	5	1	2	2	-	1	5	-	27	14	6
605	Rhayader	6,816	18	13	-	5	1	5	2	1	-	-	-	-	1	-	22	15	7
	44.—NORTH WALES.																		
	MONTGOMERYSHIRE.																		
606	Machynlleth	12,395	21	-	4	14	-	1	4	1	1	3	4	-	5	-	56	22	3
607	Newtown	23,732	21	30	3	10	3	5	7	-	2	-	-	2	10	2	85	68	15
608	Montgomery	15,997	19	4	2	7	3	1	7	-	2	-	4	1	3	-	60	37	12
609	Llanfyllin	21,699	19	6	-	21	13	22	24	1	1	5	-	-	1	1	112	28	16
	FLINTSHIRE.																		
610	Holywell	39,941	21	19	10	28	8	4	41	-	3	10	1	2	4	1	121	133	29
	DENBIGHSHIRE.																		
611	Wrexham	47,975	22	67	13	32	9	14	55	3	2	8	-	3	16	-	133	213	32
612	Ruthin	18,083	19	1	-	2	4	-	6	-	-	2	1	-	3	-	35	32	8
613	St. Asaph	27,518	21 (20)	4	-	3	59	1	14	-	-	4	1	-	4	-	74	81	7
614	Llanrwst	12,770	19	-	-	-	2	-	12	-	-	1	5	-	-	1	32	21	7
	MERIONETHSHIRE.																		
615	Corwen	16,107	18	2	6	-	4	2	13	-	-	2	2	-	-	-	42	30	8
616	Bala	6,352	18	-	-	2	3	1	5	1	-	-	-	-	2	-	12	9	5
617	Dolgelly	12,482	18	2	-	35	-	-	3	-	1	1	4	-	1	-	53	12	10
618	Festiniog	18,289	19	5	-	13	12	-	30	1	3	3	-	-	3	-	63	44	32
	CARNARVONSHIRE.																		
619	Pwllheli	20,908	18	-	-	11	7	-	10	1	-	1	-	-	1	-	44	19	10
620	Carnarvon	32,425	22	1	3	8	13	3	21	3	4	2	1	3	7	2	135	92	30
621	Bangor	36,290	21	-	4	34	7	2	21	-	1	3	2	1	2	2	132	83	24
622	Conway	13,896	18	1	-	1	-	4	7	-	1	3	2	-	2	1	48	20	12
	ANGLESEY.																		
623	Anglesey	33,157	19	1	-	23	27	6	20	-	3	4	4	-	2	-	166	55	24

* The mortality for Pontypridd is returned with Cardiff and Merthyr Tydfil.

Changes in the Constitution of Districts during the Year 1864.

[The Name of the District is in Small Capitals, that of the Subdistrict in *Italics*. The Figures (in parentheses) in Cols. 1. and 4. show the number of the District.]

Superintendent Registrar's District and Registrar's *Subdistrict* from which a Transference was made.	Date of Change.	Place and Population (1861) transferred from the District in Column 1 to the District in Column 4.	Superintendent Registrar's District and Registrar's *Subdistrict* to which an addition was made.
St. Faiths (233) : *Sprowston* -	22d January	St. Mary-in-the-Marsh - 451	Norwich (234) : *East Wymer*

Note.—In the various Tables of Abstracts given in this Report, the Area and Population are stated for the above Districts and Sub-districts according to the alteration here indicated.



APPENDIX.

CONTENTS.

	Page
Letter to the Registrar General on the Causes of Death in England in 1864, by William Farr, Esq., M.D., F.R.S., D.C.L. . . .	175–193
Tables	194–208

Letter to the Registrar General on the Causes of Death in England, by William Farr, Esq., M.D., F.R.S.

Year 1864.

Sir,

It has been shown in your Report that more people of all ages died in this year than in previous years. The rate of mortality was higher in infancy, higher in middle life, and much higher in old age, than the average.

The causes of death, as far as they have been recorded, are given in the Tables.

The excess in the rate of mortality is due in a great degree to the prevalence of scarlatina a disease of childhood; and to the fatality of bronchitis a disease of all ages. Scarlatina, by the activity of its zymotic elements, became epidemic among the increased numbers of susceptible children in unfavourable conditions; and the cold weather in the first and last months of the year induced bronchitis.

Of the total deaths 4473 were from causes not specified or ill defined; and 3321 were sudden and, generally, the subjects of inquests unsuccessful in ascertaining the causes. It must not be assumed that the causes of the remaining 487,732 deaths were all accurately determined.

It was shown for the year 1858 that in every 100 deaths 83 were certified by the medical attendant or the coroner, and that 17 were uncertified. In 6 of the 17 cases uncertified there was no medical attendant; that is, no qualified medical attendant; for the certificates of quacks, druggists, herbalists, and such like practitioners were rejected by Registrars in conformity with your instructions. In 11 of the 17 cases the cause of death was *not certified* for unassigned reasons. It was in Wales and in Yorkshire that the people were left to the greatest extent without medical advice. In London 97 per cent. of the deaths were certified, and only *one* per cent. of the deaths was returned as happening to a person left without medical advice. In a certain number of the uncertified cases, such as deaths by small-pox, the causes were, no doubt, correctly reported by the informant on the verbal statements of medical men, from whom certificates were not procured in time for registration.

There has been no essential change since in the character of the returns of the causes of death. They are subject to two kinds of imperfection, which it is necessary to distinguish.

The first is the consequence of the imperfection of medical science itself, and will only diminish as that science advances. And the second arises from the imperfect practical application of existing science: only a portion of the population has the advantage of consulting the most skilful physicians or surgeons of the day, who are conversant with the newest discoveries in physic; and in the remoter parts of Wales, as well as in some English counties, the medical man lives so remote as to be absolutely beyond the reach of large numbers of the people; many young children, many long afflicted men and women, many old people, die without being seen for weeks before death by a surgeon. Many men die of hernia, many women in childbed, who might be saved by surgical skill. Yet the medical attendance of the population is, I believe, better in England than it is in any other state of Europe; and the Poor Law does much to extend its advantages to the lowest classes. Where surgeons are not found in attendance on the sick they should be supplied in some way; and if this were done, science might well be employed to inquire into the causes of deaths which it had endeavoured to prevent.

To resume: thousands of deaths occur without any scientific inquiry into the cause of death; and in thousands of other cases medical science seeks in vain to unravel the mystery which enshrouds the extinction of life.

The coroner often simply returns "natural death." As one of the great ends of Government is the protection of life, the inquiry, however, in such cases is not without its use, as the negative finding of a jury is a satisfaction to the public mind, and suffices sometimes to relieve the innocent from suspicion. At the same time it often deters the tempted man from crimes which he feels are likely to be discovered.

In the earliest dawn of the nation the English inquired into the causes of death with a view to discovery and prevention. The protection of life was a fundamental principle of their laws. It was as much an object of their political organization as national defence or war. And the dead body, it was held, called for the coroner's inquest whenever death was sudden or violent or in prison; that is, whenever it was the result, or appeared to be the result, of any discoverable cause. The plagues of the sixteenth century proved that human life is exposed to invisible enemies, more deadly than the mechanical forces of nature, the ferocity of animals, or the malignity of manslayers; and towards the end of Queen Elizabeth's reign the London bills of mortality were commenced (1592). It was part of the general measures of her able government, by which abstracts of burials, baptisms, and marriages were directed to be compiled in each parish; and persons were appointed to view the bodies of all that died before they were suffered to be buried, and to certify of what probable disease each individual died, in statements of which it was the duty of the minister to make a weekly return. The deaths by plague and by all other diseases in the aggregate were published in the London bills so early as 1603; and in 1629 the several casualties were set forth weekly. Graunt gives a complete return for the year 1632 of the causes of 9535 deaths in London, whereof 8 were of the plague.* He says, that though not published, "the original entries in the *Hall-books* were as exact in the "very first year as to all particulars as now; and the specifying of "casualties and diseases was probably more."

Graunt thus describes the mechanism by which the observations in this remarkable series of Tables were collected:

"When any one dies, then, either by tolling or ringing of a bell, or by bespeaking of a grave of the *sexton*, the same is known to the *searchers*, corresponding with the said *sexton*.

"The *searchers* hereupon (who are ancient matrons sworn to their office) repair to the place where the dead corps lies, and *by view of the same*, and by other enquiries, they examine by what *disease* or *casualty* the corps died. Hereupon they make their report to the *parish clerk*, and he, every *Tuesday* night, carries in an accompt of all the *burials* and christenings happening that week to the Clerk of the Hall. On Wednesday the general accompt is made up and printed, and on Thursday published and dispersed to the several families who will pay four shillings *per annum* for it."

Graunt discusses the value of the bills, and shows what "corrections upon the, perhaps, ignorant and careless *searchers*' reports," were required; at the same time he says, as "many of the casualties were but matter of sense," the searchers reports might be sufficient in such cases. In many of the more intricate cases "the *searchers* are able to report the "opinion of the *physician* who was with the patient, as they receive the "same from the friends of the defunct;" and in very many cases, such as drowning, small-pox, dropsy, falling sickness, palsy, ague, rickets, their own senses were, in his opinion, sufficient.

Many of Graunt's judicious observations on the casualties of the bills are applicable to the reported casualties of the remotest parts of the country in the present day; for some districts still represent the ignorance

* Natural and political observations upon the London Bills of Mortality. By Capt. John Graunt, Fellow of the Royal Society. Tuesday, June 20, 1665. At a meeting of the Council of the Royal Society ordered to be printed. 5th ed. 1676.

of the cities of ages gone by. And Graunt was essentially right, for there can be no doubt of the value of even the imperfect reports of facts in the early bills directly concerning the life and death of Englishmen. They had on them in Graunt's book the approving stamp of the Royal Society. Sydenham, it is evident, had the London bills before him in writing his imperishable commentaries. Arbuthnot used them in an argument on Divine Providence and in the interests of morality.* Heberden in a masterly paper illustrated the use of the weekly observations, and deduced from them an important law.† Simpson and Price constructed life tables from the London bills.

The parish clerks of London deserve our gratitude for their perseverance in publishing the bills, which the citizens took in weekly for "no other reason" that Graunt could discover than curiosity about increase and decrease of burials or rare casualties, "so as they might take "the same as a text to talk upon in the next company;" and in the plague-time, "that so the rich might judge of the necessity of their "removal, and that tradesmen might conjecture what doings they were "like to have in their respective dealings." Similar bills were commenced in some other English and continental cities, but they were allowed to drop, leaving the series incomplete.

While medical science advanced, the weekly bills remained stationary; their interest was not kept up by eruptions of plague; Dissenters' burials were not included; and the clerks of many parishes made no returns, or only made them irregularly. And even when complete, the bills gave no information about the population of the towns and counties of the whole kingdom.

It was only in 1837, five years after the first epidemic of cholera, that under the Registration Act provision was made for the inquiry into the cause of nearly every person's death. The column of the schedule headed "Cause of Death" was introduced in the House of Lords. There has then since July 1st, 1837, been two kinds of inquests into the cause of death,—the Coroner's Inquest and your Inquiry.

The latter measure appears to have been looked upon as experimental. There was no view of the body, no arrangement for obtaining evidence, no machinery for instituting inquiry; and where there had been no medical attendant, or where the medical attendant refused to supply the information in his possession, no means of getting the required facts, except by making the medical man the legal informant. The imperfect information of the coroners was expressed in rude, vague, antiquated language, and was less satisfactory than that supplied from other sources. The heads of the medical profession supported the Registrar General's efforts to overcome the first difficulties; you circulated medical certificate books with a *Nosology* freely among the profession all over the country. You addressed coroners, and since the office has been strengthened by the Act authorizing the payment of medical witnesses, their information is much more valuable than it ever was before. The result is apparent in the returns of the present year. You succeeded in providing in medical men frequent substitutes for uninstructed jurymen and "ancient matrons sworn." Under the present administrative arrangements little further progress can be made.

It is notorious that the registration of the cause of death in its present form has contributed to bring crime to light, and has facilitated the conviction of the guilty. The trials of Palmer, Pritchard, and other

---

* An argument for Divine Providence taken from the constant regularity in the births of both sexes. By Dr. John Arbuthnot, Trans. of Royal Society. Vol. xxvii. p. 186. He shows by the London bills that males always exceed females in the yearly births, but that external accidents make a great havoc among males. He concludes that "Polygamy is contrary to the law of nature and justice."

† See Influence of Cold upon Health. By W. Heberden, junior, M.D., Phil. Trans. 1796, p. 279.

criminals afford illustrations. Enough has been done since the passing of the Registration Act to establish the utility of general inquiry into the causes of all deaths, and to justify the employment of the machinery necessary to make the inquiry as complete as possible for accuracy of record, for protection of life, and for the furtherance of medical science.

It will be borne in mind that the coroner and his jury can only conduct the inquiry on view of the body (super visum corporis); by the first statute (4 Ed. 1. stat. 2. A.D. 1276) it is enacted, that on being commanded by the King's bailiff or other honest men of the country the coroner of our Lord the King "*shall go to the* PLACES *where any be slain*, "*or suddenly dead or wounded* * * * and shall forthwith command "four of the next towns, or five or six, to appear before him in such a "place." The coroner inquired upon oath, and his information was based upon actual examination of the body, the place, and the surrounding persons. The searchers of the London bills were also instructed "to "repair to *the place where* the dead corps lies, and *by view of the same*, "and by other inquiries, to examine by what disease or casualty death "was caused." The registry of burial in the Established Church is a public act; the coffin and several witnesses are before the clerical registrar; but the identification of the body in the place of death is lost. And in a large city anybody may be buried under any name. By the Code Napoleon the Registrar is bound to *see the body*, and to register the death on the information of two men of full age (21), and without his certificate the body cannot be interred. (Code Civil, Livre 1. tit. 1. s. 77.)

77. "Aucune inhumation ne sera faite sans une autorisation, sur papier libre et sans frais, de l'officier de l'état civil, qui ne pourra la délivrer qu'après s'être transporté auprès de la personne décédée, pour s'assurer du décès, et que vingt-quatre heures après le décès, hors les cas prévus par les règlemens de police." See also s. 37.

Should any signs of death by violence be discovered, or any suspicions be aroused, the body can only be buried after the circumstances of the death have been inquired into and reported on by a police officer, aided by a physician or surgeon. (s. 81.)

This is the spirit of the registration law on the continent. The inspector of the dead in Austria is called *Todbeschauer*. In Brussels notice of every death is sent to the Town Hall, with the address, and a medical inspector inquires into the circumstances and registers every death.†

In England under the Act 6 & 7 Will. 4. c. 86. death registration is a simpler process. A person *present* at the death, or *in attendance during the last illness*, of the deceased person, goes to or sends for the registrar of the district in which the death happens, gives the requisite information,‡ and signs the register book as the informant either in writing or by mark. The qualification implies that the informant has seen the deceased person alive during the last illness, but beyond that there is no restriction in the act as to capacity, character, sex, or age.

The table in next page shows the sex and qualification of informants in certain districts.

The informant and the registrar are usually alone during the act of registration: no witness is required; and, if present, no witness is allowed

† Early one morning, after the annual fêtes in which the Belgians so much delight, I accompanied Dr. Verstraten on his pilgrimage to the chambers of the dead scattered over the city, and it was a very striking and varied spectacle. At one hour we stood in the midst of lights and incense by the body of a lady of rank, at another in a wretched attic by the corpse of a father of a family of sleeping children, and finally, after traversing many streets, finished our course at the Lying-in-Hospital. He inquired into the circumstances and causes of every death.

‡ In default of the qualified informants as above described, it is incumbent on the *occupier of the house* to give information, upon being requested so to do by the Registrar. Of the occcupier's death an inmate may be the informant.

to sign the book.* If the persons qualified to give information do not come to the Registrar, he is directed to go to the house where the death occurred, "or *wherever* such person *qualified* to give information can "be found, and ask for it." When found, informants "by refusal to "give information, and to sign the register books, render themselves "liable to be indicted for a misdemeanor." The inducement to take the initiative turns on the use of the Registrar's certificate, which given after registration is authority for the burial of the body. Any person burying a dead body without the certificate of the Registrar or the Coroner, and neglecting to give notice of the burial within seven days, incurs a penalty not exceeding 10*l.* for every such offence.†

Registration is thus performed without any expense to the parties, and with as little trouble and expense to the public as possible. Copies of the entries in the register books made by the Registrars, and verified by the Superintendant Registrars, are sent every three months to the General Register Office, where they serve for statistical and other important purposes. A certified copy of an entry, sealed at the General Register Office,‡ says the Act, shall be received as evidence of the death to which the same relates, without any further or other proof of such entry.

Now it is reported § that in the case of Leach v. Leach the Vice Chancellor observed, that he could not be satisfied with the sealed certificate; "all the registry proved," he is made to say, "was this, that some "one called at a particular house, and was told by some one that a man "named so-and-so was dead. Although such evidence was parliamentary "he did not consider it sufficient here." Commenting upon the case in which Fletcher during her life registered the death of a lady of the name of Slack, and with the help of the Registrar's certificate and a forged will took consols to the amount of 5,000*l.* from the Bank of England, the *Times* thus criticized the act: "The Registrar receives in-"formation of the death at his office; he does not go to the house and "scene of death. He is thus necessarily liable, more than could have "been the case before, to impostures. A party calls at his office, gives "information of the death, and receives the certificate."

The Vice Chancellor can scarcely be correctly reported; for the Act distinctly states that the register is invalid unless the informant has

Number of **Male** and **Female Informants** who **signed** with **Marks** in a **District** or **Sub-district** in **each** of the **11 Divisions** of the **Kingdom,** and in the **County** of **Northampton,** during a portion of the Year **1864.**

DISTRICTS, &c.	Total Deaths.	Number of Inquests and Deaths in Institutions.	Deaths, exclusive of Inquests and Institutions.	Informants to Deaths in Col. 3.			
				Total Number.		Number who made a Mark.	
				Males.	Females.	Males.	Females.
Cols.	1	2	3	4	5	6	7
Chelsea - - - District	461	127	334	61	273	7	88
Reading - - - District	143	20	123	31	92	5	38
Peterborough - - District	184	9	175	26	149	12	105
Romford - - - District	166	11	155	21	134	7	91
Highworth - - - District	84	12	72	8	64	1	47
Rugby - - - - District	141	13	128	23	105	4	59
Derby - - - - District	307	39	268	113	155	15	80
St. Martin, Liverpool - Sub-district	656	40	616	207	409	68	299
Halifax - - - - District	830	66	764	444	320	105	242
Durham - - - - District	401	29	372	165	207	43	108
Carnarvon - - - District	195	6	189	109	80	45	68
COUNTY OF NORTHAMPTON - -	1305	88	1217	181	1036	52	784

* See Regulations for Duties of Registrars, and Act 6 & 7 Will. 4. c. 86. 1836.
† Registration Act, Section XXVII.
‡ Section XXXVIII.
§ *Times*, March 6th, 1844.

signed in it his name, description, and place of abode,* thereby rendering himself subject to the pains and penalties of perjury if he has wilfully made any false statement touching any of the particulars to be registered.† And Fletcher not only got a false certificate, but procured probate of a forged will.

It must, however, be admitted that in a large city the Registrar sitting in his office has no means, or very imperfect means, of knowing and identifying informants, or of verifying the accuracy of the various particulars which he enters on the national registers. The Bank of England refuses to accept the death certificate as a proof of death.

The Registrars, appointed generally by Boards of Guardians, before their appointment is confirmed by you, answer questions in writing, and their competency is proved by their copies sent to the office, and by the state of their registers which are periodically examined by Inspectors. The Registrars are a highly respectable body of men of all the various classes of society, and as they are only paid small fees they are necessarily engaged in other professions, in trades, or in some branch or other of industry. The work requires integrity, accuracy, sound sense, good writing, and close attention to all the minute provisions of the Act and of the regulations. The clerical part of their duty is checked by the Inspectors, by the Superintendents, and by the central Record department; but there is at present no means of checking the registered facts, or of determining the degree of accuracy with which informants report and Registrars record the particulars of each entry. Where the informant is educated and interested, he naturally reads before signing the entry, and thus to some extent checks the work. Unfortunately it happens that in a large proportion of cases the Informants sign by a mark, and as they cannot write their names they cannot read the record which they sign alone in the presence of the Registrar. They cannot check the record. This has given occasion to cases of fraud which could scarcely have been anticipated. In the course of twenty-nine years, out of a body of 2200 officers, four, for the sake of the shilling an entry, inserted long series of fictitious entries of deaths which never occurred. They invented all the particulars of hundreds of deaths. The first case was that of a Registrar of All Souls, Marylebone, who died before the discovery; he served under a most acute Superintendent Registrar. The second case was that of a Registrar of Howard-street Sub-district, Liverpool, of respectable connexions, who for fictitious entries was dismissed, convicted of felony, and sentenced to six months imprisonment with hard labour. These two cases, and another at South Shields, are referred to in your Reports,‡ and the required corrections are made in the calculations of the mortality of Marylebone, of South Shields, and of Liverpool. This offence, it may be mentioned, was first distinctly defined in the Forgery Act of 1861 (24th & 25th Victoria), under which the wilful insertion of any "false entry of any matter relating to any death" renders the offender liable, on conviction, to penal servitude for life (s. 36.); yet a Registrar of Howden, who began registering fictitious entries about ten years ago, continued the practice up to a recent date under the eye of his Superintendent, and subject to the periodical visitation of intelligent Inspectors. The causes of death were copied, with slight variations, from medical certificates, and his imaginary informants were represented as signing with marks. This a man of ordinary capacity dared and was able to do, because while there is a check on the handwriting and the form of entry, there is no check whatever on the accuracy of record, or on the veracity of informants. The facility of signing with marks of single informants tempted four men into the commission of these extraordinary crimes for the sake of small sums of money. For money the same

---

* Section XXVIII. † Section XLI.

‡ See Report IX. pp. 177 and 238–9. Report XIII. p. 294.

criminals might, it is to be feared, with the hope of impunity before them, have falsified the record of important facts affecting vast amounts of property in insurances and successions. Fictitious entries embarrass statistical inquirers, and they were first brought to light in this office by the exorbitancy of the results. The Howden fraud was kept within narrower limits; it was discovered through the clergyman of a parish where the mortality was exaggerated.

It is deplorable that a single case of fictitious entry by a Registrar, or of deliberate fraud by informants, should have occurred during twenty-seven years; but it must be borne in mind that few Registrars among many thousands, and few informants among many millions exposed to temptation, have criminally falsified the public records. The wilful falsifications are insignificant in number in comparison with the errors in 11,011,291 entries on the death registers.

I have referred to such defects of registration as vitiate the evidence that the registers afford affecting property, and the use of the records for scientific induction. I have now to refer to the imperfect security afforded by incomplete as compared with complete registration against murder and attempts on life. The following death was thus registered:—

" Died 11th June 1848 at Wix (Manningtree) William Constable, aged
" 38 years, labourer, decline (3 months). *Not certified.*
" × The mark of Mary Faint, present at the death, Wix."

This was one of the Essex poisonings. The man, it was afterwards discovered, was poisoned with arsenic by his half-sister Mary May, aged 28. She was tried at Chelmsford, found guilty, and executed.

The facility of registration in this easy way does not discourage the criminals. They go on with greater confidence. And this was only the first discovered case of a series of similar murders of husbands and children by wives and others, who could make their marks and administer arsenic in the Essex villages of Wix, Bradfield, Ramsay, Dovercourt, Tendring, Thorpe, Kirby, Mistley, Great Oakley, and Great Holland.* Sir James Graham, in the House of Commons, in June 1846, referring to another series—the Norfolk poisonings,—said: "There was reason to believe " that in the county of Norfolk no fewer than twenty persons had died " from poison administered by one individual, and in none of these cases " had an inquest been held." I may cite other instances.† One murder successfully registered without detection led to the commission of more murders, and murder became epidemic by imitation. It is probable that the number of such cases was exaggerated, but the terror they inspire is in itself an evil, and by crimes of the kind the country is dishonoured in the eyes of the world.

These deaths occurred in country villages among ignorant people, but in towns the detection of crime is rendered in certain cases much more difficult than it is in the country. The body can be buried in any churchyard or cemetery without a Registrar's certificate; and the clergyman or burying officer, though bound to give the Registrar notice (which he sometimes forgets), can only give such particulars as the parties conducting the funeral supply. The notice, if written, may be addressed to the wrong Registrar, or be so vague or perhaps erroneous that the Registrar of a large district, like Islington in London, cannot find the house in which the death occurred. Bodies are sometimes removed

* These cases are well described in the letter of a barrister in the Morning Chronicle, April 11th, 1849.

† In one case it happened that Mr. Hitchins, who was coroner for Kesteven and Parts of Lindsey, was also a Registrar of Deaths in Lincoln. He assigned the following reasons for wishing to retain the latter office:—" My object in desiring to retain office is " not for the emolument, but because I have found it to assist me essentially in my office " of coroner. By its means of information three murderers, and one for manslaughter, " have been transported; and at the present time two murderers, and one for manslaughter, " are for trial at the next assizes, from being unable to obtain certificates."—*Letter dated Lincoln, 3d February* 1849. The murderers in another district might have escaped, as the deaths might have been registered without a certificate.

unregistered to other districts for burial, and all traces of them are lost. As still-born children are not registered at all, and are buried with little difficulty, there is a great temptation to inter the bodies of children living only a short time as still-born. This opens another gate to crime.

By forbidding, as in France, the burial of any body without the Registrar's certificate, the latter class of evils will be obviated; and although inconvenience must occasionally arise from the absolute prohibition of the burial of the uncertified dead, that inconvenience should be encountered for the sake of many compensating advantages.

There is another defect in the Act: some old women and men, like hermits of old, live in solitary dwellings; in their last illness terminating suddenly they may have no person in attendance, and no witness present at their death. In these cases there is no legally qualified informant, and the deaths are not registered; the causes of death remain for ever unknown. The coroners are now paid by fixed salaries, and in many cases of violent deaths they do not hold inquests, unless they are led to suspect crime. This saves the county expense, but it has resulted in the absolute non-registration of deaths.*

Such are some of the defects by which the registration of the causes of death, and of the fact of death itself, is rendered less useful than it might be made for the purposes of science, for sanitary administration, for evidence affecting successions of property, and for the protection of life. To remedy these defects, amendments of the Act are required; families must take more trouble to find qualified informants, and the country must consent to pay the necessary expenses of fuller inquiry.

It is now sufficient to send to the register office one informant, such as a nurse, and although a medical certificate is asked for, it is not indispensable by law, and is often not produced. That is all the trouble families are put to in registering their dead; and the Registrar gets *a shilling* from the poor rate for recording, and making copies of the entry to be transmitted to the central office. The Superintendent Registrar gets 2*d.* for examining the copy of the entry with the original entry. Each death costs the country *twenty pence* for registration, including pay of officers, cost of books, ink, copying, custody of records (which it is expected will last for centuries), indexing, analysing statistically, and administration.

The inquiry into the cause of death might be made sufficient for all its great and useful purposes by a simple extension of the system of medical certificates which you introduced, and which has for many years been in partial use. And as I am not disposed, in imitation of foreign practice, to relinquish the principle of confidence in the medical attendants on families, I submit that having been in attendance up to the date of death, their certificates should still be received, provided they *have seen the deceased on the day of death, or have seen the body subsequently for identification.* It would be undesirable to enforce the grant of the certificate by any penalty; and under this arrangement the medical attendant should charge the family a fee in proportion to his ordinary

---

* I subjoin an illustrative case:—

(Copy.)

Superintendent Registrar's District, Chepstow,
Registrar's District, Lydney,
May 17th, 1866.

Sir,

On Tuesday last, the 15th day of May, a lad named George Morgan, aged 16 years, accidentally fell into Lydney Basin and was drowned; he was never seen alive after falling into the water. The serjeant of police informed the coroner for the district of the accident, and the coroner informed the police there would not be any occasion for an inquest in such a case, as there was not any doubt as to how the lad came by his death. I should be glad to be informed of the proper way for me to make the entry in the Register Book of Deaths, and also as to the party to be the informant.

I remain, Sir,
Your obedient servant,
William Packer, Registrar,
Lydney District.

To
The Registrar General.

charges. For pauper patients the Poor Law medical officer should be entitled for the certificate of death to a fee fixed by the Commissioners.

Under these circumstances many deaths which are now "certified" would be "uncertified" by medical attendants, as the friends of out-patients of hospitals and dispensaries, as well as others, often get certificates to which they are not entitled through the kindness of the medical officers, who have sometimes no means of identification or verification. In all such cases, and in every case of death without medical attendance up to the date of death in which the certificate could not be obtained from a legally qualified medical attendant,—an informant, or the occupier of the house, or in his default an inmate, should be bound to give notice to a medical officer specially appointed for the duty in each of the districts of the kingdom. This *registration medical officer* would thereupon visit the body, and if all was clear, and admitted of satisfactory determination, send his medical certificate of the probable cause of death by the informant or by post to the Registrar, who would upon its receipt register the death, and issue his certificate for burial in the usual course. The *registration medical officer* would, if the case was enveloped in any suspicion or obscurity, refuse his certificate until an inquest had been held or refused by the Coroner, whose inquiry should by no means be superseded. The *registration medical officer* should be specially qualified to conduct *post mortem* examination, and, on being summoned, might appear as the medical witness at the Inquest. By practice he would acquire aptitude in the investigation of the obscurer causes of death, and in the detection of crime. Under this system every death, and the cause of every death, would be certified; and poisonings and criminal attempts on the life of children or adults would be less frequent, as they would with difficulty escape detection. Expected impunity would not invite men or women into the commission of fearful crimes. And human life would be under a new safeguard.

It is necessary to alter slightly on the above plan the present form of medical certificate, and three specimens of the requisite altered forms are subjoined. If the still-born deaths are to be certified, a special form would be required.

To the REGISTRAR of the SUB-DISTRICT in which the DEATH took place.

I hereby certify that I attended John Jones, carpenter, *aged* 21 years *last birthday; that I* saw him alive on January 11th, 1866; *that he died* on that day at 7, King-street, Marylebone; *and that the cause of his death was—*

	Cause of Death. (*In case of Autopsy write P.M.*)	*Time from Attack till Death.*
(*a*) First.	Typhus	19 days.*
(*b*) Second.	Pneumonia, P.M.	3 days.*

Certified by—
Edward Lawrence.
Prof^{l} *Title*, M.D.
Address, 37, Soho-square.
Date, January 13th, 1866.

* Each form of Disease, or Symptom, is reckoned from its commencement *till* Death.

N.B.—This Certificate is intended solely for the use of THE REGISTRAR, to whom it should be delivered by the person giving information to him of the particulars required by law to be registered concerning the Death.

Note.—(1) The Certificate of Death should be procured from the MEDICAL ATTENDANT who has either seen the deceased on the day of death or has afterwards seen the body. In the absence of such Certificate the body must be inspected and the Certificate be given by the REGISTRATION MEDICAL OFFICER of the District or by the CORONER.

(2) The Registrar will in all cases register the name of the Medical man who signs the Certificate.

(3) No death can be registered and no burial take place until the death is certified.

The persons who are qualified to act as Informants, and to sign the Register as such, are—

(1) Some relative or other person *present at the death.*

(2) Some person *in attendance* during the last illness of the deceased;
Or, in case of the death, illness, inability, or default of all such persons,

(3) The *occupier* of the house or premises;
Or, if the occupier be the person who shall have died,

(4) Some *inmate* of the house in which the death shall have happened.

To the REGISTRAR of the SUB-DISTRICT in which the DEATH took place.

I hereby certify that I attended Jonathan Williams, aged 32 years *last birthday; that I* saw his body on January 26th, 1866; *that he died* on January 24th at 211, Oxford-street; *and that the cause of his death was—*

	Cause of Death. (*In case of Autopsy write P.M.*)	*Time from Attack till Death.*
(*a*) First.	Small-pox (confluent) (first attack)	21 days.
(*b*) Second.	Not vaccinated	

Certified by—
Robert Wilson.
Prof^{l} *Title*, M.R.C.S.
Address, 19, Duke-street, W.
Date, January 28th, 1866.

To the REGISTRAR of the SUB-DISTRICT in which the DEATH took place.

I hereby certify that I visited the body of Richard Johnson, a mason, aged 25 years *last birthday*, on March 21st, 1866; *that he died* on March 19th at 19, Waterloo-road, S.; *and that the cause of his death was—*

	Cause of Death. (*In case of Autopsy write P.M.*)	*Time from Attack till Death.*
(*a*) First.	Phthisis	3 years.
(*b*) Second.		

Certified by—
Robert Jackson.
Prof^{l} *Title*, M.R.C.S., REGISTRATION MEDICAL OFFICER.
Address, West-square, Lambeth.
Date, March 22nd, 1866.

The Registrar invariably to write "certified by" in his Register Book, adding the name and title, and if out of the district the address of the medical attendant or of the registration medical officer, as the case may be. The Registrar to file the certificates, and to produce them for examination with the certified copies by the Superintendent Registrar, who would certify the accuracy of the copied entry of the cause of death.

It would increase the value of the evidence if the certifying physician himself signed the entry in the register. But this would be a complication; it would increase the expense, give much trouble, and produce delay, so that I do not propose it. It was tried in the case of the coroners, and failed.

The advantages of the proposed amendments may be briefly enumerated:

(1.) The *cause of death* would in all cases be certified by one professional witness, and would be recorded as correctly as is practicable in the present state of science.

(2.) The fact that a given person died at a given place would be attested by the informant as at present, and the evidence would be enormously strengthened by an educated witness. While so large a portion of our informants cannot even write their names, this is of great importance.

(3.) Secret murders and attempts on life, and deaths of children, or of old people, from neglect, could rarely escape detection; they would, other things being equal, be less frequent than they have been in past times. Life would become more secure. The public solicitude, like a Providence watching over all, would cherish the reverence of all classes for human life.

(4.) The frauds of informants would be less common, and no Registrar would again manufacture fictitious entries, thereby throwing discredit on the whole of the *national registers*.

(5.) Much trouble would be saved to the public, who are now put to expense in getting corroborative certificates, as it is felt that the present

certified copy of an entry is most imperfect evidence of the death and identity of deceased persons.*

(6.) The registration medical officer visiting the dwellings of people in unfavourable sanitary conditions would discover and point out the consequences of those conditions to the families themselves, and to the authorities in seasons of cholera, of fever, or other epidemics. The authorities would find it convenient to make him the health officer of the district; and often where such an officer already exists, he might discharge the medical registration duties. The Post Office would employ the registration medical officer in insurance business, and so would insurance offices, to whom he could render essential service in putting a stop to the numerous frauds which are every day committed at their expense.

You have appointed two *Inspectors* with great advantage, as they instruct Registrars, and inspect the books on the spot in periodical visits. But they proceed no further than the books; and, unless the books themselves supply evidence of inaccuracy, no inaccuracy is discovered. They do not institute any comparison between the actual or the ascertainable facts and the records of those facts. Here many errors must occur. At this office no important work is allowed to pass unchecked; and after selecting the clearest headed men, the calculations are all made in duplicate, and carefully compared. Experience has shown that this is necessary to ensure accuracy. It provides against errors of human fallibility, and errors of negligence. Now the registration records need not be made in duplicate by two separate officers and compared; but by periodical inquiries into the actual facts of *cases where the informants sign with marks* every Registrar would work under a sense of responsibility, and would do his work better than he does it now. I beg to suggest that you should be allowed to appoint an Inspector to be especially employed on this duty, with a Medical Inspector to be especially employed in looking after the registration of the causes of death in such districts as you might be pleased to direct.

Medical men have to learn the difficult duty of returning fatal diseases on a uniform system and under the same names. Their attention might be called in a friendly way to any imperfections in their returns. This is found to work well in Geneva, where it was performed for many years by my friend Dr. Marc d'Espine with the best possible result, both in the interests of science and of justice.

This improvement in our system of registration would be quite in accordance with English habits, which must ever be religiously respected in a matter so solemn as death. The public medical officer would

---

* The following letter supplies an illustration of the expense and trouble to the public to which imperfections of registration give rise :—

Sir, Astwood Bank, Bromsgrove, May 22d, 1866.

A sum of money is invested in the 3 per cents. in the names of trustees. The survivor wishes to effect a transfer. The directors of the Bank of England refuse to receive any certificate but that of burial. These have been forwarded, but now returned with a printed form of declaration to be made before a magistrate that these certificates have been compared with the register book of the cemeteries, and are found a true and faithful copy. This must be done by some one who personally knew the deceased.

This will occasion us considerable *trouble and expense* as we shall have to send a person a long distance. I always understood a certified copy of the register of death bearing the seal of the office was to be received in law without any further proof.

* * * * * *

(Signed) John Phillips, Baptist Minister.

To mention a case of fraud :—In November 1844 Elizabeth Mason, married, residing at Walsall, registered the pretended death of her brother, John Hodson, and by means of the certified copy of the register obtained from the executors of one Drinkwater payment of a legacy which, by his will, he had bequeathed to John Hodson on his attaining 21, and to the said Elizabeth Mason in the event of *Hodson dying under that age.* In February 1848 Hodson appeared and claimed the legacy which had been received by Elizabeth Mason. She was tried and convicted at Stafford Lent Assizes, 1848.

only intervene when the family had no physician in attendance, and wherever he attended it would be confidentially, for the comfort and satisfaction alike of friends and of the community.

This system, I submit, would be more efficacious than the registration now in use in France, where the death can be registered by declaration, without assigning the cause of death. The inspection of the body by the *Officier de l'état civil* would be superseded by the certificate of the medical attendant, or of the registration medical officer; the inquiry into the cause of death would be universal; and the evidence of the certificate of registry would be valid. The French explicitly reject women as informants,* and thus must in many cases forego the best possible testimony. Women are as truthful as men; and their evidence is as trustworthy where they have equal opportunities for the observation of facts within the scope of their knowledge.† Women are almost always, except on the field of battle, in attendance or present at death. The wife does not forsake the husband, the mother the child, in the last moments. In marriage and in birth, the two great acts of registration, the woman is indissolubly associated with the other sex, and from men in death they are not divided. On what ground then is the woman rejected peremptorily as a witness? The French principle is inapplicable to English women. But in England we may well avoid rushing to the other extreme. Why should a majority of the informants of some districts be ignorant women who sign the registers with marks, and cannot read and check the entry to which their signature is attached in the national records?‡ The medical certificate is indispensable under such circumstances.

The improvements in registration cannot be carried out without expense. The medical certificate will cost the public from *a florin* to *a guinea* an entry; only the portion of the pay for the registration medical officer and for inspectors will come out of poor rate and out of consolidated fund. It is desirable to make the fee of the registration officer

---

* Code Civil, livre 1. sec. 37. : Les témoins produits aux actes de l'état civil ne pourront être que du sexe masculin agés de vingt-un au moins et ils seront choisis par les personnes interessées.

† Criminal returns of England 1864. The number of men committed for *forging* and *uttering forged* instruments was 140, of women 4; for uttering and having in possession counterfeit coin 330 men, 98 women, were committed in the same year.

‡ Number and Proportions per Cent. of Persons who were Informants of Deaths, and of Persons married, who signed the Register with Marks in eleven Districts or Sub-districts of England and Wales in a portion of the Year 1864.

	Informants at Death (exclusive of Coroners and Informants in Institutions).			Persons married.		
	Total Number of Deaths.	Informants signing with Marks.	Proportion per Cent. signing with Marks.	Total Number.	Number signing with Marks.	Proportion per Cent. signing with Marks.
Persons - - -	3,196	1,537	48	10,864	2,902	27
Males - - -	1,208	312	26	5,432	1,142	21
Females - - -	1,988	1,225	62	5,432	1,760	32

The facts are compiled from the Registers of the districts of Chelsea, Reading, Peterborough, Romford, Highworth, Rugby, Derby, Halifax, Durham, and Carnarvon, and the sub-district of St. Martin Liverpool.

Of 160 informants 38 were males and 62 were females.

Note.—Exclusive of coroners and informants of institutions, of 1217 informants at death in the county of Northampton 181 were men of whom 52 signed with marks, and 1036 were women of whom 784 signed with marks. Of 1843 persons married 447 men and 499 women signed with marks, or of 100 *informants at death* 69 *signed with marks*, and of 100 persons married 26 *signed with marks*. The ignorance of the informants at death was to the ignorance of the ordinary run of people marrying in Northamptonshire as 69 to 26. Of 100 informants 15 were males and 85 were females.

sufficiently high to command the services of a good class of the profession ; and the tariff must, therefore, necessarily vary in country and town districts with the distances to be travelled, and the variable local medical charges. The fixing of the fee might be left to you, subject to the approval of the Treasury. The cost of registration medical officers and of inspectors would not exceed in the aggregate 50,000*l.**

If we compare this sum, and the value of the services for which it is to be paid, with the cost of inquests and the cost of funerals, it does not appear to be great or extravagant.

The cost of registering the particulars and the causes of the deaths of the 495,531 persons who died in England and Wales was about 41,350*l.* in the year 1864 ; in 1867 under the improved plan it would be about 91,350*l.*† Instead of 20*d.* it would be about 44*d.* on each death. This sum would be amply recouped in the additional security to life and property. It is computed from the legacy duty returns on 495,531 deaths that about 93,500,000*l.* passes by death to successors. On this sum 92,000*l.* is less than a farthing in the 1*l.* (See Registrar-General's 22d Report, p. l.)

The coroners of counties and boroughs held inquests on 24,787 bodies at a total cost, including coroners' salaries, travelling expenses, and medical witnesses, of 72,598*l.* This sum is paid out of the rates. It amounts on an average to 2*l.* 18*s.* 7*d.* on each inquest. The jurymen are not paid for their services, but they are summoned, and if they do not attend render themselves liable to a penalty. The value of their time cannot be estimated at less than 25*s.* 5*d.* This will make the cost of an inquest 4 guineas, or 24,787 inquests cost 104,105*l.* in the year. The value of this ancient institution cannot be questioned, but the inconvenience and cost to families left out of account in this estimate is not inconsiderable.

If the inquiry by inquest had been extended to the whole of the deaths, the cost in coroners and in medical witnesses only in the year 1864 would have amounted to 1,451,345*l.*, without allowing anything for the time lost by jurymen, and for the inconvenience of families.

The cost of 66,748 funerals in the metropolis was estimated by Mr. Chadwick ‡ for the year 1839 at 626,604*l.* ; and his "proximate "estimate of the expense for the total number of funerals in England "and Wales," was 4,871,493*l.* He shows that the expense of pauper funerals in London was 13*s.*, of artizans 5*l.*, tradesmen of second class, &c., 27*l.* 10*s.*, tradesmen of 1st class 50*l.*, gentry and the higher classes of people 100*l.* ; while the expenditure on the funerals of children under 10 years of age of the corresponding classes, excluding paupers, ranged from 30*s.* to 30*l.* The average cost of funerals of persons of every rank above paupers in London he takes at 14*l.* 19*s.* 9*d.*, and including paupers at rather less than 10*l.* I am aware that the cost of funerals of persons of rank runs up to 1,000*l.* or 1,500*l.*, and that workmen's clubs pay commonly 10*l.* for burial, but I am disposed to think that Mr. Chadwick's estimate is too high for the whole population, in town and country. Instead of his figures I take the average cost at 6*l.*, and then the amount that the nation expends annually on the burial of its dead is 2,973,186*l.* This includes only expenses that figure in undertakers' bills. It neither comprises the extra cost of mourning, nor the expenditure in memory of

* Take the annual deaths at 500,000, and the uncertified cases in the proportions above given as 17 per cent., then 85,000 cases would be visited annually. The cases would be almost exclusively in the poorer classes, and at 10*s.* each the cost would be 42,500*l.*

† I have not brought into account the cost of the apartments in which the records are kept at Somerset House. The conservation of inaccurate documents, it is worthy of note, is as costly as the custody of the most authentic records ; and the State in the former case is in the condition of a bird wasting its care on addle eggs.

‡ Supplementary Report on the Results of a Special Inquiry into the Practice of Interment in Towns, by Edwin Chadwick, Esq., pp. 70–1.

the dead on monuments, or friable stones, which will be obliterated or crumbled into dust long ere the national lists of the dead in the custody of the State have perished.*

It is well to attach solemnity to funerals, but no one can doubt that it would be wiser on the part of the nation to give a florin or a guinea as a fee to a registration medical officer for the benefit of the living and of generations to come than to squander guineas lavishly on stones, or on lids of feathers, rich silk bands, porters, pages, feathermen,† and mutes.

---

* The expense of an inscription on a common tombstone has been estimated by Mr. Wyatt, the Superintendent Registrar of Islington, as below. It far exceeds the cost of the most efficient and authentic registration of all the essential dates and facts of a man's birth, marriage, and death.

Sacred to the memory of William Matthews of this parish, died 25th December 1865, in the 72nd year of his age. 84 letters at 3*d.* each = 1*l.* 1*s.*

I think it will be about the average to take 3*d.* per letter for engraving and painting on tombstones, as it is sometimes done as low as 10*s.* per 100 letters, if the tombstone has been erected by the same mason. The engraving on marble or granite is very expensive.

As one stone may record the deaths of four or five persons, I consider it would be a fair estimate to set down :—

For tombstone -	-	1*l.* 1*s.* } for each person.
„ engraving same	-	1*l.* 1*s.* }
	2*l.* 2*s.*	G. Wyatt.

Gravestones endure a very variable time; Sir Thomas Brown (Urn Burial) sets down the time they stand at 40 years. There are paper registers in this office dating from 1567 in excellent condition. I annex two extracts from the register of French Protestants at Southampton.

Extracts translated by Mr. Shoveller from the register of the French church at Southampton, now in the custody of the Registrar General:

James de Cean de Valencienne was buried on the 26th of November 1567.

Phelippe de St. Legrer from France was buried in the said place, outside the church, the 21st day of January one thousand five hundred and sixty-nine.

Bernard Matien, a lad, native of Bordeaux in France, and abandoned by his father (and through poverty) at the house of William Hersens, died the 10th day of April 1573, and was buried in the evening of the same day.

In the same register is recorded (25th September 1572) a fast on account both of the persecutions by the Duke of Alva in the Netherlands, and the massacre on St. Bartholomew's day (24th August 1572). On the occasion of her visit to Southampton, 4th September 1591, these persecuted Protestants heard from Queen Elizabeth consolatory words, which they record with gratitude.

Mr. Rickman made a special inquiry into the parish registers existing at the date of the Census A.D. 1831.‡ The result of this inquiry is thus stated: "No person will be surprised that one half of the registers anterior to A.D. 1600 should have disappeared. If any other nation possesses similar registers of that date (a valuable proof of uninterrupted civilization), a comparison might be instituted, and the preservation of such records through three hundred years would not prove to have been of frequent occurrence; but in point of fact examination shows that 812 English parish registers commence in the year 1538, about 40 of which contain entries (copied probably from family bibles and tombstones) anterior to the date of Cromwell's injunction; 1822 parish registers commence from A.D. 1538 to 1558, when Queen Elizabeth required a protestation from the clergy; 2448 parish registers commence from A.D. 1558 to 1603, when the canons authorized by King James directed a copy of all extant parish registers to be made and preserved, and nearly one half of them (5082) have been preserved accordingly, and are now extant. Parish registers, to the number of 969, commence between that time to the year 1650; 2757 from A.D. 1650 to 1700. 1476 parish registers from A.D. 1700 to the year 1750; the rest (six or seven hundred) since that time."

How many tombstones of these earlier dates existed in the churchyards when Mr. Rickman wrote?

Without these registers, some of the dates of the birth, marriage, and death of some of the greatest men the country has produced—Shakespeare for instance—could not be determined.

† See examples of ordinary undertakers bills in Mr. Chadwick's Report to Sir James Graham, Her Majesty's Principal Secretary of State for the Home Department. 1843. pp. 287–9.

---

‡ Population of Great Britain 1831. Preface to Enumeration Abstract, vol. I., p. xxix.

The registration medical officer would stand in nearly the same relation to you, who direct the inquiry into the cause of death for the purposes of registration, as the medical witness stands (under 6 & 7 Will. 4. c. 89.) to the coroner, but it might be desirable to leave his first appointment and pay to the same bodies as appoint the Registrars and Superintendent Registrars, subject to your approval, and to such rules as you may lay down as to qualification.

Sir, I submit these considerations to you with confidence, as it will be admitted generally that you have administered the present Registration Act so as to make it in its imperfect state useful as regards public health, as regards life, as regards the science of insurance, and as regards the collection of evidence affecting the transmission of names, titles, and property to successive generations. Far from justifying inaction, it is a ground for further improvement. Your great experience will give Her Majesty's Government confidence in any useful measure you suggest for rendering the national records worthy of England, and I know that it will be a satisfaction to you not only to have administered but to have perfected the law.

Satisfaction in good work was pronounced by the inventor of the word "statistics" to be characteristic of the English workman,* and I trust that I may without presumption say that while the department of which you are the chief shares the feeling, it is anxious to deserve Achenwall's praise of the English workman.

The following is an analysis of the particulars of which evidence is found in the death registers. I take the example given in the schedule :

1. That a person is dead.
2. That the name of that person is —*William Green.*
3. That the said person died at a certain date,—*at 5 o'clock, 4th February 1865.*
4. That the said person died in a certain place,—*31 Strand, London.*
5. That the said person was by profession—*a carpenter.*

Note.—All these particulars are recorded on the evidence of the informant, who, if he has witnessed the death, bears direct testimony to particulars 1, 3, 4 ; the testimony as to 2 and 5 may be direct or indirect. If he was merely in attendance, and has not seen the body all the evidence is indirect. He gets it at second hand.

6. That the said person was a male or a female—*Male.*
7. That the said person was of the age—43.

Of the *sex* and *age* the evidence is always indirect ; it would be strengthened, as would all the other evidence, by the production of the certificate of birth at the time of the registry of death.

8. That the *cause of death* of said person was—*small pox.*

Note.—Sometimes the cause of death is easily distinguished by unskilled observers ; in others it can be discovered after death by a skilful inspector from the testimony of surrounding persons ; in others it can only be distinguished by medical men who have observed the symptoms during life. In many obscure cases inspection of internal organs (autopsy) and chemical analysis are required to enable the medical expert to divine the cause of death. In some cases, particularly of infants and old people, the cause of death cannot be discovered in the present state of medical science.

---

* The Englishman is the best workman in the world, for he works so as to satisfy his own mind, and always gives his work that degree of perfection which he has once learnt to appreciate and attain ; and as the Frenchman seeks to enhance the value of his manufactures by all kinds of external ornament, so the Englishman seeks to give his productions in exactitude, usefulness, and durability a less fleeting worth.†

† Statsverfassung der heutigen vornehmsten Europäischen Reiche und Völker im Grundrisse von Gottfried Achenwall Weyland Hofrath und Professor der Rechte und der Politik zu Gottingen. 1781. (p. 324.)

9. That the signature, description, and residence of informant was—
Rebecca Green, Widow, 17 North Street, Marylebone.

Note.—Under "Description," when *in attendance* is added, it would be well to add "nurse," "wife," "mother," &c. &c., and the profession of informant. So also when "present at death." This concludes the information; the two other columns relate to the Registrar.

10. That the Registrar registered the said particulars on a given day—
5th February.

11. Witness, his name and title, *John Cox, Registrar.*

It would tend very much to promote the accuracy of registration if every family kept a register of births, marriages, and deaths. The register in the Family Bible has often been found of great use, and the Family Register would be good corroborative evidence, although it would not, even when preserved, supersede the official register by a public officer.* I found on trial that in London many particulars respecting the great majority of the deceased, except in public institutions, are known to the people around them at death.† The following is one among many instances. It is a specimen of what I held then and still think would be a complete schedule. If it be ever adopted it will be necessary to pay the Registrar 1*s.* 6*d.* instead of 1*s.* 0*d.* an entry, and the Superintendent 3*d.* instead of 2*d.* for examination, as the labor will be increased. It is evident that the additional particulars as to birth-place, residence in district, parents' names, marriage, and issue would have the same value as some of the particulars now registered; they would depend on indirect evidence, and, if required, every year such evidence would increase in value :—

District, *Poplar.—William Canty, male, aged 62, died 28th February, at half past six o'clock a.m., at 16 Cottage Row, of pneumonia, 2 months, as certified by H. Bloomfield, M.D.; born in Cork, Ireland; 36 years in Poplar; father Timothy Canty, deceased, mother Mary Canty, maiden name Nicolas, deceased; married in Scrill parish, Ireland, at age 22, to Honora M'Carty; left issue Timothy, age 31, William 30, Mary 20, John deceased, age 27 in 1846, Catherine deceased, age 1 in 1820, Stephen 21;* witness, *Honora Canty* her × mark, *widow*, Informant; *Mary Canty, daughter*, witness; *T. W. Gagen*, Registrar, *March 3, 1847.*

I do not venture to complicate the proposal as to the medical registration certificate with these or any other alterations of the schedule and the Act, as I know that you are better able than I am to deal with such general improvements.

To secure the registration of the causes of death it would be necessary to alter some clauses of the Act (6 & 7 W. 4. c. 86.), and to insert a new clause to the following effect. It is slightly altered from the Registration Act for Ireland (26 Vict. c. 11. s. 46.)

"Medical Certificate of Death.

"Whereas it is expedient to establish an authentic registration of the "causes of death: Be it therefore enacted, the Registrar shall furnish from "time to time, *gratis*, to every duly qualified medical practitioner within "his district the necessary forms of certificates of death in the form (—) "hereunto annexed, which certificates the Registrar General shall cause "to be printed and forwarded from time to time to every Registrar for "that purpose; and the medical practitioner who shall have been in "attendance during the last illness and until the death of any person dying "after the 31st December 1866 shall within three days after the death of

* Entries in a family Bible are admissible in evidence in matters of pedigree; they are considered to derive credit from the circumstance of their being entered in a book which is kept as the ordinary register of families, and on account of their publicity in the family. (By Lord Ellenborough, C.J., and Lord Redesdale, C., in the Berkeley Peerage Case, 4 Camp. 421; and see other authorities cited in the text books on the Law of Evidence.)

† See Journal of Statistical Society, Vol. XI., pp. 282–5.

" such person transmit to the Registrar of the district in which the death " occurred, or deliver to the relatives of the deceased, or to a person " legally qualified to sign the Register as informant of the death, a certi- " ficate of the cause of death in the form mentioned, the particulars of " which shall be entered by the Registrar in the register. In case such " certificate shall not be so transmitted or delivered, the Registrar shall " give notice of the death to the registration medical officer, who " shall within two days after the receipt thereof return a certificate " duly filled up to such Registrar, who shall enter the particulars relating " to the cause of death in the proper column of the death register; pro- " vided that the registration medical officer shall, if he see fit, refuse to " give his certificate until an inquest has been held."

Certain amendments would be required in the Act to secure the complete registration of deaths. The task of giving notice of death to the Registrar, and in the case of deaths without medical attendance to the registration medical officer, should be enforced by penalty (see sect. 38. of 17 & 18 Vict. cap. 80., Scotch Act,) so as to make it the duty of the parties concerned to procure from the medical attendant, or in his default forthwith from the registration medical officer, the certificate of the cause of death authorizing the issue of the burial certificate by the Registrar. It is evident that if the body can be interred before the inquiry it will open a door to crime by rendering detection difficult if not impossible. The body is seen at once and is often buried in France on the second day; in England the people cling to the presence of their dead, and thus inquiry is easier. Decent dead-houses should be provided for poor families in towns.

Still-born children should be seen by the registration medical officer, whose certificate to the effect that they were still-born would authorize their burial without funeral rites. They would be entered in his books, and would not appear in the Registrar's accounts, which should embrace only all those born alive.

I. Zymotic Diseases: *Zymotici.*

The mortality by these diseases in the two years 1863–64 was much above the average of the three years preceding; it was nearly as high as in the year 1858, and the excess was chiefly due in the three years to the ravages of a great epidemic of scarlatina, coupled with diphtheria, which at its origin was confounded with malignant sore throat.

Scarlatina destroyed 29,700 lives in the year; 18,709 children under five years of age, 8,027 five and nearly ten years of age, while the remaining 2,964 were of higher ages.

Fever in its various continued forms [typhus, typhia (typhoid), and typhinia (relapsing fever)] was fatal to 20,106 persons, or to 9,971 males and to 10,135 females of all ages. The rate of mortality was a little above the average, or 9·77 deaths by fever to 10,000 persons living. By estimate 165,400 persons were attacked by fever, or 79·63 in every 10,000 of the population. It will be seen that this is the chief zymotic disease which attacks young men and women in the prime of life. (See Tables VI., VII., and VIII.)

Erysipelas became more fatal in the years 1862–63–64 in the proportions of 76, 94, and 102 deaths per million of population.

II. Constitutional Diseases: *Cachectici.*

These deaths are little liable to fluctuation. The decrease of deaths ascribed to dropsy, and the increase of deaths referred to cancer, in the last 15 years is probably due to the more general diffusion of medical knowledge, and to the increased proportion of certified deaths. 8117 deaths were ascribed to cancer, 7,386 to dropsy, in the last year. The total deaths from diseases of the diathetic order amounted to 17,392. The

tubercular order comprises 69,798 deaths ; 53,046 from phthisis, 5941 from tabes mesenterica, 7,700 from hydrocephalus, and 3,111 from scrofula.

III. Local Diseases : *Monorganici.*

Nearly every disease affects the whole organism directly or indirectly. But while inflammation is everywhere essentially the same pathological process, its effects in different organs where it is localized are very different. Inflammation of parts of the skin or of the limbs produces great disturbance of the functions but is not dangerous, while inflammation of the brain (cephalitis) is often fatal.

The brain diseases, including under that order all special affections of the brain, spinal marrow, and nerves, with their membranes,—these great organs of sense, volition, and motion,—killed 59,627, including 26,382 deaths, chiefly of infants from convulsions, 20,931 from apoplexy and paralysis.

22,419 persons died from affections of the heart and blood vessels.

Of all monorganic diseases those affecting the breathing organs are the most fatal ; of such affections 75,376 persons died in the year. This is an excess of 8,096 over the deaths by the same diseases in the previous year, and it is chiefly composed of deaths by bronchitis and asthma.

Phthisis and bronchitis in the chronic form are often confounded, but in phthisis there is a deposit of tubercles not only in the lungs but in other organs, and while the fatality of bronchitis is invariably influenced by a depression of temperature, the mortality by phthisis undergoes little variation. On etiological as well as pathological grounds the two diseases essentially differ, but in practice, unless their history is carefully traced, they are often confounded by persons not well skilled in diagnosis.

The deaths of this order with those by phthisis from Class II. amount to 128,422, or to more than one fourth part (·26) of the deaths from all causes.

The diseases of the digestive organs account for 20,969 of the deaths, including all affections of the stomach, intestines, and liver. Liver disease including jaundice counts for 8,083 in the deaths.

The diseases of other systems of organs are less fatal as their functions are distributed over an extensive apparatus which is seldom all affected at the same time, and is not in its entirety indispensable to life.

IV. Developmental Diseases : *Metamorphici.*

These diseases arise directly out of the processes of development, growth, and decay. They include malformations to which 1,297 deaths are referred, and premature birth, from undistinguished causes, either in the mother or the child. Teething is set down for 4,285 deaths.

The chief fatal causes of the class among women are 2,532 deaths from childbirth, besides 1,484 deaths of mothers from metria, often called puerperal fever. A pregnant woman is obnoxious to attacks of zymotic diseases, which is then frequently fatal ; or when labouring under some chronic disease, such as phthisis, she may become pregnant ; such deaths are referred to the fatal diseases in question. (See Table XV.) The usual mortality of mothers from childbearing is 5 deaths of mothers to every 1,000 children born alive.

29,634 deaths, chiefly of infants, are referred to atrophy and debility, the body wastes, and the forces fail without any apparent disease.

So it often is in the last stages of life, when 29,498 deaths fall from no discernible cause.

V.—Violent Deaths : *Thanatici.*

17,018 deaths are referred distinctly to external causes. The number of such deaths has increased to that number from 14,065 in the year 1855. The increase in the last two years is 2,074.

15,091 of the deaths are ascribable to accident or negligence, more or less culpable, sometimes of the victim and sometimes of third parties not amenable in the opinion of juries to criminal charges.

412 persons, including 192 infants under one year of age, died, in the opinion of coroners' juries, of homicide, either manslaughter or murder. The deaths of 110 males are murders, of 121 manslaughters; of females the proportions are very different, 138 and 43. The excess of manslaughters among males is in adults for obvious reasons.

1,340 suicides are so designated, and to these some of the 2,714 persons found drowned should probably be added. The iron regularity of the law of suicide is remarkable (see Table XIX.); but it must not be assumed that the tendency is uncontrollable.

21 criminals were executed; this is double the average number of executions in the four years 1858–61, and the increase is rather referable to the increase of murder than to any increase in the administration of the laws.

2,987 deaths by burns and scalds are recorded; 1,475 of males and 1,512 of females. The great difference in the two sexes at the ages 5–10 is due to the great inflammability of cotton dresses. It is gratifying to observe in the last year a great reduction in the mortality of both boys and girls by burns at this age. (See Table XX.)

The deaths by lightning nearly all occur out of doors, so it is not surprising that the flash struck men and women in the proportion of 5 to 1. The importance of avoiding the seduction of a shady isolated tree in a thunderstorm cannot be too much insisted on.

I have the honour to be,
Sir,
Your very obedient servant,
W. FARR.

To
The Registrar General.

TABLE I.—**Excess** or **Defect** of **Annual Rate** of **Mortality per Cent.** of **Males** and **Females** in **England** and **Wales** in the **Year 1864** over or under the **Mean Annual Mortality** of the **27 Years 1838–64.**

	AGES.—MALES.												
	ALL AGES.	0–	5–	10–	15–	25–	35–	45–	55–	65–	75–	85–	95 & upwds.
MEAN of 27 YEARS –	2·321	7·247	·893	·499	·793	·978	1·282	1·809	3·142	6·749	14·686	30·514	44·120
YEAR 1864 – – –	2·514	7·535	·993	·503	·780	1·075	1·493	1·901	3·385	7·736	15·413	34·340	53·246
EXCESS of 1864 –	·193	·288	·100	·004	–·013	·097	·211	·092	·243	1·007	·727	3·826	9·126

The Table may be read thus:—The Mortality per Cent. of Males in the Year 1864, under 5 Years of Age, exceeded the Mean Mortality per Cent. of 27 Years by ·193, while, on the contrary, at the age 15 and under 25 the Mortality in the Year 1864 was *less* than the Mean Mortality of 27 Years by ·013; the deficiency being indicated by prefixing the minus sign thus (–·013).

	AGES.—FEMALES.												
	ALL AGES.	0–	5–	10–	15–	25–	35–	45–	55–	65–	75–	85–	95 & upwds.
MEAN of 27 YEARS –	2·149	6·247	·884	·518	·827	1·018	1·232	1·555	2·820	5·807	13·414	28·098	43·010
YEAR 1864 – – –	2·264	6·537	·953	·513	·795	1·011	1·224	1·677	3·235	5·652	14·540	30·578	44·851
EXCESS of 1864 –	·115	2·90	·069	–·005	–·032	–·007	–·008	·122	·415	–·155	1·126	2·480	1·841

TABLE II.—**Deaths** in **England** from **Scarlatina, Cynanche Maligna,** and **Diphtheria,** for each of the **Years 1855** to **1864.***

YEARS.	TOTAL.	SCARLATINA.	CYNANCHE MALIGNA, and DIPHTHERIA.	CYNANCHE MALIGNA.	DIPHTHERIA.
1855 – –	17,314	16,929	385	199	186
1856 – –	14,160	13,557	603	374	229
1857 – –	14,229	12,646	1,583	1,273	310
1858 – –	30,317	23,711	6,606	1,770	4,836
1859 – –	29,494	19,310	10,184	597	9,587
1860 – –	14,517	9,305	5,212	376	4,836
1861 – –	13,594	9,077	4,517	303	4,214
1862 – –	19,737	14,834	4,903	341	4,562
1863 – –	36,982	30,475	6,507	384	6,123
1864 – –	35,164	29,700	5,464	366	5,098
Total – –	225,508	179,544	45,964	5,983	39,981

* Previously to 1859 Diphtheria was referred to Scarlatina. Previously to 1861 Cynanche Maligna was referred to Scarlatina; since that time to Diphtheria.

TABLE III.—**Deaths** in **England** from **Diphtheria** and **Cynanche Maligna,** at different AGES, in each of the Ten **Years 1855–64.**

YEARS.	ALL AGES.	Under 1 Year.	1–	2–	3–	4–	Under 5 Years.	5–	10–	15–	25–	35–	45–	55–	65–	75–	85–	95 and upwards.
1855 –	385	56	52	47	45	33	233	84	17	20	8	7	8	7	1	–	–	–
1856 –	603	44	62	81	54	57	298	175	65	33	8	11	6	4	3	–	–	–
1857 –	1583	109	138	137	152	160	696	512	224	86	31	19	8	6	–	1	–	–
1858 –	6606	552	741	692	695	635	3315	1897	686	361	134	80	56	42	26	7	2	–
1859 –	10184	878	1122	1103	1116	1081	5300	2751	1091	533	215	122	69	50	37	11	4	–
1860 –	5212	448	558	500	621	551	2678	1413	542	321	79	69	43	36	17	14	–	–
1861 –	4517	361	528	501	507	471	2368	1217	419	258	93	60	41	35	16	10	–	–
1862 –	4903	412	645	594	560	513	2724	1242	432	264	91	54	39	29	18	9	1	–
1863 –	6507	585	903	744	813	664	3709	1651	515	291	121	78	61	48	27	6	–	–
1864 –	5464	527	694	681	661	535	3098	1292	425	300	130	82	60	46	26	4	1	–
Total –	45,964	3,972	5,443	5,080	5,224	4,700	24,419	12,234	4416	2470	908	582	391	303	171	62	8	–

TABLE IV.—**Deaths in England from Scarlatina** (exclusive of **Deaths by Diphtheria and Cynanche Maligna**), at different AGES, in each of the Ten **Years 1855–64.**

YEARS.	ALL AGES.	Under 1 Year.	1–	2–	3–	4–	Under 5 Years.	5–	10–	15–	25–	35–	45–	55–	65–	75–	85–	95 and upwards
1855 –	16929	1131	2306	2700	2537	1937	10631	4523	1078	433	123	71	36	15	8	1	–	–
1856 –	13757	985	1930	2161	2085	1669	8830	3419	800	332	88	55	20	10	3	–	–	–
1857 –	12546	855	1790	2032	1988	1482	8127	3242	766	321	104	40	23	7	3	3	–	–
1858 –	25711	1444	3468	3980	3638	2860	15390	6160	1321	537	139	69	33	10	6	2	–	–
1859 –	19310	1294	2824	3002	2992	2379	12551	4937	1050	469	174	80	25	12	7	4	–	–
1860 –	9305	636	1378	1499	1409	1146	6068	2329	477	287	77	37	19	7	4	–	–	–
1861 –	9077	572	1288	1490	1423	1119	5892	2117	447	264	91	31	21	10	–	4	–	–
1862 –	14834	903	2138	2454	2208	1786	9569	3893	818	364	117	42	16	9	2	3	1	–
1863 –	30475	1761	4070	4886	4633	3842	19222	8192	1820	805	267	113	34	13	6	2	–	–
1864 –	29700	1778	3915	4682	4571	3763	18709	8027	1711	793	289	102	44	29	7	4	–	–
Total –	179544	11,359	25,107	28,816	27,594	21,983	114,989	47,049	10292	4633	1487	640	272	115	45	23	1	–

TABLE V.—**Deaths in each of the Counties of England and Wales from Scarlatina for each of the Years 1847–1864.**

No.	REGISTRATION COUNTIES.	DEATHS BY SCARLATINA.																
		1847	1848	1849	1850	1851	1852	1853	1854	1855	1856	1857	1858	1859	1860	1861	1862	1863	1864
	ENGLAND & WALES	14,697	20,502	13,111	13,970	13,654	18,887	15,699	18,524	17,314	14,160	14,229	30,317	19,907	9,681	9,077	14,834	30,475	29,700
	I.—LONDON – –	1,433	4,767	2,149	1,169	1,235	2,571	2,016	3,477	2,611	1,819	1,709	4,184	3,481	2,017	2,381	3,402	4,955	3,244
	II.—SOUTH EASTERN COUNTIES.																		
1	Surrey (*extra metropol.*)-	151	162	153	128	29	106	81	118	137	103	89	335	188	79	53	151	390	314
2	Kent (*extra-metropol.*) –	423	413	340	207	202	136	359	444	404	393	218	651	425	249	287	297	687	709
3	Sussex – – –	50	228	277	181	231	218	66	188	337	153	173	514	283	85	40	71	363	483
4	Hampshire – –	185	270	248	415	189	134	87	303	727	378	311	444	350	81	24	348	744	238
5	Berkshire – –	130	138	172	63	143	175	125	161	153	136	122	353	93	18	17	70	153	151
	III.—SOUTH MIDLAND COUNTIES.																		
6	Middlesex (*extra metro.*)-	26	295	139	36	20	57	51	266	164	78	59	134	157	131	55	139	345	160
7	Hertford-shire – –	79	211	152	117	17	27	40	84	145	89	22	84	90	40	24	110	411	377
8	Buckinghamshire – –	123	219	85	29	36	49	39	73	244	21	23	95	93	43	99	166	39	114
9	Oxfordshire – –	54	21	144	151	119	25	23	50	62	20	110	393	114	18	19	24	153	244
10	Northamptonshire –	112	275	136	196	89	95	58	256	198	63	35	158	171	39	10	53	377	803
11	Huntingdonshire – –	50	47	40	12	14	3	14	28	50	29	98	35	26	17	5	10	146	61
12	Bedfordshire – –	172	176	55	25	32	12	5	69	338	143	25	95	53	26	11	30	153	382
13	Cambridgeshire – –	29	190	225	157	95	51	9	157	532	171	53	86	85	83	25	55	366	245
	IV.—EASTERN COUNTIES.																		
14	Essex – – – –	248	436	459	99	94	120	103	202	433	346	162	355	178	101	83	388	775	281
15	Suffolk – – – –	49	197	465	255	204	255	48	50	111	199	164	376	119	76	41	108	820	353
16	Norfolk – – – –	21	85	181	1,304	858	196	45	69	113	284	554	738	281	81	113	202	235	568
	V.—SOUTH WESTERN COUNTIES.																		
17	Wiltshire – – –	48	211	128	113	199	102	45	191	177	74	75	259	222	60	40	116	292	260
18	Dorsetshire – – –	4	11	92	153	144	55	81	83	73	70	256	375	179	61	6	42	147	138
19	Devonshire – – –	41	87	614	1,466	643	358	163	376	564	629	527	891	391	73	75	353	778	1,054
20	Cornwall – – –	27	5	74	170	538	553	254	158	230	407	291	425	234	158	142	165	995	572
21	Somersetshire – –	20	113	145	852	751	253	76	108	155	218	159	479	393	91	49	126	773	1,013
	VI.—WEST MIDLAND COUNTIES.																		
22	Gloucestershire – –	238	439	232	304	474	634	127	124	83	136	247	731	553	142	102	111	1,162	453
23	Herefordshire – –	2	19	15	45	12	55	80	66	83	46	73	106	64	19	7	12	39	206
24	Shropshire – – –	179	192	97	165	157	75	245	303	141	77	156	195	127	148	135	234	223	147
25	Staffordshire – –	1,101	665	365	266	224	999	1,571	917	430	358	641	1,194	1,186	503	194	807	1,147	1,184
26	Worcestershire – –	225	271	103	77	40	77	242	382	192	71	105	227	316	138	40	81	353	584
27	Warwickshire – –	755	761	339	292	57	253	731	574	191	371	357	1,185	518	170	96	354	676	966
	VII.—NORTH MIDLAND COUNTIES.																		
28	Leicestershire – –	88	64	42	88	152	439	212	75	89	62	215	432	204	84	15	88	524	164
29	Rutlandshire – –	1	13	26	16	8	1	3	12	28	2	8	45	30	3	2	8	54	48
30	Lincolnshire – –	199	369	239	119	98	108	347	1,312	598	123	124	651	200	128	139	193	495	662
31	Nottinghamshire –	139	245	165	31	43	143	567	516	143	71	75	752	414	76	50	68	123	467
32	Derbyshire – –	125	278	96	40	49	108	470	506	136	56	276	622	376	60	31	50	179	381
	VIII.—NORTH WESTERN COUNTIES.																		
33	Cheshire – – –	445	808	312	123	340	788	693	936	260	269	650	508	590	229	102	400	952	393
34	Lancashire – – –	2,904	4,314	1,357	1,103	2,442	3,156	3,110	2,189	3,053	2,951	2,761	6,226	2,437	1,113	1,259	2,793	4,580	4,854
	IX.—YORKSHIRE.																		
35	West Riding – – –	1,361	1,073	1,178	1,460	1,282	1,692	1,574	1,511	1,009	1,059	1,105	2,931	2,962	1,192	475	963	2,218	3,135
36	East Riding (with York)	63	385	122	51	52	423	185	220	104	87	241	250	89	133	275	204	638	470
37	North Riding – – –	285	423	159	88	81	71	105	273	235	100	64	166	74	46	90	241	316	179
	X.—NORTHERN COUNTIES.																		
38	Durham – – –	672	197	104	288	455	790	549	460	635	1,045	458	417	478	523	1,015	861	1,216	403
39	Northumberland –	517	116	44	185	151	649	358	148	249	545	303	534	154	430	768	356	235	140
40	Cumberland – –	278	99	47	47	225	97	66	352	413	152	74	207	213	163	160	116	191	110
41	Westmorland – –	125	25	1	8	36	105	61	95	32	28	14	12	6	10	18	54	34	33
	XI.—MONMOUTHSHIRE AND WALES.																		
42	Monmouthshire – –	16	63	98	137	217	162	142	846	230	133	83	233	277	161	43	21	248	773
43	South Wales – –	104	108	461	877	836	325	122	561	655	462	349	798	1,114	449	181	127	501	1,990
44	North Wales – –	369	846	876	372	151	148	302	315	417	415	439	537	461	257	179	211	274	244

NOTE.—From 1847 to 1858 inclusive the above numbers include diphtheria.

TABLE VI.—**Ages** of the **Persons** who **Died** from **Fever** (**Typhus, Typhia,** and **Typhinia**) in the **Year 1864.**

——	All Ages.	0–	5–	10–	15–	20–	25–	35–	45–	55–	65–	75–	85 and upwds.
Persons -	20,106	3800	2399	1558	1634	1441	2291	2133	1826	1562	1027	388	47
Males -	9,971	1912	1173	689	768	731	1117	1108	948	801	511	192	21
Females -	10,135	1888	1226	869	866	710	1174	1025	878	761	516	196	26

TABLE VII.—**Deaths** in **England** from **Fever** in the Seventeen **Years 1848-64,** and **Annual Rate** of **Mortality** to 10,000 Persons living.

AGES.	Deaths in the 17 Years 1848-64.		Average Annual Rate of Mortality to 10,000 Persons living at each Age.	
	Males.	Females.	Males.	Females.
All Ages - - -	147,435	153,057	9·31	9·25
Under 5 Years - - -	29,924	30,190	13·94	14·16
5– - - -	17,767	20,192	9·40	10·69
10– - - -	11,644	14,632	6·76	8·65
15– - - -	25,600	28,086	8·60	9·10
25– - - -	16,146	16,473	6·93	6·46
35– - - -	13,146	12,591	7·23	6·39
45– - - -	11,572	10,252	8·46	7·17
55– - - -	10,208	9,405	11·33	9·86
65– - - -	8,022	7,583	16·73	12·90
75– - - -	3,069	3,221	17·73	14·52
85– - - -	330	418	15·29	12·68
95 and upwards -	7	14	8·26	8·28

TABLE VIII.—**Annual Number** of **Cases** (estimated) and of **Deaths** by **Fever** in **England** and **Wales** in the Sixteen **Years 1848-63** and in the **Year 1864.**

AGES.	Annual Cases. (Estimated.)		Annual Deaths. (Returned.)		To 10,000 Persons living at each Age the Annual Number of			
					Cases. (Estimated.)		Deaths.	
	1848-63	1864	1848-63	1864	1848-63	1864	1848-63	1864
All Ages - - -	152,699	165,400	17,524	20,106	80·64	79·63	9·25	9·68
Under 5 Years - -	38,716	41,800	3,519	3,800	154·90	147·23	14·08	13·38
5– - - -	30,732	33,172	2,223	2,399	139·08	136·56	10·06	9·88
10– - - -	24,506	24,714	1,545	1,558	122·57	113·45	7·73	7·15
15– - - -	32,699	31,788	3,163	3,075	92·09	83·28	8·91	8·06
25– - - -	12,300	14,867	1,896	2,291	43·05	48·80	6·63	7·52
35– - - -	5,989	8,659	1,475	2,133	27·03	35·77	6·66	8·81
45– - - -	3,272	4,780	1,250	1,826	20·05	25·73	7·66	9·83
55– - - -	2,369	3,280	1,128	1,562	21·87	27·34	10·41	13·02
65– - - -	1,525	1,719	911	1,027	24·48	24·29	14·63	14·51
75 and upwards -	591	621	414	435	22·34	22·34	15·64	15·64

TABLE IX.—ENGLAND. **Deaths** from **Fever—Typhus, Typhia,** and **Typhinia** —to 10,000 Persons living, and Proportional Number to 1000 Deaths, in each of the Fifteen **Years 1850–64.**

YEARS.	Number of Deaths registered.	Deaths to 10,000 Persons living.	Proportional Number to 1000 Deaths.
1850	15,374	8·66	43
1851	17,930	10·15	46
1852	18,641	10·41	47
1853	18,554	10·25	5
1854	18,893	10·28	44
1855	16,470	8·89	39
1856	16,182	8·60	42
1857	19,016	9·97	46
1858	17,883	9·28	40
1859	15,877	8·14	36
1860	13,012	6·63	31
1861	15,440	7·76	36
1862	18,721	9·31	43
1863	18,017	8·86	38
1864	20,106	9·77	41
Mean - -	17,341	9·13	41

TABLE X. — **Deaths** by **Erysipelas** at **different Ages** in **England** and **Wales** in the **Years 1862, 1863,** and **1864.**

SEX.	YEARS.	AGES.																	
		ALL AGES.	Under 1 Year.	1	2	3	4	Total under 5 Years.	5—	10—	15—	20—	25—	35—	45—	55—	65—	75—	85—	95 & upwds.
Persons	1862	1523	458	49	36	13	7	563	29	36	43	30	70	113	143	166	182	128	20	-
	1863	1920	612	62	31	22	18	745	25	31	39	49	112	137	177	216	213	146	30	-
	1864	2104	618	55	30	15	15	733	15	22	38	61	110	171	194	274	271	180	34	1
Males	1862	790	233	22	14	9	2	280	14	19	22	16	35	51	90	97	90	70	6	-
	1863	1039	302	32	12	15	10	371	9	18	19	29	58	74	108	131	123	81	18	-
	1864	1129	309	32	14	8	9	372	10	10	19	29	56	94	100	168	160	93	18	-
Females	1862	733	225	27	22	4	5	283	15	17	21	14	35	62	53	69	92	58	14	-
	1863	881	310	30	19	7	8	374	16	13	20	20	54	63	69	85	90	65	12	-
	1864	975	309	23	16	7	6	361	5	12	19	32	54	77	94	106	111	87	16	1

TABLE XI.—**Causes** of **Death** registered in **England** in each of the Ten **Years 1855-1864.**

Class.	CAUSES OF DEATH.	1855	1856	1857	1858	1859	1860	1861	1862	1863	1864
	ALL CAUSES - - -	425,703	390,506	419,815	449,656	440,781	422,721	435,114	436,566	473,837	495,531
	SPECIFIED CAUSES -	414,228	380,667	410,217	440,922	432,476	414,060	427,360	429,000	465,874	487,732
	(CLASSES.)										
I.	ZYMOTIC DISEASES -	88,152	81,121	93,518	110,971	106,645	75,849	87,986	91,539	119,731	118,825
II.	CONSTITUTIONAL „ -	84,645	79,500	81,969	82,416	81,738	82,088	84,987	83,024	84,393	87,190
III.	LOCAL „ -	158,176	143,966	152,249	163,489	159,686	171,037	167,454	170,651	174,603	189,039
IV.	DEVELOPMENTAL „ -	69,190	62,178	68,629	69,895	69,708	70,311	71,948	68,842	71,467	75,660
V.	VIOLENT DEATHS -	14,065	13,902	13,852	14,151	14,649	14,775	14,985	14,944	15,680	17,018
	(ORDERS.)										
I.	1. MIASMATIC DISEASES -	83,737	77,278	89,299	106,278	101,699	71,304	83,324	86,881	114,538	113,051
	2. ENTHETIC „ -	1,179	1,061	1,144	1,195	1,273	1,252	1,355	1,449	1,578	1,793
	3. DIETIC „ -	2,037	1,688	1,905	2,112	2,301	2,206	2,095	2,149	2,456	2,810
	4. PARASITIC „ -	1,149	1,094	1,170	1,386	1,372	1,087	1,212	1,060	1,159	1,171
II.	1. DIATHETIC „ -	17,125	15,068	16,207	16,790	16,433	16,404	16,233	16,412	16,651	17,382
	2. TUBERCULAR „ -	67,520	63,832	65,762	65,626	65,355	65,684	68,754	66,612	67,742	69,798
III.	1. DISEASES OF NERVOUS SYSTEM - -	52,365	50,084	51,619	53,961	54,531	55,577	55,625	55,692	57,428	59,627
	2. „ ORGANS OF CIRCULATION -	14,552	13,672	14,784	16,426	17,133	18,758	18,076	18,709	19,505	22,419
	3. „ RESPIRATORY ORGANS - -	63,742	52,908	58,320	65,516	59,853	68,408	64,310	67,565	67,280	75,376
	4. „ DIGESTIVE ORGANS - -	18,746	18,617	19,153	19,246	19,842	19,718	20,327	19,421	20,516	20,969
	5. „ URINARY ORGANS - -	3,978	4,150	4,129	4,683	4,736	4,990	5,222	5,328	5,578	6,104
	6. „ ORGANS OF GENERATION -	1,042	1,039	1,069	1,148	1,199	1,118	1,129	1,227	1,219	1,294
	7. „ ORGANS OF LOCOMOTION -	1,428	1,329	1,306	1,164	1,285	1,466	1,624	1,588	1,765	1,860
	8. „ INTEGUMENTARY SYSTEM -	2,323	2,167	1,869	1,345	1,107	1,002	1,141	1,121	1,312	1,390
IV.	DEVELOPMENTAL DISEASES 1. „ OF CHILDREN	22,791	22,657	24,171	12,412	12,300	12,706	13,116	12,787	13,498	13,921
	2. „ ADULTS -	1,961	1,878	2,003	2,114	2,314	2,233	2,168	2,198	2,508	2,607
	3. „ OLD PEOPLE	29,714	23,931	26,847	28,509	27,104	28,442	27,373	26,780	27,208	29,498
	4. DISEASES OF NUTRITION	14,724	13,712	15,608	26,860	27,990	26,930	29,291	27,077	28,193	29,634
V.	1. ACCIDENT OR NEGLIGENCE - - -	*	*	*	12,523	13,056	12,991	13,187	13,055	13,772	15,091
	2. BATTLE - - -	*	*	*	†	†	†	†	†	†	†
	3. HOMICIDE - - -	*	*	*	344	338	377	320	418	399	412
	4. SUICIDE - - -	*	*	*	1,275	1,248	1,365	1,347	1,317	1,319	1,340
	5. EXECUTION‡ - - -	*	*	*	9	7	10	11	17	21	21
	VIOLENT DEATHS NOT CLASSED - - -	14,065	13,902	13,852	*	*	32	120	137	169	154
	SUDDEN DEATHS, CAUSE UNASCERTAINED - -	4,139	3,474	3,403	3,996	2,821	2,894	2,697	2,778	3,008	3,221
	CAUSES NOT SPECIFIED -	7,336	6,365	6,195	5,638	5,484	5,767	5,057	4,788	4,955	4,478
I.	ORDER 1.										
	1 Small-pox - - -	2,525	2,277	3,036	6,460	3,848	2,749	1,320	1,628	5,964	7,684
	2 Measles - - -	7,354	7,124	5,969	9,271	9,548	9,557	9,055	9,800	11,349	8,323
	3 Scarlatina - - -	17,314	14,160	14,229	30,317	19,907	9,681	9,077	14,834	30,475	29,709
	4 Diphtheria - - -	§	§	§	§	2,537	5,212	4,517	4,903	6,507	5,464
	5 Quinsy - - -	374	416	485	623	426	319	342	323	334	378
	6 Croup - - -	4,419	5,207	5,279	6,220	5,636	4,380	4,397	5,667	6,957	6,777
	7 Whooping-cough - -	10,185	9,225	10,138	11,648	8,976	8,555	12,309	12,272	11,275	8,570
	8 Typhus - - -	16,470	16,182	19,016	17,383	15,877	13,012	15,440	18,721	18,017	20,106

† Order 2, comprising Violent Deaths in Battle, is omitted, as inapplicable to the civil population.

‡ The number of persons executed in the several years will not necessarily correspond with those in the same years of the "Criminal Returns," inasmuch as the executions recorded in each year in the latter are derived from the dates of conviction, while the numbers in this Table are classed under the years in which the deaths are registered.

§ The cases of angina membranacea which would now be put to diphtheria were formerly classed under the same head as scarlatina, but were distinguished in the notes.

TABLE XI.—**Causes** of **Death** registered in **England** in each of the Ten **Years** **1855-1864**—*continued.*

Class.	CAUSES OF DEATH.	1855	1856	1857	1858	1859	1860	1861	1862	1863	1864
	9 Erysipelas	2,256	2,133	1,576	2,026	1,954	1,665	1,542	1,523	1,920	2,104
	10 Metria	1,079	1,067	836	1,068	1,238	987	886	940	1,155	1,484
	11 Carbuncle	265	253	252	246	236	247	193	206	237	266
	12 Influenza	3,568	1,029	1,393	1,794	1,112	1,159	746	915	919	804
	13 Dysentery	1,437	1,335	1,688	1,478	1,379	1,166	1,416	1,044	1,051	1,000
	14 Diarrhœa	12,770	13,815	21,189	13,853	18,331	9,702	18,746	11,112	14,943	16,432
	15 Cholera	837	762	1,150	673	887	327	837	511	807	934
	16 Ague	149	124	195	207	283	203	149	150	141	112
	17 Remittent Fever	575	162	270	569	400	314	254	284	198	202
	18 Rheumatism	2,170	2,007	1,688	1,942	2,124	1,998	1,982	1,943	2,175	2,569
	19 Other Zymotic Diseases	..	..	..	..	..	110	116	105	114	152
	ORDER 2.										
	1 Syphilis	947	879	937	1,006	1,089	1,067	1,177	1245	1,386	1,550
	2 Stricture of Urethra	218	177	184	186	177	178	168	199	183	229
	3 Hydrophobia	14	5	3	2	4	3	4	1	4	12
	4 Glanders	Classed with *Erysipelas.*			1	3	4	6	4	5	2
	ORDER 3.										
	1 Privation	91	69	52	62	52	68	63	73	54	106
	2 Want of Breast-milk	850	704	829	997	1,017	1,002	970	1006	1,158	1,253
	3 Purpura and Scurvy	324	227	246	341	342	361	405	353	409	392
	4 Alcoholism { *a* Del. Trem.	536	451	484	424	545	457	415	471	471	592
	4 Alcoholism { *b* Intemp.	286	237	204	288	345	318	242	246	364	467
	ORDER 4.										
	1 Thrush	1,149	1,064	1,170	1,236	1,217	920	1,055	904	981	1,006
	2 Worms, &c.	Classed with *Dis. of Stom.*			150	155	167	157	156	198	165
II.	ORDER 1.										
	1 Gout	237	260	223	245	238	268	247	284	248	309
	2 Dropsy	9,362	8,213	8,452	8,738	8,119	7,823	7,301	7,247	7,414	7,386
	3 Cancer	6,016	5,859	6,201	6,433	6,676	6,827	7,276	7,396	7,479	8,117
	4 Noma	178	164	198	161	159	122	174	137	130	165
	5 Mortification	1,282	1,172	1,133	1,193	1,241	1,364	1,235	1,258	1,330	1,415
	ORDER 2.										
	1 Scrofula	2,985	2,831	2,781	3,004	2,995	2,860	3,437	3,416	3,277	3,111
	2 Tabes Mesenterica	4,762	4,752	5,360	5,017	4,932	4,680	5,092	5,203	5,377	5,941
	3 Phthisis	52,290	48,950	50,196	50,442	50,149	51,024	51,931	50,962	51,072	53,046
	4 Hydrocephalus	7,483	7,299	7,495	7,163	7,229	7,120	7,074	7,031	7,516	7,700
III.	ORDER 1.										
	1 Cephalitis	3,466	3,414	3,392	3,463	3,451	3,518	3,426	3,580	3,869	4,014
	2 Apoplexy	8,645	8,278	8,378	8,629	8,831	9,181	8,795	9,136	9,721	10,322
	3 Paralysis	8,905	8,497	8,714	8,980	9,189	9,752	9,812	9,733	9,762	10,609
	4 Insanity	494	370	403	535	446	536	529	535	555	602
	5 Chorea	69	59	44	53	55	66	71	52	63	73
	6 Epilepsy	2,186	2,096	2,193	2,359	2,219	2,454	2,464	2,443	2,574	2,406
	7 Convulsions	24,917	23,946	24,532	25,438	25,954	25,205	25,423	25,286	26,008	26,382
	8 *Brain Disease, &c.*	3,733	3,424	3,963	4,454	4,586	4,865	5,105	4,927	4,876	5,159
	ORDER 2.										
	1 Pericarditis	588	531	573	586	616	575	541	559	597	629
	2 Aneurism	312	338	326	350	371	368	387	373	418	479
	3 *Heart Disease, &c.*	13,652	12,803	13,885	15,490	16,146	17,315	17,148	17,777	18,490	21,311
	ORDER 3.										
	1 Laryngitis	1,155	1,294	1,359	1,439	1,319	1,166	1,253	1,478	1,561	1,610
	2 Bronchitis	27,182	21,528	25,588	29,093	25,998	32,247	30,986	32,526	32,025	38,969
	3 Pleurisy	1,153	886	870	846	916	882	741	833	907	941
	4 Pneumonia	26,052	22,653	23,457	26,486	24,514	25,204	22,914	23,713	24,151	24,470
	5 Asthma	5,454	4,103	4,339	4,513	4,224	4,225	3,892	4,087	3,999	4,228
	6 *Lung Disease, &c.*	2,746	2,444	2,707	3,139	2,882	4,424	4,484	4,928	4,907	5,158
	ORDER 4.										
	1 Gastritis	810	816	816	739	827	704	809	765	838	883
	2 Enteritis	3,225	3,234	3,412	3,309	3,416	3,154	3,333	2,911	3,234	3,164
	3 Peritonitis	1,388	1,310	1,411	1,466	1,556	1,551	1,583	1,488	1,637	1,736
	4 Ascites	836	760	750	665	766	750	728	745	735	719
	5 Ulceration of Intestines	876	946	893	880	776	847	856	870	858	907
	6 Hernia	874	848	814	766	762	817	852	827	848	805
	7 Ileus	1,188	1,190	1,133	1,107	1,139	1,170	1,199	1,091	1,166	1,154
	8 Intussusception	243	280	254	239	271	245	276	280	246	292
	9 Stricture of Intestines	233	242	278	264	239	301	272	257	288	295
	10 Fistula	86	78	98	116	99	115	115	109	89	108
	11 *Stomach Disease, &c.*	2,362	2,357	2,438	2,750	2,698	2,866	2,756	2,739	2,800	2,747
	12 *Pancreas Disease, &c.*	5	12	15	11	22	12	18	16	12	10
	13 Hepatitis	1,446	1,437	1,444	1,353	1,488	1,329	1,386	1,262	1,402	1,429
	14 Jaundice	1,300	1,446	1,443	1,203	1,255	1,262	1,344	1,292	1,426	1,333
	15 *Liver Disease, &c.*	3,820	3,615	3,881	4,285	4,417	4,531	4,704	4,680	4,533	5,121
	16 *Spleen Disease, &c.*	54	51	73	53	62	64	86	93	84	66

TABLE XI.—**Causes** of **Death** registered in **England** in each of the Ten **Years** **1855–1864**—*continued.*

Class.	CAUSES OF DEATH.	1855	1856	1857	1858	1859	1860	1861	1862	1863	1864
	ORDER 5.										
	1 Nephritis	244	269	268	265	284	245	306	276	335	390
	2 Ischuria	120	83	97	118	103	96	102	104	143	126
	3 Nephria	793	954	983	1,105	1,258	1,230	1,448	1,541	1,700	1,793
	4 Diabetes	448	433	482	514	480	536	537	574	551	665
	5 Stone	224	236	182	199	191	179	168	196	172	184
	6 Cystitis	278	270	258	256	276	299	343	342	340	383
	7 *Kidney Disease, &c.*	1,861	1,908	1,859	2,226	2,144	2,245	2,318	2,398	2,257	2,563
	ORDER 6.										
	1 Ovarian Dropsy	208	211	237	239	277	244	235	280	255	259
	2 *Uterus, &c. Disease*	834	828	832	909	922	874	894	947	964	1,035
	ORDER 7.										
	1 Arthritis	80	71	62	77	81	68	79	70	73	89
	2 *Joint Disease, &c.*	1,348	1,258	1,244	1,087	1,204	1,398	1,545	1,518	1,632	1,771
	ORDER 8.										
	1 Phlegmon	1,780	1,585	1,239	711	466	413	454	409	530	550
	2 Ulcer	278	289	300	332	364	332	401	387	435	463
	3 *Skin Disease, &c.*	265	293	330	302	277	257	286	325	347	377
IV.	ORDER 1.										
	1 Premature Birth †	17,818	17,997	19,144	7,307	7,432	7,642	7,610	7,706	8,121	8,339
	2 Cyanosis	360	341	350	386	403	398	420	459	456	465
	3 Spina Bifida	247	299	325	313	356	370	394	386	402	371
	4 Other Malformations	359	360	360	385	379	420	441	424	403	461
	5 Teething	4,057	3,969	3,992	4,021	3,730	3,896	4,251	3,812	4,116	4,285
	ORDER 2.										
	1 Paramenia	61	57	52	51	56	47	59	61	75	75
	2 Childbirth (*see* Metria)	1,900	1,821	1,951	2,065	2,258	2,186	2,109	2,137	2,433	2,532
	ORDER 3.										
	1 Old Age	29,714	23,931	26,847	28,509	27,104	28,442	27,273	26,780	27,268	29,498
	ORDER 4.										
	1 Atrophy and Debility †	14,724	13,712	15,608	26,860	27,990	26,930	29,291	27,077	28,193	29,634
V.	ORDER 1. (ACCIDENT or NEGLIGENCE.)										
	1 Fractures and Contusions	*	*	*	5,159	5,482	5,417	5,589	5,397	5,852	6,500
	2 Gunshot	*	*	*	136	104	103	120	111	108	126
	3 Cut, Stab	*	*	*	80	75	81	41	54	82	115
	4 Burns and Scalds	*	*	*	3,125	2,978	3,166	3,053	2,767	2,766	2,987
	5 Poison	*	*	*	282	279	240	258	262	277	274
	6 Drowning	*	*	*	2,124	2,494	2,264	2,251	2,463	2,488	2,714
	7 Suffocation	*	*	*	903	952	1,061	1,014	1,219	1,147	1,245
	8 Otherwise	*	*	*	714	692	659	761	782	1,052	1,130
	ORDER 3. (HOMICIDE.)	* In this part of the Table, which comprises Deaths in 1855-57, the Violent Deaths are not distinguished according to ORDERS, &c., but are placed indiscriminately in the next line following.									
	1 Murder and Manslaughter				344	338	377	320	418	399	412
	ORDER 4. (SUICIDE.)										
	1 Gunshot Wounds				60	54	50	59	54	56	65
	2 Cut, Stab				243	270	276	237	215	237	249
	3 Poison	*	*	*	119	112	156	122	128	121	154
	4 Drowning	*	*	*	197	208	219	225	204	245	205
	5 Hanging	*	*	*	570	540	569	592	611	592	564
	6 Otherwise	*	*	*	86	64	86	92	105	78	103
	ORDER 5. (EXECUTION.)										
	1 Hanging	*	*	*	9	7	10	11	17	21	21
	Violent Deaths (not classed)	14,065	13,902	13,852	..	..	32	120	137	169	154
	Sudden Deaths (Cause unascertained)	4,139	3,474	3,403	3,096	2,821	2,894	2,697	2,778	3,098	3,321
	Cause not specified or ill-defined	7,236	6,365	6,195	5,638	5,484	5,767	5,057	4,788	4,955	4,478

† Up to the year 1857 cases of so called "debility" and "premature birth" were classed together; when the new classification was introduced "premature birth" was kept apart, and "debility" and "atrophy" were thrown into one line. This accounts for the changes in the table numbers.

REFORM CLUB PALL MALL

TABLE XII.—**Causes of Death in England in 1864.** Proportional Numbers dying from each Class of Causes, and from each Cause.

Class.	CAUSES OF DEATH.	1864	
		Deaths to 1,000,000 *Persons living.*	Proportional Number in 1,000,000 Deaths.
	ALL CAUSES	23,855	1,000,000
	(CLASSES.)		
I.	ZYMOTIC DISEASES	5,770	241,979
II.	CONSTITUTIONAL ,,	4,237	177,657
III.	LOCAL ,,	9,182	384,965
IV.	DEVELOPMENTAL ,,	3,678	154,078
V.	VIOLENT DEATHS ,,	826	34,657
	SUDDEN DEATHS, CAUSE UNASCERTAINED	162	6,764
	(ORDERS.)		
I.	1. MIASMATIC DISEASES	5,489	230,221
	2. ENTHETIC ,,	87	3,650
	3. DIETIC ,,	137	5,723
	4. PARASITIC ,,	57	2,385
II.	1. DIATHETIC ,,	845	35,418
	2. TUBERCULAR ,,	3,392	142,139
III.	DISEASES OF—		
	1. NERVOUS SYSTEM	2,896	121,427
	2. ORGANS OF CIRCULATION	1089	45,655
	3. RESPIRATORY ORGANS	3,663	153,499
	4. DIGESTIVE ORGANS	1,017	42,700
	5. URINARY ORGANS	297	12,430
	6. ORGANS OF GENERATION	63	2,635
	7. ORGANS OF LOCOMOTION	90	3,788
	8. INTEGUMENTARY SYSTEM	67	2,831
IV.	1. DEV. DISEASES OF CHILDREN	676	28,350
	2. ,, ADULTS	127	5,309
	3. ,, OLD PEOPLE	1,434	60,071
	4. DIS. OF NUTRITION	1,441	60,348
V.	1. ACCIDENT OR NEGLIGENCE	734	30,732
	2. BATTLE	*	*
	3. HOMICIDE	20	839
	4. SUICIDE	64	2,729
	5. EXECUTION	1	43
	OTHER VIOLENT DEATHS NOT CLASSED	7	314
I.	ORDER 1.		
	1 Small-pox	373	15,648
	2 Measles	404	16,949
	3 Scarlatina	1,443	60,482
	4 Diphtheria	265	11,127
	5 Quinsy	18	770
	6 Croup	329	13,801
	7 Whooping-cough	416	17,452
	8 Typhus (and Infantile Fever)	977	40,945
	9 Erysipelas	102	4,285
	10 Metria	72	3,022
	11 Carbuncle	13	542
	12 Influenza	39	1,637
	13 Dysentery	49	2,036
	14 Diarrhœa	798	33,463
	15 Cholera	45	1,902
	16 Ague	5	223
	17 Remittent Fever	10	411
	18 Rheumatism	124	5,211
	19 Other Zymotic Dis.	7	310
	ORDER 2.		
	1 Syphilis	75	3,156
	2 Stricture of Urethra	11	466
	3 Hydrophobia	·6	24
	4 Glanders	·1	4
	ORDER 3.		
	1 Privation	5	216
	2 Want of Breast milk	61	2,552
	3 Purpura and Scurvy	19	798
	4 Alcohol. { *a* Del. Trem. / *b* Intem.	29 / 23	1,206 / 951
	ORDER 4.		
	1 Thrush	49	2,049
	2 Worms, &c.	8	336
II.	ORDER 1.		
	1 Gout	15	629
	2 Dropsy	359	15,041
	3 Cancer	394	16,530
	4 Noma	8	336
	5 Mortification	69	2,882
	ORDER 2.		
	1 Scrofula	151	6,335
	2 Tabes Mesenterica	289	12,098
	3 Phthisis	2,578	108,025
	4 Hydrocephalus	374	15,681
III.	ORDER 1.		
	1 Cephalitis	195	8,174
	2 Apoplexy	501	21,020
	3 Paralysis	515	21,605
	4 Insanity	32	1,348
	5 Chorea	3	149
	6 Epilepsy	117	4,900
	7 Convulsions	1,282	53,725
	8 *Brain Disease, &c.*	251	10,506
	ORDER 2.		
	1 Pericarditis	31	1,281
	2 Aneurism	23	975
	3 *Heart Disease, &c.*	1,035	43,399
	ORDER 3.		
	1 Laryngitis	78	3,279
	2 Bronchitis	1,894	79,358
	3 Pleurisy	46	1,916
	4 Pneumonia	1,189	49,832
	5 Asthma	205	8,610
	6 *Lung Disease, &c.*	251	10,504
	ORDER 4.		
	1 Gastritis	43	1,798
	2 Enteritis	154	6,443
	3 Peritonitis	84	3,535
	4 Ascites	35	1,464
	5 Ulceration of Intest.	44	1,847
	6 Hernia	39	1,639
	7 Ileus	56	2,350
	8 Intussusception	14	594
	9 Stricture of Intest.	14	601
	10 Fistula	5	220
	11 *Stomach Disease, &c.*	133	5,594
	12 *Pancreas Disease, &c.*	·5	20
	13 Hepatitis	69	2,910
	14 Jaundice	74	3,122
	15 *Liver Disease, &c.*	249	10,429
	16 *Spleen Disease, &c.*	3	134
IV.	ORDER 1.		
	1 Premature Birth	405	16,984
	2 Cyanosis	23	947
	3 Spina Bifida	18	756
	4 Other Malformations	22	939
	5 Teething	208	8,724
	ORDER 2.		
	1 Paramenia	4	153
	2 Childbirth (see Metria)	123	5,156
	ORDER 3.		
	1 Old Age	1,434	60,071
	ORDER 4.		
	1 Atrophy and Debility	1,441	60,348
V.	ORDER 1.		
	(ACCIDENT OR NEGLIGENCE.)		
	1 Fractures and Contusions	316	13,237
	2 Gunshot	6	257
	3 Cut, Stab	6	234
	4 Burns and Scalds	145	6,083
	5 Poison	13	558
	6 Drowning	132	5,527
	7 Suffocation	61	2,535
	8 Otherwise	55	2,301
	ORDER 3.		
	(HOMICIDE.)		
	1 Murder and Manslaughter	20	839
	ORDER 4.		
	(SUICIDE.)		
	1 Gunshot Wounds	3	132
	2 Cut, Stab	12	507
	3 Poison	7	314
	4 Drowning	10	417
	5 Hanging	27	1,149
	6 Otherwise	5	210
	ORDER 5. (EXECUTION.)		
	1 Hanging	1	43
	Other Violent Deaths (not classed)	7	314
	Sudden Deaths (Cause unascertained)	162	6,764

* Order 2, comprising Violent Deaths in Battle, is omitted, as inapplicable to the civil population.

TABLE XIII.—**Mean Annual Rate of Mortality during Three Periods of Five Years.**

Classes.	CAUSES OF DEATH.	Annual Deaths to 1,000,000 Living. 15 Years 1850-64.	5 Years 1850-54.	5 Years 1855-59.	5 Years 1860-64.
	ALL CAUSES	22190·2*	22299·3	22022·6	22248·7
	SPECIFIED CAUSES	21941·4*	21877·3	21814·4	22102·5
	(CLASSES.)				
I.	ZYMOTIC DISEASES	5064·0	5231·1	5039·5	4899·3
II.	CONSTITUTIONAL „	4368·0	4598·6	4311·6	4194·0
III.	LOCAL „	8148·8	7641·6	8124·4	8676·6
IV.	DEVELOPMENTAL „	3595·1	3653·8	3568·4	3563·0
V.	VIOLENT DEATHS „	804·2	746·2	800·5	769·6
	SUDDEN DEATHS, CAUSE UNASCERTAINED	177·2	207·2	178·2	146·2
	CAUSES NOT SPECIFIED	214·8	214·8	—	—
	(ORDERS.)				
I.	1. MIASMATIC DISEASES	4830·7	5019·2	4807·2	4652·8
	2. ENTHETIC „	62·3	51·5	61·7	73·5
	3. DIETIC „	106·7	97·6	106·0	116·4
	4. PARASITIC „	64·3	65·8	64·6	56·6
II.	1. DIATHETIC „	877·8	943·6	863·6	826·4
	2. TUBERCULAR „	3490·2	3655·0	3448·0	3367·6
III.	DISEASES OF—				
	1. NERVOUS SYSTEM	2786·3	2777·0	2758·0	2823·4
	2. ORGANS OF CIRCULATION	824·1	700·0	803·6	968·6
	3. RESPIRATORY ORGANS	3111·1	2769·0	3155·2	3409·2
	4. DIGESTIVE ORGANS	1015·8	1039·0	1005·0	1003·6
	5. URINARY ORGANS	229·4	190·6	227·0	270·6
	6. ORGANS OF GENERATION	56·5	52·4	57·4	59·6
	7. ORGANS OF LOCOMOTION	72·4	66·2	68·2	82·6
	8. INTEGUMENTARY SYSTEM	53·2	50·4	50·0	59·0
IV.	1. DEV. DISEASES OF CHILDREN	995·6	1335·0	995·4	656·4
	2. „ ADULTS	117·6	128·0	108·0	116·6
	3. „ OLD PEOPLE	1437·0	1498·8	1431·0	1386·2
	4. DIS. OF NUTRITION	1044·9	697·0	1034·0	1403·8
V.	1. ACCIDENT OR NEGLIGENCE	691·8	696·2	694·8	677·0
	2. BATTLE	†	†	†	†
	3. HOMICIDE	18·7	—	17·5	19·2
	4. SUICIDE	66·2	—	65·0	66·6
	5. EXECUTION	·7	—	·5	·8
	OTHER VIOLENT DEATHS NOT CLASSED	26·8	50·0	22·7	6·0

Classes.	CAUSES OF DEATH.	Annual Deaths to 1,000,000 Living. 15 Years 1850-64.	5 Years 1850-54.	5 Years 1855-59.	5 Years 1860-64.
I.	ORDER 1.				
	1 Small-pox	222·9	279·0	199·0	190·6
	2 Measles	432·1	406·0	412·0	478·2
	3 Scarlatina }	1061·4	890·8	1103·6 ‡	925·6
	4 Diphtheria }				264·2
	5 Quinsy	21·1	22·4	24·2	16·6
	6 Croup	261·9	225·2	281·0	279·4
	7 Whooping-cough	516·9	496·6	527·0	527·0
	8 Typhus (and Infantile Fever)	913·1	995·0	897·6	846·6
	9 Erysipelas	101·1	111·6	104·6	87·0
	10 Metria	54·5	54·0	55·2	54·2
	11 Carbuncle	12·2	12·0	13·0	11·6
	12 Influenza	75·3	58·6	94·2	45·0
	13 Dysentery	84·8	120·6	77·2	56·6
	14 Diarrhœa	803·5	867·4	838·6	704·6
	15 Cholera	128·2	305·8	45·0	33·8
	16 Ague	8·7	9·2	9·6	7·2
	17 Remittent Fever	22·9	35·2	21·0	12·6
	18 Rheumatism	104·1	101·8	104·4	106·0
	19 Other Zymotic Diseases	‡ 6·0	—	—	6·0
	ORDER 2.				
	1 Syphilis	50·7	37·2	51·2	63·6
	2 Stricture of Urethra	10·9	13·4	10·0	9·4
	3 Hydrophobia	·5	·9	·4	·3
	4 Glanders	§ ·2	—	‖ ·13	·2
	ORDER 3.				
	1 Privation	3·7	3·8	3·6	3·6
	2 Want of Breast-milk	44·3	33·0	46·0	53·8
	3 Purpura and Scurvy	16·3	14·4	15·6	19·0
	4 Alcohol { *a.* Del. Trem.	26·0	28·6	25·6	23·8
	{ *b.* Intem.	16·4	17·8	15·2	16·2
	ORDER 4.				
	1 Thrush	58·4	65·8	61·4	48·0
	2 Worms, &c.	¶ 5·9	—	3·2	8·6
II.	ORDER 1.				
	1 Gout	13·0	12·4	13·2	13·4
	2 Dropsy	456·7	549·4	459·8	370·0
	3 Cancer	332·8	302·2	327·4	368·8
	4 Noma	7·8	6·0	9·0	8·4
	5 Mortification	67·5	73·6	63·2	65·8
	ORDER 2.				
	1 Scrofula	152·9	144·8	153·4	160·4
	2 Tabes Mesenterica	266·1	264·8	261·4	272·2
	3 Phthisis	2675·1	2811·2	2647·6	2566·4
	4 Hydrocephalus	396·1	434·2	385·6	368·6
III.	ORDER 1.				
	1 Cephalitis	187·5	199·0	180·6	182·8
	2 Apoplexy	456·7	454·2	447·4	468·6
	3 Paralysis	466·5	440·2	465·4	493·6
	4 Insanity	27·0	29·2	23·8	28·0
	5 Chorea	3·3	3·6	3·0	3·2
	6 Epilepsy	114·7	105·8	115·4	122·8
	7 Convulsions	1313·3	1332·6	1311·2	1276·0
	8 *Brain Disease, &c.*	217·3	192·4	211·2	248·2
	ORDER 2.				
	1 Pericarditis	30·6	32·6	30·4	28·8
	2 Aneurism	18·1	16·2	17·8	20·2
	3 *Heart Disease, &c.*	775·4	651·2	755·4	919·6

* The Mean Annual Mortality in the 15 years from All Causes and from Specified Causes is the mean of the three quinquennial periods, and does not correspond exactly with the totals of the Orders and Classes; because under certain heads, for example, *Homicide*, *Suicide*, and *Causes not specified*, &c., the result is derived from the deaths *not* of 15 years but only of portions of that period.

† Order 2, comprising Violent Deaths in Battle, is omitted, as inapplicable to the civil population.

‡ Mean of 5 years. § Mean of 7 years. ‖ Mean of 2 years. ¶ Mean of 10 years.

TABLE XIII.—**Mean Annual Rate** of **Mortality** during **Three Periods** of **Five Years**—*continued.*

Classes.	Causes of Death.	Annual Deaths to 1,000,000 living. 15 Years 1850-64.	5 Years 1850-54.	5 Years 1855-59.	5 Years 1860-64.
	Order 3.				
	1 Laryngitis	66·0	59·0	69·0	70·0
	2 Bronchitis	1344·4	1016·4	1358·6	1658·2
	3 Pleurisy	47·9	51·4	49·2	43·2
	4 Pneumonia	1244·1	1239·0	1294·2	1199·2
	5 Asthma	232·5	256·2	238·0	201·2
	6 *Lung Disease, &c.*	176·2	145·0	146·2	237·4
	Order 4.				
	1 Gastritis	39·9	37·2	42·6	39·8
	2 Enteritis	180·3	209·0	171·6	157·2
	3 Peritonitis	75·5	72·4	75·0	79·2
	4 Ascites	38·5	39·6	39·4	36·6
	5 Ulceration of Intestines	46·5	50·8	45·8	43·0
	6 Hernia	42·1	41·2	43·8	41·4
	7 Ileus	60·5	63·8	60·2	57·4
	8 Intussusception	13·4	13·6	13·4	13·2
	9 Stricture of Intestines	14·1	14·2	14·0	14·0
	10 Fistula	5·3	5·8	5·0	5·2
	11 *Stomach Disease, &c.*	129·8	118·6	132·2	138·6
	12 *Pancreas Disease, &c.*	·7	·6	·8	·8
	13 Hepatitis	75·5	83·6	75·2	67·8
	14 Jaundice	69·1	69·6	69·6	68·0
	15 *Liver Disease, &c.*	221·0	216·2	210·2	237·6
	16 *Spleen Disease, &c.*	3·6	3·8	3·2	3·8
	Order 5.				
	1 Nephritis	13·4	11·0	14·0	15·2
	2 Ischuria	6·5	5·8	5·2	5·6
	3 Nephria	54·7	32·0	53·6	78·4
	4 Diabetes	25·4	23·0	24·8	28·4
	5 Stone	10·6	12·0	11·0	8·8
	6 Cystitis	14·7	13·0	14·0	17·0
	7 *Kidney Disease, &c.*	105·1	93·8	104·4	117·2
	Order 6.				
	1 Ovarian Dropsy	12·1	11·4	12·0	12·8
	2 *Uterus, &c. Disease*	44·4	41·0	45·4	46·8
	Order 7.				
	1 Arthritis	3·9	4·2	3·8	3·6
	2 *Joint Disease, &c.*	68·5	62·0	64·4	79·0
	Order 8.				
	1 Phlegmon	20·7	20·2	18·2	23·6
	2 Ulcer	18·2	18·4	16·4	19·8
	3 *Skin Disease, &c.*	14·3	11·8	15·4	15·6
IV.	**Order 1.**				
	1 Premature Birth	724·2	1013·6	737·0	392·0
	2 Cyanosis	18·1	14·0	18·6	21·8
	3 Spina Bifida	16·1	13·2	16·0	19·0
	4 Other Malformations	20·2	20·0	19·4	21·2
	5 Teething	217·0	214·2	204·4	222·4

Classes.	Causes of Death.	Annual Deaths to 1,000,000 living. 15 Years 1850-64.	5 Years 1850-54.	5 Years 1855-59.	5 Years 1860-64.
	Order 2.				
	1 Paramenia	3·9	5·4	3·0	3·2
	2 Childbirth (*see* Metria)	113·7	122·6	105·0	113·4
	Order 3.				
	1 Old Age	1437·0	1493·8	1431·0	1386·2
	Order 4.				
	1 Atrophy and Debility	1044·9	697·0	1034·0	1403·8
V.	**Order 1.** (Accident or Negligence.)				
	1 Fractures and Contusions	281·5	276·2	282·6	285·8
	2 Gunshot	20·7	33·0	23·4	5·6
	3 Cut, Stab	*3·8			3·8
	4 Burns and Scalds	150·6	148·4	156·6	146·8
	5 Poison	18·5	23·4	19·0	13·0
	6 Drowning	131·3	140·2	132·0	121·8
	7 Suffocation	62·7	69·6	62·0	56·6
	8 Otherwise	22·7	5·4	19·2	43·6
	Order 3. (Homicide.)				
	1 Murder and Manslaughter	†18·7	—	‡17·5	19·2
	Order 4. (Suicide.)				
	1 Gunshot Wounds	†3·0	—	‡3·0	3·0
	2 Cut, Stab	†12·9	—	‡13·5	12·6
	3 Poison	†6·4	—	‡6·0	6·6
	4 Drowning	†10·7	—	‡10·5	10·8
	5 Hanging	†28·9	—	‡28·5	29·0
	6 Otherwise	†4·3	—	‡3·5	4·6
	Order 5. (Execution.)				
	1 Hanging	†·7	—	‡·5	·8
	Other Violent Deaths (not classed)	§26·8	50·0	‖22·7	6·0
	Sudden Deaths (Cause unascertained)	177·2	207·2	178·2	146·2
	Cause not specified or ill-defined	*214·8	214·8	—	—

* Mean of 5 years. † Mean of 7 years. ‡ Mean of 2 years. § Mean of 13 years. ‖ Mean of 3 years.

TABLE XIV.—**Causes** of **Death** in **England** in the **Year 1864**, arranged in the order of Mortality.

CAUSES OF DEATH.	Number of Deaths registered in the Year 1864.	*Proportional Number* from each Cause to 1,000,000 Deaths from All Causes.
Phthisis	53,046	108,025
Bronchitis	38,969	79,358
Scarlatina	29,700	60,482
Atrophy and Debility	29,634	60,348
Old Age	29,498	60,071
Convulsions	26,382	53,725
Pneumonia	24,470	49,832
Heart Disease	21,311	43,399
Typhus	20,106	40,945
Diarrhœa	16,432	33,463
Paralysis	10,609	21,605
Apoplexy	10,322	21,020
Whooping-cough	8,570	17,452
Premature Birth	8,339	16,984
Measles	8,323	16,949
Cancer	8,117	16,530
Hydrocephalus	7,700	15,681
Small-pox	7,634	15,548
Dropsy	7,386	15,041
Croup	6,777	13,801
Fracture and Contusion (Accident)	6,500	13,237
Tabes Mesenterica	5,941	12,098
Diphtheria	5,464	11,127
Brain Disease, &c.	5,159	10,506
Lung Disease, &c.	5,158	10,504
Liver Disease, &c.	5,121	10,429
Teething	4,285	8,724
Asthma	4,228	8,610
Cephalitis	4,014	8,174
Sudden Deaths (Cause unascertained)	3,821	6,764
Enteritis	3,164	6,443
Scrofula	3,111	6,335
Burns and Scalds (Accident)	2,987	6,083
Stomach Disease, &c.	2,747	5,594
Drowning (Accident)	2,714	5,527
Kidney Disease, &c.	2,563	5,219
Rheumatism	2,559	5,211
Childbirth	2,532	5,156
Epilepsy	2,406	4,900
Erysipelas	2,104	4,285
Nephria	1,793	3,651
Joint Disease, &c.	1,771	3,607
Peritonitis	1,736	3,535
Laryngitis	1,610	3,279
Syphilis	1,550	3,156
Jaundice	1,533	3,122
Metria	1,484	3,022
Hepatitis	1,429	2,910
Mortification	1,415	2,882
Want of Breast Milk	1,253	2,552
Suffocation (Accident)	1,245	2,535
Ileus	1,154	2,350
Otherwise (Accident)	1,130	2,301
Uterus Disease, &c.	1,035	2,108
Thrush	1,006	2,049
Dysentery	1,000	2,036
Pleurisy	941	1,916
Cholera	934	1,902
Ulceration of Intestines	907	1,847
Gastritis	883	1,798
Hernia	805	1,639
Influenza	804	1,637
Ascites	719	1,464
Diabetes	665	1,354
Insanity	662	1,348
Pericarditis	629	1,281
Delirium Tremens	592	1,206
Hanging (Suicide)	564	1,149
Phlegmon	550	1,120
Aneurism	479	975
Intemperance	467	951
Cyanosis	465	947
Ulcer	463	943
Other Malformations	461	939
Murder and Manslaughter	412	839
Purpura and Scurvy	392	798
Nephritis	390	794
Cystitis	383	780
Quinsy	378	770
Skin Disease, &c.	377	768
Spina Bifida	371	756
Gout	309	629
Stricture of Intestines	295	601
Intussusception	292	594
Poison (Accident)	274	558
Carbuncle	266	542
Ovarian Dropsy	259	527
Cut, Stab (Suicide)	249	507
Stricture of Urethra	229	466
Drowning (Suicide)	205	417
Remittent Fever	202	411
Stone	184	375
Noma	165	336
Worms	165	336
Other Violent Deaths (not classed)	154	314
Poison (Suicide)	154	314
Other Zymotic Diseases	152	310
Ischuria	126	257
Gunshot wound (Accident)	126	257
Cut, Stab (Accident)	115	234
Ague	112	228
Fistula	108	220
Privation	106	216
Otherwise (Suicide)	103	210
Arthritis	89	181
Paramenia	75	153
Chorea	73	149
Spleen Disease, &c.	66	134
Gunshot Wounds (Suicide)	65	132
Hanging (Execution)	21	43
Hydrophobia	12	24
Pancreas Disease, &c.	10	20
Glanders	2	4

TABLE XV.—**Deaths** of **Women** after **Child-bearing** (**1864**) classed under the **Diseases** in Column 1., and neither referred to **Childbirth** nor to **Metria** in the Abstracts.

CAUSE OF DEATH.	ALL AGES.	AGES.				
		15	20	25	35	45 and upwards.
Col. 1	2	3	4	5	6	7
TOTAL	460	20	86	205	143	6
CLASS I.						
Small-pox	37	2	11	17	7	-
Measles	3	-	1	-	2	-
Scarlatina	54	5	17	23	9	-
Diphtheria	3	-	1	2	-	-
Quinsy	1	-	-	1	-	-
Typhus	34	-	4	22	8	-
Erysipelas	4	-	1	1	2	-
Dysentery	2	-	1	1	-	-
Diarrhœa	13	-	2	8	3	-
Cholera	2	-	1	-	1	-
Remittent Fever	1	-	-	-	1	-
Rheumatism	4	1	-	2	1	-
Syphilis	1	-	-	1	-	-
Purpura	1	-	-	1	-	-
Worms	1	-	-	1	-	-
CLASS II.						
Dropsy	11	1	3	2	4	1
Cancer	4	-	-	1	3	-
Scrofula	1	-	-	-	1	-
Phthisis	94	4	18	43	29	-
CLASS III.						
Cephalitis	3	-	-	2	1	-
Paralysis	6	-	-	2	4	-
Insanity	1	1	-	-	-	-
Chorea	2	-	2	-	-	-
Epilepsy	3	-	-	1	2	-
Brain Disease	3	-	-	2	1	-
Pericarditis	1	-	1	-	-	-
Heart Disease	33	1	4	11	17	-
Laryngitis	2	-	-	2	-	-
Bronchitis	38	1	7	16	14	-
Pleurisy	5	-	1	1	2	1
Pneumonia	40	2	6	16	16	-
Asthma	5	1	-	2	2	-
Lung Disease	7	-	2	2	3	-
Gastritis	4	-	1	3	-	-
Enteritis	3	-	-	2	1	-
Hernia	1	-	-	-	1	-
Stomach Disease	1	-	-	-	1	-
Hepatitis	3	-	-	1	1	1
Jaundice	5	-	1	3	1	-
Liver Disease	6	-	-	2	2	2
Nephria	9	-	1	6	1	1
Stone	1	-	-	-	1	-
Kidney Disease	1	-	-	1	-	-
Uterus Disease	3	1	-	2	-	-
Joint Disease	1	-	-	-	1	-
Skin Disease	1	-	-	1	-	-
CLASS IV.						
Abscess	1	-	-	1	-	-

TABLE XVI.—**Deaths** of **Women in Childbirth** in the Eighteen **Years 1847-64.**

YEARS.	NUMBER OF DEATHS FROM			DEATHS OF MOTHERS TO 10,000 CHILDREN BORN ALIVE.
	METRIA AND CHILDBIRTH.	METRIA.	ACCIDENTS OF CHILDBIRTH.	
1847	3226	784	2442	60
1848	3445	1365	2030	61
1849	3339	1165	2174	58
1850	3252	1113	2139	55
1851	3290	1009	2281	53
1852	3247	972	2275	52
1853	3063	795	2268	50
1854	3009	954	2055	47
1855	2979	1079	1900	47
1856	2888	1067	1821	44
1857	2787	836	1951	42
1858	3131	1068	2063	48
1859	3496	1238	2258	51
1860	3173	987	2186	46
1861	2995	886	2109	43
1862	3077	940	2137	43
1863	3388	1155	2433	49
1864	4016	1484	2532	54
18 years 1847-64	58,001	18,837	39,104	50

TABLE XVII.—ENGLAND. **Deaths** of **Males** at **different Ages** returned at Inquests as **Murder** and **Manslaughter** in the **Year 1864.**

CAUSES OF DEATH.	ALL AGES.	AGES OF MALES.															
		Total under 1 Year.	1	2	3	4	Total under 5 Years	5—	10—	15—	25—	35—	45—	55—	65—	75—	85—	95 and upwards.
MURDER AND MANSLAUGHTER	231	83	1	–	2	–	89	4	9	32	25	29	20	16	7	–	–	–
MURDER	110	81	1	–	1	–	83	1	–	6	5	7	3	4	1	–	–	–
MANSLAUGHTER	121	5	–	–	1	–	6	3	9	26	20	22	17	12	6	–	–	–
MURDER—																		
Fractures	4	1	–	–	–	–	1	–	–	–	–	2	–	–	1	–	–	
Blow, &c.	4	1	–	–	–	–	1	–	–	3	–	–	–	–	–	–	–	
Cut, Stab	5	–	–	–	–	–	–	–	–	1	2	1	1	–	–	–	–	
Cut Throat	4	4	–	–	–	–	4	–	–	–	–	–	–	–	–	–	–	
Gun Shot	1	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	
Poison (Sulphuric Acid)	1	–	–	–	1	–	1	–	–	–	–	–	–	–	–	–	–	
„ (Strychnine)	1	1	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	
Drowning	2	1	1	–	–	–	2	–	–	–	–	–	–	–	–	–	–	
Strangling	9	9	–	–	–	–	9	–	–	–	–	–	–	–	–	–	–	
Suffocation	12	12	–	–	–	–	12	–	–	–	–	–	–	–	–	–	–	
Infanticide	22	22	–	–	–	–	22	–	–	–	–	–	–	–	–	–	–	
Neglect	5	5	–	–	–	–	5	–	–	–	–	–	–	–	–	–	–	
(Not stated how)	40	25	–	–	–	–	25	1	–	2	2	4	2	4	–	–	–	
MANSLAUGHTER—																		
Fall	2	–	–	–	–	–	–	–	–	–	–	1	–	–	1	–	–	
Horse Conveyance	4	–	–	–	1	–	1	–	–	–	1	1	–	–	1	–	–	
Fractures	5	–	–	–	–	–	–	–	2	1	1	–	1	–	–	–	–	
Blow, &c.	23	–	–	–	–	–	–	1	2	2	7	3	3	3	2	–	–	
Explosion of Steam Boiler	12	–	–	–	–	–	–	–	3	7	1	–	–	1	–	–	–	
Fight	4	–	–	–	–	–	–	–	–	2	–	–	2	–	–	–	–	
Cut, Stab	4	–	–	–	–	–	–	–	–	3	–	1	–	–	–	–	–	
Poison (Strychnine)	1	–	–	–	–	–	–	1	–	–	–	1	–	–	–	–	–	
Whiskey	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	
Drowning	1	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	
Gun Shot	1	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	
Railway Collision	7	–	–	–	–	–	–	–	–	–	–	2	3	1	1	–	–	
Exposure to Cold	1	1	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	
(Not stated how)	55	4	–	–	–	–	4	1	2	11	9	12	8	7	1	–	–	

TABLE XVIII.—ENGLAND. **Deaths** of **Females** at **different Ages** returned at Inquests as **Murder** and **Manslaughter** in the **Year 1864.**

CAUSES OF DEATH.	ALL AGES.	AGES OF FEMALES.															
		Total under 1 Year.	1	2	3	4	Total under 5 Years	5—	10—	15—	25—	35—	45—	55—	65—	75—	85—	95 and upwards.
MURDER AND MANSLAUGHTER	181	106	5	3	1	1	115	8	1	9	11	16	10	6	3	3	—	—
MURDER	138	98	1	3	—	1	103	5	—	5	9	8	5	1	1	1	—	—
MANSLAUGHTER	43	8	4	—	—	—	12	3	1	4	2	8	5	5	2	2	—	—
MURDER—																		
Fractures	5	4	—	—	—	—	4	—	—	—	—	—	—	—	1	—	—	—
Blow, &c.	2	1	—	—	—	—	1	—	—	—	1	—	—	—	—	—	—	—
Cut, Stab	1	—	—	—	—	—	—	—	—	1	—	—	—	—	—	—	—	—
Cut Throat	10	3	1	—	—	—	4	1	—	1	3	1	—	—	—	—	—	—
Gun Shot	2	—	—	—	—	—	—	—	—	2	—	—	—	—	—	—	—	—
Poison (Laudanum)	4	—	—	1	—	1	2	2	—	—	—	—	—	—	—	—	—	—
Drowning	5	4	—	—	—	—	4	1	—	—	—	—	—	—	—	—	—	—
Strangling	9	8	—	—	—	—	8	—	—	—	—	1	—	—	—	—	—	—
Suffocation	15	15	—	—	—	—	15	—	—	—	—	—	—	—	—	—	—	—
Infanticide	29	29	—	—	—	—	29	—	—	—	—	—	—	—	—	—	—	—
Neglect	2	2	—	—	—	—	2	—	—	—	—	—	—	—	—	—	—	—
Exposure to Cold	1	1	—	—	—	—	1	—	—	—	—	—	—	—	—	—	—	—
Navel Hæmorrhage	1	1	—	—	—	—	1	—	—	—	—	—	—	—	—	—	—	—
(Not stated how)	52	30	—	2	—	—	32	1	—	1	5	6	5	1	—	1	—	—
MANSLAUGHTER—																		
Horse Conveyance	3	—	1	—	—	—	1	1	—	—	—	—	—	—	—	1	—	—
Fractures	2	—	—	—	—	—	—	—	—	—	—	—	—	—	1	1	—	—
Blow, &c.	4	—	—	—	—	—	—	—	—	—	—	3	1	—	—	—	—	—
Cut, Stab	1	—	—	—	—	—	—	—	—	—	1	—	—	—	—	—	—	—
Poison (Arsenic)	1	—	1	—	—	—	1	—	—	—	—	—	—	—	—	—	—	—
Navel Hæmorrhage	2	2	—	—	—	—	2	—	—	—	—	—	—	—	—	—	—	—
Exposure to Cold	1	—	—	—	—	—	—	—	—	—	—	—	—	1	—	—	—	—
Neglect	2	1	—	—	—	—	1	—	—	—	—	1	—	—	—	—	—	—
(Not stated how)	27	5	2	—	—	—	7	2	—	4	1	4	4	4	1	—	—	—

TABLE XIX.—**Proportion** of **Suicides** consummated to every **1,000,000** of the **Population** of **England** and **Wales, 1858-64.**

Means employed.	1858	1859	1860	1861	1862	1863	1864
Gunshot Wounds	3	3	3	3	3	3	3
Cutting, Stabbing	13	14	14	13	11	13	12
Poisoning	6	6	8	6	6	6	7
Drowning	10	11	11	11	10	12	10
Hanging	30	27	30	30	30	28	27
Otherwise	4	3	4	5	5	4	5
All Ways	66	64	70	68	65	66	64

TABLE XX.—ENGLAND. **Deaths** and **Mortality** by **Burns** and **Scalds** in the **Years 1848–64.**

AGES.	BURNS AND SCALDS.									
	DEATHS				AVERAGE ANNUAL DEATHS in the 17 Years 1848–64.		AVERAGE ANNUAL RATE of MORTALITY in the 17 Years 1848–64 to 100,000 Living.		RATE of MORTALITY to 100,000 Living in 1864.	
	In the 17 Years 1848–64.		In 1864.							
	Males.	Females.	Males.	Females.	Males.	Females.	Males.	Females.	Males.	Females.
ALL AGES – –	24,001	24,446	1,475	1,512	1,412	1,438	15·2	14·8	14·6	14·2
Under 5 Years – –	13,369	11,027	858	719	785	648	62·3	51·7	60·3	50·3
5– – – –	3,396	5,851	164	295	200	344	18·0	31·0	13·5	24·4
10– – – –	923	1,519	61	78	54	89	5·4	9·0	5·6	7·2
15– – – –	1,315	1,127	99	76	107	66	6·1	3·7	5·3	3·9
25– – – –	1,490	588	81	42	88	35	6·4	2·3	5·8	2·6
35– – – –	1,066	539	77	39	63	32	5·9	2·7	6·9	3·0
45– – – –	701	590	47	36	41	35	5·1	4·1	5·0	3·9
55– – – –	489	641	29	49	29	38	5·4	6·7	4·7	8·4
65– – – –	347	984	26	84	20	58	7·2	16·7	8·9	20·1
75– – – –	325	1,158	25	67	19	68	18·8	52·2	23·0	49·4
85– – – –	76	394	8	27	4	23	35·2	119·5	64·1	136·7
95 and upwards –	4	28	—	—	·2	2	47·2	165·6	—	—

Of the 13,369 males dying of burns under 5 years of age, 854 were less than 1 year of age, 3219 were 1 year and under 2, 3488 were 2 years and under 3, 3203 were 3 years and under 4, 2605 were 4 years and under 5. Of the 11,027 females dying under 5 years of age, 856 were less than 1 year of age, 2336 were 1 year and under 2, 2608 were 2 years and under 3, 2699 were 3 years and under 4, 2328 were 4 years and under 5.

TABLE XXI.—**Deaths** by **Lightning** in each of the Four **Years 1861–64.**

DIVISION.	DISTRICT.	DATE.	SEX.	OCCUPATION.	ALL AGES.	AGES.									
						0–	5–	10–	15–	20–	25–	35–	45–	55–	65 and upwards
		1861.													
2	Kingston – –	23 May	Female	Wife of Gamekeeper –	1	–	–	–	–	–	–	1	–	–	–
2	Croydon – –	7 Aug.	Male –	Labourer – – –	1	–	–	–	–	–	–	1	–	–	–
4	Rochford – –	8 July	Male –	Son of Agrl. Labourer	1	–	1	–	–	–	–	–	–	–	–
4	Depwade – –	20 July	Male –	Son of a Tradesman –	1	–	–	1	–	–	–	–	–	–	–
5	Bradford – –	5 June	Male –	Agricultural Labourer	1	–	–	–	–	1	–	–	–	–	–
5	Yeovil – –	15 June	Male –	Labourer – – –	1	–	–	–	–	1	–	–	–	–	–
5	Wareham –	16 June	Male –	Brickmaker – –	1	–	–	–	–	–	–	–	–	–	1
6	Hereford – –	6 June	Male –	Farmer – – –	1	–	–	–	–	–	1	–	–	–	–
6	Penkridge –	22 June	Male –	Miner – – –	1	–	–	–	–	1	–	–	–	–	–
6	Stone – –	8 July	Female	Dressmaker – –	1	–	–	–	–	1	–	–	–	–	–
7	Barrow-on-Soar	22 June	Male –	Labourer – – –	1	–	–	–	–	–	–	–	–	1	–
7	Bourn – –	23 May	Male –	Labourer – – –	1	–	–	–	–	–	–	–	–	1	–
7	Lincoln – –	8 July	Male –	Labourer – – –	1	–	–	–	–	–	–	–	1	–	–
7	Grantham –	22 Oct.	Male –	Letter-carrier – –	1	–	–	–	–	–	–	1	–	–	–
8	Altrincham –	26 June	Male –	Labourer – – –	1	–	–	–	–	1	–	–	–	–	–
8	Ashton un. Lyne	23 June	Female	Daughter of Farmer –	1	–	–	–	1	–	–	–	–	–	–
8	Wirrall – –	25 Sept.	Female	Wife of Bricklayer –	1	–	–	–	–	–	–	–	–	–	1
9	Pontefract –	20 June	Male –	Nailmaker – –	1	–	–	–	–	–	–	–	1	–	–
9	Doncaster –	27 July	Male –	Bricklayer – –	1	–	–	–	–	–	–	1	–	–	–
9	Beverley – –	27 July	Male –	Labourer – – –	1	–	–	–	–	–	–	1	–	–	–
9	Beverley – –	27 July	Male –	– – – – –	1	–	1	–	–	–	–	–	–	–	–
9	Beverley – –	27 July	Female	– – – – –	1	–	–	1	–	–	–	–	–	–	–
10	Stockton – –	23 June	Female	Wife of Farmer –	1	–	–	–	–	–	–	–	–	–	1
10	Stockton – –	23 June	Female	Daughter of Collier –	1	–	–	1	–	–	–	–	–	–	–
11	Narberth – –	15 June	Female	Widow – – –	1	–	–	–	–	–	–	–	–	–	1
11	Bangor – –	13 July	Male –	Labourer – – –	1	–	–	–	1	–	–	–	–	–	–
		1862.													
2	Faversham – –	9 June	Male –	Labourer – – –	1	–	–	–	–	–	–	1	–	–	–
3	Peterborough –	16 July	Female	Wife of Farmer –	1	–	–	–	–	–	1	–	–	–	–
6	Ross – –	9 May	Female	Wife of Labourer –	1	–	–	–	–	–	–	1	–	–	–
6	Whitchurch –	9 June	Male –	Son of a Sawyer –	1	–	–	1	–	–	–	–	–	–	–
6	Tamworth –	10 July	Male –	Labourer – – –	1	–	–	–	–	–	–	–	–	1	–
6	Penkridge –	15 Oct.	Male –	– – – – –	1	–	–	1	–	–	–	–	–	–	–
7	Barrow-on-Soar	7 May	Male –	Labourer – – –	1	–	–	–	–	–	–	–	–	–	1
8	Preston – –	1 June	Male –	Watchman – –	1	–	–	–	–	–	–	–	1	–	–
8	Ulverston –	7 May	Male –	Waller – – –	1	–	–	–	–	–	1	–	–	–	–
8	Ulverston –	1 May	Female	Wife of Farmer –	1	–	–	–	–	–	–	–	–	1	–
8	Macclesfield –	2 Sept.	Male –	Mill Piecer – –	1	–	–	–	–	–	–	1	–	–	–
9	Howden – –	15 July	Male –	Labourer – – –	1	–	–	–	–	–	1	–	–	–	–
		1863.													
3	Hertford – –	24 June	Male –	Wheelwright – –	1	–	–	–	–	–	1	–	–	–	–
6	Wolverhampton	25 Aug.	Female	Wife of Butcher –	1	–	–	–	–	–	–	–	–	–	1
9	Sculcoates –	24 Feb.	Male –	Fisherman – –	1	–	–	–	1	–	–	–	–	–	–
		1864.													
2	Faversham –	31 Mar.	Male –	Miller – – –	1	–	–	–	–	–	–	–	1	–	–
3	Ely – – –	20 May	Male –	Labourer – – –	1	–	–	–	–	–	–	1	–	–	–
8	Wirrall – –	20 May	Female	Wife of Labourer –	1	–	–	–	–	–	–	–	1	–	–
9	Great Ouseburn	9 June	Male –	Wheelwright – –	1	–	–	–	–	–	–	–	–	–	1
10	Gateshead –	20 May	Male –	Agricultural Labourer	1	–	–	–	–	–	1	–	–	–	–
10	Tynemouth –	20 May	Male –	Labourer – – –	1	–	–	–	–	–	1	–	–	–	–
				TOTAL –	47	–	2	5	3	5	7	9	5	4	7

INDEX OF DISTRICTS.

[The following Index furnishes a reference to the *Number* of each DISTRICT in the topographical arrangement adopted in the Tables of Abstracts contained in the Report, the numbers running consecutively from 1 to 623.* In forming the alphabetical arrangement the principle is adopted of placing compound names in the order in which they are pronounced: thus, East Ashford will be found under the letter E, and *not* under A, as Ashford, East.]

For names of Towns, such as Chester, Leamington, Torquay, &c., which are not found in this "Index of Districts," see the "Index of Sub-districts" (page 213) *and "Index of certain Towns"* (page 223).

A

Aberayron, 596.
Abergavenny, 578 *a*.
Aberystwith, 597.
Abingdon, 123.
Alcester, 405.
Alderbury, 263.
Alnwick, 559.
Alresford, 113.
Alston, 564.
Alton, 114.
Altrincham, 454.
Alverstoke, 97.
Amersham, 148.
Amesbury, 262.
Ampthill, 181.
Andover, 118.
Anglesey, 623.
Ashborne, 447.
Ashby-de-la-Zouch, 414.
Ashton-under-Lyne, 474.
Askrigg, 537.
Aston, 395.
Atcham, 359.
Atherstone, 397.
Auckland, 542.
Axbridge, 324.
Axminster, 279.
Aylesbury, 151.
Aylsham, 232.

B

Bakewell, 449.
Bala, 616.
Banbury, 163.
Bangor, 621.
Barnet, 136.
Barnsley, 505.
Barnstaple, 295.
Barrow-on-Soar, 416.
Barton-upon-Irwell, 470.
Basford, 438.
Basingstoke, 116.
Bath, 326.
Battle, 77.
Beaminster, 277.
Bedale, 535.
Bedford, 179.
Bedminster, 328.
Bedwelty, 578 *b*.
Belford, 560.
Bellingham, 557.
Belper, 446.
Berkhampstead, 147.
Bermondsey, 28.
Berwick, 561.
Bethnal Green, 21.
Beverley, 518.
Bicester, 159.
Bideford, 297.
Biggleswade, 180.
Billericay, 199.
Billesdon, 410.
Bingham, 443.
Birkenhead, 460 *b*.
Birmingham, 394.
Bishop Stortford, 139.
Blaby, 411.
Blackburn, 480.
Blandford, 270.
Blean, 66.
Blofield, 237.
Blything, 225.
Bodmin, 304.
Bolton, 468.
Bootle, 572.
Bosmere, 220.
Boston, 425.
Bourn, 422.
Brackley, 164.
Bradfield, 126.
Bradford-on-Avon, 258.
Bradford (Yorkshire), 499.
Braintree, 208.
Bramham, 514 *b*.
Bramley, 500 *d*.
Brampton, 566.
Brecknock, 600.
Brentford, 134.
Bridge, 64.
Bridgend, 583.
Bridgnorth, 356.
Bridgwater, 316.
Bridlington, 524.
Bridport, 278.
Brighton, 85.
Bristol, 329..
Brixworth, 170.
Bromley, 49.
Bromsgrove, 392.
Bromyard, 350.
Buckingham, 154.
Builth, 599.
Burnley, 478.
Burton-upon-Trent, 375.
Bury, 469.
Bury St. Edmunds, 215.

C

Caistor, 432.
Calne, 254.
Camberwell, 33.
Cambridge, 187.
Camelford, 300.
Canterbury, 65.
Cardiff, 581 *a*.
Cardigan, 593.
Carlisle, 568.
Carmarthen, 589.
Carnarvon, 620.
Castleford, 504 *c*.
Castle Ward, 554.
Catherington, 111.
Caxton, 185.
Chapel-en-le-Frith, 450.
Chard, 318.
Cheadle, 373.
Chelmsford, 200.
Chelsea, 2.
Cheltenham, 344.
Chepstow, 576.
Chertsey, 38.
Chesterfield, 448.
Chester-le-Street, 548.
Chesterton, 186.
Chichester, 92.
Chippenham, 253.
Chipping Norton, 162.
Chipping Sodbury, 331.
Chorley, 481.
Chorlton, 471.
Christchurch, 101.
Church Stretton, 354.
Cirencester, 340.
Cleobury Mortimer, 355.
Clerkenwell, 15.
Clifton, 330.

* Thus, the number of Marriages in the Aberayron District may at once be ascertained by referring, in the "*Abstract of Marriages*," to the District numbered 596 (see page 24); and in like manner the number of Births and Deaths, of Deaths at different Ages, &c. will be found by referring to the same district number in the appropriate Tables.

Clitheroe, 479.
Clun, 353.
Clutton, 325.
Cockermouth, 570.
Colchester, 204.
Congleton, 457.
Conway, 622.
Cookham, 129.
Corwen, 615.
Cosford, 213.
Coventry, 400.
Cranbrook, 60.
Crediton, 292.
Crickhowell, 601.
Cricklade, 251.
Croydon, 46.
Cuckfield, 83.

D

Darlington, 540.
Dartford, 50.
Daventry, 169.
Depwade, 239.
Derby, 445.
Devizes, 256.
Dewsbury, 502.
Docking, 244.
Dolgelly, 617.
Doncaster, 510.
Dorchester, 275.
Dorking, 43.
Dover, 72.
Downham, 247.
Driffield, 523.
Droitwich, 391.
Droxford, 110.
Dudley, 382.
Dulverton, 313 *b*.
Dunmow, 209.
Durham, 545.
Dursley, 333.

E

Easington, 546.
Easingwold, 527.
East Ashford, 63.
Eastbourne, 78.
East Grinstead, 82.
Easthampstead, 130.
East London, 17.
East Retford, 435.
Eastry, 71.
East Stonehouse, 288.
East Ward, 573.
Ecclesall Bierlow, 507.
Edmonton, 137.
Elham, 73.
Ellesmere, 362.
Ely, 190.
Epping, 195.
Epsom, 37.
Erpingham, 231.
Eton, 149.
Evesham, 389.
Exeter, 282.

F

Falmouth, 308.
Fareham, 98.
Faringdon, 122.
Farnborough, 41.
Farnham, 40.
Faversham, 67.
Festiniog, 618.
Flegg, 229.
Foleshill, 399.
Fordingbridge, 103.
Forehoe, 235.
Freebridge Lynn, 245.
Frome, 321.
Fylde, 483.

G

Gainsborough, 434.
Garstang, 484.
Gateshead, 551.
Glanford Brigg, 433.
Glendale, 562.
Gloucester, 336.
Godstone, 45.
Goole, 512.
Gower, 585 *b*.
Grantham, 427.
Gravesend, 51.
Great Boughton (Chester), 459.
Great Ouseburn, 492 *a*.
Greenwich, 35.
Guildford, 39.
Guilteross, 240.
Guisbrough, 532.

H

Hackney, 11.
Hailsham, 79.
Halifax, 498.
Halstead, 207.
Haltwhistle, 556.
Hambledon, 42.
Hampstead, 8.
Hardingstone, 167.
Hartismere, 218.
Hartlepool, 541 *b*.
Hartley Wintney, 115.
Haslingden, 477.
Hastings, 76.
Hatfield, 143.
Havant, 95.
Haverfordwest, 592.
Hay, 602.
Hayfield, 451.
Headington, 157.
Helmsley, 529.
Helston, 309.
Hemel Hempstead, 146.
Hemsworth, 504 *b*.
Hendon, 135.
Henley, 155.
Henstead, 236.
Hereford, 348.
Hertford, 142.
Hexham, 555.
Highworth, 250.
Hinckley, 412.
Hitchin, 141.
Holbeach, 424.
Holbeck, 500 *c*.
Holborn, 14.
Hollingbourn, 59.
Holsworthy, 298.
Holywell, 610.
Honiton, 280.
Hoo, 53.
Horncastle, 429.
Horsham, 87.
Houghton-le-Spring, 547.
Howden, 517.
Hoxne, 219.
Huddersfield, 497.
Hull, 520.
Hungerford, 121.
Hunslet, 500 *b*.
Huntingdon, 176.

I

Ipswich, 222.
Isle of Wight, 99.
Islington, 10.

K

Keighley, 494.
Kendal, 575.
Kensington, 1.
Kettering, 172.
Keynsham, 327.
Kidderminster, 384.
Kingsbridge, 285.
Kingsclere, 119.
Kings Lynn, 246.
Kings Norton, 393.
Kingston, 47.
Kirkdeighton, 492 *d*.
Kirkstall, 500 *a*.
Knaresborough, 492 *b*.
Knighton, 604.

L

Lambeth, 31.
Lampeter, 595.
Lancaster, 485.
Langport, 317.
Launceston, 301.
Ledbury, 346.
Leeds, 501.
Leek, 372.
Leicester, 417.
Leigh, 467.
Leighton Buzzard, 183.
Leominster, 351.
Lewes, 84.
Lewisham, 36.
Lexden, 205.
Leyburn, 536.

Lichfield, 377.
Lincoln, 428.
Linton, 188.
Liskeard, 303.
Liverpool, 461.
Llandilofawr, 588.
Llandovery, 587.
Llanelly, 586.
Llanfyllin, 609.
Llanrwst, 614.
Loddon, 238.
London City, 19.
Longtown, 567.
Loughborough, 415.
Louth, 431.
Ludlow, 352.
Luton, 184.
Lutterworth, 408.
Lymington, 100.

M

Macclesfield, 453.
Machynlleth, 606.
Madeley, 358.
Maidstone, 58.
Maldon, 202.
Malling, 55.
Malmsbury, 252.
Malton, 526.
Manchester, 473.
Mansfield, 437.
Market Bosworth, 413.
Market Drayton, 364.
Market Harborough, 409.
Marlborough, 255.
Martley, 386.
Marylebone, 7.
Medway, 54.
Melksham, 257.
Melton Mowbray, 418.
Mere, 267.
Meriden, 396.
Merthyr Tydfil, 582.
Midhurst, 93.
Mildenhall, 216.
Mile End Old Town, 24 *b*.
Milton, 68.
Mitford, 242.
Monmouth, 577.
Montgomery, 608.
Morpeth, 558.
Mutford, 227.

N

Nantwich, 458.
Narberth, 590.
Neath, 584.
Newark, 442.
Newbury, 120.
Newcastle-in-Emlyn, 594.
Newcastle-under-Lyme, 369.
Newcastle-upon-Tyne, 552.
Newent, 335.
New Forest, 104.
Newington, 30.
Newmarket, 189.
Newport (Monmouth), 580.
Newport (Salop), 366.
Newport Pagnell, 153.
Newton Abbot, 283.
Newtown, 607.
Northallerton, 534.
Northampton, 168.
North Aylesford, 52.
Northleach, 341.
Northwich, 456.
North Witchford, 191.
Norwich, 234.
Nottingham, 440.
Nuneaton, 398.

O

Oakham, 419.
Okehampton, 291.
Oldham, 475.
Ongar, 196.
Ormskirk, 464.
Orsett, 198.
Oswestry, 361.
Otley, 493 *a*.
Oundle, 174.
Oxford, 158.

P

Pancras, 9.
Pateley Bridge, 490.
Patrington, 521.
Pembroke, 591.
Penkridge, 378.
Penrith, 565.
Penzance, 311.
Pershore, 390.
Peterborough, 175.
Petersfield, 112.
Petworth, 88.
Pewsey, 261.
Pickering, 530.
Plomesgate, 224.
Plymouth, 287.
Plympton St. Mary, 286.
Pocklington, 516.
Pontefract, 504 *a*.
Pontypridd, 581 *b*.
Pontypool, 579.
Poole, 272.
Poplar, 25.
Portsea Island, 96.
Potterspury, 166.
Prescot, 463.
Presteigne, 603.
Preston, 482.
Pwllheli, 619.

R

Radford, 439.
Reading, 127.
Redruth, 310.
Reeth, 538.
Reigate, 44.
Rhayader, 605.
Richmond (Surrey), 48.
Richmond (Yorkshire), 539.
Ringwood, 102.
Ripon, 491.
Risbridge, 211.
Rochdale, 476.
Rochford, 201.
Romford, 197.
Romney Marsh, 74.
Romsey, 107.
Ross, 347.
Rothbury, 563.
Rotherham, 509.
Rotherhithe, 34.
Royston, 140.
Rugby, 401.
Runcorn, 455.
Ruthin, 612.
Rye, 75.

S

Saddleworth, 496.
Saffron Walden, 210.
St. Albans, 144.
St. Asaph, 613.
St. Austell, 306.
St. Columb, 305.
St. Faiths, 233.
St. George Hanover Sq., 3.
St. George in-the-East, 23.
St. George Southwark, 29.
St. Germans, 302.
St. Giles, 12.
St. Ives, 177.
St. James Westminster, 6.
St. Luke, 16.
St. Martin-in-the-Fields, 5.
St. Neots, 178.
St. Olave, 27.
St. Saviour, 26.
St. Thomas, 281.
Salford, 472.
Salisbury, 264.
Samford, 221.
Scarborough, 525.
Scilly Islands. 312.
Sculcoates, 519.
Sedbergh, 487.
Selby, 513.
Settle, 488.
Sevenoaks, 56.
Shaftesbury, 268.
Shardlow, 444.
Sheffield, 508.
Sheppey, 69.
Shepton Mallet, 322.
Sherborne, 276.
Shiffnal, 357.
Shipston-on-Stour, 406.
Shoreditch, 20.
Shrewsbury, 360.
Skipton, 489.
Skirlaugh, 522.
Sleaford, 426.
Solihull, 402.
Southam, 407.
Southampton, 105.
South Molton, 294.

South Shields, 550.
South Stoneham, 106.
Southwell, 441.
Spalding, 423.
Spilsby, 430.
Stafford, 367.
Staines, 132.
Stamford, 421.
Stepney, 24 *a*.
Steyning, 86.
Stockbridge, 108.
Stockport, 452.
Stockton, 541 *a*.
Stoke Damerel, 289.
Stokesley, 533.
Stoke-upon-Trent, 371.
Stone, 368.
Stourbridge, 383.
Stow, 217.
Stow-on-the-Wold, 342.
Strand, 13.
Stratford-on-Avon, 404.
Stratton, 299.
Stroud, 338.
Sturminster, 269.
Sudbury, 212.
Sunderland, 549.
Swaffham, 248.
Swansea, 585 *a*.

T

Tadcaster, 514 *a*.
Tamworth, 376.
Taunton, 315.
Tavistock, 290.
Teesdale, 543.
Tenbury, 385.
Tendring, 203.
Tenterden, 61.
Tetbury, 339.
Tewkesbury, 345.
Thakeham, 89.
Thame, 156.
Thanet, 70.
Thetford, 249.
Thingoe, 214.
Thirsk, 528.
Thornbury, 332.
Thorne, 511.
Thrapston, 173.
Ticehurst, 80.
Tisbury, 266.
Tiverton, 293.
Todmorden, 495.
Torrington, 296.
Totnes, 284.
Towcester, 165.
Tregaron, 598.
Truro, 307.
Tunbridge, 57.
Tunstead, 230.
Tynemouth, 553.

U

Uckfield, 81.
Ulverston, 486.
Uppingham, 420.
Upton-on-Severn, 388.
Uttoxeter, 374.
Uxbridge, 133.

W

Wakefield, 503.
Wallingford, 125.
Walsall, 380.
Walsingham, 243.
Wandsworth, 32.
Wangford, 226.
Wantage, 124.
Ware, 138.
Wareham, 273.
Warminster, 260.
Warrington, 466.
Warwick, 403.
Watford, 145.
Wayland, 241.
Weardale, 544.
Wellingborough, 171.
Wellington (Salop), 365.
Wellington (Somerset), 314.
Wells, 323.
Wem, 363 *a*.
Weobly, 349.
West Ashford, 62.
Westbourne, 94.
West Bromwich, 381.
Westbury, 259.
Westbury-on-Severn, 334.
West Derby, 462.
West Ham, 194.
Westhampnett, 91.
West London, 18.
Westminster, 4.
West Ward, 574.
Wetherby, 492 *c*.
Weymouth, 274.
Wharfedale, 493 *b*.
Wheatenhurst, 337.
Whitby, 531.
Whitchurch (Hants), 117.
Whitchurch (Salop), 363 *b*.
Whitechapel, 22.
Whitehaven, 571.
Whittlesey, 192.
Wigan, 465.
Wigton, 569.
Williton, 313 *a*.
Wilton, 265.
Wimborne, 271.
Wincanton, 320.
Winchcomb, 343.
Winchester, 109.
Windsor, 131.
Winslow, 152.
Wirral, 460 *a*.
Wisbech, 193.
Witham, 206.
Witney, 161.
Woburn, 182.
Wokingham, 128.
Wolstanton, 370.
Wolverhampton, 379.
Woodbridge, 223.
Woodstock, 160.
Worcester, 387.
Worksop, 436.
Worthing, 90.
Wortley, 506.
Wrexham, 611.
Wycombe, 150.

Y

Yarmouth, 228.
Yeovil, 319.
York, 515.

INDEX OF SUB-DISTRICTS.

[In this alphabetical arrangement the principle is adopted of placing the Sub-Districts (or Registrars' Districts) having *compound names* in the order indicated by the usual pronunciation of those names; thus, East Grinstead will be found under the letter E, and not under G as "Grinstead, East;" St. James under the letter S, and not as "James, St." The number against each Sub-District, in the third column, refers to the order in which it appears in the arrangement of the Districts in the Tables of Abstracts; thus, Abbey Holme (569; 2) is the 2d Sub-District of the Wigton District, No. 569.]

Sub-District.	District.	No.
A		
Abbey	Bath	323; 3
Abbey Holme	Wigton	569; 2
Abbots Bromley	Uttoxeter	374; 2
Abbotsbury	Weymouth	274; 4
Abbots Langley	Watford	145; 4
Aberdare	Merthyr Tydfil	582; 4
Aberdaron	Pwllheli	619; 3
Aberford	Tadcaster	5140; 1
Abergavenny	Abergavenny	5780; 3
Abergele	St. Asaph	613; 2
Abergwessin	Builth	599; 1
Aberystruth	Bedwelty	5785; 1
Aberystwith	Aberystwith	597; 2
Abingdon	Abingdon	123; 2
Abthorpe	Towcester	165; 1
Accrington	Haslingden	477; 5
Acton	Brentford	134; 5
Addingham	Skipton	489; 6
Alberbury	Atcham	359; 4
Albrighton	Shiffnal	357; 1
Albury	Guildford	39; 3
Alcester	Alcester	405; 2
Aldborough	Richmond(Yrks.)	539; 4
Aldbrough	Skirlaugh	522; 3
Aldeburgh	Plomesgate	224; 5
Aldeby	Loddon	238; 1
Alderbury	Alderbury	263; 1
Alderley	Macclesfield	453; 8
Aldgate	Whitechapel	22; 7
Aldington	East Ashford	63; 1
Aldridge	Walsall	380; 4
Alford	Spilsby	430; 5
Alfreton	Belper	446; 5
Allendale	Hexham	555; 3
Allerston	Pickering	530; 4
All Saints	Birmingham	394; 9
All Saints	Hastings	76; 2
All Saints	Maldon	202; 3
All Saints	Newcastle-on-Tyne.	552; 4
All Saints	Northampton	168; 2
All Souls	Marylebone	7; 1
Almondbury	Huddersfield	497; 7
Almondsbury	Thornbury	332; 1
Alnwick	Alnwick	559; 2
Alphington	St. Thomas	281; 8
Alresford	Alresford	113; 2
Alston	Alston	564; 1
Alston	Preston	482; 4
Altarnon	Launceston	301; 1
Alton	Alton	114; 1
Alton	Cheadle	373; 1
Altrincham	Altrincham	454; 2
Alverstoke	Alverstoke	97; 1
Alverthorpe	Wakefield	503; 6
Ambleside	Kendal	575; 1
Amersham	Amersham	148; 3
Amesbury	Amesbury	262; 2
Amlwch	Anglesey	623; 4
Ampthill	Ampthill	181; 2
Amroth	Narberth	590; 3
Amwell	Clerkenwell	15; 2
Ancoats	Manchester	473; 1
Andover	Andover	118; 3
Anston	Worksop	496; 3
Antony	St. Germans	302; 1
Appleby	East Ward	573; 1
Appleton Roebuck	Bramham	5140; 1
Appleton-upon-Wisk.	Northallerton	544; 1
Ardleigh	Tendring	203; 5
Ardsley	Wakefield	503; 7
Ardwick	Chorlton	471; 2
Arkholme	Lancaster	485; 7
Arncliffe	Settle	488; 5
Arnold	Basford	438; 5
Artillery	Whitechapel	22; 1
Arundel	Worthing	90; 3
Ashborne	Ashborne	447; 3
Ashburton	Newton Abbot	283; 4
Ashby-de-la-Zouch.	Ashby-de-la-Zouch.	414; 3
Ashford	West Ashford	62; 2
Ashley	Clifton	330; 2
Ashover	Chesterfield	448; 1
Ashton-in-Makerfield	Wigan	465; 7
Ashton Town	Ashton-under-Lyne.	474; 2
Askrigg	Askrigg	537; 1
Aslackby	Bourn	422; 2
Aspull	Wigan	465; 2
Aston Clinton	Aylesbury	151; 3
Aswarby	Sleaford	426; 5
Atcham	Atcham	359; 7
Atherstone	Atherstone	397; 1
Atherton	Leigh	467; 4
Attercliffe	Sheffield	508; 6
Attleborough	Wayland	241; 1
Audenshaw	Ashton-under-Lyne.	474; 3
Audley	Newcastle-under-Lyme.	399; 3
Aughton	Ormskirk	464; 2
Axbridge	Axbridge	324; 4
Axminster	Axminster	279; 2
Aycliffe	Darlington	540; 2
Aylesbury	Aylesbury	151; 2
Aylesford	Malling	55; 1
B		
Bacton	Tunstead	230; 4
Bainton	Driffield	523; 3
Bakewell	Bakewell	449; 1
Bala	Bala	616; 1
Baldock	Hitchin	141; 1
Balsham	Linton	188; 3
Bampton	Tiverton	293; 6
Bampton	Witney	161; 2
Banbury	Banbury	163; 4
Bangor	Bangor	621; 2
Banham	Guiltcross	240; 1
Banwell	Axbridge	324; 3
Barford	Bedford	179; 7
Barham	Bridge	64; 2
Barking Town	Romford	197; 3
Barmbrough	Doncaster	510; 2
Barmouth	Dolgelly	617; 2
Barnack	Stamford	421; 2
Barnard Castle	Teesdale	543; 2
Barnet	Barnet	136; 2
Barnoldswick	Skipton	489; 3
Barnsley	Barnsley	505; 2
Barnstaple	Barnstaple	295; 1
Barrow	Barrow-upon-Soar.	416; 1
Barrowden	Uppingham	420; 3
Barton	Barton-upon-Irwell.	470; 2
Barton	Glanford Brigg	433; 3
Baschurch	Ellesmere	352; 4
Basford	Basford	438; 3
Basingstoke	Basingstoke	116; 1
Bassingham	Newark	442; 2
Batheaston	Bath	326; 7
Bathwick	Bath	326; 2
Batley	Dewsbury	502; 2
Battersea	Wandsworth	32; 2
Battle	Battle	77; 3
Battlefield	Atcham	359; 6
Bawdeswell	Mitford	242; 3
Bawtry	Doncaster	510; 5
Beaconsfield	Amersham	148; 5
Beaminster	Beaminster	277; 4
Beaumaris	Bangor	621; 1
Beccles	Wangford	226; 2
Beckley	Rye	75; 2
Bedale	Bedale	535; 1
Bedford and Cardington.	Bedford	179; 6
Bedford and Kempston.	Bedford	179; 5
Bedlington	Morpeth	558; 2
Bedminster	Bedminster	328; 1
Begelly	Narberth	590; 6
Beighton	Rotherham	509; 1
Belbroughton	Bromsgrove	392; 2
Belford	Belford	560; 1
Belgrave	St. George Hanover-sq.	3; 3
Bellingham	Bellingham	557; 1
Belper	Belper	446; 3
Bennington	Boston	425; 2
Bennington	Newark	442; 4
Bentham	Settle	488; 1
Bere Regis	Wareham	273; 4
Berkeley	Thornbury	332; 3
Berkhampstead	Berkhampstead	147; 1
Berwick	Berwick	561; 2
Berwick Street	St. James West-minster.	6; 1
Bettwsycoed	Llanrwst	614; 2
Beverley	Beverley	518; 2
Bewdley	Kidderminster	384; 5
Bexhill	Battle	77; 1
Bexley	Dartford	50; 1
Bibury	Northleach	341; 1
Bicester	Bicester	159; 2
Bickerstaffe	Ormskirk	464; 1
Bideford	Bideford	297; 1
Bidford	Alcester	405; 4
Biggleswade	Biggleswade	180; 2
Billesdon	Billesdon	410; 1
Billinghay	Sleaford	426; 1
Billingshurst	Petworth	88; 1
Billington	Blackburn	480; 1
Bilston	Wolverhampton	379; 7
Bilton	Bramham	5145; 3
Binbrook	Louth	431; 3
Bingham	Bingham	443; 1
Bingley	Keighley	494; 1
Binstead	Alton	114; 2
Birkenhead	Birkenhead	4605; 1
Birtle	Bury	469; 4
Bishop Auckland	Auckland	542; 1
Bishops Cannings	Devizes	256; 1
Bishops Castle	Clun	353; 2
Bishops Frome	Bromyard	350; 2
Bishops Lydeard	Taunton	315; 5
BishopsTawton	Barnstaple	295; 6
Bishopstone	Wilton	265; 2
Bishop Stortford	Bishop Stortford	139; 3
Bishops Waltham	Droxford	110; 1
Bisley	Stroud	338; 3
Bitton	Keynsham	327; 1
Blackawton	Kingsbridge	285; 1

Sub-District.	District.	No.
Blackburn	Blackburn	480; 4
Blackley	Manchester	473; 9
Black Torrington	Holsworthy	298; 3
Blackwell	Mansfield	437; 3
Blaenavon	Abergavenny	578a; 4
Blagdon	Axbridge	324; 5
Blandford	Blandford	270; 2
Blatchinworth	Rochdale	476; 9
Bletchington	Bicester	153; 1
Blidworth	Mansfield	437; 6
Blofield	Blofield	237; 1
Bloxham	Banbury	163; 1
Bloxwich	Walsall	380; 2
Blyth	Tynemouth	553; 6
Bobbingworth	Ongar	196; 1
Bocking	Braintree	208; 2
Bockleton	Tenbury	385; 2
Bodenham	Leominster	351; 2
Bodmin	Bodmin	304; 3
Bollington	Macclesfield	453; 2
Bolsover	Chesterfield	448; 3
Bolton Eastern	Bolton	468; 11
Bolton Western	Bolton	468; 12
Bootham	York	515; 2
Bootle	Bootle	572; 2
Boroughbridge	Gt. Ouseburn	492a; 1
Borough Road	St. George Southwark.	29; 2
Boscastle	Camelford	300; 1
Boston	Boston	425; 4
Botesdale	Hartismere	218; 2
Bottisham	Newmarket	189; 3
Boughton	Faversham	67; 1
Bourn	Bourn	422; 3
Bourton-on-the-Water.	Stow-on-the-Wold.	342; 1
Bow	Crediton	292; 2
Bow	Poplar	25; 1
Bowling	Bradford (Yrks.)	499; 4
Boxgrove	Westhampnett	91; 4
Brabourne	East Ashford	63; 2
Brackley	Brackley	164; 1
Bracknell	Easthampstead	130; 1
Bradfield	Wortley	506; 6
Bradford Abbas	Sherborne	276; 3
Bradford East-End.	Bradford (Yrks.)	499; 5
Bradford North Western.	Bradford-on-Avon.	258; 2
Bradford South Eastern.	Bradford-on-Avon.	258; 1
Bradford West-End.	Bradford (Yrks.)	499; 6
Bradley	Westbury	259; 1
Bradwell	Maldon	202; 2
Bradworthy	Bideford	297; 5
Brafield	Hardingstone	167; 1
Brailsford	Ashborne	447; 1
Braintree	Braintree	208; 3
Bramham	Bramham	514b; 2
Bramley	Basingstoke	116; 2
Bramley	Bramley	500d; 1
Brampton	Brampton	566; 2
Brandesburton	Skirlaugh	522; 5
Brassington	Ashborne	447; 6
Bratton Clovelly	Okehampton	291; 1
Braughing	BishopStortford	139; 4
Braunton	Barnstaple	295; 5
Bray	Cookham	129; 1
Breage	Helston	309; 4
Brecknock	Brecknock	600; 3
Brenchley	Tunbridge	57; 3
Brentford	Brentford	134; 3
Brentwood	Billericay	199; 1
Bretton	Wakefield	503; 1
Brewood	Penkridge	378; 2
Bridgend	Bridgend	583; 3
Bridlington	Bridlington	524; 2
Bridgnorth	Bridgnorth	356; 2
Bridgwater	Bridgwater	316; 4
Bridport	Bridport	278; 2
Brigg	Glanford Brigg	433; 1
Brighouse	Halifax	498; 2
Brightside	Sheffield	508; 5
Brill	Thame	156; 3
Brilley	Presteigne	603; 1
Brindle	Chorley	481; 1
Britford	Alderbury	263; 3
Brixham	Totnes	284; 2
Brixton	Lambeth	31; 7
Brixworth	Brixworth	170; 3
Broad-Clist	St. Thomas	281; 4
Broadwater	Worthing	90; 1
Broadway	Evesham	389; 2
Broadwood-widger.	Holsworthy	298; 4
Brockhampton.	Bromyard	359; 3
Bromham	Devizes	256; 3
Bromley	Bromley	40; 1
Bromsgrove	Bromsgrove	392; 1
Brompton	Kensington	1; 4
Bromyard	Bromyard	350; 1
Broseley	Madeley	358; 3
Broughton	Preston	482; 5
Broughton	Salford	472; 2
Broughton	Stockbridge	108; 1
Bruton	Wincanton	320; 4
Bryngwran	Anglesey	623; 2
Bubwith	Howden	517; 2
Buckfastleigh	Totnes	284; 5
Buckingham	Buckingham	154; 2
Buckland	Faringdon	122; 3
Buckland Monachorum.	Tavistock	290; 1
Bucklebury	Bradfield	126; 1
Budbrooke	Warwick	403; 1
Budworth	Runcorn	455; 1
Bugbrooke	Northampton	168; 3
Builth	Builth	599; 3
Bulmer	Malton	525; 5
Bulmer	Sudbury	212; 1
Bulwell	Basford	438; 4
Bunbury	Nantwich	458; 3
Bungay	Wangford	226; 1
Buntingford	Royston	140; 1
Burbage	Hinckley	412; 1
Bures	Sudbury	212; 2
Burford	Witney	161; 4
Burgh	Carlisle	568; 5
Burghill	Hereford	348; 3
Burgh-le-Marsh	Spilsby	430; 4
Burnham	Axbridge	324; 2
Burnham	Docking	244; 1
Burnham	Eton	149; 3
Burnley	Burnley	478; 1
Burslem	Wolstanton	370; 3
Burton Bradstock	Bridport	278; 1
Burton-upon-Trent.	Burton-upon-Trent.	375; 4
Bury St. Edmunds.	Bury St. Edmunds.	215; 1
Bushey	Watford	145; 1
Butterworth	Rochdale	476; 1
Butterworth Lordshipside.	Rochdale	476; 2
Buxton	Aylsham	232; 2
Buxton	Chapel-en-le-Frith.	450; 1
Byker	Newcastle-upon-Tyne.	552; 5
Byron	Nottingham	440; 4
Bywell	Hexham	555; 1

C

Cadoxton	Neath	584; 5
Caerleon	Newport(Monm.)	580; 1
Cainham	Ludlow	352; 3
Caistor	Caistor	432; 2
Calbourne	Isle of Wight	99; 5
Caldbeck	Wigton	569; 3
Calehill	West Ashford	62; 1
Callington	Liskeard	303; 1
Calne	Calne	254; 1
Calton	Ashborne	447; 4
Calverley	Bradford(Yorks.)	499; 1
Camberwell	Camberwell	33; 2
Camborne	Redruth	310; 4
Camden Town	Pancras	9; 5
Camelford	Camelford	300; 2
Campden	Shipston-on-Stour.	406; 1
Campsall	Doncaster	510; 4
Canford	Poole	272; 1
Cannock	Penkridge	378; 3
Canterbury	Canterbury	65; 1
Capel	Dorking	43; 1
Capel St. Mary	Samford	221; 1
Carlburton	Worksop	136; 4
Cardiff	Cardiff	581a; 2
Cardigan	Cardigan	593; 2
Carlford	Woodbridge	223; 1
Carlton	Basford	438; 6
Carlton	Selby	513; 1
Carlton	Worksop	136; 2
Carmarthen	Carmarthen	589; 3
Carnarvon	Carnarvon	620; 3
Carshalton	Epsom	37; 1
Cartmel	Ulverston	486; 1
Castle	Nottingham	440; 6
Castle Cary	Wincanton	320; 1
Castle Church	Stafford	367; 2
Castle Combe	Chippenham	253; 1
Castle Donington.	Shardlow	444; 1
Castleford	Castleford	504c; 1
Castle Precincts	Bristol	329; 2
Castle Rising	Freebridge Lynn.	245; 4
Castleton Within	Rochdale	476; 4
Castleton Without	Rochdale	476; 3
Caton	Lancaster	485; 4
Catterick	Richmond(Yrks.)	539; 2
Cave	Beverley	518; 1
Cavendish-sq.	Marylebone	7; 2
Cawthorne	Wortley	506; 1
Caxton	Caxton	185; 1
Cerne	Dorchester	275; 4
Chadderton	Oldham	475; 3
Chaddesley Corbett.	Kidderminster	384; 1
Chagford	Okehampton	291; 4
Chailey	Lewes	84; 2
Chalfont	Amersham	148; 4
Chapel-en-le-Frith.	Chapel-en-le-Frith.	450; 2
Chapeltown	Kirkstall	500e; 3
Chard	Chard	318; 3
Chardstock	Axminster	279; 3
Charing Cross	St. Martin-in-the Fields.	5; 1
Charlbury	Chipping Norton.	162; 1
Charles-the-Martyr.	Plymouth	287; 1
Charlton Kings	Cheltenham	344; 1
Charltham	Bridge	64; 1
Chatteris	North Witchford.	191; 1
Cheadle	Cheadle	373; 4
Cheadle	Stockport	452; 6
Chedworth	Northleach	341; 2
Cheetham	Manchester	473; 7
Chelmsford	Chelmsford	200; 2
Chelsea North East.	Chelsea	2; 3
Chelsea North West.	Chelsea	2; 2
Chelsea South	Chelsea	2; 1
Cheltenham	Cheltenham	344; 2
Chepstow	Chepstow	576; 2
Cheriton Fitzpaine.	Crediton	292; 4
Chertsey	Chertsey	38; 2
Chesham	Amersham	148; 2
Cheshunt	Edmonton	137; 6
Chesterfield	Chesterfield	448; 2
Chester Castle	Gt. Boughton	459; 2
Chester Cathedral.	Gt. Boughton	459; 3
Chester-le-Street	Chester-le-Street	548; 1
Chetton	Bridgnorth	356; 1
Chevcley	Newmarket	189; 1
Chew Magna	Clutton	325; 2
Chichester	Chichester	92; 2
Chigwell	Epping	195; 1
Chippenham	Chippenham	253; 3
Chipping	Clitheroe	479; 3
Chipping Norton	Chipping Norton	162; 2
Chipping Ongar	Ongar	196; 2
Chipping Sodbury	Chipping Sodbury	331; 1
Chirbury	Montgomery	608; 2
Chislehurst	Bromley	40; 2
Chiswick	Brentford	134; 4
Chobham	Chertsey	38; 3

Sub-District.	District.	No.
Chollerton	Hexham	555; 4
Cholsey	Wallingford	125; 1
Chorley	Chorley	481; 4
Chorlton-upon-Medlock.	Chorlton	471; 3
Christchurch	Christchurch	101; 1
Christchurch	Marylebone	7; 5
Christchurch	St. Saviour Southwark.	26; 1
Christian Malford	Chippenham	253; 4
Christow	St. Thomas	281; 9
Chudleigh	Newton Abbot	283; 2
Chulmleigh	South Molton	294; 2
Church	Bethnal Green	21; 3
Church Hulme	Congleton	457; 1
Church Stretton	Church Stretton	354; 1
Cilycwm	Llandovery	587; 8
Cirencester	Cirencester	340; 2
City Road	St. Luke	16; 2
Claines	Droitwich	391; 1
Clapham	Wandsworth	32; 1
Clarborough	East Retford	435; 2
Clare	Risbridge	211; 3
Clawson	Melton Mowbray	418; 3
Clawton	Holsworthy	298; 5
Claypole	Newark	442; 5
Cleckheaton	Bradford(Yrk.)	499; 1
Cleeve	Winchcomb	348; 2
Cleobury Mortimer.	Cleobury Mortimer.	355; 1
Clifton	Clifton	330; 1
Clitheroe	Clitheroe	479; 4
Clodock	Hereford	348; 7
Clowance	Stoke Damerel	289; 2
Clun	Clun	353; 1
Clutton	Clutton	325; 3
Clyro	Hay	602; 2
Cockermouth	Cockermouth	570; 2
Coddenham	Bosmere	220; 1
Coggeshall	Witham	206; 3
Coker	Yeovil	319; 1
Colchester 1st Ward	Colchester	204; 1
Colchester 2nd Ward.	Colchester	204; 2
Colchester 3rd Ward.	Colchester	204; 3
Coleford	Monmouth	577; 1
Coleshill	Meriden	396; 1
Colne	Burnley	478; 3
Colneis	Woodbridge	223; 2
Colsterworth	Grantham	427; 1
Colton	Ulverston	486; 2
Colwich	Stafford	367; 3
Colwyn	Builth	599; 2
Colyton	Axminster	279; 4
Combe St. Nicholas.	Chard	318; 2
Combmartin	Barnstaple	295; 3
Condover	Atcham	359; 1
Congleton	Congleton	457; 2
Conisford	Norwich	234; 3
Constantine	Falmouth	308; 4
Conway	Conway	622; 1
Conwil	Carmarthen	589; 4
Conwil-Cayo	Llandovery	587; 9
Cookham	Cookham	123; 2
Corby	Bourn	422; 1
Corby	Kettering	172; 3
Corfe Castle	Wareham	273; 2
Corsham	Chippenham	253; 2
Corwen	Corwen	615; 2
Coslany	Norwich	234; 1
Costessey	Forehoe	235; 1
Cotswold	Cirencester	340; 1
Cottingham	Sculcoates	519; 2
Cowbridge	Bridgend	583; 2
Cowes	Isle of Wight	99; 1
Coxwold	Easingwold	527; 3
Cranborne	Wimborne	271; 1
Cranbrook	Cranbrook	60; 1
Cranfield	Ampthill	181; 3
Cranley	Hambledon	42; 2
Crediton	Crediton	292; 3
Creuddyn	Conway	622; 2
Crewkerne	Chard	318; 4
Criccieth	Pwllheli	619; 1
Crick	Rugby	401; 2
Crickhowell	Crickhowell	601; 5
Cricklade	Cricklade	251; 2
Cripplegate	East London	17; 2
Cromer	Erpingham	231; 2
Crompton	Oldham	475; 6
Cropredy	Banbury	163; 3
Crosby	West Derby	462; 4
Croston	Chorley	481; 5
Crowan	Helston	309; 5
Crowland	Peterborough	175; 3
Crowle	Thorne	511; 3
Croydon	Croydon	46; 1
Cuckfield	Cuckfield	83; 2
Culcheth	Leigh	467; 2
Cullompton	Tiverton	293; 2
Culmstock	Wellington(Som.)	314; 4
Cumnor	Abingdon	123; 3
Curry-Rivell	Langport	317; 3
Cwmdû	Crickhowell	601; 1

D

Sub-District.	District.	No.
Dacre Banks	Pateley Bridge	490; 4
Dale Street	Liverpool	461; 3
Dalston	Carlisle	568; 6
Dalton	Ulverston	486; 4
Danby	Guisbrough	532; 5
Daresbury	Runcorn	455; 2
Darfield	Barnsley	505; 3
Darlaston	Walsall	380; 1
Darlington	Darlington	540; 1
Darowen	Machynlleth	606; 3
Dartford	Dartford	50; 2
Dartmouth	Totnes	284; 3
Darton	Barnsley	505; 1
Darwen	Blackburn	480; 6
Daventry	Daventry	169; 2
Dawley	Madeley	358; 1
Deal	Eastry	71; 4
Deansgate	Manchester	473; 2
Deddington	Woodstock	160; 1
Dedham	Lexden	205; 5
Deeping	Bourn	422; 4
Deeping Saint Nicholas.	Spalding	423; 6
Deerhurst	Tewkesbury	345; 1
Delph	Saddleworth	496; 1
Denbigh	St. Asaph	613; 3
Dennington	Hoxne	219; 2
Dent	Sedbergh	487; 3
Denton	Grantham	427; 2
Denton	Ashton-under-Lyne.	474; 4
Deritend	Aston	395; 1
Devizes	Devizes	256; 4
Devynnock	Brecknock	600; 2
Dewchurch	Hereford	348; 1
Dewsbury	Dewsbury	502; 6
Diddlebury	Ludlow	352; 5
Didmarton	Tetbury	339; 1
Didsbury	Chorlton	471; 1
Dilhorne	Cheadle	373; 3
Dilwyn	Weobly	349; 2
Dingestow	Monmouth	577; 2
Dishforth	Ripon	491; 4
Diss	Depwade	239; 2
Ditchling	Lewes	84; 1
Docking	Docking	244; 3
Dolton	Torrington	296; 3
Doncaster	Doncaster	510; 3
Donhead	Tisbury	266; 1
Donington	Spalding	423; 2
Dorchester	Dorchester	275; 1
Dorking	Dorking	43; 2
Downham	Downham	247; 2
Downton	Alderbury	263; 2
Driffield	Driffield	523; 2
Drighlington	Bradford (Yrksh.)	499; 2
Droitwich	Droitwich	391; 3
Dronfield	Chesterfield	448; 5
Drypool	Sculcoates	519; 6
Dudley	Dudley	382; 4
Duddeston	Aston	395; 2
Duffield	Belper	446; 1
Dukinfield	Ashton-under-Lyne.	474; 6
Dulverton	Dulverton	313*b* 1
Dulwich	Camberwell	33; 1
Dummer	Bas'ngstoke	116; 3
Dunchurch	Rugby	401; 3
Dunmow	Dunmow	209; 2
Dunnington	York	515; 6
Dunstable	Luton	184; 1
Dunster	Williton	313*a*; 2
Dursley	Dursley	333; 3
Duxford	Linton	188; 1

E

Sub-District.	District.	No.
Earls Barton	Wellingborough	171; 1
Earl Shilton	Hinckley	412; 3
Earl Soham	Plomesgate	224; 1
Earsdon	Tynemouth	553; 5
Easington	Easington	546; 1
Easingwold	Easingwold	527; 2
Eastbourne	Eastbourne	78; 2
East Budleigh	St. Thomas	281; 1
Eastchurch	Sheppey	69; 2
East Dereham	Mitford	242; 4
East Flegg	Flegg	229; 1
East Grinstead	East Grinstead	82; 2
Eastham	Wirral	460*a*; 2
East Leicester	Leicester	417; 1
East Macclesfield	Macclesfield	453; 4
East Maidstone	Maidstone	58; 5
Eastmeon	Petersfield	112; 2
East Peckham	Malling	55; 2
East Retford	East Retford	435; 3
East Sculcoates	Sculcoates	519; 7
East Stamford Bridge.	Pocklington	516; 1
EastStonehouse	EastStonehouse	288; 1
EastSunderland	Sunderland	549; 3
East Wymer	Norwich	234; 2
Eckington	Chesterfield	448; 4
Eckington	Pershore	390; 1
Ecclesfield	Wortley	506; 5
Ecclesall Bierlow.	Ecclesall Bierlow	507; 4
Eccleshall	Stone	368; 2
Edenfield	Haslingden	477; 3
Edgbaston	Kings Norton	393; 2
Edgware	Hendon	135; 2
Edgworth	Bolton	468; 8
Edington	Westbury	253; 2
Edlesborough	Leighton Buzzard	183; 4
Edmonton	Edmonton	137; 3
Egham	Windsor	131; 1
Egloshayle	Bodmin	304; 4
Egremont	Whitehaven	571; 4
Egton	Whitby	531; 1
Elham	Elham	73; 2
Eling	New Forest	104; 3
Elland	Halifax	498; 5
Ellel	Lancaster	485; 1
Ellesmere	Ellesmere	362; 3
Elsdon	Rothbury	563; 2
Eltham	Lewisham	36; 2
Elton	Bury	469; 8
Ely	Ely	190; 3
Embleton	Alnwick	659; 3
Enderby	Blaby	411; 2
Enfield	Edmonton	137; 4
Ensham	Witney	161; 1
Epping	Epping	195; 2
Epsom	Epsom	37; 2
Epworth	Thorne	511; 1
Ercall Magna	Wellington(Salop)	365; 1
Erdington	Aston	395; 3
Escrick	York	515; 5
Esher	Kingston	47; 3
Eton	Eton	149; 2
Evercreech	Shepton Mallet	322; 2
Evershot	Beaminster	277; 1
Everton	West Derby	462; 2
Evesham	Evesham	389; 1
Ewhurst	Battle	77; 2
Exchange	Nottingham	440; 5
Exmouth	St. Thomas	281; 2
Eye	Hartismere	218; 3
Eynsford	Aylsham	232; 1
Eythorn	Eastry	71; 3

Sub-District.	District.	No.
F		
Failsworth	Manchester	473 ; 8
Fairford	Cirencester	340 ; 3
Fakenham	Walsingham	243 ; 1
Falmouth	Falmouth	508 ; 2
Fareham	Fareham	98 ; 1
Faringdon	Faringdon	122 ; 2
Farnborough	Farnborough	41 ; 1
Farnham	Farnham	40 ; 2
Farningham	Dartford	50 ; 3
Farnworth	Bolton	468 ; 1
Farnworth	Prescot	463 ; 4
Faversham	Faversham	67 ; 2
Fawley	New Forest	104 ; 2
Fazeley	Tamworth	376 ; 2
Feckenham	Alcester	405 ; 3
Fenny Stratford	Newport Pagnell	153 ; 1
Fenton	Stoke-upon-Trent	371 ; 4
Fernhurst	Midhurst	93 ; 2
Ferriby	Sculcoates	519 ; 3
Festiniog	Festiniog	618 ; 2
Fewston	Wharfedale	4936 ; 3
Filey	Scarborough	525 ; 1
Fincham	Downham	247 ; 3
Finchingfield	Braintree	208 ; 1
Finchley	Barnet	136 ; 3
Finsbury	St. Luke	16 ; 4
Fishguard	Haverfordwest	592 ; 4
Flamstead	Hemel Hempstead	146 ; 3
Flaxton	York	515 ; 7
Flint	Holywell	610 ; 3
Foleshill	Foleshill	399 ; 1
Folkestone	Elham	73 ; 1
Fontmell	Shaftesbury	268 ; 2
Ford	Glendale	562 ; 1
Fordham	Lexden	205 ; 4
Fordingbridge	Fordingbridge	103 ; 1
Formby	Ormskirk	464 ; 4
Forncett	Depwade	239 ; 4
Fornham	Thingoe	214 ; 2
Foston	Driffield	523 ; 1
Fotheringhay	Oundle	171 ; 3
Fowey	St. Austell	306 ; 1
Fownhope	Hereford	348 ; 2
Framfield	Uckfield	81 ; 2
Framlingham	Plomesgate	24 ; 2
Frampton	Wheatenhurst	337 ; 1
Frant	Ticehurst	80 ; 5
Frimley	Farnham	40 ; 1
Frodsham	Runcorn	455 ; 4
Frome	Frome	321 ; 2
Fulbourn	Chesterton	186 ; 2
Fulham	Kensington	1 ; 7
Funtington	Westbourne	94 ; 1
Fyfield	Abingdon	123 ; 1
G		
Gainsborough	Gainsborough	434 ; 4
Gargrave	Skipton	489 ; 2
Garsdale	Sedbergh	187 ; 2
Garstang	Garstang	484 ; 3
Gateshead	Gateshead	551 ; 2
Gawsworth	Macclesfield	453 ; 7
Gayton	Freebridge Lynn	245 ; 2
Gazeley	Newmarket	189 ; 4
Gedney Hill	Holbeach	424 ; 1
Gelligaer	Merthyr Tydfil	582 ; 1
Geneurglynn	Aberystwith	597 ; 3
Gildersome	Bramley	5004 ; 2
Gillingham	Medway	54 ; 2
Gillingham	Shaftesbury	268 ; 3
Gisburn	Clitheroe	479 ; 1
Glastonbury	Wells	323 ; 2
Glossop	Hayfield	451 ; 1
Gnosall	Newport (Salop)	366 ; 2
Godalming	Guildford	39 ; 5
Godshill	Isle of Wight	99 ; 4
Godstone	Godstone	45 ; 1
Golcar	Huddersfield	497 ; 11
Golden Square	St. James Westminster.	6 ; 3
Gomersal	Dewsbury	502 ; 3
Goodman's-fields	Whitechapel	22 ; 6
Goole	Goole	512 ; 2
Gorleston	Mutford	227 ; 3
Gosberton	Spalding	423 ; 3
Goswell Street	Clerkenwell	15 ; 4
Gower Eastern	Gower	5854 ; 1
Gower Western	Gower	5854 ; 2
Grampound	St. Austell	306 ; 4
Grantham	Grantham	427 ; 3
Grassington	Skipton	489 ; 7
Gravesend	Gravesend	51 ; 1
Grayrigg	Kendal	575 ; 2
Grays	Orsett	198 ; 1
Gray's Inn-lane	Pancras	9 ; 3
Greasley	Basford	438 ; 1
Great Baddow	Chelmsford	200 ; 5
Great Burstead	Billericay	199 ; 2
Great Easton	Uppingham	420 ; 2
Great Grimsby	Caistor	432 ; 1
Great Marlow	Wycombe	150 ; 2
Great Torrington	Torrington	296 ; 5
Great Wakering	Rochford	201 ; 4
Great Waltham	Chelmsford	200 ; 4
Green	Bethnal Green	21 ; 2
Greengate	Salford	472 ; 3
Greenwich East	Greenwich	35 ; 4
Greenwich West	Greenwich	35 ; 3
Gresley	Burton-upon-Trent.	375 ; 3
Greystoke	Penrith	565 ; 2
Gringley	East Retford	435 ; 1
Guildford	Guildford	39 ; 4
Guisbrough	Guisbrough	552 ; 4
Guiting	Winchcomb	343 ; 1
Gwennap	Redruth	310 ; 1
Gwnnws	Tregaron	598 ; 1
Gwyddelwern	Corwen	615 ; 1
Gyffylliog	Ruthin	612 ; 4
H		
Hackney	Hackney	11 ; 4
Hackney Road	Bethnal Green	21 ; 1
Haddenham	Aylesbury	151 ; 1
Haddenham	Ely	190 ; 1
Hadleigh	Cosford	213 ; 2
Haggerstone East	Shoreditch	20 ; 6
Haggerstone West	Shoreditch	20 ; 5
Hailsham	Hailsham	79 ; 1
Hale	Prescot	463 ; 1
Halesowen	Stourbridge	383 ; 1
Halesworth	Blything	225 ; 2
Halford	Shipston-on-Stour.	486 ; 4
Halifax	Halifax	498 ; 2
Halliwell	Bolton	468 ; 4
Halsall	Ormskirk	464 ; 3
Halstead	Halstead	207 ; 1
Haltwistle	Haltwistle	556 ; 1
Hambledon	Droxford	110 ; 3
Hampstead	Hampstead	8 ; 1
Hampton	Kingston	47 ; 4
Hamsterley	Auckland	542 ; 2
Handsworth	Sheffield	508 ; 7
Handsworth	West Bromwich	381 ; 1
Hanley	Stoke-upon-Trent	371 ; 1
Hanley	Upton-on-Severn	388 ; 1
Hanmer	Ellesmere	362 ; 2
Hanover Square	St. George Hanover-sq.	3 ; 1
Harberton	Totnes	284 ; 7
Harborne	Kings Norton	393 ; 3
Hardingstone	Hardingstone	167 ; 2
Haresfield	Wheatenhurst	337 ; 1
Harewood	Otley	4934 ; 1
Harleston	Depwade	239 ; 1
Harlow	Epping	195 ; 3
Harpenden	St. Albans	144 ; 1
Harptree	Clutton	325 ; 1
Harraton	Chester-le-Street	548 ; 2
Harrington	Whitehaven	571 ; 1
Harrogate	Knaresborough	4924 ; 2
Harrold	Bedford	179 ; 3
Harrow	Hendon	135 ; 1
Hartest	Sudbury	212 ; 5
Harting	Midhurst	93 ; 3
Hartington	Ashborne	447 ; 5
Hartland	Bideford	297 ; 4
Hartlepool	Hartlepool	5445 ; 1
Hartley Wintney	Hartley Wintney	115 ; 2
Hartshead	Ashton-under-Lyne.	474 ; 7
Hartshorn	Ashby-de-la-Zouch.	414 ; 2
Harwich	Tendring	263 ; 3
Harwood	Blackburn	480 ; 2
Haslingden	Haslingden	477 ; 1
Hatfield	Dunmow	209 ; 3
Hatfield	Hatfield	143 ; 1
Hatherleigh	Okehampton	291 ; 2
Havant	Havant	95 ; 1
Haverfordwest	Haverfordwest	592 ; 2
Haverhill	Risbridge	211 ; 1
Hawarden	Great Boughton	459 ; 4
Hawes	Askrigg	537 ; 2
Hawkesbury	Chipping Sodbury	321 ; 3
Hawkhurst	Cranbrook	60 ; 2
Hawkshead	Ulverston	486 ; 6
Haworth	Keighley	494 ; 3
Hay	Hay	602 ; 3
Hayes	Uxbridge	133 ; 3
Hayfield	Hayfield	451 ; 2
Hayton	Brampton	566 ; 1
Hazelgrove	Stockport	452 ; 7
Headcorn	Hollingbourn	59 ; 3
Headley	Farnborough	41 ; 2
Heaton	Lancaster	485 ; 2
Heaton Norris	Stockport	452 ; 3
Heavitree	St. Thomas	281 ; 6
Hebden Bridge	Todmorden	495 ; 1
Heckington	Sleaford	426 ; 4
Hedingham	Halstead	207 ; 2
Hedon	Sculcoates	519 ; 5
Hellingley	Hailsham	79 ; 2
Helmsley	Helmsley	529 ; 1
Helston	Helston	309 ; 2
Hemel Hempstead	Hemel Hempstead	146 ; 2
Hemsworth	Hemsworth	5045 ; 1
Hendon	Hendon	135 ; 4
Hendred	Wantage	124 ; 3
Henley	Henley	155 ; 1
Henstead	Henstead	236 ; 2
Hereford City	Hereford	348 ; 4
Herne	Blean	66 ; 2
Hertford	Hertford	142 ; 2
Hessle	Sculcoates	519 ; 4
Hetton-le-Hole	Houghton-le-Spring.	547 ; 2
Heworth	Gateshead	551 ; 1
Hexham	Hexham	555 ; 2
Heytesbury	Warminster	260 ; 3
Heywood	Bury	469 ; 5
Higham Ferrers	Wellingborough	171 ; 2
High Bickington	Torrington	296 ; 1
Highclere	Kingsclere	119 ; 1
High Hoyland	Wortley	506 ; 2
High Longtown	Longtown	567 ; 1
Highworth	Highworth	250 ; 1
High Wycombe	Wycombe	150 ; 1
Hillingdon	Uxbridge	133 ; 1
Hillington	Freebridge Lynn	245 ; 1
Hinckley	Hinckley	442 ; 2
Hindley	Wigan	465 ; 4
Hindon	Tisbury	266 ; 3
Hitchin	Hitchin	141 ; 2
Hoddesdon	Ware	138 ; 1
Hodnet	Market Drayton	364 ; 3
Holbeach	Holbeach	424 ; 3
Holbeck	Holbeck	5004 ; 1
Holbrook	Samford	221 ; 2
Holcombe	Bury	469 ; 1
Hollingbourn	Hollingbourn	59 ; 1
Holme	Howden	517 ; 1
Holmfirth	Huddersfield	497 ; 4
Holsworthy	Holsworthy	298 ; 2
Holt	Erpingham	231 ; 3
Holt	Martley	386 ; 3
Holt	Wrexham	611 ; 2
Holyhead	Anglesey	623 ; 6
Holy Trinity	Coventry	400 ; 2
Holywell	Holywell	610 ; 2
Holywell	Shoreditch	20 ; 1
Honiton	Honiton	280 ; 1
Honley	Huddersfield	497 ; 3
Hoo	Hoo	53 ; 1

SUB-DISTRICT.	DISTRICT.	No.
Hope	Wrexham	611; 1
Horbury	Wakefield	503; 5
Horley	Reigate	44; 2
Horncastle	Horncastle	429; 2
Hornchurch	Romford	197; 4
Horndean	Catherington	111; 1
Hornsea	Skirlaugh	522; 4
Hornsey	Edmonton	137; 1
Horsforth	Wharfedale	493*b*; 2
Horsley	Belper	446; 2
Horsley	Stroud	338; 7
Horton	Bradford (Yrks.)	499; 7
Horwich	Bolton	468; 5
Hougham	Dover	72; 3
Houghton-le-Spring.	Houghton-le-Spring.	517; 1
Hovingham	Malton	526; 4
Howard Street	Liverpool	461; 2
Howden	Howden	517; 3
Hoxton New Town.	Shoreditch	20; 3
Hoxton Old Town.	Shoreditch	20; 4
Huddersfield	Huddersfield	497; 9
Hulme	Chorlton	471; 4
Hulton	Bolton	468; 2
Humber	Hull	520; 1
Humbleton	Skirlaugh	522; 1
Humbleyard	Henstead	236; 1
Hungerford	Hungerford	121; 2
Hummanby	Bridlington	524; 3
Hunslet	Hunslet	500*b*; 1
Huntingdon	Huntingdon	176; 4
Huntley	Westbury-on-Severn.	334; 2
Huntspill	Bridgwater	316; 5
Hursley	Winchester	109; 5
Hurstborne Tarrant.	Andover	118; 4
Hurstpierpoint	Cuckfield	83; 3
Hutton	Stokesley	533; 2
Hutton Bushell	Scarborough	525; 3
Huyton	Prescot	463; 3
Hyde	Stockport	452; 2
Hyson Green	Radford	439; 3
Hythe	Elham	73; 3

I

Ibstock	Market Bosworth.	413; 2
Idle	Bradford (Yrks.)	499; 11
Ilchester	Yeovil	319; 5
Ilford	Romford	197; 2
Ilfracombe	Barnstaple	295; 4
Ilkeston	Basford	458; 2
Illogan	Redruth	310; 3
Ilminster	Chard	318; 1
Ilsley	Wantage	124; 2
Ingatestone	Chelmsford	200; 1
Ipstones	Cheadle	373; 2
Iron Acton	Chipping Sodbury	331; 4
Isfield	Uckfield	81; 3
Islandshire	Berwick	561; 1
Isleworth	Brentford	134; 1
Islington	Liverpool	461; 7
Islington East	Islington	10; 2
Islington West	Islington	10; 1
Iver	Eton	149; 1
Ivinghoe	Leighton Buzzard	183; 3
Ixworth	Thingoe	214; 3

K

Kea	Truro	307; 6
Keighley	Keighley	494; 2
Kelvedon	Witham	206; 1
Kempsey	Upton on-Severn	388; 3
Kemptown	Brighton	85; 1
Kenarth	Newcastle-in-Emlyn.	594; 1
Kendal	Kendal	575; 4
Kenilworth	Warwick	403; 3
Kenninghall	Guiltcross	240; 2
Kennington First.	Lambeth	31; 5
Kennington Second.	Lambeth	31; 6
Kensington Town	Kensington	1; 3
Kentchurch	Hereford	348; 6
Kentish Town	Pancras	9; 6
Kenton	St. Thomas	281; 10
Kent Road	St. George Southwark.	29; 1
Kenwyn	Truro	307; 5
Kerry	Newtown	607; 4
Kessingland	Mutford	227; 1
Keswick	Cockermouth	570; 1
Kettering	Kettering	172; 1
Kettlewell	Skipton	489; 1
Keynsham	Keynsham	327; 4
Kidderminster	Kidderminster	384; 3
Kildwick	Skipton	489; 4
Kilkhampton	Stratton	299; 1
Kilmersdon	Frome	321; 4
Kimberworth	Rotherham	509; 3
Kimbolton	St. Neots	178; 2
Kineton	Stratford-on-Avon.	404; 1
Kinfare	Wolverhampton	379; 2
Kingsbridge	Kingsbridge	285; 4
Kingsclere	Kingsclere	119; 2
Kingsholm	Gloucester	336; 1
Kingsland	Leominster	351; 3
Kings Langley	HemelHempstead	146; 1
Kings Lynn Middle.	Kings Lynn	246; 2
Kings Lynn North.	Kings Lynn	246; 1
Kings Lynn South.	Kings Lynn	246; 3
Kings Norton	Kings Norton	393; 1
Kingston	Kingston	47; 2
Kingston	Portsea Island	96; 1
Kingswinford	Stourbridge	383; 3
Kington	Presteigne	603; 3
Kintbury	Hungerford	121; 1
Kippax	Castleford	504*c*; 2
Kirkburton	Huddersfield	497; 6
Kirkby Lonsdale	Kendal	575; 3
Kirkby Malham	Settle	488; 4
Kirkby Malzeard	Ripon	491; 2
Kirkby Mooreside	Helmsley	529; 3
Kirkby Stephen	East Ward	573; 2
Kirkdeighton	Kirkdeighton	492*d*; 1
Kirkham	Fylde	483; 1
Kirkheaton	Huddersfield	497; 8
Kirkleatham	Guisbrough	532; 3
Kirkoswald	Penrith	565; 3
Kirkstall	Kirkstall	500*a*; 2
Kirkwhelpington	Bellingham	557; 2
Kirton-in-Holland.	Boston	425; 1
Knaresborough	Knaresborough	492*b*; 1
Knayton	Thirsk	528; 5
Knocsall	Southwell	441; 2
Knighton	Knighton	604; 1
Knockin	Oswestry	361; 1
Knottingley	Pontefract	504*a*; 1
Knott-lanes	Ashton-under-Lyne.	474; 1
Knowle	Solihull	402; 2
Knutsford	Altrincham	454; 4

L

Lady Wood	Birmingham	394; 1
Lakenheath	Mildenhall	216; 2
Lambeth Church 1st.	Lambeth	31; 3
Lambeth Church 2d.	Lambeth	31; 4
Lambourn	Hungerford	121; 3
Lampeter	Lampeter	595; 3
Lancaster	Lancaster	485; 3
Lanchester	Durham	545; 2
Landport	Portsea Island	66; 4
Langport	Langport	317; 2
Langtoft	Driffield	523; 4
Lanlivery	Bodmin	304; 1
Lansdown	Bath	326; 6
Lastingham	Pickering	530; 1
Latchford	Warrington	466; 5
Latham	Ormskirk	464; 9
Launceston	Launceston	301; 4
Lavenham	Cosford	213; 1
Lavington	Devizes	256; 2
Leadenham	Sleaford	426; 3
Leake	Loughborough	415; 2
Leamington	Warwick	403; 2
Leatherhead	Epsom	37; 3
Leather Market	Bermondsey	23; 3
Leckhampstead	Buckingham	154; 1
Ledbury	Ledbury	346; 1
Lee	Lewisham	36; 3
Leek	Leek	372; 2
Leek-Frith	Leek	372; 3
Leigh	Martley	386; 4
Leighton Buzzard	Leighton Buzzard	153; 1
Leintwardine	Ludlow	352; 1
Lenham	Hollingbourn	59; 2
Lenton	Radford	439; 1
Leominster	Leominster	351; 1
Lerrin	Liskeard	303; 4
Levin	Beverley	518; 4
Lever	Bolton	468; 13
Leverington	Wisbech	193; 1
Lewes	Lewes	84; 3
Lewisham Village	Lewisham	36; 4
Lewknor	Thame	156; 1
Leyburn	Leyburn	536; 2
Leyland	Chorley	481; 2
Leyton	West Ham	194; 3
Lichfield	Lichfield	377; 1
Lidney	Chepstow	576; 3
Lifton	Tavistock	290; 4
Limehouse	Stepney	24*a*; 3
Lincoln Home	Lincoln	428; 2
Lincoln North-east.	Lincoln	428; 3
Lincoln South-west.	Lincoln	427; 1
Lindfield	Cuckfield	83; 1
Linton	Linton	188; 2
Liskeard	Liskeard	303; 2
Litcham	Mitford	242; 5
Litherland	West Derby	462; 5
Little Bolton	Bolton	468; 10
Littlehampton	Worthing	90; 2
Littleport	Ely	190; 4
Liversedge	Dewsbury	502; 4
Llanarmon	Ruthin	612; 1
Llanarth	Abergavenny	578*a*; 1
Llanbister	Knighton	604; 2
Llanboidy	Narberth	590; 1
Llanddausaint	Anglesey	623; 5
Llanddausaint	Llandovery	587; 1
Llandebie	Llandilofawr	588; 5
Llandilo	Llandilofawr	588; 4
Llandilotalybont	Swansea	585*a*; 1
Llandingat	Llandovery	587; 5
Llandisilio	Aberayron	596; 1
Llandissilio	Narberth	590; 2
Llandwrog	Carnarvon	620; 1
Llandyfrydog	Anglesey	623; 3
Llandygwidd	Cardigan	593; 3
Llandyrnog	Ruthin	612; 6
Llandyssil	Newcastle-in-Emlyn.	594; 3
Llanelidan	Ruthin	612; 3
Llanelly	Crickhowell	601; 4
Llanelly	Llanelly	586; 2
Llanfair	Llanfyllin	609; 1
Llanfairarybryn	Llandovery	587; 6
Llanfihangel-ytraethau.	Festiniog	618; 1
Llanfynydd	Llandilofawr	588; 2
Llangadock	Llandovery	587; 2
Llangafelach	Swansea	585*a*; 2
Llangathen	Llandilofawr	588; 3
Llangattock	Crickhowell	601; 3
Llangefni	Anglesey	623; 1
Llangeitho	Tregaron	598; 2
Llangendeirne	Carmarthen	589; 1
Llangibby	Pontypool	579; 2
Llangorse	Brecknock	600; 5
Llangunider	Crickhowell	601; 2
Llanidan	Carnarvon	620; 4

Sub-District.	District.	No.
Llanllechid	Bangor	621; 3
Llannon	Llanelly	586; 4
Llanrhaiadr	Llanfyllin	609; 3
Llanrhaiadr	Ruthin	612; 5
Llanrhystyd	Aberystwith	597; 1
Llanrug	Carnarvon	620; 2
Llanrwst	Llanrwst	614; 1
Llansadwrn	Llandovery	587; 3
Llansaintffraid	Aberayron	596; 2
Llansaintffraid	Llanfyllin	609; 2
Llansamlet	Neath	584; 6
Llansilin	Oswestry	361; 2
Llantrisaint	Pontypridd	581*b*; 2
Llanvihangel	Abergavenny	578*a*; 2
Llanwenog	Lampeter	595; 4
Llanwnog	Newtown	607; 3
Llanwrtyd	Llandovery	587; 7
Llanybyther	Lampeter	595; 1
Llechwedd-Isaf	Conway	622; 3
Lockington	Beverley	518; 3
Lockton	Pickering	530; 5
Lockwood	Huddersfield	497; 10
Loddon	Loddon	238; 2
Lofthouse	Guisbrough	532; 1
London City North-east.	London City	19; 5
London City North-west.	London City	19; 2
London City South.	London City	19; 3
London City South-east.	London City	19; 4
London City South-west.	London City	19; 1
London Road	St. George Southwark.	29; 3
London Road	Manchester	473; 3
Long Acre	St. Martin-in-the-fields.	5; 2
Long Ashton	Bedminster	328; 2
Longbenton	Tynemouth	553; 4
Longbridge Deverill.	Warminster	260; 2
Long Buckby	Daventry	169; 3
Longsdon	Leek	372; 4
Longstock	Andover	118; 1
Lowesby	Melton Mowbray	418; 2
Lowesden	Settle	488; 3
Lowton	Holbeach	424; 2
Lowton	Preston	482; 1
Lowton	Stoke-upon-Trent	371; 5
Luccombe	Liskeard	303; 3
Lucks	Maidstone	58; 3
Ludlow	Loughborough	415; 1
Lydney	Llanelly	586; 1
Lyndon	Louth	431; 2
Lyneham	Newtown	607; 2
Lyonshall	Merthyr Tydfil	582; 2
Lyveden	Kidderminster	384; 4
Lowestoft	Mutford	227; 2
Low Longtown	Longtown	567; 2
Lowther	West Ward	574; 2
Lowton	Leigh	467; 1
Luddenden	Halifax	498; 8
Ludgershall	Andover	118; 2
Ludham	Tunstead	230; 1
Ludlow	Ludlow	352; 2
Luton	Luton	184; 2
Lutterworth	Lutterworth	408; 1
Lydbury	Clun	353; 4
Lydd	Romney Marsh	74; 2
Lydney	Chepstow	576; 3
Lyme	Axminster	279; 1
Lymington	Lymington	100; 1
Lymm	Altrincham	454; 3
Lyncombe	Bath	326; 4
Lyndhurst	New Forest	104; 1
Lytchett	Poole	272; 3
Lytham	Fylde	483; 2
Lythe	Whitby	531; 3

Sub-District.	District.	No.
Maesteg	Bridgend	583; 1
Maiden Newton	Dorchester	275; 3
Malmsbury Eastern.	Malmsbury	252; 1
Malmsbury Western.	Malmsbury	252; 2
Malpas	Whitchurch (Salop).	363*b*; 2
Maltby	Rothernam	509; 5
Malton	Malton	526; 3
Mancroft	Norwich	234; 4
Manhood	Westhampnett	91; 1
Manningtree	Tendring	203; 4
Mansfield	Mansfield	437; 5
Marazion	Penzance	311; 3
March	North Witchford.	191; 2
Marden	Maidstone	58; 2
Maresfield	Uckfield	81; 4
Margam	Neath	584; 1
Margate	Thanet	70; 2
Market Bosworth.	Market Bosworth	413; 1
Market Drayton	Market Drayton	364; 2
Market Harborough.	Market Harborough.	409; 1
Market Rasen	Caistor	432; 3
Market Street	Manchester	473; 4
Market Weighton	Pocklington	516; 3
Marlborough	Marlborough	255; 1
Marple	Stockport	452; 1
Marshfield	Chipping Sodbury	331; 2
Marske	Guisbrough	532; 2
Martley	Martley	386; 1
Martock	Yeovil	319; 3
Marton	Gainsborough	434; 6
Maryport	Cockermouth	570; 4
Masham	Bedale	535; 5
Matlock	Bakewell	449; 2
Mattishall	Mitford	242; 2
Mayfair	St. George Hanover-sq.	3; 2
Mayfield	Ashborne	447; 2
Measham	Ashby-de-la-Zouch.	414; 1
Melbourne	Royston	140; 3
Melbourne	Shardlow	444; 2
Melford	Sudbury	212; 4
Melksham	Melksham	257; 1
Mellor	Blackburn	480; 3
Meltham	Huddersfield	497; 2
Melton Mowbray	Melton Mowbray	418; 2
Mendlesham	Hartismere	218; 1
Mere	Mere	267; 1
Meriden	Meriden	396; 2
Merthyr-Cynog	Brecknock	600; 1
Methwold	Thetford	240; 1
Mevagissey	St. Austell	306; 3
Michelmersh	Romsey	107; 2
Micklegate	York	515; 3
Middleham	Leyburn	536; 1
Middleton	FreebridgeLynn	245; 3
Middleton	Oldham	475; 4
Middleton	Teesdale	543; 3
Middlewich	Northwich	456; 4
Middlezoy	Bridgwater	316; 3
Midhurst	Midhurst	93; 1
Midsomer Norton	Clutton	325; 4
Milborne Port	Wincanton	320; 2
Milbrook	SouthStoneham	106; 3
Mile-end New Town.	Whitechapel	22; 3
Mile-end Old Town Eastern	Mile End Old Town.	245; 2
Mile-end Old Town Western	Mile End Old Town.	245; 1
Milford	Haverfordwest	592; 1
Milford	Lymington	100; 2
Milnthorpe	Kendal	575; 5
Milton	Hardingstone	167; 3
Milton	Milton	68; 1
Milton Abbas	Blandford	270; 1
Milton Abbot	Tavistock	290; 3
Milton Damerel	Holsworthy	298; 1
Milverton	Wellington (Somerset).	314; 2
Minchinhampton	Stroud	338; 6
Minehead	Williton	313*a*; 1
Minster	Sheppey	69; 1
Minster	Thanet	70; 1
Mirfield	Dewsbury	502; 5

Sub-District.	District.	No.
Missenden	Amersham	148; 1
Misterton	Beaminster	277; 2
Misterton	Gainsborough	434; 3
Mitcham	Croydon	46; 2
Mitcheldever	Winchester	109; 1
Modbury	Kingsbridge	285; 5
Mold	Holywell	610; 5
Monk Wearmouth	Sunderland	549; 5
Monmouth	Monmouth	577; 3
Montford	Atcham	359; 5
Montgomery	Montgomery	608; 1
Morchard Bishop	Crediton	292; 1
Moreton	Shipston-on-Stour	406; 2
Moreton Hampstead.	Newton Abbot	283; 3
Moreton Say	Market Drayton	364; 1
Morice	Stoke Damerel	289; 3
Morland	West Ward	574; 1
Morley	Dewsbury	502; 1
Morpeth	Morpeth	558; 1
Mortimer	Bradfield	126; 2
Mortlake	Richmond (Surr.)	48; 2
Mottram	Ashton-under-Lyne.	474; 8
Moulton	Brixworth	170; 2
Moulton	Spalding	423; 5
Mount Pleasant	Liverpool	461; 6
Much Wenlock	Madeley	358; 4
Much Woolton	Prescot	463; 2
Muker	Reeth	538; 1
Muncaster	Bootle	572; 1
Munslow	Ludlow	352; 4
Myddfai	Llandovery	587; 4
Mylor	Falmouth	308; 1
Mynyddyslwyn	Newport(Monm.)	580; 4
Myton	Hull	520; 3

M

Machynlleth	Machynlleth	606; 1
Madeley	Madeley	358; 2
Madley	Hereford	348; 5

N

Nantmel	Rhayader	605; 2
Nantwich	Nantwich	458; 2
Narberth	Narberth	590; 4
Neath	Neath	584; 2
Needham-Market	Bosmere	220; 2
Neston	Wirral	460*a*; 1
Netheravon	Pewsey	261; 1
Netherbury	Beaminster	277; 3
Nether Hallam	Ecclesall Bierlow	507; 1
Nevin	Pwllheli	619; 4
Newark	Newark	442; 3
Newbury	Newbury	120; 2
Newcastle-under-Lyme.	Newcastle-under-Lyme.	369; 2
Newchurch	Haslingden	477; 1
Newent	Newent	335; 1
Newhaven	Lewes	84; 5
Newlyn	St. Columb	305; 3
Newmarket	Newmarket	189; 2
Newmill	Huddersfield	497; 5
Newnham	Westbury-on-Severn.	334; 1
Newport	Cardigan	593; 1
Newport	Howden	517; 4
Newport	Newport(Monm.)	580; 2
Newport	Newport(Salop)	366; 1
Newport	Saffron Walden	210; 1
Newport	Isle of Wight	99; 2
Newport Pagnell	Newport Pagnell	153; 2
New Romney	Romney Marsh	74; 1
Newsham	Richmond (Yrks.)	539; 3
Newton	Keynsham	327; 3
Newton	Manchester	473; 6
Newton	Warrington	466; 1
Newton Abbot	Newton Abbot	283; 5
Newton	Ashton-under-Lyne.	474; 5
Newtown	Newtown	607; 5
Norbury	Clun	353; 3
Norhamshire	Berwick	561; 3
Northallerton	Northallerton	534; 2
Northam	Bideford	297; 2
North Bierley	Bradford (Yrks.)	499; 3
North Bishop-Wearmouth.	Sunderland	549; 1
North Bury	Bury	469; 7

Sub-District.	District.	No.
North Collingham	Newark	442; 1
North Curry	Taunton	315; 2
North Elmham	Mitford	242; 6
Northfleet	North Aylesford	52; 1
Northill	Launceston	301; 5
North Horsham	Horsham	87; 2
North Leeds	Leeds	501; 2
North Meols	Ormskirk	464; 5
Northowram	Halifax	498; 10
North Petherton	Bridgwater	316; 2
North Petherwin	Launceston	301; 2
North Sheffield	Sheffield	508; 2
North Shields	Tynemouth	553; 2
North Tawton	Okehampton	291; 5
North Walsham	Erpingham	231; 1
Northwich	Northwich	455; 2
North Worcester	Worcester	387; 2
Norton	Ecclesall Bierlow	507; 3
Norton	Leek	372; 1
Norwood	Lambeth	31; 8
Nuneaton	Nuneaton	398; 1
Nuneham Courtney	Abingdon	123; 4
Nunney	Frome	321; 1

O

Oakham	Oakham	419; 1
Odiham	Hartley Wintney	115; 1
Okehampton	Okehampton	291; 3
Oldbury	West Bromwich	381; 2
Oldham above Town.	Oldham	475; 2
Oldham below Town.	Oldham	475; 1
Oldland	Keynsham	327; 2
Old Street	St. Luke	16; 1
Old Stratford	Stratford-on-Avon	404; 4
Olney	Newport Pagnell	153; 3
Ombersley	Droitwich	391; 2
Orcheston	Amesbury	262; 1
Ore	Hastings	76; 1
Orford	Plomesgate	224; 4
Ormskirk	Ormskirk	464; 8
Orsett	Orsett	198; 2
Orton	East Ward	573; 3
Ossett	Dewsbury	502; 8
Oswaldkirk	Helmsley	529; 2
Oswaldtwisle	Blackburn	480; 5
Oswestry	Oswestry	361; 3
Otley	Otley	493*a*; 2
Ottery St. Mary	Honiton	280; 2
Oulton	Wakefield	503; 8
Oundle	Oundle	174; 1
Ovenden	Halifax	498; 9
Over	Northwich	456; 3
Overbury	Tewkesbury	345; 2
Overton	Ellesmere	362; 1
Owston	Gainsborough	434; 1
Oxford	Oxford	158; 1

P

Padiham	Burnley	478; 2
Padstow	St. Columb	305; 1
Paignton	Totnes	284; 1
Painswick	Stroud	338; 2
Palace	Brighton	85; 3
Park	Nottingham	440; 7
Parkham	Bideford	297; 3
Parracombe	Barnstaple	295; 2
Pateley Bridge	Pateley Bridge	490; 2
Patrington	Patrington	521; 1
Peckham	Camberwell	33; 3
Peldon	Lexden	205; 2
Pemberton	Wigan	465; 5
Pembrey	Llanelly	586; 3
Pembroke	Pembroke	591; 2
Penbryn	Newcastle-in-Emlyn	594; 2
Pencarreg	Lampeter	595; 2
Pendle	Burnley	478; 4
Pendleton	Salford	472; 1
Penkelly	Brecknock	600; 4
Penistone	Wortley	506; 3
Penkridge	Penkridge	378; 1
Pennal	Machynlleth	606; 2
Penrith	Penrith	565; 1
Penryn	Falmouth	308; 3
Penshurst	Sevenoaks	56; 3
Pentonville	Clerkenwell	15; 3
Penzance	Penzance	311; 4
Pershore	Pershore	390; 2
Peterborough	Peterborough	175; 2
Petersfield	Petersfield	112; 1
Petworth	Petworth	88; 2
Pewsey	Pewsey	261; 2
Phillack	Redruth	310; 5
Pickering	Pickering	530; 2
Pickhill	Thirsk	528; 2
Pilkington	Bury	469; 10
Pinchbeck	Spalding	423; 1
Pitminster	Taunton	315; 1
Pleasley	Mansfield	437; 2
Plumstead	Lewisham	36; 1
Plympton	Plympton St. Mary.	286; 2
Pocklington	Pocklington	516; 2
Polden Hill	Bridgwater	316; 6
Pontefract	Pontefract	504*a*; 3
Ponteland	Castle Ward	554; 1
Pontesbury	Atcham	359; 2
Pontypool	Pontypool	579; 1
Pontypridd	Pontypridd	581*b*; 1
Pool	Montgomery	608; 3
Poole	Poole	272; 2
Poplar	Poplar	25; 2
Poppleton	Great Ouseburn	492*a*; 3
Portland	Weymouth	274; 3
Portsea Town	Portsea Island	96; 2
Portsmouth Town	Portsea Island	96; 3
Potterspury	Potterspury	166; 1
Potton	Biggleswade	180; 1
Poulton-le-Fylde	Fylde	483; 3
Prees	Wem	363*a*; 2
Prescot	Prescot	463; 5
Prestbury	Macclesfield	453; 1
Presteigne	Presteigne	603; 4
Preston	Preston	482; 2
Prestwich	Manchester	478; 10
Princes Risborough.	Wycombe	150; 5
Prittlewell	Rochford	201; 2
Probus	Truro	307; 1
Puddletown	Dorchester	275; 2
Pudsey	Bradford (Yrks.)	499; 13
Pulborough	Thakeham	89; 1
Putney	Wandsworth	32; 4
Pwllheli	Pwllheli	619; 2

Q

Quorndon	Barrow-upon-Soar.	416; 2

R

Radcliffe	Bury	469; 9
Radford	Radford	439; 2
Radford	Warwick	403; 5
Radnor	Presteigne	603; 2
Radwinter	Saffron Walden	310; 3
Rainford	Prescot	463; 7
Rainow	Macclesfield	453; 3
Ramsgate	Thanet	70; 3
Ramsey	Huntingdon	176; 1
Ramsgill	Pateley Bridge	490; 1
Rastrick	Halifax	498; 1
Ratcliff	Stepney	24*a*; 2
Ratcliffe-on-Trent	Bingham	443; 2
Rattlesden	Stow	217; 2
Raunds	Thrapston	173; 2
Rayleigh	Rochford	201; 1
Rectory	Marylebone	7; 3
Redmarley	Newent	335; 2
Redruth	Redruth	310; 2
Reeth	Reeth	538; 2
Regent Road	Salford	472; 4
Regent's Park	Pancras	9; 1
Reigate	Reigate	44; 1
Repton	Burton-upon-Trent.	375; 2
Rhayader	Rhayader	605; 1
Rheidol	Aberystwith	597; 4
Riccall	Selby	513; 3
Richmond	Richmond (Surr.)	48; 1
Richmond	Richmond (Yrks.)	539; 1
Rickmansworth	Watford	145; 3
Rillington	Malton	526; 1
Ringwood	Ringwood	102; 1
Ripley	Belper	446; 4
Ripley	Guildford	39; 2
Ripon	Ripon	491; 1
Ripponden	Halifax	498; 6
Riseley	Bedford	179; 1
Rivington	Chorley	481; 3
Rixton	Warrington	466; 6
Road	Frome	321; 3
Rochester	Medway	54; 1
Rochford	Rochford	201; 3
Rock Bedwelty	Bedwelty	578*b*; 3
Rodborough	Stroud	338; 5
Rolvenden	Tenterden	61; 1
Romford	Romford	197; 1
Romsey	Romsey	107; 1
Roose	Pembroke	591; 3
Ropley	Alresford	113; 1
Ross	Ross	347; 2
Rossendale	Haslingden	477; 2
Rothbury	Rothbury	563; 1
Rotherfield	Uckfield	81; 1
Rotherham	Rotherham	509; 2
Rotherhithe	Rotherhithe	34; 1
Rothley	Barrow-upon-Soar.	416; 3
Rothwell	Kettering	172; 2
Rothwell	Kirkstall	500*a*; 5
Rottingdean	Lewes	84; 6
Rougham	Thingoe	214; 1
Rowley Regis	Dudley	382; 1
Royston	Royston	140; 2
Royton	Oldham	475; 5
Ruabon	Wrexham	611; 3
Rugby	Rugby	401; 1
Rugeley	Lichfield	377; 3
Runcorn	Runcorn	455; 3
Ruthin	Ruthin	612; 2
Ryde	Isle of Wight	99; 3
Rye	Rye	75; 1

S

Saffron Hill	Holborn	14; 3
Saffron Walden	Saffron Walden	210; 2
Saham Toney	Swaffham	248; 2
St. Agnes	Truro	307; 3
St. Albans	St. Albans	144; 2
St. Alkmund	Derby	445; 1
St. Andrew	Newcastle-upon-Tyne.	552; 2
St. Andrew	Plymouth	287; 2
St. Andrew Eastern.	Holborn	14; 2
St. Andrew the Great.	Cambridge	187; 3
St. Andrew the Less.	Cambridge	187; 1
St. Ann	Nottingham	440; 3
St. Anne Soho	Strand	13; 1
St. Asaph	St. Asaph	613; 1
St. Aubyn	Stoke Damerel	289; 1
St. Augustine	Bristol	329; 5
St. Austell	St. Austell	306; 2
St. Bees	Whitehaven	571; 3
St. Botolph	East London	17; 1
St. Buryan	Penzance	311; 6
St. Chad	Shrewsbury	360; 2
St. Clears	Carmarthen	589; 2
St. Clement	Headington	157; 2
St. Clement	Ipswich	222; 2
St. Clement	Truro	307; 4

Sub-District.	District.	No.
St. Clement Danes	Strand	13; 3
St. Columb .	St. Columb	305; 2
St. Cuthbert	Carlisle	568; 2
St. David	Exeter	282; 2
St. Davids	Haverfordwest	592; 3
St. Faiths	St. Faiths	223; 1
St. George	Bedminster	328; 4
St. George	Birmingham	39; 8
St. George	Camberwell	33; 4
St. George	Clifton	330; 3
St. George	Liverpool	441; 4
St. George	Manchester	173; 5
St. George Bloomsbury.	St. Giles	12; 1
St. George the Martyr.	Holborn	14; 1
St. Germans	St. Germans	302; 2
St. Giles	Cambridge	187; 4
St. Giles	Northampton	168; 1
St. Giles	Reading	127; 3
St. Giles North.	St. Giles	12; 3
St. Giles South.	St. Giles	12; 2
St. Helens	Prescot	463; 6
St. Ives	Penzance	311; 2
St. Ives	St. Ives	177; 4
St. James	Bermondsey	28; 1
St. James	Bristol	329; 4
St. James	Clerkenwell	15; 1
St. James	Dover	72; 1
St. James's-square	St. James Westminster.	6; 2
St. John	Coventry	490; 1
St. John	St. George-in-the-East.	23; 3
St. John	Marylebone	7; 6
St. John	Weardale	544; 1
St. John	Westminster	4; 1
St. John the Baptist.	Gloucester	336; 3
St. John Horsleydown.	St. Olave Southwark.	27; 2
St. John Paddington.	Kensington	1; 2
St. Just-in-Penwith.	Penzance	311; 5
St. Just-in-Roseland.	Truro	307; 2
St. Keverne	Helston	309; 3
St. Lawrence	Reading	127; 2
St. Leonard	Shoreditch	20; 2
St. Mabyn	Bodmin	294; 2
St. Margaret	Ipswich	222; 3
St. Margaret	Westminster	4; 2
St. Martin	Birmingham	394; 3
St. Martin	Liverpool	461; 1
St. Martin	Oswestry	361; 4
St. Mary	Birmingham	391; 7
St. Mary	Carlisle	568; 3
St. Mary	Dover	72; 2
St. Mary	St. George-in-the-East.	23; 1
St. Mary	Hull	520; 2
St. Mary	Marylebone	7; 4
St. Mary	Newington	30; 3
St. Mary	Nottingham	440; 2
St. Mary	Reading	127; 1
St. Mary	Shrewsbury	360; 1
St. Mary Extra.	South Stoneham	106; 1
St. Mary-in-the-Castle.	Hastings	76; 3
St. Mary le-Strand	Strand	13; 2
St. Mary Magdalen.	Bermondsey	28; 2
St. Mary the Great	Cambridge	187; 2
St. Mary Paddington.	Kensington	1; 1
St. Mary Redcliffe	Bristol	329; 1
St. Matthew	Ipswich	222; 1
St. Michael	Garstang	484; 2
St. Neots	St. Neots	178; 1
St. Nicholas	Cardiff	581*a*; 3
St. Nicholas	Durham	545; 4
St. Nicholas	Gloucester	336; 2
St. Nicholas	Newcastle-upon-Tyne.	552; 3
St. Nicholas Deptford.	Greenwich	35; 2
St. Olave	St. Olave Southwark.	27; 1
St. Oswald	Durham	545; 3
St. Osyth	Tendring	203; 1
St. Paul	Birmingham	394; 6
St. Paul	Bristol	329; 3
St. Paul	St. George-in-the-East.	23; 2
St. Paul Deptford.	Greenwich	35; 1
St. Paul Hammersmith.	Kensington	1; 6
St. Peter	Birmingham	394; 4
St. Peter	Brighton	85; 2
St. Peter	Derby	445; 2
St. Peter	Maldon	202; 4
St. Peter Hammersmith.	Kensington	1; 5
St. Peter Walworth.	Newington	30; 2
St. Philip	Birmingham	394; 5
St. Philip and Jacob.	Clifton	330; 4
St. Saviour	St. Saviour Southwark.	26; 2
St. Sidwell	Exeter	282; 1
St. Stephen	Launceston	301; 3
St. Thomas	Birmingham	394; 2
St. Thomas	Liverpool	461; 5
St. Thomas	St. Thomas	281; 7
St. Weonards	Ross	347; 3
St. Woollos	Newport (Monm.)	580; 3
Salehurst	Ticehurst	80; 2
Salisbury	Salisbury	264; 1
Saltash	St. Germans	302; 3
Saltfleet	Louth	431; 4
Sandal	Wakefield	503; 2
Sandbach	Congleton	457; 3
Sandhurst	Easthampstead	130; 2
Sandwich	Eastry	71; 1
Sankey	Warrington	466; 3
Sawbridgeworth	Bishop Stortford	139; 1
Sawtry	Huntingdon	176; 2
Saxmundham	Plomesgate	224; 6
Scarborough	Scarborough	525; 2
Scarisbrick	Ormskirk	464; 7
Scilly Islands	Scilly Islands	312; 1
Scotter	Gainsborough	434; 2
Sedbergh	Sedbergh	487; 1
Sedgefield	Stockton	541*a*; 3
Sedgley	Dudley	382; 3
Selby	Selby	513; 2
Settle	Settle	488; 2
Sevenoaks	Sevenoaks	56; 2
Shadwell	Stepney	24*a*; 1
Shaftesbury	Shaftesbury	268; 1
Shardlow	Shardlow	444; 3
Shawbrook	Bedford	179; 2
Sharples	Bolton	468; 9
Shebbear	Torrington	296; 4
Sheffield Park	Sheffield	508; 4
Shelford	Chesterton	186; 3
Shelton	Stoke-upon-Trent	371; 2
Shepton Mallet	Shepton Mallet	322; 3
Sherborne	Sherborne	276; 2
Sherburn	Scarborough	525; 4
Sherwood	Nottingham	440; 1
Shiffnal	Shiffnal	357; 2
Shillington	Ampthill	181; 2
Shipdham	Mitford	242; 1
Shipley	Bradford (Yrks.)	499; 10
Shipston-on-Stour	Shipston-on-Stour	406; 3
Shire-Newton	Chepstow	576; 1
Shoreham	Sevenoaks	56; 1
Shoreham	Steyning	86; 1
Shrivenham	Faringdon	122; 1
Sibsey	Boston	425; 3
Silverton	Tiverton	293; 1
Singleton	Westhampnett	91; 5
Sinnington	Pickering	530; 3
Skelton	York	515; 1
Skipsea	Bridlington	524; 1
Skipton	Skipton	489; 5
Skirlaugh	Skirlaugh	522; 2
Slaidburn	Clitheroe	479; 2
Slaithwaite	Huddersfield	497; 1
Sleaford	Sleaford	426; 2
Slebech	Narberth	590; 5
Smallburgh	Tunstead	230; 2
Snaith	Goole	512; 3
Snenton	Radford	439; 4
Snettisham	Docking	244; 2
Soham	Newmarket	189; 5
Solihull	Solihull	402; 1
Sollershope	Ross	347; 1
Somerby	Melton Mowbray	418; 1
Somersham	St. Ives	177; 2
Somers Town	Pancras	9; 4
Somerton	Langport	317; 1
Soothill	Dewsbury	502; 7
Southam	Southam	407; 1
Southampton	Southampton	105; 1
South Bersted	Chichester	92; 3
South Bishop-Wearmouth.	Sunderland	549; 2
South Bury	Bury	469; 6
South-East Leeds	Leeds	501; 1
South Hackney	Hackney	11; 5
South Hamlet	Gloucester	336; 4
South Horsham	Horsham	87; 1
South Mimms	Barnet	136; 1
Southminster	Maldon	202; 1
South Molton	South Molton	294; 3
Southowram	Halifax	498; 3
South Petherton	Yeovil	319; 2
South Sheffield	Sheffield	508; 3
South Shields	South Shields	550; 2
South Stoneham	South Stoneham	106; 2
South Walsham	Blofield	237; 2
Southwell	Southwell	441; 1
South Worcester	Worcester	387; 3
Sowe	Foleshill	399; 2
Sowerby	Halifax	498; 7
Spalding	Spalding	423; 4
Spaldwick	Huntingdon	176; 3
Speen	Newbury	120; 3
Spilsby	Spilsby	430; 3
Spitalfields	Whitechapel	22; 2
Spondon	Shardlow	444; 5
Spotland Farther Side.	Rochdale	476; 6
Spotland Nearer Side.	Rochdale	476; 5
Spratton	Brixworth	170; 1
Sprowston	St. Faiths	223; 2
Stafford	Stafford	367; 1
Staindrop	Teesdale	543; 1
Staines	Staines	132; 2
Stalbridge	Sturminster	269; 1
Stalham	Tunstead	230; 3
Stalmine	Garstang	484; 1
Stamford	Stamford	421; 1
Stamfordham	Castle Ward	554; 2
Stamford Hill	Hackney	11; 2
Standish	Wigan	465; 1
Standon	Ware	138; 4
Stanhope	Weardale	544; 2
Stanley	Wakefield	503; 3
Stansted	Bishop Stortford	139; 2
Stanstead	Ware	138; 2
Stanway	Lexden	205; 3
Stanwix	Carlisle	568; 4
Stapleford	Shardlow	444; 4
Stapleton	Clifton	330; 6
Stayley	Ashton-under-Lyne.	474; 9
Stebbing	Dunmow	209; 1
Steyning	Steyning	86; 2
Stickney	Spilsby	430; 1
Stillington	Easingwold	527; 1
Stilton	Peterborough	175; 1
Stockbridge	Stockbridge	108; 2
Stockport First	Stockport	452; 4
Stockport Second	Stockport	452; 5
Stockton	Stockton	541*a*; 2
Stogumber	Williton	313*a*; 5
Stogursey	Williton	313*a*; 4
Stoke	Stoke Damerel	289; 4
Stoke Lane	Shepton Mallet	322; 1
Stoke Newington	Hackney	11; 1
Stokenham	Kingsbridge	285; 2
Stokesley	Stokesley	533; 1
Stoke-upon-Trent	Stoke-upon-Trent	371; 3
Stone	Stone	368; 1
Stonehouse	Stroud	328; 1
Stottesden	Cleobury Mortimer.	355; 2
Stourbridge	Stourbridge	383; 2
Stowey	Bridgwater	316; 1
Stowmarket	Stow	217; 3

Sub-District.	District.	No.
Stow-on-the-Wold	Stow-on-the-Wold	342 ; 2
Stradbroke	Hoxne	219 ; 1
Stratford	West Ham	194 ; 1
Stratford on-Avon	Stratford-on-Avon	404 ; 3
Stratton	Depwade	239 ; 3
Stratton	Stratton	299 ; 2
Streatham	Wandsworth	32 ; 5
Stretford	Barton-upon-Irwell.	470 ; 3
Strood	North Aylesford	52 ; 2
Stroud	Stroud	338 ; 4
Studley	Alcester	405 ; 1
Sturminster	Sturminster	269 ; 2
Sturry	Blean	66 ; 1
Sudbury	Sudbury	212 ; 3
Sudbury	Uttoxeter	374 ; 3
Sulgrave	Brackley	164 ; 2
Sunbury	Staines	132 ; 1
Sutton	Chichester	92 ; 1
Sutton	Ely	190 ; 2
Sutton	Macclesfield	453 ; 6
Sutton	Sculcoates	519 ; 1
Sutton	Thirsk	528 ; 4
Sutton Coldfield	Aston	395 ; 4
Sutton Courtney	Abingdon	123 ; 5
Sutton-in-Ashfield	Mansfield	437 ; 4
Swaffham	Swaffham	248 ; 1
Swalcliffe	Banbury	163 ; 2
Swanage	Wareham	273 ; 1
Swansea	Swansea	585*a* ; 3
Swavesey	St. Ives	177 ; 3
Swindon	Highworth	250 ; 2
Swinefleet	Goole	512 ; 1
Swineshead	Boston	425 ; 5
Sydenham	Lewisham	36 ; 5
Syston	Barrow-upon-Soar.	416 ; 4

T

Tadcaster	Tadcaster	514*a* ; 2
Talgarth	Hay	602 ; 1
Talley	Llandilofawr	588 ; 1
Talyllyn	Dolgelly	617 ; 1
Tamar	Stoke Damerel	289 ; 5
Tamworth	Tamworth	376 ; 1
Tanfield	Durham	545 ; 1
Tanworth	Solihull	402 ; 3
Tardebigg	Bromsgrove	392 ; 3
Tarleton	Ormskirk	464 ; 6
Tattenhall	Great Boughton	459 ; 1
Tattershall	Horncastle	429 ; 4
Taunton St. James	Taunton	315 ; 4
Taunton St. Mary Magdalen	Taunton	315 ; 3
Tavistock	Tavistock	290 ; 2
Teignmouth	Newton Abbot	283 ; 1
Tenbury	Tenbury	385 ; 1
Tenby	Pembroke	591 ; 1
Tenterden	Tenterden	61 ; 2
Terrington St. Clement.	Wisbech	193 ; 4
Tetbury	Tetbury	339 ; 2
Tetford	Horncastle	429 ; 3
Tetney	Louth	431 ; 5
Tettenhall	Wolverhampton	379 ; 1
Tewkesbury	Tewkesbury	345 ; 3
Teynham	Faversham	67 ; 3
Thame	Thame	156 ; 2
Thatcham	Newbury	120 ; 1
Thaxted	Dunmow	209 ; 4
Thetford	Thetford	249 ; 2
Thirsk	Thirsk	528 ; 3
Thornbury	Thornbury	332 ; 2
Thorne	Thorne	511 ; 2
Thorney	Peterborough	175 ; 4
Thornhill	Dewsbury	502 ; 9
Thornthwaite	Pateley Bridge	490 ; 3
Thornton	Bradford (Yrks.)	499 ; 8
Thorpe	Tendring	203 ; 3
Thrapston	Thrapston	173 ; 5
Ticehurst	Ticehurst	80 ; 8
Tickhill	Doncaster	510 ; 2
Tideswell	Bakewell	449 ; 1
Tilehurst	Bradfield	126 ; 6
Tingewick	Buckingham	154 ; 1
Tipton	Dudley	382 ; 3
Tisbury	Tisbury	266 ; 3
Titchfield	Fareham	98 ; 2
Tiverton	Tiverton	293 ; 2
Toddington	Woburn	182 ; 2
Todmorden	Todmorden	405 ; 4
Tollesbury	Maldon	202 ; 2
Tonge-with-Haulgh.	Bolton	468 ; 2
Topcliffe	Thirsk	528 ; 1
Topsham	St. Thomas	281 ; 5
Torquay	Newton Abbot	283 ; 6
Totnes	Totnes	284 ; 4
Tottenham	Edmonton	137 ; 2
Tottenham Court	Pancras	9 ; 2
Tottington Lower End.	Bury	469 ; 2
Towcester	Towcester	165 ; 2
Town	Bethnal Green	21 ; 4
Toxteth Park	West Derby	482 ; 1
Tranmere	Birkenhead	4606 ; 2
Tredegar	Bedwelty	5786 ; 2
Tregaron	Tregaron	598 ; 3
Tregynon	Newtown	607 ; 6
Trelleck	Monmouth	577 ; 4
Tremadoc	Festiniog	618 ; 3
Trentham	Stone	368 ; 3
Trinr	Berkhampstead	147 ; 2
Trinity Newington.	Newington	30 ; 1
Trowbridge	Melksham	257 ; 2
Tunbridge	Tunbridge	57 ; 2
Tunbridge Wells	Tunbridge	57 ; 1
Tunstal	Lancaster	485 ; 6
Tunstall	Wolstanton	370 ; 2
Turton	Bolton	468 ; 7
Turvey	Bedford	179 ; 4
Tutbury	Burton-upon-Trent.	375 ; 1
Tuxford	East Retford	435 ; 4
Twerton	Bath	326 ; 1
Twickenham	Brentford	134 ; 2
Twyford	Winchester	109 ; 4
Tynemouth	Tynemouth	553 ; 3

U

Uffculme	Tiverton	293 ; 3
Ugborough	Totnes	284 ; 6
Uley	Dursley	333 ; 2
Ulverston	Ulverston	486 ; 3
Uny-Lelant	Penzance	311 ; 1
Upholland	Wigan	465 ; 6
Upper Hallam	Ecclesall Bierlow	507 ; 2
Upper Llanidloes	Newtown	607 ; 1
Upper Merthyr Tydfil.	Merthyr Tydfil	582 ; 3
Upper Mill	Saddleworth	496 ; 2
Uppingham	Uppingham	420 ; 1
Upton-on-Severn.	Upton-on-Severn	388 ; 2
Upton Snodsbury	Pershore	390 ; 3
Upway	Weymouth	274 ; 1
Upwell	Wisbech	193 ; 6
Usk	Pontypool	579 ; 3
Uttoxeter	Uttoxeter	374 ; 1
Uxbridge	Uxbridge	133 ; 2

W

Waddesdon	Aylesbury	151 ; 4
Wadhurst	Ticehurst	80 ; 3
Wainfleet	Spilsby	430 ; 2
Wakefield	Wakefield	503 ; 4
Walcot	Bath	326 ; 5
Wall	Church Stretton	354 ; 2
Wallasey	Birkenhead	4606 ; 3
Wallingford	Wallingford	125 ; 2
Wallsend	Tynemouth	553 ; 1
Walmersley	Bury	469 ; 3
Walmgate	York	515 ; 4
Walpole St. Peter	Wisbech	193 ; 3
Walsall	Walsall	380 ; 3
Walsham-le-Willows.	Stow	217 ; 1
Walsingham	Walsingham	243 ; 2
Walsoken	Wisbech	193 ; 5
Waltham	Melton Mowbray	418 ; 4
Waltham Abbey	Edmonton	137 ; 5
Walthamstow	West Ham	194 ; 4
Walton	Brampton	566 ; 3
Walton	Chertsey	38 ; 1
Walton	West Derby	462 ; 3
Walton-le-Dale	Preston	482 ; 3
Wandsworth	Wandsworth	32 ; 3
Wantage	Wantage	124 ; 1
Warboys	St. Ives	177 ; 1
Wardleworth	Rochdale	476 ; 7
Ware	Ware	138 ; 3
Wareham	Wareham	273 ; 3
Wargrave	Wokingham	128 ; 2
Warkworth	Alnwick	559 ; 1
Warminster	Warminster	260 ; 1
Warrington	Warrington	466 ; 4
Warsop	Mansfield	437 ; 1
Warton	Lancaster	485 ; 8
Warwick	Warwick	403 ; 4
Washfield	Tiverton	293 ; 5
Washington	Thakeham	89 ; 2
Waterloo-road 1st.	Lambeth	31 ; 1
Waterloo-road 2d.	Lambeth	31 ; 1
Watford	Watford	145 ; 2
Wath	Ripon	491 ; 3
Wath	Rotherham	509 ; 4
Watlington	Henley	155 ; 2
Watton	Hereford	142 ; 1
Watton	Wayland	241 ; 2
Wavertree	West Derby	462 ; 7
Weaverham	Northwich	456 ; 1
Wedmore	Axbridge	324 ; 1
Wednesbury	West Bromwich	381 ; 5
Weedon	Daventry	169 ; 1
Week St. Mary	Stratton	299 ; 3
Weldon	Oundle	174 ; 2
Wellesbourne	Stratford-on-Avon	404 ; 2
Wellingborough	Wellingborough	171 ; 3
Wellington	Wellington (Salop).	365 ; 2
Wellington	Wellington (Somerset).	314 ; 3
Wells	Walsingham	243 ; 3
Wells	Wells	323 ; 1
Welwyn	Hatfield	143 ; 2
Wem	Wem	363*a* ; 1
Wendover	Wycombe	150 ; 4
Wendron	Helston	309 ; 1
Wenhaston	Blything	225 ; 3
Weobly	Weobly	349 ; 1
West Alvington	Kingsbridge	285 ; 3
Westbourne	Westbourne	94 ; 2
West Bromwich	West Bromwich.	381 ; 4
West Bromwich North-east.	West Bromwich.	381 ; 3
West Bromwich South-west.	West Bromwich.	381 ; 3
West Broughton	Ulverston	486 ; 5
Westbury	Atcham	359 ; 3
Westbury	Westbury	259 ; 3
Westbury	Clifton	330 ; 5
West Derby	West Derby	462 ; 6
Westfirle	Lewes	84 ; 4
West Flegg	Flegg	229 ; 2
Westgate	Newcastle-upon-Tyne.	552 ; 1
West Hackney	Hackney	11 ; 3
West Ham	West Ham	194 ; 2
Westham	Eastbourne	78 ; 1
Westhoughton	Bolton	468 ; 3
West Leeds	Leeds	501 ; 3
West Leicester	Leicester	417 ; 2
West Leigh	Leigh	467 ; 3
Westleton	Blything	225 ; 1
West London North.	West London	18 ; 1
West London South.	West London	18 ; 2
West Macclesfield	Macclesfield	453 ; 5
West Maidstone	Maidstone	58 ; 4
Westmeon	Droxford	110 ; 2
Westoe	South Shields	550 ; 1
Westow	Malton	526 ; 2
West Sculcoates	Sculcoates	519 ; 8

Sub-District.	District.	No.
West Sheffield	Sheffield	508; 1
West Sunderland	Sunderland	549; 4
West Worcester	Worcester	387; 1
West Wycombe	Wycombe	150; 3
West Wymer	Norwich	234; 5
Wetheral	Carlisle	568; 1
Wetherby	Wetherby	492*c*; 1
Weymouth	Weymouth	274; 2
Whalley	Clitheroe	479; 5
Wheatley	Headington	157; 1
Whickham	Gateshead	551; 3
Whitby	Whitby	531; 2
Whitchurch	Cardiff	581*a*; 1
Whitchurch	Whitchurch (Salop).	363*b*; 1
Whitchurch	Whitchurch (Hants).	117; 1
Whitchurch Canonicorum.	Bridport	278; 3
Whitechapel Church.	Whitechapel	22; 5
Whitechapel North	Whitechapel	22; 4
Whitecross Street	St. Luke	16; 3
Whitehaven	Whitehaven	571; 2
Whitford	Holywell	610; 1
Whitkirk	Kirkstall	500*a*; 4
Whitley	Pontefract	504*a*; 2
Whitmore	Newcastle-under-Lyme.	369; 1
Whitstable	Blean	66; 3
Whittlesey	Whittlesey	192; 1
Whitwick	Ashby-de-la Zouch.	414; 4
Whitworth	Rochdale	476; 10
Whixley	Great Ouseburn	492*a*; 2
Wickford	Billericay	199; 3
Wickhambrook	Risbridge	211; 2
Wickham Market	Plomesgate	224; 3
Wigan	Wigan	465; 3
Wiggenhall	Downham	247; 1
Wigston	Blaby	411; 1
Wigton	Wigton	569; 1
Wilford	Basford	438; 7
Willenhall	Wolverhampton	379; 6
Willesden	Hendon	135; 3
Willingham	Chesterton	186; 1
Willingham	Gainsborough	434; 5
Williton	Williton	313*a*; 3
Wilmslow	Altrincham	454; 1
Wilsden	Bradford(Yrks.)	499; 9
Wilton	Wilton	265; 1
Wimbledon	Kingston	47; 1
Wimborne	Wimborne	271; 3
Wincanton	Wincanton	320; 3
Winchester	Winchester	109; 3
Windsor	Windsor	131; 2
	Leighton Buzzard	183; 2
Wing	Eastry	71; 2
Wingham	Torrington	206; 2
Winkleigh	Gateshead	551; 4
Winlaton	Winslow	152; 1
Winslow	Amesbury	262; 3
Winterbourne	Glanford Brigg	433; 2
Winterton	Warrington	466; 2
Winwick	Belper	446; 6
Wirksworth	Wisbech	193; 2
Wisbech	Wimborne	271; 2
Witchampton	Witham	206; 2
Witham	South Molton	294; 1
Witheridge	Louth	431; 1
Withern	East Grinstead	82; 1
Withyham	Hambledon	42; 1
Witley	Martley	386; 2
Witley	Witney	161; 3
Witney	Blackburn	480; 7
Witton	Wellington (Somers.)	314; 1
Wiveliscombe	Lexden	205; 1
Wivenhoe	Woburn	182; 1
Woburn	Guildford	39; 1
Woking	Wokingham	128; 1
Wokingham	Weardale	544; 3
Wolsingham	Wolstanton	370; 1
Wolstanton	Wolverhampton.	379; 5
Wolverhampton Eastern.	Wolverhampton.	379; 4
Wolverhampton Western.	Kidderminster	384; 2
Wolverley	Wolverhampton	379; 2
Wombourn	Wellington (Salop).	365; 3
Wombridge	Woodbridge	223; 3
Woodbridge and Wilford.	Woodbridge	223; 4
Woodbridge Out	St. Thomas	281; 3
Woodbury	Wirral	460*a*; 3
Woodchurch	Woodstock	160; 2
Woodstock	Loddon	238; 3
Woodton	Glendale	502; 2
Wooler	Greenwich	35; 6
Woolwich Arsenal	Greenwich	35; 5
Woolwich Dockyard.		
Wootton Basset	Cricklade	251; 1
Wootton Wawen	Stratford-on-Avon	404; 5
Worfield	Bridgnorth	356; 3
Workington	Cockermouth	570; 3
Worksop	Worksop	436; 1
Worlington	Mildenhall	216; 1
Worsbrough	Barnsley	505; 4
Worsley	Barton-upon-Irwell.	470; 1
Worth	East Grinstead	82; 3
Worthys	Winchester	109; 2
Wortley	Kirkstall	500*a*; 1
Wortley	Wortley	506; 4
Wotton-under-Edge.	Dursley	333; 1
Wragby	Horncastle	429; 1
Wray	Lancaster	485; 5
Wrenbury	Nantwich	458; 4
Wrexham	Wrexham	611; 4
Writtle	Chelmsford	200; 3
Wrotham	Malling	55; 3
Wuerdle	Rochdale	476; 8
Wybunbury	Nantwich	458; 1
Wye	East Ashford	63; 3
Wyke	Westhampnett	91; 2
Wymondham	Forehoe	235; 2

Y

Yalding	Maidstone	58; 1
Yapton	Westhampnett	91; 3
Yarkhill	Ledbury	346; 2
Yarm	Stockton	541*a*; 1
Yarmouth Northern.	Yarmouth	228; 2
Yarmouth Southern.	Yarmouth	228; 1
Yatton	Bedminster	328; 3
Yeadon	Wharfedale	493*b*; 1
Yealmpton	Plympton St. Mary	286; 1
Yeovil	Yeovil	319; 4
Yetminster	Sherborne	276; 1
Yoxall	Lichfield	377; 2
Yspytty	Llanrwst	614; 3
Ystradgunlais	Neath	584; 4
Ystradvelltey	Neath	584; 3
Ystradyfodwg	Pontypridd	581*b*; 3

INDEX OF CERTAIN TOWNS.

Towns whose Names differ from that of the District and Sub-district in which they are respectively situated.

NAME OF TOWN.	SUPERINTENDENT REGISTRAR'S DISTRICT.	SUB-DISTRICT.	Number of District and Sub-district.
Aberavon	Neath	Margam	584; 1
Bacup	Haslingden	Newchurch	477; 1
	Rochdale	Whitworth	476; 10
Bedworth	Foleshill	Foleshill	399; 1
Blackpool	Fylde	Poulton-le-Fylde	483; 3
Bognor	Chichester	South Bersted	92; 3
Brandon	Thetford	Methwold	249; 1
Chatham	Medway	Rochester and Gillingham	54; 1, 2
Chester	Great Boughton	Chester Castle	459; 2
		Chester Cathedral	459; 3
Church (*Lanc.*)	Blackburn	Oswaldtwisle	480; 5
Claycross	Chesterfield	Ashover	448; 1
Crewe	Nantwich	Wybunbury	458; 1
Dawlish	Newton Abbot	Teignmouth	283; 1
Dereham	Mitford	East Dereham	242; 4
Devonport	East Stonehouse	Comprises the whole of the Sub-districts	288; 1
	Stoke Damerel		289; 1–5
Droylesden	Ashton-under-Lyne	Audenshaw	474; 3
Fleetwood	Fylde	Poulton-le-Fylde	483; 3
Godmanchester	Huntingdon	Huntingdon	176; 4
Gosport	Alverstoke	Alverstoke	97; 1
Great Malvern	Upton-on-Severn	Hanley	388; 1
Guiseley	Wharfedale	Yeadon	493*b*; 1
Heckmondwike	Dewsbury	Liversedge	502; 4
Hounslow	Brentford	Isleworth	134; 1
Ironbridge	Madeley	Madeley	358; 2
Llanidloes	Newtown	Llanidloes, Upper and Lower	607; 1, 2
Maidenhead	Cookham	Bray and Cookham	129; 1, 2
Melcombe Regis	Weymouth	Upway and Weymouth	274; 1, 2
Middlesborough	Stockton	Yarm	541*a*; 1
	Guisbrough	Kirkleatham	532; 3
New Brighton	Birkenhead	Wallasey	460*b*; 3
Redditch	Bromsgrove	Tardebigg	392; 3
	Alcester	Studley	405; 1
Seaham Harbor	Easington	Easington	546; 1
Sheerness	Sheppey	Minster	69; 1
Sidmouth	Honiton	Ottery St. Mary	280; 2
Slough	Eton	Eton and Burnham	149; 2, 3
Southport	Ormskirk	North Meols	464; 5
Southwold	Blything	Wenhaston	225; 3
Stalybridge	Ashton-under-Lyne	Dukinfield and Hartshead	474; 6, 7
Staveley	Chesterfield	Eckington	448; 4
Tyldesley	Leigh	Atherton	467; 4
Ventnor	Isle of Wight	Godshill	99; 4
Welshpool	Montgomery	Montgomery and Pool	608; 1, 3
	Llanfyllin	Llansaintffraid	609; 2
Weston-super-Mare	Axbridge	Banwell	324; 3
Widnes	Prescot	Farnworth	463; 4

ALPHABETICAL INDEX

TO

REGISTRAR-GENERAL'S REPORT AND APPENDIX.

PAGE

ARMY; Strength and Mortality in the Army at home and abroad . . xl

AUSTRIA; Population, Marriages, Births and Deaths xxxviii

BANK of ENGLAND refuses to accept Death Certificates 180

BILLS OF MORTALITY; first commenced in London in the reign of Queen Elizabeth (1592) 176

first specified Deaths by Plague and by all other Diseases in the aggregate in 1603, and in 1629 the several Casualties were specified weekly 176

Graunt's Observations thereon, and description of the Mechanism by which the Information was obtained 176

value of them, demonstrated by Sydenham, Arbuthnot, and Heberden 177

enabled Simpson and Price to construct Life-Tables . . . 177

similar Bills were commenced in other English and Continental Cities, but were allowed to drop 177

appear to have lost public interest when the eruptions of the Plague ceased and the returns began to be irregularly made . . 177

contained no information about the population of the country . 177

BIRMINGHAM; no Medical Officer of Health; Vaccination greatly neglected . lvi–lxiii

BIRTHS to a marriage xx

fecundity of English and Scotch women xxi

registered in 1864 xxiv

of the two Sexes; their proportions xxv

in the four Seasons xxvi

of Illegitimate children xxvii

in March quarter 1864 xliv

in June „ „ xlviii

in September „ „ lii

in December „ „ lx

BIRTH-RATE in different parts of the Country xxiv

BLACKBURN; 300 persons attacked with Typhus in Sub-district of Oswaldtwistle in December quarter 1864 lxiv

BORDER-MARRIAGES . . . . . vii–viii

BRONCHITIS AND ASTHMA excessively fatal in 1864 192

BRONCHITIS AND SCARLATINA the chief causes of the excess in the rate of Mortality in 1864 175

BURIALS; Abstracts of Registers ordained in each Parish in the Reign of Queen Elizabeth 176

are publicly registered, but there is no identification of the Body, so in a large City anybody may be buried under any Name . 178

BURIALS—*continued.* PAGE

the Code Napoleon requires the Registrar (*Officier de l'état civil*) to see the body, and no interment can take place without his Certificate 178

prohibition of interment without Registrar's Certificate would obviate many evils in England 182

BURNS AND SCALDS; reduction in the mortality 193

CAUSES OF DEATH; Letter thereupon from William Farr, M.D., to the Registrar General 175

CAUSES OF DEATH; Registration of. (*See* REGISTRATION OF DEATHS.)

CERTIFIED and UNCERTIFIED Deaths; their proportions in 1858 have since undergone no essential change 175

CERTIFIED and UNCERTIFIED Deaths; London has the largest proportion of certified deaths and Yorkshire and Wales the least . . 175

CHILDREN BORN OUT OF WEDLOCK. (*See also* BIRTHS) xxvii

CONSTITUTIONAL DISEASES; little liable to fluctuation save in names, and this is accounted for by the more general diffusion of medical knowledge 191

CORONER'S INQUIRY; a protection to life, and oftentimes relieves the innocent from suspicion 176

improvement in the Coroners' returns 177

nature and limitation of the Inquiry 178

cost of Inquiry 187

COTTON FAMINE; Relief operations in the distressed Districts in March quarter 1864 xlv

DEAD-HOUSES; decent ones should be provided for poor families in towns . 191

DEATHS registered in 1864 xxviii

DEATHS, registration of. (*See* REGISTRATION OF DEATHS.)

DEATHS and STATE of the PUBLIC HEALTH in March quarter 1864 . . xlv

in June „ „ . . xlix

in September „ „ . . liii

in December „ „ . . lxii

DEATH-RATE above the average. (*See also* MORTALITY.) xxviii

DEVELOPMENTAL DISEASES; the chief fatal causes of the class are diseases consequent upon pregnancy and childbirth 192

DISTRICTS; changes in the constitution of, during 1864 172

index to 209–212

EDUCATION; advantages of the Scotch system of xviii

EMIGRATION in 1864 ii

in March quarter 1864 xliv

in June „ „ xlviii

in September „ „ lii

in December „ „ lx

ERYSIPELAS 191

ESSEX POISONINGS (1848); undetected in consequence of imperfect Registration 181

EXECUTIONS; increase referable rather to increase of murder than to increased rigour of the law 193

FAMILY REGISTERS; very useful as corroborative evidence in support of the official Registers 190

PAGE

FARR, WILLIAM, M.D.; Letter to the Registrar-General on the Causes of Death 175

FECUNDITY of English and Scotch women xxi

FEVER 191

FRANCE; Regulations concerning Marriage x

Population, Marriages, Births, and Deaths xxxvi

the Code Napoleon requires the Registrar to *see* the Body before he registers the Death 178

Female informants are rejected 186

FUNERALS; cost of, amongst different Classes 187

GLENDALE; a model District for low Rate of Mortality, but the Village of Lowick is in bad sanitary condition, and suffers heavily from Fever lvi

GRAUNT, JOHN; Observations on the London Bills of Mortality, and description of the mechanism by which the information was obtained 176

GRAVESTONES; cost of 188

endurance of 188

GREAT BRITAIN; Population, Marriages, Births, and Deaths . . . xxxv

GRETNA GREEN Marriages . . . . . vii–viii

ILLEGITIMATE BIRTHS; proportion in different Counties. (*See also* BIRTHS.) xxviii

INFORMANTS for Registration purposes, no restriction as to capacity, character, sex, or age 178

their qualifications 178

sex and capacity of, in certain Districts 179

no check on veracity of 180

instances where there is no legally qualified Informant . . 182

the French refuse Female Informants 186

majority of Informants in many Districts are ignorant women who sign the Registers with Marks; numbers and proportions of such Informants 186

INSPECTORS; suggested appointment of two additional Registration Inspectors to look after the Registration of Causes of Death, and the facts of cases where Informants sign the Register with Marks . 185

ITALY; Population, Marriages, Births, and Deaths xxxviii

LANCASHIRE; "The high Death-rate prevailing in Lancashire Towns has its main cause in the foul cottage cesspit." (Mr. Rawlinson's Report.) xlvii

LEGITIMATION *per subsequens matrimonium* admitted in almost every European nation save England; the English law the wisest . . . xxii

LIGHTNING, Deaths of Men and Women in the proportion of 5 to 1 . . 193

LIVERPOOL; prevalence of Typhus, Small-pox, Diarrhœa, and Scarlatina in December quarter 1864 lxiii

fictitious entries in Registers of Howard-street Sub-district (*see* 13th Annual Report, p. 294) 180

LOCAL DISEASES; different effect of disease in different organs . . . 192

Phthisis and Chronic Bronchitis often confounded; the difference between them 192

PAGE

LONDON; Health of, in 1864 lxiv

Area and distribution of people in North and South Districts in 1864 . . . . . lxiv-lxvi

proportions of the two Sexes in Births and Deaths in 1864 . . lxiv

excessive Death-rate in January 1864 lxv

prevalence of Typhus in 1864 . . . . . lxvi-lxviii

fatality of Typhus in London, Liverpool, and Manchester . . lxvii

its atmosphere of smoke and fog; its "mud-oceans" . . . lxvii-lxviii

MARRIAGE; a public ceremony ii

regulations as to presence of Registration Officers at the ceremony . ii

interval between giving Notice and the time of Marriage . . iii

by Superintendent Registrar's Licence and Certificate may take place either in a Register Office or in a registered place of Worship iv

in Superintendent Registrar's Offices; Districts in which they were most numerous v

in Superintendent Registrar's Office; sudden increase in Carlisle in 1857, consequent on passing of Act (19 & 20 Vict. c. 96.) stopping irregular Marriages . . . . . v-vii

at Gretna Green; reference to 13th Report (pp. vii-viii) wherein the evils of the system are adverted to vii

at Gretna Green and on the Border; number of entries on Registers vii

at Gretna Green and on the Border; Letter from Mr. Robert Forster of Longtown (8th March 1866) as to entries in Registers viii

by Banns; objection to, in Cumberland and other Counties . . viii

in Superintendent Registrars' Offices are in many cases not withdrawn from the Registers of the Established Church or from the Chapels of Nonconformity, but from the ranks of immorality viii

by Banns; publication is often very useful, but in large Cities is often inefficiently performed x

by Licence; the Licence has descended from the age of "indulgences" (25 Hen. 8. c. 21.) x

by Licence; the fee on a Licence a kind of fine for omitting usually recognized precautions x

by Licence unknown in Scotland; how regular Marriages may be solemnized x

regulations for Marriage in France x

fees for "cheap" Marriages about 12*s*., and for "dear" Marriages about 64*s*.; numbers married under the two classes . . x

solemnized with and without religious rites by different Denominations xi

covenants of Marriage in Anglo Saxon times, and subsequently . xi-xiii

Act of Lord Hardwick (1752) made Church-Rites indispensable . xii

Act of 1837 gave freedom of Marriage to Nonconformists . . xiii

relation between Price of Wheat and Marriages of higher and lower classes xiii

coincidence between the proportions of Marriages by Licence and the proportion of the Population living in Houses of the rent of 20*l*. and upwards in England and Wales xiii

high Prices of Wheat depress Marriage among those who marry by Banns and Certificate, but the effect on the Licences is rather the reverse xiv

proportion of Marriages of different Denominations in Scotland . xiv

	PAGE
MARRIAGE—*continued.*	
of Roman Catholics would appear to show that the numbers of that Body in the United Kingdom are below the usual estimate	xiv
difference in circumstances constituting validity of Marriage in England and Scotland	xiv
less frequent in Scotland than in England	xiv
vary amongst different classes in different seasons	xiv
greatest proportion of Marriages on Sunday and Monday	xv
of Widowers and Widows	xv
of Minors	xvi
signatures of Registers a test of educational progress	xvi
fruitfulness of Marriage in England and Scotland	xx
irregular cohabitation of lower classes common in Scotland, and results frequently in Marriage if children are born; this encouraged by legitimation of pre-nuptial children	xxiii
in March quarter 1864	xliv
in June „ „	xlvii
in September „ „	lii
in December „ „	lx
MARYLEBONE; fictitious entries in Registers of All Souls Sub-district (*see* 9th Annual Report, p. 177)	180
MEDICAL ATTENDANCE of the Population very deficient, yet it is believed to be better than in any other State of Europe	175
MEDICAL CERTIFICATE of Cause of Death; new Forms	183, 184
proposed clauses relating thereto	190
MERCHANT SEAMEN; Mortality of, at Sea	xli
METEOROLOGY; its influence on the Public Health	xxxiii
of March quarter 1864	xlv
of June „ „	xlviii
of September „ „; its influence on the Death-rate of this quarter in 1860 and 1864	liii–liv
of December Quarter 1864	lxi
MINORS, marriages of	xvi
MORTALITY RATE; above the average in 1864	xxviii
of Town and Country Districts	xxix
of the two Sexes	xxx
in different places	xxx
of Males and Females at different Ages	xxxii
of the four Seasons and influence of Meteorology	xxxiii
excessively high in March quarter 1864	xlv
formerly highest in England during summer, but sanitary measures have lessened the zymotic matter, and the cold weather is now most fatal	xlvi
MURDER AND MANSLAUGHTER	193
NEATH; an example of prosperity nullified by the negligence of its inhabitants in sanitary matters	lviii
NEWCASTLE-ON-TYNE; 521 *reported* STILL BORN Children have been interred in All Saints Cemetery in the last seven Years	lviii
NORFOLK POISONINGS (1846) undetected in consequence of imperfect registration	181

PAGE

PARISH REGISTERS; Abstracts of, established in the reign of Queen Elizabeth 176
antiquity and endurance of 188

PAUPERISM in March quarter 1864 xlv
in June „ „ xlviii
in September „ „ liii
in December „ „ lxi

PHTHISIS often confounded with chronic bronchitis 192

PLAGUES of the 16th century gave rise to the London Bills of mortality . 176

POPULATION; natural increase of, in 1864 i
increase of, in March quarter 1864 xliv
„ in June „ „ xlviii
„ in September „ „ lii
„ in December „ „ lx

PRESCOT; very high mortality and bad sanitary condition . . . lxiv

PRICES of Wheat, Meat, and Potatoes in March quarter 1864 . . . xlv
in June „ „ . . . xlviii
in September „ . . . liii
in December „ . . . lxi

QUARTERLY REPORTS; Summary of, for March quarter 1864 . . . xliv
for June „ „ . . . xlvii
for September „ „ . . . lii
for December „ „ . . . lix

RAINFALL; very defective in September quarter 1864; great scarcity of water in many places so that it sold for 1*d.* to 3*d.* per bucket . liii

REGISTERS AND SEARCHES; number of Names on Registers, and number of Searches xliii

REGISTRATION; progress of, in 1864 i

REGISTRATION OF DEATHS IN ENGLAND:
proportion of certified and uncertified Deaths which obtained in 1858, have undergone no essential change 175
the largest proportion of certified Deaths in London, and the smallest in Wales and Yorkshire 175
Causes of Death, two kinds of imperfection in the registration of, (1) due to the imperfection of medical science, and (2) to the imperfect practical application of existing science . . . 175
medical attendance of the population very deficient, yet it is believed to be better than that of any other State of Europe . . 175
thousands of Deaths occur without any scientific inquiry as to the cause 176
Coroners inquiry, a protection to life, and oftentimes relieves the innocent from suspicion 176
Causes of Death inquired into in the earliest dawn of English society, with a view to discovery and prevention . . . 176
plagues of the 16th century gave rise to the London bills of mortality 176
Abstracts of registers of burials, baptisms, and marriages in each parish established in the reign of Queen Elizabeth . . 176

REGISTRATION—*continued.* PAGE

Bills of mortality in London commenced in 1592 176

first specified deaths by plague and by all other diseases in the aggregate in 1603, and in 1629 the several casualties were specified weekly 176

Graunt's observations on the London bills, and description of the mechanism by which the information was obtained 176

value of them demonstrated by Sydenham, Arbuthnot, and Heberden 177

enabled Simpson and Price to construct Life Tables . . . 177

similar bills were commenced in other English and continental cities, but were allowed to drop 177

appear to have lost public interest when the eruptions of the plague ceased, and the returns began to be irregularly made 177

contained no information about the population of the country 177

Causes of death, provision made for inquiry into, in Registration Act of 1837 177

the co-operation of the medical profession has greatly facilitated the inquiry 177

improvement in coroners' returns 177

inquiry has worked so satisfactorily as to justify further efforts to make it as complete as possible . . 178

Coroner's inquiry, its nature and limitation 178

burials are publicly registered, but there is no identification of the body, so in a large city anybody may be buried under any name 178

in France the registrar is bound under the Code Napoleon to see the body and to register the death on the information of two men of full age, and no interment can take place without the registrar's certificate 178

the registration law on the continent requires the registrar or the inspector of the dead (*Todbeschauer*) to see the body . . 178

in England a death may be registered upon the information of a person present at the death, or in attendance during the last illnesss of the deceased 178

no restriction of informants, as to capacity, character, sex, or age . 178

qualifications of informants 178

sex and capacity of informants in certain districts 179

registration performed without expense to the parties interested, and with little trouble and expense to the public 179

defects of present system of registration 179

certified copy of entry sealed at the General Register Office, made legal evidence of death by the Registration Act 179

possibility of imposition 179

refusal of the Bank of England to accept death certificates . . 180

checks on registration officers as to handwriting and form of entry, but no check on accuracy of record or on veracity of informant 180

fictitious entries in Marylebone, South Shields, Liverpool, and Howden 180

wilful falsifications of entries comparatively insignificant . . 181

incomplete Registration gives imperfect security against Murder, &c., as was instanced in the Essex and Norfolk poisonings . 181

inefficacy of the Notice of Burial from Officiating Minister to Registrar especially in large Districts and in Towns . . 181

REGISTRATION—*continued.* PAGE

still-born, unregistered 182

many evils would be obviated by forbidding the burial of any body without the Registrar's Certificate 182

instances where there is no legally qualified Informant for Registration 182

present cost of Registration 182

an extension of the system of Medical Certificates would remedy the prevailing defects 182

certificates of medical attendants should still be received, *provided they have seen the deceased on the day of death, or have seen the body subsequently for identification* 182

a Registration Medical Officer should be appointed in every District whose duty it would be to investigate all cases of uncertified Deaths 183

new Forms of Medical Certificate 183–184

under this new arrangement every body would be identified before burial, life would become more secure, frauds of Registrars and mistakes of Informants would be less common, and the certified copy of an entry would not be, as at present, imperfect evidence of Death 184

the Registration Medical Officer would be found a most useful functionary all over the country, and might with advantage be appointed the Health Officer of his District . . . 185

Advisability of appointing an Inspector to make periodical inquiries into the actual facts of cases where Informants sign the Register with Marks, and also a Medical Inspector to look after the Registration of Causes of Death generally . . . 185

the Registration Medical Officer not to supersede the family physician in certifying the cause of death 186

the French principle of refusing Female Informants inapplicable to England 186

Majority of Informants in many Districts are ignorant women who sign the Registers with Marks; numbers and proportions of such Informants 186

cost of improved system of Registration as compared with present system 187

cost of Coroners' Inquiries 187

cost of Funerals of different classes 187

cost of Gravestones 188

endurance of Gravestones and of Registers 188

antiquity of Parish Registers 188

testimony in favour of English work and workmen by Professor Achenwall 189

analysis of particulars of which evidence is found in the Death Registers 189

Family Registers of Births, Marriages, and Deaths very useful as corroborative evidence of the Official Registers . . . 190

instance of particulars required to make a complete public Register 190

proposed Clauses relating to Medical Certificate of Death, &c. . 190

decent dead-houses should be provided for poor families in Towns . 191

still-born children should be seen by the Registration Medical Officer, whose Certificate would authorize their burial without funeral rites; they should be entered in his books, and not in the Registers, which should embrace all those born alive . 191

REGISTRATION MEDICAL OFFICER; suggested appointment of . . . 183

his duties 183–184

not to supersede the family physician in certifying the cause of death 186

PAGE

Re-marriages xv

Roman Catholics; if the marriage returns of Ireland are complete the number of Catholics in the United Kingdom would appear to be below the usual estimate xiv

Scarlatina; very prevalent throughout the southern districts of the country in September quarter 1864 lv

deaths from, in 1864 191

Scarlatina and Bronchitis; the chief causes of the excess in the rate of mortality in 1864 175

Scotland; marriages by licence unknown; how regular marriages may be solemnized x

proportion of marriages in different religious denominations . . xiv

difference in circumstances constituting validity of marriage in Scotland and England xiv

marriage less frequent than in England xiv

larger proportion write their names than in England . . . xvii

advantages of the Scotch system of Education xviii

fruitfulness of marriage in xx

fecundity of Scotch and English women xxi

irregular cohabitation of lower classes is common, and results frequently in marriage if children are born xxiii

Sea; Births and Deaths of British Subjects at xli

Mortality of Merchant Seamen at Sea xli

Searches; number of xliii

Seasons and Meteorology; influence of, on Public Health . . . xxxiii

Signature of Marriage Registers xiv

in Scotland; larger proportion write their names than in England . xvi

South Shields; fictitious entries in Registers (*see* 9th Annual Report, p. 239) 180

Spain; Population, Births, and Deaths xxxix

Still Born; 521 interments of *reported* still-born children in All Saints Cemetery at Newcastle-upon-Tyne within 7 Years . . lviii

not registered at all, and are buried with little difficulty . . 182

should be seen by the Registration Medical Officer, whose Certificate should authorize their Burial without funeral rites; they should be entered in his books, and not in the Registers, which should embrace all those born alive 191

Sub-districts; index to 213–222

Suicide; remarkable regularity of the law of occurrence 193

Town and Country Districts, rate of mortality xxix

Towns; index to certain Towns whose names differ from that of the District and Sub-district in which they are respectively situated . . 223

Ulverston; once a very healthy district, but with increased prosperity has now a high death-rate 1

Violent Deaths; increase in the number since 1855 192

Murder and Manslaughter 193

Suicides, remarkable regularity of the law of their occurrence . 193

VIOLENT DEATHS—*continued.* PAGE

Executions, increase referable rather to increase of murder than to increased rigour of the law 193

Burns and Scalds, reduction of mortality 193

Lightning; deaths of men and women by, in the proportion of 5 to 1 193

WATERING PLACES in England; generally on good sites, but in many cases defective drainage nullifies that advantage li

YORKSHIRE; increase in rate of Mortality in June quarter 1864 . . 1

ZYMOTIC DISEASES; mortality by these Diseases in the two years 1863-64 much above the average of the three years preceding . . 191

Scarlatina 191

Fever 191

Erysipelas 191

ALPHABETICAL INDEX

TO

TABLES AND ABSTRACTS IN REPORT AND APPENDIX.

PAGE

AGES of 234,880 Persons married in 1864, distinguishing Bachelors, Spinsters, Widowers, Widows 26–27

Deaths of Males and Females at different Ages registered in 1864 in Divisions, Counties, and Districts 98–119

Causes of Death of Males and Females in England at different periods of Life, in 1864 120–125

Supplementary Table of Causes of Death of Males and Females in England at different periods of Life, in 1864 126–129

Causes of Death of Males and Females in London, at different periods of Life, in 1864 130–135

ARMY; Annual Rate of Mortality per cent. in Great Britain, England, France, and Austria and Italy, including the Deaths of Soldiers *at Home and Abroad*, 1857–64. (Table XXVII.) . . xxxviii

Average Strength of the British Army Abroad in each of the Years 1861–64. (Table XXVIII.) xxxviii

Number of Deaths in the British Army at Home and Abroad, 1861–64. (Table XXX.) xxxix

Annual Rate of Mortality per cent. amongst Officers and Men in the Army Abroad, 1858–64. (Table XXXI.) xxxix

Strength at Home and Abroad in 1861, showing the Numbers born in the different parts of the United Kingdom and elsewhere. (Table XXXII.) xl

Deaths in Army Abroad of Officers and Men belonging to England and Wales and to Great Britain, 1858–64. (Table XXXIII.) xl

AUSTRIA; Estimated Population in middle of the Years 1853–64. (Table XXIV.) xxxvi

Number, and Proportion per cent. to Population, of Marriages, Births, and Deaths, in each of the Years 1853–64. (Table XXV.) . xxxvii

Annual Rate of Mortality per cent. in the Austrian Army, 1857–64. (Table XXXIV.) xl

BIRTHS registered in England, in each Year, 1838–1864. (Table I.) . i

Proportion to Population in each Year, 1838–64. (Table II.) . ii

Legitimate and Illegitimate; registered in each Year 1856–60 in England. (Table VIII *f*.) xviii

Legitimate and Illegitimate; registered in each Year 1856–60 in Scotland. (Table VIII *f*.) xviii

Legitimate and Illegitimate in England in the Years 1845–64. (Table IX.) xxiv

in Counties, in 1864. Numbers, Legitimate and Illegitimate, of the two Sexes; Proportions of Male to Female Births, Legitimate and Illegitimate; Proportion of Illegitimate Births to Total Births. (Table X.) xxv

Proportional Number of Births in each Quarter to 1,000 Births in the average Quarter, 1838–64. (Table XII.) xxvii

BIRTHS—*continued.* PAGE

registered in England in each Quarter of the Years 1838–64. (Table XIII.) xxvii

registered in each of the Divisions, Counties, Districts, and Sub-districts in 1864 28–82

Excess over Deaths in each of the Divisions, Counties, Districts, and Sub-districts in 1864 28–82

registered in the Divisions and Counties (distinguishing Males and Females) in each of the Four Quarters of 1864 . . . 86–89

of Children born out of Wedlock registered in the Divisions and Counties (distinguishing Males and Females) in each of the Four Quarters of 1864 90–93

BIRTH-RATE in Counties in each of the Years 1854–64. (Table XI.) . . xxvi

in each Quarter of the Years 1838–64. (Table XXI.) . . xxxv

BURNS AND SCALDS; Deaths and Mortality at different Ages, in the Years 1848–64. (Table XX.—App.) 208

CAUSES of DEATH of Males and Females in England, at different Periods of Life, in 1864 120–125

Supplementary Table of Causes of Death of Males and Females in England at different Periods of Life, in 1864 126–129

Causes of Death of Males and Females in London at different Periods of Life, in 1864 130–135

Causes of Death of Males and Females in England, and in each of the Divisions and Counties, in 1864 136–159

Deaths from several Causes in 1864, in the Divisions, Counties, and Districts of England 160–171

registered in England in each of the Ten Years 1855–64. (Table XI.—App.) 198–200

Proportional Numbers dying from each Cause in 1864. (Table XII. App.) 201

Mean Annual Rate of Mortality from different Causes during 15 Years, 1850–64. (Table XIII.—App.) 202–203

in England, in 1864, arranged in the order of Mortality. (Table XIV. App.) 204

CHILDBIRTH; Deaths in 1864, at different Ages, of Women after Child-bearing, classed under different Diseases, and neither referred to Childbirth nor to Metria in the Abstracts. (Table XV.—App.) 205

Deaths of Women from Metria and Childbirth in the 18 Years, 1847–64, and proportional Deaths of Mothers to Children born alive. (Table XVI.—App.) 206

CYNANCHE MALIGNA and DIPHTHERIA; Deaths in England at different Ages in each of the 10 Years, 1855–64 (Tables II. and III. App.) . 194

DEATHS registered in England in each Year, 1838–1864. (Table I.) . . i

Proportion to Population in each Year, 1838–64. (Table II.) . ii

registered in England in each Quarter of the Years, 1838–64. (Table XIII.) xxvii

Proportional Number in each Quarter to 1,000 Deaths in the average Quarter, 1838–64. (Table XX.) xxxiv

registered in each of the Divisions, Counties, Districts, and Sub-districts in 1864 28–82

in 1864 in the principal Public Institutions in London . . . 83–84

registered in each of the Four Quarters of 1864 (distinguishing Males and Females), in Divisions and Counties 94–97

of Males and Females at different Ages registered in 1864 in Divisions, Counties, and Districts 98–119

PAGE

DEATHS FROM DIFFERENT CAUSES (*See* CAUSES OF DEATH). . . .

DEATH-RATE of Males and Females in each of the Years 1838–64. Table (XIV.) xxviii

in Counties in each of the Years 1854–64. (Table XV.) . . xxix

in each Quarter of the Years 1838–64. (Table XXI.) . . xxxv

See also MORTALITY RATE.

DIPHTHERIA and CYNANCHE MALIGNA; Deaths in England at different Ages in each of the 10 Years 1855–64. (Tables II. and III. App.) . 194

DISEASES (*See* CAUSES OF DEATH).

DISTRICTS: Changes in the Constitution of, during 1864 172

DIVISIONS of England: Average Annual Rate of Mortality in the 11 Divisions in the 10 Years, 1851–60, and in the Four Quarters of 1864. (Table 6.) lxiv

ENGLAND AND WALES; Estimated Population of both Sexes in the middle of each of the Years 1801–1866 (*excluding Army, Navy, and Merchant Seamen Abroad*). lxx

ERYSIPELAS; Deaths at different Ages in England in the Years 1862–64. (Table X. App.) 197

FECUNDITY of English and Scotch Women aged 20–40 in the Years 1856–60. (Table VIII*g*.) xix

of English and Scotch Women aged 15–55 in the Years 1856–60. (Table VIII*i*.) xxii

FEVER; Ages of the Persons who died from Fever (Typhus, Typhia, and Typhinia) in the Year 1864. (Table VI. App.) . . . 196

Deaths in England at different Ages from Fever, in the 17 Years, 1848–64; and Annual Rate of Mortality. (Table VII. App.) 196

Annual Number of Estimated Cases, and of Deaths at different Ages, in the 17 Years, 1848–64. (Table VIII. App.) . . . 196

Deaths registered, Mortality, and Proportional Number to 1,000 Deaths in each of the 15 Years, 1850–64. (Table IX. App.) . 197

FRANCE; Estimated Population in middle of the Years 1853–64. (Table XXIV.) xxxvi

Number, and Proportion per cent. to Population, of Marriages, Births, and Deaths, in each of the Years 1853–64. (Table XXV.) . xxxvii

GREAT BRITAIN; Area, Estimated Population, Marriages, Births, and Deaths in 1864. (Table XXII.) xxxv

Proportion per cent. of Marriages, Births, and Deaths to Population in 1864. (Table XXIII.) xxxvi

ILLEGITIMATE BIRTHS registered in each of the Divisions, Counties, Districts, and Sub-districts in 1864 28–82

registered in the Divisions and Counties (distinguishing Males and Females) in each of the Four Quarters of 1864 . . . 90–93

(*See also* BIRTHS.)

INSTITUTIONS; Deaths in 1864 in the principal Public Institutions of London 83–84

IRELAND; Estimated Population of both Sexes in the middle of each of the Years 1801–1866 (*excluding Army, Navy, and Merchant Seamen Abroad*). lxxi

ITALY; Population, Number, and Proportion per cent. to Population, of Marriages, Births, and Deaths, in each of the Years 1862–64. (Table XXVI.) xxxviii

PAGE

LIGHTNING; Deaths in different Districts in each of the 4 Years, 1861–64. (Table XXI. App.) 208

LONDON; Births and Deaths, and Rate of Mortality, 1852–64. (Table 7.) . lxv

Deaths in Public Institutions, 1855–64. (Table 8.) . . . lxvii

Deaths and Meteorology, 1849–64. (Table 9.) lxviii

Deaths in 1864 in the principal Public Institutions . . . 83–84

Causes of Death of Males and Females at different Periods of Life in 1864 130–135

MARRIAGES registered in England in each Year, 1838–64. (Table I.) . i

Proportion to Population in each Year, 1838–64. (Table II.) . ii

registered in England in each Year, 1841 to 1864, in Established Church and amongst Nonconformists; showing also the Condition of Persons married. (Table III.) iii

in England in each Year, 1841–1864. Proportions by Licence and Banns; Proportions of Persons married who live in £20 Houses; price of wheat per quarter. (Table IV.) . . iv

in England in each Year, 1841–1864; proportion of Minors; of those who signed with Marks; of Widowers and Widows. (Table V.) v

in Counties of England in 1864; proportion of Marriages to population; of those who signed in Writing, of Minors, and of Re-marriages, to Total Marriages. (Table VI.) . . . vi

in England; Number and Annual rate per cent. in each Quarter of the years 1838–64. (Table VII.) vii

Number of Buildings registered for the solemnization of Marriages in the Divisions and Counties of England, and on the Register, on 31st December 1864. (Table VIII.) ix

in England in 1864; numbers and proportion of "cheap" and "dear" marriages. (Table VIII *a*.) xi

in Counties of England in 1864; proportions by Licence and Certificate. (Table VIII *b*.) xii

in certain Districts of England on each Day of the week in 1864. (Table VIII *c*.) xiv

in Scotland in 1862; proportion by different rites to the population xiv

in Scotland; proportion of Men and Women who signed the register in Writing in the Divisions of Scotland in 1862. (Table VIII *d*.) xvi

in Counties of England in 1864; proportion of Men and Women who signed the register in Writing. Arranged in progressive order of educational ability. (Table VIII *e*.) . . . xvii

Registered in England in each of the Divisions, Counties, and Districts in 1864; distinguishing those according and those *not* according to the Rites of the Established Church; and distinguishing also Persons married according to their conjugal Condition, Minority, and Signature of the Register by marks . 2–25

Ages of 234,880 Persons married in 1864, distinguishing Bachelors, Spinsters, Widowers, Widows 26–27

Births and Deaths Registered in each of the Divisions, Counties, and Districts in 1864; also Births and Deaths and Excess of Births over Deaths in each of the Sub-districts of England; distinguishing the Sexes and Illegitimate Births throughout . 28–82

METEOROLOGY of different parts of the Country in the year 1864. By James Glaisher, Esq., F.R.S. (Tables 3 & 4.) . . . . lviii–lxi

of Greenwich 1849–64. (Table 5.) . . . . . lxii–lxiii

METRIA. (*See* CHILDBIRTH.)

PAGE

MORTALITY per cent. at different Ages of Males and Females in each of the years 1838–64. (Tables XVI., XVII., XVIII., XIX.) . . xxx–xxxiii

Excess or Defect of Annual Rate of Mortality per cent. of Males and Females at different ages in the year 1864, over or under the Mean Annual Mortality of the 27 years 1838–64. (Table I.—App.) 194

Mean Annual Rate from different Causes during 15 years 1850–64. (Table XIII.—App.) 202–203

(*See also* DEATH-RATE.)

MURDER and MANSLAUGHTER; Deaths of Males and Females at different Ages returned at Inquests in the year 1864. (Tables XVII–XVIII.—App.) 206–207

PAUPERISM in each Quarter of the years 1857–64. (Table 2.) . . . lvii

POPULATION of England estimated to the middle of each of the years 1838–1864. (Table I.) i

of United Kingdom in the middle of each of the years 1801–66. lxx

PRICES; Quarterly Table of Prices of Consols, Wheat, Meat, and Potatoes, 1856–64. (Table 2.) lvii

PUBLIC INSTITUTIONS. (*See* INSTITUTIONS.)

REGISTERS; Aggregate Number of Names on the Registers at the end of each Year, 1837–64, (Table XXXVII.) xlii

SCARLATINA, CYNANCHE MALIGNA, and DIPHTHERIA; Deaths in England in each of the Years 1855–64. (Table II.—App.) . . 195

SCARLATINA; Deaths in England at different Ages in each of the 10 Years, 1855–64. (Table IV.—App.) 195

Deaths in each of the Counties of England and Wales in each of the Years 1847–1864. (Table V.—App.) 195

SCOTLAND; Proportion of Marriages by different Rites in 1862 to the Population xiv

Proportion of Men and Women who signed the Marriage Register in Writing, in the Divisions of Scotland, in 1862 (Table VIII *d*.) xvi

Fecundity of Women aged 15–55, and 20–40, in the Years 1856–60 (Tables VIII *g*. and VIII *i*.) . . . . . xix–xxii

Area, Estimated Population, Marriages, Births and Deaths in 1864. (Table XXII.) xxxv

Proportion per cent. of Marriages, Births and Deaths to Population in 1864. (Table XXIII.) xxxvi

Estimated Population of both Sexes in the middle of each of the Years 1801–1866 (*excluding Army, Navy, and Merchant Seamen Abroad*). lxxi

SEA; Births and Deaths of British Subjects at Sea, 1856–64. (Table XXXV.) xli

Mortality of Merchant Seamen at Sea, 1852–64. (Table XXXVI.) xlii

SEARCHES; Number of Searches for Registers at the Central Office, 1843–64. Table XXXVII. xlii

SPAIN; Population, Numbers and Proportions per cent. of Births and Deaths in each of the Years 1861–64. (Table XXIX.) . . . xxxix

SUICIDES; Proportion to every 1,000,000 of the Population of England, 1858–64. (Table XIX.—App.) 207

TOWN AND COUNTRY DISTRICTS; Area; Population 1851 and 1861; Annual Rate of Mortality per cent. in each Quarter of the Years 1854–64. (Table I.) lvi

TYPHUS, TYPHIA, TYPHINIA. (*See* FEVER.)

PAGE

UNITED KINGDOM; Population of both Sexes (*including Army, Navy, and Merchant Seamen Abroad*) in the middle of the Years 1801, 1811, 1821, 1831, 1841, 1851, 1861, and 1866, and the Logarithms of the same lxix

Estimated Population of both Sexes, distinguishing England, Scotland, and Ireland, in the middle of each of the Years 1801–1866 (*excluding the Army, Navy, and Merchant Seamen Abroad*) . lxx–lxxi

WATERING PLACES; Mortality in Districts containing some of the principal English Watering Places in the 10 Years, 1851–60, and in the 3 months ending 30th June 1864 li

WOMEN married and unmarried; Estimated numbers living, aged 20–40, in each Year 1856–60 in England. (Table VIII *f.*) . . . xviii

married and unmarried; Estimated numbers living, aged 15–55, in each Year 1856–60 in England. (Table VIII *h.*) . . . xx

Estimated numbers living, aged 20–40, in each Year 1856–60 in Scotland. (Table VIII *f.*) xviii

Estimated numbers living, aged 15–55, in each Year 1856–60 in Scotland. (Table VIII *h.*) xx

aged 15–55 (Wives, Spinsters and Widows) living in England and Scotland, and proportions of married and unmarried Women . xx

LONDON:
Printed by GEORGE E. EYRE and WILLIAM SPOTTISWOODE,
Printers to the Queen's most Excellent Majesty.
For Her Majesty's Stationery Office.

ELEVENTH

ANNUAL REPORT

OF THE

REGISTRAR-GENERAL

ON THE

BIRTHS, DEATHS, AND MARRIAGES

REGISTERED IN

SCOTLAND

DURING THE

YEAR 1865;

AND

FIRST ANNUAL REPORT

ON

VACCINATION

FOR THE PREVIOUS YEAR.

Presented to both Houses of Parliament by Command of Her Majesty.



EDINBURGH:
PRINTED BY MURRAY AND GIBB,
FOR HER MAJESTY'S STATIONERY OFFICE.
1866.

CONTENTS.

Page

Report of the Registrar-General to the Secretary of State for the Home Department, . . 5
Report to the Registrar-General, ... 7

SCOTLAND.

Births registered in Scotland during the year 1865; the average Scottish Birth-rate; the proportion of Births in the Town and Rural Districts; Illegitimate Births; proportion of Boys to Girls, etc.; with relative Tables, ... 7
Deaths registered in Scotland during the year 1865; the average Scottish Death-rate; the proportion of Deaths in the Town and Rural Districts; with relative Tables, . 10
Increase of the Population, ... 10
Marriages registered in Scotland during the year 1865; the average Scottish Marriage-rate; the proportion of Marriages in the Town and Rural Districts, . . . 11
Health of the Population during the year 1865, ... 11
Weather during the several Months of the year 1865, and its influence on the Deaths; with relative Tables, ... 11

EIGHT PRINCIPAL TOWNS.

Births in the Eight Principal Towns of Scotland during the year 1865, with the mean annual proportion of Births, and the relative Birth-rate in each Town; the proportion of Illegitimate Births, and the Sexes at Birth; with relative Tables, . . 15
Deaths in the Eight Towns during the year 1865, with the mean Death-rate in these Towns, and the proportional Death-rate in each Town; the Deaths in each Town under 5 years of age; and the Diseases which proved fatal; with relative Tables, . 15
Marriages in the Eight Towns during the year 1865; their average proportion; and their increase of late years, ... 20
Character of the Weather during the several Weeks of the year 1865 in the Eight Towns, and its influence on the total Deaths: also the Monthly Meteorological Characteristics, and their influence on the general Mortality, and on the leading Classes of Disease; with relative Tables for the Weeks and for the Months, ... 21

VACCINATION IN SCOTLAND—1864.

First Report on Vaccination in Scotland applicable to the Children born and registered during the year 1864; showing the number and proportion who were successfully vaccinated; the number whose Vaccination had been postponed, etc.: also certain Hardships which have attended the working of the Act, and Suggestions for its Amendment, ... 24

ABSTRACTS.

Births registered in Scotland during each Month of the year 1865, pursuant to the Act 17° and 18° Vict. cap. 80, ... 31
Deaths registered in Scotland during each Month of the year 1865, ... 32
Marriages registered in Scotland during each Month of the year 1865, ... 33
Vaccination in Scotland for the year 1864, pursuant to the Act 26° and 27° Vict. cap. 108, . 34
Births, Deaths, and Marriages, and proportion of these in each of the Eight Principal Towns of Scotland, during the years 1863, 1864, and 1865 35
Deaths from All Causes at Four Periods of Life in each of the Eight Principal Towns of Scotland during the year 1865, ... 36
Summary of the Deaths from All Causes at Four Periods of Life in the Eight Towns during the year 1865, ... 40
Deaths in the Eight Principal Towns of Scotland during each Month of the years 1859 to 1865 inclusive, distinguishing the Sexes, ... 41
Births in the Eight Principal Towns of Scotland during each Month of the years 1859 to 1865 inclusive, distinguishing the Sexes, ... 42
Illegitimate Births in the Eight Towns during each Month of the years 1859 to 1865 inclusive, . 43
Marriages in the Eight Towns during each Month of the years 1856 to 1865 inclusive, . . . 43
Meteorology of the Eight Principal Towns of Scotland during each Month of the year 1865, . 44

APPENDIX.

Extracts from Registrars' Notes, ... 45

REPORT.

TO THE

RIGHT HON^BLE. SIR GEORGE GREY, BART., M.P.,

Her Majesty's Principal Secretary of State for the Home Department.

GENERAL REGISTRY OFFICE OF BIRTHS, ETC.,
EDINBURGH, *February* 26, 1866.

SIR,

IN conformity with the Seventh Section of the Scottish Registration Act (17° & 18° Vict. c. 80), I have the honour to submit to you a General Abstract of the Births, Deaths, and Marriages registered in Scotland during the year 1865, in order that the same may be laid before Parliament.

As tables of figures, unaccompanied by remarks, give little information relative to the increase of the population as shown by the excess of births over deaths, or to the health of the people as indicated by the proportion of deaths, or to the prosperity of the country as exhibited by the proportion of marriages, I have this year directed that a Report should be appended to my General Abstract showing these facts.

The Returns are sent me in such a form that I have it in my power to point out the Diseases prevalent in the Eight Principal Towns of Scotland; and as these towns are scattered over the country, and their populations constitute more than a fourth part of the inhabitants of Scotland, the diseases occurring in them give a good idea of those prevailing throughout the country. From these it will be seen that the year 1865 has been one of high mortality, and that typhus and typhoid fevers have prevailed as epidemics.

The advantage of appending a short explanatory Report to my Annual Abstract is, that the Legislature and the country are put in possession of authentic facts relative to the vital statistics of Scotland within less than two months after the close of the year to which they refer.

In terms of the Nineteenth Section of the Scottish Vaccination Act (26° and 27° Vict. c. 108), I have also the honour to submit to you a General Abstract of the number of children successfully vaccinated during the year 1864, the number of children whose vaccination has been postponed, and such other particulars as are required by that Statute.

Under the provisions of the Act above referred to, the Report ought to have been transmitted at the beginning of 1865. You are aware, however, that, for the reasons stated in my letters of 24th October 1864, and of 8th February 1865, you gave your consent to a postponement of the time for presenting this Report until the present date, in order that the Abstract might embrace the particulars relative to a full year, which would not have been the case had it been presented at an earlier period, as six months after birth is allowed by the Act before Vaccination can be enforced. Any Report drawn up at an earlier period than the present would necessarily have been imperfect in itself, and would have conveyed an erroneous impression of the manner in which this important Statute was being carried into effect. The present is, therefore, my first Report relative to Vaccination. It embraces the vaccinations of a whole year; and a correct idea may now be formed of the success which has attended the working of the Act.

I am quite entitled to say that the success has been great; that nearly all the surviving children whose births were entered on the Register during the year 1864 have been vaccinated, or good reasons given why the vaccination has been postponed, or not carried into effect; and that the people have in general done all in their power to carry the intentions of the Legislature into effect. It cannot, however, be denied that a few amendments would obviate the hardships which have been made the subject of complaint, and to which reference is made in the accompanying Report.

I have the honour to be,

Sir,

Your faithful Servant,

W. P. DUNDAS,
Registrar-General.

REPORT TO THE REGISTRAR-GENERAL.

SIR,

DURING the year 1865, Scotland, for the purposes of registration, was divided into 1011 registration districts; and this Report includes the returns of the Births, Deaths, and Marriages from all of these for the year 1865, with the single exception of that from the small island of St Kilda, which from its inaccessibility only furnishes returns every four or five years. This Report also embraces a new feature, inasmuch as it furnishes the first abstract of the Vaccinations effected in Scotland during the year 1864, prepared in conformity with the Scottish Vaccination Act, 26° and 27° Vict. c. 108. From these returns, it would appear that the births and marriages have attained higher proportions than they have ever done since the Registration Act came into operation in 1855; while the death-rate, though much above its average, has been lower than during the two previous years.

BIRTHS.

113126 Births were registered in Scotland during the year 1865, being in the high proportion of 360 births in every ten thousand persons of the population. As the whole births were not registered during the first three months of 1855, we can only take an average of nine years; but these show that the annual birth-rate was 348 births in every ten thousand persons, so that the birth-rate of the last year has been high above the average. By Table I., however, it is seen that the birth-rate remained wonderfully steady up to 1862, when it was at the rate of 347 births in every ten thousand

TABLE I.—Population of Scotland, estimated to the middle of each year, with the number of Births, Deaths, and Marriages registered during each year from 1855 to 1865 inclusive; the excess of Births over Deaths; and the per-centage of Births, Deaths, and Marriages to the Population.

YEAR.	Population estimated to the Middle of each Year.	BIRTHS.	DEATHS.	MARRIAGES.	Excess of Births over Deaths.	Proportion to every 100 Persons living.		
						Births.	Deaths.	Marriages.
1855	2,962,500	93,349	62,004	19,680	31,345	3·151	2·093	0·664
1856	2,979,855	101,821	58,529	20,740	42,291	3·417	1·964	0·696
1857	2,997,210	103,415	61,906	21,369	41,509	3·450	2·065	0·713
1858	3,014,565	104,018	63,539	19,655	40,479	3·455	2·107	0·652
1859	3,031,921	106,543	61,714	21,201	44,829	3·514	2·035	0·699
1860	3,049,277	105,629	68,170	21,225	37,459	3·464	2·235	0·695
1861	3,066,633	107,009	62,341	20,896	44,668	3·484	2·032	0·681
1862	3,083,989	107,069	67,195	20,597	39,874	3·471	2·178	0·667
1863	3,101,345	109,325	71,421	22,087	37,904	3·525	2·302	0·712
1864	3,118,701	112,445	74,303	22,675	38,142	3·605	2 382	0·727
1865	3,136,057	113,126	70,821	23,577	42,305	3·607	2·258	0·751

persons, but from that year it has rapidly increased. Coincident with this, and during the same period, the proportion of marriages has similarly increased, so that the explanation of the phenomenon seems to be that the increased number of marriages was the cause of the increased number of births.

It is a fact worthy of notice, that the birth-rate in England during the year 1865 was also much above its average. The average annual birth-rate in England for the ten previous years was 346 births in every ten

TABLE II.—Number of Births, Deaths, and Marriages in Scotland, and their Proportion to the Population, estimated to the middle of each year, during each Quarter of the Years 1855 to 1865 inclusive.

	1855.		1856.		1857.		1858.		1859.		1860.		1861.		1862.		1863.		1864.		1865.	
	No.	Per cent.	No.	Per cent.	No.	Per cent.	No.	Per cent.	No.	Per cent.	No.	Per cent.	No.	Per cent.	No.	Per cent.	No.	Per cent.	No.	Per cent.	No.	Per cent.
FIRST QUARTER.																						
Births,	19605	2·64	25129	3·37	26010	3·47	26022	3·45	25988	3·42	27118	3·55	25400	3·30	27089	3·51	26729	3·44	28177	3·61	28608	3·65
Deaths,	19559	2·64	16018	2·15	16684	2·22	17321	2·29	17102	2·25	20223	2·65	17944	2·33	19420	2·51	19227	2·47	22576	2·89	20786	2·65
Marriages,	3931	0·53	4499	0·60	4988	0·66	4486	0·59	4890	0·64	4802	0·63	4636	0·61	4763	0·62	5090	0·65	5333	0·68	5407	0·69
Mean Temperat.	33°·0		37°·8		38°·1		38°·2		41°·0		36°·0		38°·9		38°·8		40°·9		35°·7		35°·3	
SECOND QUARTER.																						
Births,	25402	3·43	26848	3·60	27381	3·65	27846	3·69	28510	3·76	28292	3·71	29200	3·80	28728	3·73	29651	3·82	29992	3·84	30332	3·86
Deaths,	15321	2·06	14684	1·97	15526	2·07	15657	2·07	15653	2·06	18182	2·38	15947	2·07	17385	2·25	17947	2·31	18445	2·36	17066	2·17
Marriages,	5131	0·69	5241	0·70	5435	0·72	4927	0·65	5150	0·67	5329	0·69	5327	0·69	5185	0·67	5557	0·71	5710	0·73	5698	0·72
Mean Temperat.	47°·7		48°·1		49°·9		50°·7		50°·1		48°·2		50°·6		49°·4		49°·0		49°·9		51°·5	
THIRD QUARTER.																						
Births,	28818	3·21	24636	3·30	24856	3·31	24905	3·30	25956	3·42	24914	3·26	26146	3·41	25783	3·34	26362	3·40	27063	3·47	27320	3·48
Deaths,	12968	1·75	12861	1·72	14713	1·96	14012	1·85	13340	1·76	13875	1·82	13415	1·74	14235	1·84	16249	2·09	16131	2·06	15967	2·02
Marriages,	4195	0·56	4549	0·61	4470	0·59	4081	0·54	4626	0·61	4514	0·59	4480	0·59	4570	0·59	4863	0·62	4993	0·64	5335	0·68
Mean Temperat.	56°·3		54°·8		58°·0		56°·1		56°·4		53°·9		56°·0		54°·4		53°·9		54°·5		57°·5	
FOURTH QUARTER.																						
Births,	24524	3·31	25208	3·38	25168	3·35	25245	3·34	26089	3·44	25305	3·31	26263	3·42	25469	3·30	26583	3·42	27213	3·49	26866	3·42
Deaths,	14153	1·91	14966	2·00	14983	2·00	16549	2·19	15619	2·06	15890	2·08	15035	1·95	16155	2·09	17998	2·32	17151	2·19	17062	2·17
Marriages,	6423	0·86	6451	0·86	6476	0·86	6161	0·81	6535	0·86	6580	0·86	6453	0·84	6079	0·78	6577	0·84	6639	0·85	7137	0·91
Mean Temperat.	39°·7		42°·1		46°·1		41°·4		39°·7		39°·7		42°·0		42°·0		43°·6		42°·0		43°·4	
YEAR. Population, ...	2962500		2979855		2997210		3014565		3031921		3049277		3066633		3083989		3101345		3118701		3136057	
Births,	98349	3·15	101821	3·41	103415	3·45	104018	3·45	106543	3·51	105629	3·46	107009	3·48	107069	3·47	109325	3·52	112445	3·60	113126	3·60
Deaths,	62004	2·09	58529	1·96	61906	2·06	63539	2·10	61714	2·03	68170	2·23	62841	2·03	67195	2·17	71421	2·30	74303	2·38	70821	2·25
Marriages,	19680	0·66	20740	0·69	21369	0·71	19655	0·65	21201	0·69	21225	0·69	20896	0·68	20597	0·66	22087	0·71	22675	0·72	23577	0·75

thousand persons, being a little below the Scottish rate; while in 1865, the birth-rate was 356 births in a like population. The increasing birth-rate in both countries has evidently depended on the same cause, viz. the increased number of marriages during three consecutive years.

Of the 113126 births, 66109 were registered in 126 Town Districts (which embrace all the towns with populations of 2000 and upwards), while only 47017 were registered in 884 Rural Districts (which embrace the remainder of the population of Scotland). This indicates a birth-rate equal to 395 births in every ten thousand persons in the Town Districts, but only that of 321 births in a like population in the Rural Districts.

Of the 113126 births, 101859 were legitimate, and 11267 illegitimate, thus showing that 9·9 per cent. of the births, or one in every ten, were illegitimate. The proportion of illegitimate births has therefore been nearly steady for the last three years.

Unlike other countries, the Rural Districts of Scotland continued to exhibit the highest proportion of illegitimate births. Thus, while in the Town Districts only 9·6 per cent. of the births were illegitimate, 10·4 per cent. were illegitimate in the Rural Districts.

As in former years, the counties which are included in the North-Eastern and Southern Divisions of Scotland are those which furnished the highest proportion of illegitimate births; and seeing that the proportion in these Divisions is year after year nearly double what it is in the other Divisions, its cause could surely be ascertained, and something be done to

TABLE III.—The Estimated Population, with the number of Births, Deaths, and Marriages in Scotland, and in its Town and Rural Districts, in 1865, with the proportion of each of these events to the estimated Population. Also the number of Illegitimate Births, and their proportion to the Total Births.

1865.	Population estimated to the middle of 1865.	BIRTHS.		Illegitimate Births.		DEATHS.		MARRIAGES.	
		Number.	Per cent. to Population.	Number.	Per cent. to Births.	Number.	Per cent. to Population.	Number.	Per cent. to Population.
126 Town Districts	1,672,210	66,109	3·95	6,373	9·64	45,802	2·74	15,058	0·90
884 Rural Districts,	1,463,847	47,017	3·21	4,894	10·40	25,019	1·70	8,519	0·58
SCOTLAND .	3,136,057	113,126	3·60	11,267	9·96	70,821	2·25	23,577	0·75

TABLE IV.—Proportion of Illegitimate to every 100 Births in Scotland, its Divisions and Counties, during 1865.

Divisions.	Per Cent. of Illegit.	Counties.	Per Cent. of Illegit.	Counties.	Per Cent. of Illegit.	Counties.	Per Cent. of Illegit.
SCOTLAND.	9·9						
		Shetland	4·8	Forfar	13·2	Lanark	8·5
Northern Division	6·7	Orkney	5·4	Perth	10·8	Linlithgow	8·4
North-Western Do.	6·2	Caithness	9·5	Fife	8·2	Edinburgh	9·1
North-Eastern Do.	15·4	Sutherland	5·6	Kinross	11·1	Haddington	10·6
East-Midland Do.	11·1	Ross & Cromarty	4·8	Clackmannan	9·2	Berwick	10·9
West-Midland Do.	7·7	Inverness	7·6	Stirling	8·0	Peebles	9·1
South-Western Do.	8·4	Nairn	12·0	Dumbarton	7·4	Selkirk	12·1
South-Eastern Do.	9·4	Elgin	14·5	Argyll	8·0	Roxburgh	11·0
Southern Do.	14·0	Banff	15·3	Bute	5·6	Dumfries	14·3
		Aberdeen	15·7	Renfrew	7·3	Kirkcudbright	15·0
		Kincardine	15·3	Ayr	9·0	Wigtown	16·7

diminish it. Thus, in the North-Western Division (purely Highland counties), only 6·2 per cent. of the births were illegitimate, and in the Northern Division 6·7 per cent.; in the West Midland 7·7 per cent., and in the great mining and manufacturing South-Western Division 8·4 per cent. of the births were illegitimate. But in the Southern Division, almost wholly composed of agricultural counties, 14 per cent. of the births were illegitimate; and in the North-Eastern Division, also mainly agricultural counties, 15·4 per cent. of the births were illegitimate. Seven counties had above 14 per cent. of illegitimate births, viz. Dumfries 14·3 per cent, Elgin 14·5, Kirkcudbright 15, Banff and Kincardine each 15·3, Aberdeen 15·7, and Wigtown 16·7 per cent.

Of the children born during the year, 58250 were boys and 54876 girls, being in the proportion of a fraction more than 106 boys for every 100 girls at birth. The highest proportion of births occurred during April, May, and June; the smallest in August, November, and December.

DEATHS.

70821 Deaths were registered in Scotland during the year 1865, being in the very high proportion of 225 deaths in every ten thousand persons of the estimated population. This, though below the death-rate of the two previous years, is considerably above the average of the ten previous years, which was only at the rate of 213 deaths in every ten thousand persons. The English death-rate was also higher than its average during the same year; for while the average of the ten previous years indicated 221 deaths in every ten thousand persons, that of 1865 was at the rate of 234 deaths in a like population.

As usual, the mortality fell heaviest on the town populations. Thus, in the 126 Town Districts, 45802 deaths were registered, but only 25019 deaths in the 884 Rural Districts; thus indicating a death-rate of 274 deaths in every ten thousand persons in the Town Districts, but only 170 deaths in the Rural Districts in a like population.

INCREASE OF THE POPULATION.

As the births amounted to 113126, and the deaths to 70821, the natural increase of the population by births amounted to 42305 persons. From that number, however, ought to be deducted all those who emigrated from Scotland during the year to England, Ireland, the colonies, or foreign countries. No means, however, at present exist for ascertaining the number who emigrate to England, Ireland, or the Continent of Europe, nor who join the army, navy, and merchant shipping. The Emigration Commissioners, however, ascertain the number of persons who leave the ports of Great Britain and Ireland as emigrants to our Colonies or to America. From a return furnished to the Registrar-General by the Emigration Commissioners, it would appear that during the year 1865 there emigrated from the ports of Great Britain and Ireland 209801 persons, of whom 61345 were ascertained to be natives of England, 12870 of Scotland, 100767 of Ireland, and 28619 of foreign countries, while of 6291 persons the origin was not ascertained. Of these, 147258 were ascertained to have emigrated to the United States, 17211 to British North America, 37283 to the Australian colonies, and 8049 to other places. If 407 be added to the ascertained Scottish emigrants as the proportion of persons whose nativity was not ascertained, the

Scottish emigrants would amount to 13277, which, deducted from the excess of births over deaths, would make the increase of the population during the year to amount to 29028 persons, or about 11000 more than the probable increase.

MARRIAGES.

23577 Marriages were registered in Scotland during the year 1865, being in the proportion of 75 marriages in every ten thousand persons of the estimated population. This is the highest proportion of marriages which has occurred in Scotland during the last eleven years—which perhaps ever has occurred. Up till 1862 the annual marriage-rate was 68 marriages in every ten thousand persons; but in 1863 it rose to 71, in 1864 to 72, and in 1865 to 75 marriages in every ten thousand persons. The annual increase in the marriage-rate has therefore been steady and progressive during three consecutive years, and, as already pointed out, has already told visibly on the births. There is no surer sign of the general prosperity of a country than the increase of the marriage-rate; and as this increase in the marriage-rate has been accompanied by a diminution in the number of Scotsmen who emigrated, it shows that the demand for labour is greater, and the means of obtaining a livelihood easier than usual in Scotland.

Of the 23577 marriages, 15058 were contracted in the 126 Town Districts, and 8519 in the 884 Rural Districts; thus indicating that in the Town Districts there were 90 marriages in every ten thousand persons, but only 58 marriages in the Rural Districts in a like population.

HEALTH OF THE POPULATION.

The health of the population was not good during the year 1865: there was more than the usual amount of sickness, and a consequently high mortality. During the whole year an epidemic of typhus and typhoid fever prevailed, abating considerably during the warmer weather, but again increasing with the fall of temperature. During the very warm weather also, bowel complaints prevailed to an unusual extent, and largely increased the mortality. The extent to which these and some other diseases prevailed, however, will be best seen when remarking on the diseases prevailing in the Eight Principal Towns of Scotland, inasmuch as the returns procured weekly from them particularize the causes of death; whereas the returns from the rest of Scotland only give the number of the persons who died during each month, and how many were males and how many females.

WEATHER.

Inasmuch as the character of the weather during each week of the year 1865 will have to be particularly noticed when showing its influence on the mortality in the Eight Towns of Scotland, the remarks here must be confined to the months, and especially to the influence of the mean monthly temperature on the general mortality.

The mean temperature of the year 1865 was nearly one degree above the average of the nine previous years; and this result was produced mainly by the high temperature which prevailed during June and July, but in especial during September. During the first fortnight of September the mean temperature attained a height rarely noticed even in June, and never previously noticed during September, so far as our records show

During January and February the weather was cold and wintry, with severe and continued frost, and much snow, alternating with rapid thaws, which came on with south-west winds, but were of short duration. The mean temperature attained its minimum for the year in February, when it was 33°·9, that of January being 34°·6. March, though still very cold and wintry, with frequent storms of snow, was on the whole more open, but the east winds were very cold and piercing. The mean temperature only rose to 37°·3.

It has often been pointed out in these Reports that the deaths are chiefly regulated by the mean temperature, increasing with the fall of temperature, and diminishing with its rise. This influence of cold in increasing and regulating the mortality was strikingly manifested during the above months. February was the coldest month, and it was during that month that the greatest daily number of deaths occurred, the temperature of 33°·9 causing 250 deaths daily. The next coldest month was January, and its temperature of 34°·6 caused 223 deaths daily; while March, with its temperature of 37°·3, had 222 deaths daily. The reason why March, with its higher temperature, had nearly as many deaths as January, was chiefly owing to the fact that the prolongation of the cold weather, even though the cold did not increase in intensity, increased the number of deaths; those whose health was enfeebled by the first accession of cold not being so able to withstand the effects of its continuance.

A sudden rise of mean temperature occurred during April, its mean temperature being more than 9° higher than that of March, viz. 46°·5; and coincident with this rise, the deaths fell to 193 daily. The prevalent east winds were greatly tempered by the sun's rays, and by occasional south-westerly atmospheric currents, the meeting of which with the easterly currents occasioned frequent dense fogs. On many days during April, while the whole east side of the island, from ten to fifteen miles inland, was enveloped in a dense fog, and with the wind blowing from the east, the central and western parts of the island enjoyed clear sunshine, with a south-westerly breeze. May opened with delightfully mild weather, but from the 8th to the 14th a cold, rainy, misty week occurred, with the wind almost constantly in the east; but from the 17th to the end of the month, the weather was splendid, with a high temperature, and with occasional storms of thunder and lightning, accompanied by heavy falls of rain. The mean temperature, being kept down by the cold period, was only 50°·9, and the deaths only fell to 191 daily.

June proved an unusually warm month, with a clear sky, very little rain, and with a very moderate amount of wind. Its mean temperature was 57°·1, and its daily deaths numbered 178. July was a warm, genial month, with the highest daily temperatures, ranging from 74° to 84° in the shade. Heavy showers of rain fell after the 7th, but merely sufficient to refresh vegetation. On the 27th of July, however, a cold period set in, when the mean temperature fell 10° below that of the previous week; and this cold period continued till the 9th of August, the winds during the period being from the north, north-east, and east. The heats in June and July now began to exert their usual deleterious influence on the people, inducing bowel complaints, which increased the mortality, so that the deaths in July, instead of being lower than in June, were above it, seeing that 180 persons died daily. August was a considerably cooler month; and after the 9th, a rainy period set in and continued till the 28th of the month. Bowel complaints, however, still were prevalent, so that the deaths continued rather

high, viz. at the rate of 177 daily. September proved a close, sultry, dry, hot month, particularly in its first half, with little or no wind; and during the latter half of the month a thick mist or fog settled over the ground, favouring the development of mildew, which attacked the turnips to a large extent; while the Russian Cattle Plague spread over the country both among dairy and store cattle. The mean temperature of September was 58°, a higher temperature than has been noticed in that month for a very long period. The deaths attained their lowest rate during September, viz. 161 daily.

October was an ordinary month, the temperature slowly sinking; and as the deaths increased with the fall of temperature, 173 deaths occurred daily. November was a colder month than October, and the lowest temperature of the latter half of the year was attained on the 6th and 13th of the month. The mean temperature of November was 41°·4, and the deaths increased to 201 daily. December proved a milder month than November, its mean temperature being 42°·9; and under the influence of the milder weather the deaths diminished to 183 daily. During the severe weather at the beginning of November, all diseases, but notably the epidemic diseases, threatened seriously to increase; but under the influence of the milder weather which followed, they did not spread so much as might have been expected, and the deaths consequently declined. The milder weather of December was unquestionably due to the unusual prevalence of south-westerly winds.

TABLE V.—Meteorology of Scotland for the year 1865, deduced from observations made at 53 stations of the Meteorological Society of Scotland, the particulars for each of the stations having been published in the Quarterly Reports of the Registrar-General for 1865; also the number of Births, Deaths, and Marriages registered during each month of the year 1865.

1865.	Jan.	Feb.	Mar.	Apr.	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.	YEAR.
Highest Temp. in shade,	57°·5	52°·1	58°·8	77°·0	81°·3	92°·0	84°·0	75°·0	80°·5	70°·6	62°·0	61°·0	92°·0
Lowest Temp. in do.,	-4°·0	-1°·1	14°·7	23°·0	24°·9	31°·3	33°·0	32°·0	30°·0	21°·0	14°·0	20°·3	-1°·1
Day Temperatures, .	39°·2	38°·5	42°·7	54°·5	57°·9	65°·8	66°·3	62°·8	66°·0	52°·1	46°·9	47°·1	53°·3
Night Temperatures, .	30°·0	29°·3	31°·9	38°·4	44°·0	48°·5	50°·6	49°·4	50°·1	40°·0	36°·0	38°·7	40°·5
Daily Range, ...	9°·2	9°·3	10°·8	16°·1	14°·0	17°·3	15°·7	13°·3	15°·9	12°·2	10°·9	8°·4	12°·7
Mean Temperature, .	34°·6	33°·9	37°·3	46°·5	50°·9	57°·1	58°·4	56°·1	58°·0	46 ·0	41°·4	42°·9	46°·9
Highest Day Temperature in sun, . . .	82°·0	119°·0	114°·0	131°·0	142°·0	137°·2	135°·4	128°·6	122°·0	123°·0	100°·0	84°·0	142°·0
Lowest on grass at night	-7° 0	-6°·0	10°·0	10°·0	18°·0	18°·0	22°·0	21°·0	23° 0	9°·0	9°·0	11°·0	-7°·0
Wet-bulb Temperature,	33°·4	32°·6	34°·7	43°·4	48°·1	53°·5	55°·1	53°·8	54°·8	43°·6	39°·1	41°·0	44°·4
Dew-point Temperature	30°·7	30°·4	32°·3	40°·7	45°·4	50°·5	52°·5	51°·9	52° 9	41°·5	37°·3	39°·0	42°·1
Humidity of Air, . .	87	88	85	83	83	81	82	87	86	88	89	87	85
Elastic force of Vapour (inches), ...	·173	·172	·183	·255	·305	·370	·396	·387	·416	·263	·223	·239	·282
Num. of Days Rain fell,	17	14	15	8	16	7	14	18	7	14	15	15	160
Amount of Rain (inch.),	3·73	2·91	2·05	0·94	3·36	0·75	3·09	3·89	1·14	5·11	3·29	3·65	33·91
Amount of Cloud, . .	6·2	7·1	6·4	5·9	6·7	5·6	6·0	7·2	5·2	6·3	6·3	6·5	6·3
Hours of Sunshine, . .	70	70	128	194	176	250	226	141	195	111	90	64	1715
Mean Barometer (in.),	29·414	29·801	29·886	30·112	29·836	30·188	29·849	29·796	30·131	29·641	29·787	30 015	29·869
Easterly Winds (number of days), . . .	8	12	9	10	11	8	7	10	4	16	7	7	109
Westerly Winds, . .	16	10	13	13	12	16	14	12	19	7	14	18	164
Births, ...	9578	9040	9990	9864	10542	9926	9403	9074	8843	9279	8763	8824	113126
Deaths, ...	6910	7012	6864	5798	5931	5337	5595	5486	4826	5368	6023	5671	70821
Marriages, ...	2746	1404	1257	1245	1171	3282	2395	1548	1392	1598	2268	3271	23577
Daily Births, ...	309	322	322	329	340	331	303	293	295	299	292	284	309
Daily Deaths, . . .	223	250	221	193	191	178	180	177	161	173	201	183	194
Daily Marriages,* . .	119	70	60	62	51	149	114	67	66	72	103	156	90

* As few or no Marriages are contracted in Scotland on Saturday or Sunday, these days are excluded from each month in calculating the daily number of Marriages.

These were both stronger and more constant than they had been for years; and it is now a recognised fact that, so long as south-westerly breezes blow over our island, we have no frosts, and no wintry weather.

Table V. shows the chief points of the Meteorology of Scotland for the year 1865, as well as for each of the months of the year. By that Table it appears that the mean barometric pressure, corrected to the sea-level, and to 32° Fahr., was 29·869 inches. The mean temperature was 46°·9. The highest temperature in the shade noted at any station was 92°, and the lowest — 1°·1. The mean of the day temperatures was 53°·3, and that of the night temperatures 40°·5; while the mean daily range of temperature was 12°·7. The highest temperature in the sun, by exposing a thermometer with a black bulb to its direct rays, was 142°; and the greatest cold during the night, by exposing a black-bulb thermometer on the grass, was — 7°. Rain fell on 160 days, with a mean depth of 33·91 inches. The sun shone for 1715 hours during the year, and the mean humidity of the air was 85. Winds with an easterly point blew 109 days; those with a westerly point, 164 days.

EIGHT PRINCIPAL TOWNS OF SCOTLAND.

It is of great importance to know something of the Vital Statistics of those masses of the Population which are collected in our principal towns. Weekly Returns are therefore procured from the Eight Principal Towns of Scotland, viz. all those with upwards of 20,000 inhabitants; and these embrace not only the number of births, deaths, and marriages which are registered in each town, but specify the ages and residences of the persons who die, and the name of the diseases which proved fatal.

During the past year, Weekly Reports have been issued every Tuesday, giving information as to the number of births, deaths, and marriages registered in Glasgow, Edinburgh, Dundee, Aberdeen, Paisley, Greenock, Leith, and Perth; together with the highest, lowest, and mean temperatures, and the amount of rainfall in each of these towns during the previous week.

Monthly Reports having reference to these Eight Towns have been published since August 1855, not only giving the number of the births, deaths, and marriages during the month, but also the particulars as to the ages of the persons who died, the diseases which proved fatal, and the number of deaths from each of the more notable diseases in each of the districts into

TABLE VI.—Population of the Eight Principal Towns of Scotland, estimated to the middle of each year, with the number of Births, Deaths, and Marriages, and their proportion to the Population, in each of the eleven years 1855 to 1865 inclusive.

Years.	Population estimated to the middle of each year.	Births.		Deaths.		Marriages.	
		Number.	Per cent. to Population.	Number.	Per cent. to Population.	Number.	Per cent. to Population.
1855	826,648	28,245	3·41	22,740	2·75	6934	0·84
1856	836,633	31,885	3·81	22,248	2·65	7411	0·88
1857	846,628	32,869	3·88	23,361	2·76	7495	0·88
1858	856,613	32,555	3·80	23,420	2·73	6863	0·80
1859	866,698	33,018	3·80	22,345	2·57	7541	0·87
1860	876,683	32,945	3·75	26,028	2·95	7660	0·87
1861	886,668	34,331	3·79	23,130	2·60	7733	0·87
1862	897,507	34,443	3·83	24,965	2·78	7694	0·85
1863	907,549	35,895	3·95	27,030	2·97	8593	0·94
1864	917,591	37,072	4·05	28,828	3·14	8884	0·96
1865	927,633	38,075	4·10	28,499	3·07	9320	1·00

which the towns are divided. The people and authorities are thus kept informed as to the outbreak or progress of every disease affecting the people, within as short a period as is compatible with the due preparation of the Tables. Full Meteorological Tables also accompany each Monthly Report.

In the remainder of this Report, therefore, will be given a summary of births, deaths, and marriages registered in each of the Eight Principal Towns of Scotland during the year 1865. As these towns are well scattered over the country, the returns from them enable us to obtain a good idea as to whether any or what kind of disease is prevailing in each locality, and whether the year be a healthy or an unhealthy one to the population.

The Registration Act has now been in operation for more than eleven years, and it will be seen by Table VI. that the last two years have been years of very high mortality in the towns,—greatly above the average of the nine preceding years. Coincident with this, and no doubt partly as a consequence, the proportion of births has also been higher, while the proportion of marriages has been the highest ever noted in the Towns of Scotland.

BIRTHS IN THE EIGHT TOWNS.

38075 Births were registered in the Eight Towns during the year 1865, being in the very high proportion of 410 births in every ten thousand persons of the estimated population, or one birth to every 24 persons. The mean annual proportion of births in the Eight Towns during the ten previous years was 380 births to every ten thousand persons of the population, so that it is at once seen how very high the birth-rate was during the past year. Two circumstances are known to produce an increased birth-rate, viz. an excessive mortality, and an increased number of marriages. Both of these have been in operation for at least two previous years; so that the increased birth-rate in these towns is satisfactorily accounted for.

The birth-rate varied very greatly in the several towns. Thus, for every ten thousand persons in each of these towns, 337 births occurred in Perth, 355 in Edinburgh, 380 in Paisley, 385 in Aberdeen, 421 in Leith, 423 in Glasgow, 458 in Dundee, while at Greenock it rose to the very high proportion of 505 births in every ten thousand inhabitants. (See Table on p. 35.)

Of the 38075 births, 34381 were legitimate, and 3694 illegitimate, thus furnishing the proportion of one illegitimate in every 10·3 births, or 9·7 per cent. of the births as illegitimate.

The proportion of illegitimate births varied greatly in the several towns, being lowest in Greenock and Leith, and highest in Aberdeen and Dundee. Thus, in Greenock only 5·1 per cent. of the births were illegitimate, in Leith 5·9 per cent., in Paisley 8·9 per cent., in Perth 9, in Glasgow 9·2, in Edinburgh 9·8, in Dundee 13, and in Aberdeen 13·9 per cent.

The greatest number of births occurred during May and June; the smallest number during the months of September, November, and December. Of the children born during the year, 19558 were males, and 18517 females. This gives the proportion of 105·6 males at birth for every 100 females.

DEATHS IN THE EIGHT TOWNS.

28499 Deaths were registered in the Eight Towns during the year 1865, being in the very high proportion of 307 deaths in every ten thousand persons of the estimated population, or one death during the year in every

32 persons. During 1864 the proportional mortality was higher, viz. 314 deaths in every ten thousand persons; but with that single exception, the deaths during 1865 have been higher than during any of the nine years 1855 to 1863 inclusive. During these nine years the deaths were in the proportion of only 274 deaths annually to every ten thousand persons of the estimated population; so that the last two years have been especially fatal to our town populations. If we look back, however, to the past years, we shall find that the death-rate has been regularly increasing since 1861. Thus, in 1861 the death-rate in the Eight Towns was 260 deaths in every ten thousand persons; in 1862 it was 278 deaths in a like population; in 1863 it rose to 297 deaths in a similar population; in 1864 it still further advanced to 314 deaths, and in 1865 to 307 deaths in every ten thousand persons. Some deleterious influence, therefore, whatever it may be, very inimical to health, has been slowly and progressively increasing in our large towns since 1861, and for the two past years has been cutting off our town populations in nearly as high a proportion as when the cholera was raging among us.

The death-rate varied greatly in the Eight Towns, having been lowest in Paisley and highest in Greenock. Thus, in every ten thousand inhabitants in each of these towns during the year, there died 209 persons in Paisley, 252 in Leith, 263 in Aberdeen, 269 in Perth, 278 in Edinburgh, 311 in Dundee, 328 in Glasgow, and 357 in Greenock. (See Table on p. 35.)

Of the 28499 persons who died in the Eight Towns during the year, 12160, or 42 per cent., were under five years of age. This proportion varied considerably in the several towns. Thus, in Perth and in Aberdeen only 34 per cent. of the persons who died were under five years of age; in Edinburgh 35 per cent., in Paisley 40, in Leith 41, in Dundee 44, in Glasgow and in Greenock 46 per cent. This mode of calculation, however, gives no idea whatever of the true mortality among children under five years of age; it is necessary, therefore, to compare the deaths under five years of age with the number of children under five years who are living in each town. This is shown in Table VII., the number of children being estimated to the middle of the year. By this table it appears that, during the year, only 7·2 per cent. of the children under 5 years of age died in Aberdeen, 7·5 per cent. in Leith and in Perth, 8·4 per cent. in Edinburgh and in Paisley, 10·4 per cent. in Dundee, 10·9 per cent. in Glasgow, but 11·5 per cent. in Greenock.

The Zymotic (epidemic and contagious) class of diseases proved fatal to 7846 persons in the Eight Towns, and thus constituted 27·9 per cent. of the specified causes of death. The proportion of deaths, however, from that class of diseases varied greatly in the several towns. Thus, in Edinburgh only 21 per cent. of the deaths were caused by the zymotic class of diseases; in Leith, 23·3 per cent.; in Aberdeen, 26·3; in Glasgow, 29·8;

TABLE VII.—Number of Children under 5 years of age, estimated to the middle of 1865, in each of the Eight Principal Towns of Scotland; the Deaths under 5 years; and the per-centage of Deaths to the living.

Towns.	Number of Children under Five years of Age.	Deaths under Five years of Age.	Per-cent. of Deaths to Population under Five years.	Towns.	Number of Children under Five years of Age.	Deaths under Five years of Age.	Per-cent. of Deaths to Population under Five years.
Glasgow,.....	58,824	6452	10·9	Paisley, ...	6767	574	8·4
Edinburgh,...	20,329	1711	8·4	Greenock, ...	6764	780	11·5
Dundee, ...	12,752	1324	10·4	Leith, ...	5228	393	7·5
Aberdeen,.....	9305	674	7·2	Perth, ...	3336	252	7·5

in Perth, 30·1 ; in Dundee and in Paisley, 30·3 ; and in Greenock, 30·7 per cent. In proportion to the population of each town, however, Greenock and Glasgow suffered most from the epidemic diseases, Leith and Edinburgh the least. Thus, in every ten thousand persons in each town, Leith lost 53 during the year by epidemic diseases ; Edinburgh lost 58 ; Aberdeen, 68 ; Perth, 81 ; Dundee, 91 ; Paisley, 94 ; Glasgow, 96 ; but Greenock, 107.

The different towns, however, suffered very differently from the several epidemic diseases. Thus, though all suffered much more than usual from the epidemic of Typhus and Enteric Fevers in their varied forms, Greenock and Glasgow have furnished much the largest proportion of deaths from these diseases. Dundee and Perth suffered much from Measles ; Aberdeen and Paisley from Scarlatina ; Leith, Aberdeen, and Dundee from Diphtheria ; Greenock and Glasgow from Hooping-cough ; Dundee, Aberdeen, and Perth from Bowel Complaints. (See Tables, pp. 36–40.)

Small-pox has almost disappeared from Scotland during the past year, apparently in consequence of the effectual working of the Vaccination Act. During the year only 67 deaths from that disease occurred in the Eight Towns, and in the greater number of these cases the persons had not been vaccinated. The Vaccination Act only came into operation on the 1st of January 1864. During the previous year there occurred 816 deaths from Small-pox in the Eight Towns ; but from six months being allowed to transpire from the birth before vaccination is imperative, it was not till towards the end of 1864 that any considerable diminution of the deaths from Small-pox occurred ; so that in 1864 no fewer than 679 persons died from that loathsome disease. The prevalence and fatality of Small-pox, however, during that year had a most powerful effect in aiding the provisions of the Vaccination Act ; so that not only were the infants vaccinated, but adults also who had never been previously vaccinated. It is therefore interesting to know that the success of the Vaccination Act, so far as it has gone, has been nearly perfect, seeing that only 67 deaths occurred from Small-pox during the past year. We know, however, from past experience, that all epidemics come and go like waves ; and the disappearance of Small-pox from Scotland at this time may be as much owing to the unknown atmospheric influences which induce epidemics having changed, so that now they appear to have encouraged the spread of Typhus and Enteric Fevers, and to have arrested that of Small-pox.

Measles cut off 809 persons in the Eight Towns, and thus constituted 2·8 per cent. of the mortality. Dundee, Perth, and Paisley suffered much from Measles, 6·5 per cent of the deaths having been caused by that disease in Dundee, 5·8 per cent. in Perth, and 4·8 per cent. in Paisley. It is remarkable that these were the towns, particularly Dundee and Paisley, which suffered most from Small-pox during the previous year ; and we have often pointed out the fact, that when Measles follows an epidemic of Small-pox, it is much more fatal than in ordinary seasons.

Scarlatina cut off 1037 persons in the Eight Towns, and thus constituted 3·7 per cent. of the specified causes of death. That disease was so fatal in Aberdeen that it caused 8·7 per cent. of the deaths, and in Paisley 6·1 per cent.

Diphtheria was much less prevalent in the Eight Towns during 1865 than during the previous year, having only caused 180 deaths ; whereas the previous year it caused 343 deaths. It was more prevalent in Aberdeen and Leith than in the other towns—the same towns in which it was most prevalent during the previous year.

Hooping-cough caused 1355 deaths, or 4·8 per cent. of the general mortality. It was especially severe and fatal in Greenock and Glasgow, causing 7·1 per cent. of the deaths in Greenock, and 6·5 per cent. of the deaths in Glasgow.

Diarrhœa, Dysentery, and Cholera were more fatal than usual, as might have been expected, seeing the autumnal heat was greater than it has been for many years past. 816 deaths were attributed to Diarrhœa, 109 to Dysentery, and 84 to Cholera—in all, 1009 deaths from bowel complaints; and more than half, viz. 567, of these occurred during the months of July, August, and September.

Typhus Fever, however, in its varied forms, was the leading epidemic of the year, and prevailed more or less in the epidemic form in all the towns. The leading type of the disease was Spotted or Typhus Fever; but that more fatal form, variously termed Typhoid, Enteric, Gastro-Enteric, and Gastric Fever, constituted a notable proportion of the cases; while cases of Relapsing Fever, and simple Continued Fever, were everywhere met with. Thus, there were registered during the year in the Eight Towns 2707 deaths from Typhus Fever and its varieties, constituting the very high proportion of 9·6 per cent. of the total deaths. Of these, 2211 were registered as Spotted Typhus; 235 as Gastric Fever; 201 as Enteric or Typhoid Fever; 34 as Relapsing Fever; and 26 as simple Continued Fever, or Febricula.

Typhus Fever has therefore been more prevalent and fatal during 1865 than during the previous year. In 1864 the deaths from that disease amounted to 2203 in the Eight Towns, so that the deaths were 504 more in 1865 than during the previous year. Edinburgh and Leith have suffered least, Greenock and Glasgow most, from the epidemic Fever during the past year. Thus, in Edinburgh only 6·2 per cent. of the deaths were caused by Typhus; in Leith, 6·7 per cent.; in Aberdeen, 8·8 per cent.; in Dundee, 9·1 per cent.; in Perth, 9·5 per cent.; in Paisley, 9·9 per cent.; in Glasgow, 10·9 per cent.; while in Greenock, 12·3 per cent. of the deaths were caused by that disease. An analysis of the facts published regarding epidemics of fever during the last century and a half shows that each epidemic generally continues for a period of nearly three years to affect the population. As a general rule, most of these epidemics of fever have first manifested themselves in October, and have continued during the remainder of that, and the whole of the two consecutive years, and have died out on the following year with the setting in of the summer weather. The epidemic of fever, which has been ravaging Scotland for the two past years, has as yet followed the same course. It first manifested the epidemic character in October 1863, and rapidly increased till the close of that year. It has continued during the whole of 1864 and 1865, and still prevails to a considerable extent; but if it follows the usual course of former epidemics, it will die out with the setting in of the present summer. As its virulence, however, is regulated by the degree of temperature, should severe frosty weather occur during February, we may expect a considerable increase in the number and fatality of the cases before its final disappearance as an epidemic.

Of the other zymotic diseases, Croup caused 290 deaths; Ague, 16; Infantile Fever, 27; Metria, 69; Rheumatic Fever, 41; Erysipelas, 111; Syphilis, 66; Influenza, 38; Thrush, 10; Purpura, 8; and Worms, 6.

The Tubercular class of diseases cut off 4719 persons in the Eight Towns, and thus constituted 16·8 per cent. of the specified causes of death. The proportion of deaths from this class of diseases was highest in Glasgow

and Greenock, and lowest in Aberdeen, Leith, and Perth. Thus, the tubercular class of diseases constituted 14·1 per cent. of the deaths in Aberdeen; 14·4 per cent. in Leith and in Perth; 16·2 per cent. in Edinburgh and in Paisley; 16·3 per cent. in Dundee; 17·1 per cent. in Greenock; and 17·8 per cent. of the deaths in Glasgow.

Consumption is the most fatal of this class of diseases, and is indeed the most fatal of all the diseases to which the inhabitants of Scotland are liable. 3371 deaths were attributed to this cause in the Eight Towns; thus constituting 12 per cent. of the deaths, or 36 deaths during the year in every ten thousand persons. As compared with the deaths in each town, Leith showed the fewest deaths from Consumption, Dundee the highest. Thus, Consumption caused only 8·7 per cent. of the deaths in Leith; 9·7 per cent. in Aberdeen; 10·4 in Perth; 10·8 in Edinburgh; 12 in Paisley; 12·7 in Glasgow; 12·9 in Greenock; but 13·2 per cent. of the deaths in Dundee. As compared with the population, however, the lowest mortality from Consumption occurred in Leith, the highest in Greenock. Thus, in every ten thousand persons in each town, there died from Consumption during the year 21 in Leith; 25 in Aberdeen; 28 in Perth; 29 in Edinburgh; 35 in Paisley; 39 in Dundee; 41 in Glasgow; but 45 in Greenock.

Hydrocephalus caused 845 deaths; Tabes Mesenterica, 336; and Scrofula, 167.

2183 persons died in the Eight Towns from diseases of the brain, which thus constituted 7·7 per cent. of the specified causes of death. In Aberdeen and Edinburgh, however, this proportion was greatly exceeded, as in the former 10·6 per cent. and in the latter 9·5 per cent. of the deaths were caused by brain diseases. Of these diseases, 473 were attributed to Convulsions, 509 to Paralysis, 367 to Apoplexy, 93 to Epilepsy, etc.

Diseases of the heart and organs of the circulation cut off 1192 persons, and thus constituted 4·2 per cent. of the deaths.

The inflammatory affections of the respiratory organs proved fatal to 4645 persons in the Eight Towns, and thus constituted 16·4 per cent. of the specified causes of death. Glasgow appears to have suffered most from this class of affections, Perth the least; for while in Perth only 11·2 per cent. of the deaths were caused by diseases of the respiratory organs, the proportion was 18·9 per cent. of the deaths in Glasgow. Bronchitis, the most fatal of these inflammatory affections of the respiratory organs, caused 3204 deaths, and thus of itself constituted 11·4 per cent. of the mortality. Dundee and Aberdeen suffered least from Bronchitis, Glasgow and Greenock the most.

Of the other diseases belonging to this class, Pneumonia caused 940 deaths, Asthma 234, Pleurisy 56, and Laryngitis 50.

A full third of the total deaths is annually caused by those diseases which proved fatal through the respiratory organs. Thus, for several years 34 per cent. of the total deaths in the Eight Towns has been caused by the inflammatory affections of the respiratory organs, together with Consumption, Hooping-cough, and Croup; and this is the proportion in which these diseases proved fatal during 1865.

1405 infants (or exactly 5 per cent. of the specified causes of death) died at or shortly after birth from the debility of weakly constitutions, or from being born prematurely; while 1252 persons, or 4·4 per cent. of the deaths, died without marked disease from the debility incident to old age.

Of the other diseases, Cancer cut off 372 persons, Dropsy 338, Teething 582, Enteritis 343, Stomach Disease 267, Disease of Kidneys 130, Disease

of Liver 252, Jaundice 62, Nephria 89, Diabetes 21, Rheumatism 67, Disease of Joints 94, and Carbuncle 7.

240 women died in giving birth to children; 69 of these from Childbed Fever (Metria), and 171 from the other accidents of that state. This gives the proportion of 63 deaths of mothers for every ten thousand children born alive,—a much larger proportion than occurs over all Scotland, where the proportion is only 46 deaths of mothers in every ten thousand children born alive. The proportion, however, varied very greatly in the several towns. In Glasgow only 53 mothers died for every ten thousand children born alive, 55 in Paisley and in Perth, 64 in Edinburgh, 67 in Greenock, 75 in Leith, 81 in Dundee, and 86 in Aberdeen.

891 deaths were ascribed to violent causes; of which 353 were caused by Fractures and Contusions, 123 by Drowning, 100 by Burns and Scalds, 60 by Suffocation, 18 by Hanging, 23 by Poison, 57 by Alcoholic Poisoning or Intemperance, 570 by want of Breast Milk, 36 by Wounds, 4 by Exposure to Cold, 1 by Neglect, and 59 by other violent causes not included in the above.

MARRIAGES IN THE EIGHT TOWNS.

9320 marriages were registered in the Eight Towns during the year, being at the very high rate of one marriage for every 99 persons of the population, or one per cent. This is the highest marriage-rate which has ever been attained by the town populations of Scotland. During the eight years 1855 to 1862 inclusive, the mean annual marriage-rate for the Eight Towns was 85 marriages in every ten thousand persons of the population (0·85 per cent.), and was just 85 in 1862. But from that year the proportion of marriages has greatly but steadily increased, so that in 1863 they were in the proportion of 94 marriages to every ten thousand persons; in 1864 they were 96 marriages, and in 1865 they were in the proportion of 100 marriages to every ten thousand persons.

Nothing shows more clearly the general prosperity of the country, and the flourishing state of commerce and manufactures, than the proportion of marriages annually contracted by the people. And the above striking fact proves most satisfactorily, that for the three past years the country must be in a more flourishing condition than it has been for years, perhaps than it has ever been before.

The greatly increased number of marriages during these three years, as has already been pointed out, is now telling on the number of births. In the same ratio in which the marriages have been increasing, so has been the proportion of births, so that they have progressively advanced from the proportion of 383 births in every ten thousand persons, which they were in 1862, to that of 410 births in a like population during 1865.

The proportion of marriages in the several towns indicates very closely the general commercial and manufacturing prosperity of each. Thus the lowest proportion was in Perth and Aberdeen, the highest in Dundee and Greenock. Accordingly, for every ten thousand persons in each of these towns, only 79 marriages occurred during the year in Perth, 91 in Aberdeen, 94 in Leith, 98 in Glasgow, 99 in Paisley, 102 in Edinburgh, 107 in Greenock, but the enormously high proportion of 118 marriages in Dundee. The great and increasing demand for labour at Greenock, for the iron shipbuilding, sufficiently accounts for the very high proportion of marriages there; and it may be remembered that the stoppage of the cotton manu-

factures enormously increased the manufactures at Dundee, which consist chiefly of flax, jute, and hemp.

WEATHER IN THE EIGHT TOWNS.

The year 1865 was quite remarkable for the peculiarities of its meteorological phenomena, and from observations taken at each of the Eight Towns, its mean temperature was 1°·4 warmer than the previous year, being 47°·6 Fahr. This increase of temperature, however, was not equally spread over the year, but was limited to the months of June, July, and September, the latter of which, in especial, had a mean temperature greatly above its mean. In Scotland, however, as has been often previously remarked, the changes from cold to warm periods are sudden and frequent, and it is this which causes the climate of Scotland to be so trying to the invalid. These fluctuations of temperature are best seen by looking at the weekly temperatures, when a comparison of the highest, the lowest, and the mean temperatures of each week will give a good idea of the sudden variations to which our climate is exposed. In fact, during the whole year, alternate waves of warm and cold weather occurred.

Thus the first week of January (see Table VIII.) had a temperature of 36°; but a warm wave occurred the second week, which raised its mean to 41°·1. A cold depression followed, so that the third week showed a mean temperature of 36°·2, increasing on the fourth week to 30°·1. This was succeeded by a warm wave the fifth week, which again raised the mean temperature to 35°·2; but a cold period followed, sinking the mean temperature to 33°·2 on the sixth week, and to 29°·4 on the seventh week, or week ending the 18th February. This was the coldest week of the year, the lowest degree of temperature registered being 8° Fahr.; and during this and the following week the greatest number of deaths were registered, showing most

TABLE VIII.—Showing the number of Deaths Weekly, together with the Highest, Lowest, and Mean Temperatures; also the Mean Fall of Rain during every Week of the year 1865, in the Eight Principal Towns of Scotland.

No. of Week.	Week ending	Deaths.	Temperature.			Rain, in inches	No. of Week.	Week ending	Deaths.	Temperature.			Rain, in inches
			Mean.	Highest	Lowest.					Mean.	Highest	Lowest	
			°	°	°					°	°	°	
1	January 7	659	36·0	50·0	17·0	1·195	27	July 8	556	61·6	80·2	42·0	1·602
2	14	622	41·1	52·0	31·0	1·002	28	15	515	57·3	84·2	42·9	0·729
3	21	647	36·2	44·2	27·0	0·512	29	22	567	57·2	73·8	43·9	0·823
4	28	585	30·1	42·3	18·2	0·236	30	29	585	62·0	80·0	47·5	0·897
5	February 4	721	35·2	47·0	13·7	1·481	31	August 5	549	54·1	70·9	41·0	0·210
6	11	650	33·2	41·0	21·0	0·304	32	12	512	58·6	71·0	47·0	1·077
7	18	735	29·4	42·0	8·0	0·406	33	19	515	57·3	72·0	43·5	1·299
8	25	743	37·2	52·1	19·9	0·788	34	26	480	57·1	71·4	46·0	0·437
9	March 4	652	40·0	54·0	29·6	0·947	35	September 2	461	57·9	71·0	43·0	1·616
10	11	595	38·0	49·0	27·9	0·671	36	9	428	63·9	77·0	51·5	0·058
11	18	569	37·5	47·0	28·3	0·109	37	16	411	61·4	76·7	46·0	0·206
12	25	558	35·6	47·0	25·8	0·102	38	23	448	56·8	72·0	39·0	0·293
13	April 1	569	41·0	56·0	26·0	0·408	39	30	442	54·5	73·1	35·0	0·051
14	8	587	47·4	59·0	33·0	0·374	40	October 7	451	53·7	68·2	29·0	0·005
15	15	530	46·3	60·0	29·2	0·278	41	14	521	50·8	59·0	37·0	1·292
16	22	546	46·7	66·3	31·0	0·151	42	21	469	44·5	57·0	30·0	1·013
17	29	513	48·3	77·0	31·0	0·057	43	28	541	40·9	59·4	25·0	1·152
18	May 6	497	48·8	65·0	29·0	0·877	44	November 4	556	41·9	53·0	27·0	1·175
19	13	467	47·0	65·0	37·0	0·712	45	11	588	39·8	51·0	23·0	0·022
20	20	522	50·9	67·7	36·0	0·401	46	18	641	41·7	56·0	28·0	0·384
21	27	502	59·9	80·0	45·0	0·255	47	25	593	45·7	59·3	30·0	1·525
22	June 3	548	51·3	67·0	35·0	1·261	48	December 2	584	41·2	53·0	27·5	1·040
23	10	526	59·4	79·2	42·0	0·175	49	9	568	46·1	56·0	33·0	0·674
24	17	479	58·3	84·0	38·0	0·000	50	16	491	41·5	53·0	24·6	0·007
25	24	461	60·4	82·0	45·0	0·156	51	23	543	45·8	56·0	31·9	0·595
26	July 1	502	58·1	75·0	38·0	0·189	52	30	505	43·7	56·0	31·1	1·420

clearly the baneful effects of extreme cold on the inhabitants of Scotland. On the eighth week a wave of warm temperature occurred, raising the mean temperature to 37°·2 that week, and to 40° the ninth week, when it again sunk slowly through the influence of a cold period or depression, till on the twelfth week, or that ending the 25th of March, the mean temperature had again sunk to 35°·6. A warm wave again rolled on, raising the thirteenth week, or that ending April 1, to 41°, and on the fourteenth week to 47°·4. A slight depression occurred the two succeeding weeks; but on the last week of April and first week of May, the mean temperature had risen to 48°·3 and 48°·8. The nineteenth week was somewhat colder, being only 47°; and the twentieth week, or third week of May, only had a mean temperature of 50°·9. A sudden warm wave of temperature rolled over Scotland the twenty-first week, ending the 27th of May, raising its mean temperature to 59°·9, succeeded by a cold depression, which lowered the twenty-second week, that ending 3d June, to 51°·3. A warm wave again succeeded this, so that the second week of June had a mean temperature of 59°·4, the third of 58°·3, and the fourth week of 60°·4. This was the highest weekly temperature attained during the first half of the year. A cold depression occurred during the week ending July 1, sinking the mean temperature to 58°·1; but a warm wave during the week ending July 8, again raised the mean temperature to 61°·6. A cold depression followed for a couple of weeks, sinking the temperature of July below that of June, the respective temperatures during the two weeks being 57°·3 and 57°·2. A warm wave of temperature raised the mean temperature of the last week of July to 62°. A sudden and prolonged cold depression or period set in after this, sinking the mean temperature of the week ending August 5 to 54°·1, and that of the three following weeks to 57°·3, 57°·1, and 57°·9.

After the 28th of August, however, an oppressively hot wave rolled over Scotland, raising the mean temperature of the thirty-sixth week, or that ending September 9th, to 63°·9,—a temperature very rarely witnessed in Scotland, and the highest which was attained during any week of the year. But the declination of the sun and the shortening of the days could not permit this high temperature to be continued, so, though the next week, ending September 16th, had the very high mean temperature of 61°·4, the mean temperature slowly but steadily declined, week after week after this, till it attained its lowest on the week ending November 11, when it had fallen to 39°·8.

The south-west winds after this began to be the prevalent atmospheric currents over Scotland during the remainder of the year, so that the weekly mean temperatures fluctuated between 41° and 45° Fahr., observing, however, an alternate rise and fall of temperature on each successive week. The whole year, therefore, showed that periods of heat came in successive waves, followed by periods of cold, which very properly may be represented by the depressions which follow waves.

Our special object, however, in directing attention to mean temperature, is to point out its effects on the mortality. In all our previous Reports it has been shown, that in Scotland it is cold which exerts the most prejudicial effect on the human frame. Accordingly, whether we look at the weekly deaths and weekly mean temperatures (Table VIII.), or at the monthly deaths and monthly mean temperatures (Table IX.), we shall find that the week and month which had the lowest temperatures, were those in which the deaths were most numerous. Were every death registered on the day the death occurred, this would be found to be rigidly correct;

but as many deaths are not registered for two or three days after they occur, it frequently happens that, if the cold period occurs towards the end of a week, a considerable proportion of the deaths due to the cold, are registered during the next week. The same does not occur with the months to such an extent as to affect the general deductions. Bearing this in remembrance, we find that the greatest cold occurred during the month of February, when the mean temperature was 34°·5, and the greatest degree of cold was so low as 8°. During that month 2837 deaths occurred in the Eight Towns, or 101 deaths daily,—by far the greatest number that occurred during any month of the year. At the close of the year again, November was the coldest month, its mean temperature being 41°·7, and 2557 deaths occurred, or 85 daily, a much larger number than during September, October, or even December.

But even the weeks showed the same fact. The seventh week of the year, that ending February 18, had the very low mean temperature of 29°·4, when 725 deaths were registered, and 743 the succeeding week, the largest number of deaths during any week of the year. At the close of the year again the coldest week fell on the 45th, viz. that ending November 11. During that week 538 deaths, and during the succeeding week 641 deaths were registered, being a larger number than during any of the closing weeks of the year.

Even in this country, however, extreme heat to a certain extent increases the deaths, by inducing diseases which assimilate in their nature to those of warm countries, viz. bowel complaints. Every year this is observed to a small extent, but during the past year to a more marked extent, in consequence of the increased mean temperatures of June and July. In ordinary years in Scotland, the mortality progressively diminishes from February to September; but during the past year, in the Eight Towns, while June had 2138 deaths, or 71 deaths daily, July had 2420, or 78 deaths daily,—a great increase, caused by the high temperature; and even August had 2247 deaths, or 72 deaths daily,—a higher proportion than June, though a great proportion of the month had no higher temperature than usual. The previous cool weeks of August, and the cool mornings and evenings during the latter half of September, prevented the mortality

TABLE IX.—Showing the connection between certain Atmospheric Phenomena, especially Mean Temperature, and the Deaths from certain Diseases and Classes of Diseases, in the Eight Principal Towns of Scotand, during each month of the year 1865.

1865.	Jan.	Feb.	Mar.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.
Mean Temperature,	35°·5	34°·5	38°·1	47°·0	51°·8	58°·4	59°·3	58°·6	58°·5	46°·7	41°·7	43°·6
Highest Temperature,	52°·0	52°·1	53°·6	77°·0	80°·0	84°·0	80°·0	71°·4	76°·9	78°·0	59°·3	54°·0
Lowest Temperature,	14°·0	8°·0	25°·8	29°·0	29°·0	38°·0	38°·0	39°·7	35°·0	25°·0	25°·0	24°·6
Rainfall, in inches,	3·20	2·41	1·82	0·92	3·02	1·07	3·40	4·12	1·10	4·73	3·37	3·42
Total Deaths,	2812	2837	2593	2236	2311	2138	2420	2247	1853	2233	2557	2262
Daily Deaths,	91	101	84	74	74	71	78	72	62	72	85	73
Zymotic Diseases,	757	692	650	594	587	541	778	678	530	699	700	640
Small-pox,	18	3	5	7	5	5	6	2	4	6	3	3
Measles,	101	81	74	70	98	87	116	74	22	18	33	35
Scarlatina and Diphtheria,	132	116	81	67	47	46	76	79	99	159	174	151
Hooping-cough,	119	114	103	89	113	86	98	96	87	155	149	146
Croup,	44	28	29	30	9	20	16	16	15	29	28	26
Typhus,	275	281	289	269	245	214	199	167	168	173	220	207
Diarrhœa, Dysen., & Chol.,	37	36	33	36	45	58	236	215	116	112	53	32
Consumption,	323	313	306	284	327	284	294	253	236	259	246	246
Diseases Respiratory Organs,	512	770	511	376	302	239	223	220	171	353	546	422
Heart, etc., Diseases,	115	96	111	98	91	116	85	95	90	89	104	102
Brain, etc., Diseases,	226	188	217	180	198	171	193	159	149	179	182	141
Age,	135	151	135	182	80	94	96	97	71	67	118	106

rising with the extremely high mean temperatures of the first two weeks of September.

The effect of high mean temperature on the bowel diseases is best seen by comparing the deaths from Diarrhœa, Dysentery, and Cholera during the different months. During May, when heat first began to be felt, the deaths from these bowel complaints were 45; during June, the continuance of the heat raised them to 58. But as bowel complaints take some time to prove fatal, it was not till July that they amounted to 236 deaths, and to 215 in August. The cold weather during the last two weeks of September allowed them to fall to 116 during September, and to 112 during October. During November only 53 deaths from that cause occurred, and 32 during December.

With the single exception of these bowel complaints, all the diseases to which the inhabitants of Scotland are liable increase with the cold and diminish with the warm weather, and most notably all those called epidemic diseases, as Typhus, Scarlatina, Hooping-cough, etc. (see Table IX.) Thus, Typhus, which had diminished to 167 deaths in August, increased with the cold to 207 in December, 275 in January, and 281 in February. Hooping-cough, which only caused 87 deaths in September, caused 149 in November, and 146 in December. Scarlatina and Diphtheria, which caused 79 deaths in August, caused 174 in November, and 151 in December. Diseases of the respiratory organs (Bronchitis, Pneumonia, etc.), which caused 171 deaths in September, rose to 353 deaths in October, to 546 in November, and to 422 in December. In all these cases the milder month of December caused the mortality from each of these diseases to be smaller than that of the colder month of November.

VACCINATION IN SCOTLAND, 1864.

The Scottish Vaccination Act, 26° and 27° Vict. c. 108, came into full operation on the 1st day of January 1864. It enacted that every child born in Scotland after the 1st day of January 1864 should be vaccinated, within six months from its birth, by a qualified medical practitioner; and that the fact of its having been vaccinated should be entered on the Register of Births, kept in each parish or district under the Registration Act, 17° and 18° Vict. c. 80. The *onus* of seeing that the child was vaccinated was thrown upon the father, mother, or person who had the care, nurture, and custody of the child; and the vaccination was enforced under pecuniary penalties, or imprisonment in default of payment.

To secure the due performance of Vaccination, the medical practitioner was required to deliver to the parents or custodiers of every child, a certificate bearing either (1) that the operation had been successfully performed, or (2) that it had been postponed, or (3) that the child was insusceptible of the disease; and this certificate when transmitted to the Registrar was his authority for entering on the Birth Registers the facts relative to the Vaccination.

In certain Insular and Highland parishes, where all intercourse is nearly suspended for six months every year, it would have been very imprudent to have attempted to enforce vaccination of the child within six months. The Act therefore very properly provided that the Board of Supervision should have the power in such cases to extend the period before any penal-

ties could be incurred by parents or guardians The Board of Supervision have accordingly extended the period to twelve months from the birth of the child in twenty-eight of the insular parishes; and in several other cases, where they have not extended the time for the vaccination, have extended to four and to six months the period to which the operation may be postponed, when the child is not in a fit state for vaccination.

In consequence, therefore, of these provisions of the Act, it would have given no information of the least value had any Report been drawn up relative to Vaccination in Scotland before the present date; for in all the above-mentioned twenty-eight parishes, the children born during December 1864 were only obliged to be vaccinated by the close of December 1865, so that a complete return of the vaccinations applicable to the children born in 1864 could not be procured till the beginning of the present year. Even as it is, communication is so difficult and dangerous between many of the islands during the winter months, that three of the returns now due from insular parishes have not been received, and will not now be received till our winter storms are over.

During the year 1864, according to these vaccination returns, 112,559 births were entered on the Birth Registers, of which number, 3708 were those of children who, from having been born prior to the 1st day of January 1864, were not included under the operation of the Vaccination Act. That number therefore being deducted, would leave 108,851 children in Scotland in 1864 under the operation of the Act. With that number, therefore, we have alone to do; and in Table X. are given the particulars relative to these 108,851 children, in so far as the Vaccination Act is concerned.

From that Table it appears that, of the 108,851 children, 95047, being 87·32 per cent. of the whole, were successfully vaccinated. 662, or 0·61 per cent., had their vaccination postponed from ill health or other causes. 1261, or 1·15 per cent., were found to be insusceptible of vaccination; but of these the insusceptibility arose from the child having been previously vaccinated in 440 cases, from the child having had Small-pox in 154 cases, while in 667 cases it arose from constitutional insusceptibility. 9180 children, or 8·44 per cent., died before vaccination could be performed; while 2701 children, or 2·48 per cent., had removed from the district before vaccination could be enforced, or were otherwise unaccounted for.

Table X., however, and the above statement do not bring out the full success of the Vaccination Act, so as to make it patent to every mind. What we are specially interested in ascertaining is not the proportion successfully vaccinated out of the total number of children whose births are entered on the Registers, for that includes all who died previous to vaccination; but we

TABLE X.—VACCINATIONS, 1864. Particulars relative to the Vaccination of Children who came under the operation of the Vaccination Act in 1864.

	Successfully Vaccinated.	Vaccination Postponed.	Insusceptible of Vaccination.			Died before Vaccination.	Removed from District before Vaccination, or otherwise not accounted for.	Total.
			From Constitutional Insusceptibility.	From having had Small-pox.	From being previously Vaccinated.			
Number .	95047	662	667	154	440	9180	2701	108,851
Proportion per cent	87·32	0·61	0·61	0·14	0·40	8·44	2·48	10·000

wish to ascertain what proportion of children, who survived till they were vaccinated, are protected by vaccination. Table XI. is drawn up with the view of showing this fact. It deducts from the 108,851 children who came under the operation of the Act, the 9180 who died before vaccination was attempted, and thus leaves 99671 living children to be operated upon. Their vaccination gives the true success of the Act, and is of extreme interest.

Of these 99671 living children, 95047, or 95·36 per cent., were successfully vaccinated; but as we must add to that number all those who were found to be insusceptible of the vaccine virus, from having been previously successfully vaccinated by clergymen, midwives, or parents, all those who had already had Small-pox, and all those who had constitutional insusceptibility, we find that those really protected amount to 96308 children, or to the proportion of 96·62 in every 100 children. As all those whose vaccination is postponed are being looked after, and those who survive will be vaccinated, this gives us a total of 96970 children out of 99671, or a total proportion of 97·29 in every 100 children, protected as far as may be from the ravages of Small-pox. In fact, it accounts for every living child, excepting the 2701 who have been lost sight of, from their parents having removed to other parishes. Only the small proportion, therefore, of 2·71 per cent. remains unprotected by vaccination of all the living children who came under the operation of the Vaccination Act in 1864.

These results are most gratifying, and show how fully the Act has been carried into effect. The proportion successfully vaccinated in Scotland is about the highest which could be vaccinated out of the numbers given, and reflects the greatest credit on the people, and on the vaccinators. It must be remembered that, of all children born, about thirteen out of every 100 die before they complete their first year. In comparing the proportion, therefore, who were successfully vaccinated with the total entries on the Registers, allowance must be made for that; and as the deaths are most numerous during the earlier years of life, at least ten thousand ought to be deducted from the total number as the proportion of deaths previous to vaccination. In reality, 9180 deaths were ascertained to have occurred; but it cannot be doubted that at least half of the cases unaccounted for must have been from the infants having died, but in consequence of the parents having moved to another registration district, the registrar who recorded the birth of the child was unable to ascertain anything more about it, and therefore returned it as unaccounted for.

TABLE XI.—VACCINATIONS, 1864. Particulars relating to the Vaccination of Children who came under the operation of the Vaccination Act in 1864, deducting the Children who died before Vaccination.

	Successfully Vaccinated.	Vaccination Postponed.	Insusceptible of Vaccination.			Removed from District before Vaccination, or otherwise not accounted for.	TOTAL LIVING.
			From Constitutional Insusceptibility.	From having had Small-pox.	From having been previously Vaccinated.		
Number . . .	95047	662	667	154	440	2701	99671
Proportion . .	95·36	0·67	0·67	0·15	0·44	2·71	100·00

Could it have been satisfactorily done, it would have been desirable to have shown the influence of Vaccination in arresting the spread of Small-pox among the population. The Act, however, has not been nearly long enough in operation to give even the most distant approximation to such an interesting inquiry, though, when looked at in a superficial way, the facts ascertained up to this date seem to indicate the most satisfactory results.

The deaths from Small-pox over all Scotland for the two years during which the Vaccination Act has been in operation cannot yet be ascertained, as the Registers for 1865 will not be received at the Head Office for some months, and it takes several clerks many months' labour to extract and tabulate the causes of death, etc. But the deaths from the different diseases in the Eight Principal Towns of Scotland are tabulated monthly; so that we can ascertain from them whether Small-pox has increased or diminished since vaccination has become general.

It was found that, by taking an average of eight years, there died from Small-pox in Scotland annually 895 persons, and that 487 of these deaths occurred in the Eight Principal Towns. This shows that more than one-half of the deaths from Small-pox in Scotland occur in the Eight Towns; so that if we know the number of deaths from Small-pox in these Eight Towns, we can arrive at a very close approximation to the number of deaths from Small-pox over the whole of Scotland.

In 1863, the year before the Vaccination Act came into operation, 816 persons died from Small-pox in the Eight Towns, indicating a mortality of 1500 persons over Scotland during that year from that disease. In 1864, the deaths from Small-pox in the Eight Towns were 679, implying that 1248 deaths over Scotland occurred that year from Small-pox. In 1865, which may be regarded as the first year in which the Vaccination Act was in full operation, the deaths from Small-pox only amounted to 67, which only implies 123 deaths from that disease over Scotland. Never for the last eleven years has the mortality from that disease been half so low; and making every allowance, it can scarcely be doubted that the general adoption of vaccination has had considerable effect in reducing the mortality.

It must be remembered, however, that Small-pox, like all epidemic diseases, has its periods of prevalence and decline, and that these periods occur with a regularity so truly surprising that they always remind one of waves. In fact, Small-pox waves in regular succession sweep over our island, the crest of the wave representing the year when the mortality is greatest, the sloping sides of the waves when it is at an average, and the depression or trough of the wave when the mortality is lowest. The accompanying table shows these facts for all Scotland, the deaths for the years 1863, 1864, and 1865 being estimated from the Small-pox deaths in the Eight Principal Towns of Scotland. This table shows that the Small-pox wave rolled over Scotland in 1855 and 1856, raising the deaths

TABLE XII.

Years.	Small-pox Deaths.	Years.	Small-pox Deaths.
1855	1309	1861	766
1856	1306	1862	426
1857	845	1863	1500
1858	332	1864	1248
1859	682	1865	123
1860	1495		

from that disease to 1309 and 1306 respectively; then slowly subsided through 1857, till it reached its lowest trough in 1858, when only 332 deaths from Small-pox occurred. Another wave then succeeded, rising through 1859, till it reached its full height or crest in 1860, when 1495 fell victims to the disease, after which it slowly rolled away through 1861, till its trough only remained over Scotland in 1862, when only 426 Small-pox deaths occurred. A much higher wave succeeded, suddenly rising in 1863 to 1500 deaths, slightly falling in 1864 to 1248 deaths; but attaining a very low trough indeed in 1865, when it only produced 123 deaths.

These facts, then, exhibiting something of the natural history of the disease, show how careful we must be in drawing conclusions as to the efficacy of the Vaccination Act from imperfect data. A few years, however, will put it in our power to ascertain positively the effects which will follow the perfect vaccination of our children. By the above Table it is seen that, taking an average of eleven years, 911 persons annually die from Small-pox in Scotland; and it will be a most satisfactory result if the recent Act shall reduce that number to even half that amount. The vaccination of our children, however, never can totally extinguish Small-pox so long as such a large proportion of our adults are unprotected and propagate the disease; and even a considerable number of children will always fall victims to it, unless all parents and guardians vaccinate their children at a much earlier age than they are in the habit of doing, for Small-pox is most fatal to infants; and the younger the child is, the more it is liable to take the disease and to sink under it.

A large number of the Registrars have appended to their returns valuable notes relative to the working of the Vaccination Act in their several districts. There is one point prominently brought forward in these remarks by the Registrars to which it is necessary to advert; and the extracts from their notes given in the Appendix are chiefly limited to this point, their other remarks being highly commendatory of the general working of the Statute.

At the time of the passing of the Vaccination Act, an opinion was very generally entertained that it was open to every one to employ either a medical practitioner selected by himself to perform the operation, or to have recourse to the public Vaccinator appointed by the Parochial Board, and that, in the latter case, the cost would be defrayed out of the rate in the manner pointed out by the Statute, thus putting Vaccination on the same footing as the Registration of a Birth.

The prevalence of this view induced the Board of Supervision to submit a case to the law officers of the Crown, who gave an opinion that the only children whom the public Vaccinator was required to vaccinate gratuitously were those of paupers, and those ordered to be vaccinated by the Parochial Board, in consequence of the failure of their parents to send in the certificate required by the 8th section of the Act.

Instructions, in conformity with the opinion they had received, were accordingly issued by the Board of Supervision, and have been acted upon generally throughout the country. While we must assume that the interpretation put upon the Act is correct, and expresses the intention of the Legislature on the point referred to, it is right to state that the remarks of the Registrars tend to show that the restriction of the functions of the public Vaccinator to children of the paupers and defaulters, has been felt as a hardship, and has caused much dissatisfaction among the in-

habitants of the Insular, Highland, and Pastoral Districts, and also among the very numerous class in our large towns which is just removed from pauperism. It is a matter of the greatest difficulty for the parties referred to to pay even the smallest medical fee prescribed by the Act for vaccination, viz. one shilling and sixpence; but the hardship is infinitely more when it is considered that in these Insular and Highland Parishes, the vaccinators appointed by the Parochial Boards have been charging the inhabitants generally the high fee of three shillings and sixpence, the sum fixed by the Act for the remuneration of the public vaccinator appointed by the Board of Supervision, under the provisions of the 12th section of the Act.

Looking to the character of the country and other circumstances, the amount of remuneration is by no means excessive; but the Act only authorizes that high fee to be paid when the charge is made against the Parochial Board; and it is obviously quite beyond what many of the inhabitants of these districts can afford to pay.

It is to be feared that the practice of charging parties included under the classes above referred to any fees whatever for the vaccination of their children, but especially these exorbitant fees which have been charged in some of the Insular and Highland parishes, is inexpedient, and may tend to throw impediments in the way of the successful working of the Act. It is to be remembered, that at present these impoverished classes can only get their children vaccinated gratuitously by the public Vaccinator after they have subjected themselves to a penalty of twenty-one shillings; and it was for the purpose of saving themselves from this penalty that they have as yet made every effort to raise the sum demanded by the Vaccinator.

The success which has hitherto attended the working of the Act has been greater than could have been anticipated, mainly owing, apparently, to the conscientious desire, not only on the part of those who had statutory duties imposed upon them, but on the part of the public at large, to aid in carrying out this most important statute. This only renders it the more necessary to do all that can be done to alleviate what, from the Notes of the Registrars, and from the Reports of the District Examiners, appears to be felt in certain parts of the country, and among certain classes of the population, as a very heavy burden.

It must be remembered that Scotland is not a country where vaccination was previously neglected. In every parish, the great majority of the children were vaccinated either by the surgeon, if there was one, or by a midwife; and in several of the Insular and Highland parishes, the clergyman vaccinated all gratuitously. Vaccination by the clergymen and by the midwives cost the people nothing. They felt it therefore all the greater hardship to pay a medical practitioner a fee for doing that which, in former days, the clergyman or midwife had done free of charge; and they felt the hardship all the more because neither clergyman nor midwife were, by the Act, allowed to grant a certificate of successful vaccination. Even in the case where Small-pox had broken out in their neighbourhood, and they were obliged to get their children vaccinated by the clergyman or midwife, because no regular medical practitioner was within 15 or 20 miles, they had, after all, to pay that medical man for a certificate.

The Poor-Law Inspectors have, with great good sense, generally exercised a wise discretion in not prosecuting for the penalties under the 17th section of the Act, provided the Registrar eventually got a certificate of vaccination. In some cases an example had to be made, to show that the Vaccination Act was imperative; and this has generally had the effect of

securing conformity to the requirements of the Statute. But were the Act so amended as to permit every person who felt unable to pay the vaccination fee, to get his child vaccinated at once by the public Vaccinator, the penalty clause would become a dead letter, the Statute would be better observed, the children of the poorer classes would be sooner vaccinated, and Small-pox would be more surely expelled from the country.

It is to be hoped that in the event of any further legislation on the subject of Vaccination being thought necessary, the subject of the foregoing remarks will not be lost sight of; and it will be well to consider whether it would not be advisable to shorten the period within which Vaccination must be performed to three months, subject to such exceptions as may be sanctioned by the Board of Supervision. As a general rule, six months is far too long.

I have the honour to be,

Sir,

Your most obedient Servant,

JAMES STARK.

General Registry Office of Births, etc.,
Edinburgh, 20*th February* 1866.

BIRTHS

REGISTERED IN SCOTLAND DURING EACH MONTH OF THE YEAR **1865.**

	Population.	Births.															
	1861	Jan	Feb	Mar	Apr	May	Jun	Jul	Aug	Sep	Oct	Nov	Dec	Total Births.	Males	Fem.	Total Illegit. Births.
SCOTLAND,	3,062,294	9578	9040	9990	9864	10542	9926	9403	9074	8843	9279	8763	8824	113126	58250	54876	11267
DIVISIONS.																	
NORTHERN,	130,422	263	210	244	254	298	307	314	306	311	280	270	289	3346	1761	1585	225
NORTH-WESTERN,	167,329	393	335	392	350	346	386	395	370	381	418	370	415	4551	2348	2203	283
NORTH-EASTERN,	366,783	1079	979	1108	1120	1232	1081	1076	1136	1029	1099	1061	1012	13012	6756	6256	2007
EAST-MIDLAND,	523,822	1518	1466	1599	1603	1706	1510	1547	1518	1432	1477	1449	1425	18250	9313	8937	2029
WEST-MIDLAND,	242,507	640	655	707	733	746	725	679	640	648	646	606	593	8018	4218	3800	624
SOUTH-WESTERN,	1,008,253	3870	3632	3996	3982	4162	3984	3486	3411	3330	3534	3278	3363	44023	22643	21380	3721
SOUTH-EASTERN,	408,962	1236	1197	1329	1257	1450	1351	1322	1183	1178	1252	1234	1211	15200	7842	7358	1432
SOUTHERN,	214,216	579	566	615	565	602	582	584	510	534	573	500	516	6726	3369	3357	946
I. NORTHERN.																	
Shetland,	31,670	56	41	51	49	72	86	72	103	91	78	76	79	854	432	422	41
Orkney,	32,395	69	58	59	57	84	73	85	58	57	60	72	61	793	413	380	43
Caithness,	42,200	93	71	84	97	105	100	114	103	112	94	92	102	1167	618	549	111
Sutherland,	24,157	45	40	50	51	37	48	43	42	51	48	30	47	532	298	234	30
II. NORTH-WESTERN.																	
Ross and Cromarty,	82,427	209	181	200	162	154	188	193	195	185	190	204	209	2270	1180	1090	109
Inverness,	84,902	184	154	192	188	192	198	202	175	196	228	166	206	2281	1168	1113	174
III. NORTH-EASTERN.																	
Nairn,	8,347	20	20	22	16	23	26	19	20	16	27	27	21	257	142	115	31
Elgin (or Moray),	44,218	122	91	124	135	127	125	135	131	114	94	111	123	1425	788	637	207
Banff,	56,020	148	156	165	172	186	155	150	175	132	168	155	162	1924	976	948	295
Aberdeen,	223,344	691	626	704	678	775	684	681	709	671	699	660	632	8210	4251	3959	1290
Kincardine,	34,854	98	86	93	119	121	91	101	98	96	111	108	74	1196	599	597	184
IV. EAST-MIDLAND.																	
Forfar,	206,750	698	680	702	705	781	675	694	667	662	651	677	700	8292	4279	4013	1095
Perth,	133,198	306	293	365	319	354	311	312	315	297	303	294	250	3719	1897	1822	404
Fife,	155,021	430	407	450	484	461	441	452	464	418	450	407	408	5272	2632	2640	436
Kinross,	8,731	27	22	13	26	24	13	19	17	12	14	23	14	224	118	106	25
Clackmannan,	20,122	57	64	69	69	86	70	70	55	43	59	48	53	743	387	356	69
V. WEST-MIDLAND.																	
Stirling,	88,138	257	295	346	303	326	298	287	286	273	252	247	256	3426	1785	1641	276
Dumbarton,	54,179	177	160	174	191	199	197	174	154	163	189	158	151	2087	1115	972	156
Argyll,	83,859	165	166	152	199	193	198	187	167	173	174	166	155	2095	1117	978	169
Bute,	16,331	41	34	35	40	28	32	31	33	39	31	35	31	410	201	209	23
VI. SOUTH-WESTERN.																	
Renfrew,	168,746	605	569	653	704	686	657	562	549	556	563	522	578	7204	3725	3479	532
Ayr,	199,063	638	607	712	668	694	697	613	538	610	619	585	557	7538	3904	3634	684
Lanark,	640,444	2627	2456	2631	2610	2782	2630	2311	2324	2164	2352	2166	2228	29281	15014	14267	2505
VII. SOUTH-EASTERN.																	
Linlithgow,	39,045	148	149	166	177	180	157	163	116	139	147	145	132	1819	930	889	154
Edinburgh,	274,093	854	796	876	804	973	920	886	797	791	853	831	825	10206	5267	4939	937
Haddington,	37,626	87	100	106	113	97	115	105	100	92	95	106	115	1231	650	581	131
Berwick,	36,488	71	94	114	101	121	92	102	99	86	90	98	73	1141	592	549	125
Peebles,	11,300	40	30	35	26	43	32	40	40	31	32	23	34	406	213	193	37
Selkirk,	10,410	36	28	32	36	36	35	26	31	39	35	31	32	397	190	207	48
VIII. SOUTHERN.																	
Roxburgh,	53,722	141	140	159	133	174	162	152	124	147	147	121	125	1725	879	846	191
Dumfries,	75,904	205	201	218	213	196	205	210	203	191	205	182	193	2422	1185	1237	347
Kirkcudbright,	42,745	125	122	124	123	117	108	127	94	106	117	101	112	1376	688	688	207
Wigtown,	41,845	108	103	114	96	115	107	95	89	90	104	96	86	1203	617	586	201

DEATHS

REGISTERED IN SCOTLAND DURING EACH MONTH OF THE YEAR 1865.

		Population.	DEATHS.														
		1861	Jan	Feb	Mar	Apr	May	Jun	Jul	Aug	Sep	Oct	Nov	Dec	Total Deaths.	Males	Fem.
	SCOTLAND,	3,062,294	6910	7012	6864	5798	5931	5337	5595	5486	4826	5368	6023	5671	70821	35196	35625
	DIVISIONS.																
1	NORTHERN,	130,422	223	239	223	180	166	149	155	154	153	149	145	151	2067	975	1092
2	NORTH-WESTERN,	167,329	259	261	291	206	234	198	221	207	171	202	195	222	2667	1327	1340
3	NORTH-EASTERN,	366,783	613	585	638	572	587	538	531	519	456	478	612	610	6739	3315	3424
4	EAST-MIDLAND,	523,822	1177	1159	1067	954	958	934	995	918	849	842	944	927	11724	5670	6054
5	WEST-MIDLAND,	242,507	447	464	490	377	451	351	360	368	352	369	394	346	4769	2453	2316
6	SOUTH-WESTERN,	1,008,253	2902	3002	2777	2371	2410	2116	2302	2174	1809	2219	2517	2359	28958	14614	14344
7	SOUTH-EASTERN,	408,962	903	888	955	782	777	749	772	830	746	794	891	774	9861	4898	4963
8	SOUTHERN,	214,216	386	414	423	356	348	302	279	316	290	315	325	282	4036	1944	2092
	I. NORTHERN.																
1	Shetland,	31,670	46	54	58	37	40	37	24	47	50	42	40	39	514	235	279
2	Orkney,	32,395	51	48	54	48	41	36	35	27	26	22	37	31	456	214	242
3	Caithness,	42,200	82	100	88	72	62	55	53	51	48	59	38	49	757	355	402
4	Sutherland,	24,157	44	37	23	23	23	21	23	29	29	26	30	32	340	171	169
	II. NORTH-WESTERN.																
5	Ross and Cromarty,	82,427	119	132	132	96	124	103	112	117	90	115	97	122	1359	654	705
6	Inverness,	84,902	140	129	159	110	110	95	109	90	81	87	98	100	1308	673	635
	III. NORTH-EASTERN.																
7	Nairn,	8,347	13	11	18	17	12	14	20	13	7	10	13	9	157	72	85
8	Elgin (or Moray),	44,218	69	69	78	57	55	47	71	61	58	51	73	80	769	398	371
9	Banff,	56,020	75	84	87	77	78	77	63	67	43	57	68	91	867	424	443
10	Aberdeen,	223,344	388	373	402	365	391	353	351	339	311	316	407	384	4380	2148	2232
11	Kincardine,	34,854	68	48	53	56	51	47	26	39	37	44	51	46	566	273	293
	IV. EAST-MIDLAND.																
12	Forfar,	206,750	568	506	481	391	434	450	476	447	364	345	391	423	5276	2555	2721
13	Perth,	133,198	254	266	256	229	231	215	203	196	189	183	216	260	2641	1285	1356
14	Fife,	155,021	295	320	275	266	242	225	245	224	262	269	294	268	3185	1503	1682
15	Kinross,	8,731	12	16	12	24	18	13	19	16	10	15	17	8	180	89	91
16	Clackmannan,	20,122	48	51	43	41	30	31	52	35	24	30	26	28	442	238	204
	V. WEST-MIDLAND.																
17	Stirling,	88,138	168	172	177	137	177	135	139	147	112	154	170	153	1841	929	912
18	Dumbarton,	54,179	108	123	131	109	116	106	81	97	90	74	97	82	1214	616	598
19	Argyll,	83,859	137	135	144	109	122	87	112	90	115	109	97	92	1349	717	632
20	Bute,	16,331	34	34	38	22	36	23	28	34	35	32	30	19	365	191	174
	VI. SOUTH-WESTERN.																
12	Renfrew,	168,746	497	545	489	390	373	343	362	321	306	331	428	407	4792	2388	2404
22	Ayr,	199,063	400	396	402	354	372	341	295	294	233	287	317	362	4053	2024	2029
32	Lanark,	640,444	2005	2061	1886	1627	1665	1432	1645	1559	1270	1601	1772	1590	20113	10202	9911
	VII. SOUTH-EASTERN.																
24	Linlithgow,	39,045	89	69	88	76	69	64	63	51	58	60	74	78	839	427	412
25	Edinburgh,	274,093	645	642	670	551	557	552	595	628	537	607	670	563	7217	3579	3638
26	Haddington,	37,626	67	70	96	60	58	50	50	59	62	51	58	56	737	357	380
27	Berwick,	36,488	68	71	63	58	60	45	35	53	59	43	56	42	653	327	326
28	Peebles,	11,300	21	17	17	16	15	15	17	21	14	16	16	16	201	99	102
29	Selkirk,	10,410	13	19	21	21	18	23	12	18	16	17	17	19	214	109	105
	VIII. SOUTHERN.																
30	Roxburgh,	53,722	95	103	98	100	85	81	62	76	71	76	74	71	992	500	492
31	Dumfries,	75,904	125	141	155	124	136	126	130	111	102	104	146	109	1509	752	757
32	Kirkcudbright,	42,745	82	81	90	72	65	60	46	71	66	71	52	57	813	360	453
33	Wigtown,	41,845	84	89	80	66	62	55	41	58	51	64	53	45	722	332	390

MARRIAGES

REGISTERED IN SCOTLAND DURING EACH MONTH OF THE YEAR 1865.

		Population.		Marriages.											
		1851	1861	Jan	Feb	Mar	Apr	May	Jun	Jul	Aug	Sep	Oct	Nov	Dec	Total.
	SCOTLAND, -	2,888,742	3,062,294	2746	1404	1257	1245	1171	3282	2395	1548	1392	1598	2268	3271	23577
	DIVISIONS.															
1	NORTHERN, . . .	127,035	130,422	53	59	48	24	35	51	33	26	37	40	72	140	618
2	NORTH-WESTERN, . .	175,735	167,329	108	101	79	47	40	95	42	35	27	55	62	130	821
3	NORTH-EASTERN, . .	348,366	366,783	271	115	109	104	153	409	234	156	131	200	211	483	2576
4	EAST-MIDLAND, . .	515,966	523,822	540	217	191	202	217	548	378	272	241	229	421	583	4039
5	WEST-MIDLAND, . .	241,447	242,507	163	106	88	71	52	206	142	105	98	102	150	231	1514
6	SOUTH-WESTERN, . .	881,092	1,008,253	1129	533	502	521	434	1191	1101	627	578	636	885	1048	9185
7	SOUTH-EASTERN, . .	383,217	408,962	384	204	159	200	179	577	370	257	209	255	340	440	3574
8	SOUTHERN, . . .	215,884	214,216	98	69	81	76	61	205	95	70	71	81	127	216	1250
	I. NORTHERN.															
1	Shetland, . . .	31,078	31,670	24	19	10	1	8	5	0	7	10	8	15	51	158
2	Orkney, . . .	31,455	32,395	9	11	18	10	5	12	11	10	6	7	21	33	153
3	Caithness, . .	39,782	42,200	17	20	13	6	14	23	18	7	17	20	27	39	221
4	Sutherland, . . .	24,720	24,157	3	9	7	7	8	11	4	2	4	5	9	17	86
	II. NORTH-WESTERN.															
5	Ross and Cromarty, . .	83,781	82,427	44	45	42	22	25	35	19	15	11	25	29	69	381
6	Inverness, . . .	91,954	84,902	64	56	37	25	15	60	23	20	16	30	33	61	440
	III. NORTH-EASTERN.															
7	Nairn, ...	8,076	8,347	3	1	1	1	3	10	7	3	7	6	7	7	56
8	Elgin (or Moray), . .	40,532	44,218	20	9	9	10	18	36	22	10	15	23	19	50	241
9	Banff, ...	51,353	56,020	38	21	12	17	17	59	41	16	16	38	30	75	380
10	Aberdeen, . . .	213,461	223,344	188	73	75	64	102	255	143	112	88	113	129	280	1622
11	Kincardine, . . .	34,944	34,854	22	11	12	12	13	49	21	15	5	20	26	71	277
	IV. EAST-MIDLAND.															
12	Forfar, ...	193,627	206,750	248	110	80	97	108	293	206	155	134	119	179	272	2001
13	Perth, ...	137,369	133,198	95	45	41	36	45	117	68	35	41	39	83	141	786
14	Fife, ...	153,789	155,021	163	56	63	59	60	127	86	66	55	65	143	140	1083
15	Kinross, ...	9,626	8,731	9	1	1	3	2	5	6	3	2	2	9	17	60
16	Clackmannan, . . .	21,555	20,122	25	5	6	7	2	6	12	13	9	4	7	13	109
	V. WEST-MIDLAND.															
17	Stirling, . . .	83,802	88,138	83	40	41	27	23	92	73	53	48	51	72	117	720
18	Dumbarton, . . .	46,995	54,179	31	28	17	17	17	54	31	24	25	23	29	46	342
19	Argyll, ...	94,042	83,859	37	34	24	19	5	51	30	24	21	23	37	44	349
20	Bute, ...	16,608	16,331	12	4	6	8	7	9	8	4	4	5	12	24	103
	VI. SOUTH-WESTERN.															
21	Renfrew, ...	157,950	168,746	205	100	88	89	56	199	178	135	88	103	138	186	1565
22	Ayr, ...	189,973	199,063	139	72	78	101	56	176	143	122	104	85	122	199	1397
23	Lanark, ...	533,169	640,444	785	361	336	331	322	816	780	370	386	448	625	663	6223
	VII. SOUTH-EASTERN.															
24	Linlithgow, . . .	30,590	39,045	43	18	19	13	12	51	35	17	23	19	26	43	319
25	Edinburgh, . . .	259,493	274,093	287	158	118	151	130	398	287	208	153	194	264	299	2647
26	Haddington, . . .	36,363	37,626	21	11	4	9	20	56	13	14	16	13	23	41	241
27	Berwick, ...	36,165	36,488	25	12	14	16	10	40	21	10	8	17	16	31	220
28	Peebles, ...	10,804	11,300	6	2	2	2	3	18	4	4	4	5	6	9	65
29	Selkirk, ...	9,802	10,410	2	3	2	9	4	14	10	4	5	7	5	17	82
	VIII. SOUTHERN.															
30	Roxburgh, . . .	51,225	53,722	32	22	17	20	20	56	31	18	25	23	35	76	375
31	Dumfries, ...	78,149	75,904	30	28	37	29	27	71	33	31	22	24	48	72	452
32	Kirkcudbright, . . .	43,371	42,745	18	9	19	12	3	47	17	13	11	16	20	42	227
33	Wigtown, . . .	43,139	41,845	18	10	8	15	11	31	14	8	13	18	24	26	196

VACCINATIONS IN SCOTLAND—1864.

		Sucessfully Vaccinated.	Vaccination Postponed.	Insusceptible of Vaccine Disease.			Died before Vaccination.	Removed from District before Vaccination, or otherwise unaccounted for.	Children born prior to 1st January 1864.	Total.
				On the ground of Constitutional Insusceptibility.	In respect of the children having already had Small-pox.	On the ground of previous Successful Vaccination.				
	SCOTLAND, -	95047	662	667	154	440	9180	2701	3708	112559
	DIVISIONS.									
1	NORTHERN,	2937	123	39	7	30	210	70	97	3513
2	NORTH-WESTERN,	3624	165	69	6	36	409	120	128	4557
3	NORTH-EASTERN,	11426	46	33	4	21	874	63	422	12889
4	EAST-MIDLAND,	15365	34	82	22	164	1531	220	524	17942
5	WEST-MIDLAND,	7066	82	56	7	4	605	159	243	8222
6	SOUTH-WESTERN,	35773	122	264	82	126	3783	1562	1568	43280
7	SOUTH-EASTERN,	13012	51	75	14	41	1239	397	524	15353
8	SOUTHERN,	5844	39	49	12	18	529	110	202	6803
	I. NORTHERN.									
1	Shetland,	614	82	3	0	28	42	34	22	825
2	Orkney,	783	9	3	0	0	30	6	33	864
3	Caithness,	1067	27	24	7	0	103	23	24	1275
4	Sutherland,	473	5	9	0	2	35	7	18	549
	II. NORTH-WESTERN.									
5	Ross and Cromarty,	1825	84	21	0	35	193	43	55	2256
6	Inverness,	1799	81	48	6	1	216	77	73	2301
	III. NORTH-EASTERN.									
7	Nairn,	189	2	0	0	8	21	2	6	228
8	Elgin or Moray,	1251	3	10	0	1	103	16	47	1431
9	Banff,	1793	7	4	0	0	123	3	75	2005
10	Aberdeen,	7160	24	16	3	9	556	40	261	8069
11	Kincardine,	1033	10	3	1	3	71	2	33	1156
	IV. EAST-MIDLAND.									
12	Forfar,	6621	8	33	16	149	792	114	241	7974
13	Perth,	3349	15	18	4	2	293	57	122	3860
14	Fife,	4550	8	28	2	11	373	41	140	5153
15	Kinross,	200	3	0	0	0	9	3	6	221
16	Clackmannan,	645	0	3	0	2	64	5	15	734
	V. WEST-MIDLAND.									
17	Stirling,	2986	8	20	5	4	238	39	109	3409
18	Dumbarton,	1840	1	6	2	0	192	54	63	2158
19	Argyll,	1863	52	21	0	0	146	64	58	2204
20	Bute,	377	21	9	0	0	29	2	13	451
	VI. SOUTH-WESTERN.									
21	Renfrew,	5934	32	59	25	33	738	254	220	7295
22	Ayr,	6648	21	42	6	24	509	99	300	7649
23	Lanark,	23191	69	163	51	69	2536	1209	1048	28336
	VII. SOUTH-EASTERN.									
24	Linlithgow,	1560	16	29	7	0	145	50	58	1865
25	Edinburgh,	8563	28	21	4	30	846	301	385	10178
26	Haddington,	1137	1	2	0	5	96	22	17	1280
27	Berwick,	1063	2	10	3	4	83	17	42	1224
28	Peebles,	353	4	9	0	2	23	7	13	411
29	Selkirk,	336	0	4	0	0	46	0	9	395
	VIII. SOUTHERN.									
30	Roxburgh,	1511	4	13	6	4	149	29	52	1768
31	Dumfries,	2068	26	20	2	5	186	40	70	2417
32	Kirkcudbright,	1177	8	9	3	8	113	22	38	1378
33	Wigtown,	1088	1	7	1	1	81	19	42	1240

Number of Births, Deaths, and Marriages in each of the Eight Principal Towns of Scotland during the Years 1865, 1864, and 1863, with their Proportions to the Population, estimated to the middle of each year.

1865.	POPULATION.		BIRTHS.			DEATHS.			MARRIAGES.		
	Census, 1861.	Estimated to the middle of 1865.	Number.	Per Cent. to Pop.	One Birth in every	Number.	Per Cent. to Pop.	One Death in every	Number.	Per Cent. to Pop.	One Marriage in every
Glasgow, ...	395,503	423,723	17928	4·23	23	13912	3·28	30	4168	0·98	101
Edinburgh, . . .	170,444	174,180	6193	3·55	28	4853	2·78	35	1781	1·02	97
Dundee, ...	91,664	96,607	4429	4·58	21	2998	3·11	32	1147	1·18	84
Aberdeen, . . .	73,900	74,716	2880	3·85	25	1978	2·63	37	681	0·91	109
Paisley, ...	47,427	47,427	1803	3·80	26	1410	2·09	33	472	0·99	100
Greenock, . . .	43,894	46,635	2356	5·05	19	1670	3·57	27	503	1·07	92
Leith, ...	36,029	37,648	1586	4·21	23	949	2·52	39	356	0·94	105
Perth, ...	26,094	26,697	900	3·37	29	729	2·69	36	212	0·79	125
EIGHT TOWNS, .	884,955	927,633	38075	4·10	24	28499	3·07	32	9320	1·00	99

1864.	POPULATION.		BIRTHS.			DEATHS.			MARRIAGES.		
	Census, 1861.	Estimated to the middle of 1864.	Number.	Per Cent. to Pop.	One Birth in every	Number.	Per Cent. to Pop.	One Death in every	Number.	Per Cent. to Pop.	One Marriage in every
Glasgow, . . .	395,503	417,083	17434	4·18	23	13674	3·27	30	3989	0·95	104
Edinburgh, . . .	170,444	173,301	6149	3·54	28	4674	2·69	37	1630	0·94	105
Dundee, ...	91,664	95,444	4135	4·33	23	3104	3·25	30	1046	1·09	91
Aberdeen, . . .	73,900	74,524	2677	3·59	27	2130	2·85	35	619	0·83	120
Paisley, ...	47,427	47,427	1891	3·98	25	1521	3·20	31	479	1·01	98
Greenock, . . .	43,894	45,990	2392	5·20	19	1927	4·19	23	545	1·18	84
Leith, ...	36,029	37,267	1534	4·11	24	927	2·48	40	358	0·96	104
Perth, ...	26,094	26,555	860	3·23	30	871	3·28	30	218	0·82	121
EIGHT TOWNS, .	884,955	917,591	37072	4·05	24	28828	3·14	31	8884	0·96	103

1863.	POPULATION.		BIRTHS.			DEATHS.			MARRIAGES.		
	Census, 1861.	Estimated to the middle of 1863.	Number.	Per Cent. to Pop.	One Birth in every	Number.	Per Cent. to Pop.	One Death in every	Number.	Per Cent. to Pop.	One Marriage in every
Glasgow, . . .	395,503	410,443	16988	4·13	24	13327	3·24	30	3825	0·93	107
Edinburgh, . . .	170,444	172,422	6184	3·58	28	4586	2·66	37	1713	0·99	100
Dundee, ...	91,664	94,281	3792	4·02	24	2714	2·87	34	897	0·95	105
Aberdeen, . . .	73,900	74,332	2680	3·60	27	1749	2·35	42	625	0·84	118
Paisley, ...	47,427	47,427	1841	3·88	25	1218	2·56	38	474	0·99	100
Greenock, . . .	43,894	45,345	2133	4·70	21	1874	4·13	24	485	1·06	93
Leith, ...	36,029	36,886	1447	3·92	25	910	2·46	40	342	0·93	107
Perth, ...	26,094	26,413	830	3·14	31	652	2·46	40	232	0·87	113
EIGHT TOWNS, .	884,955	907,549	35895	3·95	25	27030	2·97	33	8593	0·94	105

DEATHS from all Causes at Four Periods of Life Year 1865.

CAUSES OF DEATH.	GLASGOW.					EDINBURGH.					DUNDEE.					ABERDEEN.				
	0–5	5–20	20–60	60,etc.	Total.	0–5	5–20	20–60	60,etc.	Total.	0–5	5–20	20–60	60,etc.	Total.	0–5	5–20	20–60	60,etc.	Total.
All Causes	6452	1490	4358	1612	13912	1718	390	1624	1128	4853	1324	311	937	426	2998	674	206	601	497	1978
Specified Causes	6326	1466	4292	1608	13692	1688	386	1609	1127	4810	1278	301	921	425	2925	658	203	592	494	1947
Diseases:—																				
I. Zymotic Class	2220	551	1104	205	4080	563	129	235	86	1013	543	111	201	32	887	230	92	136	55	513
II. Dropsy, Cancer, and others of uncertain seat	36	26	195	82	339	12	7	104	77	200	20	5	70	33	128	7	6	46	34	93
III. Tubercular Class	814	506	1082	41	2443	227	114	423	18	782	123	85	262	8	478	75	58	134	8	275
IV. Of Brain, etc.	363	67	287	226	943	92	25	162	181	460	71	16	55	74	216	76	9	57	66	208
V. Of Heart, etc.	9	35	273	139	456	4	12	159	120	295	2	9	80	44	135	–	6	59	37	102
VI. Of Resp. Organs	1461	114	665	347	2590	341	32	205	230	808	186	23	107	59	375	88	5	53	97	243
VII. Of Digest. Organs	572	45	222	76	915	123	18	112	72	325	125	8	48	20	201	77	6	33	36	152
VIII. Of Kidneys, etc.	4	13	81	21	119	6	6	50	20	82	3	1	13	4	21	1	1	16	12	30
IX. Of Uterus, etc.	–	3	94	1	98	–	1	38	3	42	–	2	30	1	33	–	2	20	3	25
X. Of Joints, Bones, etc.	2	25	31	16	74	3	18	20	4	45	–	4	2	2	8	–	5	2	4	11
XI. Of Skin, etc.	7	–	–	–	7	2	–	2	2	6	3	–	1	2	6	–	–	–	1	1
XII. Malformations	21	2	–	–	23	18	1	–	–	19	5	–	–	–	5	5	–	–	–	5
XIII. Debility from Premature Birth	656	–	–	–	656	240	–	–	–	240	178	–	–	–	178	83	–	–	–	83
XIV. Atrophy	55	12	36	1	104	16	2	17	–	35	3	2	10	–	15	3	1	17	–	21
XV. Age	–	–	–	407	407	–	–	–	282	282	–	–	–	133	133	–	–	–	132	132
XVI. Sudden	9	4	23	4	40	1	–	1	–	2	3	–	3	2	8	1	1	–	2	4
XVII. Violence, Privation, etc.	94	65	199	42	398	40	21	81	32	174	13	35	39	11	98	12	11	19	7	49
I. Small-pox	20	2	2	–	24	8	1	5	–	14	7	–	1	–	8	8	1	–	–	9
Measles	329	23	–	–	352	111	6	1	–	118	180	8	2	–	190	1	–	1	–	2
Scarlatina	316	179	5	–	500	68	36	4	–	108	45	23	–	–	68	118	46	6	–	170
Diphtheria	47	16	3	1	67	23	7	2	–	32	18	7	2	–	27	12	9	1	–	22
Hooping-Cough	851	40	–	–	891	139	4	–	–	143	101	4	–	–	105	7	–	–	–	7
Croup	111	6	–	–	117	44	1	–	–	45	45	4	–	–	49	12	–	–	–	12
Thrush	2	–	–	–	2	–	–	–	–	–	6	–	–	–	6	2	–	–	–	2
Diarrhœa	300	12	46	44	402	104	5	13	23	145	56	2	12	4	74	47	–	6	13	66
Dysentery	7	1	15	11	34	2	1	8	7	18	20	1	2	9	32	2	2	1	4	9
Cholera	17	2	9	3	31	7	1	3	4	15	17	1	3	1	22	1	1	–	1	3
Influenza	4	3	3	8	18	–	–	–	1	1	2	–	3	1	6	–	–	4	7	11
Purpura; Scurvy	2	–	–	–	2	–	–	1	2	3	–	–	–	–	–	–	–	1	–	1
Ague	–	2	1	1	4	–	–	1	–	1	3	–	–	2	5	1	1	–	–	2
Worms	1	2	–	–	3	–	–	–	–	–	1	1	–	–	2	–	–	–	–	–
Infantile Fever	10	–	–	–	10	9	–	–	–	9	4	1	–	–	5	1	–	–	–	1
Typhus	161	253	962	126	1502	27	59	167	45	298	27	58	167	15	267	11	28	106	27	172
Metria	–	1	24	–	25	–	2	13	–	15	–	–	4	–	4	–	–	8	–	8
Rheumatic Fever	1	4	9	3	17	1	3	3	–	7	–	–	4	–	4	1	2	1	1	5
Erysipelas	21	4	17	7	49	7	3	10	4	24	6	1	1	–	8	3	2	–	2	7
Syphilis	20	1	8	1	30	13	–	4	–	17	5	–	–	–	5	3	–	1	–	4
Noma	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Hydrophobia	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
II. Hæmorrhage	4	–	10	3	17	1	1	6	1	9	2	–	7	–	9	1	–	2	1	4
Dropsy	15	17	67	33	132	8	1	14	19	42	14	5	36	21	76	2	3	13	14	32
Abscess	9	6	18	4	37	–	2	12	5	19	1	–	–	–	1	1	1	2	2	6
Ulcer	2	–	1	2	5	1	–	4	3	8	–	–	–	1	1	2	1	1	1	5
Fistula	–	–	–	–	–	–	–	2	–	2	–	–	–	–	–	–	–	–	1	1
Mortification	–	2	8	6	16	2	–	1	7	10	3	–	–	1	4	1	–	1	1	3
Cancer	6	1	91	34	132	–	3	65	40	108	–	–	27	10	37	–	1	27	14	42
Gout	–	–	–	–	–	–	–	–	2	2	–	–	–	–	–	–	–	–	–	–
III. Scrofula	31	26	7	5	69	16	13	12	1	42	5	1	3	–	9	4	4	2	–	10
Tabes Mesenterica	139	41	8	1	189	57	13	3	2	75	7	4	–	–	11	7	9	–	1	17
Phthisis	240	398	1067	35	1740	29	73	405	15	522	48	71	259	8	386	14	36	132	7	189
Hydrocephalus	404	41	–	–	445	125	15	3	–	143	63	9	–	–	72	50	9	–	–	59

Year 1865.

CAUSES OF DEATH.	PAISLEY.					GREENOCK.					LEITH.					PERTH.					Grand Total.
	0-5	5-20	20-60	60,etc.	Total.	0-5	5-20	20-60	60,etc.	Total.	0-5	5-20	20-60	60,etc.	Total.	0-5	5-20	20-60	60,etc.	Total.	
All Causes	574	172	377	287	1410	780	161	498	231	1670	393	81	301	174	949	252	66	228	183	729	28499
Specified Causes	538	172	377	287	1374	745	157	492	231	1625	382	81	301	173	937	248	63	226	183	720	28030
Diseases:—																					
I. Zymotic Class	225	71	92	29	417	267	66	137	30	500	123	36	53	7	219	114	34	51	18	217	7846
II. Dropsy, Cancer, and others of uncertain seat	9	4	24	26	63	7	3	11	12	33	1	–	21	10	32	–	–	6	9	15	903
III. Tubercular Class	60	57	99	7	223	88	46	133	12	279	45	18	70	2	135	21	18	61	4	104	4719
IV. Of Brain, etc.	21	10	29	42	102	36	10	44	35	125	20	4	16	33	73	8	2	20	26	56	2183
V. Of Heart, etc.	–	5	25	9	39	1	3	38	18	60	1	3	32	20	56	–	1	29	19	49	1192
VI. Of Resp. Organs	86	11	42	35	174	155	8	42	38	243	74	7	31	19	131	38	2	17	24	81	4645
VII. Of Digest. Organs	69	6	31	16	122	74	2	21	5	102	29	2	22	14	67	16	1	15	11	43	1927
VIII. Of Kidneys, etc.	–	–	5	1	6	4	2	15	3	24	1	2	6	5	14	–	–	5	3	8	304
IX. Of Uterus, etc.	–	1	7	–	8	–	1	11	–	12	–	–	9	–	9	–	–	4	–	4	231
X. Of Joints, Bones, etc.	–	2	4	3	9	1	3	–	4	8	–	–	2	–	2	–	2	2	2	6	163
XI. Of Skin, etc.	2	–	1	–	3	2	–	1	–	3	1	–	–	–	1	–	–	–	–	–	27
XII. Malformations	4	–	–	–	4	1	–	–	–	1	2	–	–	–	2	–	–	–	–	–	59
XIII. Debility from Premature Birth	50	–	–	–	50	91	–	–	–	91	65	–	–	–	65	42	–	–	–	42	1405
XIV. Atrophy	5	–	3	–	8	11	4	4	–	19	10	–	3	–	13	4	1	2	–	7	222
XV. Age	–	–	–	116	116	–	–	–	66	66	–	–	–	55	55	–	–	–	61	61	1252
XVI. Sudden	1	–	1	–	2	–	–	3	2	5	–	–	–	–	–	–	–	–	–	–	61
XVII. Violence, Privation, etc.	6	5	14	3	28	7	9	32	6	54	10	9	36	8	63	5	2	14	6	27	891
I. Small-pox	2	1	–	–	3	2	1	1	–	4	–	–	–	–	–	3	1	1	–	5	67
Measles	60	6	1	–	67	12	–	1	–	13	23	2	–	–	25	35	6	1	–	42	809
Scarlatina	58	25	1	–	84	36	13	1	–	50	16	12	–	–	28	24	5	–	–	29	1037
Diphtheria	3	3	1	–	7	8	–	–	–	8	8	4	1	–	13	2	2	–	–	4	180
Hooping-Cough	43	–	–	–	43	110	6	–	–	116	29	1	–	–	30	15	5	–	–	20	1355
Croup	11	–	–	1	12	34	–	–	–	34	10	1	–	–	11	9	1	–	–	10	290
Thrush	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	10
Diarrhœa	22	1	5	6	34	36	1	2	7	46	18	–	3	2	23	13	–	5	8	26	816
Dysentery	1	–	3	4	8	2	–	–	2	4	–	–	1	2	3	–	–	–	1	1	109
Cholera	–	–	–	–	–	2	–	2	–	4	6	–	1	–	7	1	–	–	1	2	84
Influenza	–	–	–	–	–	–	–	–	1	1	–	–	–	–	–	–	–	–	1	1	38
Purpura; Scurvy	–	–	–	–	–	–	–	1	–	1	–	–	–	–	–	–	–	1	–	1	8
Ague	3	1	–	–	4	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	16
Worms	–	–	–	–	–	–	–	–	–	–	1	–	–	–	1	–	–	–	–	–	6
Infantile Fever	–	–	–	–	–	–	–	–	–	–	1	–	–	–	1	1	–	–	–	1	27
Typhus	16	34	71	16	137	17	44	120	19	200	6	14	40	3	63	8	14	40	6	68	2707
Metria	–	–	4	–	4	–	–	6	–	6	–	–	5	–	5	–	–	2	–	2	69
Rheumatic Fever	–	–	2	–	2	–	1	1	–	2	–	2	1	–	3	–	–	1	–	1	41
Erysipelas	3	–	4	2	9	2	–	1	1	4	5	–	1	–	6	3	–	–	1	4	111
Syphilis	3	–	–	–	3	6	–	1	–	7	–	–	–	–	–	–	–	–	–	–	–
Noma	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	66
Hydrophobia	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
II. Hæmorrhage	1	1	2	–	4	–	1	1	–	2	–	–	3	–	3	–	–	–	–	–	48
Dropsy	4	3	9	14	30	3	1	5	1	10	1	–	9	4	14	–	–	1	1	2	338
Abscess	3	–	3	1	7	1	–	–	1	2	–	–	1	–	1	–	–	–	–	–	73
Ulcer	–	–	–	1	1	–	–	–	–	–	–	–	–	2	2	–	–	–	–	–	22
Fistula	–	–	2	–	2	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	5
Mortification	1	–	1	1	3	3	1	–	–	4	–	–	–	–	–	–	–	–	3	3	43
Cancer	–	–	7	9	16	–	–	5	10	15	–	–	8	4	12	–	–	5	5	10	372
Gout	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	2
III. Scrofula	2	5	5	–	12	9	2	3	–	14	1	2	1	–	4	–	3	3	1	7	167
Tabes Mesenterica	12	2	1	–	15	13	2	1	–	16	6	1	3	–	10	1	1	1	–	3	336
Phthisis	20	46	93	7	166	31	39	129	12	211	4	11	65	2	82	3	12	57	3	75	3371
Hydrocephalus	26	4	–	–	30	35	3	–	–	38	34	4	1	–	39	17	2	–	–	19	845

DEATHS from all Causes at Four Periods of Life Year 1865.

CAUSES OF DEATH.	GLASGOW.					EDINBURGH.					DUNDEE.					ABERDEEN.				
	0-5	5-20	20-60	60 etc.	Total.	0-5	5-20	20-60	60 etc.	Total.	0-5	5-20	20-60	60 etc.	Total.	0-5	5-20	20-60	60 etc.	Total.
IV. Cephalitis	36	15	12	1	64	9	9	10	–	28	5	3	2	1	11	5	4	3	–	12
Apoplexy	34	5	71	59	169	5	1	33	38	77	–	–	9	14	23	–	–	8	16	24
Paralysis	–	1	71	113	185	–	1	49	110	160	–	–	25	51	76	–	–	16	43	59
Delirium Tremens	–	–	16	4	20	–	–	11	2	13	–	–	2	1	3	–	–	3	–	3
Chorea	–	1	–	–	1	–	–	–	–	–	–	1	–	–	1	–	–	–	–	–
Epilepsy	5	3	25	1	34	–	1	13	9	23	1	1	10	5	17	–	–	4	–	4
Tetanus	5	1	4	1	11	–	–	1	–	1	–	–	–	–	–	1	–	–	–	1
Insanity	–	–	–	1	1	–	–	6	2	8	–	–	1	–	1	–	–	5	–	5
Convulsions	227	6	3	–	236	57	2	–	–	59	63	2	–	–	65	64	–	–	–	64
Dis. of Brain, etc.	56	35	85	46	222	21	11	39	20	91	2	9	6	2	19	6	5	18	7	36
V. Pericarditis	1	4	6	–	11	–	1	2	–	3	–	1	1	–	2	–	–	–	–	–
Aneurism	–	–	8	–	8	–	–	18	3	21	–	–	1	–	1	–	–	6	2	8
Dis. of Heart, etc.	8	31	259	139	437	4	11	139	117	271	2	8	78	44	132	–	6	53	35	94
VI. Laryngitis	14	–	5	2	21	7	1	4	1	13	2	–	2	1	5	2	1	1	1	5
Bronchitis	1073	51	404	261	1789	277	18	107	164	566	140	7	41	22	210	65	2	26	68	161
Pleurisy	1	5	7	2	15	1	1	9	9	20	2	–	2	–	4	1	–	5	2	8
Pneumonia	353	48	149	26	576	47	7	44	24	122	39	12	28	9	88	20	2	15	17	54
Asthma	1	3	57	48	109	–	1	13	24	38	–	1	29	24	54	–	–	2	6	8
Dis. of Lungs, etc.	22	7	43	8	80	9	4	28	8	49	3	3	5	3	14	–	–	4	3	7
VII. Teething	281	–	–	–	281	47	–	–	–	47	84	–	–	–	84	52	–	–	–	52
Quinsey	8	2	3	–	13	–	–	1	1	2	7	–	–	–	7	5	1	1	2	9
Gastritis	11	1	11	4	27	3	–	3	1	7	–	–	–	–	–	1	–	2	1	4
Enteritis	167	9	28	4	208	27	4	8	3	42	14	5	5	1	25	3	1	2	2	8
Peritonitis	3	9	24	–	36	4	4	13	1	22	–	–	4	–	4	–	1	2	1	4
Ascites	1	3	5	1	10	–	–	3	1	4	–	–	1	–	1	–	–	1	–	1
Ulcer. of Intest.	2	1	8	4	15	2	1	8	5	16	2	–	–	1	3	–	–	5	1	6
Hernia	2	–	8	3	13	–	–	5	4	9	–	–	–	2	2	2	–	2	2	6
Ileus	17	3	14	7	41	4	2	3	5	14	1	–	6	3	10	2	1	6	8	17
Intussusception	–	–	2	–	2	–	–	1	–	1	–	–	–	1	1	–	–	–	–	–
Strict. of Intest.	1	1	2	–	4	–	–	2	–	2	–	–	–	–	–	–	–	2	1	3
Dis. of Stomach	57	11	41	21	130	23	2	23	20	68	6	3	12	6	27	3	1	–	10	14
Dis. of Pancreas	–	–	–	–	–	–	–	1	–	1	–	–	–	–	–	–	–	–	–	–
Hepatitis	3	1	10	3	17	–	1	3	1	5	–	–	1	1	2	–	–	–	2	2
Jaundice	8	1	5	7	21	5	–	2	3	10	8	–	6	1	15	9	–	2	2	13
Dis. of Liver	11	3	61	22	97	8	3	36	27	74	3	–	13	4	20	–	1	8	4	13
Dis. of Spleen	–	–	–	–	–	–	1	–	–	1	–	–	–	–	–	–	–	–	–	–
VIII. Nephritis	1	3	4	1	9	2	–	3	1	6	–	–	–	1	1	–	–	–	–	–
Nephria	1	5	26	3	35	4	1	15	4	24	–	–	6	–	6	–	–	6	2	8
Ischuria	–	–	–	–	–	–	–	1	–	1	2	–	–	1	3	–	–	–	–	–
Diabetes	1	1	7	2	11	–	2	4	–	6	–	–	–	–	–	–	–	2	–	2
Stone	–	–	4	2	6	–	–	1	–	1	–	1	–	1	2	–	–	–	5	5
Cystitis	–	–	7	1	8	–	–	1	–	1	–	–	–	–	–	–	–	–	–	–
Strict. of Urethra	–	–	1	1	2	–	–	2	–	2	–	–	–	–	–	–	–	–	–	–
Dis. of Kidneys	1	4	32	11	48	–	3	23	15	41	1	–	7	1	9	1	1	8	5	15
IX. Paramenia	–	1	4	–	5	–	–	1	–	1	–	–	–	–	–	–	–	–	–	–
Ovarian Dropsy	–	–	4	–	4	–	–	6	–	6	–	–	–	–	–	–	–	2	3	5
Childbirth	–	1	70	–	71	–	1	24	–	25	–	2	30	–	32	–	2	15	–	17
Dis. of Uterus	–	1	16	1	18	–	–	7	3	10	–	–	–	1	1	–	–	3	–	3
X. Arthritis	–	–	2	–	2	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Rheumatism	–	7	16	13	36	–	1	6	1	8	–	–	2	1	3	–	2	–	4	6
Dis. of Joints, etc.	2	18	13	3	36	3	17	14	3	37	–	4	–	1	5	–	3	2	–	5
XI. Carbuncle	1	–	–	–	1	–	–	1	1	2	–	–	1	2	3	–	–	–	–	–
Phlegmon	3	–	–	–	3	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Disease of Skin	3	–	–	–	3	2	–	1	1	4	3	–	–	–	3	–	–	–	1	1
XVII. Intemperance	–	1	25	3	29	–	–	9	2	11	–	–	3	–	3	–	–	4	–	4
Privation of Food	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Wt. Breast-milk	28	–	–	–	28	15	–	–	–	15	1	–	–	–	1	8	–	–	–	8
Neglect	1	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Cold	–	–	2	–	2	1	–	1	–	2	–	–	–	–	–	–	–	–	–	–
Poison	6	–	7	1	14	1	–	–	–	1	1	–	–	–	1	–	1	–	–	1
Burns and Scalds	16	14	5	6	41	12	7	2	1	22	3	1	2	–	6	2	2	–	4	8
Hanging, etc.	–	–	8	2	10	–	–	1	–	1	–	–	2	1	3	–	–	–	–	–
Suffocation	20	–	2	1	23	5	1	3	–	9	3	16	2	2	23	1	1	–	–	2
Drowning	1	16	40	4	61	3	1	1	–	5	2	1	5	–	8	–	2	6	–	8
Fractures	15	22	87	22	146	1	9	49	24	83	3	13	18	7	41	–	4	6	3	13
Wounds	–	7	6	1	14	–	2	7	1	10	–	–	5	–	5	–	–	2	–	2
Other Vio. Causes	7	3	17	2	29	2	1	8	4	15	–	4	2	1	7	1	1	1	–	3
Not specified	126	24	66	4	220	23	4	15	1	43	46	10	16	1	73	16	3	9	3	31

Year 1865.

CAUSES OF DEATH.	PAISLEY.					GREENOCK.					LEITH.					PERTH.					Grand Total.
	0–5	5–20	20–60	60,etc.	Total.	0–5	5–20	20–60	60,etc.	Total.	0–5	5–20	20–60	60,etc.	Total.	0–5	5–20	20–60	60,etc.	Total.	
IV. Cephalitis	4	4	–	1	9	3	2	5	–	10	–	–	3	1	4	1	–	–	–	1	139
Apoplexy	3	1	5	9	18	4	1	8	8	21	1	1	6	7	15	–	–	7	13	20	367
Paralysis	–	2	13	26	41	–	–	13	22	35	–	–	4	24	28	–	–	4	11	15	599
Delirium Tremens	–	–	2	–	2	–	–	3	–	3	–	–	–	–	–	–	–	4	–	4	48
Chorea	–	1	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	3
Epilepsy	1	–	3	4	8	–	1	2	1	4	–	1	1	–	2	–	1	–	–	1	93
Tetanus	–	–	–	1	1	–	–	1	–	1	1	–	–	–	1	–	–	–	–	–	16
Insanity	–	–	1	–	1	1	–	–	2	3	–	–	–	–	–	–	–	–	–	–	19
Convulsions	12	1	–	–	13	10	1	1	–	12	16	1	–	–	17	6	–	1	–	7	473
Dis. of Brain, etc.	1	1	5	1	8	18	5	11	2	36	2	1	2	1	6	1	1	4	2	8	426
V. Pericarditis	–	–	1	–	1	–	1	–	–	1	–	1	–	–	1	–	–	–	–	–	19
Aneurism	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	1	39
Dis. of Heart, etc.	–	5	24	9	38	1	2	38	18	59	1	2	32	20	55	–	1	28	19	48	1134
VI. Laryngitis	1	–	1	–	2	–	–	–	–	–	1	–	1	–	2	1	–	1	–	2	50
Bronchitis	65	6	27	25	123	144	4	27	29	204	56	4	14	14	88	35	1	7	20	63	3204
Pleurisy	–	–	–	–	–	1	1	–	3	5	–	–	2	–	2	1	–	1	–	2	56
Pneumonia	20	4	7	3	34	9	2	11	5	27	16	3	10	2	31	1	–	6	1	8	940
Asthma	–	–	5	6	11	–	–	2	1	3	–	–	3	3	6	–	–	2	3	5	234
Dis. of Lungs, etc.	–	1	2	1	4	1	1	2	–	4	1	–	1	–	2	–	1	–	–	1	161
VII. Teething	38	–	–	–	38	57	–	–	–	57	12	–	–	–	12	11	–	–	–	11	582
Quinsey	1	1	2	1	5	–	–	–	–	–	2	–	1	–	3	–	–	–	–	–	39
Gastritis	–	–	1	–	1	1	–	1	–	2	–	–	1	1	2	–	–	–	–	–	43
Enteritis	23	2	3	6	34	10	–	1	–	11	9	1	2	1	13	–	–	1	1	2	343
Peritonitis	–	1	2	1	4	–	1	4	–	5	2	1	1	2	6	–	1	–	1	2	83
Ascites	–	–	1	1	2	–	–	1	–	1	–	–	–	–	–	–	1	1	–	1	20
Ulcer. of Intest.	–	1	2	–	3	1	–	–	–	1	–	–	1	–	1	–	–	1	1	2	47
Hernia	1	–	–	–	1	–	–	1	–	1	–	–	2	–	2	–	–	1	1	2	36
Ileus	1	–	2	1	4	–	–	1	–	1	2	–	4	1	7	2	–	2	1	5	99
Intussusception	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	4
Strict. of Intest.	–	–	–	–	–	–	–	1	–	1	–	–	1	–	1	–	–	–	–	–	11
Dis. of Stomach	3	1	3	3	10	5	–	1	2	8	2	–	3	1	6	2	–	–	2	4	267
Dis. of Pancreas	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1
Hepatitis	–	–	3	–	3	–	–	1	–	1	–	–	1	–	1	–	–	3	–	3	34
Jaundice	1	–	–	–	1	–	–	–	–	–	–	–	–	1	1	1	–	–	–	1	62
Dis. of Liver	1	–	12	3	16	–	1	9	2	12	–	–	4	7	11	–	–	4	4	8	251
Dis. of Spleen	–	–	–	–	–	–	–	–	1	1	–	–	1	–	1	–	–	2	–	2	5
VIII. Nephritis	–	–	–	–	–	1	1	1	–	3	–	–	–	–	–	–	–	2	–	2	21
Nephria	–	–	2	–	2	1	–	6	1	8	–	–	3	–	3	–	–	1	2	3	89
Ischuria	–	–	–	–	–	1	1	1	1	4	–	–	–	–	–	–	–	–	–	–	8
Diabetes	–	–	–	–	–	–	–	1	–	1	–	–	–	–	–	–	–	1	–	1	21
Stone	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	1	15
Cystitis	–	–	1	–	1	–	–	2	–	2	1	–	–	3	4	–	–	–	–	–	16
Strict. of Urethra	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	4
Dis. of Kidneys	–	–	2	1	3	1	–	4	1	6	–	2	3	2	7	–	–	1	–	1	130
IX. Paramenia	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	6
Ovarian Dropsy	–	–	2	–	2	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	17
Childbirth	–	1	5	–	6	–	1	9	–	10	–	–	7	–	7	–	–	3	–	3	171
Dis. of Uterus	–	–	–	–	–	–	–	2	–	2	–	–	2	–	2	–	–	1	–	1	37
X. Arthritis	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	2
Rheumatism	–	1	4	3	8	–	1	–	3	4	–	–	1	–	1	–	–	–	1	1	67
Dis. of Joints, etc.	–	1	–	–	1	1	2	–	1	4	–	–	1	–	1	–	2	2	1	5	94
XI. Carbuncle	–	–	–	–	–	–	–	1	–	1	–	–	–	–	–	–	–	–	–	–	7
Phlegmon	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	3
Disease of Skin	2	–	1	–	3	2	–	–	–	2	1	–	–	–	1	–	–	–	–	–	17
XVII. Intemperance	–	–	3	–	3	–	–	1	–	1	–	–	2	–	2	–	–	4	–	4	57
Privation of Food	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Wt. Breast-milk	–	–	–	–	–	2	–	–	–	2	1	–	–	–	1	2	–	–	–	2	57
Neglect	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1
Cold	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	4
Poison	–	–	1	–	1	–	–	–	–	–	–	–	3	–	3	–	–	2	–	2	23
Burns and Scalds	6	1	1	–	8	1	4	1	1	7	3	1	–	2	6	1	–	–	1	2	100
Hanging, etc.	–	–	1	–	1	–	–	1	–	1	–	–	1	1	2	–	–	–	–	–	18
Suffocation	–	1	–	–	1	1	–	–	–	1	1	–	–	–	1	–	–	–	–	–	60
Drowning	–	1	2	1	4	–	2	11	2	15	2	2	14	1	19	–	1	1	1	3	123
Fractures	–	2	6	2	10	3	1	16	–	20	3	5	15	4	27	2	1	7	3	13	353
Wounds	–	–	–	–	–	–	–	2	2	4	–	–	1	–	1	–	–	–	–	–	36
Other Vio. Causes	–	–	–	–	–	–	2	–	1	3	–	1	–	–	1	–	–	–	1	1	59
Not specified	36	–	–	–	36	35	4	6	–	45	11	–	–	1	12	4	3	2	–	9	469

Total DEATHS from all Causes at Four Periods of Life in the Eight Principal Towns of Scotland.—Year 1865.

CAUSES OF DEATH.	AGES. 0–5	5–20	20–60	Above 60	Grand Total.
ALL CAUSES	12160	2877	8924	4538	28499
SPECIFIED CAUSES	11863	2829	8810	4528	28030
DISEASES:—					
I. Zymotic Class	4285	1090	2009	462	7846
II. Dropsy, Cancer, and others of uncertain seat	92	51	477	283	903
III. Tubercular Class	1453	902	2264	100	4719
IV. Of Brain, etc.	687	143	670	683	2183
V. Of Heart, etc.	17	74	695	406	1192
VI. Of Resp. Organs	2432	202	1162	849	4645
VII. Of Digest. Organs	1085	88	504	250	1927
VIII. Of Kidneys, etc.	19	25	191	69	304
IX. Of Uterus, etc.	–	10	213	8	231
X. Of Joints, Bones, etc.	6	59	63	35	163
XI. Of Skin, etc.	17	–	5	5	27
XII. Malformations	56	3	–	–	59
XIII. Debility from Premature Birth	1405	–	–	–	1405
XIV. Atrophy	107	22	92	1	222
XV. Age	–	–	–	1252	1252
XVI. Sudden	15	5	31	10	61
XVII. Violence, Privation, etc.	187	155	434	115	891
I. Small-pox	50	7	10	–	67
Measles	751	51	7	–	809
Scarlatina	681	339	17	–	1037
Diphtheria	121	48	10	1	180
Hooping-Cough	1295	60	–	–	1355
Croup	276	13	–	1	290
Thrush	10	–	–	–	10
Diarrhœa	596	21	92	107	816
Dysentery	34	5	30	40	109
Cholera	51	5	18	10	84
Influenza	6	3	10	19	38
Purpura; Scurvy	2	–	4	2	8
Ague	7	4	2	3	16
Worms	3	3	–	–	6
Infantile Fever	26	1	–	–	27
Typhus	273	504	1673	257	2707
Metria	–	3	66	–	69
Rheumatic Fever	3	12	22	4	41
Erysipelas	50	10	34	17	111
Syphilis	50	1	14	1	66
Noma	–	–	–	–	–
Hydrophobia	–	–	–	–	–
II. Hæmorrhage	9	3	31	5	48
Dropsy	47	30	154	107	338
Abscess	15	9	36	13	73
Ulcer	5	1	6	10	22
Fistula	–	–	4	1	5
Mortification	10	3	11	19	43
Cancer	6	5	235	126	372
Gout	–	–	–	2	2
III. Scrofula	68	56	36	7	167
Tabes Mesenterica	242	73	17	4	336
Phthisis	389	686	2207	89	3371
Hydrocephalus	754	87	4	–	845

CAUSES OF DEATH.	AGES. 0–5	5–20	20–60	Above 60	Grand Total.
IV. Cephalitis	63	37	35	4	139
Apoplexy	47	9	147	164	367
Paralysis	–	4	195	400	599
Delirium Tremens	–	–	41	7	48
Chorea	–	3	–	–	3
Epilepsy	7	8	58	20	93
Tetanus	7	1	6	2	16
Insanity	1	–	13	5	19
Convulsions	455	13	5	–	473
Dis. of Brain, etc.	107	68	170	81	426
V. Pericarditis	1	8	10	–	19
Aneurism	–	–	34	5	39
Dis. of Heart, etc.	16	66	651	401	1134
VI. Laryngitis	28	2	15	5	50
Bronchitis	1855	93	653	603	3204
Pleurisy	7	7	26	16	56
Pneumonia	505	78	270	87	940
Asthma	1	5	113	115	234
Dis. of Lungs, etc.	36	17	85	23	161
VII. Teething	582	–	–	–	582
Quinsey	23	4	8	4	39
Gastritis	16	1	19	7	43
Enteritis	253	22	50	18	343
Peritonitis	9	18	50	6	83
Ascites	1	3	13	3	20
Ulcer. of Intest.	7	3	25	12	47
Hernia	5	–	19	12	36
Ileus	29	6	38	26	99
Intussusception	–	–	3	1	4
Strict. of Intest.	1	1	8	1	11
Dis. of Stomach	101	18	83	65	267
Dis. of Pancreas	–	–	1	–	1
Hepatitis	3	2	22	7	34
Jaundice	32	1	15	14	62
Dis. of Liver	23	8	147	73	251
Dis. of Spleen	–	1	3	1	5
VIII. Nephritis	4	4	10	3	21
Nephria	6	6	65	12	89
Ischuria	3	1	2	2	8
Diabetes	1	3	15	2	21
Stone	–	1	5	9	15
Cystitis	1	–	11	4	16
Strict. of Urethra	–	–	3	1	4
Dis. of Kidneys	4	10	80	36	130
IX. Paramenia	–	1	5	–	6
Ovarian Dropsy	–	–	14	3	17
Childbirth	–	8	163	–	171
Dis. of Uterus	–	1	31	5	37
X. Arthritis	–	–	2	–	2
Rheumatism	–	12	29	26	67
Dis. of Joints, etc.	6	47	32	9	94
XI. Carbuncle	1	–	3	3	7
Phlegmon	3	–	–	–	3
Dis. of Skin	13	–	2	2	17
XVII. Intemperance	–	1	51	5	57
Privation of Food	–	–	–	–	–
Wt. Breast-milk	57	–	–	–	57
Neglect	1	–	–	–	1
Cold	1	–	3	–	4
Poison	8	1	13	1	23
Burns and Scalds	44	30	11	15	100
Hanging, etc.	–	–	14	4	18
Suffocation	31	19	7	3	60
Drowning	8	26	80	9	123
Fractures & Contus.	27	57	204	65	353
Wounds	–	9	23	4	36
Other Vio. Causes	10	12	28	9	59
Not specified	297	48	114	10	469

	MALE DEATHS.												Total Male Deaths.
	Jan.	Feb.	Mar.	Apr.	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.	
Glasgow,	691	723	615	566	595	504	597	517	450	581	641	530	7010
Edinburgh,	196	213	220	176	204	183	207	207	178	206	240	181	2411
Dundee,	175	132	135	114	114	130	139	136	94	86	113	123	1491
Aberdeen,	78	79	80	71	76	69	83	74	78	77	94	86	945
Paisley,	72	67	74	65	53	55	60	33	39	43	66	65	692
Greenock,	106	104	88	63	59	59	73	56	55	57	79	58	857
Leith,	45	33	51	25	43	33	49	36	36	46	48	33	478
Perth,	36	37	42	30	30	35	30	25	26	28	26	23	368
Total, 1865,	1399	1388	1305	1110	1174	1068	1238	1084	956	1124	1307	1099	14252
Total, 1864,	1543	1373	1479	1222	1134	1135	1058	1147	984	1057	1122	1240	14494
Total, 1863,	1183	1072	1210	1163	1066	1101	1062	1087	1001	1039	1258	1362	13604
Total, 1862,	1292	1016	1158	1130	1043	953	880	794	870	895	1082	1182	12295
Total, 1861,	1329	912	1021	1004	1030	839	928	775	744	782	943	1144	11451
Total, 1860,	1282	1384	1233	1232	1048	935	1000	854	781	942	996	1124	12811
Total, 1859,	1053	994	1075	919	885	816	803	821	765	840	969	1130	11070

	FEMALE DEATHS.												Total Female Deaths.
	Jan.	Feb.	Mar.	Apr.	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.	
Glasgow,	710	728	620	543	540	491	589	565	412	547	589	568	6902
Edinburgh,	218	224	211	217	181	188	200	194	179	201	228	201	2442
Dundee,	157	148	143	106	134	125	130	128	96	110	118	112	1507
Aberdeen,	103	85	84	67	90	89	81	81	59	85	116	93	1033
Paisley,	51	84	77	58	66	50	57	62	48	40	59	66	718
Greenock,	98	102	75	60	57	65	61	62	43	59	68	63	813
Leith,	42	46	43	38	33	33	40	45	34	41	40	36	471
Perth,	34	32	35	37	36	29	24	26	26	26	32	24	361
Total, 1865,	1413	1449	1288	1126	1137	1070	1182	1163	897	1109	1250	1163	14247
Total, 1864,	1608	1457	1436	1233	1099	1100	1049	1072	982	995	1132	1171	14334
Total, 1863,	1183	1114	1235	1010	1075	1104	1029	1070	964	1133	1192	1317	13426
Total, 1862,	1453	1084	1218	1109	1070	972	900	764	884	982	1020	1214	12670
Total, 1861,	1450	971	991	973	1030	898	940	807	715	800	1042	1062	11679
Total, 1860,	1255	1411	1326	1305	1120	981	941	884	815	960	1015	1204	13217
Total, 1859,	1121	999	997	1006	844	814	816	776	771	838	1070	1223	11275

	DEATHS—BOTH SEXES.												Total Deaths.
	Jan.	Feb.	Mar.	Apr.	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.	
Glasgow,	1401	1451	1235	1109	1135	995	1186	1082	862	1128	1230	1098	13912
Edinburgh,	414	437	431	393	385	371	407	401	357	407	468	382	4853
Dundee,	332	280	278	220	248	255	269	264	190	196	231	235	2998
Aberdeen,	181	164	164	138	166	158	164	155	137	162	210	179	1978
Paisley,	123	151	151	123	119	105	117	95	87	83	125	131	1410
Greenock,	204	206	163	123	116	124	134	118	98	116	147	121	1670
Leith,	87	79	94	63	76	66	89	81	70	87	88	69	949
Perth,	70	69	77	67	66	64	54	51	52	54	58	47	729
Total, 1865,	2812	2837	2593	2236	2311	2138	2420	2247	1853	2236	2557	2262	28499
Total, 1864,	3151	2830	2915	2455	2233	2235	2107	2219	1966	2052	2254	2411	28828
Total, 1863,	2366	2186	2445	2173	2141	2205	2091	2157	1965	2172	2450	2679	27030
Total, 1862,	2745	2100	2376	2239	2113	1925	1780	1558	1754	1877	2102	2396	24965
Total, 1861,	2779	1883	2012	1977	2060	1737	1868	1582	1459	1582	1985	2206	23130
Total, 1860,	2537	2795	2559	2537	2168	1916	1941	1738	1596	1902	2011	2328	26028
Total, 1859,	2174	1993	2072	1925	1729	1630	1619	1597	1536	1678	2039	2353	22345

	MALE BIRTHS.												Total Male Births.
	Jan.	Feb.	Mar.	Apr.	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.	
Glasgow,	818	740	824	816	879	848	684	731	699	751	686	724	9200
Edinburgh,	259	231	311	255	290	307	267	266	246	269	263	242	3206
Dundee,	196	196	209	182	206	197	196	175	179	181	174	192	2283
Aberdeen,	131	104	115	104	127	137	124	132	136	135	121	93	1459
Paisley,	79	86	76	95	95	70	69	59	73	91	69	76	938
Greenock,	118	89	89	128	111	126	103	93	100	92	83	97	1229
Leith,	70	64	66	64	84	63	68	66	60	59	67	76	807
Perth,	40	34	37	38	38	42	37	28	40	36	42	24	436
Total, 1865,	1711	1544	1727	1682	1830	1790	1548	1550	1533	1614	1505	1524	19558
Total, 1864,	1611	1515	1614	1753	1678	1654	1475	1568	1460	1544	1491	1599	18962
Total, 1863,	1543	1396	1582	1690	1687	1679	1481	1458	1472	1523	1446	1604	18561
Total, 1862,	1561	1351	1585	1620	1688	1497	1471	1307	1329	1462	1298	1498	17667
Total, 1861,	1453	1264	1450	1655	1677	1478	1546	1357	1387	1513	1284	1533	17597
Total, 1860,	1514	1348	1584	1565	1554	1504	1384	1305	1234	1382	1291	1375	17040
Total, 1859,	1360	1210	1530	1427	1604	1528	1372	1378	1279	1354	1394	1447	16883

	FEMALE BIRTHS.												Total Female Births.
	Jan.	Feb.	Mar.	Apr.	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.	
Glasgow,	804	756	761	760	795	774	696	712	635	677	669	689	8728
Edinburgh,	252	243	253	236	285	273	258	240	229	253	238	227	2987
Dundee,	195	157	171	181	224	189	184	150	172	192	163	168	2146
Aberdeen,	114	113	134	112	140	125	123	119	98	132	114	97	1421
Paisley,	72	67	83	92	78	72	82	84	69	53	53	60	865
Greenock,	93	82	93	118	98	112	88	88	73	102	75	105	1127
Leith,	62	63	57	47	61	80	68	53	69	64	71	84	779
Perth,	36	35	44	42	31	43	43	39	54	34	33	30	464
Total, 1865,	1628	1516	1596	1588	1712	1668	1542	1485	1399	1507	1416	1460	18517
Total, 1864,	1496	1478	1540	1644	1659	1610	1407	1499	1386	1415	1436	1540	18110
Total, 1863,	1397	1348	1423	1498	1607	1658	1444	1399	1336	1461	1338	1425	17334
Total, 1862,	1447	1329	1512	1531	1560	1425	1489	1223	1246	1383	1197	1434	16776
Total, 1861,	1378	1254	1369	1568	1633	1497	1514	1293	1204	1386	1271	1387	16754
Total, 1860,	1353	1220	1519	1395	1455	1424	1289	1256	1100	1351	1239	1304	15905
Total, 1859,	1336	1229	1404	1397	1466	1478	1274	1334	1262	1330	1347	1278	16135

	BIRTHS—BOTH SEXES.												Total Births.
	Jan.	Feb.	Mar.	Apr.	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.	
Glasgow,	1622	1496	1585	1576	1674	1622	1380	1443	1334	1428	1355	1413	17928
Edinburgh,	511	474	564	491	575	580	525	506	475	522	501	469	6193
Dundee,	391	353	380	363	430	386	380	325	351	373	337	360	4429
Aberdeen,	245	217	249	216	267	262	247	251	234	267	235	190	2880
Paisley,	151	153	159	187	173	142	151	143	142	144	122	136	1803
Greenock,	211	171	182	246	209	238	191	181	173	194	158	202	2356
Leith,	132	127	123	111	145	143	136	119	129	123	138	160	1586
Perth,	76	69	81	80	69	85	80	67	94	70	75	54	900
Total, 1865,	3339	3060	3323	3270	3542	3458	3090	3035	2932	3121	2921	2984	38075
Total, 1864,	3107	2993	3154	3397	3337	3264	2882	3067	2846	2959	2927	3139	37072
Total, 1863,	2940	2744	3005	3188	3294	3337	2925	2857	2808	2984	2784	3029	35895
Total, 1862,	3008	2680	3097	3151	3248	2922	2960	2530	2575	2845	2495	2932	34443
Total, 1861,	2831	2498	2819	3223	3310	2975	3060	2650	2591	2899	2555	2920	34331
Total, 1860,	2867	2568	3103	2960	3009	2928	2673	2561	2334	2733	2530	2679	32945
Total, 1859,	2696	2439	2934	2824	3070	3006	2646	2712	2541	2684	2741	2725	33018

ILLEGITIMATE BIRTHS IN EIGHT TOWNS—1865.

	Jan.	Feb.	Mar.	Apr.	May	June	July	Aug	Sept.	Oct.	Nov.	Dec.	Total.
Glasgow,	156	125	139	133	159	162	127	142	125	109	145	131	1653
Edinburgh,	56	50	47	51	54	61	46	48	36	57	50	53	609
Dundee,	41	42	45	64	52	58	54	53	46	44	37	41	577
Aberdeen,	40	34	42	26	23	30	37	33	27	31	41	33	397
Paisley,	9	16	13	15	23	12	17	9	12	15	10	10	161
Greenock,	14	6	10	11	12	13	13	7	10	12	4	10	122
Leith,	10	4	12	6	8	10	8	8	6	7	6	9	94
Perth,	6	5	3	8	9	13	9	8	6	3	4	7	81
Total, 1865,	332	282	311	314	340	359	311	308	268	278	297	294	3694
Total, 1864,	325	291	264	283	342	322	271	346	289	316	302	283	3634
Total, 1863,	272	283	270	283	291	343	280	302	275	303	309	335	3546
Total, 1862,	294	278	297	328	289	281	305	248	274	273	242	315	3424
Total, 1861,	251	250	273	263	278	299	264	245	257	263	245	325	3213
Total, 1860,	239	227	268	264	251	257	223	248	172	240	201	248	2838
Total, 1859,	230	236	246	209	251	277	224	249	214	203	257	226	2822

MARRIAGES IN THE EIGHT TOWNS—1865.

	Jan.	Feb.	Mar.	Apr.	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.	Total.
Glasgow,	548	250	229	198	221	528	559	238	256	322	439	380	4168
Edinburgh,	212	105	79	103	92	283	183	133	106	127	181	177	1781
Dundee,	156	75	44	52	75	139	102	102	88	62	121	131	1147
Aberdeen,	77	37	33	34	49	81	68	59	52	49	57	85	681
Paisley,	53	32	28	30	13	65	49	45	22	37	40	58	472
Greenock,	84	38	29	24	18	64	58	32	37	28	47	44	503
Leith,	38	17	12	21	12	43	48	30	30	22	36	47	356
Perth,	29	16	8	11	18	24	27	10	12	9	24	24	212
Total, 1865,	1197	570	462	473	498	1227	1094	649	603	656	945	946	9320
Total, 1864,	1082	523	468	576	465	1172	983	711	559	615	846	884	8884
Total, 1863,	995	492	506	544	407	1190	979	633	518	621	913	795	8593
Total, 1862,	899	431	484	443	369	1070	902	551	535	513	730	767	7694
Total, 1861,	834	417	441	523	397	1007	873	523	535	522	833	828	7733
Total, 1860,	820	462	406	470	388	1006	876	556	499	566	768	843	7660
Total, 1859,	811	413	426	400	369	1027	826	598	496	607	769	799	7541
Total, 1858,	773	415	352	352	392	984	716	484	485	497	773	640	6863
Total, 1857,	865	451	430	497	410	1067	817	568	498	555	748	646	7495
Total, 1856,	733	416	421	526	376	1008	805	538	555	512	780	741	7411

ABSTRACT of the METEOROLOGY of the Eight Principal Towns of Scotland during the several Months of the Year 1865.

Mean height above the Sea-level, 126 feet. Mean North Latitude 56°·12′. Mean West Longtitude 3°·30′.

1865.	BAROMETER.		SELF-REGISTERING THERMOMETER. Mean of the Six Towns.						HYGROMETER.		DEDUCTIONS from Glaisher's Tables, 2nd Edit.				RAIN.		WINDS.									
																	Number of Days it blew in certain Directions.									Pressure on square foot.
	Mean at 32° and Sea-level.	Monthly Range.	Highest in Month.	Lowest in Month.	Mean Temperature.	Monthly Range.	Mean Daily Range.	Greatest Daily Range.	Dry Bulb, or Mean Temp. of Air.	Wet Bulb, or Temp. of Evaporation.	Dew-point Temperature.	Elastic Force of Vapour.	Wt. of Vapour in Cubic Foot of Air.	Humidity. Sat. 100.	Number of Days it fell.	Amount.	N	NE	E	SE	S	SW	W	NW	Calm or Variable.	
	inch.	inch.	°	°	°	°	°	°	°	°	°	inch.	grs.		days.	inch.										lbs.
JANUARY, . . .	29·430	1·766	50·6	18·8	35·5	31·8	9·3	19·1	35·3	33·9	31·7	·180	2·08	87	19	3·20	1	3	2	2	2	6	6	5	4	1·92
FEBRUARY, . .	29·803	1·723	49·5	14·8	34·5	34·7	9·2	21·1	34·4	33·3	31·3	·177	2·06	89	14	2·41	1	3	4	4	1	4	4	2	5	1·33
MARCH, . . .	29·900	1·103	53·6	27·3	38·1	26·3	10·0	18·2	37·5	35·6	33·0	·189	2·18	85	12	1·82	2	2	3	3	3	4	5	5	4	2·13
APRIL, . . .	30·124	0·669	69·3	31·1	47·0	38·2	15·1	33·8	46·0	43·8	41·3	·260	2·98	84	8	0·92	1	2	6	2	2	5	5	2	5	1·24
MAY, ...	29·835	0·867	74·2	35·9	51·8	38·3	13·1	23·3	51·4	48·7	46·0	·312	3·53	82	16	3·02	1	3	4	2	4	7	3	1	6	1·55
JUNE, ...	30·194	0·862	81·2	40·8	58·4	40·4	17·5	32·4	57·7	54·4	51·4	·380	4·25	80	7	1·07	0	2	3	4	2	5	6	3	5	1·04
JULY, ...	29·848	0·894	77·1	42·0	59·3	35·0	15·7	28·3	58·8	55·7	52·9	·401	4·49	81	14	3·40	1	2	4	3	3	5	6	2	5	0·86
AUGUST, . . .	29·817	0·818	69·4	42·2	56·6	27·2	11·8	21·0	56·4	54·2	52·2	·393	4·13	86	20	4·12	1	3	5	3	2	7	4	2	4	1·12
SEPTEMBER, . .	30·131	0·903	74·2	40·2	58·5	34·0	15·1	27·6	57·3	55·3	53·4	·406	4·55	87	8	1·10	0	1	1	2	2	8	8	1	7	1·03
OCTOBER, . . .	29·631	1·558	64·6	29·1	46·7	35·4	11·2	23·2	45·9	44·2	42·3	·270	3·07	88	12	4·73	2	3	8	3	1	2	4	3	5	1·45
NOVEMBER, . .	29·793	1·780	55·0	27·9	41·7	27·1	10·2	17·8	41·4	39·9	38·0	·230	2·65	87	16	3·37	1	2	2	3	2	4	7	4	5	1·22
DECEMBER, . .	30·037	1·957	54·9	29·4	43·6	25·5	8·3	16·9	43·6	41·9	39·8	·246	2·81	86	14	3·42	0	0	2	3	4	8	10	2	2	2·19
Mean of YEAR, .	29·878	1·242	64·5	31·6	47·6	32·8	12·2	23·5	47·1	45·1	42·8	·287	3·26	85	169	32·58	11	26	44	34	28	65	68	32	57	1·45

The absolute highest temperature, viz. 84°·2, was noted at Glasgow on the 15th July; and the absolute lowest, viz. 8°, at Glasgow and at Paisley on the 17th February.

NOTE.—The figures under each month are the mean results from the eight Stations, as published in the Monthly Returns.

APPENDIX.

EXTRACTS FROM THE NOTES OF THE REGISTRARS CHIEFLY RELATIVE TO THE FEES FOR VACCINATION.

Shetland.

Dunrossness.—As there is no qualified medical practitioner in this parish, and as Dr Cowie has been appointed vaccinator for about one-half of the parishes in the island, with his ordinary practice it is nearly impossible for him to get all the work accomplished, and owing to the poverty of the district he comes far short in his fees; not more than one-fourth of the number of persons to whom he has given certificates have paid him, and I fear very much that next year's return will be much less satisfactory than the present.

Sandwick and Cunningsburgh.—This parish is so scattered in small patches here and there, it comes to be very difficult to get at the doctor or vaccinator, the distance being so great. The people are so poor that many of them have nothing to pay, and then the doctor will not give the certificate unless he is paid. If there was a person in the parish, it would save a great deal of trouble to the registrar and to the Board. There is a man here that has vaccinated the children in this place for 20 years, and can do it well, but it cannot be recognised. The Parochial Board has done nothing except writing to the people; but many of them are so poor that they have nothing to pay with, so that it is only extra trouble.

North Yell.—The vaccinator for this parish is distant 40 miles by sea, and more than 50 by land, with a dangerous sound of three miles broad to cross. I may mention that twelve months are allowed to expire ere there can be any defaulters here.

Walls.—The parents complain very much at having to come, some of them, a great distance to meet the vaccinator, and owing to circumstances over which he had no control, he was unable to attend at the hour and on the day appointed. Some of them have suggested that, the surgical operation being so easy, a person in the parish should be appointed to vaccinate, and that the vaccinator grant the certificate on seeing the child. The person performing the operation to be paid say one-third of the fee. The vaccinator would thus have only to make one journey instead of two, and the parents would not be put to the trouble of coming over and over again till the vaccinator came.

Papa Stour.—The Vaccination Act has not been successful in its operations here, principally on the ground of the extreme poverty of the people, many of whom never have in their possession from year to year even a sixpence. Hence they are unable to raise the money for the certificate of vaccination; and besides, it is but reasonable, if the Legislature appoint that medical men should be provided for the purpose of vaccination, that the Legislature also provide some means of paying these men, without compelling the poor people to pay for what they don't want.

Orkney.

Eday and Pharay.—At first several of the people here were put to considerable inconvenience, there being no doctor resident in the district, some of them having to cross the sea with their children to get them vaccinated. However, since the modifications of the 8th and 9th clauses of the Act were granted for the district, the work has been managed much more agreeably.

Sutherland.

Bonar.—The working of the Act during the first year gave me immense trouble and anxiety. The people thought first that they were to get their children vaccinated for nothing, like the Registration Act. The majority of them strongly demurred to the vaccinator's charge of 2s. 6d. for each child, as being, in their estimation, too high. Some thought that they themselves could do it as well as the vaccinator, and so save the expenses of it altogether. There were even a few so unreasonable as to assert that none had a right to impose such a duty upon them or their children. The majority grumbled, and delayed to vaccinate till the very last, until they clearly saw that they would soon be compelled to get it done whether they would or not. I cannot say that the Act works satisfactorily at all in this district. I may very safely say that I have got more trouble and annoyance with the working of the Vaccination Act in one year, than with the working of the Registration Act in five years. At present I am afraid that the working of it during 1865 will be less satisfactory than for 1864, the people appearing to be more careless about it.

Durness.—Great difficulty is experienced in getting the people to have their children vaccinated within the prescribed time. They cannot be made to understand the value of it, and are therefore very negligent. Further, in this district the vaccinator is very inconveniently situated. He resides at a distance of 30 miles; and though professional visits are paid us every month, ignorant parents are apt to forget, and not unfrequently are unwilling to expose their children to the dangers of cold, etc. In very many cases, shepherds and such persons have to bring their children great distances.

Ross and Cromarty.

Alness.—Nothing to say in commendation of the working of the Vaccination Act. It requires amendment, to meet the circumstances of this part of the country.

Northern Gairloch.—As the vaccinator comes only three or four times in the year for the purpose of vaccinating the children, his place of residence being upwards of 20 miles from some parts of this district, the people find it difficult sometimes to have their vaccination certificates within the required time, and also the money to pay the stated fees.

Lochbroom.—The Vaccination Act is very much neglected in the whole of the parish. The people think it a very great hardship to be compelled to walk or boat 20 or 30 miles sometimes to the vaccinator; perhaps not find him at home; wait for days, or return again; case unsuccessful; come again and again several times; report matters; go to the registrar; lose time, and perhaps service, and probably child by cold and exposure; defray expenses, and pay 3s. 6d. of fee, whether susceptible, successful, or not. Until very lately the operation of the Act was very unsatisfactory; but stations are now appointed, and stated times for vaccination, and it is to be hoped that a better state of things will be the result; still it will always be attended with difficulty and hardship in this rugged and scattered district.

Coigach.—Vaccination is much neglected, there being no fewer than seven defaulters in this return who are included in col. 7. The Parochial Board and the appointed vaccinator are to be blamed in the matter, 4s. being the fee hitherto asked for the vaccination of a child in any part of the district. Poor parents grudge the sum exceedingly; in fact, some are unable to pay it.

Stornoway.—The vaccination of children is now well attended to. About three months ago three parties were prosecuted for neglecting to vaccinate their children, and being unable to pay the statutory fine, were imprisoned, and their imprisonment has had a good effect upon others.

Inverness.

Raasay.—All the children registered were vaccinated, except one, not including the three who died before. This place is in a very awkward position. Parents have to go to Portree with their infants, and have to cross a very rough sea. There is no medical man in the island, and on that account it is very difficult to carry on the plan in a concise manner.

Nairn.

Cawdor.—The people of this parish loudly complain that the vaccinator, being non-resident in the parish, charges 2s. 6d. for vaccinating, though he calls those who have children to vaccinate to some central place in the parish periodically for that purpose.

Banff.

Botriphnie.—Some complain of the vaccinator's fee, as they had it gratis before.

Seafield.—The doctor's fee (2s. 6d.) is generally thought too much.

Aberdeen.

Belhelvie.—The people here are very regular in getting their children vaccinated. It has been long practised in this parish, the late minister, Dr Forsyth, having begun the practice shortly after its discovery by Dr Jenner, and it has been continued since by the medical men and midwives.

Drumblade.—In the case of an itinerant tinker, who had a child born in this parish, but vaccinated in another distant parish, the vaccinator refuses to send certificate till paid by the Parochial Board of this parish, the father being unable or unwilling to pay.

Inverury.—My only difficulty has been where the parents have *left the district*, and the *child died before vaccination*. The parents do not understand the necessity of sending notice of the death, and much trouble is caused to the inspector of poor in finding out their address, and obtaining evidence of death. I ventured before to suggest (and I think it the only defect in the Act), that the registrar of the parish of death should be required to send to the registrar of the parish of birth a notice of the death, where the child is under six months, unvaccinated, and born in another parish.

New Pitsligo.—The Act has wrought well in this district. The only circumstance worthy of notice is disputes between the vaccinator and a few of the parents, the former refusing to give schedules after successful vaccination till paid, and the latter refusing to pay his his fee of 2s. 6d., thinking he ought to charge at the same rate as he is paid by the Parochial Board.

Perth.

Kinnaird.—All parties in this parish are most willing to comply with the Act, but numerous complaints are made by the industrious classes in being compelled to pay half-a-crown for the operation, when it was generally understood it should be paid by the Parochial Board. Formerly the family doctor performed it gratis, and therefore there is a meaning in the growl.

Methven.—The parish is frequented by a low class of Irish labourers, with whom the registrar has a good deal of trouble. They are migratory in their habits, and when they remain in the parish, declare themselves unable to pay the medical officer's fee of 1s. 6d., without which he will not vaccinate their children.

Perth.—It may be remarked in general, that, for the trouble required to be taken, the fees are very inadequate; more especially the trouble of having to fill up and address circulars to parents who have neglected to lodge the necessary certificates within the six months, many of whom cannot be found, and some of whom require to be written to a second time, and nothing allowed for that when they bring them in within the specified ten days. Power should be given to the registrar to exact the "shilling" in all cases in which he has to issue a circular, for the extra trouble to which he is put. The fee of threepence should extend, at all events, to every birth which is registered, without exception; there being as much trouble with those who die previous to vaccination, or otherwise, as with those for whom certificates are lodged. I understand that some of the registrars in Edinburgh are allowed to charge all overhead.

Fife.

Kirkcaldy.—After two years' experience of the working of the Vaccination Act, I would respectfully suggest that all parties who have midwives attending at the birth of their children should receive vaccination free. On this point I would refer to what the registrar of Bridgeton (Glasgow) has stated in his valuable note appended to the returns for the second quarter of 1864.

Dumbarton.

Cumbernauld.—The Act seems to be working very well. At first there was a kind of strike in

one part of the parish against payment, but matters are now moving very smoothly.

Dumbarton.—There is frequently a difficulty in getting the certificate of vaccination from the poorer class of labourers, in consequence of their inability to pay the vaccinator's fee, and some plan by which the fee could be reduced to this class seems highly desirable.

Old Kilpatrick.—The Vaccination Act has wrought well, with the exception of receiving certificates from the parents of children bordering on pauperism, but not actually paupers. It would be an improvement if the district vaccinator were allowed a sum to vaccinate all such cases. The Parochial Board here understand that it is not legal to grant such a sum.

Argyll.

Bowmore or Killarrow.—The only observation I have to make is, that I find the chief obstruction to the vaccination being more punctual as to time, is the charge made by the medical officers of 2s. 6d., which the labouring classes feel rather heavy.

Portnahaven.—The only thing I have to record is, that the people are so very poor that they find it difficult to pay the vaccinator's charge of 2s. 6d.; the consequence is, that a great many notices have to be issued without effect, and for which the registrar does not receive one single penny.

Renfrew.

Eaglesham.—I experienced a good deal of trouble in obtaining certificates of vaccination from parents and mothers of illegitimate children, whose lot it is to battle life amidst poverty. They show no reluctance to comply with the requirements of the Act, but find a difficulty in paying the doctor's fee.

Ayr.

Colmonell. — Previous to the Vaccination Act coming into force, the medical officer of the Parochial Board attended at set times and places in the parish, and vaccinated gratuitously to the parties, all and sundry who came or were brought to him for such purpose; but now, under the new Act, each party must pay 1s. 6d. or 2s. 6d. for the operation, which is matter of great complaint amongst the labouring population, as they previously received the same benefit and paid nothing for it The Parochial Board pay for none but pauper cases.

Dreghorn.—I think the Vaccination Act would have worked better had the Parochial Board paid the vaccinator's fees, as he will not give the certificate till he receives his fee, which the parents pay very unwillingly.

Stewarton.—The only circumstance which seems to call for remark on the part of the registrar, is the apparent influence of the interpretation of the 17th section of the Act, as to the non-payment of 1s. if certificates are returned within ten days after receiving the registrar's notice. Finding the fee not exigible, such delinquents are manifestly on the increase. The non-payment referred to may be regarded as encouragement to dilatoriness. Be that as it may, if the parties concerned are to escape the fee, the registrar ought to be authorized to charge it to the Parochial Board. The trouble of watching the expiry of six months, and sending these notices, is the same to him whether the certificates are returned within ten days, or beyond the time allowed. The registrar had recently to send six notices in one week, which he believes would have been unnecessary had the impression been allowed to prevail, that in every case 1s. would be exacted.

Lanark.

Holytown.—One case has been postponed no less than eight different times, and the parent has had to pay 1s. for each certificate, and may require to pay two or three more before the child is in a fit state for vaccination. It appears to me very hard that a poor man should require to give such a sum to have his child vaccinated.

Bridgeton (Glasgow).—The poor of the district complain to me very bitterly that I give them the name of a public vaccinator in the schedule, and when they go he refuses to vaccinate without being paid 1s. 6d. As two-thirds of these persons have midwives attending at the birth of their children, they have no medical attendant, and the result is, they cannot pay for vaccination, and the midwives who used to vaccinate the children of the poor that they attended are not now allowed to do it; consequently, these children remain unvaccinated until the inspector of the poor has a list of defaulters sent to him, before which period many of them will be exposed to the infection of Small-pox, and carry the disease to others. The whole system of vaccination is now looking well in this district, but entails an amount of labour upon the registrar, for which he is not half paid.

Tradeston (Glasgow).—The Act is working well in this district. The six months' clause is, in my opinion, not well adapted to large cities like Glasgow (where the population is so migratory), and I think that three months ought to be substituted in lieu of it. There is one thing that causes us much annoyance: after the six months have elapsed, and we have issued the statutory notices to defaulters, pursuant to sect. 17, we find that, just before the ten days expire, it is common for parties to bring us a certificate of postponement. It is believed that the certificate is got in too many cases merely for the purpose of delay, and not on the ground of unfitness, and to afford time to get the vaccination effected. In this way the registrar is done out of his fee of 1s. in each case, and great delay frequently takes place. This ought to be remedied.

Partick.—Of 662 births for which vaccination schedules should have been returned, notices of failure after expiry of six months had to be sent in exactly 100 cases, besides a number of second notices of failure in postponed cases after expiry of the two months. Very many of these were not attended to till after the ten days allowed, and were so certified to the inspector of the parish; but the fee of 1s. has not been paid or recovered in a single instance. To recover it here in the ordinary way would involve an expense of 5s. 6d., besides the trouble.

Middle District of Old Monkland.—The removals are due to the shifting condition of the lower ranks of our working classes. Some obstruction to the working of the Act is created by the medical practitioners charging a fee of 1s. in return for filling up the vaccination certificates.

Berwick.

Coldingham.—I find that parties whose children have had Small-pox are those with whom I am to have most difficulty. They conceive that their children having had Small-pox, there is no occasion for getting a certificate from a medical practitioner.

Swinton.—I think if there was nothing to pay for vaccination by the people, the Act would work very harmoniously in this parish; but the people—some, at least—still complain of the vaccination fee.

Whitsome.—Agricultural labourers in this

parish complain much of the fees charged for vaccination.

SELKIRK.

ETTRICK.—There are no special circumstances to note, unless it be the grumbling that is made by almost every one, that payment is now to be made when compelled to have their children vaccinated, and that no charge was made by the medical practitioner previous to the passing of the Vaccination Act, when vaccination was equally well attended to.

SELKIRK.—Great complaints are made of the compulsory payments.

JEDBURGH.—I believe, and it is also the testimony of the medical gentlemen here, that the allowed time for vaccination should be three months instead of six, as at present, in respect that the children are generally in a better condition for vaccination at three than at six months.

KIRKCUDBRIGHT.

ANWOTH.—There is a disinclination on the part of the working classes to pay the medical officer's fee.

WIGTOWN.

KIRKMAIDEN.—Complaints by the late and the present vaccinator, that in most cases they receive no remuneration from the lower classes (not paupers) for their work, and a proposal on their part to withhold the necessary schedules till the fee is paid.

EXTRACTS AS TO THE SUCCESSFUL WORKING OF THE ACT.

ABERDEEN.

DRUMOAK.—The Act has wrought very well in this parish during the year.

MILLBREX.—The Vaccination Act has wrought well in this district, and been fully carried out.

MONQUHITTER.—The Act has been cheerfully and punctually complied with.

KINCARDINE.

BANCHORY-DEVENICK.—Generally speaking, the Act has operated remarkably well here.

PORTLETHEN.—There has been no difficulty with the Vaccination Act in this district, as the matter was always most carefully attended to before.

FORFAR.

KINNELL.—Vaccination has been remarkably well attended to in this parish since the Act came into force.

PERTH.

ALYTH.—All interested parties here are willing to forward the operation of the Act.

LOGIERAIT.—The Act works very well considering the extent of the parish.

MEIGLE.—The Act has been very well attended to in this parish.

FIFE.

CUPAR.—Little or no trouble has been experienced in the working of the Act in this parish.

FORGAN.—The Vaccination Act has been very successfully carried out in this parish.

CLACKMANNAN.

DOLLAR.—All the parents have been very attentive to have their children vaccinated.

STIRLING.

FALKIRK.—In this district the Act is very generally and regularly complied with.

RENFREW.

MIDDLE DISTRICT, GREENOCK.—Upon the whole, Vaccination has been very well attended to.

KILMALCOLM.—The Vaccination Act has been very spontaneously complied with here.

HIGH CHURCH (Paisley).—The certificates of Vaccination, with the exception of a very small number, came in with great regularity.

AYR.

KILMARNOCK.—The Act, so far, has generally worked well.

STRAITON.—The Act has wrought well during 1864, and 1865 is no worse.

LANARK.

HIGH CHURCH (Glasgow.)—Taking the character of the district into account, as well as the population, the Act has wrought very successfully.

EASTERN DISTRICT OF OLD MONKLAND.—Altogether the Vaccination Act has given much satisfaction to the people.

RUTHERGLEN.—The Vaccination Act has done very well in this district. I am greatly indebted to Messrs John and James Gorman, surgeons here, who devote an hour every week to vaccination, and only charge 6d.

EDINBURGH.

SOUTH LEITH.—The Act has worked, upon the whole, better than was anticipated.

HADDINGTON.

NORTH BERWICK.—The Act may be said to work well.

PEEBLES.

STOBO.—The Vaccination Act works very well, the schedules being regularly and promptly delivered.

ROXBURGH.

BOWDEN.—The Act is working very satisfactorily, and all the certificates are forwarded in due time.

KIRKCUDBRIGHT.

KIRKCUDBRIGHT.—Generally speaking, the requirements of the Act are carefully attended to.

EIGHTH

DETAILED ANNUAL REPORT

OF THE

REGISTRAR-GENERAL

OF

BIRTHS, DEATHS, AND MARRIAGES

IN SCOTLAND.

Presented to both Houses of Parliament by Command of Her Majesty.

EDINBURGH:
PRINTED BY MURRAY AND GIBB,
FOR HER MAJESTY'S STATIONERY OFFICE.

1866.

REPORT.

TO THE

RIGHT HON^BLE. SIR GEORGE GREY, BART., M.P.,

Her Majesty's Principal Secretary of State for the Home Department.

GENERAL REGISTRY OFFICE OF BIRTHS, ETC.,
EDINBURGH, *January* 11, 1866.

SIR,

ON the close of the year 1862, I submitted to you, in conformity with the seventh section of the Scottish Registration Act, a general abstract of the births, deaths, and marriages registered in Scotland during that year. I have now the honour to submit to you my Detailed Report, with relative Tables, for the same year.

The year 1862 will long be remembered in Scotland, as it was one during which large masses of the working classes were thrown out of employment in consequence of the stoppage of the cotton supplies from America, and the closing of the cotton mills in this country. Much suffering and misery were caused thereby; and as the weather proved unusually inclement, being nearly the wettest and coldest of which we have certain records, disease of all kinds prevailed to an unusual extent among the people, and the deaths which occurred were far above their average. From the partial arrestment of trade, the marriages were below their average; but the births maintained their usual proportion.

The inquiry into the comparative mortality of the married and the unmarried female, at each quinquennial period of life

from fifteen years of age to the close of life, has been continued in the present Report. The results entirely correspond with those of the previous year, and merit the attention of the vital statist and those engaged in Life Assurance.

In consequence of the Government of Sweden having published in their last official Report, Tables relative to the child-bearing age of the women in that country, facts have been adduced in this Report which prove that cold retards the prolific period of life, seeing that a difference of about four years exists in this respect between the child-bearing age of women in Scotland and in Sweden. I am informed that this is the first time that the supposition in question has been confirmed by trustworthy facts.

A thorough investigation has been made in this Report into the singular practice and habit of the Scottish people marrying in such large numbers on the last day of the year. It will be seen by the facts adduced, that, with certain singular exceptions, a full twentieth of the whole yearly marriages are contracted year after year on the 31st day of December.

It is gratifying to observe that, ever since the Registration Act came into operation, the proportion of men and of women who are able to sign their names in full in the marriage register is increasing.

The Tables printed in this Report generally correspond with those of former years; a few additional Tables, however, have been added, to illustrate the facts above alluded to, as well as the influence of weather on different diseases and classes of disease.

I have the honour to be,

Sir,

Your faithful Servant,

W. P. DUNDAS,

Registrar-General.

CONTENTS.

Page

Report of Registrar-General to the Secretary of State, ... iii
Report to the Registrar-General, ... ix
Table of Estimated Population, with the number of Births, Deaths, and Marriages registered in Scotland during each of the eight years 1855 to 1862 inclusive, and their proportion to Population; showing also the excess of Births over Deaths, . . ix
Table showing the Proportion of Births, Deaths, and Marriages in the Insular, Mainland-Rural, and Town Districts of Scotland, during each of the eight years 1855 to 1862, . x
Table of the Population of Scotland and its Three Great Groups of Districts in 1851 and 1861, also the estimated Population to the middle of the year 1862, distinguishing the Sexes, ... x
Table showing the estimated Population, the Number, and Proportion of Births, Deaths, and Marriages in every Division and County of Scotland during the year 1862, . xi
Table of the Births, Deaths, and Marriages in Scotland and in its Three Great Groups of Districts in 1862, and their proportions to the estimated Population; also the number of Illegitimate Births, and their proportion to the total Births, . . . xii

BIRTHS IN 1862.

Number of Births in 1862, and their Proportion to the Population, ... x
Birth-rates in the several Groups of Districts, ... xi
Number and Proportion of Legitimate and Illegitimate Births, ... xii
Effect of Cold in delaying the Prolific Period of Life, ... xiv
Number and Proportion of Mothers, at different Ages, in Scotland and Sweden, . . xiv
Table showing the Number and Proportion of the Sexes in the total Births, and in the Legitimate and Illegitimate Births; also the Proportion of Legitimate to the total Births, in Scotland, its Groups of Districts, Divisions and Counties in 1862, . xv
Number and Proportion of Twins and Triplet Births in 1862, ... xvi
Increase of the Population, ... xvi

MARRIAGES IN 1862.

Number of Marriages, and their Proportion to the Population, . . . xvi
Number and Proportion of Marriages celebrated according to the Rites of the several Religious Denominations, ... xvii
Ages of Men and Women who contracted Marriage in Scotland in 1862, . . . xvii
Number and Proportion of Men and of Women under and above 21 and 25 years of age married during 1862, ... xviii
Number and Proportion of Marriages between Persons in different conjugal conditions, . xxiii
Number and Proportion of Men and Women in the Groups of Districts, Divisions, and Counties of Scotland, and in Glasgow and Edinburgh, who signed the Marriage Register by Mark, with relative Tables, ... xxiv

Page

DEATHS IN 1862.

Number of Deaths, and their Proportion to the Population, ... xxv
Different Death Rates in the Rural and Town Districts, ... xxvi
Higher Mortality in the Scottish Towns than in London, ... xxvi
Mortality in each of the eight Principal Towns of Scotland, ... xxvii
Male Deaths in Scotland exceed those of Female at almost all ages, . . . xxvii
Comparative Mortality of the Married and Unmarried Females at every quinquennial period of life, ... xxix
Table showing the mean Annual per-centage of Deaths among the Married and Unmarried Women of Scotland, at every quinquennial period of life, ... xxix
Infantile Mortality, ... xxxi

CAUSES OF DEATHS.

Some Facts relative to Zymotic Diseases, showing they are not always the cause of the increased Mortality which prevails, ... xxxiii
Effect of Sanitary Measures on Epidemics, ... xxxviii
Table showing the per-centage of Deaths from different Diseases in the Population in each of the eight principal Towns of Scotland, ... xxxviii
Table showing the Proportion of Deaths from different Diseases in every 100,000 Persons of the estimated Population, and in each Sex, in Scotland and Three Great Groups of Districts, the Insular, Mainland-Rural, and Town, ... xl
Table showing in Scotland, and in the Insular, Mainland-Rural, and Town Districts, the proportion of Deaths from different Diseases to every 10,000 Specified Causes of Death, xli
Deaths from the Zymotic Class of Diseases, and from the individual Diseases under that Class—Typhus, Small-pox, Scarlatina, Measles, etc., ... xxxix
Deaths from Diseases of Uncertain Seat—Dropsy, Cancer, etc., ... xlii
Deaths from the Tubercular Class of Diseases—Scrofula, Consumption, etc., . . xlii
Deaths from Diseases of the Brain and Nervous System—Apoplexy, Paralysis, and Convulsions, etc., ... xliii
Deaths from Diseases of the Heart and Organs of the Circulation, ... xliv
Deaths from Diseases of the Respiratory Organs—Bronchitis, Pneumonia, etc., . . xliv
Deaths from Diseases of the Organs of Digestion, ... xliv
Deaths from Kidney and Urinary Diseases, ... xlv
Stone twice as common in Scotland as in England, ... xlv
Deaths from Child-Birth, etc., ... xlv
Deaths from other Classes of Disease, Infantile Debility, etc., Old Age, . . . xlvi
Deaths from Violent Causes, and Suicides, ... xlvii
The 17 most fatal Diseases in England and Scotland, ... xlvii

Influence of External Agencies.

Influence of Season on the Births, ... xlviii
Influence of the civil terms on the Marriages in Scotland, ... xlix
Superstition of the Scotch as to days of Marriage, ... xlix
Extraordinary number of Marriages in Scotland on the last day of the year, . . xlix
Singular exceptions to this in particular years, ... l
Scotland and England under different Meteorological conditions, ... li
Influence of Weather on the monthly Death-rate, ... lii
Character of the Weather in Scotland during 1862, ... liii
Mortality regularly increases with the Cold, ... liii
Mortality of Epidemics regularly increases with the fall of Temperature, . . . liv
Table showing the connection between certain Atmospheric Phenomena, especially mean Temperature, and the monthly Deaths from certain Diseases in the eight principal Towns of Scotland during 1862, ... li
Table of the Meteorology of each month of the year 1862, ... lii

Page

Table showing the value of the Imports, Exports, quantity of Grains, and other leading articles of Food or Commerce imported into Great Britain in 1860, 1861, and 1862; the average Price of Grain and of the 4lb. Loaf; the Amount of Deposits in Savings Banks; the number of Paupers, Emigrants, etc., ... liv

---

ABSTRACTS.

Summary Table of the Births, Deaths, and Marriages in the Divisions and Counties of Scotland in 1862, distinguishing the Sexes, the Number of Illegitimate Births, the Population in 1851 and 1861, the Excess of Births over Deaths, and the Number of Statute Acres in each County, ... 1

Tables of the Population in 1851 and 1861, and of the Births, Deaths, and Marriages during the year 1862, also of the Illegitimate Births, in every Registration District, 2–23

Summary Table of Population in 1851 and 1861; and of the Births, Deaths, and Marriages in 1862, in the Insular, the Mainland-Rural, and Town Districts of Scotland, 23

Marriages.

Table of the Marriages in Scotland and its Counties in 1862; distinguishing the Number of Marriages solemnized according to the Rites of the several Religious Denominations, the Number of Irregular Marriages, and the Number of the respective Sexes who signed the Register by Marks, ... 24

Table of the Civil Condition of the Parties who married in 1862; distinguishing the Marriages of Bachelors with Spinsters; Bachelors with Widows; Widowers with Spinsters; and Widowers with Widows; giving the particulars as to the Age of each Sex, 25

Table of the Ages of all Males who married in Scotland and its Counties in 1862, . . 26

Table of the Ages of all Females who married in Scotland and its Counties in 1862, . 28

Deaths.

Table of the Ages of all Persons of both Sexes who died in each of the Counties and Larger Towns of Scotland in 1862, together with the Population of these Counties and Towns in 1851 and 1861, ... 30

Table of the Ages of all Males who died in each of the Counties and Larger Towns of Scotland in 1862, together with the Male Population of these Counties and Towns in 1851 and 1861, ... 32

Table of the Ages of all Females who died in each of the Counties and Larger Towns of Scotland in 1862, together with the Female Population of these Counties and Towns in 1851 and 1861, ... 34

Summary Table of the Causes of Death in both Sexes in each of the Counties of Scotland in 1862, ... 36–39

Do. Males, ... 40–43

Do. Females, ... 44–47

Summary Table of the Causes of Death in both Sexes in each of the Larger Towns of Scotland in 1862, whose respective Populations amounted to 10,000 or upwards in 1861, including important Suburban Districts, ... 48–51

Do. Males, ... 52–55

Do. Females, ... 56–59

Table of the Causes of Death in both Sexes in all Scotland at different Periods of Life, . 60–63

Do. Males, ... 64–67

Do. Females, ... 68–71

Table of the Causes of Death in both Sexes in the Insular Districts of Scotland at different Periods of Life, ... 72–75

Do. Males, ... 76–79

Do. Females, ... 80–83

Page

Table of the Causes of Death in both Sexes in the Mainland Districts of Scotland at different Periods of Life, ... 84–87
Do. Males, ... 88–91
Do. Females, ... 92–95
Table of the Causes of Death in both Sexes in the Town Districts of Scotland at different Periods of Life, ... 96–99
Do. Males, ... 100–103
Do. Females, ... 107–140
Table of the Causes of Death in both Sexes in Glasgow at different Periods of Life, . 108–111
Do. Males, ... 112–115
Do. Females, ... 116–119
Table of the Causes of Death in both Sexes in the Suburban Districts of Barony and Govan at different Periods of Life, ... 120–128
Do. Males, ... 124–127
Do. Females, ... 128–131
Table of the Causes of Death in both Sexes in Edinburgh at different Periods of Life, . 132–135
Do. Males, ... 136–139
Do. Females, ... 140–143
Table of the Causes of Death in both Sexes in Dundee at different Periods of Life, . . 144–147
Do. Males, ... 148–151
Do. Females, ... 152–155
Table of the Causes of Death in both Sexes in Aberdeen at different Periods of Life, . 156–159
Do. Males, ... 160–163
Do. Females, ... 164–167
Table of the Causes of Death in both Sexes in Paisley at different Periods of Life, . . 168–171
Do. Males, ... 172–175
Do. Females, ... 176–179
Table of the Causes of Death in both Sexes in Greenock at different Periods of Life, . 180–183
Do. Males, ... 184–187
Do. Females, ... 188–191
Table of the Causes of Death in both Sexes in Leith at different Periods of Life, . . 192–195
Do. Males, ... 196–199
Do. Females, ... 200–203
Table of the Causes of Death in both Sexes in Perth at different Periods of Life, . . 204–207
Do. Males, ... 208–211
Do. Females, ... 212–215
Table showing the Influence of Season on the Mortality, or the Number of Deaths during the several Months of the Year 1862, in each of the Divisions and Counties of Scotland, together with the estimated Population of each Division and County to the middle of 1862, ... 216
Constitution of the Compound Districts, ... 217
Index to Districts, ... 218

REPORT TO THE REGISTRAR-GENERAL.

Sir,

The year 1862, to which this Report refers, was marked by a great increase in the deaths, and by a notable diminution in the number of marriages. These two results may be chiefly ascribed to one great cause, viz. the depression in trade, caused by the war in America, which not only stopped our supplies of cotton, and threw idle all those engaged in that trade, and those dependent on them for work, but also acted prejudicially on trade generally, and in particular on our import and export trade with America. Hence, though provisions were abundant, and cheaper than in 1861, articles of clothing advanced greatly in price, and all kinds of work were scarce, as all classes felt more or less the derangement of trade caused by the war. Great distress was thereby occasioned among the working classes; and as the atmospheric agencies were peculiar, they seemed to act with greater intensity than usual on a population weakened by the want of a proper supply of food; so that diseases of all kinds became prevalent, and the deaths were numerous in proportion. Pauperism consequently greatly increased; while emigration was resorted to by large numbers who were unable to maintain themselves at home.

In a small country like Scotland, whose inhabitants emigrate to such a large extent, not only to the colonies and foreign countries, but to England and Ireland, it has been found impossible to estimate the annual increase of the population from the excess of births over deaths. From the

Table I.—Population estimated to the middle of each year; with the Number of Births, Deaths, and Marriages registered in Scotland during each of the eight years 1855 to 1862, and their Proportion to the Population; showing also the excess of Births over Deaths.

Year.	Estimated Population.	Births.	Deaths.	Marriages.	Excess of Births over Deaths.	Proportion to every 100 Persons living.		
						Births.	Deaths.	Marriages.
1855	2,962,500	93,349	62,004	19,680	31,345	3·151	2·093	0·664
1856	2,979,855	101,821	58,529	20,740	42,291	3·417	1·964	0·696
1857	2,997,210	103,415	61,906	21,369	41,509	3·450	2·065	0·713
1858	3,014,565	104,018	63,539	19,655	40,479	3·455	2·107	0·652
1859	3,031,921	106,543	61,714	21,201	44,829	3·514	2·035	0·699
1860	3,049,277	105,629	68,170	21,225	37,459	3·464	2·235	0·695
1861	3,066,633	107,009	62,341	20,896	44,668	3·484	2·032	0·681
1862	3,083,989	107,069	67,195	20,597	39,874	3·471	2·178	0·667

experience of the last ten years, however, it has been found that a very close approximation to the truth is attained by assuming that the population is increasing nearly in the same ratio as during the last decade. The population of Scotland, therefore, to the middle of the year 1862, may be safely set down as having amounted to 3,083,989 persons, of whom 1,459,144 were males, and 1,624,845 females. These, distributed among the three great groups into which we divide Scotland, would furnish 160,014 persons for the Insular Districts; 1,769,198 persons for the Mainland-Rural Districts; and 1,154,777 persons for the Town Districts. (Table III.)

BIRTHS.

107069 births were registered in Scotland during the year 1862, being in the proportion of 347 births to every ten thousand persons of the estimated population. The births were thus slightly below the proportion of those of 1861, and greatly below the average of 1859. They were, however, slightly

Table II.—Proportion of Births, Deaths, and Marriages in every 100 Persons living in the Insular, Mainland-Rural, and Town Districts of Scotland during the years 1855, 1856, 1857, 1858, 1859, 1860, 1861, and 1862, the Population being estimated to the middle of each year.

Year.	Insular Districts.			Mainland-Rural Districts.			Town Districts.		
	Births.	Deaths.	Marriages.	Births.	Deaths.	Marriages.	Births.	Deaths.	Marriages.
1855	2·275	1·641	0·441	3·078	1·782	0·580	3·403	2·668	0·834
1856	2·643	1·325	0·514	3·204	1·661	0·599	3·783	2·554	0·869
1857	2·738	1·415	0·585	3·301	1·743	0·628	3·794	2·667	0·866
1858	2·822	1·464	0·544	3·299	1·804	0·576	3·790	2·682	0·787
1859	2·860	1·627	0·562	3·384	1·707	0·617	3·812	2·519	0·848
1860	2·846	1·684	0·503	3·346	1·896	0·610	3·735	2·843	0·856
1861	2·801	1·595	0·572	3·297	1·746	0·582	3·883	2·537	0·848
1862	2·786	1·859	0·531	3·308	1·847	0·575	3·814	2·730	0·827

Table III.—Population of Scotland and its Three Great Groups of Districts in 1851 and 1861; also the Estimated Population to the middle of the year in 1862, distinguishing the Sexes.

Districts.	Census 1851.			Census 1861.			Estimated to 30th June 1862.		
	Males.	Females.	Both Sexes.	Males.	Females.	Both Sexes.	Males.	Females.	Both Sexes.
Insular . .	76,760	89,727	166,487	73,409	87,324	160,733	72,990	87,024	160,014
Mainland-Rural . }	829,259	883,293	1,712,552	849,381	913,996	1,763,377	851,631	917,567	1,769,198
Town . .	469,460	540,243	1,009,703	527,058	611,126	1,138,184	534,523	620,254	1,154,777
Scotland .	1,375,479	1,513,263	2,888,742	1,449,848	1,612,446	3,062,294	1,459,144	1,624,845	3,083,989

above the average of the six previous years, which only yielded the annual proportion of 346 births in every ten thousand persons. (Table I.)

The number of births in the three great groups of districts into which Scotland is divided, maintained the same relative proportion to each other

---

TABLE IV.—Number of Births, Deaths, and Marriages in 1862 in Scotland, its Groups of Districts, its Divisions and Counties, and their proportion to the Population estimated to the middle of the Year.

	Divisions and Counties.	Population estimated to the middle of the Year 1862.	Births.		Deaths.		Marriages.	
			Number.	Per-cent.	Number.	Per-cent.	Number.	Per-cent.
	SCOTLAND . . .	3,083,989	107069	3·471	67195	2·178	20597	0·667
	Insular Districts . .	160,014	4458	2·786	2975	1·859	857	0·531
	Mainland-Rural Dists.	1,769,198	58557	3·309	32694	1·847	10185	0·575
	Town Districts . . .	1,154,777	44054	3·814	31526	2·730	9561	0·827
	Divisions.							
I.	NORTHERN	130,845	3487	2·666	2017	1·541	678	0·518
II.	NORTH-WESTERN . .	166,279	4532	2·725	3106	1·865	793	0·476
III.	NORTH-EASTERN . .	369,084	12077	3·272	6788	1·812	2380	0·644
IV.	EAST-MIDLAND . . .	524,803	17251	3·286	10909	2·076	3372	0·642
V.	WEST-MIDLAND . .	242,639	7888	3·250	4967	2·047	1393	0·574
VI.	SOUTH-WESTERN . .	1,024,151	40515	3·955	25567	2·496	7633	0·745
VII.	SOUTH-EASTERN . .	412,179	14478	3·512	9552	2·317	3144	0·762
VIII.	SOUTHERN	214,009	6841	3·196	4289	2·004	1204	0·562
	Counties.							
1	Shetland	31,744	896	2·822	484	1·524	195	0·614
2	Orkney	32,512	811	2·494	487	1·494	184	0·565
3	Caithness	42,500	1200	2·823	702	1·651	200	0·470
4	Sutherland	24,089	580	2·407	344	1·428	99	0·410
5	Ross and Cromarty .	82,258	2313	2·811	1507	1·832	375	0·455
6	Inverness	84,021	2219	2·745	1599	1·903	418	0·497
7	Nairn	8,380	239	2·852	144	1·718	43	0·512
8	Elgin	44,678	1420	3·178	863	1·931	242	0·537
9	Banff	56,603	1883	3·326	918	1·621	339	0·598
10	Aberdeen.	224,579	7487	3·333	4300	1·914	1511	0·672
11	Kincardine	34,844	1048	3·007	563	1·615	245	0·703
12	Forfar	208,389	7263	3·485	4885	2·339	1459	0·700
13	Perth	132,677	3975	2·996	2481	1·869	775	0·584
14	Fife	155,174	5093	3·282	2988	1·925	974	0·627
15	Kinross	8,620	209	2·424	138	1·600	32	0·371
16	Clackmannan . . .	19,943	711	3·564	417	2·091	132	0·661
17	Stirling	88,679	3278	3·696	1937	2·183	625	0·704
18	Dumbarton	55,078	1955	3·549	1110	2·015	314	0·570
19	Argyll	82,587	2232	2·702	1563	1·892	358	0·433
20	Bute	16,295	423	2·595	357	2·190	96	0·589
21	Renfrew	170,097	6612	3·887	4308	2·532	1289	0·758
22	Ayr.	200,199	7492	3·742	4261	2·128	1361	0·679
23	Lanark	653,855	26411	4·039	16998	2·599	4983	0·762
24	Linlithgow	40,102	1819	4·508	938	2·339	242	0·603
25	Edinburgh	275,918	9521	3·450	6964	2·523	2354	0·853
26	Haddington	37,784	1319	3·464	677	1·791	239	0·632
27	Berwick	36,527	1114	3·049	597	1·634	181	0·495
28	Peebles	11,361	354	3·116	204	1·795	60	0·528
29	Selkirk	10,487	351	3·347	172	1·640	68	0·648
30	Roxburgh	54,033	1819	3·366	1044	1·932	274	0·507
31	Dumfries	75,624	2457	3·249	1589	2·101	475	0·628
32	Kirkcudbright . . .	42,417	1311	3·097	818	1·928	215	0·506
33	Wigtown	41,935	1254	2·990	838	1·998	240	0·572

as in former years. Thus, of the 107069 births, 4458 were registered in the Insular Districts, 58557 in the Mainland-Rural Districts, and 44054 in the Town Districts,—giving the proportion in every ten thousand persons in each of these districts, of 278 Births in the Insular, 330 births in the Mainland-Rural, and 381 births in the Town Districts. (Tables IV. and V.) This is exactly the average birth-rate of each district during the seven years 1856 to 1862 inclusive. (Table II.)

When we compare the proportion of births in these groups of districts in 1861 and 1862, it is seen that the diminution in the proportion of births remarked in 1862 was confined to the Town Districts alone; while the Mainland-Rural Districts maintained a birth-rate if anything rather higher than in 1861. Thus, the Mainland-Rural Districts had the proportion of 329 births in every ten thousand persons in 1861, but 330 births in a like population in 1862. In the Town Districts, on the other hand, there prevailed in 1861 the high proportion of 388 births in every ten thousand persons, while in 1862 the proportion was only 381 births in a like population. This fact would seem to indicate that the adverse agencies which increased the deaths and diminished the marriages, told also to some extent on the births, but only affected that portion of the population which was congregated in towns. Supposing that these adverse agencies were the destitution, want of food and clothing, and misery caused by the large number of operatives thrown out of work by the stoppage of the cotton manufactures, this would account to a great extent for the facts as observed; because the mainland-rural populations being dependent chiefly on husbandry for their support, were unaffected by the destitution and misery from which the operatives suffered. In that case the facts would seem to indicate that under-feeding, destitution, and misery tend to diminish the birth-rate. It is at all events instructive to note, that while the class which were fed as usual, and who suffered not from the want of work and the necessaries of life,—viz., the agricultural class,—maintained their usual birth-rate, this birth-rate notably diminished among those of whom great numbers were thrown out of work, and were rendered destitute by the stoppage of the cotton manufactures.

Of the 107069 children born during the year, 96693 were legitimate, and 10376 illegitimate, indicating that 9·7 per cent. of the births were illegitimate. This is a slightly higher proportion of illegitimate births than

TABLE V.—Number of Births, Deaths, and Marriages registered in Scotland, and in its Three Great Groups of Districts in 1862, and their proportion to the Estimated Population; also the Number of the Illegitimate Births, and their proportion to the Total Births.

1862. Districts.	Births.		Illegitimate Births.		Deaths.						Marriages.	
					No. of Deaths.			Per-cent. to Pop.				
	No.	Per-cent. to Pop.	No.	Per-cent. to Total Births	Males.	Fem.	Both Sexes.	Males.	Fem.	Both Sexes.	No.	Per-cent. to Pop.
Insular .	4458	2·786	219	4·9	1445	1530	2975	1·979	1·758	1·859	851	0·531
Mainland Rural	58557	3·309	5836	9·9	16178	16516	32694	1·899	1·799	1·847	10185	0·575
Town .	44054	3·814	4321	9·8	15556	15970	31526	2·910	2·574	2·730	9561	0·827
SCOTLAND	107069	3·471	10376	9·7	33179	34016	67195	2·273	2·093	2·178	20597	0·667

during the previous years, apparently indicating that illegitimacy is on the increase.

It is a singular fact, in connection with this subject, that in Scotland the proportion of illegitimate births has always been higher in the Mainland-Rural than in the Town Districts, though in 1862 the proportions approached much closer than they usually do. Thus, of the 58557 births in the Mainland-Rural Districts, 5836 were illegitimate; while of the 44054 births in the Town Districts, 4321 were illegitimate;—thus indicating that 9·9 per cent. of the Mainland-Rural births were illegitimate, and 9·8 per cent. of the Town births. (Tables VI. and IX.)

The proportion in which illegitimate births occur in the several Counties year after year is so uniform, that few remarks are required on that head. It may merely be noticed that the Counties included in the North-Eastern and Southern Divisions always furnish much the highest proportion of illegitimate births. Thus, while the Northern and North-Western Divisions furnished respectively only 5·5 and 5·6 per cent. of illegitimate births, and the great mining and manufacturing South-Western Division 8·5 per cent., the Southern Division had 14·1 per cent., and the North-Eastern Division 15·1 per cent. of illegitimate births. (Table IX.)

Of the 107069 children born during the year, 55257 were males, and 51812 females, being in the high proportion of 106·6 males for every 100

TABLE VI.—BIRTHS, 1862. Total Births; also the Number of the Legitimate and Illegitimate Births in Scotland and in its Three Great Groups of Districts in 1862; together with the Number of Twins and Triplets at a Birth.

1862. Districts.	Total Births.			Legitimate Births.			Illegitimate Births.			Twin Births.	Triplet Births.
	Males.	Fem.	Both Sexes.	Males.	Fem.	Both Sexes.	Males.	Fem.	Both Sexes		
Insular	2,294	2,164	4,458	2,179	2,060	4,239	115	104	219	47	–
Mainland-Rural . .	30,320	28,237	58,557	27,294	25,427	52,721	3,026	2,810	5,836	715	8
Town	22,643	21,411	44,054	20,413	19,320	39,733	2,230	2,091	4,321	517	10
SCOTLAND . . .	55,257	51,812	107,069	49,886	46,807	96,693	5,371	5,005	10,376	1,279	18

TABLE VII.—BIRTHS, 1862. Per-centage of Births to the Population, and of Illegitimate to the Total Births; also the Proportion of the Sexes in the Total Births, and in the Legitimate and Illegitimate Births; together with the Per-centage of Twin and Triplet Births to the Total Births in Scotland and in its Three Great Groups of Districts in 1862.

1862. Districts.	Per-centage of Births to Population.	Per-centage of Illegitim. to Total Births.	Proportion of Males to every 100 Females in the			Proportion of MOTHERS who bare TWINS. — One in every	Proportion of MOTHERS who bare TRIPLETS. — One in every
			Total Births.	Legitimate Births.	Illegitim. Births.		
Insular	2·786	4·9	106·0	105·7	110·5	94	–
Mainland-Rural	3·309	9 9	107·3	107·3	107·6	81	7229
Town	3·814	9·8	105·7	105·6	106·2	84	4351
SCOTLAND . . .	3·471	9·7	106·6	106·5	107·3	82	5875

females at birth. The illegitimate children, however, as in former years, yielded the still higher proportion of 107·3 males for every 100 females at birth. Eight years of registration in Scotland shows that the proportion of males to females at birth is always higher among the illegitimate than among the legitimate children—the very reverse of what has been observed in all foreign countries. Thus, during the eight years 1855 to 1862 inclusive, among the legitimate children there were 105·4 males at birth for every 100 females; while among the illegitimate children for the same period, there were 107·3 males for every 100 females.

The birth registers unfortunately do not now embrace the age of the mother when her child's birth is registered. But from the tables published in our Second Detailed Report, which were prepared from the registers of 1855, it would appear that a larger number of women bear children between the ages of 25 and 30 than at any other quinquennial period of life; while nearly an equal number bear children at the ages of 20 to 25, as at those of 30 to 35 years. Sweden would appear to be almost the only country which publishes official statistics on this subject; and by the last series of reports which we have received,* it would appear that the child-bearing period of life in that country is, as it were, delayed for a period of about four years later than in this country. Thus, instead of the greatest number of women bearing children between the ages of 25 to 30, as in this country, in Sweden the greatest number bear children between the ages of 30 to 35 years. Then, instead of the next most prolific age being as it is in Scotland from 20 to 25, and from 30 to 35 years of age, in Sweden it is from 25 to 30, and from 35 to 40 years of age, while nearly the same number of women bear children above 40 as between 20 and 25 years of age.

These facts are so singular, that in Table VIII. are given the number and proportion of mothers at different ages in Scotland and in Sweden, that the differences in the prolific periods of the females of each country may be seen at a glance. By a comparison of the facts, it will be observed that, at all ages under 25 years, only half the number of women bear children

TABLE VIII.—Number and Proportion of MOTHERS at different Ages in SCOTLAND and SWEDEN.

Age of Mother on the birth of her child.	Number of Mothers at each Age.		Proportion at each Age in every 100 Mothers.	
	SCOTLAND, *i.e.* Edinburgh and Glasgow in 1855.	SWEDEN, 1861.	SCOTLAND.	SWEDEN.
15–20 years.	403	1443	2·43	1·12
20–25 „	3814	15,864	23·01	12·33
25–30 „	5057	31,802	30·52	24·72
30–35 „	3943	33,539	23·79	26·06
35–40 „	2395	29,438	14·45	22·88
40 and above.	961	16,585	5·80	12·89
Total Mothers . . .	16,573	128,671	100·00	100·00

* *Bidrag till Sveriges Officiela Statistik. Befolknings-Statistik fur Aret* 1861. Ny följd. iii. p. 8.

in Sweden as compared with Scotland; whereas, at the other end of the child-bearing period, only half the number of women above 40 years of age bear children in Scotland, as in Sweden. This striking fact would

TABLE IX.—BIRTHS, 1862. Number and Proportion of Sexes in Total Births, and in the Legitimate and Illegitimate Births; also the Proportion of the Legitimate to the Total Births in all Scotland, its Groups of Districts, Divisions, and Counties in 1862.

1862.	Total Births.			Legitimate Births.			Illegitimate Births.			No. of Total and Illegitimate Births, and per-centage of Illegit. to the Total Births.		
	Males.	Females.	Proportion of Males to 100 Females.	Males.	Females.	Proportion of Males to 100 Females.	Males.	Females.	Proportion of Males to 100 Females.	Total Births.	Illegit. Births.	Per-cent. of Illegit.
SCOTLAND . . .	55257	51812	106·6	49886	46807	106·5	5371	5005	107·3	107069	10376	9·7
Insular Districts . .	2294	2164	106·0	2179	2060	105·7	115	104	110·5	4458	219	4·9
Mainland-Rural Dist.	30320	28237	107·3	27294	25427	107·3	3026	2810	107·6	58557	5836	9·9
Town Districts . .	22643	21411	105·7	20413	19320	105·6	2230	2091	106·2	44054	4321	9·8
NORTHERN DIVISION	1819	1668	109·0	1715	1580	108·5	104	88	118·1	3487	192	5·5
NORTH-WESTERN DO.	2358	2174	108·4	2233	2043	109·3	125	131	95·4	4532	256	5·6
NORTH-EASTERN DO.	6232	5845	106·6	5277	4971	106·1	955	874	109·2	12077	1829	15·1
EAST-MIDLAND DO. .	8897	8354	105·3	7990	7538	105·9	907	816	111·1	17251	1723	9·9
WEST-MIDLAND DO. .	4044	3844	105·2	3715	3559	104·3	329	285	115·4	7888	614	7·7
SOUTH-WESTERN DO.	20910	19605	106·6	19138	17906	106·8	1772	1699	104·3	40515	3471	8·5
SOUTH-EASTERN DO.	7477	7001	106·7	6789	6366	106·6	688	635	108·3	14478	1223	8·4
SOUTHERN DO. . .	3520	3321	105·9	3029	2844	106·5	491	477	102·9	6841	968	14·1
Counties.												
Shetland	479	417	114·8	460	403	114·1	19	14	135·7	896	33	3·6
Orkney	402	409	98·2	389	393	98·9	13	16	81·2	811	29	3·5
Caithness	642	558	115·0	584	515	113·3	58	43	134·9	1200	101	8·4
Sutherland	296	284	104·2	282	269	104·8	14	15	93·3	580	29	5·0
Ross and Cromarty .	1242	1071	115·9	1200	1032	116·2	42	39	107·6	2313	81	3·5
Inverness	1116	1103	101·1	1033	1011	102·1	83	92	90·2	2219	175	7·8
Nairn	129	110	117·2	110	104	105·7	19	6	150·0	239	25	10·4
Elgin	708	712	99·4	627	617	101·6	81	95	85·2	1420	176	12·4
Banff	1015	868	116·9	846	734	115·2	169	134	126·1	1883	303	16·0
Aberdeen	3867	3620	106·8	3261	3061	106·5	606	559	108·4	7487	1165	15·5
Kincardine	513	535	95·8	433	455	95·1	80	80	100·0	1048	160	15·2
Forfar	3823	3440	111·1	3370	3041	110·8	453	399	113·5	7263	852	11·7
Perth	1956	2019	96·8	1745	1822	95·7	211	197	107·1	3975	408	10·2
Fife	2639	2454	107·5	2433	2275	106·9	206	179	115·0	5093	385	7·5
Kinross	104	105	99·0	92	93	98·9	12	12	100·0	209	24	11·4
Clackmannan . . .	375	336	111·6	350	307	114·0	25	29	86·2	711	54	7·6
Stirling	1658	1620	102·3	1507	1485	101·4	151	135	111·8	3278	286	8·7
Dumbarton	1023	932	109·7	947	857	110·5	76	75	101·3	1955	151	7·7
Argyll	1145	1087	105·3	1060	1027	103·2	85	60	141·6	2232	145	6·5
Bute	218	205	106·3	201	190	105·7	17	15	113·3	423	32	7·5
Renfrew	3401	3211	105·9	3137	2963	105·8	264	248	106·5	6612	512	7·7
Ayr	3938	3554	110·8	3588	3205	111·9	350	349	100·2	7492	699	9·3
Lanark	13571	12840	105·6	12413	11738	105·7	1158	1102	105·0	26411	2260	8·5
Linlithgow	943	876	107·8	873	818	106·7	70	58	120·6	1819	128	7·0
Edinburgh	4932	4589	107·4	4463	4162	107·2	469	427	109·8	9521	896	9·4
Haddington	701	618	113·4	632	558	113·2	69	60	115·0	1319	129	9·7
Berwick	558	556	100·1	503	494	101·8	55	62	88·7	1114	117	10·5
Peebles	172	182	94·5	158	167	94·6	14	15	93·3	354	29	8·1
Selkirk	171	180	95·0	160	167	95·8	11	13	84·6	351	24	6·8
Roxburgh	914	905	100·9	811	786	103·1	103	119	86·5	1819	222	12·2
Dumfries	1254	1203	104·2	1065	1028	103·6	189	175	108·0	2457	364	14·8
Kirkcudbright . . .	685	626	109·4	571	532	107·3	114	94	121·2	1311	208	12·0
Wigtown	667	587	113·6	582	498	116·9	85	89	95·5	1254	174	13·8

seem to indicate that cold does delay the child-bearing period of life in women, as has been often supposed, but never till now proved by trustworthy facts.

During the year 1862 there occurred 1279 twin and 18 triplet births, giving the proportion of one in every 82 mothers having twins, and one in every 5875 mothers having triplets. The proportion, therefore, of twin and triplet births is very steady from year to year.

As the births during the year amounted to 107,069, and the deaths to 67,195, the excess of births over deaths numbered 39,874, and did no emigration occur, the population of Scotland ought to have been increased by that amount. The Emigration Commissioners, however, ascertained that 121,214 persons emigrated from the ports of Great Britain and Ireland during the year, of whom 35,487 were ascertained to be of English, 12,596 of Scotch, 49,680 of Irish origin, while 3311 were foreigners, and of 20,140 the origin was not ascertained. If 2509 persons be taken as the proportion which would fall to Scotland of those whose nationality was not ascertained, the total Scottish emigrants would amount to 15,105, which, deducted from the excess of births over deaths, would leave 24,769 persons as the increase of the population of Scotland during the year, or about 7000 persons more than the probable increase. The above figures, however, take no note of the very large emigration of Scotch to England and to Ireland, nor of those who enter the army, navy, or merchant shipping. The number who annually emigrate to England must be very great, seeing that, at the census of 1861, it was ascertained that the number of Scotchmen residing in England equalled 5½ per cent. (5·52) of the total population of Scotland; whereas the number of English residing in Scotland only equalled the twenty-seven hundredth part of a per-centage (0·27) of the population of England.

MARRIAGES.

20,597 marriages were registered in Scotland during the year 1862, being in the low proportion of 667 marriages in every 100,000 of the population, or considerably under the average of the seven previous years, which was at the annual rate of 685 marriages in a like population. Though the marriages in England also fell short of their usual proportion during

Table X.—MARRIAGES, 1862. Number of Marriages contracted according to the Rites of the several Religious Denominations, and their several Proportions to the Total Marriages.

Religious Denominations.	SCOTLAND.		Insular Districts.	Mainland-Rural Districts.	Town Districts.
	Number of Marriages.	Proportion to Total Marriages.			
Established Church . . .	9307	45·19	441	5449	3417
Free Church	4930	23·94	279	2388	2263
United Presbyterian Church .	2846	13·81	59	1362	1425
Roman Catholic Church . .	1778	8·64	40	510	1228
Episcopalian Church . .	371	1·80	1	109	261
Other Denominations . .	990	4·80	28	312	650
Denomination not stated and Irregular	375	1·82	3	55	317

1862, and from the same causes as in Scotland, they remained far above the Scottish ratio; seeing that they were in the proportion of 807 marriages for every 100,000 persons, the average of the seven previous years having been 828 marriages in a like population.

This low proportion of marriages in Scotland, though no doubt leading to other evils, and above all to the encouragement of illegitimacy, does not seem to retard increase of the population by births, as has been fully pointed out in former Reports. The birth-rate in England, during the six years 1856 to 1861 inclusive, was 344 births in every ten thousand persons. The Scottish birth-rate during the same period was 346 births in a like population. So that the much lower proportion of marriages in Scotland was compensated for by increasing fruitfulness in the women, the Scottish birth-rate actually exceeding the English one.

Of the 20597 marriages registered in Scotland during the year, 9307 were celebrated according to the rites of the Established Church, 4930 according to those of the Free Church, 2846 according to those of the United Presbyterian Church, 1778 according to the rites of the Roman Catholic Church, 371 according to those of the Episcopal Church, 990 according to the several rites of the smaller religious denominations, while in 348 cases the denomination was not stated, and in only 27 cases the marriage was irregular. These numbers yield proportions very similar to those of former years, and indicate that 45·19 per cent. of the marriages were celebrated by ministers of the Established Church, 23·94 per cent. by those of the Free Church, 13·81 per cent. by those of the United Presbyterian Church, 8·64 per cent. by those of the Romish Church, 1·80 per cent. by those of the Episcopalian Church, 4·80 per cent. by ministers and others belonging to the smaller religious denominations; while in 1·82 per cent. the religious denomination was not stated.

Of the 20597 men who married during the year, the ages of 20575

TABLE XI.—MARRIAGES, 1862. Ages of Men and Women at Marriage in Scotland, and in its Three Great Groups of Districts, in 1862.

AGE.	SCOTLAND.		INSULAR DISTRICTS.		MAINLAND-RURAL DISTRICTS.		TOWN DISTRICTS.	
	Men.	Women.	Men.	Women.	Men.	Women.	Men.	Women.
Under 15 years	–	3	–	–	–	2	–	1
15—16	–	4	–	–	–	3	–	1
16—17	–	66	–	1	–	43	–	22
17—18	16	290	1	5	8	153	7	132
18—19	132	858	4	15	64	411	64	432
19—20	454	1465	9	30	234	734	211	701
20—21	967	1810	11	36	503	906	453	868
21—25	7094	7709	190	317	3520	3802	3384	3590
25—30	6142	4961	279	268	3051	2503	2812	2190
30—35	2522	1756	169	107	1268	887	1085	762
35—40	1353	896	85	42	650	403	618	451
40—45	770	418	43	16	353	174	374	228
45—50	468	195	16	6	220	90	232	99
50—55	310	88	16	3	144	36	150	49
55—60	171	25	4	1	88	10	79	14
60—65	116	14	16	1	45	5	55	8
65—70	40	4	3	1	16	–	21	3
70—75	15	–	2	–	6	–	7	–
75—80	5	–	–	–	2	–	3	–
80—85	–	1	–	–	–	–	–	1
85—90	–	–	–	–	–	–	–	–
Not stated	22	34	3	2	13	23	6	9
All Ages	20,597	20,597	851	851	10,185	10,185	9561	9561

were ascertained, and of that number 1569 were under 21 years of age. Of the 20597 women who married, the ages of 20563 were ascertained, and of that number 4496 were under 21 years of age. It thus appears that 7·62 per cent. of the men, and 21·86 per cent. of the women who married during the year were minors, or under the legal age of 21 years. (Table XII.)

We cannot ascertain with the same accuracy the ages of the persons who marry in England, in consequence of the system adopted for the registration of marriages there; for of the 164030 marriages entered on the English registers in 1862, in only 104364 instances were the exact ages of both parties specified. That number, however, probably gives a very close approximation to the truth; and by the Tables of the Registrar-General of England, it appears that, of that number, 9149 men, and 25417 women who married, were under 21 years of age; thus demonstrating that 8·76 per cent. of the men, and 24·35 of the women who married, were under 21 years of age. This is above the proportion of minors who marry in Scotland.

That the English marry somewhat earlier than the Scottish people, has been pointed out in former Reports; and the statistics of the year 1862

TABLE XII.—MARRIAGES, 1862. Number and Proportion of Men and Women, under 21 years of Age, who contracted Marriage in England and in Scotland, and in the Insular, the Mainland-Rural, and Town Districts of Scotland, in 1862.

	Number Married in 1862, whose Ages were ascertained.		Number under 21 years.		Per-centage under 21 years.	
	Men.	Women.	Men.	Women.	Men.	Women.
ENGLAND . .	104364	104364	9149	25417	8·766	24·354
SCOTLAND . .	20575	20563	1569	4496	7·625	21·864
Insular Districts .	848	849	25	87	2·948	10·242
Mainland-Rural Districts . .	10172	10162	809	2252	7·953	22·062
Town Districts .	9555	9552	735	2157	7·692	22·581

TABLE XIII.—MARRIAGES, 1862. Number and Proportion of Men and Women, under and above 25 years of Age, who contracted Marriage in England and in Scotland, and in the Insular, Mainland-Rural, and Town Districts of Scotland, in 1862.

	Number who Married.				Per-centage who Married.			
	Under 25 years.		Above 25 years.		Under 25 years.		Above 25 years.	
	Men.	Women.	Men.	Women	Men.	Women.	Men.	Women.
ENGLAND . . .	52469	66112	51895	38252	50·275	63·347	49·725	36·653
SCOTLAND . . .	8663	12205	11912	8358	42·108	59·354	57·892	40·646
Insular Districts . .	215	404	633	445	25·353	42·872	74·647	57·128
Mainland-Rural Dists.	4329	6054	5843	4108	42·558	59·574	57·442	40·426
Town Districts . . .	4119	5747	5436	3805	43·108	60·165	56·892	39·835

closely corresponded in that respect with those of its predecessors. Thus, taking the men and women who married in 1862, it is found that in England 50·27 per cent. of the men who married were under 25 years of age; while in Scotland only 42·10 per cent. were under that age. In England, 63·34 per cent. of the women who married were under 25 years of age; but in Scotland only 59·35 per cent. were under that age. (Table XIII.)

This fact of the English marrying at a somewhat earlier age is, if possible, still more distinctly made manifest by contrasting the proportions of men and women who marry at each age in Scotland and in England. Table XIV. is drawn up with the view of exhibiting this contrast. By that Table it will be seen, that in Scotland 4·70 per cent. of the men who married were between 20 and 21 years of age; while in England 5·90 per cent. were at that age. In Scotland, only 34·48 per cent. of the men who married were between 21 and 25 years of age; but in England, 41·50 per cent. were at the same ages. Above 25 years the Scottish proportion necessarily preponderates up to the fiftieth year of life, inasmuch as, fewer having married at the junior ages, more are left to marry later in life. Consequently, while in Scotland 29·86 of the men who married were between the ages of 25 to 30 years, only 25·52 per cent. were at the same ages in England; and while in Scotland 12·26 per cent. of the men who married were from 30 to 35 years of age, only 9·97 per cent. were at the same ages in England.

The Table exhibits the same facts with regard to the women. Thus, in Scotland, 8·79 per cent. of the women who married were between 20 and 21 years of age; but in England 10·75 per cent. were at the same age. In Scotland, 37·49 per cent. of the women who married were between the ages of 21 and 25; but in England 38·99 per cent. were at the same ages. Above 25 years of age, as was noticed with regard to the men, the proportions of England and Scotland are reversed, in consequence of the women of Scotland marrying at a somewhat later period of life than in England. Thus, in Scotland, while 24·13 per cent. of the women who marry were between the ages of 25 and 30 years, in England only 19·55 per cent. were at the same ages. In Scotland, 8·54 per cent. of the women who married

TABLE XIV.—MARRIAGES, 1862. Per-centage of Men and Women at each age in Scotland and England, who married during the Year 1862.

AGES.	MEN.		WOMEN.	
	SCOTLAND.	ENGLAND.	SCOTLAND.	ENGLAND.
Under 16 Years	—	—	0·03	0·03
16—17	—	—	0·32	0·20
17—18	0·07	0·06	1·41	1·15
18—19	0·64	0·49	4·18	4·25
19—20	2·21	2·32	7·13	7·97
20—21	4·70	5·90	8·79	10·75
21—25	34·48	41·50	37·49	38·99
25—30	29·86	25·52	24·13	19·55
30—35	12·26	9·97	8·54	7·28
35—40	6·58	5·05	4·36	3·89
40—45	3·74	3·47	2·03	2·67
45—50	2·27	2·07	0·95	1·57
50—55	1·50	1·61	0·43	0·84
55—60	0·83	0·91	0·12	0·42
60 and above	0·86	1·13	0·09	0·34
Total	100·00	100·00	100·00	100·00

were between the ages of 30 and 35 years, but only 7·28 per cent. in England, etc.

Nothing more strikingly illustrates the causes which influence the marriage-rate, than the different proportions in which marriages are contracted in the Insular, the Mainland-Rural, and the Town Districts of Scotland. In the Insular Districts the population has exceeded its means of support, and is annually diminishing. There is no demand for labour, and no opening for new families but by the death of the old. The marriage-rate is consequently very low, during 1862 being in the proportion of 53 marriages in every ten thousand persons. In the Mainland-Rural Districts

TABLE XV.—MARRIAGES, 1862. Number and Proportion of Men and Women, under and above 25 years of Age, who contracted Marriage in Scotland, and in its Eight Divisions, in 1862.

DIVISIONS.	Number of Persons Married whose Ages were ascertained.		Number of Persons Married.				Per-centage to the total Men and Women who Married.			
			Under 25 yrs.		Above 25 yrs.		Under 25 yrs.		Above 25 yrs.	
	Men.	Women.	Men.	Women.	Men.	Women.	Men.	Women.	Men.	Wom.
1. Northern	675	675	225	313	450	362	33·333	46·518	66·667	53·482
2. North-Western	792	791	160	364	632	427	20·202	46·017	79·798	53·983
3. North-Eastern	2,379	2,377	904	1347	1475	1030	38·000	56·668	62·000	43·332
4. East-Midland	3,372	3,367	1474	1924	1898	1443	43 712	57·142	56·288	42·858
5. West-Midland	1,391	1,391	508	825	883	566	36·520	59·309	63·480	40·691
6. South-Western	7,625	7,625	3547	4932	4078	2693	46·518	64·682	53·482	35·318
7. South-Eastern	3,138	3,136	1334	1818	1804	1318	42·511	57·972	57·489	42·028
8. Southern	1,203	1,201	511	682	692	519	43·308	56·786	56 692	43·214
SCOTLAND	20,575	20,563	8663	12205	11912	8358	42·108	59·354	57·892	40·646

TABLE XVI.—MARRIAGES, 1862. Number of Persons in Scotland and in its Eight Divisions who married in 1862, and their Proportion to the estimated Population. Also the number of Males under and above 25 years of Age who married in 1862, and their Proportion to the estimated number of Males in each Division (the Ages not known allocated).

DIVISIONS.	Estimated Population to the middle of 1862.	Persons who Married.		Male Population, Estimated to the middle of 1862.	Number of Men who Married in 1862.		Per-centage of Men who Married to the Estimated Male Population.	
		Number.	Per-centage to the Population.		Under 25 yrs.	Above 25 yrs.	Under 25 yrs.	Above 25 yrs.
1. Northern . .	130,845	1356	1·037	59,023	226	452	0·383	0·765
2. North-Western	166,279	1586	0·953	77,396	160	633	0·206	0·817
3. North-Eastern	369,084	4760	1·289	174,410	904	1476	0·518	0·846
4. East-Midland .	524,803	6744	1·284	242,972	1474	1898	0·606	0·781
5. West-Midland	242,639	2786	1·148	118,051	508	885	0·430	0·749
6. South-Western	1,024,151	15266	1·490	492,057	3551	4082	0·721	0·829
7. South-Eastern	412,179	6288	1·525	193,932	1337	1807	0·689	0·931
8. Southern . .	214,009	2408	1·125	101,303	511	693	0·504	0·684
SCOTLAND .	3,083,989	41194	1·335	1,459,144	8671	11926	0·594	0·817

the population is almost stationary; at least it is only increasing at a very low rate, and is obliged to draft its surplus into the towns, or send them as emigrants abroad. The present resident population is sufficient for all the demands of agriculture, and the opening for new families is chiefly produced by the death of the old. The marriage-rate was consequently not much higher than in the Insular Districts, being only at the low rate of 57 marriages in every ten thousand persons during 1862. The Town Districts, however, are rapidly increasing; and though the demand for labour was not so great as during previous years, and large numbers of operatives were out of work, the marriages during 1862 were in the proportion of 82 marriages in every ten thousand of the population, the average of the seven previous years having been 84 marriages in a like population.

The above facts seem to prove that it is the difficulty of procuring a livelihood which represses marriages in Scotland, causes the marriage-rate to be so low, and forces such a large proportion of the Scotch to emigrate and seek a livelihood elsewhere.

Tables XV. and XVI. are drawn up with the view of showing the same facts for the different divisions of Scotland; and whether we compare the proportions who marry under 25 years of age in the several divisions, as shown in Table XV., or the actual number of marriages to the population, as is shown in Table XVI., the same conclusion is arrived at, viz. that it is the greater or lesser difficulty of procuring a livelihood which is the principal cause influencing the marriage-rate. Thus, in the North-Western Division of Scotland, consisting of purely Highland counties, which are annually decreasing in population, only 20 per cent. of the men who married were under 25 years of age. But in the great manufacturing and mining South-Western Division, where the population is most rapidly increasing, 46 per cent. of the men who married during the year were under 25 years of age. Compare these facts with those given in Table XVI. The North-Western Division had only in the proportion of 95 persons married during the year in every ten thousand persons; but the South-Western Division had 149 persons married in a like population. Or take the men alone. In the North-Western Division, of every ten thousand males, only 20

TABLE XVII.—MARRIAGES, 1862. Number of Marriages between Persons in different Conjugal Conditions, and their Proportion in every 100 Marriages.

DISTRICTS.	Number of Marriages.					Proportion in every 100 Marriages.			
	Total Marriages condition specified.	Bachelors and Spinsters.	Bachelors and Widows.	Widowers and Spinsters.	Widowers and Widows.	Bachelors and Spinsters.	Bachelors and Widows.	Widowers and Spinsters.	Widowers and Widows.
Insular	815	711	6	83	15	87·24	0·74	10·18	1·84
Mainland-Rural . .	9765	8670	167	779	149	88·79	1·71	7·97	1·53
Town	9524	8011	291	885	337	84·11	3·06	9·29	3·54
SCOTLAND . . .	20104	17392	464	1747	501	86·51	2·31	8·69	2·49
EDINBURGH . . .	1598	1355	45	146	52	84·79	2·81	9·14	3·26
GLASGOW	3455	2903	103	337	112	84·02	2·98	9·76	3·24

who married during the year were under 25 years of age; while in the South-Western Division, of every ten thousand males, 72 who married during the year were under 25 years of age.

TABLE XVIII.—MARRIAGES, 1862. Number of Marriages in which the Conjugal Condition was specified; also, the Number of Marriages of Bachelors with Spinsters, Bachelors with Widows, Widowers with Spinsters, and Widowers with Widows; with the Number of Men and Women who re-married in 1862.

	Divisions and Counties.	Total Marriages, condition specified.	Bachelors with Spinsters.	Bachelors with Widows.	Widowers with Spinsters.	Widowers with Widows.	Re-marriages.			
							Widowers.	Widows.	Proportion of WIDOWERS in every 100 Men who married.	Proportion of WIDOWS in every 100 Women who married.
	SCOTLAND . . .	20104	17392	464	1747	501	2248	965	11·18	4·80
	Insular Districts . .	815	711	6	83	15	98	21	12·02	2·57
	Mainland-Rural Dists.	9765	8670	167	779	149	928	316	9·50	3·23
	Town Districts . . .	9524	8011	291	885	337	1222	628	12·83	6·59
I.	Northern Division	663	593	11	50	9	59	20	8·89	3·16
II.	North-Western Do.	737	650	9	73	5	78	14	10·58	1·89
III.	North-Eastern Do.	2357	2103	60	167	27	194	87	8·23	3·69
IV.	East-Midland Do. .	3298	2874	61	277	86	363	147	11·00	4·45
V.	West-Midland Do. .	1343	1161	20	124	38	162	58	12·06	4·32
VI.	South-Western Do.	7484	6366	203	680	235	915	438	12·22	5·85
VII.	South-Eastern Do.	3067	2640	78	270	79	349	157	11·38	5·18
VIII.	Southern Do. . . .	1155	1005	22	106	22	128	44	11·08	3·81
1	Shetland	191	165	3	18	5	23	8	12·04	4·18
2	Orkney	183	165	–	16	2	18	2	9·83	1·09
3	Caithness	196	178	6	11	1	12	7	6·12	3·62
4	Sutherland	93	85	2	5	1	6	3	6·45	3·22
5	Ross and Cromarty .	351	308	5	35	3	38	8	10·82	2·27
6	Inverness	386	342	4	38	2	40	6	10·36	1·55
7	Nairn	43	42	–	1	–	1	–	2·32	0·00
8	Elgin	239	216	8	13	2	15	10	6·27	4·18
9	Banff	335	310	6	15	4	19	10	5·67	2·98
10	Aberdeen	1498	1313	42	126	17	143	59	9·54	3·93
11	Kincardine	242	222	4	12	4	16	8	6·61	3·30
12	Forfar	1455	1231	28	138	58	196	86	13·47	5·91
13	Perth	753	678	10	48	17	65	27	8·63	3·58
14	Fife	934	823	20	82	9	91	29	9·74	3·10
15	Kinross	27	27	–	–	–	–	–	0·00	0·00
16	Clackmannan . . .	129	115	3	9	2	11	5	8·52	3·86
17	Stirling	598	524	9	48	17	65	26	10·87	4·34
18	Dumbarton	312	269	2	31	10	41	12	13·14	3·84
19	Argyll	341	293	8	33	7	40	15	11·73	4·39
20	Bute	92	75	1	12	4	16	5	17·39	5·43
21	Renfrew	1260	1047	36	116	61	177	97	14·04	7·69
22	Ayr	1290	1125	25	112	28	140	53	10·85	4·10
23	Lanark	4934	4194	142	452	146	598	288	12·12	5·83
24	Linlithgow	219	193	13	10	3	13	16	5·93	7·30
25	Edinburgh	2325	1982	57	212	74	286	131	12·30	5·63
26	Haddington	227	200	6	20	1	21	7	9·25	3·08
27	Berwick	170	152	–	17	1	18	1	10·58	0·58
28	Peebles	59	52	1	6	–	6	1	10·16	1·69
29	Selkirk	67	61	1	5	–	5	1	7·46	1·49
30	Roxburgh	267	226	4	31	6	37	10	13·86	3·74
31	Dumfries	454	393	12	40	9	49	21	10·79	4·62
32	Kirkcudbright . . .	200	180	2	14	4	18	6	9·00	3·00
33	Wigtown	234	206	4	21	3	24	7	10·25	2·99
	EDINBURGH . . .	1598	1355	45	146	52	198	97	12·39	6·07
	GLASGOW . . .	3455	2903	103	337	112	449	215	12·99	6·22

Of the 20597 marriages registered in Scotland during the year, the conjugal condition of the parties previous to their entrance into the new engagement was ascertained in 20104 cases. Of these 20104 marriages,

TABLE XIX.—MARRIAGES, 1862. Number of Men and of Women who signed the Marriage Register by Mark; also the Total Number of Men and of Women who married in 1862; together with the proportion of Men and of Women who signed the Register by Mark, and the proportion who signed their names in full, in Scotland, its Divisions and Counties.

	DIVISIONS AND COUNTIES.	MEN.				WOMEN.			
		Number of Males who Married.	Number who signed by Mark.	Per-centage who signed by Mark.	Per-centage who signed their names in full.	Number of Women who Married.	Number who signed by Mark.	Per-centage who signed by Mark.	Per-centage who signed their names in full.
	SCOTLAND . . .	20597	2062	10·01	89·99	20597	4192	20·35	79·65
	Insular Districts . . .	851	205	24·09	75·91	851	338	38·54	61·46
	Mainland-Rural Districts	10185	771	7·57	92·43	10185	1497	14·69	85·31
	Town Districts . . .	9561	1086	11·35	88·65	9561	2357	24·65	75·35
I.	NORTHERN DIVISION .	678	53	7·81	92·19	678	127	18·73	81·27
II.	NORTH-WESTERN Do. .	793	258	32·53	67·47	793	393	49·55	50·45
III.	NORTH-EASTERN Do. .	2380	84	3·51	96·49	2380	224	9·41	90·59
IV.	EAST-MIDLAND Do. . .	3372	215	6·37	93·64	3372	494	14·65	85·35
V.	WEST-MIDLAND Do. .	1393	190	13·64	86·36	1393	338	24·26	75·74
VI.	SOUTH-WESTERN Do. .	7633	1034	13·54	86·46	7633	2215	29·02	70·98
VII.	SOUTH-EASTERN Do. .	3144	171	5·43	94·57	3144	306	9·73	90·27
VIII.	SOUTHERN Do. . . .	1204	57	4·73	95·27	1204	95	7·89	92·11
1	Shetland	195	24	12·31	87·69	195	71	36·92	63·08
2	Orkney	184	5	2·71	97·29	184	13	7·06	92·94
3	Caithness	200	15	7·50	92·50	200	18	9·00	91·00
4	Sutherland	99	9	9·09	90·91	99	25	25·25	74·75
5	Ross and Cromarty . .	375	129	34·40	65·60	375	186	49·60	50·40
6	Inverness	418	129	30·86	69·14	418	207	49·52	50·48
7	Nairn	43	3	6·97	93·03	43	17	39·53	60·47
8	Elgin	242	12	4·95	95·05	242	25	10·33	89·67
9	Banff	339	17	5·01	94·99	339	42	12·39	87·61
10	Aberdeen	1511	46	3·04	96·96	1511	125	14·89	85·11
11	Kincardine	245	6	2·44	97·56	245	15	6·12	97·88
12	Forfar	1459	142	9·73	90·27	1459	348	23·85	76·15
13	Perth	775	33	4·25	95·75	775	44	5·67	94·33
14	Fife	974	28	2·87	97·13	974	77	7·90	92·10
15	Kinross	32	–	0·00	100·00	32	–	0·00	100·00
16	Clackmannan	132	12	9·09	90·91	132	25	18·94	81·06
17	Stirling	625	70	11·20	88·80	625	141	22·56	77·44
18	Dumbarton	314	64	20·38	79·62	314	86	27·38	72·62
19	Argyll	358	49	13·68	86·32	358	101	28·21	71·79
20	Bute	96	7	7·29	92·71	96	10	10·41	89·59
21	Renfrew	1289	185	14·35	85·65	1289	385	29·80	70·20
22	Ayr	1361	163	11·97	88·03	1361	327	24·02	75·98
23	Lanark	4983	686	13·76	86·24	4983	1503	30·16	69·84
24	Linlithgow	242	39	16·11	83·89	242	46	19·00	81·00
25	Edinburgh	2354	102	4·33	95·67	2354	206	8·75	91·25
26	Haddington	239	24	10·04	89·96	239	38	15·90	84·10
27	Berwick	181	5	2·76	97·24	181	13	7·18	92·82
28	Peebles	60	–	0·00	100·00	60	1	1·66	98·34
29	Selkirk	68	1	1·47	98·53	68	2	2·94	97·06
30	Roxburgh	274	10	3·64	96·36	274	11	4·01	95·99
31	Dumfries	475	14	2·94	97·06	475	42	8·84	91·16
32	Kirkcudbright	215	12	5·58	94·42	215	9	4·18	95·82
33	Wigtown	240	21	8·75	91·25	240	33	13·75	86·25
	EDINBURGH . . .	1610	53	3·29	96·71	1610	122	7·57	92·43
	GLASGOW	3459	496	14·33	85·67	3459	1102	31·85	68·15

17392 were those of bachelors with spinsters; 464 were those of bachelors with widows; 1747 were those of widowers with spinsters; and 501 were those of widowers with widows. These numbers indicate that in every 100 marriages 86·51 were between bachelors and spinsters; 2·31 between bachelors and widows; 8·69 between widowers and spinsters; and 2·49 between widowers and widows. (Table XVII.)

As occurs year after year, re-marriages are much more common in the Town than in the Mainland-Rural Districts; for while in every 100 men who married during the year only 9·50 were widowers in the Mainland-Rural Districts, 12·83 were widowers in the Town Districts; and while only 3·23 per cent. of the women who married were widows in the Mainland-Rural Districts, 6·59 per cent. were widows in the Town Districts. (Table XVIII.)

In Edinburgh and Glasgow the proportion of persons in different conjugal conditions who married was almost identical, and scarcely differed from that of the whole Town Districts. These facts therefore show, that the congregating of masses of the population in towns increases the proportion of re-marriages. (Tables XVII. and XVIII.)

The state of elementary education among the people may, to a certain extent, be estimated by ascertaining the proportion who are able to sign their names in the marriage register.

During the year 1862, of the 20597 men who married, 18535 signed their names in full in the marriage registers, while 2062 signed by mark. Of the 20597 women who married, 16405 signed their names in full, while 4192 signed by mark. These numbers show that 89·99 per cent. of the men, and 79·65 per cent. of the women, were able to sign their names in full, while 10·01 per cent. of the men, and 20·35 per cent. of the women, signed by mark. These proportions contrast favourably with England, for in 1862 only 76·3 per cent. of the men who married, and 66·8 per cent. of the women who married, could sign their names in the marriage registers, while 23·7 per cent. of the men, and 33·2 per cent. of the women, were obliged to sign by mark. The efforts, however, which have been making in England for many years past to extend the benefits of elementary education, are every year manifesting their beneficial results in the marriage

TABLE XX.—MARRIAGES, 1855–62. Proportion per cent. of Men and Women who signed in writing or by mark in the Marriage Registers of Scotland from 1855 to 1862 inclusive.

YEAR.	MEN.		WOMEN.	
	Signed by Mark.	Signed in Writing.	Signed by Mark.	Signed in Writing.
1855	11·4	88·6	22·8	77·2
1856	11·8	88·2	23·9	76·1
1857	12·1	87·9	24·8	75·2
1858	11·8	88·2	24·0	76·0
1859	10·9	89·1	22·2	77·8
1860	10·3	89·7	22·7	78·3
1861	10·6	89·4	21·3	78·7
1862	10·0	90·0	20·3	79·7

registers of that country; for while in 1855 no fewer than 29·5 per cent. of the men and 41·2 per cent. of the women who married were obliged to sign by mark, these proportions have steadily diminished year by year, till in 1862 they were in the proportions above stated. The improvement in Scotland during the same period has been very much less in proportion; still it may safely be said that there has been improvement even in this, as Table XX. indicates. Thus, while from 11 to 12 per cent. of the men who married in 1855, 1856, and 1857 were obliged to sign by mark; in 1860, 1861, and 1862, these proportions were reduced to a fraction more than 10 per cent. And while 22 to 24 per cent. of the women who married in 1855, 1856, and 1857, were obliged to sign by mark; during 1861 and 1862 the proportion was reduced to 21 and 20 per cent. Every effort ought therefore to be made to increase the efficiency of our schools, till every man and woman in the population is able to read and to write. Some of the counties of Scotland approach this desirable result, as Kinross and Peebles, by the returns of 1862; while Ross and Cromarty and Inverness are still in such a very backward condition as to elementary education, that from 30 to 34 per cent. of the men, and nearly 50 per cent. of the women, could not sign their names in the marriage registers in 1862.

It is the Irish element in Scotland which to a great extent causes her proportion of those who sign by mark to be so high. This is proved by the fact, that all those towns or counties where the number and proportion of Irish are great, there the proportion of men and of women who sign by mark is also great. Contrast Edinburgh and Glasgow. While only 3 per cent. of the men and 7½ per cent. of the women in Edinburgh are obliged to sign by mark, 14 per cent. of the men and nearly 32 per cent. of the women in Glasgow sign by mark. In Dumbartonshire, where the Irish specially congregate, above 20 per cent. of the men and 27 per cent. of the women sign by mark; while in Fife, where few Irish are to be met with, less than 3 per cent. of the men and 8 per cent. of the women sign by mark. In fact, Table XIX. is a very instructive one, and shows where our educational efforts ought chiefly to be put forth.

DEATHS.

67195 deaths were registered in Scotland during the year 1862, being in the high proportion of 217 deaths in every ten thousand of the estimated population. This was a very much higher death-rate than the mean of the seven previous years, which only averaged annually 207 deaths in every ten thousand persons. The Scottish death-rate during 1862 was even above that of England, where the proportion was only 214 deaths in every ten thousand persons, which was considerably below the mean mortality of England, that of the seven previous years averaging annually 218 deaths in every ten thousand persons.

England and Scotland, therefore, though both suffering from the same commercial distresses, and both with large numbers of their populations thrown out of work by the stoppage of the cotton supplies from America, exhibited this marked difference, that while the mortality of England was considerably below, that of Scotland was very much above their respective averages. This single fact shows that mere misery, destitution, and an insufficient supply of food to large numbers of the labouring classes, will not of

themselves increase the mortality, unless other agencies, and in particular atmospheric agencies, act at the same time injuriously on the population. It will afterwards be shown that England and Scotland were under very different atmospheric agencies during 1862; and that the much more unwholesome weather which prevailed in Scotland during that period, from acting with greater intensity than usual on a population whose frames were weakened by the want of a proper supply of food, was quite adequate to account for the greater mortality which prevailed in Scotland.

Year after year establishes the fact that the inhabitants of the Insular and Mainland-Rural Districts are more healthy, and die at a much lower rate than those of the Town Districts. Thus, of the 67195 deaths in Scotland during the year 1862, 2975 died in the Insular, 32694 in the Mainland-Rural, and 31526 in the Town Districts; showing that in every ten thousand persons in each of these districts, 185 deaths occurred in the Insular, 184 deaths in the Mainland-Rural, but 273 deaths in the Town Districts. (Tables II, IV, and V.)

This striking fact is better seen by taking the mean proportion of deaths in each of these districts for the eight years during which the Registration Act has been in operation, viz. from 1855 to 1862 inclusive. It then appears, that for every ten thousand persons in each of these districts, there have been 157 deaths annually in the Insular Districts, 177 deaths in the Mainland-Rural Districts, and 265 deaths in the Town Districts. Congregating the population in masses, therefore, in towns exposes them to much greater risk of life than if scattered in small hamlets or cottages over the country.

For a contrast with the mortality of the Town Districts of Scotland, that of London, one of the healthiest towns of England, and itself with the population of a kingdom, may be cited. During the eight years, 1855 to 1862 inclusive, the mean annual mortality of London was 231 deaths in every ten thousand inhabitants,—a proportion much below that of the Town Districts of Scotland, which, as we have just seen, was in the proportion of 265 deaths in a like population. This striking fact may be so far accounted for by the very different style in which houses are built in England and in Scotland, and by the much greater attention which the English pay to sanitary arrangements. As sanitary science advances, it would

TABLE XXI.—TOWN DEATHS, 1855-1862. Per-centage of Deaths to the Estimated Population of each of the Eight Principal Towns of Scotland, and the Mean Annual Mortality during these Eight Years.

TOWNS.	Per-centage of Deaths to Population.								
	1855.	1856.	1857.	1858.	1859.	1860.	1861.	1862.	Mean Annual Mortality.
Glasgow . .	2·99	2·84	3·08	3·05	2·83	3·19	2·75	2·86	2·95
Edinburgh .	2·57	2·49	2·26	2·49	2·19	2·50	2·44	2·77	2·46
Dundee . .	2·53	2 84	2·57	2·64	2·53	3·20	2·60	2·79	2·59
Aberdeen . .	2·28	2·26	2·34	2·20	2·28	2·97	2·40	2·59	2·41
Paisley . .	2·76	2·80	3·02	2·67	2·49	2·90	2·54	2·64	2·66
Greenock . .	3·38	3·03	3·06	2·59	3·34	2·90	2·52	3·06	2·98
Leith . . .	1·97	2·39	2·17	2·26	1·98	2·76	2·12	2·38	2·38
Perth . . .	2·19	2·19	3·10	2·67	2·24	2·64	2·62	2·35	2·50

appear to be more and more clearly established, that it is the comparative purity of the air which is breathed which is the main cause of the different rates of mortality which prevail in one place over another: for even overcrowding only acts prejudicially through vitiation of the air; and hence it is very necessary, when carrying out improvements which conduce to the comfort or convenience of the lower classes, to see that we are not introducing sources of vitiation of the air from which their houses were free before they were interfered with.

The mortality in the eight principal towns of Scotland varied considerably during 1862, being lowest in Perth and highest in Greenock. (Table XXI.) Thus, in every ten thousand persons in each of these towns, there died during the year, 235 persons in Perth, 238 in Leith, 259 in Aberdeen, 264 in Paisley, 277 in Edinburgh, 279 in Dundee, 286 in Glasgow, and 306 in Greenock. Taking the average deaths in each of these towns for a period of eight years, 1855 to 1862 inclusive, it would appear that Leith was the most healthy, and Greenock the most unhealthy town. Thus, the mean annual deaths in every 10,000 persons in each of these towns during the above eight years was 238 deaths in Leith, 241 in Aberdeen, 246 in Edinburgh, 250 in Perth, 259 in Dundee, 266 in Paisley, 295 in Glasgow, and 298 in Greenock. (Table XXI.)

It is now an established fact, that in this country males are cut off in a higher proportion than females, and that the ratio of that higher death-rate in the males is nearly constant from year to year. Thus, in 1862, males died at the rate of 227 deaths in every 10,000 males living, while females were only cut off in the proportion of 209 deaths in a like population of females. An eight years' average gives the annual proportion of 2189 male deaths in every 100,000 males, but only 2002 female deaths in every 100,000 females. The annual difference between the male and female death-rate is therefore nearly the same year after year, being about 0·18 of a per-centage in favour of the female life; or, in other words, about 18 more males die annually in every 10,000 males, than women die in every 10,000 females.

It is interesting to note, that in England the difference between the mortality of the male and female is nearly the same as in Scotland, viz. a difference in favour of the female of 0·17 of a per-centage; so that it may be assumed as an ascertained fact, that over the whole of Britain the female mortality is less than that of the male.

TABLE XXII.—DEATHS. Mean Annual Per-centage of Deaths to the Population at different Ages in Scotland, during the Eight Years 1855 to 1862 inclusive.

AGES.	Per-centage of Deaths to the Population.		AGES.	Per-centage of Deaths to the Population.	
	Males.	Females.		Males.	Females.
Under 1 Year	14·968	12·468	30—40	1·072	1·017
2	7·109	6·971	40—50	1·378	1·178
3	3·447	3·533	50—60	2·094	1·776
4	2·312	2·322	60—70	3·907	3·292
5	1·678	1·713	70—80	9·378	8·281
			80—90	20·006	18·305
Total under 5 Yrs.	6·134	5·575	90—100	38·255	35·540
5—10	0·895	0 864	100 and above	39·999	42·371
10—15	0·481	0·493			
15—20	0·729	0·657	Total all Ages	2·189	2·002
20—30	0 996	0·808			

In Scotland, this higher death-rate of the male seems to prevail at almost all periods of life. By Table XXV. it will be seen, that in 1862 the males were cut off in a higher ratio at every age of life, excepting during the third, fourth, and fifth years, when the female deaths slightly preponderated. Even at the child-bearing period of life, viz. 15 to 50, the male mortality at each period of life exceeded that of the female.

It gives, however, a more just idea of the relative mortality of the sexes at each age, to take the average of the eight years, 1855 to 1862 inclusive. (Table XXII.) It is then seen that in Scotland the mortality of the male exceeds that of the female at every period of life excepting during the third and fifth year, and between the years of 10 and 15, when the female mortality slightly preponderates. By that Table it is also seen that the period of life when least mortality occurs is from the tenth to the fifteenth year of life; but, indeed, from the fifth to the thirtieth year of life, the deaths annually among both males and females are under one per cent. of the population at these ages.

When calculations are made, based on the proportions of the sexes at birth, and on the mortality returns at the different ages, it appears that the excess of males at birth is required to counterbalance the greater mortality which occurs among the males till they attain a marriageable age; for it is a singular fact, that before the eighteenth year of life, so many more males than females have died, that the numbers of the sexes are equalized at that age, so that every man at that age could have one woman of the same age for his wife, leaving no surplus over on either side.

In last Report, attention was directed to the influence of marriage on the death-rate of the female; and a Table was published which showed the

TABLE XXIII.—Number of the Living, and Deaths of the MARRIED and UNMARRIED FEMALES at Different Ages in Scotland in 1862; and the proportion of Deaths to the respective Populations at each Age. Also the proportions for 1861.

AGES Above 15 Years.	Married and Widowed Women in 1862.			Per-cent. of Deaths in 1861.	Unmarried Women above 15 Years in 1862.			Per-cent. of Deaths in 1861.
	Number living.	Deaths.	Per-cent. of Deaths.		Number living.	Deaths.	Per-cent. of Deaths.	
15—20	3,384	25	0·738	0·983	154,829	1075	0·694	0·691
20—25	39,924	364	0·912	0·910	114,180	895	0·783	0·783
25—30	71,649	683	0·953	0·928	61,044	506	0·829	0·903
30—35	77,503	764	0·985	0·927	34,954	367	1·049	0·941
35—40	71,962	806	1·120	1·116	24,368	300	1·231	1·181
40—45	69,660	806	1·171	1·116	19,690	225	1·142	1·109
45—50	58,934	785	1·332	1·270	14,659	222	1·507	1·455
50—55	54,479	826	1·516	1·449	13,973	269	1·926	1·576
55—60	41,462	886	2·136	1·989	10,216	244	2·389	2·077
60—65	42,390	1200	2·830	2·649	11,405	370	3·244	2·715
65—70	26,242	1242	4·732	4·269	6,875	350	5·090	4·489
70—75	20,337	1342	6·549	6·627	5,544	434	7·828	6·672
75—80	12,190	1424	11·681	10·448	3,230	359	11·114	9·741
80—85	7,490	1278	17·062	15·105	1,986	332	16·717	16·236
85—90	2,646	708	26·757	23·179	582	161	27·663	25·597
90—95	763	282	36·972	32·147	181	55	30·386	39·778
95—100	203	94	46·305	36·138	48	20	41·666	35·416
100 and above	34	17	50·000	50·000	23	3	13·042	26·087
Not stated	–	11	–	–	–	3	–	–
Total, 15—105 Yrs.	601,252	13543	2·252	2·109	477,787	6190	1·295	1·240
In Two Groups,								
15—45	334,082	3448	1·032	1·003	409,065	3368	0 820	0·821
45—105	267,170	10095	3·778	3·495	68,722	2822	4·107	3·691

different death-rates which prevailed at each quinquennial period of life among those who were or had been married, and those who were unmarried. A similar Table has been prepared for 1862; but as this series of Tables will not be continued in subsequent Reports, in consequence of the long time required for their preparation, the per-centage of deaths for 1861 is given alongside that of 1862; and a Summary Table is added, showing the mean death-rates of the married and the unmarried at every quinquennial period of life. (Tables XXIII. and XXIV.)

By these Tables it will be seen, that though the proportion of the deaths among the married and the unmarried women at each age differed slightly during each year, there is no difference whatever in the results brought out by each Table; for, excepting at the extreme ages 80 to 85, and again 90 to 95 years, the results of the Tables of both years are absolutely identical. This almost unlooked-for result appears fully to confirm the general correctness of both Tables; and is another reason for not continuing the series beyond the present Report, as the facts which they indicate may be assumed to be demonstrated. In the Summary Table, plus (+) and minus (−) marks have been appended to the proportions at each age, to indicate whether the deaths among the unmarried at that age were greater (+) or less (−) than those of the married at the same age.

When the mean annual per-centage of deaths in the married and unmarried females at each quinquennial period of life is compared, it is found that the married die at a higher ratio during the three quinquennial periods of life, 15 to 30 years; but that during the latter portion of their child-bearing life, when the half of their children are born, viz. from 30 to 40 years of age, the married die at a lower rate than the unmarried. At the age when the usual "change of life" occurs, viz. between 40 and 45 years, the mortality of the married female again slightly exceeds that of the unmarried,—a result which might have been expected, seeing that the fatigues of child-bearing, and the harder labour connected with the nursing and rearing of her family, somewhat weakens the system, and renders that critical period of life more trying to the married than to the unmarried woman. From that period, however, to old age—that is, to 75 years—the married and the widowed die in smaller proportions than the unmarried. Above that age the numbers are too small to allow any certain conclusions to be drawn; still

---

TABLE XXIV.—Mean Annual Per-centage of Deaths among the MARRIED and UNMARRIED WOMEN of Scotland, at different Ages, during the Two Years 1861 and 1862.

AGES.	Per-centage of Deaths to the number living.		Whether Proportion of Unmarried is greater or less than that of the Married.	AGES.	Per-centage of Deaths to the number living.		Whether proportion of Unmarried is greater or less than that of the Married.
	Married and Widowed.	Unmarried.			Married and Widowed.	Unmarried.	
15—20	0·860	0·692	—	75—80	11·064	10·427	—
20—25	0·911	0·783	—	80—85	16·083	16·476	+
25—30	0·940	0·866	—	85—90	24·968	26·630	+
30—35	0·956	0·995	+	90—95	34·559	35·082	+
35—40	1·118	1·206	+	95—100	41·221	38·541	—
40—45	1·143	1·125	—	100 and above	50·000	19·064	—
45—50	1·301	1·481	+				
50—55	1·482	1·751	+	Total .	2·180	1·267	—
55—60	2·062	2·233	+				
60—65	2·739	2·979	+	In two groups			
65—70	4·500	4·789	+	15—45	1·017	0·820	—
70—75	6·588	7·250	+	45—105	3·636	3·899	+

from 80 to 95 years the chances of life seem still to be decidedly in favour of the married woman.

When the results of the whole Table, however, are looked at, the apparently contradictory general result manifests itself, viz. that the total mortality among the married and widowed women is very much greater than among the unmarried. Thus the Table appears to indicate that the total married and widowed women were cut off at the rate of 2·180 deaths in every 100 living, while the unmarried women only suffered at the low rate of 1·267 in every 100 living. This result is produced by our comparing things which are not strictly comparable, and which, if compared, only lead to erroneous results. Thus, more than half of the unmarried women are between 15 and 25 years of age, at which period of life the mortality is extremely low, these being the most healthy years of life. But at the same ages only one-fourteenth part of the whole married women are to be found; and, in fact, we do not reach the half of the married and widowed women till the 43d year of life, half the number being above that age, and half below it. From this it follows, that even though the proportion of deaths among the unmarried women at every quinquennial age above 25 had been much greater than it is, and had exceeded that of the married women (which it does), yet the great preponderance of unmarried women under 25, and their low rate of mortality, would more than counterbalance the higher death-rates at subsequent ages.

When the deaths at different ages in the Town and Mainland-Rural Districts are compared (Tables XXVII. and XXVIII.), it is seen that at

---

TABLE XXV.—DEATHS, 1862. Population of Scotland at different Ages in 1862, the Number of Deaths at the same Ages, and the Proportion of Deaths to the Population at each Age.

AGES.	SCOTLAND, 1862.					
	POPULATION.*		DEATHS.		Per-cent. of Deaths to Population.	
	Males.	Females.	Males.	Females.	Males.	Females.
Under 1 Year	46,370	44,748	6982	5574	15·057	12·456
— 2	42,380	41,087	3210	3005	7·573	7·313
— 3	42,717	41,427	1567	1587	3·654	3·830
— 4	41,291	40,400	932	1029	2·257	2·547
— 5	40,621	39,160	649	662	1·597	1·690
Total under 5 Years	213,379	206,822	13340	11857	6·251	5·732
5—10	185,468	180,206	1702	1591	0·918	0·882
10—15	166,144	158,778	897	808	0·539	0·509
15—20	151,387	158,213	1163	1100	0·768	0·695
20—30	231,057	286,797	2388	2448	1·033	0·853
30—40	170,867	208,787	1926	2237	1·127	1·071
40—50	137,551	162,943	1908	2038	1·386	1·250
50—60	100,304	120,130	2213	2225	2·206	1·852
60—70	65,768	86,912	2833	3162	4·307	3·638
70—80	28,750	41,301	2766	3559	9·620	8·617
80—90	7,831	12,704	1734	2479	22·142	19·513
90—100	608	1,195	247	451	40·625	37·740
100 and above	30	57	10	20	33·333	35·087
Not stated	–	–	52	41	–	–
ALL AGES	1,459,144	1,624,845	33179	34016	2·273	2·093
BOTH SEXES	3,083,989		67195		2·178	

* The Populations of this and of the three following Tables are estimated to the middle of the year, so as to give the true proportion of deaths.

all ages under 5 years, the mortality of children is double in the town what it is in the country. Thus, if we take the whole children under 5 years, 9·332 per cent. of the males died during 1862 in the Town Districts, but only 4·445 per cent. in the Mainland-Rural Districts; 8·698 per cent. of the female children died in the Town Districts, but only 4·023 per cent. in the Rural Districts. At every age of early life much the same difference existed; for, while male children under 1 year of age died at the rate of 19·445 per cent. in the Town Districts, only 11·829 per cent. died in the Mainland-Rural Districts. The most striking difference, however, occurred at the second year of life; for while 12·212 per cent. male children at that age died in the Town Districts, only 4·786 per cent. at the same age died in the Mainland-Rural Districts. The proportion of female children in each of these districts held the same relation to each other. This remarkable fact shows how many infantile lives would be saved to the nation could all the children born in towns be reared in the country till they had passed their fifth year.

If the eight principal towns of Scotland were arranged in the order of least mortality of male infants under 1 year of age during 1862, Perth would appear as the most healthy town, and Dundee as the most unhealthy. But it gives a far more correct idea of the absolute healthiness of the towns, in so far as infantile mortality is concerned, if we take the average of the eight years, 1855 to 1862 inclusive. When this is done, Aberdeen and Perth are found to be the towns most favourable to infantile life, while Dundee and Glasgow are the most fatal to it. Thus, in every 100 male children living in each of these towns during these eight years, 16·66 died annually in Aberdeen, 16·78 in Perth, 17·02 in Leith, 19·11 in Paisley,

TABLE XXVI.—DEATHS, 1862. Population of Insular Districts at different Ages in 1862, the Number of Deaths at the same Ages, and the Proportion of Deaths to the Population at each Age.

AGES.	INSULAR DISTRICTS, 1862.					
	POPULATION.		DEATHS.		Per-cent. of Deaths to Population.	
	Males.	Females.	Males.	Females.	Males.	Females.
Under 1 Year	1,982	1,876	239	163	12·058	8·688
— 2	1,913	1,862	102	73	5·331	3·920
— 3	2,020	1,996	58	46	2·871	2·304
— 4	1,973	1,893	25	28	1·267	1·479
— 5	2,057	1,933	12	21	0·583	1·086
Total under 5 Years	9,945	9,560	436	331	4·384	3·462
5—10	9,428	9,171	58	44	0·615	0·479
10—15	8,619	8,382	24	36	0·277	0·429
15—20	7,487	8,255	47	48	0·627	0·581
20—30	10,181	14,377	138	88	1·355	0·612
30—40	7,584	10,917	73	78	0·962	0·714
40—50	6,369	8,725	64	88	1·004	1·009
50—60	5,545	6,995	86	95	1·550	1·358
60—70	4,613	6,039	117	171	2·536	2·831
70—80	2,299	3,129	196	257	8·525	8·213
80—90	801	1,299	152	220	18·861	16·936
90—100	85	156	38	65	44·705	41·666
100 and above	4	19	3	1	75·000	5·263
Not stated	–	–	13	8	–	–
ALL AGES	72,990	87,024	1445	1530	1·979	1·758
BOTH SEXES	160,014		2975		1·859	

19·68 in Edinburgh, 22·44 in Greenock, 23·10 in Glasgow, and 23·20 in Dundee.

Even taking the whole male deaths under 5 years in each of these towns during the eight years, 1855 to 1862 inclusive, makes very little change in their respective positions as to healthiness; for Aberdeen and Perth are by that test the most favourable to infantile life, Glasgow, Greenock, and Dundee the most fatal to it. Thus, in every 100 children under 5 years of age in each of these towns, there died annually 7·07 in Aberdeen, 7·47 in Perth, 7·52 in Leith, 8·34 in Edinburgh, 8·60 in Paisley, 10·69 in Dundee, 10·83 in Greenock, and 11·66 in Glasgow.

Tables XXIX. to XXXVI. inclusive, continue the series of Tables for each of the eight principal towns of Scotland, showing the number and proportion of deaths at each period of life, and in each sex, distinguishing also each year of life under 5 years.

Causes of Death.

Of the 67195 deaths in Scotland during the year 1862, the cause of death was recorded in 63860 cases, leaving only 3335 cases in which no cause of death was given, or in which the entry was made in such indefinite terms that the death could not be referred to any particular class of diseases. It thus happens, that year after year about 5 per cent. of all the deaths have no cause of death assigned, and few or none of these have the benefit of medical assistance; indeed, the half of these, or 1537, were infants under one year of age.

Table XXVII.—DEATHS, 1862. Population of the Mainland-Rural districts at Different Ages in 1862, the Number of Deaths at the same Ages, and the Proportion of Deaths to the Population at each Age.

AGES.	MAINLAND-RURAL DISTRICTS, 1862.					
	POPULATION.		DEATHS.		Per-cent. of Deaths to Population.	
	Males.	Females.	Males.	Females.	Males.	Females.
Under 1 Year	26,112	25,244	3089	2415	11·829	9·570
— 2	24,698	23,879	1182	1124	4·786	4·707
— 3	24,971	24,197	615	622	2·463	2·570
— 4	24,487	23,692	381	412	1·555	1·739
— 5	24,183	23,264	266	266	1·099	1·143
Total under 5 Years	124,451	120,276	5533	4839	4·445	4·023
5—10	111,598	107,406	839	758	0·751	0·705
10—15	100,820	95,150	508	422	0·503	0·443
15—20	89,103	87,744	604	573	0·677	0·653
20—30	125,303	148,838	1202	1143	0·959	0·767
30—40	94,058	111,481	911	1019	0·968	0·914
40—50	78,492	89,913	796	920	1·014	1·023
50—60	60,380	68,789	1057	1081	1·750	1·571
60—70	41,798	51,996	1571	1675	3·758	3·221
70—80	19,589	26,528	1719	2116	8·774	7·976
80—90	5,589	8,618	1233	1629	22·061	18·902
90—100	429	796	171	303	39·860	38·065
100 and above	23	32	7	14	30·426	43·750
Not stated	–	–	27	24	–	–
All Ages	851,631	917,567	16178	16516	1·899	1·799
Both Sexes	1,769,198		32694		1·847	

Class I. *Zymotic Diseases.*

The zymotic or epidemic and contagious class of diseases cut off 13978 persons in Scotland during the year 1862, and thus constituted 21·88 per cent. of the specified causes of death. This is a much lower proportion than occurred during the six years 1855 to 1860 inclusive, and is only slightly above the proportion of 1861, when the total deaths were 4854 below that of the year under discussion. This is a very remarkable result, because it goes far to prove, what the results of former years also indicated, that a year of great mortality may occur, and not be dependent for its increase on the epidemic class of diseases but to a very small extent; in other words, that a very high mortality among the population may be caused by an increased number of deaths from all diseases, but only to a small extent by an increase among the so-called epidemic diseases.

The year of lowest mortality in Scotland, since the Registration Act came into operation, was 1856, when the deaths were 8666 fewer than in 1862; yet in that year 13,779 deaths were ascribed to the zymotic class of diseases, which would be exactly the number which fell victims to the same class of diseases in 1862, if allowance were made for increase of population. In other words, in the very healthiest year, and during one of the most unhealthy, the mortality arising from the zymotic class of diseases was exactly the same.

This striking fact proves (what is quite overlooked at the present day) that epidemic diseases are neither necessarily nor always the cause of the high mortality which prevails. And the experience of the eight years 1855 to 1862 inclusive in Scotland has shown that the years of highest mortality

Table XXVIII.—DEATHS, 1862. Population of the Town Districts at Different Ages in 1862, the Number of Deaths at the same Ages, and the Proportion of Deaths to the Population at each Age.

AGES.	TOWN DISTRICTS, 1862.					
	POPULATION.		DEATHS.		Per-cent. of Deaths to Population.	
	Males.	Females.	Males.	Females.	Males.	Females.
Under 1 Year	18,276	17,628	3654	2996	19·445	16·995
— 2	15,770	15,346	1926	1808	12·212	11·780
— 3	15,725	15,234	894	919	5·686	6·032
— 4	14,831	14,815	526	589	3·547	3·976
— 5	14,380	13,963	371	375	2·579	2·699
Total under 5 Years	78,982	76,986	7371	6687	9·332	8·698
5—10	64,442	63,629	805	789	1·249	1·240
10—15	56,672	55,246	365	350	0·644	0·633
15—20	54,796	62,214	512	479	0·934	0·699
20—30	95,580	123,582	1048	1217	1·096	0·984
30—40	69,231	86,389	942	1140	1·360	1·319
40—50	52,692	64,305	1048	1030	1·990	1·601
50—60	34,379	44,346	1070	1049	3·112	2·365
60—70	19,351	28,877	1145	1316	5·917	4·557
70—80	6,862	11,644	851	1186	12·401	10·185
80—90	1,438	2,787	349	630	24·270	22·604
90—100	94	243	38	83	40·425	34·156
100 and above	4	6	—	5	—	83·333
Not stated	—	—	12	9	—	—
All Ages	534,523	620,254	15556	15970	2·912	2·598
Both Sexes	1,154,777		31526		2·730	

are not those when the proportion of deaths from the epidemic diseases is greatest. Thus, in the year of lowest mortality, the deaths from the zymotic class of diseases constituted 25 per cent. of the deaths; but in 1860, the year

TABLE XXIX.—GLASGOW, 1862. Population and Deaths at Different Ages in 1862, and the Proportion of Deaths to the Population at each Age.

AGES.	POPULATION.*		DEATHS.		Per-cent. of Deaths to Population.	
	Males.	Females.	Males.	Females.	Males.	Females.
Under 1 Year	6,999	6,613	1400	1162	20·000	17·571
— 2	5,712	5,604	824	777	14·426	13·865
— 3	5,513	5,456	347	406	6·294	7·441
— 4	5,158	5,215	196	244	3·799	4·679
— 5	4,980	4,813	147	141	2·962	2·929
Total under 5 Years	28,362	27,701	2914	2730	10·274	9·855
5—10	21,662	21,442	297	300	1·371	1·399
10—15	18,965	18,601	158	136	1·086	0·731
15—20	19,990	22,251	206	201	1·030	0·903
20—30	37,010	45,933	359	462	0·969	1·005
30—40	25,904	30,914	348	431	1·343	1·393
40—50	18,898	21,901	412	400	2·180	1·826
50—60	11,116	13,914	379	374	3·409	2·687
60—70	5,626	8,308	330	377	5·865	4·537
70—80	1,544	2,829	213	300	13·795	10·604
80—90	288	570	70	138	24·305	24·210
90—100	19	53	6	17	31·578	32·075
100 and above	–	2	–	2	–	100·000
Not stated	–	–	4	1	–	–
ALL AGES	189,384	214,419	5696	5869	3·007	2·737
BOTH SEXES	403,803		11565		2·864	

TABLE XXX.—EDINBURGH, 1862. Population and Deaths at Different Ages in 1862, and the Proportion of Deaths to the Population at each Age.

AGES.	POPULATION.		DEATHS.		Per-cent. of Deaths to Population.	
	Males.	Females.	Males.	Females.	Males.	Females.
Under 1 Year	2,240	2,349	503	399	22·459	16·986
— 2	2,013	2,018	221	235	10·978	11·645
— 3	1,985	1,926	112	134	5·692	6·956
— 4	1,859	1,914	64	84	3·442	4·388
— 5	1,943	1,773	63	71	3·242	4·004
Total under 5 Years	10,040	9,980	963	923	9·591	9·248
5—10	8,734	8,591	108	142	1·236	1·664
10—15	8,004	7,811	39	50	0·487	0·640
15—20	8,051	9,813	82	55	1·018	0·560
20—30	14,573	19,573	179	190	1·228	0·970
30—40	9,889	13,458	182	181	1·840	1·345
40—50	7,501	10,432	164	170	2·186	1·629
50—60	5,158	7,626	170	175	3·295	2·294
60—70	3,110	5,140	201	264	6·463	5·136
70—80	1,209	2,103	168	199	13·895	9·462
80—90	227	469	46	91	20·264	19·403
90—100	9	40	4	11	44·444	27·500
100 and above	–	1	–	1	–	100·000
Not stated	–	–	–	2	–	–
ALL AGES	76,506	95,037	2306	2454	3·014	2·582
BOTH SEXES	171,543		4760		2·774	

* The Populations of this and of the seven following Tables are all calculated to the middle of the year, so as to give the true proportion of deaths.

of greatest mortality, they only constituted 22 per cent.; and again, in 1862, a year also of great mortality, they only constituted 21 per cent. of the deaths.

In the present state of sanitary science, this is a most important fact, because it shows the fallacy of the opinion urged by sanitary reformers, that

TABLE XXXI.—DUNDEE, 1862. Population and Deaths at Different Ages in 1862, and the Proportion of Deaths to the Population at each Age.

AGES.	POPULATION.		DEATHS.		Per-cent. of Deaths to Population.	
	Males.	Females.	Males.	Females.	Males.	Females.
Under 1 Year	1,510	1,394	392	302	25·960	21·664
— 2	1,176	1,189	205	173	17·432	14·550
— 3	1,324	1,178	88	85	6·747	7·216
— 4	1,149	1,135	41	47	3·568	4·140
— 5	1,111	1,137	18	29	1·621	2·550
Total under 5 Years	6,270	6,033	744	636	11·866	10·542
5—10	5,209	5,183	56	52	1·075	1·003
10—15	4,513	4,472	26	19	0·576	0·424
15—20	4,105	5,184	27	34	0·657	0·619
20—30	6,851	11,374	63	104	0·919	0·914
30—40	5,119	7,445	54	82	1·054	1·101
40—50	3,916	5,365	76	81	1·940	1·509
50—60	2,913	3,714	81	83	2·780	2·234
60—70	1,435	2,185	86	87	5·992	3·981
70—80	474	767	45	85	9·493	11·082
80—90	81	180	27	38	33·333	21·111
90—100	12	17	4	9	33·333	52·941
100 and above	1	–	–	–	–	–
Not stated	–	–	–	–	–	–
ALL AGES	40,899	52,219	1289	1310	3·151	2·508
BOTH SEXES	93,118		2599		2·791	

TABLE XXXII.—ABERDEEN, 1862. Population and Deaths at Different Ages in 1862, and the Proportion of Deaths to the Population at each Age.

AGES.	POPULATION.		DEATHS.		Per-cent. of Deaths to Population.	
	Males.	Females.	Males.	Females.	Males.	Females.
Under 1 Year	1,038	990	179	151	17·244	15·252
— 2	938	876	99	104	10·610	11·872
— 3	953	927	42	47	4·407	5·070
— 4	907	890	35	24	3·869	2·695
— 5	886	835	23	16	2·595	1·916
Total under 5 Years	4,717	4,518	378	342	8·013	7·569
5—10	4,256	4,068	38	49	0·892	1·204
10—15	3,851	3,926	34	16	0·883	0·407
15—20	3,332	3,809	33	25	0·990	0·656
20—30	4,954	7,424	77	63	1·554	0·848
30—40	3,688	5,639	47	60	1·275	1·010
40—50	3,182	4,502	58	61	1·822	1·355
50—60	2,446	3,522	69	69	2·820	1·391
60—70	1,446	2,495	85	99	5·878	3·967
70—80	617	1,205	72	103	11·669	8·547
80—90	154	346	40	82	25·974	23·699
90—100	11	31	7	14	63·636	45·161
100 and above	–	1	–	1	–	100·000
Not stated	–	–	–	1	–	–
ALL AGES	32,654	41,486	938	985	2·872	2·374
BOTH SEXES	74,140		1923		2·593	

improved sanitary arrangements would extinguish the epidemic class of diseases. In that belief they teach that all the deaths from the epidemic class of diseases are "preventible deaths"; and hence they argue that proper sanitary arrangements would preserve to the public all those persons who annually die from such diseases. This has yet to be proved.

TABLE XXXIII.—PAISLEY, 1862. Population and Deaths at Different Ages in 1862, and the Proportion of Deaths to the Population at each Age.

AGES.	POPULATION.		DEATHS.		Per-cent. of Deaths to Population.	
	Males.	Females.	Males.	Females.	Males.	Females.
Under 1 Year	785	780	124	132	15·796	16·923
— 2	680	659	62	46	9·117	6·965
— 3	724	642	24	27	3·314	4·209
— 4	652	643	21	20	3·220	3·110
— 5	621	581	7	10	1·127	1·721
Total under 5 Years	3,462	3,305	238	235	6·874	7·110
5—10	2,759	2,872	22	27	0·797	0·944
10—15	2,438	2,409	16	17	0·656	0·705
15—20	2,130	2,598	23	21	1·079	0·807
20—30	3,497	4,690	37	58	1·058	1·236
30—40	2,630	3,293	37	58	1·406	1·761
40—50	2,134	2,520	34	30	1·593	1·187
50—60	1,472	1,857	51	47	3·464	2·530
60—70	925	1,272	58	56	6·259	4·400
70—80	373	559	58	64	15·549	11·449
80—90	81	129	23	36	28·395	27·907
90—100	12	10	5	2	41·666	20·000
100 and above	–	–	–	–	–	–
Not stated	–	–	–	–	–	–
ALL AGES	21,913	25,514	602	651	2·747	2·551
BOTH SEXES	47,427		1253		2·641	

TABLE XXXIV.—GREENOCK, 1862. Population and Deaths at Different Ages in 1862, and the Proportion of Deaths to the Population at each Age.

AGES.	POPULATION.		DEATHS.		Per-cent. of Deaths to Population.	
	Males.	Females.	Males.	Females.	Males.	Females.
Under 1 Year	797	717	173	149	21·707	20·781
— 2	616	614	94	90	15·259	14·657
— 3	671	622	43	42	6·408	6·752
— 4	636	633	28	19	4·402	3·000
— 5	583	594	19	18	3·258	3·030
Total under 5 Years	3,303	3,179	357	318	10·808	10·003
5—10	2,625	2,545	39	31	1·485	1·218
10—15	2,145	2,035	12	19	0·559	0·933
15—20	2,147	2,042	23	17	1·071	0·833
20—30	4,212	4,312	59	42	1·400	0·976
30—40	3,089	3,336	35	44	1·133	1·318
40—50	2,214	2,369	51	52	2·303	2·195
50—60	1,278	1,472	41	41	3·208	2·785
60—70	680	986	38	50	5·588	5·071
70—80	233	351	35	31	15·107	8·831
80—90	38	93	8	17	21·052	18·279
90—100	5	10	3	4	60·000	40·000
100 and above	–	1	–	1	–	100·000
Not stated	–	–	2	–	–	–
ALL AGES	21,969	22,731	703	667	3·199	2·934
BOTH SEXES	44,700		1370		3·064	

Take, for instance, three of the most universal epidemics of children, viz. Measles, Scarlatina, and Hooping-cough. Has it ever yet been found that the children of the upper classes, in whose houses sanitary arrangements are as perfect as they can be made, are less exempt from these diseases than the children of the lowest classes, in whose houses there is the utter neglect

TABLE XXXV.—LEITH, 1862. Population and Deaths at Different Ages in 1862, and the Proportion of Deaths to the Population at each Age.

AGES.	POPULATION.		DEATHS.		Per-cent. of Deaths to Population.	
	Males.	Females.	Males.	Females.	Males.	Females.
Under 1 Year	588	536	117	100	19·897	18·656
— 2	563	478	45	42	7·992	8·786
— 3	497	494	32	20	6·438	4·048
— 4	497	486	15	23	3·018	4·732
— 5	486	445	18	11	3·703	2·471
Total under 5 Years	2,631	2,439	227	196	8·627	8·036
5—10	2,083	2,047	21	23	1·008	1·123
10—15	1,875	1,688	5	7	0·266	0·414
15—20	1,652	1,709	7	7	0·423	0·409
20—30	3,771	3,324	30	28	0·785	0·842
30—40	2,584	2,608	38	30	1·470	1·150
40—50	1,725	1,966	29	24	1·681	1·220
50—60	1,012	1,292	25	26	2·470	2·012
60—70	558	865	31	31	5·555	3·583
70—80	203	353	21	39	10·344	11·048
80—90	36	82	4	19	11·111	23·170
90—100	1	1	1	1	100·000	100·000
100 and above	–	–	–	–	–	–
Not stated	–	–	2	–	–	–
ALL AGES	18,131	18,374	441	431	2·432	2·345
BOTH SEXES	36,505		872		2·388	

TABLE XXXVI.—PERTH, 1862. Population and Deaths at Different Ages in 1862, and the Proportion of Deaths to the Population at each Age.

AGES.	POPULATION.		DEATHS.		Per-cent. of Deaths to Population.	
	Males.	Females.	Males.	Females.	Males.	Females.
Under 1 Year	363	346	56	45	15·427	13·005
— 2	338	331	29	37	8·579	11·176
— 3	325	316	16	10	4·923	3·164
— 4	353	317	17	11	4·957	3·470
— 5	294	298	8	7	2·721	2·348
Total under 5 Years	1,673	1,608	126	110	7·531	6·840
5—10	1,362	1,416	15	7	1·101	0·494
10—15	1,286	1,277	6	6	0·466	0·469
15—20	1,269	1,350	7	8	0·551	0·592
20—30	2,001	2,529	20	25	0·999	0·988
30—40	1,560	1,966	11	17	0·705	0·864
40—50	1,182	1,509	16	18	1·353	1·192
50—60	840	1,158	21	23	2·500	1·990
60—70	559	929	35	43	6·261	4·628
70—80	238	391	19	45	7·983	11·508
80—90	65	98	18	17	27·692	17·347
90—100	–	5	–	3	–	60·000
100 and above	–	–	–	–	–	–
Not stated	–	–	1	1	–	–
ALL AGES	12,035	14,236	295	323	2·451	2·268
BOTH SEXES	26,271		618		2·350	

of all sanitary measures? No sanitary measures have ever arrested these diseases; no extent of sanitary precautions has warded off these diseases from the children of the rich. The neglect of sanitary arrangements only renders the people who are subjected to the filth and bad air more prone to be affected by every disease, be it an epidemic or a sporadic disease; and this is done by the tone of the system being lowered and the general health impaired.

All that the best sanitary arrangements can do is to improve the general health of the people; and doing this will render them less liable to be attacked by all diseases, and less liable to fall victims under the disease when attacked. But no amount of sanitary precautions will prevent epidemics attacking masses of the people should epidemic seasons come round, or should an epidemic wave, like that of Cholera, reach our island. All facts yet ascertained, however, prove that persons suffer from attacks of epidemic diseases just in proportion to their sanitary condition; but it has been quite overlooked that they are equally afflicted by every disease, so that in that respect the epidemics follow the same rule as the ordinary diseases.

It is this fact, hitherto overlooked, which explains why in unhealthy seasons the high mortality is not specially caused by an increase of the epidemic diseases, but by an increased prevalence and fatality of all the ordinary diseases which afflict humanity. For instance, during the very unwholesome season of 1862, the injurious but unknown atmospheric agencies which increased the mortality did not increase the epidemic diseases at all, if we compare that year with the very healthy year 1856, but

TABLE XXXVII.—TOWN DEATHS, 1862. Per-centage of Deaths from different Diseases to the Population in each of the Eight Principal Towns of Scotland in 1862.

DISEASES.	Glasgow.	Edinburgh.	Dundee.	Aberdeen.	Paisley.	Greenock.	Leith.	Perth.
Total Deaths	2·864	2·774	2·791	2·593	2·641	3·064	2·388	2·350
I. Zymotic Class	0·627	0·686	0·839	0·573	0·447	0·727	0·808	0·558
III. Tubercular Class	0·587	0·470	0·448	0·469	0·510	0·664	0·306	0·346
IV. Brain, etc., Diseases	0·199	0·244	0·158	0·219	0·221	0·241	0·186	0·220
V. Heart, etc., Diseases	0·106	0·153	0·090	0·114	0·075	0·085	0·139	0·144
VI. Respiratory Organs, Dis.	0·574	0·438	0·452	0·345	0·394	0·375	0·323	0·315
VII. Organs of Digestion, Dis.	0·218	0·163	0·153	0·234	0·267	0·261	0·131	0·171
XIII. Premature Debility	0·165	0·123	0·201	0·129	0·137	0·208	0·139	0·106
XV. Age	0·118	0·127	0·156	0·178	0·290	0·136	0·101	0·209
XVII. Violent Deaths	0·082	0·107	0·062	0·086	0·059	0·100	0·084	0·055
Small-pox	0·006	0·099	0·018	0·000	0·002	0·004	0·213	0·003
Measles	0·068	0·017	0·260	0·211	0·031	0·228	0·013	0·019
Scarlatina	0·028	0·135	0·025	0·028	0·008	0·004	0·082	0·060
Diphtheria	0·084	0·024	0·028	0·021	0·021	0·073	0·027	0·266
Hooping-cough	0·170	0·163	0·231	0·107	0·063	0·035	0·224	0·232
Croup	0·081	0·051	0·083	0·016	0·063	0·098	0·041	0·060
Diarrhœa, Dysentery, Cholera	0·064	0·053	0·078	0·063	0·052	0·087	0·049	0·022
Typhus and Infantile Fever	0·134	0·092	0·073	0·082	0·128	0·147	0·109	0·125
Dropsy	0·021	0·019	0·040	0·026	0·065	0·031	0·026	0·026
Cancer	0·034	0·068	0·035	0·055	0·029	0·046	0·027	0·049
Phthisis	0·419	0·300	0·331	0·330	0·375	0·489	0·164	0·213
Apoplexy	0·039	0·050	0·039	0·039	0·056	0·058	0·043	0 076
Paralysis	0·039	0·061	0·040	0·062	0·069	0·064	0·052	0·064
Convulsions	0·047	0·039	0·039	0·035	0·008	0·022	0·019	0·019
Bronchitis	0·389	0·304	0·281	0·244	0·293	0·261	0·161	0·239
Pneumonia	0·116	0·064	0·096	0·053	0·067	0·069	0·109	0·041
Teething	0·077	0·025	0 069	0·083	0·101	0·105	0·026	0·079

expended their destructive energies on the ordinary diseases. If we compare 1862 with 1860, on the other hand, we shall find that their pernicious action was equally felt by the epidemic as by the ordinary diseases; for while, as compared with that year, the epidemic diseases furnished an increase of 1572 deaths, the ordinary diseases furnished an increase of 3282 deaths.

Sanitary measures, therefore, are far more required to save people from the ravages of the ordinary diseases than from epidemics. Epidemics only occur at intervals; but the ordinary diseases are silently cutting off our population day by day. All such measures, therefore, should be actively carried out, not with the utopian idea of preventing the people from suffering from epidemics, but to lessen the general death-rate from all diseases, including epidemics. Sanitary measures effect this by improving the general health through removing those causes of vitiation of the purity of the air which is the most fruitful source of bad health. But great care would require to be taken, that, in adding to the conveniences of life among the lower classes, we do not introduce sources of vitiation of the air greater and more dangerous than those which we are endeavouring to remove.

In the eight towns (Table XXXVII.) the mortality from the zymotic class of diseases was highest in Dundee, and lowest in Paisley. Thus, in every thousand persons living in each of these towns, 4·47 deaths from the zymotic class of diseases occurred during 1862 in Paisley; 5·58 in Perth; 5·73 in Aberdeen; 6·26 in Glasgow; 6·86 in Edinburgh; 7·27 in Greenock; 8·08 in Leith; and 8·39 in Dundee. The Town Districts had 6·47 deaths from that class of diseases in every thousand persons, but the Mainland-Rural Districts only 3·73 deaths in a like population. (Table XXXVIII.)

Of the individual zymotic diseases, Typhus, or continued fever, in its various forms, was the most fatal, having caused 3021 deaths, or 4·73 per cent. of the specified causes of death. Males were cut off in greater proportions than females, seeing that in every 100,000 of each sex, 103 males died for every 99 females.

Hooping-cough was the next most fatal disease, 2799 deaths having resulted from it, of which 1295 were males, and 1504 females. Hooping-cough is almost the only epidemic which cuts off females in larger proportion than males. It seems difficult to account for this peculiarity, seeing that both nervous diseases and those of the respiratory organs prove more fatal to males than to females.

The deaths from measles only amounted to 1404 during the year, thus constituting the low proportion of 2·19 per cent. of the specified causes of death. It was remarkable, that while the disease was common in the Insular Districts and in the Town Districts, it affected to a very slight extent the Mainland-Rural Districts.

Since Diphtheria made its appearance in Scotland in 1857, it has steadily but slowly increased, and has from the very beginning shown the peculiarity that it has prevailed to a much larger extent in the sparsely populated rural districts than in the towns. Even during the year 1862, of 997 deaths from Diphtheria, only 360 occurred in the Town Districts, but 617 in the Mainland-Rural Districts, and 20 in the Insular. The progress of the disease may be traced by the deaths. Thus, in 1857, the deaths from Diphtheria numbered only 76; in 1858 they were 294; in 1859 they were 515; in 1860 they were 480; in 1861 they amounted to 681; but in 1862 they had increased to 997, and thus constituted 1½ per cent. of the specified causes of death.

The deaths from the usual bowel complaints were low during the year,

seeing that only 1108 deaths were attributed to Diarrhœa, 293 to Dysentery, and 57 to Cholera, the three only constituting 2·2 per cent. of the mortality. As has been frequently pointed out in these Reports, the prevalence and

TABLE XXXVIII.—DEATHS, 1862. Proportion of Deaths from different Diseases in every hundred thousand persons of the Population, and of either Sex, in Scotland and in its Three Great Groups of Districts, the Insular, the Mainland-Rural, and Town Districts, during 1862; allowance being made for the Causes of Death which were not specified.

1862. DISEASES.	Proportion of DEATHS in every 100,000 Living.											
	SCOTLAND.			INSULAR DISTRICTS.			MAINLAND-RURAL DISTRICTS.			TOWN DISTRICTS.		
	BOTH SEXES.	MALES.	FEMALE.	BOTH SEXES.	MALES.	FEMALE.	BOTH SEXES.	MALES.	FEMALE.	BOTH SEXES.	MALES.	FEMALE.
ALL CAUSES . . .	2178	2273	2093	1859	1979	1758	1847	1899	1799	2730	2910	2574
1. Zymotic Class . . .	476	488	466	361	395	332	373	373	373	647	679	619
2. Uncertain Seat . .	78	62	91	74	52	97	73	57	86	86	69	100
3. Tubercular Class .	389	401	379	270	319	230	316	325	309	515	531	501
4. Nervous System . .	173	195	153	114	139	96	152	163	141	213	251	179
5. Organs of Circulation	95	103	87	46	43	48	86	95	78	114	124	104
6. Respiratory Organs	313	339	290	164	201	134	226	244	210	464	504	424
7. Organs of Digestion	163	177	151	96	115	81	146	158	134	198	216	182
8. Urinary Organs . .	30	44	18	21	32	12	29	43	16	34	49	21
9. Generative Organs .	16	–	30	14	–	27	15	–	29	18	–	33
10. Locomotive Organs .	13	16	11	19	23	19	12	13	10	15	20	10
11. Skin, etc.	2	3	1	1	2	–	2	3	2	2	4	1
12. Malformation . . .	4	5	4	–	1	–	3	3	4	7	8	5
13. Premature Debility .	101	123	83	34	41	29	76	90	63	148	183	117
14. Atrophy	19	18	20	10	9	11	13	13	12	29	28	30
15. Age	223	179	262	476	454	603	250	207	289	150	107	187
16. Sudden Deaths . .	4	4	3	3	5	1	3	2	3	5	6	4
17. Violent Deaths . .	70	108	36	69	126	22	63	99	29	81	121	46
Small-pox	14	15	13	1	1	1	6	6	6	27	29	25
Measles	47	51	44	91	101	82	18	19	18	85	94	77
Scarlatina	43	48	39	5	2	5	37	40	34	57	65	51
Diphtheria	33	33	34	14	17	11	37	36	37	31	32	31
Hooping-cough . .	95	93	97	24	28	21	62	60	65	152	133	151
Croup	47	52	43	49	61	40	35	38	32	65	71	59
DIARRHŒA . .	37	38	36	26	37	18	29	29	28	52	53	50
Dysentery	9	9	10	9	8	11	8	7	9	12	11	10
Cholera	1	2	1	1	1	1	1	2	1	2	2	1
Influenza	13	12	14	51	51	48	14	12	16	6	5	5
Infantile Fever . .	2	2	2	–	–	–	2	2	2	1	1	2
TYPHUS	103	107	99	61	52	67	95	97	93	125	130	112
Metria	4	–	8	2	–	4	4	–	7	5	–	9
Erysipelas	8	7	8	5	9	2	7	6	8	9	8	10
Dropsy	25	20	29	31	20	41	23	18	27	27	22	31
Cancer	39	26	50	33	26	40	36	25	47	43	28	56
Scrofula	24	29	19	9	19	2	22	27	18	27	34	16
Tabes Mesenterica .	27	31	23	6	8	5	20	23	17	39	45	34
PHTHISIS . . .	280	272	287	227	249	206	230	224	235	362	350	371
Hydrocephalus . .	58	68	50	24	38	12	42	48	36	86	101	73
Apoplexy	41	43	38	13	9	17	39	39	39	47	54	40
Paralysis	51	53	49	46	53	40	51	50	24	52	58	48
Epilepsy	7	9	6	5	4	3	7	9	5	8	11	6
Convulsions . . .	23	29	18	16	19	16	15	18	12	37	47	28
BRONCHITIS . .	196	202	191	56	60	55	132	134	130	308	325	294
Pneumonia . . .	65	80	52	33	45	24	51	63	41	90	111	72
Teething	37	43	32	11	16	9	23	27	19	61	70	54
Enteritis	30	35	25	8	9	6	28	32	23	36	43	29
All Liver Diseases .	32	35	29	24	34	17	31	32	29	34	38	30
CHILDBIRTH . .	10	–	19	12	–	22	9	–	18	11	–	21
Burns and Scalds .	11	16	11	8	5	10	10	9	10	12	13	12
Drowning	14	26	4	44	93	3	14	24	4	12	22	4
Fracture & Contusion	26	44	9	9	16	4	24	44	6	30	49	13

fatality of these diseases is chiefly influenced by the mean temperature; for although they occur at all seasons, they chiefly spread and prove fatal during the warmer months of the year. As a general rule, however, if the mean monthly temperature does not rise above 56° or 57°, there is no great in-

TABLE XXXIX.—DEATHS, 1862 Proportion of Deaths from different Diseases in every ten thousand Deaths from Specified Causes, in Scotland and in its Three Great Groups of Districts, the Insular, the Mainland-Rural, and Town Districts, in 1862; distinguishing the proportional mortality in both Sexes, and in the Males and Females.

1862.	Proportion of DEATHS in every 10,000 Specified Causes of Death.											
DISEASES.	SCOTLAND.			INSULAR DISTRICTS.			MAINLAND-RURAL DISTRICTS.			TOWN DISTRICTS.		
	BOTH SEXES.	MALES.	FEMALE.	BOTH SEXES.	MALES.	FEMALE.	BOTH SEXES.	MALES.	FEMALE.	BOTH SEXES.	MALES.	FEMALE.
1. Zymotic Class	2188	2147	2228	1951	2008	1900	2022	1968	2074	2371	2335	2407
2. Uncertain Seat	358	275	438	416	268	523	392	310	478	317	241	392
3. Tubercular Class	1789	1766	1814	1461	1613	1223	1715	1712	1719	1888	1827	1947
4. Nervous System	796	859	735	626	705	553	826	866	787	780	864	699
5. Organs of Circulation	436	455	417	253	226	276	469	501	439	418	429	407
6. Respiratory Organs	1439	1494	1386	891	1026	769	1228	1288	1170	1691	1734	1656
7. Organs of Digestion	749	782	717	526	588	469	778	836	747	727	745	708
8. Urinary Organs	135	196	88	120	167	76	159	226	94	125	168	83
9. Generative Organs	75	–	147	84	–	161	84	–	165	65	–	129
10. Locomotive Organs	63	72	53	116	117	115	65	71	60	56	70	42
11. Skin, etc.	12	16	8	8	16	–	14	17	12	10	15	6
12. Malformation	22	23	21	4	8	–	21	19	23	25	29	21
13. Premature Debility	467	541	395	188	210	168	414	478	352	542	623	457
14. Atrophy	90	83	96	60	50	69	74	73	76	107	96	119
15. Age	1027	790	1256	2903	2311	3446	1357	1096	1610	551	369	726
16. Sudden Deaths	18	18	18	20	33	7	16	12	20	20	43	17
17. Violent Deaths	322	476	172	381	647	138	342	522	166	297	417	181
Small-pox	65	66	66	8	8	7	36	34	38	100	102	99
Measles	219	226	213	502	521	484	102	102	102	312	324	301
Scarlatina	200	213	188	28	16	38	203	216	189	212	224	199
Diphtheria	156	149	162	80	92	69	202	193	211	116	110	122
Hooping-cough	438	412	463	140	151	130	340	318	362	558	524	590
Croup	218	229	207	273	319	230	192	206	179	239	246	233
DIARRHŒA	173	171	175	148	193	107	157	156	157	191	185	198
Dysentery	45	40	50	56	42	69	45	40	51	44	40	49
Cholera	8	9	8	8	8	7	10	10	9	7	9	6
Influenza	61	53	67	281	285	276	81	68	94	22	10	23
Infantile Fever	9	8	10	–	–	–	13	14	13	6	4	8
TYPHUS	473	472	473	333	269	392	515	512	518	442	448	436
Metria	20	–	40	16	–	30	22	–	43	19	–	37
Erysipelas	39	34	43	32	50	15	42	36	47	36	30	41
Dropsy	116	89	142	176	109	238	127	100	154	100	77	122
Cancer	180	116	241	184	134	230	201	134	265	156	97	219
Scrofula	110	129	91	56	100	15	124	143	106	100	117	84
Tabes Mesenterica	124	138	111	40	42	38	111	127	95	144	150	132
PHTHISIS	1285	1197	1371	1228	1268	1192	1248	1184	1311	1326	1204	1445
Hydrocephalus	269	299	239	136	201	76	231	257	206	316	348	285
Apoplexy	188	191	184	76	50	100	210	206	220	172	188	156
Paralysis	236	234	238	253	268	230	278	265	291	193	199	186
Epilepsy	36	43	28	28	33	23	400	48	32	32	40	25
Convulsions	109	129	89	96	100	92	82	98	67	136	162	110
BRONCHITIS	902	892	912	313	310	315	718	708	727	1131	1111	1144
Pneumonia	302	355	251	180	235	138	281	334	230	332	384	282
Teething	173	191	155	68	84	53	127	148	107	226	242	211
Enteritis	139	158	120	48	50	46	154	175	133	132	150	116
All Liver Diseases	147	154	139	136	176	100	169	175	163	125	132	119
CHILDBIRTH	47	–	94	72	–	138	51	–	102	41	–	82
Burns and Scalds	50	47	53	48	33	61	54	48	60	47	47	47
Drowning	68	116	21	241	479	23	76	128	26	46	77	16
Fracture & Contusion	120	199	43	56	84	30	134	237	34	111	170	54

crease of these complaints. In 1862 the mean temperature was below its average during all the warmer months, so that the mean temperature of July was only 53°·8, of August 56°, and of September 53°·4. The consequence was, that these bowel complaints never became prevalent, and their fatality remained low.

Of the other diseases belonging to this class, Croup caused 1396 deaths, Scarlatina 1281, Small-pox 426, Influenza 387, Erysipelas 249, Metria 130, Infantile Fever 63, Thrush 36, Purpura 51, Ague 16, Worms 32, Rheumatic Fever 84, Syphilis 126, of which 97 were congenital and died before the 5th year of life, Noma 21, and Hydrophobia 1.

Class II. *Diseases of Uncertain Seat.*

The diseases tabulated under this class cut off 2288 persons; and thus constituted 3·58 per cent. of the total mortality, or caused 78 deaths in every 100,000 persons of the general population. Dropsy and Cancer are the most fatal diseases under this class, but the cases of Dropsy are only those where the seat of the disease or its primary cause were not specified; for Ascites and Hydrothorax are tabulated in their proper classes, and so are all cases of Dropsy resulting from heart, kidney, or lung disease. The deaths of 743 persons were attributed to Dropsy, 212 being males, and 461 females; from which it would appear that females are more liable to that disease than males, seeing that in every 100,000 persons of each sex, 20 males, but 29 females, die annually from Dropsy.

Cancer, during 1862, cut off 1152 persons, of whom 367 were males, and 785 females, so that it also affects females to a much larger extent than males; seeing that in every 100,000 persons of each sex in the population, only 26 males, but 50 females, died from its effects during the year. Cancer, year after year, causes from 1·5 to 1·9 per cent. of the deaths, and seems to be nearly equally prevalent in the rural as in the town districts, and does not appear to be one of those diseases which are aggravated by a residence in towns.

Of the other diseases belonging to this class, Mortification cut off 108; Abscess, 121; Hæmorrhage, the seat of which was not stated, 85; Ulcer, 55; Fistula (all kinds), 11; and Gout, 13 persons.

Class III. *Tubercular Diseases.*

The tubercular class of diseases (which is composed of Scrofula, Tabes Mesenterica, Phthisis or Consumption, and Hydrocephalus) cut off 11429 persons in Scotland in 1862, and thus constituted 17·89 per cent. of the specified causes of death, or in the proportion of 389 deaths in every 100,000 persons of the population. The deaths from this class of diseases were therefore 847 above those of the previous year, being an increase of 8 per cent. in 1862 over that of the previous year. This fact of itself proves how deadly were the agencies (whatever they were) which raised the mortality so high in 1862, and proves that they acted equally through an increase of all diseases as through epidemics.

Of the eight principal towns of Scotland in proportion to their populations, Leith seemed to suffer least, and Greenock the greatest, from this class of diseases. Thus, of every ten thousand persons living in each of these towns, there died during the year, from the tubercular class of diseases, 30 persons in Leith, 34 in Perth, 44 in Dundee, 46 in Aberdeen, 47 in Edin-

burgh, 51 in Paisley, 58 in Glasgow, and 66 in Greenock. The Town Districts had 51·5 deaths from this class of diseases in every ten thousand persons, the Mainland-Rural Districts only 21 deaths in a like number of inhabitants. The mortality, therefore, fell with especial severity on the Town Districts, while the Rural Districts suffered less than usual from that class of affections.

Phthisis or Consumption is the most fatal disease of this class, and cut off during the year 8211 persons, of whom 3760 were males and 4451 females. This gives the proportion of 280 deaths by Phthisis in every 100,000 persons of the population, or 287 female deaths, but only 272 male deaths, in every 100,000 of each sex. In Scotland, therefore, females die from that disease in greater proportions than males, year after year.

As the mortality from all diseases is greatest in towns, so is it with regard to Consumption. Thus, in every 100,000 persons living in each of the three great groups of districts, 227 died in the Insular Districts during the year, 230 in the Mainland-Rural Districts, but 362 in the Town Districts.

Of the eight principal towns, Leith seemed to show the smallest proportion of deaths from Phthisis, Greenock the highest. Thus, in every ten thousand persons in each of these towns, there died from Phthisis during the year, 16 in Leith, 21 in Perth, 30 in Edinburgh, 33 in Dundee and in Aberdeen, 37 in Paisley, 41 in Glasgow, and 48 in Greenock.

Of the other tubercular diseases, Scrofula cut off 704 persons, Tabes Mesenterica 796, and Hydrocephalus 1718, being in the respective proportions of 24, 27, and 58 deaths in every 100,000 persons of the population. Of the deaths from Hydrocephalus, 941 were males, 777 females,—a fact proving the much greater tendency of the male to diseases of the brain even during childhood.

Class IV. *Diseases of the Brain and Nervous System.*

Diseases of the brain and nervous system proved fatal to 5086 persons in Scotland during the year, and thus constituted 7·96 per cent. of the specified causes of death, or cut off 173 persons in every 100,000 of the population. The agencies unfavourable to life had therefore caused the mortality from the brain diseases to increase 5½ per cent. above that of the previous year. Of the 5086 deaths from the brain diseases, 2699 occurred in males, and 2387 in females, indicating the proportion of 195 male but only 153 female deaths in every 100,000 of each sex; thus showing that at all ages the male has the same greater tendency to suffer from diseases of the brain, as was shown to exist during the period of childhood, during which he was liable to Hydrocephalus.

Like all other diseases, the mortality of this class of diseases was highest in the Town Districts. Thus, in every 100,000 persons in each district, 114 died from diseases of the brain and nervous system in the Insular, 152 in the Mainland-Rural, and 213 in the Town Districts. Of the eight principal towns, Edinburgh and Greenock showed the highest mortality from brain diseases, Dundee and Leith the lowest.

Of the individual diseases under this class, Apoplexy caused 1201 deaths; Paralysis, 1509; Convulsions, 697; Epilepsy, 230; Cephalitis, 319; Delirium Tremens, 61; Insanity, 96; Tetanus, 49; and Chorea, 9; while 915 deaths were registered under the indefinite term, Brain Disease.

Class V. *Diseases of the Heart and Organs of the Circulation.*

The deaths from this class of diseases increased by nearly 12 per cent. over those of the previous year, 2787 persons having been cut off by this class during 1862, of whom 1432 were males and 1355 females. This shows that in every 100,000 persons of each sex, 103 males, but only 87 females, had died from heart diseases during the year.

Of the individual affections under this class, Heart Disease caused 2614, Pericarditis 84, and Aneurism 89 deaths.

Class VI. *Diseases of the Respiratory Organs.*

9194 persons fell victims to this class of diseases, the inflammatory affections of the respiratory organs, and thus constituted 14·39 per cent. of the specified causes of death, or 313 deaths during the year in every 100,000 persons of the population. As only 8400 deaths were caused by the same class of diseases in 1861, the increased mortality from these affections in 1862 amounted to 9·4 per cent. If, however, all the diseases affecting the respiratory organs were included, as Croup, Hooping-cough, Influenza, and Phthisis, the per-centage of increase during the fatal year 1862 would be much higher. Thus the deaths from all affections of the respiratory organs, including the above, numbered 19,297 in 1861, but 21,987 in 1862, so that the deaths from these diseases in 1862 were nearly 14 per cent. higher than in 1861. This striking fact would of itself seem to indicate that the deleterious agencies which raised the mortality of 1862 so much above that of 1861 were chiefly atmospheric, inasmuch as it is atmospheric agencies which are known to act most powerfully and directly on the human frame through the respiratory organs.

Unlike Consumption and Hooping-cough, the inflammatory affections of the respiratory organs affect and prove fatal to more males than females; for the male deaths amounted to 4691, the female to 4500, showing that, in every 100,000 persons of each sex, 339 males died for every 290 females. The greater exposure of the male in all weathers sufficiently accounts for the difference of the death-rate in the sexes.

Of the individual diseases belonging to this class, Bronchitis caused 5764 deaths, or 9 per cent. of the specified causes of death; Pneumonia 1932 deaths, or 3 per cent. of the specified causes of death; Asthma, 698 deaths; Pleurisy, 291; Laryngitis, 170; while 339 deaths were registered under the indefinite term of "Disease of the Lungs."

Class VII. *Diseases of the Organs of Digestion.*

4788 deaths resulted from diseases of the organs of digestion, thus constituting 7·49 per cent. of the specified causes of death, or 163 deaths in every 100,000 persons of the population. This class of diseases proved fatal to the male in somewhat larger proportion than the deaths from all causes; for 2459 of the deaths were those of males, 2329 females, being in the proportion of 177 male deaths and 151 female deaths in every 100,000 of each sex.

On looking over the individual diseases under this class, it is seen that the tendency of the male to die in higher proportion than the female is witnessed at all ages, being even more strongly developed when he is a mere child than when an adult. Thus, comparing the number of deaths with

the population of each sex, it is seen that for every 100,000 persons of each sex, 43 males, but only 32 females, died during the year from Teething; 35 males, but only 25 females, from Enteritis; while, taking the whole of the liver diseases (including Hepatitis and Jaundice), which are chiefly diseases of adult life, 35 males died for every 25 females.

Of the several diseases under this class, Teething caused 1106 deaths, Enteritis 892, Peritonitis 227, Gastritis 165, Ulceration of the Intestines 175, Ascites 64, Hernia 114, Ileus 268, Quinsey 63, Intussusception 49, Stricture of the Intestines 23, Stomach Disease 682, Hepatitis 153, Jaundice 175, Liver Disease 611, and Spleen Disease 21.

Class VIII. *Kidney and Urinary Diseases.*

Kidney and Urinary Diseases cut off 904 persons during the year, of whom 617 were males and 287 females. This class of diseases, therefore, cut off the sexes in very different proportions, seeing that in every 100,000 persons of each sex, 44 males died for every 18 females. The proportion of deaths in the combined sexes was 30 deaths from this class of diseases in every 100,000 persons of the population. This is a proportion greatly above that of England, which for the same year was in the proportion of 26 deaths only in a like population. As much the same proportions occurred in former years, we have the fact that the Scottish people are much more liable to this class of diseases than the English. The colder and more variable climate of Scotland may perhaps account for this increased mortality from Kidney and Urinary Diseases in Scotland; for it is a known fact, that when the skin is active less burden is thrown on the kidneys; and this accounts for the remarkable relief which all who are suffering from Kidney Disease experience when they remove to a warm climate.

It was at one time supposed that Stone was much more common in England than in Scotland; and this supposed greater liability to that disease was assumed to be owing to the English living so much on suet dumplings and drinking cider. If we take a five years' average, however, of the deaths from Stone in England and in Scotland, it is found that that disease is twice as common in Scotland as it is in England; for while in every 100,000 deaths in England only 43 were due to Stone, 105 were caused by it in Scotland. 78 deaths were caused by Stone in Scotland in 1862, which gives the proportion of 25 deaths in every 100,000 of the population, the English proportion being only 10 deaths for the same year in a like population.

Of the other diseases belonging to this class, Nephria caused 239 deaths, Diabetes 74, Cystitis 66, Nephritis and Ischuria each 41, Stricture of Urethra 6, and undefined Disease of the Kidney 359 deaths.

Class IX. *Childbirth, and Diseases of the Organs of Generation.*

This class of diseases caused 481 deaths, of whom 480 were females, giving the proportion of 30 deaths in every 100,000 females of the population. 305 of these were caused by Childbirth, which gives the proportion of 19 deaths in every 100,000 females. To ascertain, however, the exact mortality of Childbirth, we must take the 130 deaths from Metria (Childbed Fever) along with those tabulated under the heading of Childbirth, when we have a total of 435 deaths in childbed during the year. As 105,754 mothers gave birth to 107,069 children during the year, it follows that 4 in every

thousand mothers died in giving birth to their children, or one death in every 243 mothers. In the English tables, instead of comparing the deaths in Childbirth with the number of mothers who were delivered of children during the year, they are compared with the number of children born during the year. This makes the proportion of deaths slightly lower than the reality, seeing it goes on the supposition that every mother had but one child. As, however, it affords means of comparison with countries which do not ascertain the number of the twin and triplet births, Table XL. is constructed on that principle, showing the deaths of women in Childbirth during each of the seven years 1856 to 1862 inclusive, and the proportional deaths of mothers to every ten thousand children born alive. The mean of the seven years shows that 46 mothers died annually for every ten thousand children born alive, or 47 mothers died annually for every ten thousand women who bore children during the year. This is very closely on the English proportion; for during the same seven years 45 women died annually in Childbirth for every ten thousand children born alive, or 46 mothers for every ten thousand women who bore children during the year.

Diseases of the organs of locomotion, which form the tenth class, proved fatal to 404 persons. Of these, 164 died from Rheumatism, 213 from Diseases of the Bones and Joints, and 27 from Arthritis, or Inflammation of the Joints.

Diseases of the skin and integumentary system, forming the eleventh class, cut off 80 persons, viz. 19 by Carbuncle, 8 by Phlegmon, and 53 by various skin diseases.

Malformations from birth caused 145 deaths, of which 49 were from Cyanosis, 34 from Spina Bifida, and 62 from others not specified.

The thirteenth class of diseases is the debility arising from premature birth, and from weakly constitutions at birth. 2986 deaths resulted from that cause, giving the high proportion of 4·67 per cent. of the specified causes of death.

576 deaths were ascribed to Atrophy, and 118 to sudden deaths, the causes of which were not ascertained.

The deaths registered under "Old Age" amounted to 6559, and thus constituted 10·27 per cent. of the specified causes of death. The deaths ascribed to old age are those where the affection which finally proved fatal was not ascertained, or was so slight that it was overlooked, the flame of life just gradually expiring. This kind of death appears to be more common in the Insular than in the Mainland-Rural Districts, and more common in the

TABLE XL.—Deaths of Women in Childbirth during each of the seven years 1856 to 1862 inclusive.

YEAR.	Number of Deaths from			Number of Births.	Deaths of Mothers to every 10,000 Children born alive.
	Metria and Childbirth.	Metria.	Accidents of Childbirth.		
1856	494	143	351	101,821	48
1857	449	145	304	103,415	43
1858	454	152	302	104,018	43
1859	508	175	333	106,543	47
1860	564	236	328	105,629	53
1861	511	203	308	107,009	48
1862	435	130	305	107,069	40
7 years	3415	1184	2231	735,504	46

latter than in the Town Districts. Thus, in every 100,000 persons in each of these districts, 476 deaths were ascribed to old age in the Insular, 250 in the Mainland-Rural Districts, and only 150 in the Town Districts.

Class XVI. *Violent Deaths.*

The violent and accidental deaths cut off 2057 persons in Scotland in 1862, and thus constituted 3·22 per cent. of the specified causes of death, or 70 deaths in every 100,000 persons of the population. This proportion is nearly constant from year to year.

Of these, 769 deaths were caused by Fractures and Contusions; giving the proportion of 26 deaths in every 100,000 persons, or 1·20 per cent. of the total mortality. As might be expected, this proportion is much greater in towns than in the rural districts; for in every 100,000 persons in each district, 9 died by Fractures and Contusions in the Insular Districts, 24 died by the same causes in the Mainland-Rural, and 30 in the Town Districts —the railway accidents bringing up the rural proportion so very much above the Insular.

436 deaths were caused by Drowning, or 14 in every 100,000 persons. This proportion is very greatly exceeded, however, in the Insular Districts, where the only traffic with the mainland and with adjacent islands has to be carried on in open boats. In the Insular Districts, therefore, 44 deaths occurred in 1862 for every 100,000 persons.

324 deaths were ascribed to Burns and Scalds, being in the proportion of 11 deaths in every 100,000 persons. This is greatly below the English average, as well as below the proportion for the same year, and may probably be attributed to the more general use of woollen garments among the Scotch. It is possibly to the same cause, viz. the greater use of woollen garments in the Insular than in the Mainland-Rural, and in these last than in the towns, that in every 100,000 persons in each of these districts, 8 died from Burns and Scalds in the Insular, 10 in the Mainland-Rural, and 12 in the Town Districts. As fully two-thirds of the persons who suffer from Burns and Scalds are children under 10 years of age, it is quite apparent that if infants

Table XLI.—The Seventeen most Fatal Diseases in Scotland and England in 1862.

SCOTLAND.		ENGLAND.	
Diseases.	Proportion of Deaths to 100,000 living.	Diseases.	Proportion of Deaths to 100,000 living.
Phthisis	280	Phthisis	253
Old Age	223	Bronchitis	161
Bronchitis	196	Debility, Premature Birth, Atrophy	134
Debility, Premature Birth, Atrophy	120	Old Age	133
Typhus and Infantile Fever	105	Convulsions	125
Hooping-cough	95	Pneumonia	117
Heart Disease	84	Typhus & Infantile Fever	93
Pneumonia	65	Heart Disease	88
Hydrocephalus	58	Scarlatina	73
Paralysis	51	Hooping-cough	61
Measles	47	Diarrhœa	55
Croup	47	Measles	48
Scarlatina	43	Paralysis	48
Apoplexy	41	Apoplexy	45
Cancer	39	Cancer	36
Teething	37	Dropsy	36
Diarrhœa	37	Hydrocephalus	35

and children were more generally clothed in woollen garments, there would be many lives annually saved.

Of the other violent and accidental deaths, 54 were from Poison, 46 from Hanging, 101 from Suffocation, more than half of these being children overlaid in bed, 74 from Wounds, 53 from Intemperance, 7 from Privation, 3 from Neglect, 34 from Cold, and 94 from other violent causes, the particulars of which were not given.

Of the 2057 violent deaths, 83 were Suicides; and of these, 35 were by hanging, 16 by cut-throat, 13 by drowning, 6 poisoning by opium or some of its preparations, 1 poisoning by arsenic, 1 by sulphuric acid, 3 by gunshot wounds, 1 by precipitation from a height, 1 by immolation on a railway, while in six cases the cause was not specified.

Table XLI. shows the seventeen diseases which proved most fatal in Scotland and in England during 1862, arranged in the order of their respective fatality. The Table shows that, even in countries so closely adjoining, the several diseases to which the inhabitants are liable, are under somewhat different conditions, and consequently exhibit different results.

INFLUENCE OF EXTERNAL AGENCIES.

The influence of season on the births has been so often pointed out in these Reports, that it need only be stated, that in 1862, as in former years, the greatest monthly and daily number of births occurred during the months of March, April, May, and June; while the smallest number occurred during August, September, November, and December. (Table XLII.)

The marriages, on the other hand, have been shown by these Reports

Table XLII.—Monthly and Daily Number of Births in 1862.

Months.	Monthly Births.	Daily Births.	Months.	Monthly Births.	Daily Births.
January . . .	9150	295	July	9233	298
February . . .	8357	298	August . . .	8231	265
March	9582	309	September . .	8316	277
April	9586	319	October . . .	8712	281
May	10147	328	November . .	7893	263
June	8998	300	December . .	8864	279

Table XLIII.—Monthly and Daily Number of Marriages in 1862, with the number contracted on the last day of the Year.

Months.	Number of Marriages as registered each Month.	Marriages corrected for January and December.	Number of Marriageable Days in each Month.	Corrected Daily Marriages in each Month.
January . . .	2321	1451	23	63
February . . .	1207	1207	20	60
March	1235	1235	21	58
April	1137	1137	22	51
May	1053	1053	22	48
June	2993	2993	21	142
July	2001	2001	23	87
August . . .	1309	1309	21	62
September . .	1261	1261	22	57
October . . .	1203	1203	23	52
November . . .	2082	2082	20	104
December . . .	2795	* 2582	* 22	* 117
31st December . .	...	1083	1	1083

* These numbers do not include those having reference to the 31st day of December.

to be under quite different influences, inasmuch as, though they are contracted with great regularity during every month of the year, they double or even treble their numbers shortly after the half-yearly terms of Whitsunday and Martinmas. This result is produced by the practice which prevails in Scotland of engaging both agricultural and domestic servants by the half-year, and also by the practice of letting houses half-yearly or yearly. Houses for newly married persons can therefore only be easily procured at these terms, and the marriages of those who have been in service usually take place shortly after these terms.

On looking at Table XLIII., it will be seen that fewest marriages occurred during the month of May, and the next fewest in April. This can scarcely now be attributed to any lingering superstition as to its being "unlucky" to marry in May, because very nearly the same number of marriages actually takes place daily in May, as during April and October. It seems rather to be due to the fact of its being so near the half-yearly term period; and the fact of people delaying their marriage till they could get into their own house after the term, may have led to the old exploded saying, that it was "unlucky" to marry in May.

Were we to be guided by the number of marriages entered on the registers during each month, it might be inferred that January was a favourite month for contracting marriage in Scotland. This conclusion, however, would be an erroneous one; for though, in the insular and northern parts of Scotland, most of the marriages are contracted during the winter months, when the males are not engaged in the fisheries, this applies more to the months of November and December than to January.

When the marriage registers for January are consulted, it is found that a full third of the marriages which are entered therein were not contracted in January at all, but on the last day of December, but from having been registered in January were counted with the January marriages. When deprived of these, it then appears that January exhibits no pre-eminence over other months as a favourite one for marriage.

It is December, then, and not January which is the favourite marriage month in Scotland; but when the December registers are looked into, it is found that, though the daily number of marriages during that month exceeds that of all other months excepting June, it is the last day of December which is the public pet, for on it alone are celebrated one-twentieth of all the marriages which take place during the year.

In last Report attention was directed to this striking peculiarity in the social habits of the Scottish people, but we were not then in possession of data sufficient to show the exact magnitude of the fact. We have now, however, gone over the marriage registers for a series of years, to procure some tangible facts on this subject, and they are certainly extremely curious. Those for 1862 are given in detail in Table XLIII.

At present we flatter ourselves that the days of superstition have passed away. It is not so, however, with the Scottish people, as these registers avouch. No Scotchman will begin any kind of work on a Saturday, if he can possibly avoid it, because he has the superstitious belief that he will never live to finish it. For the same reason no Scotchman will marry on a Saturday; it is with him an "unlucky day," and he dreads that one or other of the parties to the marriage will not live out the year, or if they outlive the year, that they will have no family. Accordingly, as a general rule, no marriages occur in Scotland on Saturday among natives of Scotland. On Sundays, also, no marriages take place; so that the marrying days in Scot-

land are limited to five weekly, or from 20 to 23 in each month. The fourth column of Table XLIII. shows the number of marrying days in each month for 1862, and by these the daily marriages are calculated.

The last column of that Table shows the number of marriages which are contracted during each marrying day of each month; and it will be seen that while 48 marriages occurred during each marrying day of May, 51 in April, 52 in October, 57 in September, 58 in March, 60 in February, and 63 in January, they rose to 104 daily in November, to 117 daily during 22 of the marrying days in December, to 142 daily during the marrying days of June, but to the enormous number of 1083 during the last day of December. Here then we have the very singular fact ascertained, that the last day of the year is such a favourite for marrying with the people of Scotland, that a full twentieth of the marriages during the year were contracted on that day.

This, however, is not a casual occurrence, but recurs year after year with a regularity, even in the numbers, which is truly surprising. Thus, on going over the marriage registers for a series of years, it was found that when the last day of December fell on a Monday, Tuesday, Wednesday, Thursday, or Friday, the numbers who annually married on that last day of December only varied from 1020 to 1090, so that the average number of marriages on every 31st day of December, when it fell on the above days of the week, was 1055.

But all this is changed when the last day of December falls on a Saturday. The Saturday superstition, as to its being an unlucky day, outweighs all fondness for the last day of the year as a day of marriage; so that when, in the revolution of the seasons, the last day of the year falls on a Saturday, the marriage register virtually remains a blank, in so far as the natives of Scotland are concerned. In 1859, when the 31st of December fell on a Saturday, only 59 marriages were contracted instead of 1055, and these chiefly by persons not natives of Scotland. The Scottish people had in that case anticipated the 31st, and contracted their usual 1055 marriages on the 30th of the month!

It is strongly suspected that the same singular practice prevails in Sweden, for in that country even a greater excess of marriages takes place

TABLE XLIII.—Daily Number of Deaths in Scotland during each Month of the Year 1862, to show the Influence of Season, but especially of Mean Temperature, on the Mortality.

MONTHS.	Mean Temperature.	Daily Number of DEATHS.			
		SCOTLAND.	Insular Districts.	Mainland-Rural Districts.	Town Districts.
JANUARY . .	38°·4	222	8	103	111
FEBRUARY . .	40°·1	207	9	104	95
MARCH . . .	37°·8	216	13	107	96
APRIL . . .	44°·6	207	11	101	95
MAY . . .	51°·1	188	8	93	87
JUNE . . .	52°·4	176	7	88	81
JULY . . .	53°·8	167	8	85	74
AUGUST . .	56°·0	143	7	73	63
SEPTEMBER .	53°·4	153	6	73	74
OCTOBER . .	47°·1	154	6	72	76
NOVEMBER .	37°·1	173	6	80	87
DECEMBER . .	41°·8	199	8	94	97

in December than in Scotland. But the official tables and reports do not give us the means of determining that point with certainty.

The influence of the weather on the death-rate in Scotland is of the most potent kind, as has been fully proved in former Reports. But Scotland and England, though forming parts of the same island, are apparently under such very different meteorological conditions, that a knowledge of the kind of weather prevailing in the one country, often gives no indication whatever of the kind of weather prevailing in the other. Thus, in 1862, while the mean temperature of England was above its mean, that of Scotland was below its mean; and while the rainfall over England only amounted to 26·40 inches, the quantity deposited in Scotland was 45·29 inches. Still more striking were the differences in the periods of warm and cold weather in the two countries. One example may suffice. In England, on the 24th of March, a period of warm genial weather set in, which continued uninterruptedly till the 7th of April, and during all that period the mean temperature was at 5° above its mean. Scotland, on the other hand, during the very same period, presented a truly wintry appearance, and its temperature was fully 5° below its mean. Snow began to fall on the 21st of March; cold piercing north-easterly winds prevailed; when the month of March closed, the hills were still white, and it was not till towards the close of the first week of April that the snowy mantle disappeared.

The weather in Scotland during 1862 presented many points of resemblance with that of 1861. It had a lower summer, and a somewhat higher winter temperature than usual; a more clouded sky, and consequently less sunshine; a greater fall of rain, and a more humid atmosphere than the average of former years. The lower summer temperature seemed to be occasioned by the more clouded rainy sky obscuring the sun, and preventing its rays heating the ground as much as usual; while the higher temperature of the winter months was caused by the unusual prevalence of strong balmy westerly and south-westerly winds, which, having come over the heated waters of the Atlantic, brought with their warmth an unusual quantity of moisture, great part of which was deposited on the land.

The continuance of the damp cloudy weather for two successive years seems to have acted prejudicially on the public health, and to have induced

TABLE XLIV.—Showing the connection between certain Atmospheric Phenomena, especially mean Temperature, and the monthly Deaths from certain Diseases, in the Eight Principal Towns of Scotland, during 1862.

1862.	Jan.	Feb.	Mar.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.
Mean Temperature,	38°·8	40°·6	38°·6	45°·2	51°·3	53°·2	55°·3	56°·9	54°·0	47°·3	35°·6	43°·0
Rain—in inches,	5·35	1·61	5·17	3·05	4·77	3·95	4·41	3·70	2·47	8·58	2·88	6·53
Westerly Winds,	12	7	6	14	13	17	20	13	13	20	10	23
Easterly Winds,	7	11	19	8	9	5	5	6	9	4	5	4
Total Deaths,	2745	2100	2376	2239	2113	1925	1780	1558	1754	1877	2102	2396
Daily Deaths,	89	71	76	75	68	64	57	50	58	61	70	79
Zymotic Diseases,	635	514	534	444	421	347	408	331	415	542	612	692
Small-pox,	6	6	3	3	1	3	5	9	21	55	84	110
Measles,	50	42	92	83	68	51	58	45	50	61	123	134
Scarlatina and Diphtheria,	83	74	60	39	37	32	38	45	58	78	94	90
Hooping-cough,	255	206	179	140	120	94	105	50	67	82	83	93
Croup,	58	44	30	30	28	30	38	44	63	86	82	93
Typhus,	107	84	97	83	87	77	96	66	66	82	79	90
Diarrhœa, Dysen., & Chol.,	36	36	42	31	43	39	45	50	73	72	39	44
Consumption,	287	306	336	314	329	330	258	216	237	211	218	228
Diseases Respiratory Organs,	627	361	441	397	313	280	236	198	198	262	405	479
Heart, etc., Diseases,	127	72	91	83	81	81	71	54	81	60	90	83
Brain, etc., Diseases,	171	157	168	177	188	157	147	135	151	142	139	182
Age,	168	113	144	114	93	94	81	75	74	99	94	107

an amount of sickness and death quite unusual. The fact that this kind of weather occurred when large numbers of the lower classes were suffering from insufficient food and clothing, in consequence of being thrown out of work by the stoppage of the cotton manufactories, accounts partly for its more baneful action in 1862 than in 1861.

The greatest daily number of deaths occurred during the month of January, when 222 deaths occurred daily under a mean temperature of 38°·4, being the same as that of the two preceding months. The daily deaths during the preceding November were 172, and during December 180; so that, although the mean temperature had remained nearly steady

TABLE XLV.—Meteorology of Scotland for 1862, deduced from Observations made at 53 Stations of the Meteorological Society of Scotland, the particulars for each of the Stations having been published in the Quarterly Reports of the Registrar-General for 1862.

1862.	Jan.	Feb.	Mar.	Apr.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Year.
Absolute Highest Temperature in shade	55·0	61·9	60·4	74·5	77·4	80·0	73·0	80·5	79·0	73·0	59·0	57·5	80·5
Absolute Lowest Temperature do.	19·3	9·0	10·0	18·9	27·2	33·0	33·9	35·0	28·0	21·3	9·9	23·0	9·0
Mean of Highest Daily Temperatures	42·0	44·4	42·5	51·5	58·1	58·7	60·4	62·3	60·3	53·4	42·6	46·2	51·8
Mean of Lowest Daily Temperatures	34·8	35·8	33·2	37·8	44·0	46·0	47·3	49·7	46·4	40·7	31·6	37·5	40·4
Mean Daily Range of Temperature	7·1	8·6	9·3	13·7	14·1	12·6	13·1	12·6	14·1	12·7	11·0	8·7	11·4
Mean Temperature	38·4	40·1	37·8	44·6	51·1	52·4	53·8	56·0	53·4	47·1	37·1	41·8	46·1
Mean of Black Bulb in Sun	47·9	57·5	56·2	70·7	77·8	78·4	80·8	82·2	82·3	68·4	53·4	49·4	67·1
Mean of Black Bulb at Night (on grass)	31·6	32·0	29·4	33·4	38·9	41·3	42·3	44·0	41·1	35·6	27·2	33·6	35·9
Mean Temperature of Evaporation (wet bulb)	37·0	38·0	35·8	41·8	48·3	49·8	50·9	53·4	51·3	44·7	35·2	40·4	43·9
Mean Dew-point Temperature	35·3	36·2	33·8	39·1	46·0	47·3	48·3	51·4	49·5	42·8	33·6	38·5	41·8
Mean Humidity of the Air	·90	·89	·88	·83	·84	·83	·83	·87	·88	·88	·90	·89	·87
Elastic Force of Vapour (inches)	·207	·214	·195	·240	·311	·326	·339	·382	·354	·276	·194	·234	·272
Number of Days on which Rain fell	21	11	16	14	16	20	22	16	13	19	10	21	199
Amount of Rain (Sleet and Snow melted) (inches)	5·32	1·88	3·63	2·99	3·89	3·99	3·87	3·35	2·44	6·32	2·41	5·20	45·29
Mean Amount of Cloud	7·5	6·9	7·6	6·2	6·6	6·9	7·0	7·2	6·2	5·9	5·7	6·9	6·9
Hours of Sunshine	50	80	80	183	182	174	200	156	157	139	108	59	1568
Mean Barometer, corrected (inches)	29·686	30·052	29·698	29·881	29·810	29·733	29·735	29·885	29·979	29·620	29·897	29·767	29·812
Easterly Winds—number of Days	8	12	19	7	9	5	5	8	9	4	7	4	97
Westerly Winds—number of Days	14	9	6	15	14	18	21	14	13	21	13	22	180

for three consecutive months, the prolonged low temperature had steadily increased the mortality.

The weather during February, however, was not so severe as during January, and the mean temperature was more than 1½ degree higher; the daily deaths therefore fell to 207. The wintry weather of March, however, with its mean temperature 2 degrees below that of February, caused the daily deaths to increase to 116; so that the effects of cold on the human frame were very marked during these months. As this wintry weather had extended into April, and many of those who were death-stricken with the severe weather of March did not die till April, the mortality of April was high, amounting to 207 deaths daily.

After this the weather steadily improved; the mean temperature increasing till August, when the highest mean temperature of the year was attained, viz. 56 degrees. With this rise in mean temperature, the number of deaths regularly declined; so that the daily deaths were 188 in May, 176 in June, 167 in July, and attained their minimum in August, when only 143 deaths occurred daily.

After this the mean temperature regularly declined, and the deaths in nearly the same proportion increased; so that 153 deaths occurred daily in September, 154 daily during October, 173 daily during November, and 199 daily during December.

It is worthy of remark, that the deaths continued to increase during December, though its mean temperature was 3½ degrees higher than that of November, which had the lowest mean temperature of any month during the year. This effect is constantly observed at the close of the year, and, indeed, the same occurs also in the spring months, as was strikingly exemplified in April.

These facts then prove, that in this country it is cold and not heat which exerts the most deadly influence on the mortality; and what is still more striking, is the fact that all our so-called epidemic diseases, excepting alone the bowel complaints, increase with the cold and diminish with the warm weather. The public do not seem to be aware of this striking fact, which has been year after year pointed out in these Reports, seeing that, when epidemics prevail either among men or cattle, it is continually stated that the cold weather is being anxiously looked for to put a stop to the epidemic. The fact is, in this country it is cold and not heat which encourages the spread and increases the fatality of all epidemics, excepting the bowel complaints. In the eight principal towns of Scotland, for instance (which may serve to illustrate this fact for all Scotland), the deaths from the epidemic class of diseases were lowest in August, the month of greatest heat, and steadily increased with the fall of temperature, till the close of the year. Thus, the deaths from the zymotic, or epidemic and contagious, class of diseases in these towns, were 331 in August, 415 in September, 542 in October, 612 in November, and 692 in December. The same had been noticed every year, so that there can be no doubt whatever as to the general law of the increase of disease in Scotland under fall of temperature.

To show this influence of temperature on a few diseases and classes of disease, Table XLIV. is appended. It is the transcript of a Table which was published in our annual supplement to the Monthly Returns of the Births, Deaths, and Marriages in the Eight Principal Towns of Scotland for the year 1862. The whole figures in that Table apply alone to the eight towns, viz. Glasgow, Edinburgh, Dundee, Aberdeen, Paisley, Greenock, Leith, and Perth. By that Table it is seen, that while Small-pox caused

only 9 deaths in the eight towns during August, which was the warmest month, the deaths increased with the fall of temperature, till they amounted to 110 in December. Measles, which caused 45 deaths in August, increased with the fall of temperature till it caused 134 deaths in December. Scarlatina and Diphtheria caused only 45 deaths in August, but 90 in December. Hooping-cough, which caused 50 deaths in August, increased in fatality as the temperature fell, till it caused 255 deaths in January. Typhus Fever, which caused only 66 deaths in August, increased with the fall of temperature, till it caused 90 deaths in December, and 107 in January. Diseases of the respiratory organs, which caused 216 deaths in August, increased with the fall of temperature, till they caused 479 deaths in December, and 627 in January. These examples are quite sufficient to prove the point to which attention is desired to be directed, viz. that the prevalence and fatality of all diseases in Scotland increases with the cold weather, so that our cold months are also the most fatal, and the coldest month is almost invariably that which exhibits the greatest number of deaths.

Table XLV. shows the meteorological phenomena in Scotland during the year 1862, deduced from observations made at 53 stations of the Meteoro-

TABLE XLVI.—Showing the Revenue, Imports, Exports, the Quantities of Grain, Tea, Sugar, etc., imported into the United Kingdom; the average Price of the Chief Articles of Food in England, etc., during the years 1860, 1861, and 1862.

		1860.	1861.	1862.
Gross Revenue of United Kingdom,	£	71,089,668	70,283,674	69,674,479
Gross Expenditure,	£	69,619,266	72,842,059	72,086,485
Real Value of Total Imports,	£	210,648,643	217,485,024	225,716,976
Real Value of Total Exports,	£	165,670,653	159,632,498	166,168,734
Wheat imported,	Qrs.	5,880,958	6,912,815	9,469,270
All other Grains imported,	Qrs.	7,125,662	7,366,239	6,905,922
Wheat Flour imported,	Cwts.	5,086,220	6,152,938	7,207,113
All other kinds of Flour imported,	Cwts.	71,344	97,421	17,935
Eggs imported,	No.	167,695,200	203,313,360	235,230,360
Butter imported,	Cwts.	840,112	992,772	1,037,371
Cheese imported,	Cwts.	583,283	706,395	703,909
Potatoes imported,	Cwts.	560,762	385,446	1,354,636
Rice imported,	Cwts.	1,535,575	3,305,652	3,919,189
Tea imported,	lbs.	88,946,532	96,577,382	114,787,361
Coffee imported,	lbs.	82,767,746	83,532,525	94,210,359
Cocoa imported,	lbs.	9,009,839	9,080,288	9,912,508
Raw Sugar imported,	Cwts.	8,817,277	10,400,805	9,884,191
Tobacco imported (total),	lbs.	51,663,625	52,854,392	42,306,035
Wine imported,	Galls.	12,475,001	11,052,436	11,960,664
Wool imported,	lbs.	148,396,577	147,172,841	171,943,472
Cotton (Raw) imported,	lbs.	1,390,938,752	1,256,984,736	523,973,296
Flax imported,	Cwts.	1,464,810	1,333,679	1,798,351
Hemp, etc., imported,	Cwts.	792,388	820,600	915,807
Jute imported,	Cwts.	816,787	904,092	963,774
Quantity of Coal raised in Scotland,	Tons	10,900,500	11,076,000	12,200,000
——— Iron Ore raised in do.,	Tons	2,150,000	1,975,000	1,500,000
——— Pig Iron made in do.,	Tons	937,000	950,000	1,080,000
Cod and Ling taken on Coasts of do.,	Cwts.	167,918	131,764	157,597
Herrings taken on do.,	Barrels	721,190	723,486	867,769
Average Price of Wheat in England,	per Qr.	53s. 3d.	55s. 4d.	55s. 5d.
——— Barley,	per Qr.	36s. 7d.	36s. 1d.	35s. 1d.
——— Oats,	per Qr.	24s. 5d.	23s. 9¼d.	22s. 7d.
Contract price of 4lb. Loaf to Troops in Scotland,	1st half year,	4¾d. to 5¾d.	7d.	6¼d.
	2d half year,	5d. to 6¼d.	6¼d.	5½d.
Contract price of Fresh Meat per lb. to Troops in Scotland,	1st half year,	4¼d. to 5¼d.	5¼d.	5d.
	2d half year,	5d. to 6¾d.	5d.	4½d
Savings Banks, Scotland—Number of Accounts,		139,114	143,906	147,865
Savings Banks, do.—Amount of Deposits, £		2,414,073	2,537,963	2,677,209
Number of registered Paupers in Scotland,		95,761	97,340	98,922
Number of ascertained Scottish Emigrants,		8,733	6,730	12,596

logical Society of Scotland. The particulars for each of these stations were published in the Quarterly Reports of the Registrar-General for the year 1862, on the conclusion of each quarter. From that Table it appears that the mean barometric pressure, corrected to 32 degrees and to the mean sea-level, was 29·812 inches. The mean temperature of the year was 46°·1. The mean daily range of temperature 11°·4. The absolute highest degree of temperature in the shade was 80°·5; and the absolute lowest in the shade, 9°·0. The mean of the highest temperatures during the day was 51°·8; the mean of the lowest temperatures during the night, 40°·4. The mean of the black-bulb thermometer exposed to the sun was 67°·1; and the mean of the lowest temperature, indicated by the black-bulb minimum thermometer exposed on the grass during the night, was 35°·9. The mean temperature of evaporation was 43°·9; and the mean dew-point temperature, 41·8. The mean humidity of the air was 87. Rain fell on 199 days, with a mean depth of 45·29 inches of water. The mean amount of cloud was 6·9; and the sun shone for 1568 hours during the year. Winds with an easterly point blew 97 days; those with a westerly point, 180 days.

Table XLVI. shows some of the other external agencies which influence the deaths and the marriages, as from it may be deduced the general state of the country as to the condition of its trade, its imports and exports, its commercial prosperity, the supply and price of provisions, the ability of the people to save from their earnings and deposit these savings in banks, the amount of pauperism and of emigration. From that Table it will be seen, that although the imports of cotton in 1862 fell very far short of the previous year, the quantity of the other textile substances—flax, hemp, jute, and wool—materially increased. The quantity of coal raised and of iron made in Scotland also materially increased in 1862, while provisions of all kinds were cheaper and more abundant than during the previous year. The interruption to the cotton manufactures, however, increased pauperism, and caused twice as many to emigrate as during the previous year.

I have the honour to be,

Sir,

Your most obedient Servant,

JAMES STARK.

General Registry Office of Births, etc.,
Edinburgh, 18*th December* 1865.

BIRTHS, DEATHS, and MARRIAGES registered in SCOTLAND during the YEAR 1862.

1862.	Population.		Total Births, including the Illegitimate.			Illegitimate Births.			Deaths.			Marriages.	Excess of Births over Deaths.	Number of Statute Acres. *
	1851.	1861.	Males.	Fem.	Total	Mal.	Fem	Total	Males.	Fem.	Total.			
SCOTLAND - -	2,888,742	3,062,294	55257	51812	107069	5371	5005	10376	33179	34016	67195	20597	39874	19,639,377
DIVISIONS.														
1 NORTHERN, . . .	127,035	130,422	1819	1668	3487	104	88	192	1009	1008	2017	678	1470	2,261,662
2 NORTH-WESTERN, .	175,735	167,329	2358	2174	4532	125	131	256	1514	1592	3106	793	1426	4,739,876
3 NORTH-EASTERN, .	348,366	366,783	6232	5845	12077	955	874	1829	3321	3467	6788	2380	5289	2,429,594
4 EAST-MIDLAND, .	515,966	523,822	8897	8354	17251	907	816	1723	5552	5557	10909	3372	6342	2,790,492
5 WEST-MIDLAND, .	241,447	242,507	4044	3844	7888	329	285	614	2411	2556	4967	1393	2921	2,693,176
6 SOUTH-WESTERN, .	881,092	1,008,253	20910	19605	40515	1772	1699	3471	12807	12760	25567	7633	14948	1,462,397
7 SOUTH-EASTERN, .	383,217	408,962	7477	7001	14478	688	635	1323	4673	4879	9552	3144	4926	1,192,524
8 SOUTHERN, . . .	215,884	214,216	3520	3321	6841	491	477	968	2092	2197	4289	1204	2552	2,069,696
COUNTIES.														
I. NORTHERN.														
1 Shetland, . . .	31,078	31,670	479	417	896	19	14	33	227	257	484	195	412	} 598,726
2 Orkney, . . .	31,455	32,395	402	409	811	13	16	29	242	245	487	184	324	
3 Caithness, . . .	39,782	42,200	642	558	1200	58	43	101	359	343	702	200	498	455,708
4 Sutherland, . . .	24,720	24,157	296	284	580	14	15	29	181	163	344	99	236	1,207,188
II. NORTH-WESTERN.														
5 Ross and Cromarty, .	83,781	82,427	1242	1071	2313	42	39	81	737	770	1507	375	806	2,016,375
6 Inverness, . . .	91,954	84,902	1116	1103	2219	83	92	175	777	822	1599	418	620	2,723,501
III. NORTH-EASTERN.														
7 Nairn, ...	8,076	8,347	129	110	239	19	6	25	72	72	144	43	95	137,500
8 Elgin (or Moray), . .	40,532	44,218	708	712	1420	81	95	176	427	436	863	242	557	340,000
9 Banff, ...	51,353	56,020	1015	868	1883	169	134	303	449	469	918	339	965	439,219
10 Aberdeen, . . .	213,461	223,344	3867	3620	7487	606	559	1165	2082	2218	4300	1511	3187	1,260,625
11 Kincardine, . . .	34,944	34,854	513	535	1048	80	80	160	291	272	563	245	485	252,250
IV. EAST-MIDLAND.														
12 Forfar, ...	193,627	206,750	3823	3440	7263	453	399	852	2391	2494	4885	1459	2378	568,750
13 Perth, ...	137,369	133,198	1956	2019	3975	211	197	408	1215	1266	2481	775	1494	1,814,063
14 Fife,*	153,789	155,021	2639	2454	5093	206	179	385	1471	1517	2988	974	2105	328,427
15 Kinross,* . . .	9,626	8,731	104	105	209	12	12	24	63	75	138	32	71	49,812
16 Clackmannan, . .	21,555	20,122	375	336	711	25	29	54	212	205	417	132	294	29,440
V. WEST-MIDLAND.														
17 Stirling, . . .	83,802	88,138	1658	1620	3278	151	135	286	916	1021	1937	625	1341	295,875
18 Dumbarton, . . .	46,995	54,179	1023	932	1955	76	75	151	569	541	1110	314	845	204,800
19 Argyll, ...	94,042	83,859	1145	1087	2232	85	60	145	764	799	1563	358	669	2,083,126
20 Bute, ...	16,608	16,331	218	205	423	17	15	32	162	195	357	96	66	109,375
VI. SOUTH-WESTERN.														
21 Renfrew,* . . .	157,950	168,746	3401	3211	6612	264	248	512	2157	2151	4308	1289	2304	158,268
22 Ayr,*	139,973	199,063	3938	3554	7492	350	349	699	2146	2115	4261	1361	3231	735,262
23 Lanark,* . . .	533,169	640,444	13571	12840	26411	1158	1102	2260	8504	8494	16998	4983	9413	568,867
VII. SOUTH-EASTERN.														
24 Linlithgow,* . . .	30,590	39,045	943	876	1819	70	58	128	499	439	938	242	881	81,113
25 Edinburgh,* . . .	259,493	274,093	4932	4589	9521	469	427	896	3400	3564	6964	2354	2557	234,925
26 Haddington,* . .	36,363	37,626	701	618	1319	69	60	129	302	375	677	239	642	179,142
27 Berwick,* . . .	36,165	36,488	558	556	1114	55	62	117	269	328	597	181	517	302,951
28 Peebles,* . . .	10,804	11,300	172	182	354	14	15	29	107	97	204	60	150	227,869
29 Selkirk,* . . .	9,802	10,410	171	180	351	11	13	24	95	76	172	68	179	166,524
VIII. SOUTHERN.														
30 Roxburgh,* . . .	51,225	53,722	914	905	1819	103	119	222	544	500	1044	274	775	428,494
31 Dumfries,* . . .	78,149	75,904	1254	1203	2457	189	175	364	776	813	1589	475	868	702,953
32 Kirkcudbright,* . .	43,121	42,495	685	626	1311	114	94	208	398	420	818	215	493	610,343
33 Wigtown,* . . .	43,389	42,095	667	587	1254	85	89	174	374	464	838	240	416	327,906

* In all the Counties marked thus *, the number of Acres is given from actual survey by the Ordnance Staff; and these measurements were procured from the Ordnance Survey Office, through the kindness of Col. Sir Henry James. The measurements of the other Counties, with the exception of Shetland and Orkney, were taken from Major Dawson's estimate for the Census of 1851. In that estimate he included as land all the channels between the islands in Shetland and Orkney. These channels are excluded in the estimate given in the above Table.

No. of District.	Registration Districts.	Population.		Total Births, including the Illegitimate.			Illegitimate Births.			Deaths.			Marriages.
		1851.	1861.	Males.	Fem.	Total.	Mal.	Fem	Totl	Mal.	Fem	Total.	
	I. NORTHERN.												
	1. Shetland.												
1	Bressay, etc.—(1) Bressay	906	915	11	12	23	1	–	1	6	8	14	6
	(2) Burra and Quarff,	906	890	13	13	26	–	2	2	6	5	11	6
2	Delting, . . .	2124	1975	29	18	47	2	–	2	8	14	22	8
3	Dunrossness, etc.—												
	(1) Dunrossness, .	*c.* 2005	2113	35	36	71	–	–	–	20	16	36	8
	(2) Sandwick and Cunningsburgh, . .	*c.* 2220	2337	28	34	62	–	3	3	10	29	39	12
	(3) Fair Isle, . .	280	380	8	4	12	–	–	–	3	3	6	–
4	Fetlar, etc.—												
	(1) Fetlar, . . .	658	548	6	4	10	–	–	–	7	8	15	5
	(2) North Yell, . .	998	932	15	15	30	–	–	–	4	7	11	8
5	Lerwick (incl. Town), .	3390	3631	53	44	97	5	2	7	34	39	73	36
6	Mid and South Yell, .	1741	1784	24	29	53	2	1	3	19	12	31	13
7	Nesting, etc.—												
	(1) Nesting, . .	*c.* 806	855	11	9	20	–	–	–	4	5	9	5
	(2) Lunnasting, . .	*c.* 830	880	14	9	23	2	–	2	3	4	7	3
	(3) Whalsay and Skerries	784	848	14	19	33	–	–	–	6	5	11	–
8	Northmavine, . .	2534	2585	29	24	53		–	–	19	23	42	14
9	Sandsting and Aithsting,	2603	2670	49	40	89	–	1	1	16	17	33	17
10	Tingwall, etc.—												
	(1) Tingwall, . .	*c.* 1654	1554	19	23	42	2	1	3	11	15	26	13
	(2) Whiteness & Weesdale	*c.* 1220	1143	18	18	36	2	3	5	5	10	15	2
11	Unst, ...	2977	3060	49	40	89	1	1	2	20	19	39	27
12	Walls, etc.—(1) Walls, .	*c.* 1280	1365	27	13	40	–	–	–	12	10	22	8
	(2) Sandness, .	*c.* 563	606	15	8	23	–	–	–	10	5	15	4
	(3) Papa-Stour, .	359	366	9	3	12	2	–	2	2	–	2	–
	(4) Foula, . .	240	233	3	2	5	–	–	–	2	3	5	–
	Total,	31078	31670	479	417	896	19	14	33	227	257	484	195
	2. Orkney.												
13	Birsay, ...	1749	1774	16	17	33	–	3	3	12	7	19	6
14	Deerness, . . .	786	813	9	6	15	–	–	–	7	4	11	2
15	Eday and Pharay, . .	1016	979	15	19	34	–	–	–	9	6	15	7
16	Evie and Rendall, . .	1446	1408	13	13	26	–	–	–	9	12	21	6
17	Firth and Stennes, . .	1327	1493	15	18	33	1	–	1	6	5	11	8
18	Harray, . . .	750	819	9	7	16	1	–	1	4	3	7	3
19	Holm and Paplay, .	749	834	12	9	21	–	–	–	7	9	16	4
20	Hoy and Græmsay, .	615	556	10	7	17	–	–	–	2	4	6	5
21	KIRKWALL & ST OLA (incl. Burgh), . .	3990	4422	59	70	129	2	5	7	38	41	79	23
22	North Ronaldshay, .	526	532	9	10	19	–	2	2	3	7	10	4
23	Orphir, . . .	1157	1133	13	9	22	–	1	1	9	12	21	13
24	Rousay and Egilsay, .	1215	1152	21	12	33	1	–	1	12	10	22	8
25	St Andrews, . . .	926	868	12	11	23	–	1	1	5	9	14	6
26	Sanday, . . .	2004	2145	28	23	51	–	1	1	13	8	21	15
27	Sandwick, . . .	1107	1225	20	13	33	–	–	–	7	5	12	5
28	Shapinshay, . . .	899	973	12	17	29	–	–	–	10	6	16	7
29	South Ronaldshay and Burray, . .	3086	3282	44	50	94	3	2	5	17	28	45	12
30	Stromness, . . .	2770	2540	20	23	43	3	–	3	21	27	48	9
31	Stronsay, . . .	1211	1228	15	18	33	–	–	–	14	8	22	9
32	Walls, etc.—(1) Walls, .	1278	1254	16	15	31	2	–	2	9	9	18	6
	(2) Flotta, .	389	420	2	5	7	–	1	1	5	5	10	3
33	Westray, etc.—(1) Westray	2088	2153	30	31	61	–	–	–	21	17	38	22
	(2) Papa-Westray,	371	392	2	6	8	–	–	–	2	3	5	1
	Total,	31455	32395	402	409	811	13	16	29	242	245	487	184

N.B.—Royal and Parliamentary Burghs are printed in capitals; thus: EDINBURGH. Towns with Populations of 2000 and upwards, in small capitals; thus: Thurso.

No. of District.	Registration Districts.	Population.		Total Births, including the Illegitimate.			Illegitimate Births.			Deaths.			Marriages.
		1851.	1861.	Males.	Fem.	Total.	Mal.	Fem	Totl	Mal.	Fem	Total.	
	3. Caithness.												
34	Bower,	1658	1746	26	19	45	1	1	2	13	10	23	11
35	Canisbay,	2437	2730	49	45	94	5	3	8	26	24	50	11
36	Dunnet,	1868	1861	32	19	51	1	–	1	14	16	30	8
37	Halkirk,	2918	2864	36	31	67	4	3	7	24	25	49	12
38	Latheron,	8224	8571	136	93	229	16	10	26	51	54	105	30
39	Olrig,	1873	2059	31	21	52	–	–	–	20	11	31	12
40	Reay,	2506	2476	24	28	52	2	2	4	23	21	44	11
41	Thurso (incl. Town),	5096	5561	81	76	157	6	4	10	56	47	103	21
42	Watten,	1351	1491	19	23	42	1	2	3	11	11	22	4
43	WICK—(1) Burgh,	6796	7505	123	135	258	11	10	21	87	102	189	60
	(2) Landward,	5055	5336	85	68	153	11	8	19	34	22	56	20
	Total,	39782	42200	642	558	1200	58	43	101	359	343	702	200
	4. Sutherland.												
44	Assynt—(1) Kirkton,	*c.* 510	553	7	6	13	–	–	–	6	7	13	3
	(2) Stoer,	*c.* 2479	2625	35	28	63	2	–	2	15	14	29	12
45	Clyne,	1933	1886	28	26	54	–	2	2	20	12	32	16
46	Criech—(1) Bonar,	*c.* 2134	1982	15	21	36	–	2	2	14	15	29	10
	(2) Rosehall,	*c.* 580	539	6	11	17	–	1	1	4	4	8	3
47	DORNOCH (incl. Burgh),	2981	2885	32	37	69	3	3	6	22	28	50	13
48	Durness,	1152	1109	9	11	20	–	1	1	8	8	16	4
49	Eddrachillis—(1) Scourie,	*c.* 700	727	3	9	12	–	–	–	3	1	4	1
	(2) Kinlochbervie,	*c.* 876	914	17	11	28	–	–	–	4	6	10	3
50	Farr—(1) Kirkton,	*c.* 1313	1251	18	12	30	–	1	1	9	8	17	5
	(2) Strathy,	*c.* 890	852	11	12	23	1	–	1	7	10	17	1
51	Golspie,	1529	1615	28	18	46	1	–	1	14	8	22	5
52	Kildonan,	2288	2132	31	30	61	3	1	4	19	12	31	7
53	Lairg,	1162	961	10	11	21	–	–	–	8	6	14	2
54	Loth,	640	610	7	9	16	1	2	3	3	3	6	5
55	Rogart,	1535	1439	11	11	22	3	2	5	10	9	19	4
56	Tongue,	2018	2077	28	21	49	–	–	–	15	12	27	5
	Total,	24720	24157	296	284	580	14	15	29	181	163	344	99
	II. NORTH-WESTERN.												
	5. Ross and Cromarty.												
	Mainland.												
57	Alness,	1240	1178	18	24	42	1	2	3	4	13	17	5
58	Applecross—												
	(1) Applecross,	*c.* 1130	1064	10	12	22	–	1	1	10	18	28	9
	(2) Shieldaig,	*c.* 1579	1480	17	14	31	–	2	2	20	19	39	5
59	Avoch,	2029	1788	26	27	53	4	–	4	13	9	22	4
60	Contin,	1562	1509	19	16	35	–	–	–	9	6	15	8
61	CROMARTY (incl. Burgh)	2727	2300	27	22	49	–	2	2	13	18	31	10
62	DINGWALL (incl. Burgh)	2364	2412	43	24	67	–	2	2	22	25	47	17
63	Edderton,	890	836	11	8	19	2	1	3	5	7	12	4
64	Fearn,	2122	2083	35	23	58	1	–	1	14	24	38	8
65	Fodderty,	2342	2247	30	18	48	3	–	3	15	22	37	4
66	Gairloch—												
	(1) Northern District,	*c.* 1822	1927	35	28	63	1	–	1	21	22	43	3
	(2) Southern District,	*c.* 3340	3522	46	43	89	–	3	3	22	29	51	13
67	Glenshiel,	573	485	5	7	12	–	1	1	9	2	11	3
68	Killearnan,	1794	1494	21	18	39	3	2	5	18	11	29	9
69	Kilmuir-Easter,	1437	1295	18	17	35	–	–	–	12	8	20	1
70	Kiltearn,	1538	1634	23	13	36	1	1	2	18	16	34	5
71	Kincardine,	1896	1746	25	19	44	2	–	2	7	10	17	5

No. of District.	Registration Districts.	Population.		Total Births, including the Illegitimate.			Illegitimate Births.			Deaths.			Marriages.
		1851.	1861.	Males.	Fem.	Total.	Mal.	Fem	Totl	Mal.	Fem	Total.	
72	Kintail,	1009	890	6	9	15	–	–	–	2	9	11	2
73	Knockbain,	3005	2485	30	29	59	1	5	6	21	17	38	10
74	Lochalsh,	2299	2413	30	26	56	–	–	–	22	17	39	6
75	Lochbroom—												
	(1) Lochbroom,	*c.* 3540	3577	42	47	89	3	1	4	35	37	72	18
	(2) Coigach,	*c.* 1273	1285	16	10	26	–	–	–	16	7	23	1
76	Lochcarron,	1612	1592	23	19	42	1	–	1	19	14	33	6
77	Logie-Easter,	965	932	14	16	30	–	–	–	8	9	17	5
78	Nigg,	1457	1253	17	13	30	3	–	3	11	13	24	6
79	Resolis,	1551	1568	21	15	36	1	–	1	14	7	21	8
80	Rosemarkie (incl. Burgh of FORTROSE),	1776	1545	15	15	30	2	1	3	20	12	32	9
81	Rosskeen,	3699	3766	58	51	109	4	2	6	33	29	62	17
82	TAIN (incl. Burgh),	3574	3294	28	34	62	2	1	3	41	44	85	20
83	Tarbat,	2151	2269	44	34	78	1	–	1	15	25	40	12
84	Urquhart & Logie-Wester,	3153	3147	38	42	80	3	4	7	27	30	57	12
85	Urray,	2621	2355	41	20	61	–	–	–	14	26	40	5
	Insular.												
*a*86	Barvas,	4189	4609	103	89	192	–	–	–	45	43	88	36
*b*86	Carloway,	*c.* 2120	2204	49	36	85	–	1	1	30	39	69	5
87	Lochs,	*c.* 3109	3568	67	72	139	–	1	1	25	31	56	26
88	Stornoway (incl. Town),	8057	8668	153	129	282	2	5	7	90	86	176	41
89	Uig,	*c.* 2236	2007	38	32	70	1	1	2	17	16	33	17
	Total,	83781	82427	1242	1071	2313	42	39	81	737	770	1507	375
	6. Inverness. *Mainland.*												
90	Alvie,	914	833	11	9	20	–	1	1	1	6	7	2
91	Ardersier,	1337	1239	15	15	30	1	2	3	3	10	13	8
92	Boleskine & Abertarff—												
	(1) Boleskine,	*c.* 936	813	11	11	22	2	1	3	7	7	14	3
	(2) Fort-Augustus or Abertarff,	*c.* 1070	930	15	10	25	1	–	1	5	7	12	5
93	Cromdale and Inverallan,	3990	3943	58	42	100	11	5	16	34	43	77	33
94	Croy and Dalcross,	1777	1873	20	28	48	3	2	5	16	13	29	6
95	Daviot and Dunlichty,	1857	1741	14	26	40	–	3	3	7	15	22	11
96	Dores,	1650	1506	16	21	37	1	5	6	17	13	30	5
97	Glenelg—(1) Glenelg,	*c.* 1070	800	4	9	13	–	2	2	8	11	19	2
	(2) Knoydart,	*c.* 770	574	10	8	18	–	1	1	3	5	8	–
	(3) North Morar,	*c.* 630	469	11	9	20	1	1	2	7	4	11	5
98	INVERNESS (including Burgh),	16496	16162	235	236	471	17	23	40	155	167	322	109
99	Kilmonivaig—												
	(1) Glengarry,	*c.* 710	625	5	6	11	2	1	3	2	4	6	2
	(2) Lochaber,	*c.* 1873	1651	16	18	34	1	–	1	12	5	17	5
100	Kilmorack,	3007	2852	26	27	53	1	4	5	16	33	49	10
101	Kiltarlity,	2965	2839	40	18	58	4	–	4	17	25	42	16
102	Kingussie and Insh,	2201	2033	26	27	53	1	5	6	19	19	38	7
103	Kirkhill,	1730	1757	20	7	27	1	1	2	22	15	37	14
104	Laggan,	1223	986	7	11	18	–	1	1	8	2	10	4
105	Moy and Dalarossie,	1018	1026	10	11	21	–	–	–	7	11	18	3
106	Petty,	1784	1671	32	24	56	3	2	5	11	12	23	7
107	Urquhart, etc.—												
	(1) Urquhart,	*c.* 2585	2294	30	33	63	3	1	4	15	17	32	5
	(2) Glenmoriston,	*c.* 695	617	10	8	18	1	2	3	1	5	6	0
	Insular.												
108	Barra,	1873	1853	32	29	61	2	1	3	11	17	28	9
109	Bracadale,	1597	1335	14	10	24	1	–	1	10	13	23	6
110	Duirinish,	5330	4775	45	79	124	2	7	9	50	60	110	14

No. of District.	Registration Districts.	Population.		Total Births, including the Illegitimate.			Illegitimate Births.			Deaths.			Marriages.
		1851.	1861.	Males.	Fem.	Total.	Mal.	Fem	Totl	Mal.	Fem	Total.	
111	Harris—(1) Harris,	3663	3769	67	57	124	4	2	6	39	29	68	10
	(2) Bernera,	477	336	7	5	12	2	–	2	2	2	4	3
	(3) St Kilda,	110	78	–	–	–	–	–	–	2	2	4	–
112	Kilmuir—(1) Kilmuir,	*c.* 1743	1561	17	21	38	1	–	1	28	24	52	6
	(2) Stenscholl,	*c.* 1464	1311	19	15	34	2	2	4	23	18	41	7
113	North Uist,	3918	3959	44	49	93	1	2	3	32	29	61	24
114	Portree—(1) Portree,	2805	2579	29	28	57	1	2	3	33	35	68	5
	(2) Raasay,	752	580	8	13	21	–	–	–	4	4	8	6
115	Sleat,	2531	2330	31	30	61	1	2	3	26	36	62	8
116	Small Isles,	916	567	4	8	12	–	–	–	1	5	6	3
117	Snizort—North South	*c.* 3071	2613	9 21	14 25	23 46	– 4	– 3	– 7	19 15	13 15	32 30	– 12
118	South Uist—												
	(1) Benbecula,	1762	1544	28	14	42	2	1	3	10	8	18	11
	(2) Howmore,	*c.* 2040	1763	29	33	62	3	3	6	18	18	36	24
	(3) Boisdale,	*c.* 2371	2051	36	31	67	3	2	5	20	12	32	1
119	Strath,	3243	2664	34	28	62	–	2	2	41	33	74	7
	Total,	91954	84902	1116	1103	2219	83	92	175	777	822	1599	418
	III. NORTH-EASTERN.												
	7. Nairn.												
120	Ardclach,	1278	1330	19	13	32	1	–	1	9	11	20	5
121	Auldearn,	1480	1328	15	18	33	4	1	5	9	7	16	4
122	Cawdor,	1202	1203	18	12	30	4	–	4	8	8	16	8
123	NAIRN (incl. Burgh),	4116	4486	77	67	144	10	5	15	46	46	92	26
	Total,	8076	8347	129	110	239	19	6	25	72	72	144	43
	8. Elgin (or Moray).												
124	Abernethy & Kincardine,	1871	1928	23	29	52	6	6	12	21	18	39	3
125	Alves,	919	1010	16	13	29	1	4	5	11	12	23	6
126	Bellie,	2017	1967	37	19	56	3	1	4	17	16	33	7
127	Birnie,	427	411	5	3	8	–	–	–	1	1	2	4
128	Boharm,	1368	1412	16	31	47	1	6	7	9	10	19	10
129	Dallas,	1226	1102	10	13	23	1	4	5	9	9	18	7
130	Drainy,	1856	3028	58	61	119	6	6	12	29	24	53	27
131	Duffus,	2983	3308	74	72	146	7	8	15	25	27	52	26
132	Duthil, etc.—(1) Duthil,	*c.* 1493	1609	16	23	39	3	2	5	13	7	20	2
	(2) Rothiemurchus,	*c.* 295	319	7	5	12	1	2	3	1	4	5	–
133	Dyke,	1369	1247	22	13	35	4	–	4	20	15	35	7
134	Edinkillie,	1343	1303	19	21	40	4	4	8	19	11	30	7
135	ELGIN (incl. Burgh),	8231	9866	148	160	308	21	21	42	114	125	239	58
136	New Spynie,	445	518	12	7	19	2	2	4	3	4	7	3
137	FORRES (incl. Burgh),	4069	4112	67	64	131	9	8	17	42	51	93	17
138	Kinloss,	1370	1315	16	21	37	1	1	2	11	11	22	6
139	Knockando,	1771	1736	22	25	47	1	4	5	19	18	37	3
140	Rafford,	1020	1055	18	16	34	–	1	1	8	11	19	5
141	Rothes,	2022	2407	46	46	92	4	7	11	21	30	51	17
142	St Andrews Lhanbryde,	1208	1344	23	22	45	3	3	6	9	10	19	7
143	Speymouth,	685	689	12	10	22	–	1	1	8	10	18	4
144	Urquhart,	2544	2532	41	38	79	3	4	7	17	12	29	16
	Total,	40532	44218	708	712	1420	81	95	176	427	436	863	242
	9. Banff.												
145	Aberlour,	1447	1665	40	19	59	3	4	7	11	10	21	13
146	Alvah,	1402	1467	23	11	34	3	2	5	10	5	15	8
147	BANFF—(1) Burgh,	6084	6791	131	119	250	18	14	32	77	65	142	44
	(2) Landward,	869	949	20	12	32	2	3	5	2	4	6	7
148	Botriphnie,	713	867	14	15	29	6	4	10	2	4	6	6
149	Boyndie,	1564	1711	32	30	62	6	5	11	12	17	29	11

No. of District.	Registration Districts.	Population.		Total Births, including the Illegitimate.			Illegitimate Births.			Deaths.			Marriages.
		1851.	1861.	Males.	Fem.	Total.	Mal.	Fem	Totl	Mal.	Fem	Total.	
150	CULLEN (pt. of Burgh),	1697	1821	52	25	77	6	4	10	13	14	27	6
151	Deskford,	917	1031	15	18	33	–	4	4	13	14	27	4
152	Enzie,	c. 1872	2072	27	31	58	6	4	10	15	13	28	12
153	Fordyce,	3807	4145	79	75	154	14	17	31	38	32	70	25
154	Forglen,	695	783	12	10	22	1	1	2	10	2	12	4
155	Gamrie,	2758	3019	47	50	97	8	4	12	19	26	45	25
156	Grange,	1851	1909	30	31	61	6	4	10	16	15	31	14
157	Inveravon—(1) Inveravon,	c. 894	868	9	11	20	3	1	4	4	5	9	4
	(2) Auchbreck,	c. 1820	1771	28	13	41	5	1	6	14	14	28	10
158	Inverkeithny,	835	880	14	16	30	4	2	6	4	6	10	2
159	Keith,	4986	5943	102	100	202	20	17	37	46	50	96	35
160	Kirkmichael, etc.—												
	(1) Kirkmichael,	c. 568	551	4	4	8	1	–	1	2	4	6	2
	(2) Tomintoul,	c. 990	960	10	13	23	2	3	5	8	21	29	5
161	Marnoch,	2994	3289	60	45	105	16	10	26	31	34	65	20
162	Mortlach,	2804	3095	61	44	105	16	6	22	21	26	47	16
163	Ordiquhill,	644	764	11	9	20	1	2	3	5	3	8	6
164	Rathven (incl. Buckie,												
	Town),	c. 4664	4922	108	99	207	12	13	25	37	34	71	39
165	Rothiemay,	1413	1414	24	17	41	6	3	9	19	13	32	5
166	St Fergus,	1597	1608	23	26	49	2	5	7	6	18	24	4
167	Seafield (pt. of CULLEN,												
	Burgh),	c. 1468	1725	39	25	64	2	1	3	14	20	34	12
	Total,	51353	56020	1015	868	1883	169	134	303	449	469	918	339
	10. Aberdeen.												
168	ABERDEEN—												
	(1) St Nicholas (Burgh),	41465	41962	803	824	1627	128	143	271	608	582	1190	306
	(2) Old Machar (Burgh),	30503	31938	488	466	954	68	69	137	330	403	733	288
	(3) Do. (Landward),	1254	1298	17	17	34	2	4	6	8	5	13	6
169	Aberdour,	1707	1837	42	24	66	5	5	10	12	18	30	9
170	Aboyne,	1108	1160	16	13	29	1	–	1	8	4	12	4
171	Alford,	1143	1264	20	29	49	2	5	7	14	11	25	10
172	Auchindoir,	1369	1593	28	33	61	6	6	12	8	13	21	4
173	Auchterless,	1837	2010	37	35	72	9	4	13	16	11	27	8
174	Belhelvie,	1692	1807	30	35	65	3	4	7	11	9	20	7
175	Birse,	1533	1284	15	19	34	2	3	5	6	11	17	6
176	Bourtie,	529	547	7	5	12	–	1	1	3	2	5	2
177	Cabrach,	750	794	6	16	22	2	3	5	7	7	14	9
178	Cairney,	1565	1490	21	21	42	5	4	9	17	14	31	12
179	Chapel of Garioch,	2102	2023	29	30	59	6	5	11	13	14	27	13
180	Clatt,	543	511	6	5	11	1	1	2	7	3	10	2
181	Cluny,	1149	1254	21	19	40	5	2	7	9	5	14	5
182	Coull,	734	792	13	12	25	–	2	2	2	6	8	5
183	Crathie and Braemar,	1788	1574	22	23	45	5	5	10	10	11	21	6
184	Crimond,	893	892	12	9	21	3	2	5	6	8	14	9
185	Cruden,	2479	2743	56	37	93	15	6	21	20	15	35	21
186	Culsamond,	1042	1165	16	11	27	–	1	1	12	4	16	3
187	Daviot,	601	614	10	4	14	1	–	1	4	2	6	6
188	Drumblade,	949	926	10	8	18	3	–	3	16	8	24	7
189	Drumoak,	948	996	15	12	27	1	2	3	6	12	18	9
190	Dyce,	470	585	7	9	16	1	4	5	4	5	9	2
191	Echt,	1206	1287	12	22	34	1	5	6	11	7	18	3
192	Ellon,	c. 2750	3239	46	64	110	11	5	16	25	25	50	20
193	Fintray,	1080	1003	21	7	28	1	–	1	8	5	13	3
194	Forgue,	2626	2686	50	40	90	11	7	18	19	24	43	18
195	Foveran,	1638	1891	30	31	61	3	4	7	12	9	21	7
196	Fraserburgh (incl Twn.),	4447	4511	96	79	175	11	7	18	36	40	76	37
197	Fyvie,	3927	4344	100	65	165	14	10	24	22	35	57	26
198	Gartly,	990	1029	12	18	30	5	2	7	6	10	16	5

No. of District.	Registration Districts.	Population.		Total Births, including the Illegitimate.			Illegitimate Births.			Deaths.			Marriages.
		1851.	1861.	Males.	Fem.	Total.	Mal.	Fem	Totl	Mal.	Fem	Total.	
199	Glass,	972	1049	15	18	33	3	7	10	9	7	16	9
200	Glenbucket,	542	552	13	9	22	6	2	8	1	6	7	9
201	Glenmuick, Tullich, and Glengairn,	1984	1668	25	27	52	3	4	7	17	18	35	1
202	Huntly (incl. Town),	4061	4329	82	73	155	20	7	27	48	49	97	25
203	Insch,	1519	1565	38	28	66	10	5	15	24	15	39	10
204	INVERURY (including part of Burgh),	*c.* 2649	2668	56	48	104	12	9	21	29	35	64	12
205	Keig,	772	811	18	14	32	3	1	4	10	3	13	3
206	Keithhall,	920	933	17	8	25	1	–	1	3	9	12	4
207	Kemnay,	680	832	19	14	33	2	2	4	7	4	11	8
208	Kildrummy,	643	590	9	8	17	1	–	1	5	4	9	3
209	Kincardine O'Neil,	2098	2186	34	35	69	4	7	11	18	18	36	16
210	King-Edward,	2749	2843	42	35	77	4	7	11	18	19	37	17
211	Kinnellar,	590	691	12	12	24	1	1	2	10	2	12	5
212	Kinnethmont,	1108	1187	15	23	38	4	7	11	10	15	25	6
213	KINTORE (incl. Burgh, and part of Burgh of INVERURY),	1342	1895	44	19	63	4	–	4	20	16	36	8
214	Leochel-Cushnie,	1068	1173	25	18	43	6	4	10	5	6	11	9
215	Leslie,	559	577	10	4	14	1	–	1	11	4	15	3
216	Logie-Buchan,	724	762	12	10	22	–	–	–	7	13	20	8
217	Logie-Coldstone,	889	932	9	16	25	2	2	4	5	9	14	12
218	Longside,	2952	3008	41	56	97	6	10	16	21	23	44	26
219	Lonmay,	1964	2142	30	29	59	4	4	8	17	9	26	15
220	Lumphanan,	1088	1251	26	15	41	6	4	10	15	6	21	9
221	Methlic,	1997	2157	36	23	59	4	2	6	15	15	30	16
222	Midmar,	1166	1091	18	15	33	2	3	5	6	10	16	7
223	Monquhitter,	2295	2580	49	47	96	12	9	21	26	27	53	15
224	Monymusk,	940	988	10	11	21	–	–	–	4	8	12	3
225	New Deer,	*c.* 3383	3736	67	59	126	8	7	15	21	25	46	21
226	Newhills,	3325	3463	57	54	111	6	3	9	29	22	51	29
*a*227	New Machar,	*c.* 1338	1556	17	16	33	1	1	2	7	8	15	10
*b*227	New Pitsligo,	*c.* 2425	2609	40	45	85	9	6	15	20	28	48	21
228	Old Deer,	*c.* 4025	4392	76	72	148	15	13	28	32	45	77	26
229	Old Meldrum,	2002	2343	41	46	87	8	3	11	17	26	43	10
230	Oyne,	919	1127	14	14	28	3	3	6	6	10	16	4
231	Peterculter,	1351	1410	21	16	37	4	2	6	12	12	24	10
232	PETERHEAD (including Burgh),	9429	9796	223	165	388	23	17	40	80	71	151	71
233	Pitsligo,	1801	1890	54	40	94	7	5	12	13	27	40	13
234	Premnay,	793	916	17	17	34	3	2	5	7	10	17	4
235	Rathen,	2368	2554	48	36	84	7	9	16	18	19	37	14
236	Rayne,	1550	1514	24	22	46	2	3	5	9	21	30	8
*a*237	Rhynie,	1017	1061	17	16	33	1	3	4	5	8	13	6
*b*237	Savoch,	*c.* 1852	2061	29	30	59	5	10	15	12	13	25	8
238	Skene,	1862	1831	30	25	55	5	3	8	10	12	22	12
239	Slains,	1232	1266	22	22	44	3	3	6	2	11	13	9
240	Strathdon,	1531	1459	18	17	35	–	2	2	7	18	25	11
241	Strichen,	*c.* 2223	2409	44	40	84	7	10	17	19	31	50	18
242	Tarland,	1197	1246	13	26	39	2	3	5	5	4	9	5
243	Tarves,	*c.* 2339	2377	23	31	54	7	9	16	19	29	48	10
244	Tough,	891	874	12	16	28	6	3	9	7	12	19	4
245	Towie,	758	839	8	14	22	–	2	2	9	5	14	2
246	Tullynessle and Forbes,	930	957	22	8	30	7	1	8	3	5	8	2
247	Turriff,	3584	3693	65	76	141	10	17	27	37	27	64	21
248	Tyrie,	*c.* 775	833	13	10	23	2	–	2	5	12	17	9
249	Udny,	*c.* 1473	1623	33	30	63	3	1	4	14	19	33	16
	Total,	213461	223344	3867	3620	7487	606	559	1165	2082	2218	4300	1511

No. of District.	Registration Districts.	Population.		Total Births, including the Illegitimate.			Illegitimate Births.			Deaths.			Marriages.
		1851.	1861.	Males.	Fem.	Total.	Mal.	Fem	Totl	Mal.	Fem	Total.	
	11. KINCARDINE.												
250	Arbuthnot,	1002	932	8	14	22	1	5	6	3	4	7	6
251	Banchory-Devenick—												
	(1) Ban.-Devenick (incl. pt. of ABERDEEN, Burgh),	*c.* 1298	1232	26	26	52	1	3	4	12	13	25	7
	(2) Portlethen,	*c.* 1780	1687	26	24	50	8	6	14	15	10	25	12
252	Banchory-Ternan,	2462	2947	45	46	91	8	4	12	33	30	63	13
253	Benholm,	1641	1574	29	22	51	5	1	6	11	18	29	10
254	BERVIE (or Inverbervie) —(incl. Burgh),	1459	1561	17	30	47	6	4	10	12	12	24	9
255	Dunnottar (incl. part of STONEHAVEN, Town),	1949	1828	30	18	48	5	2	7	13	17	30	25
256	Durris,	962	1109	28	18	46	4	2	6	13	5	18	13
257	Fettercairn,	1741	1700	29	27	56	2	5	7	14	18	32	12
258	Fetteresso—												
	(1) Fetteresso (incl. pt. of STONEHAVEN, Town),	*c.* 3730	3575	34	58	92	5	12	17	34	34	68	24
	(2) Cookney,	*c.* 1990	1952	27	26	53	6	4	10	15	9	24	13
259	Fordoun,	2386	2297	31	33	64	1	4	5	14	16	30	9
260	Garvock,	457	458	6	6	12	–	2	2	–	4	4	4
261	Glenbervie,	1239	1219	10	13	23	–	1	1	7	7	14	12
262	Kinneff and Catterline,	1069	1054	18	20	38	1	3	4	4	7	11	4
263	Laurencekirk,	2125	2110	29	36	65	5	9	14	27	17	44	10
264	Maryculter,	1055	1055	18	19	37	2	4	6	6	4	10	9
265	Marykirk,	2232	2068	33	30	63	5	–	5	23	15	38	16
266	Nigg,	1841	2074	35	31	66	11	3	14	18	14	32	18
267	St Cyrus,	1579	1552	23	24	47	1	3	4	15	12	27	9
268	Strachan,	947	870	11	14	25	3	3	6	2	6	8	10
	Total,	34944	34854	513	535	1048	80	80	160	291	272	563	245
	IV. EAST-MIDLAND. 12. FORFAR.												
269	Aberlemno,	1116	1054	16	15	31	3	3	6	1	4	5	11
270	Airlie,	856	845	15	14	29	1	2	3	10	10	20	5
271	Arbirlot,	990	960	16	15	31	2	1	3	5	6	11	6
272	ARBROATH (incl. Bur.),	17238	17831	317	290	607	26	27	53	204	231	435	117
273	Auchterhouse,	686	706	9	12	21	1	3	4	1	3	4	–
274	Barry,	2175	2465	34	29	63	1	3	4	21	25	46	13
275	BRECHIN (incl. Burgh),	8210	8810	153	130	283	22	21	43	72	95	167	51
276	Carmylie,	1240	1286	29	16	45	3	1	4	7	3	10	12
277	Careston,	207	225	4	1	5	–	–	–	3	1	4	1
278	Cortachy and Clova,	722	653	5	8	13	2	1	3	4	4	8	4
279	Coupar-Angus,	2685	2642	31	49	80	4	9	13	28	31	59	12
280	Craig (incl. part of MONTROSE, Burgh),	1934	2177	53	28	81	4	1	5	28	12	40	17
281	Dun,	522	552	10	4	14	2	1	3	1	1	2	3
282	DUNDEE—												
	(1) First District,	*c.*39960	44064	893	837	1730	92	92	184	615	609	1224	356
	(2) Second District,	*c.*34835	40813	831	751	1582	116	103	219	581	608	1189	331
	(3) Third (or Lochee) Dis.	*c.* 5232	6787	155	106	261	30	13	43	93	93	186	49
283	Dunnichen,	1884	1932	26	28	54	4	4	8	7	19	26	13
284	Eassie and Nevay,	706	748	13	13	26	–	1	1	7	4	11	4
285	Edzell,	1084	1025	17	16	33	1	2	3	9	7	16	15
286	Farnell,	650	703	9	7	16	1	–	1	6	5	11	1
287	Fearn,	392	439	3	7	10	1	–	1	4	5	9	1
288	FORFAR (incl. Burgh),	11009	10838	224	178	402	44	30	74	158	155	313	82
289	Glammis,	2152	1980	35	34	69	3	2	5	16	8	24	13
290	Glenisla,	1050	1008	13	13	26	–	–	–	14	11	25	5

No. of District.	Registration Districts.	Population.		Total Births, including the Illegitimate.			Illegitimate Births.			Deaths.			Marriages.
		1851.	1861.	Males.	Fem.	Total.	Mal.	Fem	Totl	Mal.	Fem	Total.	
291	Guthrie,	469	476	6	7	13	–	1	1	3	5	8	4
292	Inverarity,	948	961	12	18	30	3	2	5	5	8	13	4
293	Inverkeillor,	1871	1792	33	15	48	–	–	–	14	8	22	11
294	Kettins,	995	962	16	15	31	3	1	4	4	6	10	7
295	Kingoldrum,	429	473	11	6	17	–	–	–	2	2	4	2
296	Kinnell,	826	816	21	9	30	3	1	4	1	3	4	3
297	Kinnettles,	460	447	9	6	15	1	–	1	4	5	9	1
298	Kirkden,	1763	1862	36	33	69	4	3	7	11	17	28	11
299	Kirriemuir (incl. Town),	7617	7359	118	100	218	20	18	38	76	62	138	34
300	Lethnott and Navar,	408	446	6	10	16	1	–	1	–	1	1	2
301	Liff, Benvie, and Invergowrie,	1467	1430	23	25	48	–	3	3	5	9	14	10
302	Lintrathen,	926	898	9	14	23	3	4	7	5	4	9	3
303	Lochlee,	615	495	7	7	14	1	1	2	5	3	8	2
304	Logie-Pert,	1609	1483	19	11	30	1	1	2	7	8	15	8
305	Lunan,	279	259	2	6	8	–	–	–	1	2	3	3
306	Lundie,	450	442	8	9	17	–	1	1	1	2	3	1
307	Mains, etc.—(1) Mains,	1299	1392	25	14	39	4	3	7	16	13	29	4
	(2) Strathmartine,	735	789	19	10	29	2	1	3	6	4	10	4
308	Marytown,	366	417	6	5	11	2	–	2	3	1	4	5
309	Menmuir,	693	796	9	12	21	–	–	–	4	5	9	2
310	Monifieth (including part of Broughty-Ferry),	4267	5052	94	104	198	9	9	18	53	61	114	35
311	Monikie,	1317	1460	24	18	42	4	–	4	7	8	15	6
312	MONTROSE (incl. part of Burgh),	16037	15668	225	233	458	18	17	35	191	221	412	106
313	Murroes,	643	763	17	12	29	–	–	–	9	8	17	4
314	Newtyle,	1141	1139	20	16	36	3	1	4	11	9	20	10
315	Oathlaw,	424	399	9	4	13	–	–	–	3	3	6	1
316	Panbride,	1372	1299	28	23	51	2	2	4	8	9	17	11
317	Rescobie,	711	747	18	6	24	1	–	1	6	4	10	4
318	Ruthven,	503	265	4	3	7	–	1	1	4	2	6	2
319	St Vigeans,	2591	2553	37	52	89	3	5	8	13	28	41	13
320	Stracathro,	505	546	10	4	14	–	2	2	3	6	9	2
321	Tannadice,	1517	1438	22	16	38	2	2	4	10	9	19	10
322	Tealing,	844	883	9	16	25	–	–	–	5	8	13	12
	Total,	193627	206750	3823	3440	7263	453	399	852	2391	2494	4885	1459
	13. Perth.												
323	Aberdalgie,	343	295	3	7	10	1	–	1	1	2	3	1
324	Aberfeldy,	c. 2702	2402	22	23	45	4	2	6	18	23	41	10
325	Aberfoyle,	514	565	10	8	18	1	2	3	9	6	15	–
326	Abernethy,	2026	1960	28	32	60	1	4	5	17	17	34	8
327	Abernyte,	275	310	4	6	10	1	1	2	4	4	8	1
328	Alyth (incl. Town),	c. 2946	3198	52	62	114	15	12	27	30	29	59	19
329	Auchterarder (including Town),	4160	4208	64	59	123	9	3	12	41	49	90	16
330	Auchtergaven,	3232	2562	41	32	73	6	2	8	24	31	55	23
331	Balquhidder,	874	746	5	9	14	–	1	1	4	8	12	1
332	Bendochy,	c. 552	549	9	9	18	–	3	3	1	5	6	3
333	Blackford,	c. 2012	2084	32	35	67	3	2	5	22	14	36	8
334	Blair-Athol,	c. 1951	1553	18	30	48	1	2	3	19	19	38	4
335	Blairgowrie (including Town),	c. 4081	4423	84	64	148	10	8	18	32	36	68	30
336	Callander,	1716	1676	21	29	50	2	2	4	13	17	30	13
337	Caputh,	c. 1920	1728	27	14	41	3	–	3	11	12	23	7
338	Cargill,	1629	1647	29	25	54	3	6	9	15	15	30	4
339	Clunie,	723	699	9	13	22	1	2	3	4	5	9	2
340	Collace,	581	534	10	12	22	–	1	1	2	9	11	6

No. of District.	Registration Districts.	Population.		Total Births, including the Illegitimate.			Illegitimate Births.			Deaths.			Marriages.
		1851.	1861.	Males.	Fem.	Total.	Mal.	Fem	Totl	Mal.	Fem	Total.	
341	Comrie,	2463	2226	22	39	61	2	6	8	23	20	43	19
342	Crieff (incl. Town),	4504	4490	65	66	131	8	11	19	39	39	78	22
343	CULROSS (incl. Burgh),	1487	1423	20	21	41	2	2	4	13	9	22	8
344	Dowally,	*c.* 531	486	3	10	13	–	1	1	3	7	10	4
345	Dron,	394	376	5	1	6	–	–	–	–	2	2	5
346	Dull,	*c.* 855	753	7	13	20	–	–	–	2	7	9	3
347	Dunbarney,	1066	1035	14	16	30	5	2	7	9	13	22	9
348	Dunblane,	*c.* 3213	3096	51	37	88	6	1	7	31	24	55	21
349	Dunkeld,	*c.* 1199	1086	16	18	34	2	3	5	15	12	27	8
350	Dunning,	2206	2084	38	38	76	6	3	9	16	15	31	15
351	Errol,	2796	2759	35	50	85	5	3	8	26	16	42	19
352	Findo-Gask,	405	399	7	4	11	2	1	3	2	4	6	2
353	Forgandenny,	828	739	12	16	28	2	1	3	–	3	7	3
354	Forteviot,	638	595	10	7	17	1	4	5	7	1	8	3
*a*355	Fortingall,	*c.* 1409	1244	12	15	27	1	1	2	9	8	17	1
*b*355	Foss,	*c.* 432	381	3	3	6	1	–	1	–	3	3	2
356	Fowlis-Easter,	300	317	8	8	16	1	–	1	1	1	2	2
357	Fowlis-Wester,	1321	1276	9	16	25	1	1	2	8	13	21	3
358	Glendevon,	128	138	1	2	3	–	–	–	1	1	2	–
359	Inchture,	745	659	10	15	25	1	2	3	5	3	8	8
360	Kenmore,	*c.* 1718	1515	26	17	43	2	–	2	5	18	23	6
361	Killin,	*c.* 1817	1681	16	13	29	1	2	3	15	17	32	5
362	Kilmadock,	3659	3312	35	52	87	1	5	6	33	45	78	17
363	Kilspindie,	684	665	13	14	27	–	–	–	7	4	11	6
364	Kincardine,	1993	1778	21	32	53	2	2	4	16	18	34	4
365	Kinclaven,	881	758	8	10	18	–	–	–	8	4	12	2
366	Kinfauns,	650	657	6	11	17	–	1	1	6	6	12	5
367	Kinloch-Rannoch,	*c.* 1303	1147	11	15	26	4	2	6	7	7	14	1
368	Kinnaird,	370	318	4	1	5	1	1	2	4	2	6	3
369	Kinnoull,	771	796	15	14	29	–	1	1	8	3	11	4
370	Kirkmichael—												
	(1) Kirkmichael,	*c.* 849	812	19	14	33	3	3	6	11	8	19	4
	(2) Glenshee,	*c.* 349	334	7	6	13	1	–	1	–	2	2	–
371	Lecropt,	442	538	6	5	11	1	–	1	6	3	9	1
372	Lethendy and Kinloch,	*c.* 544	530	4	6	10	1	–	1	1	1	2	3
373	Little Dunkeld,	*c.* 2140	2089	37	33	70	3	2	5	21	25	46	13
374	Logie (including part of STIRLING),	2551	3483	31	43	74	4	3	7	37	23	60	17
375	Logiealmond,	*c.* 959	815	11	11	22	1	–	1	3	2	5	3
376	Logierait,	*c.* 2109	1902	25	18	43	3	4	7	16	15	31	8
377	Longforgan,	1787	1823	31	34	65	4	4	8	19	14	33	6
378	Madderty,	593	536	6	8	14	1	1	2	4	7	11	6
379	Meigle,	978	1122	13	21	34	1	1	2	7	9	16	7
380	Methven,	*c.* 2394	2290	35	37	72	1	2	3	17	19	36	12
381	Moneydie,	321	252	3	–	3	–	–	–	3	–	3	1
382	Monzie,	*c.* 569	461	4	5	9	–	–	–	3	–	3	–
383	Monzievaird,	790	782	23	13	36	2	–	2	11	4	15	6
384	Moulin,	*c.* 1772	1605	21	16	37	3	2	5	18	25	43	9
385	Muckhart,	685	615	5	9	14	1	–	1	5	7	12	6
*a*386	Muthill,	*c.* 2972	2808	51	51	102	5	8	13	28	24	52	15
*b*386	Persie,	*c.* 814	839	16	10	26	2	–	2	2	7	9	7
387	PERTH (incl. Burgh),	24670	26094	453	436	889	40	36	76	295	323	618	221
388	Port of Menteith,	1419	1375	18	19	37	1	3	4	9	14	23	4
389	Rattray,	*c.* 2308	2234	21	45	66	–	6	6	11	20	31	9
390	Redgorton,	*c.* 1955	1596	20	24	44	4	2	6	8	11	19	5
391	Rhynd,	338	297	3	5	8	–	–	–	2	2	4	–
392	St Madoes,	288	280	5	3	8	–	1	1	4	2	6	1
393	St Martins,	983	904	18	11	29	3	1	4	5	8	13	5
*a*394	Scone,	2332	2153	28	28	56	4	4	8	21	18	39	12
*b*394	Strathfillan,	*c.* 435	411	4	3	7	–	–	–	8	6	14	2

No. of District.	Registration Districts.	Population.		Total Births, including the Illegitimate.			Illegitimate Births.			Deaths.			Marriages.
		1851.	1861.	Males.	Fem.	Total.	Mal.	Fem	Totl	Mal.	Fem	Total.	
c394	Tenandry,	c. 681	595	8	7	15	–	–	–	14	6	20	2
395	Tibbermore,	1469	1182	12	13	25	1	–	1	8	6	14	7
396	Trinity-Gask,	597	488	6	6	12	–	1	1	1	5	6	–
397	Tulliallan (including Kincardine),	3043	2410	39	33	72	3	3	6	23	23	46	15
398	Weem,	c. 230	215	2	3	5	–	1	1	4	1	5	2
	Total,	137369	133198	1956	2019	3975	211	197	408	1215	1266	2481	775
	14. Fife.												
399	Abbotshall,	688	808	9	9	18	–	–	–	7	5	12	5
400	Abdie,	c. 1353	1257	23	15	38	6	1	7	14	8	22	4
401	Aberdour,	1945	1874	24	38	62	1	4	5	16	15	31	6
402	ANSTRUTHER-EASTER (pt. of Burgh),	1161	1155	15	18	33	1	1	2	8	13	21	9
403	ANSTRUTHER-WESTER (incl. Burgh),	443	438	4	7	11	–	–	–	3	4	7	4
404	Arngask,	689	705	9	8	17	2	–	2	4	6	10	4
405	Auchterderran,	3210	3457	71	68	139	5	6	11	24	20	44	18
406	AUCHTERMUCHTY (incl. Burgh),	3704	3285	48	43	91	5	9	14	24	32	56	21
407	Auchtertool,	517	609	9	9	18	2	1	3	9	2	11	5
408	Ballingry,	568	736	13	18	31	1	1	2	5	7	12	6
409	Balmerino,	945	815	11	15	26	1	2	3	10	8	18	2
410	Beath,	1252	2390	73	49	122	1	2	3	20	16	36	7
411	BURNTISLAND (incl. Burgh),	3158	3670	77	66	143	3	4	7	29	32	61	22
412	Cameron,	1207	1362	22	24	46	2	5	7	10	7	17	10
413	Carnbee,	1129	1157	26	22	48	1	–	1	12	8	20	4
414	Carnock,	3191	2925	69	54	123	1	1	2	21	21	42	8
415	Ceres,	2833	2723	38	41	79	4	5	9	25	30	55	11
416	Collessie,	1520	1530	24	20	44	1	3	4	16	17	33	10
417	CRAIL (incl. Burgh),	1903	1931	31	31	62	1	1	2	18	22	40	21
418	Criech,	386	377	4	6	10	–	–	–	3	3	6	2
419	Cults,	915	800	19	11	30	2	–	2	16	9	25	2
420	CUPAR (incl. Burgh),	7427	6750	97	90	187	12	8	20	59	79	138	55
421	Dairsie,	708	638	9	14	23	1	2	3	4	6	10	4
422	Dalgetty,	1513	1569	25	22	47	1	–	1	16	7	23	8
423	Dunbog,	c. 409	414	7	7	14	–	1	1	2	2	4	2
424	DUNFERMLINE—												
	(1) Burgh,	13836	13506	220	216	436	17	9	26	141	130	271	130
	(2) Landward,	c. 7602	7609	158	143	301	9	15	24	84	62	146	30
425	Dunino,	289	370	2	6	8	1	3	4	2	4	6	7
426	DYSART (incl. Burgh),	8739	8842	142	139	281	10	9	19	86	92	178	51
427	Elie,	843	826	10	8	18	–	–	–	7	9	16	5
428	FALKLAND (incl. Burgh)	3102	2937	42	39	81	7	3	10	26	32	58	15
429	Ferry-Port-on-Craig,	2238	2013	26	28	54	1	–	1	20	22	42	13
430	Flisk,	c. 157	230	7	7	14	1	1	2	2	2	4	3
431	Forgan,	1125	1326	14	17	31	1	–	1	12	13	25	9
432	INVERKEITHING (incl. Burgh),	c. 2748	3196	57	53	110	2	4	6	33	34	67	15
433	Kemback,	956	896	13	9	22	1	–	1	3	7	10	11
434	Kennoway,	2257	2012	29	24	53	3	3	6	17	9	26	17
435	Kettle,	2601	2474	39	34	73	5	5	10	23	24	47	18
436	Kilconquhar (including EARLSFERRY),	2489	2431	42	30	72	4	2	6	21	24	45	9
437	Kilmany,	662	656	9	10	19	–	–	–	5	3	8	5
438	KILRENNY (incl. Burgh and part of ANSTRUTHER-EASTER),	2194	2534	52	52	104	2	3	5	17	22	39	18
439	KINGHORN (incl. Burgh)	2455	2349	39	39	78	5	5	10	42	38	80	20

No. of District.	Registration Districts.	Population.		Total Births, including the Illegitimate.			Illegitimate Births.			Deaths.			Marriages.
		1851.	1861.	Males.	Fem.	Total.	Mal.	Fem	Totl	Mal.	Fem	Total.	
440	Kinglassie,	1186	1266	25	28	53	2	2	4	13	9	22	10
441	Kingsbarns,	893	937	16	14	30	–	1	1	7	7	14	6
442	KIRKCALDY (including Burgh),	10636	11117	182	172	354	20	7	27	129	125	254	62
443	Largo,	2800	2626	48	39	87	4	6	10	19	27	46	20
444	Leslie (incl. Town),	3800	4332	67	54	121	7	11	18	40	56	96	27
445	Leuchars,	1991	1903	30	32	62	3	2	5	19	17	36	13
446	Logie,	467	410	8	11	19	2	1	3	4	1	5	1
447	Markinch,	5843	5375	97	92	189	9	6	15	48	43	91	38
448	Monimail,	1102	1054	15	13	28	–	2	2	10	10	20	3
449	Moonzie,	198	179	–	3	3	–	–	–	2	2	4	–
450	NEWBURGH (including Burgh),	2986	2693	50	46	96	6	5	11	28	37	65	15
451	Newburn,	375	374	5	8	13	–	2	2	4	2	6	2
452	PITTENWEEM (incl. Burgh),	1473	1710	37	27	64	3	1	4	20	15	35	8
453	ST ANDREWS and St Leonards (incl. Burgh of St Andrews),	7327	7605	106	117	223	8	5	13	63	83	146	55
454	St Monance (or Abercrombie),	1241	1498	32	33	65	–	2	2	7	11	18	8
455	Saline,	1792	1610	31	20	51	–	–	–	7	9	16	16
456	Scoonie (incl. Leven),	3115	3257	61	46	107	5	–	5	27	42	69	13
457	Strathmiglo,	2509	2261	35	18	53	7	–	7	35	29	64	8
458	Torryburn,	1341	1229	10	14	24	1	–	1	7	19	26	11
459	Wemyss,	5647	6003	126	108	234	6	7	13	66	67	133	32
	Total,	153789	155021	2639	2454	5093	206	179	385	1471	1517	2988	974
	15. Kinross.												
460	Cleish,	659	649	8	5	13	–	1	1	1	2	3	1
461	Fossoway and Tulliebole,	1621	1584	12	34	46	–	5	5	7	8	15	7
462	Kinross (incl. Town),	3227	2649	38	28	66	4	2	6	26	31	57	8
463	Orwell,	2569	2399	23	22	45	2	3	5	16	21	37	8
464	Portmoak,	1550	1450	23	16	39	6	1	7	13	13	26	8
	Total,	9626	8731	104	105	209	12	12	24	63	75	138	32
	16. Clackmannan.												
465	Alloa (incl. Town),	9493	8867	174	152	326	9	10	19	115	114	229	49
466	Clackmannan,	5802	4425	90	86	176	5	10	15	41	34	75	39
467	Dollar,	1574	1776	21	19	40	5	2	7	13	14	27	9
468	Tillicoultry (including Town),	4686	5054	90	79	169	6	7	13	43	43	86	35
	—— Total,	21555	20122	375	336	711	25	29	54	212	205	417	132
	V. WEST-MIDLAND.												
	17. Stirling.												
469	Airth,	1319	1194	22	26	48	1	1	2	11	12	23	5
470	Alva (incl. Town),	3204	3283	66	62	128	8	7	15	30	37	67	18
471	Baldernock,	801	718	17	7	24	2	1	3	7	7	14	3
472	Balfron,	1900	1517	21	29	50	4	–	4	9	23	32	2
473	Bothkennar,	1179	1722	30	32	62	1	1	2	20	15	35	9
474	Buchanan,	632	705	6	9	15	2	–	2	5	7	12	5
475	Campsie (including Lennoxtown),	6918	6483	106	109	215	8	11	19	57	93	150	34
476	Denny (incl. Town),	4754	4988	86	111	197	7	18	25	32	47	79	37
477	Drymen,	1481	1619	28	19	47	3	–	3	13	15	28	4
478	Dunipace,	1472	1731	22	37	59	2	2	4	16	17	33	12
479	FALKIRK—(1) Burgh,	8752	9030	162	152	314	13	9	22	104	112	216	67
	(2) Landward,	7686	7996	172	149	321	11	15	26	87	88	175	76

No. of District.	Registration Districts.	Population.		Total Births, including the Illegitimate.			Illegitimate Births.			Deaths.			Marriages.
		1851.	1861.	Males.	Fem.	Total.	Mal.	Fem	Totl	Mal.	Fem	Total.	
480	Fintry,	823	685	15	8	23	3	–	3	5	3	8	3
481	Gargunnock,	754	728	9	12	21	3	–	3	4	8	12	5
482	Killearn,	1176	1171	22	16	38	1	–	1	7	10	17	4
483	Kilsyth (incl. Town),	5346	6112	141	114	255	12	13	25	75	90	165	37
484	Kippen,	1892	1722	27	18	45	4	4	8	20	25	45	7
485	Larbert,	4606	4999	99	84	183	11	9	20	53	57	110	29
486	Muiravonside,	2647	2660	49	55	104	3	2	5	25	28	53	24
487	Polmont,	3764	4111	83	78	161	3	7	10	47	39	86	33
488	St Ninians (includ. Bannockburn, Town),	7630	6648	112	107	219	9	9	18	75	66	141	33
489	Slamannan,	1655	2916	57	84	141	2	4	6	22	18	40	26
490	STIRLING (incl. Burgh),	12401	14012	279	282	561	36	20	56	186	195	381	145
491	Strathblane,	1010	1388	27	20	47	2	2	4	6	9	15	7
	Total,	83802	88138	1658	1620	3278	151	135	286	916	1021	1937	625
	18. Dumbarton.												
492	Arrochar,	562	629	6	12	18	1	2	3	7	6	13	2
493	Bonhill (includ. Town, & Alexandria, Town),	7819	9059	173	151	324	13	8	21	87	78	165	47
494	Cardross (incl. Renton),	3402	4168	59	72	131	7	13	20	46	43	89	29
495	Cumbernauld,	3778	3513	65	58	123	8	8	16	20	38	58	18
496	DUMBARTON (incl. Burgh),	5445	8268	174	171	345	6	8	14	99	88	187	36
497	Kilmaronock,	1033	1085	23	10	33	2	–	2	7	13	20	5
498	Kirkintilloch (incl. Town)	8426	8179	145	149	294	17	15	32	99	80	179	50
499	Luss,	907	831	8	10	18	1	–	1	9	4	13	6
500	New, or East, Kilpatrick,	4286	4910	109	102	211	3	4	7	56	39	95	26
501	Old, or West, Kilpatrick (incl. Duntocher, Town)	5921	5577	115	83	198	7	14	21	52	69	121	37
502	Roseneath,	1044	1626	25	20	45	–	–	–	11	14	25	6
503	Row (incl. Helensburgh).	4372	6334	121	94	215	11	3	14	76	69	145	52
	Total,	46995	54179	1023	932	1955	76	75	151	569	541	1110	314
	19. Argyll. *Mainland.*												
504	Ardchattan,	1525	1381	13	12	25	–	1	1	12	18	30	4
505	Ardnamurchan—												
	(1) Aharacle,	*c.* 1791	1544	26	24	50	5	–	5	13	15	28	4
	(2) Arisaig,	*c.* 1555	1343	20	20	40	1	–	1	2	11	13	10
	(3) Sunart (or Strontian)	*c.* 875	759	6	9	15	–	2	2	4	6	10	3
	(4) Western District,	*c.* 1225	1054	13	15	28	–	1	1	13	24	37	2
506	Ballachulish and Corran of Ardgour,	*c.* 1125	919	14	9	23	–	–	–	11	5	16	7
507	CAMPBELTOWN (incl. Burgh),	9381	8149	115	106	221	12	6	18	74	77	151	35
508	Craignish,	756	618	10	13	23	–	–	–	10	8	18	5
509	Cumlodden,	1095	1033	13	25	38	–	1	1	4	2	6	6
510	Dunoon and Kilmun (incl. Dunoon & Kirn),	4518	5461	70	73	143	3	2	5	51	48	99	27
511	Glassary,	*c.* 1860	1769	33	31	64	1	2	3	23	18	41	7
512	Glenorchy and Inishail,	1450	1307	10	12	22	2	1	3	11	13	24	3
513	INVERARAY (including Burgh),	1755	1650	20	24	44	–	2	2	13	14	27	14
514	Inverchaolain,	474	424	7	8	15	–	1	1	4	4	8	2
515	Kilbrandon & Kilchattan,	*c.* 2571	2053	31	28	59	3	1	4	21	30	51	5
516	Kilcalmonell, etc.—												
	(1) Kilcalmonell,	*c.* 930	742	9	6	15	1	1	2	3	10	13	4
	(2) Kilberry,	689	583	7	13	20	–	–	–	7	4	11	1
517	Kilchrenan, etc.—												
	(1) Kilchrenan,	494	385	3	6	9	–	1	1	2	4	6	2
	(2) Dalavich,	282	230	2	4	6	1	1	2	1	–	1	1

No. of District.	Registration Districts.	Population.		Total Births, including the Illegitimate.			Illegitimate Births.			Deaths.			Marriages.
		1851.	1861.	Males.	Fem.	Total.	Mal.	Fem	Totl	Mal.	Fem	Total.	
518	Kilfinan,	1695	1891	28	30	58	2	–	2	22	17	39	7
519	Killean and Kilchenzie,	2219	1890	24	28	52	–	1	1	13	12	25	7
520	Kilmalie,	*c.* 4110	3353	38	34	72	4	1	5	30	30	60	11
521	Kilmartin,	1144	949	20	7	27	–	–	–	8	8	16	6
522	Kilmodan,	500	433	4	7	11	–	–	–	5	2	7	3
523	Kilmore and Kilbride (incl. Burgh of OBAN),	3131	2962	49	39	88	3	2	5	43	25	68	21
524	Kilninver, etc.—												
	(1) Kilninver,	449	314	4	4	8	–	–	–	3	2	5	–
	(2) Kilmelford,	265	486	7	6	13	–	–	–	3	5	8	2
525	Lismore, etc.—												
	(1) Lismore,	*c.* 1167	1023	12	11	23	2	1	3	12	10	22	3
	(2) Appin,	*c.* 940	825	10	11	21	–	1	1	9	7	16	2
	(3) Glencoe & Ballachulish,	*c.* 1510	1324	20	8	28	–	1	1	6	8	14	2
	(4) Duror,	*c.* 480	423	4	7	11	–	1	1	–	2	2	1
526	Lochgilphead,	*c.* 3263	3312	54	57	111	–	2	2	34	32	66	15
527	Lochgoilhead, etc.—												
	(1) Lochgoilhead,	446	418	6	4	10	1	–	1	1	4	5	2
	(2) Kilmorich,	388	284	3	4	7	1	–	1	2	1	3	–
528	Morvern,	1547	1226	14	17	31	1	2	3	11	16	27	2
529	Muckairn,	788	729	9	4	13	1	–	1	9	7	16	7
530	North Knapdale,	1666	1327	16	19	35	1	1	2	9	10	19	4
531	Saddell, etc.—												
	(1) Saddell,	791	739	13	11	24	3	–	3	5	8	13	2
	(2) Skipness,	*c.* 705	533	3	8	11	–	1	1	2	2	4	–
532	Southend,	1406	1214	24	10	34	2	–	2	10	5	15	9
533	South Knapdale,	565	654	6	7	13	–	–	–	4	5	9	–
534	Stralachlan, etc.—												
	(1) Stralachlan,	397	309	4	1	5	–	–	–	4	4	8	3
	(2) Strachur,	518	563	6	4	10	–	–	–	5	5	10	6
535	Tarbert,	*c.* 1828	1661	34	25	59	1	1	2	12	16	28	6
	Insular.												
536	Bowmore (or Kilarrow),	3469	2701	33	31	64	7	3	10	23	38	61	7
537	Gigha,	547	467	7	2	9	1	–	1	6	3	9	2
538	Iona,	*c.* 900	743	8	15	23	–	2	2	7	6	13	4
539	Jura, etc.—(1) Jura,	*c.* 868	858	14	7	21	1	1	2	9	12	21	4
	(2) Colonsay,	837	598	5	5	10	1	1	2	2	9	11	3
540	Kilchoman,	*c.* 2865	2377	27	25	52	4	4	8	24	32	56	10
541	Kildalton,	*c.* 2450	2187	33	37	70	2	2	4	20	29	49	11
542	Kilfinichen & Kilvickeon,	*c.* 2171	1792	23	15	38	5	1	6	18	13	31	7
543	Kilmeny,	1413	1268	22	17	39	3	1	4	14	16	30	4
544	Kiluinian and Kilmore,	*c.* 1890	1641	17	20	37	1	–	1	14	10	24	7
545	Kinlochspelvie,	*c.* 420	428	7	4	11	–	–	–	6	2	8	1
546	Oa,	*c.* 860	769	7	8	15	–	–	–	6	3	9	2
547	Portnahaven,	*c.* 1277	1059	24	11	35	1	3	4	18	8	26	2
548	Salen,	*c.* 634	604	8	12	20	–	–	–	7	4	11	2
549	Tobermory,	*c.* 1804	1566	27	22	49	4	–	4	21	17	38	5
550	Torosay,	*c.* 550	557	8	9	17	–	–	–	2	8	10	4
551	Tyree, etc.—(1) Tyree,	3709	3217	30	38	68	2	4	6	22	31	53	17
	(2) Coll,	1109	781	11	8	19	2	–	2	4	4	8	3
	Total,	94042	83859	1145	1087	2232	85	60	145	764	799	1563	358
	20. Bute.												
552	Cumbraes,	1275	1256	18	14	32	1	–	1	12	12	24	15
553	Kilbride,	*c.* 2340	2253	26	24	50	–	3	3	18	24	42	5
554	Kilmory,	*c.* 2724	2515	27	19	46	2	1	3	22	24	46	8
555	Kingarth,	1007	905	14	11	25	2	1	3	10	7	17	5

No. of District.	Registration Districts.	Population.		Total Births, including the Illegitimate.			Illegitimate Births.			Deaths.			Marriages.
		1851.	1861.	Males.	Fem.	Total.	Mal.	Fem	Totl	Mal.	Fem	Total.	
556	Lochranza,	c. 883	824	8	14	22	–	2	2	3	9	12	5
557	North Bute,	c. 1235	1351	16	18	34	2	1	3	12	9	21	5
558	ROTHESAY,	c. 7144	7227	109	105	214	10	7	17	85	110	195	53
	Total,	16608	16331	218	205	423	17	15	32	162	195	357	96
	VI. SOUTH-WESTERN.												
	21. Renfrew.												
559	Abbey—												
	(1) Part of PAISLEY,	16351	15889	322	313	635	25	34	59	183	227	410	183
	(2) Landward (including part of Barrhead),	c. 4867	5670	123	95	218	12	7	19	51	70	121	27
	(3) Johnstone (including Town),	c. 7363	8142	177	156	333	9	10	19	97	77	174	57
560	Cathcart,	2916	3782	63	57	120	5	4	9	40	33	73	25
561	Eaglesham,	2524	2328	47	31	78	3	3	6	26	32	58	25
562	Eastwood,	9243	11314	203	210	413	13	11	24	134	157	291	72
563	Erskine,	1232	1457	20	26	46	–	2	2	14	12	26	7
564	GREENOCK—												
	(1) New, or Middle,	9414	9446	220	228	448	27	26	53	163	178	341	31
	(2) East,	7704	12135	319	300	619	8	10	18	172	151	323	112
	(3) Old, or West,	20318	22313	454	464	918	23	28	51	368	338	706	250
565	Houston and Killellan,	2753	2490	34	40	74	6	2	8	22	28	50	17
566	Inchinnan,	649	619	12	7	19	–	2	2	6	3	9	5
567	Innerkip—												
	(1) Innerkip,	c. 1026	1188	16	23	39	1	4	5	11	9	20	9
	(2) Gourock (including Town),	c. 1992	2307	35	33	68	4	2	6	21	32	53	12
568	Kilbarchan,	5474	6348	131	108	239	10	9	19	70	57	127	40
569	Kilmalcolm,	1399	1455	22	21	43	3	2	5	13	10	23	12
570	Lochwinnoch,	4153	3821	74	46	120	13	7	20	44	36	80	12
571	Mearns,	3704	3547	57	63	120	7	11	18	40	28	68	11
572	Neilston (including part of Barrhead),	12233	11013	195	163	358	19	17	36	103	100	203	48
573	PAISLEY—												
	(1) High,	14643	14900	301	259	560	24	13	37	176	165	341	109
	(2) Low,	7205	6712	122	116	238	16	12	28	118	109	227	37
	(3) Middle,	9904	9926	189	187	376	16	18	34	125	150	275	68
574	PORT-GLASGOW (incl. Burgh),	7017	7294	174	168	342	14	9	23	106	108	214	90
575	RENFREW (incl. Burgh),	3866	4650	91	97	188	6	5	11	54	41	95	30
	Total,	157950	168746	3401	3211	6612	264	248	512	2157	2151	4308	1289
	22. Ayr.												
576	Ardrossan—												
	(1) Old (including part of Saltcoats),	c. 3434	3530	73	56	129	5	2	7	38	50	88	19
	(2) New (including Ardrossan),	c. 2147	3246	64	48	112	5	5	10	37	18	55	25
577	Auchinleck,	3697	4213	116	101	217	3	5	8	38	42	80	31
578	AYR (incl. Burgh),	18845	19659	387	344	731	37	42	79	277	257	534	132
579	Ballantrae,	1801	1483	27	11	38	5	2	7	14	11	25	11
580	Barr,	907	910	10	16	26	1	1	2	11	6	17	7
581	Beith (incl. Town),	6425	5775	112	109	221	4	6	10	56	63	119	37
582	Colmonell,	2934	2588	26	43	69	5	8	13	27	26	53	12
583	Coylton,	1542	1604	24	23	47	1	3	4	11	12	23	7
584	Craigie,	793	730	18	8	26	4	1	5	7	3	10	5
585	Dailly,	2413	2050	37	25	62	2	2	4	21	14	35	8

No. of District.	Registration Districts.	Population.		Total Births, including the Illegitimate.			Illegitimate Births.			Deaths.			Marriages.
		1851.	1861.	Males.	Fem.	Total.	Mal.	Fem	Totl	Mal.	Fem	Total.	
586	Dalmellington,	2910	4194	114	99	213	2	–	2	45	38	83	21
587	Dalry (incl. Town),	8865	11156	259	239	498	16	22	38	160	126	286	79
588	Dalrymple,	1096	1325	19	26	45	1	4	5	12	15	27	7
589	Dreghorn,	1828	3283	65	69	134	–	4	4	23	18	41	15
590	Dundonald (incl. Troon),	4555	4694	77	77	154	4	6	10	37	39	76	33
591	Dunlop,	1115	1038	17	14	31	2	–	2	10	4	14	13
592	Fenwick,	1741	1532	30	19	49	2	4	6	16	9	25	19
593	Galston (incl. Town),	4392	5254	132	96	228	12	7	19	55	47	102	41
594	Girvan (incl. Town),	8588	7053	107	97	204	18	25	43	48	69	117	45
595	IRVINE (incl. Burgh),	8463	8607	154	153	307	23	12	35	99	117	216	50
596	Kilbirnie (incl. Town),	5484	5265	128	90	218	8	6	14	89	86	175	46
597	KILMARNOCK (incl. part of Burgh),	21287	23556	530	458	988	42	41	83	286	290	576	169
598	Kilmaurs,	3144	3526	69	55	124	7	2	9	35	41	76	18
599	Kilwinning (incl. Town),	6359	7717	168	155	323	17	17	34	81	76	157	43
600	Kirkmichael,	3262	2823	41	46	87	6	6	12	22	26	48	11
601	Kirkoswald,	2242	2060	34	37	71	7	7	14	10	15	25	9
602	Largs (incl. Town),	3715	3620	43	66	109	1	8	9	25	34	59	26
603	Loudoun (incl. Newmilns),	4720	4840	94	79	173	10	8	18	42	46	88	37
604	Mauchline,	2470	2303	36	26	62	2	2	4	27	32	59	16
605	Maybole (incl. Town),	7615	6713	129	116	245	21	19	40	68	65	133	43
606	Monkton and Prestwick,	1960	1937	23	25	48	6	4	10	16	21	37	19
607	Muirkirk (incl. Town),	3423	3270	77	51	128	5	3	8	31	20	51	30
608	New Cumnock,	2759	2891	49	42	91	8	6	14	23	18	41	19
609	Ochiltree,	1787	1676	16	26	42	–	3	3	9	10	19	8
610	Old Cumnock (including Town),	3777	3721	83	58	141	10	6	16	35	34	69	33
611	Riccarton (incl. part of KILMARNOCK),	4583	5629	111	134	245	4	12	16	64	44	108	45
612	St Quivox and Newton-upon-Ayr,	2231	1870	47	38	85	7	3	10	26	20	46	17
613	Sorn (incl. Catrine),	4174	4042	59	66	125	6	3	9	39	48	87	37
614	Stair,	820	743	11	12	23	1	1	2	5	2	7	4
615	Stevenston (incl. Town and part of Saltcoats),	3811	5452	102	110	212	9	12	21	67	76	143	29
616	Stewarton (incl. Town),	4572	4449	66	75	141	6	10	16	35	54	89	25
617	Straiton,	1540	1544	32	21	53	3	2	5	7	10	17	12
618	Symington,	902	855	13	16	29	1	1	2	6	6	12	5
619	Tarbolton,	2824	2669	68	58	126	5	5	10	38	42	80	28
620	West Kilbride,	2021	1968	41	21	62	6	1	7	18	15	33	15
	Total,	189973	199063	3938	3554	7492	350	349	699	2146	2115	4261	1361
	23. Lanark.												
621	Avondale (incl. Strathaven),	6451	6125	110	84	194	12	9	21	77	94	171	49
622	Barony—												
	(1) Maryhill (incl. Town and part of GLASGOW),	*c.* 4007	6734	133	121	254	11	8	19	85	81	166	47
	(2) Springburn (incl. pt. of GLASGOW),	*c.* 6386	8911	222	165	387	21	20	41	229	249	478	40
	(3) Shettleston,	*c.* 6564	6914	142	139	281	10	12	22	73	72	145	41
623	Biggar,	2049	1999	32	33	65	6	5	11	21	17	38	9
624	Blantyre,	2848	3092	51	45	96	1	5	6	25	32	57	18
625	Bothwell—												
	(1) Bothwell (including Bellshill),	*c.* 5583	7059	143	174	317	5	4	9	76	60	136	31
	(2) Holytown,	*c.* 9700	10844	284	232	516	13	12	25	107	103	210	60

No. of District.	Registration Districts.	Population.		Total Births, including the Illegitimate.			Illegitimate Births.			Deaths.			Marriages.
		1851.	1861.	Males.	Fem.	Total.	Mal.	Fem	Totl	Mal.	Fem	Total.	
626	Cadder—												
	(1) Western District, .	*c.* 2550	3023	59	57	116	4	1	5	35	27	62	12
	(2) Eastern District, .	*c.* 2464	2925	54	46	100	5	2	7	26	13	39	19
627	Cambuslang, . . .	3306	3647	68	66	134	5	1	6	31	28	59	26
628	Cambusnethan (including Wishaw) (part of), .	*c.* 8571	14601	344	346	690	25	19	44	132	111	243	97
629	Carluke (incl. Town), .	6283	6176	141	122	263	10	11	21	68	50	118	44
630	Carmichael, . . .	805	836	22	10	32	2	–	2	4	9	13	10
631	Carmunnock, . . .	710	734	9	13	22	4	–	4	7	4	11	1
632	Carnwath, . . .	3551	3584	75	80	155	7	10	17	34	22	56	32
633	Carstairs, . . .	1066	1345	29	29	58	1	2	3	12	9	21	9
634	Covington & Thankerton,	548	532	4	7	11	–	3	3	2	6	8	1
635	Crawford—												
	(1) Crawford, . .	*c.* 730	694	9	7	16	–	–	–	4	9	13	3
	(2) Leadhills, . .	*c.* 940	896	19	18	37	4	3	7	5	13	18	6
636	Crawfordjohn, . .	1111	980	11	9	20	1	3	4	11	6	17	8
637	Culter, ...	472	665	7	6	13	–	–	–	5	3	8	3
638	Dalserf—												
	(1) Larkhall (including Town), . .	*c.* 2670	3629	93	79	172	11	4	15	38	45	83	26
	(2) Dalserf, . . .	*c.* 913	1247	18	26	44	2	2	4	12	10	22	4
639	Dalziel (incl. Motherwell), . . .	2262	5438	158	146	304	3	3	6	68	47	115	26
640	Dolphington, . . .	305	260	3	1	4	1	–	1	1	5	6	2
641	Douglas, ...	2611	2490	57	39	96	10	3	13	32	21	53	20
642	Dunsyre, . . .	312	312	5	6	11	1	–	1	2	3	5	–
643	East Kilbride, . .	3760	4064	62	64	126	7	1	8	42	31	73	25
644	GLASGOW—												
	(1) Central District, .	*c.* 43270	49678	1164	1089	2253	237	218	455	822	959	1781	463
	(2) High, . . .	*c.* 42005	48119	1028	956	1984	107	92	199	1054	939	1993	291
	(3) Bridgeton, . .	*c.* 38385	45485	953	925	1878	80	55	135	605	629	1234	298
	(4) Calton, . . .	*c.* 33310	36625	792	767	1559	67	71	138	482	564	1046	441
	(5) Clyde, . . .	*c.* 32800	29975	568	504	1072	66	68	134	451	445	896	201
	(6) Blythswood, . .	*c.* 21405	28697	376	429	805	29	29	58	267	268	535	499
	(7) Milton, . . .	*c.* 26240	33360	787	787	1574	52	53	105	453	396	849	286
	(8) Anderston, . .	*c.* 30035	40945	912	891	1803	38	61	99	494	502	996	296
	(9) Tradeston, . .	*c.* 27163	38600	781	791	1572	46	66	112	481	511	992	397
	(10) Hutchesontown, .	*c.* 34484	44019	992	908	1900	65	62	127	587	656	1243	287
645	Glassford, . . .	1955	1938	27	35	62	3	3	6	20	18	38	15
646	Govan—												
	(1) Govan (incl. Town),	*c.* 6238	13725	341	304	645	10	16	26	218	200	418	135
	(2) Partick (incl. Town),	*c.* 7852	14859	312	314	626	16	13	29	179	186	365	95
647	HAMILTON (incl. Burgh),	11740	14047	291	244	535	26	21	47	152	135	287	91
648	LANARK (incl. Burgh),	8243	7891	130	140	270	10	21	31	82	80	162	50
649	Lesmahagow, . . .	7746	9266	177	169	346	20	16	36	101	75	176	65
650	Libberton, . . .	800	836	15	12	27	1	2	3	5	7	12	4
651	New Monkland—												
	(1) AIRDRIE, . .	14435	12922	260	260	520	25	16	41	119	140	259	79
	(2) Landward, . .	8766	7632	160	133	293	15	11	26	86	62	148	25
652	Old Monkland—												
	(1) Western District, .	*c.* 6646	6932	174	149	323	9	14	23	70	65	135	41
	(2) Middle District (incl. Coatbridge), .	*c.* 13168	15303	358	316	674	17	10	27	223	190	413	96
	(3) Eastern District (incl. Calderbank),	*c.* 7519	7308	145	114	259	10	3	13	63	46	109	17
653	Pettinain, . . .	428	407	3	3	6	–	–	–	2	–	2	1
654	RUTHERGLEN (incl. Burgh), . . .	7954	9335	192	186	378	10	16	26	114	137	251	66
655	Shotts (part of), . .	3892	7343	158	152	310	7	9	16	67	59	126	44
656	Stonehouse (incl. Town),	2781	3267	72	66	138	3	7	10	27	33	60	19

No. of District.	Registration Districts.	Population.		Total Births, including the Illegitimate.			Illegitimate Births.			Deaths.			Marriages.
		1851.	1861.	Males.	Fem.	Total.	Mal.	Fem	Totl	Mal.	Fem	Total.	
657	Symington,	536	528	11	7	18	–	–	–	5	4	9	4
658	Walston,	497	480	9	6	15	2	1	3	3	3	6	6
659	Wandell and Lamington,	369	380	9	7	16	2	3	5	3	4	7	–
660	Wiston and Roberton,	839	786	10	6	16	3	2	5	5	1	6	2
	Total,	533169	640444	13571	12840	26411	1158	1102	2260	8504	8494	16998	4983
	VII. SOUTH-EASTERN.												
	24. Linlithgow.												
661	Abercorn,	977	965	20	14	34	4	–	4	20	15	35	10
662	Bathgate (incl. Town and Armadale),	4533	10134	302	276	578	8	16	24	148	148	296	82
663	Borrowstounness (incl. Town),	5192	5698	142	135	277	9	5	14	73	69	142	20
664	Carriden,	1724	1821	49	26	75	4	1	5	19	7	26	15
665	Dalmeny,	768	804	13	15	28	3	–	3	9	6	15	5
666	Ecclesmachen,	289	309	4	6	10	–	–	–	2	–	2	1
667	Kirkliston,	2029	1907	38	34	72	7	6	13	26	9	35	10
668	LINLITHGOW—												
	(1) Burgh,	4213	3843	73	62	135	12	6	18	58	45	103	29
	(2) Landward,	1902	1941	32	31	63	4	2	6	29	23	52	14
669	Livingstone,	1289	1366	25	29	54	2	1	3	8	14	22	5
670	QUEENSFERRY (incl. Burgh),	1195	1391	28	23	51	5	2	7	16	24	40	10
671	Torphichen,	1356	1848	36	33	69	4	4	8	25	14	39	7
672	Uphall,	1331	1507	27	38	65	1	7	8	14	13	27	3
673	Whitburn,	3792	5511	154	154	308	7	8	15	52	52	104	31
	Total,	30590	39045	943	876	1819	70	58	128	499	439	938	242
	25. Edinburgh.												
674	Borthwick,	1611	1742	38	34	72	5	3	8	9	10	19	17
675	Carrington,	710	681	10	11	21	–	2	2	7	2	9	2
676	Cockpen,	3228	2902	52	56	108	4	6	10	22	36	58	23
677	Colinton,	2676	2656	52	37	89	5	4	9	20	26	46	13
678	Corstorphine,	1499	1579	27	22	49	2	2	4	15	11	26	6
679	Cramond,	2547	2695	43	50	93	4	2	6	28	19	47	11
680	Cranston,	1235	1035	21	19	40	1	1	2	9	9	18	2
681	Crichton,	1387	1304	26	27	53	3	2	5	17	11	28	5
682	Currie,	2190	2248	33	36	69	1	1	2	12	18	30	13
683	Dalkeith (incl. Town),	6521	7114	136	135	271	9	12	21	65	75	140	59
684	Duddingston—												
	(1) PORTOBELLO,	3559	4566	49	70	119	3	4	7	35	43	78	34
	(2) Landward,	904	857	10	11	21	2	1	3	6	10	16	4
685	EDINBURGH—												
	(1) St George (incl. Landward of St Cuthbert),	*c.* 38540	42068	641	583	1224	36	49	85	510	577	1087	339
	(2) St Andrew,	*c.* 37435	38731	461	480	941	21	26	47	301	381	682	418
	(3) Canongate (incl. Landward),	*c.* 29230	30169	628	583	1211	52	52	104	763	672	1435	224
	(4) St Giles,	*c.* 29245	29679	715	640	1355	179	138	317	431	439	870	341
	(5) Newington,	*c.* 27198	29797	540	488	1028	28	16	44	301	385	686	288
686	Fala and Soutra,	434	382	7	4	11	1	–	1	2	3	5	4
687	Glencross,	1138	1217	18	21	39	2	3	5	9	4	13	7
688	Heriot,	352	407	4	11	15	1	–	1	5	2	7	1
689	Inveresk (incl. MUSSELBURGH),	8653	9518	194	152	346	11	16	30	129	147	276	67

No. of District.	Registration Districts.	Population.		Total Births, including the Illegitimate.			Illegitimate Births.			Deaths.			Marriages.
		1851.	1861.	Males.	Fem.	Total.	Mal.	Fem	Totl.	Mal.	Fem	Total.	
690	Kirknewton and East-Calder,	1630	1549	20	25	45	4	5	9	5	10	15	10
691	Lasswade,	5821	5688	91	84	175	7	16	23	50	58	108	36
692	LEITH—												
	(1) North Leith,	c. 9494	11562	235	209	444	11	6	17	118	121	239	94
	(2) South Leith	c. 22725	24467	526	470	996	38	33	71	323	310	633	220
693	Liberton,	3528	3510	51	60	111	6	3	9	35	34	69	9
694	Mid-Calder,	1474	1389	21	22	43	4	3	7	18	10	28	8
695	Newbattle,	2518	2837	77	52	129	5	4	9	35	31	66	23
696	Newton,	1780	1553	23	28	51	5	–	5	17	16	33	8
697	Penicuik,	3003	3249	64	50	114	4	5	9	36	35	71	28
698	Ratho,	1718	1659	29	21	50	6	–	6	15	13	28	12
699	Stow,	1973	2171	35	40	75	3	6	9	17	22	39	16
700	Temple,	1414	1385	29	25	54	–	1	1	9	8	17	8
701	West-Calder,	2120	1927	26	33	59	3	5	8	26	16	42	4
	Total,	259493	274093	4932	4589	9521	469	427	896	3400	3564	6964	2354
	26. Haddington.												
702	Aberlady,	1099	1019	24	16	40	–	2	2	9	12	21	6
703	Athelstaneford,	971	902	14	9	23	2	–	2	8	5	13	6
704	Bolton,	373	332	5	2	7	–	–	–	1	1	2	1
705	Dirleton,	1634	1540	25	27	52	4	1	5	7	13	20	7
706	DUNBAR (incl. Burgh),	4415	4944	91	85	176	12	4	16	37	47	84	25
707	Garvald,	869	891	20	9	29	1	2	3	4	5	9	7
708	Gladsmuir,	1780	1945	29	26	55	3	2	5	15	13	28	10
709	HADDINGTON (incl. Burgh),	5525	5548	108	113	221	9	13	22	47	62	109	51
710	Humbie,	925	997	16	14	30	3	1	4	10	4	14	10
711	Innerwick,	1012	937	15	15	30	1	3	4	2	8	10	6
712	Morham,	249	281	9	2	11	1	–	1	2	2	4	1
713	NORTH BERWICK (incl. Burgh),	1643	2071	41	41	82	3	5	8	17	17	34	12
714	Oldhamstocks,	692	615	10	8	18	1	2	3	5	2	7	1
715	Ormiston,	811	915	17	13	30	5	2	7	11	12	23	5
716	Pencaitland,	1175	1187	24	25	49	5	3	8	14	12	26	8
717	Prestonkirk,	1894	1960	41	29	70	1	2	3	13	28	41	13
718	Prestonpans,	2123	2080	41	28	69	2	1	3	22	26	48	12
719	Salton,	697	712	13	5	18	3	1	4	5	2	7	3
720	Spott,	595	555	10	6	16	1	–	1	3	8	11	2
721	Stenton,	719	692	12	9	21	1	1	2	4	10	14	–
722	Tranent (incl. Town),	4158	4647	103	94	197	8	9	17	48	56	104	41
723	Whitekirk & Tynninghame	1131	1113	13	11	24	–	1	1	7	13	20	5
724	Whittinghame,	671	719	6	14	20	–	1	1	3	5	8	2
725	Yester (or Gifford),	1202	1033	14	17	31	3	4	7	8	12	20	5
	Total,	36363	37626	701	618	1319	69	60	129	302	375	677	239
	27. Berwick.												
726	Abbey St Bathans,	155	179	–	4	4	–	–	–	1	–	1	–
727	Ayton,	1959	2014	37	33	70	3	1	4	11	14	25	7
728	Bunkle and Preston,	715	756	10	15	25	–	1	1	5	9	14	2
729	Channelkirk,	728	671	8	16	24	–	3	3	6	4	10	3
730	Chirnside,	1384	1502	18	19	37	1	1	2	12	10	22	3
731	Cockburnspath,	1196	1194	32	17	49	3	3	6	12	9	21	10
732	Coldingham,	3188	3241	60	46	106	8	2	10	21	21	42	20
733	Coldstream,	3245	2823	34	30	64	3	5	8	24	41	65	10
734	Cranshaws,	127	134	4	3	7	1	–	1	–	1	1	–
735	Dunse (incl. Town),	3407	3595	70	44	114	14	4	18	29	40	69	21
736	Earlston,	1819	1825	25	35	60	–	6	6	11	19	30	14

No. of District.	Registration Districts.	Population.		Total Births, including the Illegitimate.			Illegitimate Births.			Deaths.			Marriages.
		1851.	1861.	Males.	Fem.	Total.	Mal.	Fem	Totl	Mal.	Fem	Total.	
737	Eccles,	1892	1861	21	26	47	4	3	7	8	14	22	11
738	Edrom,	1474	1592	22	14	36	5	1	6	9	9	18	7
739	Eyemouth,	1488	1804	30	42	72	1	2	3	15	27	42	11
740	Fogo,	604	559	8	8	16	1	–	1	2	2	4	4
741	Foulden,	430	431	5	7	12	–	2	2	7	5	12	2
742	Gordon,	983	931	14	5	19	1	–	1	7	6	13	5
743	Greenlaw,	1378	1370	19	22	41	2	1	3	9	15	24	3
744	Hume,	406	420	4	8	12	–	1	1	5	2	7	1
745	Hutton,	1102	1067	13	20	33	–	4	4	7	10	17	5
746	Ladykirk,	561	564	7	7	14	–	1	1	4	5	9	3
747	Langton,	484	502	13	17	30	1	1	2	4	6	10	7
748	LAUDER (incl. Burgh),	2154	2198	27	35	62	1	7	8	22	14	36	9
749	Legerwood,	587	599	11	12	23	1	2	3	2	2	4	2
750	Longformacus,	411	448	6	9	15	1	1	2	6	1	7	2
751	Merton,	692	729	11	7	18	1	–	1	8	2	10	5
752	Mordington,	427	377	7	3	10	–	–	–	4	4	8	1
753	Nenthorn,	441	461	8	7	15	2	–	2	4	6	10	1
754	Polwarth,	331	251	–	3	3	–	1	1	1	2	3	1
755	Swinton,	994	964	17	21	38	–	5	5	8	12	20	6
756	Westruther,	791	786	9	12	21	–	3	3	1	9	10	4
757	Whitsome,	612	640	8	9	17	1	1	2	4	7	11	1
	Total,	36165	36488	558	556	1114	55	62	117	269	328	597	181
	28. Peebles.												
758	Broughton,	284	297	3	7	10	1	2	3	–	3	3	2
759	Drumelzier,	244	209	1	1	2	–	–	–	2	1	3	–
760	Eddlestone,	790	753	13	10	23	–	2	2	3	6	9	1
761	Glenholm,	252	198	5	2	7	–	–	–	2	–	2	4
762	Innerleithen,	1236	1823	25	29	54	1	1	2	21	15	36	3
763	Kilbucho,	345	228	6	3	9	1	1	2	1	2	3	–
764	Kirkurd,	326	362	5	5	10	–	–	–	3	4	7	3
765	Lyne, etc.—(1) Lyne,	95	81	1	1	2	–	–	–	–	–	–	–
	(2) Meggat,	63	53	1	–	1	–	–	–	–	–	–	–
766	Manor,	256	247	4	4	8	–	1	1	2	3	5	2
767	Newlands,	950	987	19	14	33	–	2	2	8	4	12	4
768	PEEBLES (incl. Burgh),	2673	2850	41	54	95	4	4	8	33	32	65	23
769	Skirling,	316	317	4	4	8	–	–	–	1	4	5	4
770	Stobo,	478	478	3	12	15	–	–	–	8	3	11	1
771	Traquair,	646	687	12	13	25	2	–	2	5	2	7	1
772	Tweedsmuir,	220	196	1	3	4	–	–	–	2	3	5	5
773	West Linton,	1630	1534	28	20	48	5	2	7	16	15	31	7
	Total,	10804	11300	172	182	354	14	15	29	107	97	204	60
	29. Selkirk.												
774	Ettrick,	477	454	6	7	13	2	2	4	5	2	7	2
775	Galashiels (incl. part of Town),	3014	3379	60	51	111	4	6	10	31	23	54	30
776	Kirkhope,	c. 600	555	10	12	22	1	–	1	8	2	10	2
777	Roberton,	670	640	11	20	31	–	2	2	5	5	10	6
778	SELKIRK (incl. Burgh),	4347	4739	74	77	151	4	2	6	42	40	82	24
779	Yarrow,	c. 694	643	10	13	23	–	1	1	5	4	9	4
	Total,	9802	10410	171	180	351	11	13	24	96	76	172	68
	VIII. SOUTHERN. 30. Roxburgh.												
780	Ancrum,	1554	1511	21	22	43	4	7	11	16	12	28	8
781	Ashkirk,	578	578	11	7	18	2	1	3	2	5	7	4

No. of District.	Registration Districts.	Population.		Total Births, including the Illegitimate.			Illegitimate Births.			Deaths.			Marriages.
		1851.	1861.	Males.	Fem.	Total.	Mal.	Fem	Totl	Mal.	Fem	Total.	
782	Bedrule,	240	222	7	4	11	–	–	–	4	1	5	1
783	Bowden,	981	864	15	14	29	4	1	5	10	7	17	6
784	Castleton,	2130	3688	57	51	108	4	9	13	45	27	72	9
785	Cavers,	1495	1824	28	30	58	2	5	7	19	13	32	11
786	Crailing,	734	673	12	12	24	2	3	5	7	4	11	7
a787	Eckford,	1073	957	12	15	27	3	3	6	8	2	10	5
b787	Edgerston,	c. 373	359	6	5	11	–	1	1	2	2	4	1
788	Ednam,	658	599	11	7	18	–	3	3	4	3	7	4
789	Hawick (incl. part of Town),	7801	8726	181	175	356	22	26	48	129	117	246	58
790	Hobkirk,	720	771	7	10	17	1	·	1	3	4	7	2
791	Hownam,	252	289	7	2	9	1	–	1	1	2	3	–
792	JEDBURGH (incl. Burgh),	c. 5220	5011	82	75	157	11	7	18	33	53	86	20
793	Kelso (incl. Town),	5634	5192	71	83	154	7	14	21	75	68	143	28
794	Kirktown,	282	421	8	4	12	–	–	–	–	2	2	1
795	Lilliesleaf,	798	772	6	22	28	–	1	1	5	5	10	2
796	Linton,	630	608	6	13	19	–	4	4	3	–	3	2
797	Makerston,	345	380	8	3	11	1	–	1	3	4	7	3
798	Maxton,	550	497	8	13	21	3	1	4	4	2	6	1
799	Melrose—												
	(1) Melrose,	3592	3557	67	65	132	3	1	4	32	41	73	13
	(2) Ladhope (incl. part of Galashiels),	3773	4154	87	73	160	9	6	15	33	46	79	30
800	Minto,	467	430	7	6	13	–	–	–	2	–	2	1
801	Morebattle,	997	1031	20	17	37	5	2	7	5	4	9	8
802	Oxnam,	c. 632	592	9	8	17	1	–	1	2	–	2	1
803	Roxburgh,	1141	1178	22	31	53	3	5	8	11	12	23	4
804	St Boswells,	884	865	9	11	20	–	1	1	13	7	20	2
805	Smailholm,	617	554	1	11	12	–	–	–	3	9	12	2
806	Southdean,	c. 765	687	4	10	14	–	–	–	3	7	10	2
807	Sprouston,	1424	1305	20	12	32	3	2	5	13	8	21	8
808	Stitchel,	426	425	8	2	10	–	–	–	2	2	4	3
809	Teviothead,	550	438	14	11	25	3	2	5	2	3	5	6
810	Wilton (incl. Town and part of Hawick),	2557	3357	69	61	130	8	8	16	35	21	56	18
811	Yetholm,	1352	1207	13	20	33	1	6	7	15	7	22	3
	Total,	51225	53722	914	905	1819	103	119	222	544	500	1044	274
	31. Dumfries.												
812	ANNAN (incl. part of Burgh),	c. 5128	5113	83	64	147	7	9	16	50	61	111	32
a813	Applegarth,	918	935	12	19	31	2	2	4	1	5	6	12
b813	Brydekirk (incl. part of ANNAN),	c. 864	779	13	12	25	1	2	3	8	9	17	4
814	Canonbie,	3163	3219	49	67	116	9	13	22	21	38	59	7
815	Carlaverock,	1418	1248	25	13	38	3	3	6	4	10	14	8
816	Closeburn,	1732	1651	27	20	47	1	6	7	9	11	20	6
817	Cummertrees,	c. 1334	1184	22	13	35	3	–	3	16	18	34	5
818	Dalton,	761	679	9	6	15	1	2	3	7	2	9	3
819	Dornock,	936	856	14	9	23	3	1	4	7	11	18	4
820	Dryfesdale,	2409	2509	47	41	88	5	4	9	32	15	47	11
821	DUMFRIES (incl. part of Burgh),	12298	13523	257	263	520	56	54	110	222	197	419	137
822	Dunscore,	1578	1554	27	24	51	6	4	10	7	9	16	14
823	Durrisdeer,	1795	1320	14	21	35	2	–	2	9	13	22	7
824	Eskdalemuir,	672	590	12	9	21	4	1	5	5	3	8	–
825	Ewes,	354	356	1	3	4	–	–	–	2	7	9	2
826	Glencairn,	1980	1867	32	25	57	2	2	4	17	23	40	21

No. of District.	Registration Districts.	Population.		Total Births, including the Illegitimate.			Illegitimate Births.			Deaths.			Marriages.
		1851.	1861.	Males.	Fem.	Total.	Mal.	Fem	Totl	Mal.	Fem	Total.	
827	Graitney (or Gretna),	1830	1620	20	19	39	1	2	3	22	20	42	7
828	Halfmorton,	687	713	13	8	21	2	1	3	3	5	8	2
829	Hoddam,	*c.* 1705	1568	24	27	51	5	3	8	12	21	33	6
830	Holywood,	1060	1115	21	19	40	2	1	3	13	13	26	5
831	Hutton,	836	876	8	13	21	–	3	3	6	8	14	6
832	Johnstone,	1261	1149	15	12	27	3	1	4	6	7	13	6
833	Keir,	960	849	11	16	27	–	2	2	7	4	11	3
834	Kirkconnel,	1245	996	15	14	29	4	1	5	10	10	20	9
835	Kirkmahoe,	1553	1462	24	16	40	3	2	5	16	8	24	10
836	Kirkmichael,	1124	1026	20	16	36	2	3	5	10	6	16	7
837	Kirkpatrick-Fleming,	1829	1925	26	34	60	3	4	7	27	17	44	2
838	Kirkpatrick-Juxta,	1097	1025	19	25	44	1	4	5	7	8	15	3
839	Langholm,	2990	2979	43	41	84	5	3	8	33	38	71	12
840	LOCHMABEN (includ. Burgh),	3127	3087	58	69	127	10	12	22	29	35	64	26
841	Middlebie,	2163	2004	40	38	78	6	3	9	24	18	42	12
842	Moffat,	2304	2232	26	37	63	4	4	8	19	20	39	8
843	Morton,	2482	2253	48	35	83	6	6	12	21	21	42	12
844	Mousewald,	686	633	14	7	21	1	1	2	5	2	7	4
845	Penpont,	1411	1326	21	18	39	3	3	6	8	16	24	9
846	Ruthwell,	1110	1046	21	11	32	4	–	4	12	13	25	7
847	St Mungo,	645	686	7	7	14	–	–	–	2	4	6	5
848	SANQUHAR (including Burgh),	*c.* 3155	2758	39	44	83	4	3	7	22	30	52	15
849	Tinwald,	1080	1079	17	16	33	4	–	4	6	8	14	6
850	Torthorwald,	1313	1254	15	20	35	6	5	11	11	25	36	5
851	Tundergarth,	577	507	4	4	8	1	1	2	6	5	11	3
852	Tynron,	482	446	8	5	13	1	–	1	1	2	3	3
*a*853	Wamphray,	523	559	11	8	19	–	1	1	9	5	14	–
*b*853	Wanlockhead,	*c.* 916	811	12	10	22	3	1	4	8	6	14	7
854	Westerkirk,	658	537	10	5	15	–	2	2	4	6	10	2
	Total,	78149	75904	1254	1203	2457	189	175	364	776	813	1589	475
	32. KIRKCUDBRIGHT.												
855	Anwoth,	900	899	16	13	29	3	2	5	10	7	17	4
856	Balmaclellan,	*c.* 938	890	17	15	32	3	2	5	6	7	13	4
857	Balmaghie,	1217	1225	17	18	35	3	5	8	13	9	22	7
858	Borgue,	1043	1162	22	15	37	3	1	4	12	2	14	2
859	Buittle,	1042	1165	18	20	38	3	1	4	5	7	12	5
860	Carsphairn,	855	553	6	6	12	1	–	1	4	10	14	3
861	Colvend,	1398	1366	10	16	26	2	2	4	7	12	19	12
862	Corsock-Bridge,	*c.* 550	544	12	10	22	4	3	7	2	6	8	6
863	Crossmichael,	1362	1536	26	27	53	4	5	9	17	16	33	5
864	Dalbeattie,	*c.* 1927	2054	41	34	75	5	4	9	19	24	43	15
865	Dalry,	1238	1149	16	14	30	1	3	4	9	8	17	5
866	Girthon,	1787	1702	20	22	42	5	–	5	12	13	25	5
867	Irongray,	918	913	17	9	26	3	3	6	7	16	23	6
868	Kells (incl. NEW GALLOWAY),	1091	1170	17	15	32	4	2	6	7	12	19	5
869	Kelton	3186	3436	57	51	108	8	8	16	29	44	73	19
870	Kirkbean,	982	942	13	15	28	2	–	2	5	13	18	5
871	KIRKCUDBRIGHT (including Burgh),	3555	3407	56	45	101	9	8	17	41	39	80	14
872	Kirkgunzeon,	734	793	13	14	27	5	–	5	9	6	15	5
873	Kirkmabreck,	2266	1851	19	24	43	4	5	9	26	25	51	4
874	Kirkpatrick-Durham,	*c.* 1349	1323	26	22	48	2	6	8	15	18	33	9
875	Lochrutton,	726	677	13	13	26	2	3	5	9	4	13	3
876	Minnigaff,	2054	1804	36	22	58	7	2	9	15	13	28	10
877	New Abbey,	1098	1063	18	14	32	3	1	4	12	5	17	9

No. of District.	Registration Districts.	Population.		Total Births, including the Illegitimate.			Illegitimate Births.			Deaths.			Marriages.
		1851.	1861.	Males.	Fem.	Total.	Mal.	Fem	Totl	Mal.	Fem.	Total.	
878	Parton, ...	*c.* 547	572	8	5	13	–	–	–	6	3	9	1
879	Rerrick, ...	1725	1738	18	27	45	1	6	7	14	10	24	8
880	Terregles (incl. part of DUMFRIES), . .	566	580	9	6	15	2	2	4	4	3	7	6
881	Tongland, . . .	924	892	18	11	29	4	1	5	6	9	15	3
882	Troqueer (incl. part of DUMFRIES), . .	4925	4743	79	89	168	16	13	29	59	59	118	24
883	Twynholm, . . .	782	815	15	12	27	2	2	4	6	8	14	3
884	Urr, ...	*c.* 1436	1531	32	22	54	3	4	7	12	12	24	8
	Total,	43121	42495	685	626	1311	114	94	208	398	420	818	215
	33. Wigtown.												
885	Glasserton, . . .	1487	1472	24	13	37	2	1	3	14	8	22	7
886	Inch, ...	2579	2460	34	31	65	4	5	9	21	23	44	12
887	Kirkcolm, . . .	2018	1860	40	28	68	7	3	10	18	16	34	5
888	Kirkcowan, . . .	1541	1434	17	18	35	4	6	10	15	20	35	7
889	Kirkinner, . . .	1914	1716	24	25	49	6	3	9	10	11	21	9
890	Kirkmaiden, . . .	2681	2333	41	25	66	7	4	11	14	26	40	16
891	Leswalt, . . .	1703	1417	19	21	40	–	4	4	9	21	30	9
892	Mochrum, . . .	2946	2694	34	45	79	3	7	10	9	29	38	12
893	New Luce, . . .	791	731	13	13	26	2	3	5	4	2	6	5
894	Old Luce (or Glenluce), .	2841	2800	36	41	77	6	7	13	23	36	59	21
895	Penninghame (incl. Newton-Stewart), . .	4155	4061	63	52	115	5	2	7	41	38	79	26
896	Portpatrick, . . .	1963	2189	39	35	74	9	11	20	17	17	34	17
897	Sorbie, ...	1886	1814	28	19	47	2	3	5	17	15	32	10
898	Stoneykirk, . . .	3321	3228	52	41	93	7	5	12	23	31	54	15
899	STRANRAER (incl. Burgh)	5738	6315	118	104	222	14	12	26	89	95	184	41
900	WHITHORN (incl. Burgh)	3001	2934	42	41	83	4	5	9	30	48	78	16
901	WIGTOWN (incl. Burgh)	2824	2637	43	35	78	3	8	11	20	28	48	12
	Total,	43389	42095	667	587	1254	85	89	174	374	464	838	240

SUMMARY.

DISTRICTS.	Population.		Total Births, including the Illegitimate.			Illegitimate Births.			Deaths.			Marriages.
	1851.	1861.	Mal.	Fem.	Total.	Mal.	Fem	Total	Mal.	Fem.	Total.	
Insular, ...	166,487	160,733	2294	2164	4458	115	104	219	1445	1530	2975	851
Mainland-Rural, . .	1,712,552	1,763,377	30320	28237	58557	3026	2810	5836	16178	16516	32694	10185
Town, ...	1,009,703	1,138,184	22643	21411	44054	2230	2091	4321	15556	15970	31526	9561
SCOTLAND, . .	2,888,742	3,062,294	55257	51812	107069	5371	5005	10376	33179	34016	67195	20597

MARRIAGES registered in SCOTLAND in 1862, and the Number of Persons who signed the Register by Marks.

COUNTY.	Regular Marriages according to the Rites of								Irregular Marriages.	Signed the Register by Marks.		
	Established Church.	Free Church.	United Presbyterian Church.	Episcopalians.	Roman Catholics.	Other Denominations.	Not stated.	TOTAL.		Males.	Females.	TOTAL.
Shetland	153	23	7	–	–	12	–	195	–	24	71	95
Orkney	100	29	44	–	–	9	–	182	2	5	13	18
Caithness	41	135	9	1	–	14	–	200	–	15	18	33
Sutherland	10	88	–	–	–	–	1	99	–	9	25	34
Ross and Cromarty	71	294	5	2	2	1	–	375	–	129	186	315
Inverness	164	176	16	2	59	1	–	418	–	129	207	336
Nairn	11	15	13	1	2	1	–	43	–	3	17	20
Elgin	101	107	17	6	6	5	–	242	–	12	25	37
Banff	216	83	10	4	24	2	–	339	–	17	42	59
Aberdeen	889	376	66	51	30	75	24	1511	–	46	125	171
Kincardine	175	47	7	10	2	3	–	244	1	6	15	21
Forfar	677	298	215	54	129	84	2	1459	–	142	348	490
Perth	403	213	92	9	35	16	7	775	–	33	44	77
Fife	587	149	192	1	8	28	9	974	–	28	77	105
Kinross	15	7	10	–	–	–	–	32	–	–	–	–
Clackmannan	50	34	33	1	4	8	2	132	–	12	25	37
Stirling	319	109	122	2	51	18	3	624	1	70	141	211
Dumbarton	154	46	40	5	56	13	–	314	–	64	86	150
Argyll	202	108	18	6	17	7	–	358	–	49	101	150
Bute	40	42	4	1	6	2	1	96	–	7	10	17
Renfrew	664	203	146	15	203	52	4	1287	2	185	385	570
Ayr	750	264	185	17	86	55	4	1361	–	163	327	490
Lanark	1427	1172	826	91	774	414	268	4972	11	686	1503	2189
Linlithgow	98	62	37	–	33	12	–	242	–	39	46	85
Edinburgh	1057	540	416	74	160	85	15	2347	7	102	206	308
Haddington	133	51	30	2	19	3	1	239	–	24	38	62
Berwick	86	35	48	1	3	4	2	179	2	5	13	18
Peebles	40	7	11	1	1	–	–	60	–	–	1	1
Selkirk	36	6	23	–	–	2	1	68	–	1	2	3
Roxburgh	117	41	65	6	18	27	–	274	–	10	11	21
Dumfries	237	80	98	7	25	24	3	474	1	14	42	56
Kirkcudbright	146	37	17	1	9	5	–	215	–	12	9	21
Wigtown	138	53	24	–	16	8	1	240	–	21	33	54
SCOTLAND	9307	4930	2846	371	1778	990	348	20570	27	2062	4192	6254

AGES and CONDITION of PERSONS married in SCOTLAND in 1862.

Condition combined with Age.	Total.	AGES and CONDITION of PERSONS at MARRIAGE in 1862.																					
		Under 15	16	17	18	19	20	21	25	30	35	40	45	50	55	60	65	70	75	80	85	90	Age not stated.
Bachelors	17392	–	–	–	15	132	442	926	6826	5592	1995	819	349	166	74	29	9	1	1	–	–	–	16
and Spinsters.	17392	3	4	64	279	820	1403	1714	7182	4218	1103	414	110	39	14	2	–	–	–	–	–	–	23
Bachelors	464	–	–	–	1	–	1	6	79	126	93	80	38	20	13	6	1	–	–	–	–	–	–
and Widows.	464	–	–		–	–	1	3	29	130	146	75	56	15	7	–	–	–	–	–	–	–	2
Widowers	1747	–	–	–	–	–	–	2	32	243	305	339	275	200	153	88	65	26	12	4	–	–	3
and Spinsters.	1747	–	–	1	7	17	25	52	286	448	369	265	157	71	27	11	6	2	–	–	–	–	3
Widowers	501	–	–	–	–	–	–	–	2	29	53	83	92	78	66	45	37	13	2	1	–	–	–
and Widows.	501	–	–	–	–	–	–	–	13	45	96	129	92	68	40	9	7	1	–	–	1	–	–
Condition not stated. Males.	493	–	–	–	–	–	11	33	155	152	76	32	16	4	4	3	4	–	–	–	–	–	3
Condition not stated. Females.	493	–	–	1	4	21	36	41	199	120	42	13	3	2	–	3	1	1	–	–	–	–	6
Total Males	20597	–	–	–	16	132	454	967	7094	6142	2522	1353	770	468	310	171	116	40	15	5	–	–	22
Total Females ...	20597	3	4	66	290	858	1465	1810	7709	4961	1756	896	418	195	88	25	14	4	–	–	1	–	34

AGES of MALES married in Scotland in 1862.

	Total Males.	AGES of MALES at MARRIAGE in 1862.																					
		Under 15	16	17	18	19	20	21	25	30	35	40	45	50	55	60	65	70	75	80	85	90	Age not stated.
Scotland . .	20597	–	–	–	16	132	454	967	7094	6142	2522	1353	770	468	310	171	116	40	15	5	–	–	22
DISTRICTS.																							
Insular . .	851	–	–	–	1	4	9	11	190	279	169	85	43	16	16	4	16	3	2	–	–	–	3
Mainland-Rural	10185	–	–	–	8	64	234	503	3520	3051	1268	650	353	220	144	88	45	16	6	2	–	–	13
Town . . .	9561	–	–	–	7	64	211	453	3384	2812	1085	618	374	232	150	79	55	21	7	3	–	–	6
DIVISIONS.																							
1. Northern . .	678	–	–	–	2	6	9	19	189	210	116	54	22	15	12	5	10	2	4	–	–	–	3
2. North-Western	793	–	–	–	–	2	3	9	146	278	165	89	46	19	15	10	7	3	–	–	–	–	1
3. North-Eastern	2380	–	–	–	3	15	53	102	731	756	330	175	91	50	29	23	13	7	–	1	–	.	1
4. East-Midland .	3372	–	–	–	4	20	80	155	1215	1010	373	190	124	85	66	26	16	3	3	2	–	–	–
5. West-Midland	1393	–	–	–	1	13	27	45	422	416	200	113	65	35	25	15	14	–	–	–	–	–	2
6. South-Western	7633	–	–	–	5	48	202	431	2861	2218	831	443	247	151	97	50	24	13	4	–	–	–	8
7. South-Eastern	3144	–	–	–	1	16	59	145	1113	906	364	212	128	79	47	29	25	10	3	1	–	–	6
8. Southern . .	1204	–	–	–	–	12	21	61	417	348	143	77	47	34	19	13	7	2	1	1	–	–	1
COUNTIES.																							
Shetland . .	195	–	–	–	1	1	4	6	61	58	27	11	8	4	3	2	6	1	2	–	–	–	–
Orkney . .	184	–	–	–	–	2	4	2	53	57	30	17	6	5	2	1	2	1	–	–	–	–	2
Caithness . .	200	–	–	–	–	3	1	10	54	71	32	12	4	4	3	2	2	–	1	–	–	–	1
Sutherland . .	99	–	–	–	1	–	–	1	21	24	27	14	4	2	4	–	–	–	1	–	–	–	–
Ross and Cromarty	375	–	–	–	–	1	2	4	68	136	72	44	22	10	7	3	4	1	–	–	–	–	1
Inverness . .	418	–	–	–	–	1	1	5	78	142	93	45	24	9	8	7	3	2	–	–	–	–	–

AGES of MALES married in Scotland in 1862.

Nairn . . .	43	–	–	–	–	–	1	2	9	17	4	4	2	3	–	–	–	–	–	–	–	–	1
Elgin . . .	242	–	–	–	–	3	3	10	67	83	36	20	9	1	4	4	1	1	–	–	–	–	–
Banff . . .	339	–	–	–	1	1	7	14	115	106	44	26	9	3	7	2	4	–	–	–	–	–	–
Aberdeen . .	1511	–	–	–	2	10	38	63	464	469	211	102	65	41	15	17	8	5	–	1	–	–	–
Kincardine . .	245	–	–	–	–	1	4	13	76	81	35	23	6	2	3	–	–	1	–	–	–	–	–
Forfar . .	1459	–	–	–	–	8	25	65	507	449	161	77	63	38	45	9	11	–	–	1	–	–	–
Perth . . .	775	–	–	–	–	2	19	33	254	228	113	56	25	25	12	7	–	1	–	–	–	–	–
Fife . . .	974	–	–	–	3	10	32	48	380	282	90	49	34	20	6	10	4	2	3	1	–	–	–
Kinross . .	32	–	–	–	1	–	–	1	16	11	1	1	–	–	1	–	–	–	–	–	–	–	–
Clackmannan .	132	–	–	–	–	–	4	8	58	40	8	7	2	2	2	–	1	–	–	–	–	–	–
Stirling . .	625	–	–	–	–	9	22	26	235	169	70	38	21	16	10	5	4	–	–	–	–	–	–
Dumbarton . .	314	–	–	–	–	3	5	14	104	96	40	21	12	9	2	4	3	–	–	–	–	–	1
Argyll . .	358	–	–	–	1	1	–	4	64	114	78	43	27	8	7	5	5	–	–	–	–	–	1
Bute . . .	96	–	–	–	–	–	–	1	19	37	12	11	5	2	6	1	2	–	–	–	–	–	–
Renfrew . .	1289	–	–	–	1	5	38	69	487	364	140	83	32	32	21	12	4	1	–	–	–	–	–
Ayr . . .	1361	–	–	–	1	11	33	94	526	374	148	74	35	24	19	9	7	2	2	–	–	–	2
Lanark . .	4983	–	–	–	3	32	131	268	1848	1480	543	286	180	95	57	29	13	10	2	–	–	–	6
Linlithgow . .	242	–	–	–	–	4	11	22	111	56	15	10	7	2	1	1	–	–	–	–	–	–	2
Edinburgh . .	2354	–	–	–	1	11	39	93	803	677	294	170	99	59	42	27	23	9	2	1	–	–	4
Haddington .	239	–	–	–	–	1	4	16	87	66	28	12	14	8	2	1	–	–	–	–	–	–	–
Berwick . .	181	–	–	–	–	–	3	10	58	69	16	12	4	5	2	–	1	–	1	–	–	–	–
Peebles . .	60	–	–	–	–	–	2	3	24	16	5	4	1	4	–	–	1	–	–	–	–	–	–
Selkirk . .	68	–	–	–	–	–	–	1	30	22	6	4	3	1	–	–	–	1	–	–	–	–	–
Roxburgh . .	274	–	–	–	–	–	4	9	102	77	31	13	18	12	5	2	1	–	–	–	–	–	–
Dumfries . .	475	–	–	–	–	5	4	33	160	143	53	35	11	16	5	7	2	1	–	–	–	–	–
Kirkcudbright .	215	–	–	–	–	2	9	2	86	51	36	13	7	2	3	2	1	–	–	1	–	–	–
Wigtown . .	240	–	–	–	–	5	4	17	69	77	23	16	11	4	6	2	3	1	1	–	–	–	1

	Total Females.	AGES of FEMALES at MARRIAGE in 1862.																					
		Under 15	16	17	18	19	20	21	25	30	35	40	45	50	55	60	65	70	75	80	85	90	Age not stated.
Scotland . .	20597	3	4	66	290	858	1465	1810	7709	4961	1756	896	418	195	88	25	14	4	–	–	1	–	34
DISTRICTS.																							
Insular . .	851	–	–	1	5	15	30	36	317	268	107	42	16	6	3	1	1	1	–	–	–	–	2
Mainland-Rural	10185	2	3	43	153	411	734	906	3802	2503	887	403	174	90	36	10	5	–	–	–	–	–	23
Town . . .	9561	1	1	22	132	432	701	868	3590	2190	762	451	228	99	49	14	8	3	–	–	1	–	9
DIVISIONS.																							
1. Northern . .	678	–	–	–	4	14	39	50	206	209	91	37	14	8	2	–	–	1	–	–	–	–	3
2. North-Western	793	–	1	1	8	18	28	43	265	280	92	35	12	6	1	1	–	–	–	–	–	–	2
3. North-Eastern	2380	–	–	9	47	104	153	164	870	586	261	103	46	20	9	4	1	–	–	–	–	–	3
4. East-Midland .	3372	–	1	4	21	84	208	266	1340	860	300	157	75	28	15	5	2	1	–	–	–	–	5
5. West-Midland .	1393	–	–	7	17	66	101	119	515	345	107	54	29	20	7	2	2	–	–	–	–	–	2
6. South-Western	7633	3	2	29	136	408	663	787	2904	1642	525	288	133	63	30	8	3	–	–	–	1	–	8
7. South-Eastern	3144	–	–	11	42	125	202	276	1162	755	258	157	81	36	20	4	6	1	–	–	–	–	8
8. Southern . .	1204	–	–	5	15	39	71	105	447	284	122	65	28	14	4	1	–	1	–	–	–	–	3
COUNTIES.																							
Shetland . .	195	–	–	–	1	4	5	8	70	61	23	13	7	2	–	–	–	1	–	–	–	–	–
Orkney . .	184	–	–	–	2	2	11	10	57	51	32	14	2	2	–	–	–	–	–	–	–	–	1
Caithness . .	200	–	–	–	1	6	15	23	61	58	22	5	2	3	2	–	–	–	–	–	–	–	2
Sutherland . .	99	–	–	–	–	2	8	9	18	39	14	5	3	1	–	–	–	–	–	–	–	–	–
Ross and Cromarty	375	–	–	–	3	5	11	24	132	137	43	10	4	2	1	1	–	–	–	–	–	–	2
Inverness . .	418	–	1	1	5	13	17	19	133	143	49	25	8	4	–	–	–	–	–	–	–	–	–

AGES of FEMALES married in Scotland in 1862.

Nairn . . .	43	–	–	–	1	–	2	3	17	12	6	1	–	–	–	–	–	–	–	–	–	–	1
Elgin . . .	242	–	–	2	2	8	15	12	82	67	37	11	4	1	1	–	–	–	–	–	–	–	–
Banff . . .	339	–	–	4	10	12	20	28	125	83	35	9	5	6	2	–	–	–	–	–	–	–	–
Aberdeen . .	1511	–	–	3	31	72	98	107	538	364	165	75	34	11	6	4	1	–	–	–	–	–	2
Kincardine . .	245	–	–	–	3	12	18	14	108	60	18	7	3	2	–	–	–	–	–	–	–	–	–
Forfar . .	1159	–	–	1	8	38	82	104	581	378	121	83	41	14	7	1	–	–	–	–	–	–	–
Perth . . .	775	–	1	3	8	24	52	59	279	205	81	36	18	4	3	1	1	–	–	–	–	–	3
Fife . . .	974	–	–	–	3	16	60	88	409	248	80	34	15	8	5	3	1	1	–	–	–	–	–
Kinross . .	32	–	–	–	–	1	3	4	15	6	2	1	–	–	–	–	–	–	–	–	–	–	2
Clackmannan .	132	–	–	–	2	5	11	11	56	23	16	3	1	2	–	–	–	–	–	–	–	–	1
Stirling . .	625	–	–	5	11	37	59	68	224	129	41	19	15	13	3	–	–	–	–	–	–	–	1
Dumbarton .	314	–	–	1	5	18	27	27	124	70	16	12	5	5	2	1	–	–	–	–	–	–	1
Argyll . .	358	–	–	1	1	9	13	22	127	121	37	18	4	2	1	1	1	–	–	–	–	–	–
Bute . . .	96	–	–	–	–	2	2	2	40	25	13	5	5	–	1	–	1	–	–	–	–	–	–
Renfrew . .	1289	–	–	3	24	67	101	140	490	277	86	53	24	13	8	1	2	–	–	–	–	–	–
Ayr . . .	1361	2	1	7	24	91	129	136	511	271	95	51	20	12	7	1	–	–	–	–	1	–	2
Lanark . .	4983	1	1	19	88	250	433	511	1903	1094	344	184	89	38	15	6	1	–	–	–	–	–	6
Linlithgow . .	242	–	–	3	11	20	25	35	87	35	11	8	2	1	1	–	–	–	–	–	–	–	3
Edinburgh . .	2354	–	–	5	28	88	151	195	849	571	213	125	70	30	15	3	5	1	–	–	–	–	5
Haddington .	239	–	–	1	1	11	9	19	95	65	15	15	6	1	1	–	–	–	–	–	–	–	–
Berwick . .	181	–	–	1	1	2	8	13	81	51	10	6	3	2	2	1	–	–	–	–	–	–	–
Peebles . .	60	–	–	1	1	2	5	7	23	10	6	2	–	2	1	–	–	–	–	–	–	–	–
Selkirk . .	68	–	–	–	–	2	4	7	27	23	3	1	–	–	–	–	1	–	–	–	–	–	–
Roxburgh . .	274	–	–	1	7	11	13	30	90	62	25	17	12	6	–	–	–	–	–	–	–	–	1
Dumfries . .	475	–	–	4	3	17	34	34	175	110	54	26	10	6	1	–	–	–	–	–	–	–	–
Kirkcudbright .	215	–	–	–	1	4	15	20	91	50	20	8	3	1	1	–	–	1	–	–	–	–	–
Wigtown . .	240	–	–	–	4	7	9	21	91	62	23	14	3	1	2	1	–	–	–	–	1	–	2

DEATHS at Different Ages in SCOTLAND during the YEAR 1862.—BOTH SEXES.

	POPULATION.		BOTH SEXES.												
			ALL AGES.	AGE UNDER											
				MONTHS.											
	1851.	1861.		3	6	12	2	3	4	5	10	15	20	25	30
SCOTLAND .	2888742	3062294	67195	6014	2149	4393	6215	3154	1961	1311	3293	1705	2263	2563	2273
Insular . .	166487	160733	2975	221	56	125	175	104	53	33	102	60	95	124	102
Mainland .	1712552	1763377	32694	2876	916	1712	2306	1237	793	532	1597	930	1177	1243	1102
Towns . .	1009703	1138184	31526	2917	1177	2556	3734	1813	1115	746	1594	715	991	1196	1069
Shetland . .	31078	31670	484	37	11	11	21	9	3	4	17	11	16	28	12
Orkney . .	31455	32395	487	20	8	8	3	4	4	4	14	13	17	26	25
Caithness .	39782	42200	702	54	18	29	36	17	12	12	31	19	19	30	18
Sutherland .	24720	24157	344	33	7	8	12	3	4	1	7	5	4	9	12
Ross & Cromarty	83781	82427	1507	115	27	68	99	61	33	15	74	30	38	38	43
Inverness .	91954	84902	1599	150	30	75	96	42	33	13	44	23	43	60	69
Nairn . .	8076	8347	144	14	1	5	9	3	5	1	5	3	2	2	6
Elgin . .	40532	44218	863	73	28	46	48	17	14	8	43	26	22	26	31
Banff . .	51353	56020	918	70	31	41	39	28	15	14	50	27	35	37	28
Aberdeen .	213461	223344	4300	358	125	197	306	153	105	78	207	124	151	155	170
Kincardine .	34944	34854	563	48	10	23	30	14	13	9	29	12	24	21	29
Forfar . .	193627	206750	4885	534	173	387	526	274	165	97	192	88	128	157	146
Perth . .	137369	133198	2481	209	50	114	147	75	62	42	99	65	70	92	86
Fife . . .	153789	155021	2988	235	94	156	205	133	93	63	173	81	110	100	77
Kinross . .	9626	8731	138	10	7	7	12	1	–	3	11	4	1	2	6
Clackmannan .	21555	20122	417	37	19	24	38	10	5	5	15	11	24	22	15
Stirling . .	83802	88138	1937	167	60	117	159	104	63	37	108	46	67	77	54
Dumbarton .	46995	54179	1110	86	40	70	89	51	33	17	62	40	49	38	56
Argyll . .	94042	83859	1563	98	33	47	72	55	25	18	55	36	62	62	59
Bute . .	16608	16331	357	19	8	18	16	11	10	5	17	7	21	14	6
Renfrew . .	157950	168746	4308	381	183	328	482	234	132	87	207	131	157	181	145
Ayr . .	189973	199063	4261	400	147	274	418	226	115	68	218	155	196	195	159
Lanark . .	533169	640444	16988	1550	630	1503	2253	1048	621	399	931	448	604	654	550
Linlithgow .	30590	39045	938	97	34	91	119	41	36	15	69	24	31	31	24
Edinburgh .	259493	274093	6964	656	228	483	641	347	222	189	346	134	195	270	248
Haddington .	36363	37626	677	74	20	21	46	28	19	16	43	20	19	20	21
Berwick . .	36165	36488	597	65	18	31	28	18	18	16	27	10	13	27	17
Peebles . .	10804	11300	204	18	1	13	11	4	3	4	6	6	8	10	2
Selkirk . .	9802	10410	172	26	5	11	18	4	2	1	12	3	5	3	3
Roxburgh .	51225	53722	1044	123	26	53	56	44	23	18	47	22	26	51	45
Dumfries . .	78149	75904	1589	131	40	62	79	46	30	27	66	46	48	52	58
Kirkcudbright	43121	42495	818	66	21	38	45	27	14	12	39	15	32	33	36
Wigtown . .	43389	42095	838	60	16	34	56	22	29	13	29	20	26	40	26

DEATHS at Different Ages in the TOWN DISTRICTS of SCOTLAND, 1862.—BOTH SEXES.

Inverness .	16496	16162	322	36	5	19	13	4	2	1	3	3	7	11	17
Aberdeen .	71973	73900	1923	164	68	98	203	89	59	39	87	50	58	70	70
Arbroath .	17238	17831	435	26	9	29	49	26	20	15	25	7	20	12	10
Dundee . .	80027	91664	2599	320	115	259	378	173	88	47	108	45	61	88	79
Forfar . .	11009	10838	313	39	7	20	23	30	13	7	15	9	8	9	4
Montrose .	16037	15668	412	35	9	24	18	15	7	11	12	5	13	11	21
Perth . .	23835	25293	618	47	11	43	66	26	28	15	22	12	15	23	22
Dunfermline .	13836	13506	271	16	10	15	18	6	11	4	19	4	12	10	8
Kirkcaldy .	10636	11117	254	12	14	23	22	21	11	4	18	5	12	8	9
Stirling . .	12401	14012	381	43	15	25	35	18	16	12	13	3	4	24	10
Greenock .	37436	43894	1370	142	52	128	184	85	47	37	70	31	40	49	52
Paisley . .	48071	47427	1253	108	61	87	108	51	41	17	49	33	44	57	38
Ayr . . .	18845	19659	534	62	18	31	27	21	19	11	30	16	22	22	28
Kilmarnock .	21287	23556	576	53	19	52	65	32	17	4	30	15	23	27	21
Glasgow . .	329097	395503	11565	1057	447	1058	1601	753	440	288	597	294	407	436	385
Barony . .	16050	22559	789	47	25	59	88	31	22	13	35	16	25	31	29
Govan . .	14996	28584	783	81	34	68	116	53	36	21	61	22	19	32	16
Hamilton . .	11740	14047	287	27	11	13	34	11	8	6	11	12	18	9	14
Airdrie . .	14435	12922	259	21	8	24	34	9	7	1	19	13	17	11	8
Coatbridge, etc.	13168	13303	413	23	18	38	67	44	21	21	53	9	6	16	5
Edinburgh .	161648	170444	4760	411	153	338	456	246	148	134	250	89	137	196	173
Leith . .	32219	36029	872	100	46	71	87	52	38	29	44	12	14	29	29
Dumfries .	17223	18266	537	47	22	34	42	17	16	9	23	10	9	15	21

DEATHS at Different Ages in SCOTLAND during the YEAR 1862.—BOTH SEXES.

	BOTH SEXES. AGE UNDER															
	35	40	45	50	55	60	65	70	75	80	85	90	95	100	105	?
SCOTLAND	2066	2097	1944	2002	2225	2213	3026	2969	3266	3059	2749	1464	529	169	30	93
Insular	82	69	73	79	97	84	143	145	214	239	239	133	64	39	4	21
Mainland	964	966	857	859	1003	1135	1555	1691	1918	1917	1869	993	374	100	21	51
Towns	1020	1062	1014	1064	1125	994	1328	1133	1134	903	641	338	91	30	5	21
Shetland	12	15	12	17	14	18	18	24	32	33	42	29	13	11	2	12
Orkney	9	10	12	14	16	9	36	31	52	45	51	38	12	5	1	–
Caithness	19	24	15	17	17	32	31	26	52	51	56	39	19	4	3	2
Sutherland	18	11	8	10	7	12	11	23	34	31	31	25	13	3	–	2
Ross and Cromarty	37	29	25	23	42	48	75	88	97	135	133	84	31	15	1	3
Inverness	42	34	35	38	68	50	77	85	121	104	154	59	33	14	1	6
Nairn	3	2	4	1	5	5	8	14	10	11	14	7	4	–	–	–
Elgin	23	32	17	22	24	37	41	49	52	54	71	36	18	4	–	1
Banff	25	20	28	29	29	22	49	42	68	56	87	32	11	2	1	2
Aberdeen	141	124	110	120	127	136	211	204	242	263	254	146	69	19	3	2
Kincardine	16	16	8	12	24	18	21	38	37	50	35	18	12	5	–	–
Forfar	148	127	121	144	165	172	228	191	236	198	171	85	25	5	1	1
Perth	69	68	62	47	80	115	151	153	167	162	178	79	28	5	2	4
Fife	77	69	77	89	94	109	138	196	181	194	152	64	17	6	2	3
Kinross	2	2	3	2	4	8	6	11	11	7	8	9	–	1	–	–
Clackmannan	9	16	18	21	17	18	19	23	19	13	12	6	1	–	–	–
Stirling	57	63	51	52	64	71	99	93	96	93	74	41	21	3	–	–
Dumbarton	40	37	33	29	44	24	61	54	50	35	37	27	6	1	–	1
Argyll	39	46	43	47	46	67	74	97	113	137	112	68	32	12	1	7
Bute	13	8	10	16	18	15	16	13	23	27	25	12	4	3	–	2
Renfrew	144	144	133	128	139	141	175	160	167	146	91	64	15	6	2	5
Ayr	121	112	119	121	113	122	176	163	186	180	148	97	22	5	–	5
Lanark	544	606	573	568	599	489	614	493	456	373	277	143	40	14	3	15
Linlithgow	25	29	31	20	23	18	43	28	41	28	21	12	4	1	–	2
Edinburgh	253	271	234	253	272	225	341	323	314	241	163	79	23	7	1	5
Haddington	12	17	12	18	17	32	37	36	48	39	40	10	9	3	–	–
Berwick	18	12	14	15	14	20	32	43	46	28	37	18	6	3	1	2
Peebles	7	1	9	8	9	10	11	14	15	16	13	2	3	–	–	–
Selkirk	5	1	3	3	3	5	17	7	10	8	12	3	2	–	–	–
Roxburgh	39	32	19	30	33	39	45	59	72	62	42	23	7	3	–	5
Dumfries	42	54	57	47	49	70	87	96	118	114	96	49	17	4	2	2
Kirkcudbright	29	23	25	21	22	32	41	49	46	67	46	28	4	3	3	1
Wigtown	28	42	23	20	27	24	37	43	54	58	66	32	8	2	–	3

DEATHS at Different Ages in the TOWN DISTRICTS of SCOTLAND, 1862.—BOTH SEXES.

Inverness	5	11	4	13	17	14	20	19	32	22	26	9	7	2	–	–
Aberdeen	58	49	53	66	72	66	89	95	87	88	75	47	17	4	1	1
Arbroath	12	10	11	13	12	11	29	18	22	20	17	7	3	1	–	1
Dundee	75	61	69	88	83	81	96	77	80	50	45	20	11	2	–	–
Forfar	10	4	5	3	8	15	19	11	26	10	11	6	1	–	–	–
Montrose	17	19	11	8	24	18	29	24	23	30	15	12	1	–	–	–
Perth	16	12	21	13	17	27	42	36	35	29	26	9	3	–	–	2
Dunfermline	10	11	7	9	10	9	15	19	12	14	15	5	–	–	–	2
Kirkcaldy	4	5	5	9	5	7	12	20	7	11	7	2	1	–	–	–
Stirling	15	12	10	10	10	13	24	14	14	18	13	6	4	–	–	–
Greenock	37	42	53	50	46	36	46	42	37	29	17	8	5	2	1	2
Paisley	47	48	32	32	47	51	54	60	68	54	34	25	4	3	–	–
Ayr	10	16	15	19	19	21	24	17	26	20	21	19	–	–	–	–
Kilmarnock	19	20	11	25	12	13	25	21	23	23	12	12	1	–	–	1
Glasgow	376	403	411	401	437	316	407	300	298	215	133	75	15	8	2	5
Barony	23	42	29	31	30	39	43	38	34	32	17	6	–	3	–	1
Govan	29	22	28	27	18	17	24	21	7	7	14	7	1	–	–	2
Hamilton	8	13	14	8	8	12	12	12	11	5	4	4	2	–	–	–
Airdrie	9	9	4	8	9	8	13	4	6	10	5	2	–	–	–	–
Coatbridge, etc.	9	10	5	14	3	17	7	10	5	7	5	–	–	–	–	–
Edinburgh	179	184	162	172	197	143	247	218	210	157	91	46	11	4	1	2
Leith	31	37	27	26	22	29	25	37	37	23	17	6	2	–	–	2
Dumfries	21	22	27	19	19	26	26	20	34	29	21	5	2	1	–	–

MALE DEATHS at Different Ages in SCOTLAND during the YEAR 1862.—MALES.

	MALE POPULATION.		MALES.												
			ALL AGES.	AGE UNDER											
				MONTHS.			2	3	4	5	10	15	20	25	30
	1851.	1861.		3	6	12									
SCOTLAND .	1375479	1449848	33179	3468	1222	2292	3210	1567	932	649	1702	897	1163	1304	1084
Insular . .	76760	73409	1445	129	35	75	102	58	25	12	58	24	47	79	59
Mainland .	829259	849381	16178	1655	533	901	1182	615	381	266	839	508	604	650	552
Towns . .	469460	527058	15556	1684	654	1316	1926	894	526	371	805	365	512	575	473
Shetland . .	13145	13053	227	27	10	7	13	5	2	2	12	3	8	18	6
Orkney . .	14350	14924	242	14	6	4	3	2	3	–	11	8	10	20	12
Caithness .	18809	19846	359	26	12	14	19	9	7	9	20	14	9	21	10
Sutherland .	11437	11058	181	21	4	4	5	–	3	1	5	4	2	6	5
Ross & Cromarty	39489	38462	737	62	14	38	45	28	12	6	43	16	22	24	29
Inverness .	42814	39479	777	80	17	44	63	25	16	4	25	9	16	32	37
Nairn . .	3831	3976	72	11	–	3	5	1	1	1	2	2	1	1	4
Elgin . .	18943	20737	427	45	15	23	25	6	6	5	22	17	13	17	17
Banff . .	24195	26401	449	44	18	25	24	17	4	8	23	12	19	21	13
Aberdeen .	100935	105322	2082	200	68	102	160	79	61	44	95	73	88	78	86
Kincardine .	17188	16939	291	25	6	12	18	5	3	4	19	6	12	13	11
Forfar . .	89408	93280	2391	317	97	189	295	144	83	40	103	51	55	72	52
Perth . .	65697	63169	1215	120	29	63	68	38	35	25	57	30	38	54	41
Fife . . .	73305	72714	1471	131	54	75	119	74	40	32	87	46	61	45	42
Kinross . .	4660	4150	63	7	3	3	5	–	–	2	4	2	1	1	1
Clackmannan .	10634	9742	212	20	11	12	18	4	1	2	6	6	15	11	9
Stirling . .	41113	43487	916	85	34	58	75	53	35	16	54	25	29	36	26
Dumbarton .	23340	26455	569	53	22	32	46	31	18	8	32	21	24	20	27
Argyll . .	46197	40914	764	57	16	21	41	30	10	9	34	18	31	37	33
Bute . .	7518	7208	162	13	4	11	7	6	6	2	6	4	10	9	4
Renfrew . .	74224	79380	2157	207	104	174	242	116	72	43	116	67	76	98	69
Ayr . .	92933	97035	2146	243	87	143	194	114	58	35	120	80	98	90	70
Lanark . .	258449	308263	8504	904	359	781	1150	507	276	196	476	230	304	308	251
Linlithgow .	15422	20069	499	60	21	58	62	20	18	5	33	16	18	14	13
Edinburgh .	119428	126429	3400	376	129	255	318	167	100	95	162	61	111	136	113
Haddington .	17592	17866	302	42	9	9	28	11	6	7	22	12	9	8	10
Berwick . .	17367	17354	269	29	11	16	12	6	6	9	12	5	5	12	5
Peebles . .	5400	5603	107	11	1	5	8	1	2	3	2	3	6	3	1
Selkirk . .	4836	5069	96	14	3	5	14	2	1	–	6	2	4	1	1
Roxburgh .	25002	26593	544	67	17	35	24	21	13	11	28	14	14	34	27
Dumfries .	37200	35687	776	77	22	34	47	22	11	17	35	21	22	28	33
Kirkcudbright	20223	19789	398	45	10	18	28	16	9	3	16	9	16	16	16
Wigtown .	20335	19395	374	35	9	19	29	7	14	5	14	10	16	20	10

MALE DEATHS at Different Ages in the TOWN DISTRICTS of SCOTLAND, 1862.

Inverness .	7401	7261	155	18	1	11	9	4	1	–	2	2	2	8	9
Aberdeen .	31746	32554	938	93	35	51	99	42	35	23	38	34	33	40	37
Arbroath .	7866	7770	204	14	5	16	30	13	9	8	16	1	7	5	2
Dundee . .	36364	40395	1289	196	66	130	205	88	41	18	56	26	27	37	26
Forfar . .	5017	4735	158	33	2	9	17	17	7	3	8	5	3	3	1
Montrose .	7061	6736	191	18	6	9	11	7	6	5	7	3	5	6	9
Perth . .	11282	11564	295	23	8	25	29	16	17	8	15	6	7	12	8
Dunfermline .	6901	6447	141	12	8	8	10	1	3	2	11	1	8	7	3
Kirkcaldy .	4906	5074	129	9	8	12	13	13	4	2	12	1	8	3	3
Stirling . .	5908	6814	186	23	9	12	16	10	12	7	7	1	3	9	5
Greenock .	17905	21567	703	81	29	63	94	43	28	19	39	12	23	32	27
Paisley . .	22608	21913	602	54	32	38	62	24	21	7	22	16	23	22	15
Ayr . .	8675	9094	277	43	11	16	18	14	9	7	17	9	11	9	15
Kilmarnock .	10163	11398	286	29	11	27	30	18	8	2	19	7	12	11	7
Glasgow . .	154930	185556	5696	609	245	546	824	347	196	147	297	158	206	196	163
Barony . .	8090	11221	387	25	16	30	38	22	5	3	24	10	11	12	15
Govan . .	7286	13603	397	43	17	30	63	28	19	9	36	8	11	21	7
Hamilton .	5576	6798	152	20	6	9	12	5	5	3	3	6	11	5	8
Airdrie . .	7333	6242	119	12	6	11	13	4	2	1	10	6	5	2	5
Coatbridge, etc.	7084	8155	223	15	11	24	40	25	10	12	26	3	2	6	4
Edinburgh .	72067	76013	2306	237	84	182	221	112	64	63	108	39	82	102	77
Leith . .	15482	17894	441	53	25	39	45	32	15	18	21	5	7	18	12
Dumfries .	7809	8254	281	24	13	18	27	9	9	4	11	6	5	9	15

MALE DEATHS at Different Ages in SCOTLAND during the YEAR 1862.—MALES.

	MALES. AGE UNDER															
	35	40	45	50	55	60	65	70	75	80	85	90	95	100	105	?
SCOTLAND . . .	935	991	913	995	1130	1083	1456	1377	1490	1276	1139	595	192	55	10	52
Insular . . .	38	35	33	31	46	40	62	55	99	97	98	54	27	11	3	13
Mainland . . .	458	453	381	415	507	550	753	818	914	805	805	428	138	33	7	27
Towns . . .	439	503	499	549	577	493	641	504	477	374	236	113	27	11	–	12
Shetland . . .	4	5	2	9	5	8	9	7	13	14	12	12	5	2	1	6
Orkney . . .	3	6	5	7	12	7	15	13	21	12	22	19	6	–	1	–
Caithness . .	8	10	7	11	7	15	19	9	28	17	25	22	7	1	2	1
Sutherland . .	12	6	4	5	5	5	7	11	17	15	17	11	3	1	–	2
Ross and Cromarty .	14	15	10	13	24	21	35	42	43	76	43	36	12	6	–	3
Inverness . . .	17	18	19	16	41	28	36	34	49	39	64	24	16	5	1	2
Nairn . . .	–	–	2	–	3	3	3	6	6	5	9	2	1	–	–	–
Elgin . . .	7	13	9	9	12	19	22	26	28	23	27	14	5	1	–	1
Banff . . .	12	11	12	15	12	13	18	16	32	21	45	11	2	1	–	–
Aberdeen . . .	63	52	52	49	67	66	91	104	112	111	103	47	25	6	–	–
Kincardine . .	8	12	6	7	16	13	8	24	16	21	9	10	4	3	–	–
Forfar . . .	61	59	54	72	71	91	111	80	100	80	74	33	5	1	1	–
Perth . . .	33	27	23	23	39	53	73	68	79	65	83	32	13	3	–	3
Fife . . .	37	29	30	47	41	63	67	93	77	79	70	23	6	3	–	–
Kinross . . .	–	2	1	1	1	3	4	8	6	3	2	2	–	1	–	–
Clackmannan . .	5	7	8	15	8	7	9	14	10	4	6	4	–	–	–	–
Stirling . . .	24	30	19	22	32	39	50	40	39	44	25	19	5	2	–	–
Dumbarton . .	22	22	14	21	20	13	32	26	23	16	16	8	1	–	–	1
Argyll . . .	23	27	23	13	28	28	37	42	52	57	46	29	12	6	1	3
Bute . . .	6	3	2	5	8	9	6	3	8	9	15	3	1	–	–	2
Renfrew . . .	55	67	68	62	68	70	77	83	83	64	34	30	6	2	–	4
Ayr	61	50	59	70	53	57	91	89	88	74	62	44	12	–	–	4
Lanark . . .	235	283	285	297	324	240	307	239	199	167	110	57	8	4	–	7
Linlithgow . .	13	16	15	8	15	9	20	10	23	12	8	6	3	1	–	2
Edinburgh . .	126	134	116	124	134	99	156	141	151	93	59	32	8	1	–	3
Haddington . .	3	6	5	5	6	16	12	12	23	13	18	3	6	1	–	–
Berwick . . .	9	5	5	8	4	10	14	23	24	9	19	8	1	1	–	1
Peebles . . .	2	1	7	4	4	5	6	6	9	8	6	1	2	–	–	–
Selkirk . . .	3	1	2	2	2	3	12	2	4	2	7	1	2	–	–	–
Roxburgh . .	22	15	10	15	18	18	18	26	36	27	18	11	3	–	–	2
Dumfries . . .	23	26	24	24	26	35	46	40	48	47	35	21	6	2	2	2
Kirkcudbright .	15	11	10	14	9	10	25	24	19	26	20	9	2	–	1	1
Wigtown . . .	9	22	5	2	15	7	20	16	24	23	25	11	4	1	–	2

DEATHS at Different Ages in the TOWN DISTRICTS of SCOTLAND, 1862.—MALES.

Inverness . . .	2	6	3	4	12	9	9	7	12	4	14	4	2	–	–	–
Aberdeen . . .	24	23	25	33	36	33	40	45	36	36	29	11	5	2	–	–
Arbroath . . .	5	2	5	5	6	5	18	8	8	7	7	2	–	–	–	–
Dundee . . .	29	25	28	48	40	41	50	36	24	21	20	7	3	1	–	–
Forfar . . .	2	2	3	1	2	9	10	1	10	3	4	3	–	–	–	–
Montrose . . .	9	12	6	4	7	8	12	11	8	14	4	4	–	–	–	–
Perth . . .	7	4	10	6	9	12	22	13	8	11	14	4	–	–	–	1
Dunfermline . .	6	6	1	6	4	7	9	7	7	5	8	1	–	–	–	–
Kirkcaldy . .	2	2	2	4	2	4	5	7	2	6	3	1	1	–	–	–
Stirling . . .	6	5	5	7	7	8	9	6	6	9	3	1	–	–	–	–
Greenock . . .	14	21	27	24	23	18	18	20	22	13	6	2	3	–	–	2
Paisley . . .	15	22	20	14	24	27	27	31	32	26	13	10	3	2	–	–
Ayr	6	3	6	13	7	9	13	9	12	5	5	10	–	–	–	–
Kilmarnock . .	7	8	7	14	4	9	17	9	9	10	5	4	1	–	–	1
Glasgow . . .	161	187	202	210	237	142	192	138	123	90	45	25	4	2	–	4
Barony . . .	9	22	13	17	14	24	20	17	17	14	6	1	–	2	–	–
Govan . . .	14	9	15	9	11	10	14	8	3	4	6	–	–	–	–	2
Hamilton . . .	3	8	9	3	3	7	5	8	5	4	1	3	–	–	–	–
Airdrie . . .	2	3	3	5	5	6	8	3	–	4	2	1	–	–	–	–
Coatbridge, etc. .	2	5	2	8	2	10	4	6	3	3	–	–	–	–	–	–
Edinburgh . .	87	95	81	83	102	68	113	88	102	66	30	16	3	1	–	–
Leith . . .	17	21	12	17	12	13	12	19	14	7	4	–	1	–	–	2
Dumfries . . .	10	12	14	14	8	14	14	7	14	12	7	3	1	1	–	–

FEMALE DEATHS at Different Ages in SCOTLAND during the YEAR 1862.—FEMALES.

	FEMALE POPULATION.		FEMALES.												
			ALL AGES.	AGE UNDER											
				MONTHS.											
	1851.	1861.		3	6	12	2	3	4	5	10	15	20	25	30
SCOTLAND .	1513263	1612446	34016	2546	927	2101	3005	1587	1029	662	1591	808	1100	1259	1189
Insular . .	89727	87824	1530	92	21	50	73	46	28	21	44	36	48	45	43
Mainland .	883293	913996	16516	1221	383	811	1124	622	412	266	758	422	573	593	550
Towns . .	540243	611126	15970	1233	523	1240	1808	919	589	375	789	350	479	621	596
Shetland . .	17933	18617	257	10	1	4	8	4	1	2	5	8	8	10	6
Orkney . .	17105	17471	245	6	2	4	–	2	1	4	3	5	7	6	13
Caithness .	20973	22354	243	28	6	15	17	8	5	3	11	5	10	9	8
Sutherland .	13283	13099	163	12	3	4	7	3	1	–	2	1	2	3	7
Ross & Cromarty	44292	43965	770	53	13	30	54	33	21	9	31	14	16	14	14
Inverness .	49140	45523	822	70	13	31	33	17	17	9	19	14	27	28	32
Nairn . .	4245	4371	72	3	1	2	4	2	4	–	3	1	1	1	2
Elgin . .	21589	23481	436	28	13	23	23	11	8	3	21	9	9	9	14
Banff . .	27158	29619	469	26	13	16	15	11	11	6	27	15	16	16	15
Aberdeen .	112526	118022	2218	158	57	95	146	74	44	34	112	51	63	77	84
Kincardine .	17756	17915	272	23	4	11	12	9	10	5	10	6	12	8	9
Forfar . .	104219	113470	2491	217	76	198	231	130	82	57	89	37	73	85	94
Perth . .	71672	70029	1266	89	21	51	79	37	27	17	42	35	32	38	45
Fife . .	80484	82307	1517	104	40	81	86	59	53	31	86	35	49	55	35
Kinross . .	4966	5051	75	3	4	4	7	1	–	1	7	2	–	1	5
Clackmannan .	10921	10380	205	17	8	12	20	6	4	3	9	5	9	11	6
Stirling . .	42689	44651	1021	82	38	59	84	51	28	21	54	21	38	41	28
Dumbarton .	23655	27724	541	33	18	26	43	20	15	9	30	19	25	18	29
Argyll . .	47845	42945	799	41	17	26	31	25	15	9	21	18	31	25	26
Bute . .	9090	9123	195	6	4	7	7	5	4	3	11	3	11	5	2
Renfrew . .	88726	89366	2151	174	79	154	240	118	60						
Ayr . .	96980	102028	2115	157	60	131	224	112	57	34	91	64	81	83	76
Lanark . .	274120	332181	8494	646	271	722	1103	541	345	203	498	75	98	105	89
												218	300	346	299
Linlithgow .	15168	18976	439	37	13	33	57	21	18	10	36				
Edinburgh .	140065	147661	3561	280	99	228	323	180	122	94	184	58	13	17	11
Haddington .	18771	19760	375	32	11	12	18	17	13	9	21	8	84	134	135
Berwick . .	18798	19134	328	36	7	15	16	12	12	7	15	5	10	12	11
Peebles . .	5404	5697	97	7	–	8	3	3	1	1	4	3	8	15	12
Selkirk . .	4966	5341	76	12	2	6	4	2	1	1	6	1	1	7	1
														2	2
Roxburgh .	26223	27129	500	56	9	18	32	23	10	7	19	8	12		
Dumfries .	40949	42217	813	54	18	28	32	24	19	10	31	25	26	17	18
Kirkcudbright	22898	22706	420	21	11	20	17	11	5	9	23	6	16	24	25
Wigtown .	23054	22700	464	25	7	15	27	15	15	8	15	10	10	7	20
															16

DEATHS at Different Ages in the TOWN DISTRICTS of SCOTLAND, 1862.—FEMALES.

Inverness .	9095	8901	167	18	4	8	4	–	1	1	1	1	5	3	
Aberdeen .	40227	41346	985	71	33	47	104	47	24	16	49	16	25	30	8
Arbroath .	9372	10061	231	12	4	13	19	13	11	7	9	6	13	7	3
Dundee . .	43663	51269	1310	124	49	129	173	85	47	29	52	19	34	51	3
Forfar . .	5992	6103	155	6	5	11	6	13	6	4	7	4	5	6	2
Montrose .	8976	8932	221	17	3	15	7	8	1	6	5	2	8	5	3
Perth . .	12553	13729	323	24	3	18	37	10	11	7	7	6	8	11	2
Dunfermline .	6935	7059	130	4	2	7	8	5	8	2	8	3	4	3	2
Kirkcaldy .	5730	6013	125	3	6	11	9	8	7	2	6	4	4	5	4
Stirling . .	6493	7198	195	20	6	13	19	8	4	5	6	2	1	15	5
Greenock .	19531	22327	667	61	23	65	90	42	19	18	31	19	17	17	6
Paisley . .	25463	25514	651	54	29	49	46	27	20	10	27	17	21	35	22
Ayr . .	10170	10565	257	19	7	15	9	7	10	4	13	7	11	13	13
Kilmarnock .	11124	12158	290	24	8	25	35	14	9	2	11	8	11	16	14
Glasgow . .	174167	209947	5869	448	202	512	777	406	244	141	300	136	201	240	222
Barony . .	7960	11338	402	22	9	29	50	9	17	10	11	6	14	19	14
Govan . .	7710	14981	386	38	17	38	53	25	17	12	25	14	8	11	9
Hamilton .	6164	7249	135	7	5	4	22	6	3	3	8	6	7	4	6
Airdrie . .	7102	6680	140	9	2	13	21	5	5	–	9	7	12	9	3
Coatbridge, etc.	6084	7148	190	8	7	14	27	19	11	9	27	6	4	10	1
Edinburgh .	89581	94431	2454	174	69	156	235	134	84	71	142	50	55	94	96
Leith . .	16737	18135	431	47	21	32	42	20	23	11	23	7	7	11	17
Dumfries .	9414	10012	256	23	9	16	15	8	7	5	12	4	4	6	6

FEMALE DEATHS at Different Ages in SCOTLAND during the YEAR 1862.—FEMALES.

	FEMALES. AGE UNDER															
	35	40	45	50	55	60	65	70	75	80	85	90	95	100	105	?
SCOTLAND	1131	1106	1031	1007	1095	1130	1570	1592	1776	1783	1610	869	337	114	20	41
Insular	41	34	40	48	51	44	81	90	115	142	141	79	37	28	1	8
Mainland	506	513	476	444	496	585	802	873	1004	1112	1064	565	236	67	14	24
Towns	581	559	515	515	548	501	687	629	657	529	405	225	64	19	5	9
Shetland	8	10	10	8	9	10	9	17	19	19	30	17	8	9	1	6
Orkney	6	4	7	7	4	2	21	18	31	33	29	19	6	5	–	–
Caithness	11	14	8	6	10	17	12	17	24	34	31	17	12	3	1	1
Sutherland	6	5	4	5	2	7	4	12	17	16	14	14	10	2	–	–
Ross and Cromarty	23	14	15	10	18	27	40	46	54	59	85	48	19	9	1	–
Inverness	25	16	16	22	27	22	41	51	72	65	90	35	17	9	–	4
Nairn	3	2	2	1	2	2	5	8	4	6	5	5	3	–	–	–
Elgin	16	19	8	13	12	18	19	23	24	31	44	22	13	3	–	–
Banff	13	9	16	14	17	9	31	26	36	35	42	21	9	1	1	2
Aberdeen	78	72	58	71	60	70	120	100	130	152	151	99	44	13	3	2
Kincardine	8	4	2	5	8	5	13	14	21	29	26	8	8	2	–	–
Forfar	87	68	67	72	94	81	117	111	136	118	97	52	20	4	–	1
Perth	36	41	39	24	41	62	78	85	88	78	95	47	15	2	2	1
Fife	40	40	47	42	53	46	71	103	104	115	82	41	11	3	2	3
Kinross	2	–	2	1	3	5	2	3	5	4	6	7	–	–	–	–
Clackmannan	4	9	10	6	9	11	10	9	9	9	6	2	1	–	–	–
Stirling	33	33	32	30	32	32	49	53	57	49	49	22	16	1	–	–
Dumbarton	18	15	19	8	24	11	29	28	27	19	21	19	5	1	–	–
Argyll	16	19	20	34	18	39	37	55	61	80	66	39	20	6	–	4
Bute	7	5	8	11	10	6	10	10	15	18	10	9	3	3	–	–
Renfrew	89	77	65	66	71	71	98	77	84	82	57	34	9	4	2	1
Ayr	60	62	60	51	60	65	85	74	98	106	86	53	10	5	–	1
Lanark	309	325	288	271	275	249	307	254	257	206	167	86	32	10	3	8
Linlithgow	12	13	16	12	8	9	23	18	18	16	13	6	1	–	–	–
Edinburgh	127	137	118	129	138	126	185	182	163	148	104	47	15	6	1	2
Haddington	9	11	7	13	11	16	25	24	25	26	22	7	3	2	–	–
Berwick	9	7	9	7	10	10	18	20	22	19	18	10	5	2	1	1
Peebles	5	–	2	4	5	5	5	8	6	8	7	1	1	–	–	–
Selkirk	2	–	1	1	1	2	5	5	6	6	5	2	–	–	–	–
Roxburgh	17	17	9	15	15	21	27	33	36	35	24	12	4	3	–	3
Dumfries	19	28	33	23	23	35	41	56	70	67	61	28	11	2	–	–
Kirkcudbright	14	12	15	7	13	22	16	25	27	41	26	19	2	3	2	–
Wigtown	19	20	18	18	12	17	17	27	30	35	41	21	4	1	–	1

DEATHS at Different Ages in the TOWN DISTRICTS of SCOTLAND, 1862.—FEMALES.

Inverness	3	5	1	9	5	5	11	12	20	18	12	5	5	2	–	–
Aberdeen	34	26	28	33	36	33	49	50	51	52	46	36	12	2	1	1
Arbroath	7	8	6	8	6	6	11	10	14	13	10	5	3	1	–	1
Dundee	46	36	41	40	43	40	46	41	56	29	25	13	8	1	–	–
Forfar	8	2	2	2	6	6	9	10	16	7	7	3	1	–	–	–
Montrose	8	7	5	4	17	10	17	13	15	16	11	8	1	–	–	–
Perth	9	8	11	7	8	15	20	23	27	18	12	5	3	–	–	1
Dunfermline	4	5	6	3	6	2	6	12	5	9	7	4	–	–	–	2
Kirkcaldy	2	3	3	5	3	3	7	13	5	5	4	1	–	–	–	–
Stirling	9	7	5	3	3	5	15	8	8	9	10	5	4	–	–	–
Greenock	23	21	26	26	23	18	28	22	15	16	11	6	2	2	1	–
Paisley	32	26	12	18	23	24	27	29	36	28	21	15	1	1	–	–
Ayr	4	13	9	6	12	12	11	8	14	15	16	9	–	–	–	–
Kilmarnock	12	12	4	11	8	4	8	12	14	13	7	8	–	–	–	–
Glasgow	215	216	209	191	200	174	215	162	175	125	88	50	11	6	2	1
Barony	14	20	16	14	16	15	23	21	17	18	11	5	–	1	–	1
Govan	15	13	13	18	7	7	10	13	4	3	8	7	1	–	–	–
Hamilton	5	5	5	5	5	5	7	4	6	1	3	1	2	–	–	–
Airdrie	7	6	1	3	4	2	5	1	6	6	3	1	–	–	–	–
Coatbridge, etc.	7	5	3	6	1	7	3	4	2	4	5	–	–	–	–	–
Edinburgh	92	89	81	89	95	80	134	130	108	91	61	30	8	3	1	2
Leith	14	16	15	9	10	16	13	18	23	16	13	6	1	–	–	–
Dumfries	11	10	13	5	11	12	12	13	20	17	14	2	1	–	–	–

CAUSES of DEATH in the COUNTIES of SCOTLAND during the YEAR 1862.—BOTH SEXES.

DISEASES.	Scotland.	Shetland.	Orkney.	Caithness.	Sutherland.	Ross and Cromarty.	Inverness.	Nairn.	Elgin.	Banff.	Aberdeen.	Kincardine.	Forfar.	Perth.	Fife.	Kinross.
ALL CAUSES	67195	484	487	702	344	1507	1599	144	863	918	4300	563	4885	2181	2988	138
SPECIFIED CAUSES	63860	378	450	660	299	1259	1368	136	794	850	4159	546	4727	2338	2824	138
I. Zymotic Class	13978	44	34	158	25	279	247	26	143	164	911	107	1284	448	617	35
II. Diseases of Uncer. Seat	2288	17	19	32	13	50	39	10	35	33	179	16	150	112	135	5
III. Tubercular Class	11429	59	81	97	41	152	179	11	114	133	707	71	725	336	431	12
IV. Brain and Nervous Sys.	5086	21	33	41	25	86	98	16	92	71	336	54	343	218	258	12
V. Organs of Circulation	2787	7	12	17	4	20	40	5	42	39	187	32	237	128	159	5
VI. Respiratory Organs	9194	18	33	70	22	110	157	12	90	107	488	59	674	285	338	21
VII. Organs of Digestion	4788	23	23	26	27	57	95	11	65	85	344	42	308	194	215	12
VIII. Urinary Organs	904	2	7	21	7	16	16	4	23	22	108	9	63	37	32	3
IX. Organs of Generation	481	6	5	6	4	5	10	–	6	10	37	9	44	15	22	3
X. Organs of Locomotion	464	3	6	4	2	11	20	–	7	7	35	3	24	19	14	1
XI. Skin, etc.	80	–	–	3	1	7	2	–	–	1	7	1	5	3	3	1
XII. Malformation	145	–	1	–	–	–	–	2	–	–	8	2	16	6	5	–
XIII. Premature Debility	2986	12	5	23	11	25	45	4	25	31	179	20	293	94	126	7
XIV. Atrophy	576	3	3	2	1	8	5	–	3	1	23	8	40	17	17	1
XV. Age	6559	149	164	141	104	395	375	32	125	126	485	91	398	339	341	14
XVI. Sudden Deaths	118	–	–	–	1	4	1	–	–	–	6	2	20	6	6	1
XVII. Violent Deaths	2057	14	24	19	11	34	39	3	24	20	116	20	103	81	102	5
I. Small Pox	426	1	–	2	–	1	–	–	1	–	–	1	16	2	10	1
Measles	1404	21	–	39	2	70	44	–	–	2	157	14	323	19	57	–
Scarlatina	1281	–	–	–	–	3	2	–	5	5	47	10	49	54	104	5
Diphtheria	997	–	–	22	2	29	16	3	23	28	137	18	65	46	74	4
Hooping Cough	2799	1	–	1	2	20	33	1	29	42	191	11	315	113	92	12
Croup	1396	–	1	7	4	55	22	9	16	15	38	7	115	46	52	3
Thrush	36	–	1	–	–	–	3	–	–	1	3	–	10	1	1	–
Diarrhœa	1108	–	5	10	3	18	14	1	9	9	66	7	88	22	38	4
Dysentery	293	5	–	6	1	2	8	2	6	11	25	–	29	12	15	–
Cholera	57	–	–	–	2	–	–	–	–	1	2	–	3	–	2	–
Influenza	387	6	9	31	1	27	48	3	5	10	39	6	23	14	12	1
Purpura	51	1	–	–	–	–	–	1	1	1	4	–	5	3	3	–
Ague	16	–	–	–	–	–	–	–	–	–	–	–	1	1	–	–
Worms	32	–	–	–	–	–	1	–	–	–	–	–	1	1	2	–
Infantile Fever	63	–	–	1	–	1	–	–	–	3	1	–	5	–	1	–
Typhus	3021	5	14	33	3	52	45	6	32	34	166	26	191	98	131	3
Metria	130	2	2	–	–	–	–	–	5	–	7	–	9	2	7	1
Rheumatic Fever	84	1	–	2	5	1	3	–	3	2	8	3	5	6	2	–
Erysipelas	249	–	2	1	–	–	7	–	7	–	14	4	19	6	8	1
Syphilis	126	1	–	3	–	–	1	–	1	–	8	–	12	1	5	–
Noma	21	–	–	–	–	–	–	–	–	–	1	–	–	1	1	–
Hydrophobia	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
II. Hæmorrhage	85	–	1	1	1	–	–	–	1	–	6	3	5	3	2	–
Dropsy	743	10	8	9	3	21	16	2	9	6	46	2	54	38	64	1
Abscess	121	–	–	–	1	1	–	3	1	1	10	–	5	3	4	–
Ulcer	55	–	–	–	–	3	1	–	–	4	7	–	3	4	1	–
Fistula	11	–	–	–	–	–	–	–	–	–	1	–	2	–	–	–
Mortification	108	2	1	1	–	1	5	–	1	3	4	1	7	5	2	–
Cancer	1152	5	9	21	8	24	17	5	23	18	104	10	73	58	61	4
Gout	13	–	–	–	–	–	–	–	–	1	1	–	1	1	1	–
III. Scrofula	704	2	4	7	2	9	6	1	4	10	81	8	25	22	19	–
Tabes Mesenterica	796	2	1	1	2	–	4	–	10	3	24	4	26	11	31	1
Phthisis	8211	52	65	78	33	139	156	8	82	102	503	47	537	273	317	11
Hydrocephalus	1718	3	11	11	4	4	13	2	18	18	99	12	137	30	67	–

CAUSES of DEATH in the COUNTIES of SCOTLAND during the YEAR 1862.—BOTH SEXES.

DISEASES.	Clackmannan.	Stirling.	Dumbarton.	Argyll.	Bute.	Renfrew.	Ayr.	Lanark.	Linlithgow.	Edinburgh.	Haddington.	Berwick.	Peebles.	Selkirk.	Roxburgh.	Dumfries.	Kirkcudbright.	Wigtown.
ALL CAUSES	417	1937	1110	1563	357	4308	4261	16998	938	6964	677	597	204	172	1014	1589	818	838
SPECIFIED CAUSES	386	1780	1019	1361	318	4098	4054	16529	892	6855	636	563	200	167	1006	1489	770	811
Zymotic Class	86	419	190	195	50	850	874	3712	256	1722	142	121	40	38	227	230	136	165
Uncertain Seat	13	50	41	51	18	137	136	458	18	250	33	38	9	8	35	88	25	35
Tubercular Class	91	286	228	228	67	912	980	3341	132	1096	81	66	25	24	167	254	146	153
Brain, etc.	39	142	94	104	26	308	307	1180	55	610	61	48	21	14	109	135	63	66
Heart, etc.	15	114	54	57	18	127	116	579	42	392	47	53	17	14	57	70	43	38
Respiratory Organs	48	223	116	151	31	576	561	3162	135	1051	70	69	27	21	103	197	96	70
Digestive Organs	18	153	95	106	18	372	286	1243	74	430	46	40	16	17	77	127	86	57
Urinary Organs	3	21	11	20	9	30	52	151	18	119	13	8	2	1	19	18	13	26
Generative Organs	1	15	6	6	1	22	17	110	2	62	5	7	4	1	13	13	5	9
Locomotive Organs	1	8	5	9	4	20	21	85	4	51	1	7	–	1	7	16	6	2
Skin	–	3	2	1	–	6	8	8	1	12	1	–	–	1	1	2	–	–
Malformation	–	1	2	1	–	10	13	36	5	24	4	2	–	1	4	1	–	1
Premature Debility	17	83	37	28	5	236	167	903	49	328	35	23	5	12	53	49	31	25
Atrophy	5	21	13	12	3	59	30	206	7	50	8	2	–	2	6	13	5	2
Age	40	195	83	339	56	302	337	802	55	363	68	60	28	8	83	233	101	127
Sudden Deaths	–	2	3	2	1	7	4	28	2	15	3	1	–	–	–	3	–	–
Violent Deaths	9	44	39	51	11	124	145	525	37	280	18	18	6	1	45	40	14	35
Small Pox	–	40	3	4	–	4	2	50	1	258	8	1	3	–	13	4	–	–
Measles	2	25	5	12	–	160	18	328	1	41	3	14	4	3	4	32	4	–
Scarlatina	–	74	9	3	5	22	39	317	87	300	36	24	2	3	34	25	7	10
Diphtheria	2	16	13	23	8	77	38	209	2	66	1	12	3	3	19	17	14	7
Hooping Cough	14	53	13	20	7	87	168	889	42	416	37	21	13	6	17	24	41	68
Croup	8	30	28	33	6	115	82	471	17	120	16	13	1	1	22	20	10	13
Thrush	–	–	1	1	–	2	1	5	1	5	–	–	–	–	–	–	–	–
Diarrhœa	3	43	18	20	5	91	90	368	12	103	11	4	4	8	4	16	8	6
Dysentery	3	11	6	3	2	16	17	50	4	34	2	3	2	2	2	9	5	–
Cholera	–	–	–	2	–	4	5	20	2	5	2	1	1	–	3	2	–	–
Influenza	–	10	4	10	–	13	31	38	1	16	2	–	1	–	10	7	5	4
Purpura	–	–	2	–	1	3	6	7	–	10	–	1	–	–	–	1	1	–
Ague	–	–	–	1	–	8	2	3	–	–	–	–	–	–	–	–	–	–
Worms	–	1	–	1	–	4	3	11	–	2	–	–	–	–	1	1	1	2
Infantile Fever	5	3	–	–	–	2	4	7	1	13	1	2	–	–	–	5	2	6
Typhus	46	101	74	51	15	197	336	791	69	242	18	18	3	12	84	53	31	41
Metria	1	4	1	–	–	9	10	27	5	22	2	1	1	–	2	3	4	3
Rheumatic Fever	1	3	1	–	–	8	2	11	3	8	–	–	1	–	1	1	1	2
Erysipelas	–	4	7	10	–	17	11	66	3	35	3	5	1	–	8	6	2	2
Syphilis	1	1	5	–	1	8	8	36	4	24	–	1	–	–	3	2	–	–
Noma	–	–	–	1	–	3	1	8	1	2	–	–	–	–	–	1	–	1
Hydrophobia	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–
Hæmorrhage	1	4	2	1	–	6	5	19	3	9	–	2	–	–	1	4	2	3
Dropsy	6	22	11	16	4	67	48	155	3	49	11	9	1	2	13	21	9	7
Abscess	–	1	3	2	1	6	5	37	2	18	2	3	1	–	2	4	3	2
Ulcer	–	1	1	–	1	3	4	12	–	5	2	2	–	–	–	–	–	1
Fistula	–	–	–	–	–	–	1	4	–	2	–	–	–	–	1	–	–	–
Mortification	1	7	3	4	–	3	8	23	1	11	1	1	–	–	1	5	3	3
Cancer	5	15	20	28	12	52	65	207	9	153	16	21	7	6	16	54	8	18
Gout	–	–	1	–	–	–	–	1	–	3	1	–	–	–	1	–	–	1
Scrofula	3	27	11	15	1	35	77	186	17	77	8	5	3	–	7	12	13	7
Tabes Mesenterica	2	16	20	8	4	56	80	276	9	138	7	3	1	1	23	18	8	6
Phthisis	79	192	163	183	48	670	664	2352	81	699	54	50	21	16	105	202	103	126
Hydrocephalus	7	51	34	22	14	151	159	527	25	182	12	8	–	7	32	22	22	14

CAUSES of DEATH in the COUNTIES of SCOTLAND during the YEAR 1862.—BOTH SEXES. (*Continued.*)

DISEASES.	Scotland.	Shetland.	Orkney.	Caithness.	Sutherland.	Ross and Cromarty.	Inverness.	Nairn.	Elgin.	Banff.	Aberdeen.	Kincardine.	Forfar.	Perth.	Fife.	Kinross.
IV. Cephalitis	319	2	1	–	2	4	7	–	2	6	17	3	18	8	16	1
Apoplexy	1201	–	6	5	3	5	15	7	21	20	77	13	81	61	70	5
Paralysis	1509	10	13	14	14	41	36	6	46	16	99	21	101	87	100	4
Delirium Tremens	61	–	–	–	–	–	1	–	1	2	6	–	5	3	6	–
Chorea	9	–	–	–	–	–	–	–	–	–	–	–	–	1	1	–
Epilepsy	230	–	3	4	1	5	5	–	3	5	14	2	11	8	14	1
Tetanus	49	1	–	1	–	5	2	–	–	–	3	1	2	2	1	–
Insanity	96	–	2	2	–	3	6	–	2	1	10	1	7	7	3	–
Convulsions	697	5	3	7	1	17	11	1	8	9	38	7	59	18	22	–
Brain Disease	915	3	5	8	4	6	15	2	9	12	72	6	59	23	25	1
V. Pericarditis	84	1	1	–	–	1	2	–	–	1	5	–	3	4	7	–
Aneurism	89	–	–	–	–	1	1	–	3	1	9	–	7	4	3	1
Heart Disease	2614	6	11	17	4	18	37	5	39	37	173	32	227	120	149	4
VI. Laryngitis	170	1	–	1	–	2	3	–	2	6	11	–	13	5	2	–
Bronchitis	5764	6	11	38	6	32	51	6	50	54	309	43	428	181	204	11
Pleurisy	291	1	2	3	3	8	33	–	2	5	19	1	18	12	8	1
Pneumonia	1932	2	10	17	1	23	26	5	26	29	102	13	129	51	80	7
Asthma	698	8	6	10	11	41	41	1	8	7	29	1	58	33	29	1
Lung Disease	339	–	4	1	1	4	3	–	2	6	18	1	28	3	15	1
VII. Teething	1106	4	–	1	3	10	18	1	18	15	93	5	95	39	40	1
Quinsey	63	1	–	–	–	5	3	–	–	2	5	1	3	6	2	–
Gastritis	165	–	1	2	1	3	5	1	3	3	9	1	10	12	12	–
Enteritis	892	–	–	7	–	6	13	1	9	10	29	8	32	33	34	4
Peritonitis	227	–	1	1	1	2	5	2	4	7	16	5	14	5	11	1
Ascites	64	–	–	–	2	1	6	–	2	–	3	–	3	6	6	–
Ulceration of Intestines	175	1	1	1	–	3	–	2	4	3	20	3	13	4	8	–
Hernia	114	–	1	–	2	2	2	–	3	3	9	2	9	4	10	–
Ileus	268	5	2	1	3	2	6	2	3	9	47	4	16	9	10	–
Intussusception	49	–	–	–	–	1	–	1	–	1	3	1	4	3	2	–
Stricture of Intestines	23	–	–	–	–	–	2	–	–	–	2	–	1	–	2	1
Stomach Disease	682	7	7	6	3	13	17	–	9	16	46	4	48	26	32	3
Pancreas Disease	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Hepatitis	153	2	2	3	–	1	3	–	–	3	7	2	8	7	4	–
Jaundice	175	1	2	2	5	2	5	–	2	5	15	2	13	12	5	–
Liver Disease	611	2	6	2	7	6	11	1	7	8	37	4	38	28	36	2
Spleen Disease	21	–	–	–	–	–	1	–	1	–	3	–	1	–	1	–
VIII. Nephritis	41	–	–	1	–	–	1	–	1	–	1	–	2	1	–	–
Nephria	239	–	3	3	–	–	2	2	6	6	12	1	17	9	6	–
Ischuria	41	–	–	2	1	1	3	–	1	2	7	1	1	2	1	–
Diabetes	74	1	–	2	1	–	1	–	–	–	10	1	6	3	4	–
Stone	78	–	3	5	4	9	3	1	2	3	9	1	6	1	2	–
Cystitis	66	1	–	1	–	1	–	–	1	–	7	1	5	2	5	2
Stricture of Urethra	6	–	–	–	–	–	–	–	–	1	–	–	–	–	1	–
Kidney Disease	359	–	1	7	1	5	6	1	12	10	62	4	26	19	13	1
IX. Paramenia	29	–	1	–	–	–	–	–	–	1	1	1	4	2	–	–
Ovarian Dropsy	69	–	–	2	–	–	2	–	4	1	4	2	5	1	4	–
Childbirth	305	6	3	2	4	5	7	–	1	7	27	3	29	11	11	–
Organs of Generation	78	–	1	2	–	–	1	–	1	1	5	3	6	1	7	3
X. Arthritis	27	–	1	–	–	–	–	–	–	1	3	–	3	3	–	–
Rheumatism	164	2	2	2	2	9	16	–	2	3	11	1	11	9	3	1
Joint and Bone Disease	213	1	3	2	–	2	4	–	5	3	21	2	10	7	11	–
XI. Carbuncle	19	–	–	2	–	2	1	–	–	1	1	–	–	1	2	–
Phlegmon	8	–	–	–	–	–	–	–	–	–	–	–	3	1	–	–
Skin Disease	53	–	–	1	1	5	1	–	–	–	6	1	2	1	1	1
XII. Cyanosis	49	–	1	–	–	–	–	–	–	–	2	1	8	4	–	–
Spina Bifida	34	–	–	–	–	–	–	–	–	–	–	1	4	2	3	–
Other Malformations	62	–	–	–	–	–	–	2	–	–	6	–	4	–	2	–
XVII. Intemperance	53	–	1	–	1	–	–	–	–	1	4	–	3	–	–	–
Privation	7	–	–	–	–	–	–	–	–	–	–	–	1	1	–	–
Want of Breast Milk	62	–	–	–	–	1	–	–	–	–	8	–	6	–	1	1
Neglect	3	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–
Cold	34	–	1	–	1	–	3	–	–	–	2	–	–	2	3	–
Poison	54	–	–	2	–	–	–	–	–	–	–	–	4	2	3	–
Burns and Scalds	324	4	2	4	1	6	3	1	7	2	17	2	17	18	14	1
Hanging, etc.	46	–	1	–	–	–	1	–	–	1	2	–	4	2	10	–
Suffocation	101	–	–	–	–	1	–	–	1	2	10	3	5	2	4	–
Drowning	436	8	17	3	6	13	18	1	3	7	26	5	16	13	18	2
Fracture and Contusion	769	2	2	8	2	9	10	1	8	6	34	8	32	33	36	1
Wounds	74	–	–	2	–	2	2	–	4	–	2	1	6	3	6	–
Other Violent Causes	94	–	–	–	–	2	2	–	1	1	11	1	8	5	7	–
Not Specified	3335	106	37	42	45	248	231	8	69	68	141	17	158	143	164	–

CAUSES of DEATH in the COUNTIES of SCOTLAND during the YEAR 1862.—BOTH SEXES. (*Continued.*)

DISEASES.	Clackmannan.	Stirling.	Dumbarton.	Argyll.	Bute.	Renfrew.	Ayr.	Lanark.	Linlithgow.	Edinburgh.	Haddington.	Berwick.	Peebles.	Selkirk.	Roxburgh.	Dumfries.	Kirkcudbright.	Wigtown.
Cephalitis	2	8	3	11	4	22	18	86	6	42	2	1	2	1	2	11	4	7
Apoplexy	10	26	26	20	9	78	92	275	10	127	24	7	4	4	34	28	25	13
Paralysis	16	50	33	33	7	83	80	242	12	156	23	18	8	5	44	53	13	25
Delirium Tremens	2	1	–	–	–	3	1	11	3	11	–	–	1	1	–	2	–	1
Chorea	–	–	–	–	–	1	–	2	–	1	–	–	–	–	1	1	–	1
Epilepsy	–	3	3	6	–	12	13	52	1	41	3	4	–	2	2	6	3	3
Tetanus	–	1	–	3	–	–	3	13	–	9	–	1	–	–	–	–	–	1
Insanity	–	2	1	2	–	4	2	14	–	18	–	1	–	1	–	7	–	–
Convulsions	3	18	11	14	–	33	44	232	8	82	3	6	3	–	13	13	4	4
Brain Disease	6	33	17	15	6	72	54	253	15	123	6	10	3	–	13	14	14	11
Pericarditis	–	4	3	2	–	1	4	27	1	5	1	2	–	–	5	3	–	1
Aneurism	–	1	–	1	–	3	1	14	3	26	1	2	3	–	2	2	–	–
Heart Disease	15	109	51	54	18	123	111	538	38	361	45	49	14	14	50	65	43	37
Laryngitis	1	2	5	3	–	6	15	50	2	23	1	1	1	–	–	10	3	1
Bronchitis	29	124	61	90	20	411	357	2082	97	708	39	38	18	19	59	94	50	38
Pleurisy	2	5	4	1	–	11	15	57	3	35	2	4	2	1	10	14	5	4
Pneumonia	10	39	25	36	9	106	107	695	31	174	20	18	5	4	29	54	31	18
Asthma	4	29	11	17	1	30	43	169	1	69	3	3	–	–	4	19	7	4
Lung Disease	2	24	10	4	1	12	24	109	1	42	5	5	1	–	1	6	–	5
Teething	8	33	20	17	5	122	43	373	32	71	3	2	–	2	9	11	9	3
Quinsey	–	–	3	2	–	3	3	20	–	2	–	–	–	–	1	1	–	–
Gastritis	1	3	2	7	–	12	14	33	1	8	1	1	–	–	–	15	3	3
Enteritis	4	28	16	9	1	88	77	304	18	67	11	3	1	2	14	32	17	14
Peritonitis	1	4	1	3	–	11	12	56	5	21	3	5	3	3	7	3	12	2
Ascites	–	1	1	6	–	–	3	13	–	6	–	2	–	–	–	1	2	–
Ulceration of Intestines	–	5	9	5	2	10	7	25	–	28	–	6	1	1	–	6	2	5
Hernia	–	4	5	–	–	10	4	18	–	13	2	1	1	–	3	3	1	2
Ileus	–	7	2	3	–	11	18	55	3	26	1	1	1	1	9	6	3	2
Intussusception	–	1	2	4	–	1	6	9	1	5	3	1	–	–	–	–	–	–
Stricture of Intestines	–	1	–	–	–	1	1	4	–	7	–	–	–	–	–	1	–	–
Stomach Disease	1	31	12	29	6	31	38	130	3	74	7	10	5	6	14	19	19	10
Pancreas Disease	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Hepatitis	–	6	3	6	–	16	9	37	2	10	1	1	–	–	5	7	3	5
Jaundice	–	6	4	–	1	7	13	33	–	25	4	3	1	1	1	3	2	–
Liver Disease	3	23	14	15	3	49	37	129	9	64	10	3	2	1	14	16	13	11
Spleen Disease	–	–	1	–	–	–	1	4	–	3	–	1	1	–	–	3	–	–
Nephritis	–	1	2	3	1	1	4	9	–	7	–	1	–	–	1	1	1	2
Nephria	2	4	–	4	6	5	10	59	11	44	4	1	1	1	2	6	4	8
Ischuria	–	1	–	–	–	–	4	6	–	2	1	–	–	–	3	1	1	–
Diabetes	–	1	2	1	–	–	9	12	1	8	1	1	–	–	5	2	–	2
Stone	–	2	2	–	–	2	6	8	1	5	–	1	–	–	–	–	1	1
Cystitis	–	3	–	1	1	5	1	11	–	9	1	–	–	–	1	–	2	5
Stricture of Urethra	–	–	1	–	–	–	–	–	–	2	–	–	–	–	–	–	–	1
Kidney Disease	1	9	4	11	1	17	18	46	5	42	6	4	1	–	7	8	4	7
Paramenia	–	1	–	–	–	–	–	7	1	6	–	–	–	–	2	2	–	–
Ovarian Dropsy	–	4	–	2	–	2	–	11	–	15	1	3	–	–	1	4	–	1
Childbirth	1	7	5	4	1	16	12	73	1	29	3	4	4	1	10	6	5	7
Organs of Generation	–	3	1	–	–	4	5	19	–	12	1	–	–	–	–	1	–	1
Arthritis	–	3	–	–	–	2	2	3	–	2	–	1	–	1	–	2	–	–
Rheumatism	–	1	2	8	1	6	5	31	2	18	–	2	–	–	1	9	4	–
Joint Disease	1	4	3	1	3	12	14	51	2	31	1	4	–	–	6	5	2	2
Carbuncle	–	–	–	–	–	1	1	2	–	4	1	–	–	–	–	–	–	–
Phlegmon	–	–	–	–	–	1	–	1	1	1	–	–	–	–	–	–	–	–
Skin Disease	–	3	2	1	–	4	7	5	–	7	–	–	–	1	1	2	–	–
Cyanosis	–	1	1	–	–	1	7	9	1	9	–	–	–	1	2	1	–	–
Spina Bifida	–	–	–	1	–	4	–	8	2	5	–	2	–	–	2	–	–	1
Other Malformations	–	–	1	–	–	5	6	19	2	10	4	–	–	–	–	–	–	–
Intemperance	–	2	1	–	–	1	4	18	1	8	2	–	1	–	3	2	–	–
Privation	–	1	–	–	–	1	–	1	–	2	–	–	–	–	2	–	–	–
Want of Breast Milk	–	–	–	–	–	1	3	29	1	9	–	–	–	–	–	–	–	–
Neglect	–	–	–	2	–	–	–	2	–	–	–	–	–	–	–	–	–	–
Cold	–	–	–	3	–	1	1	6	1	4	1	1	1	–	–	2	1	–
Poison	–	1	–	1	–	3	8	16	1	6	1	1	1	–	1	1	–	2
Burns and Scalds	1	15	6	4	–	22	31	80	4	34	2	4	1	–	9	5	1	6
Hanging, etc.	–	–	–	–	–	3	2	11	–	4	2	–	–	–	–	3	–	–
Suffocation	–	–	1	1	1	5	3	21	2	29	–	1	–	–	2	3	–	4
Drowning	–	8	14	30	6	34	29	89	2	28	5	4	–	1	8	9	2	11
Fracture and Contusion	8	16	13	9	3	46	56	215	22	133	3	6	2	–	18	12	6	9
Wounds	–	1	1	2	1	5	6	14	1	9	1	1	–	–	2	1	1	1
Other Violent Causes	–	–	3	1	–	2	2	23	2	14	1		–	–	–	2	3	2
Not Specified	31	157	91	202	39	210	207	469	46	109	41	34	4	5	38	100	48	27

CAUSES of DEATH in the COUNTIES of SCOTLAND during the YEAR 1862.—MALES.

DISEASES.	Scotland.	Shetland.	Orkney.	Caithness.	Sutherland.	Ross and Cromarty.	Inverness.	Nairn.	Elgin.	Banff.	Aberdeen.	Kincardine.	Forfar.	Perth.	Fife.	Kinross.
ALL CAUSES	33179	227	212	359	181	737	777	72	427	449	2082	291	2391	1215	1471	63
SPECIFIED CAUSES	31408	166	220	333	157	621	663	69	386	410	2019	281	2308	1140	1391	63
I. Zymotic Class	6745	24	11	79	13	134	127	13	59	82	453	56	651	216	307	15
II. Diseases of Uncer. Seat	864	5	5	15	6	23	13	4	16	11	67	6	57	39	46	2
III. Tubercular Class	5542	31	46	54	22	80	86	5	59	66	339	40	328	163	219	4
IV. Brain and Nervous Sys.	2699	12	17	21	16	53	53	8	51	42	175	24	161	127	135	6
V. Organs of Circulation	1432	2	8	5	3	10	22	4	23	23	97	22	96	75	85	2
VI. Respiratory Organs	4694	12	21	32	8	62	76	7	46	52	250	30	368	130	167	11
VII. Organs of Digestion	2459	11	15	18	17	28	54	6	33	29	176	25	161	95	109	8
VIII. Urinary Organs	617	2	3	20	7	15	16	3	16	15	78	8	47	28	22	3
IX. Organs of Generation	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
X. Organs of Locomotion	229	2	2	4	–	8	8	–	4	5	22	1	12	7	7	1
XI. Skin, etc.	51	–	–	2	–	5	2	–	–	–	6	–	3	2	3	1
XII. Malformation	75	–	1	–	–	–	–	2	–	–	2	1	13	3	1	–
XIII. Premature Debility	1701	8	4	10	8	15	23	4	12	21	92	11	166	60	69	5
XIV. Atrophy	263	1	3	2	–	1	3	–	–	1	9	4	25	7	7	–
XV. Age	2482	46	63	57	47	160	146	11	51	50	176	35	143	127	135	3
XVI. Sudden Deaths	58	–	–	–	1	2	–	–	–	–	2	2	8	3	1	–
XVII. Violent Deaths	1496	10	21	14	9	25	34	2	16	13	75	16	69	58	78	2
I. Small Pox	209	1	–	2	–	1	–	–	1	–	–	1	5	1	1	–
Measles	710	12	–	18	2	28	26	–	–	1	88	7	169	12	40	–
Scarlatina	669	–	–	–	–	2	1	–	3	2	30	6	27	25	52	2
Diphtheria	469	–	–	13	1	16	9	1	12	9	61	10	37	25	37	2
Hooping Cough	1295	1	–	1	–	7	15	1	10	22	89	4	166	48	37	4
Croup	722	–	–	4	2	29	14	4	12	10	20	3	59	23	25	2
Thrush	19	–	–	–	–	–	2	–	–	1	3	–	7	–	–	–
Diarrhœa	539	–	3	5	1	11	8	–	3	6	33	5	40	10	20	2
Dysentery	128	2	–	4	1	2	2	–	1	3	9	–	17	8	7	–
Cholera	31	–	–	–	1	–	–	–	–	–	1	–	2	–	–	–
Influenza	168	4	3	13	1	10	24	2	2	6	20	1	8	4	5	1
Purpura	29	1	–	–	–	–	–	1	1	1	3	–	3	2	1	–
Ague	7	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–
Worms	16	–	–	–	–	–	–	–	–	–	–	–	1	1	1	–
Infantile Fever	28	–	–	–	–	1	–	–	–	2	1	–	2	–	1	–
Typhus	1484	2	4	16	3	27	20	4	11	17	82	16	86	51	72	2
Metria	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Rheumatic Fever	49	1	–	2	1	–	2	–	1	2	5	1	3	3	2	–
Erysipelas	108	–	1	–	–	–	4	–	2	–	4	2	11	3	3	–
Syphilis	57	–	–	1	–	–	–	–	–	–	3	–	7	–	2	–
Noma	7	–	–	–	–	–	–	–	–	–	1	–	–	–	1	–
Hydrophobia	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
II. Hæmorrhage	47	–	–	1	–	–	–	–	1	–	2	2	4	1	2	–
Dropsy	282	2	2	5	2	11	2	1	5	1	18	–	18	13	27	1
Abscess	67	–	–	–	1	1	–	1	1	1	6	–	2	3	2	–
Ulcer	27	–	–	–	–	1	–	–	–	–	6	–	2	3	–	–
Fistula	8	–	–	–	–	–	–	–	–	–	1	–	1	–	–	–
Mortification	59	–	–	1	–	1	3	–	1	3	3	–	6	1	1	–
Cancer	367	3	3	8	3	9	8	2	8	5	30	4	23	17	13	1
Gout	7	–	–	–	–	–	–	–	–	1	1	–	1	1	1	–
III. Scrofula	406	2	4	3	1	4	2	1	2	6	48	7	17	15	10	–
Tabes Mesenterica	435	2	–	1	2	–	3	–	5	3	12	3	15	6	21	1
Phthisis	3760	25	32	43	18	74	73	3	40	44	220	25	224	123	156	3
Hydrocephalus	941	2	10	7	1	2	8	1	12	13	59	5	72	19	32	–

CAUSES of DEATH in the COUNTIES of SCOTLAND during the YEAR 1862.—MALES.

DISEASES.	Clackmannan.	Stirling.	Dumbarton.	Argyll.	Bute.	Renfrew.	Ayr.	Lanark.	Linlithgow.	Edinburgh.	Haddington.	Berwick.	Peebles.	Selkirk.	Roxburgh.	Dumfries.	Kirkcudbright.	Wigtown.
ALL CAUSES	212	916	569	764	162	2157	2146	8504	499	3400	302	269	107	96	544	776	398	374
SPECIFIED CAUSES	195	837	519	668	141	2037	2024	8241	475	3336	280	251	106	95	526	717	368	365
Zymotic Class	34	205	87	95	21	401	399	1813	123	780	58	47	20	22	138	115	67	80
Uncertain Seat	5	19	15	19	4	49	61	178	7	82	13	15	4	5	15	33	15	10
Tubercular Class	51	131	115	118	36	444	474	1553	73	565	35	33	9	15	91	125	69	63
Brain, etc.	24	62	58	49	14	178	160	660	30	312	23	25	14	10	47	75	27	30
Heart, etc.	10	62	32	28	4	64	63	298	21	207	22	26	10	6	33	34	15	20
Respiratory Organs	23	108	57	73	16	293	306	1618	81	523	32	32	17	11	55	109	44	24
Digestive Organs	8	74	52	62	8	205	145	661	38	189	13	16	8	11	42	66	49	27
Urinary Organs	2	12	6	14	5	18	34	98	12	77	6	5	2	–	13	6	8	16
Generative Organs	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–
Locomotive Organs	–	3	4	4	1	16	11	49	3	34	1	6	–	1	4	7	2	–
Skin	–	1	1	–	–	5	5	6	–	7	–	–	–	–	1	1	–	–
Malformation	–	–	2	1	–	6	4	20	–	12	2	1	–	–	2	1	–	1
Premature Debility	12	42	19	17	3	122	96	519	33	198	23	9	3	8	28	21	23	17
Atrophy	3	10	7	3	–	26	19	90	2	19	5	1	–	1	3	7	2	2
Age	17	72	31	142	19	111	138	269	23	140	31	23	14	4	29	84	38	47
Sudden Deaths	–	–	1	1	1	4	3	12	2	12	2	–	–	–	–	1	–	–
Violent Deaths	6	36	32	42	9	95	106	396	27	179	14	12	5	1	25	32	9	28
Small Pox	–	17	2	–	–	2	2	24	1	135	1	–	2	–	8	2	–	–
Measles	1	14	3	7	–	79	7	154	–	14	–	2	2	1	2	17	4	–
Scarlatina	–	43	4	1	2	7	20	172	47	152	20	13	1	3	21	10	2	1
Diphtheria	–	6	7	10	4	32	17	95	2	29	1	4	1	2	12	7	3	4
Hooping Cough	4	23	6	8	4	39	73	410	21	189	15	7	6	4	9	18	19	35
Croup	2	17	18	25	3	61	36	246	7	47	6	5	–	–	13	12	8	9
Thrush	–	–	–	–	–	1	1	1	1	2	–	–	–	–	–	–	–	–
Diarrhœa	2	18	8	12	4	43	42	181	8	45	2	3	3	4	2	8	4	3
Dysentery	3	3	1	–	–	11	9	23	3	10	1	2	–	–	1	3	2	–
Cholera	–	–	–	1	–	3	5	11	–	3	1	–	–	–	2	1	–	–
Influenza	–	5	2	1	–	8	12	18	1	6	1	–	1	–	5	3	–	1
Purpura	–	–	1	–	–	3	4	1	–	4	–	1	–	–	–	1	1	–
Ague	–	–	–	–	–	2	2	2	–	–	–	–	–	–	–	–	–	–
Worms	–	–	–	–	–	1	–	7	–	–	–	–	–	–	1	1	1	2
Infantile Fever	2	1	–	–	–	–	3	3	1	5	1	1	–	–	–	3	1	–
Typhus	19	56	33	23	3	94	154	413	24	110	8	7	2	8	54	22	19	22
Metria	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Rheumatic Fever	1	1	–	–	–	5	2	7	2	3	–	–	1	–	1	1	1	1
Erysipelas	–	1	2	6	–	5	7	24	2	15	1	2	1	–	5	3	2	2
Syphilis	–	–	–	–	1	4	3	19	3	10	–	–	–	–	2	2	–	–
Noma	–	–	–	1	–	1	–	2	–	1	–	–	–	–	–	–	–	–
Hydrophobia	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–
Hæmorrhage	1	1	2	–	–	3	4	12	2	4	–	–	–	–	–	2	2	1
Dropsy	1	10	3	7	1	23	23	61	1	14	5	7	–	1	5	5	5	2
Abscess	–	–	2	1	–	2	5	20	–	12	1	2	–	–	1	1	2	–
Ulcer	–	1	–	–	1	1	3	5	–	3	–	–	–	–	–	–	–	1
Fistula	–	–	–	–	–	–	–	3	–	2	–	–	–	–	1	–	–	–
Mortification	1	2	2	3	–	2	4	11	–	5	1	1	–	–	1	3	2	1
Cancer	2	5	6	8	2	18	22	66	4	42	5	5	4	4	6	22	4	5
Gout	–	–	–	–	–	–	–	–	–	–	1	–	–	–	1	–	–	–
Scrofula	2	14	8	10	1	19	47	101	13	41	2	5	–	–	3	5	8	5
Tabes Mesenterica	2	12	7	5	1	28	43	153	4	73	4	–	1	–	13	9	4	2
Phthisis	43	84	83	93	25	305	296	1024	40	353	23	23	8	11	54	98	45	49
Hydrocephalus	4	21	17	10	9	92	88	275	16	98	6	5	–	4	21	13	12	7

CAUSES of DEATH in the COUNTIES of SCOTLAND during the YEAR 1862.—MALES. (*Continued.*)

DISEASES.	Scotland.	Shetland.	Orkney.	Caithness.	Sutherland.	Ross and Cromarty.	Inverness.	Nairn.	Elgin.	Banff.	Aberdeen.	Kincardine.	Forfar.	Perth.	Fife.	Kinross.
IV. Cephalitis	183	–	1	–	1	3	4	–	2	3	11	1	9	5	12	1
Apoplexy	602	–	3	2	2	3	8	5	7	9	35	7	32	29	33	2
Paralysis	735	6	6	6	9	23	15	2	25	8	44	9	44	52	49	2
Delirium Tremens	51	–	–	–	–	–	1	–	1	1	6	–	5	3	4	–
Chorea	6	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–
Epilepsy	137	–	1	2	1	5	4	–	3	4	9	–	7	3	8	1
Tetanus	33	–	–	1	–	3	2	–	–	–	2	1	1	2	–	–
Insanity	42	–	2	1	–	1	2	–	2	–	6	–	3	1	1	–
Convulsions	406	3	1	2	1	9	6	–	5	6	20	4	29	16	11	–
Brain Disease	504	3	3	7	2	6	11	1	6	11	42	2	31	16	16	–
V. Pericarditis	50	–	1	–	–	–	2	–	–	–	2	–	1	2	4	–
Aneurism	58	–	–	–	–	–	1	–	2	1	6	–	3	3	2	1
Heart Disease	1324	2	7	5	3	10	19	4	21	22	89	22	92	70	79	1
VI. Laryngitis	103	–	–	–	–	2	2	–	1	3	9	–	9	3	2	–
Bronchitis	2802	4	4	11	2	20	20	4	23	24	151	17	227	73	89	6
Pleurisy	164	1	2	2	2	4	19	–	–	3	9	1	11	6	6	1
Pneumonia	1115	1	8	11	–	14	17	3	18	15	62	12	74	33	53	3
Asthma	328	6	3	8	3	19	16	–	3	4	12	–	27	14	9	1
Lung Disease	182	–	4	–	1	3	2	–	1	3	7	–	20	1	8	–
VII. Teething	601	2	–	1	–	5	12	1	10	9	49	2	55	21	26	1
Quinsey	31	–	–	–	–	1	1	–	–	1	2	1	3	4	1	–
Gastritis	75	–	–	–	1	2	2	–	1	1	2	1	7	4	5	–
Enteritis	498	–	–	3	–	4	10	1	4	4	17	5	16	17	20	3
Peritonitis	96	–	–	1	1	1	2	–	2	1	7	2	6	3	5	1
Ascites	17	–	–	–	–	–	1	–	1	–	–	–	1	1	2	–
Ulceration of Intestines	94	–	1	–	–	2	–	1	3	2	12	2	5	3	5	–
Hernia	58	–	1	–	2	2	–	–	1	1	5	1	5	1	5	–
Ileus	131	3	1	1	3	–	4	1	2	1	25	3	6	3	6	–
Intussusception	25	–	–	–	–	–	–	1	–	–	1	1	4	2	–	–
Stricture of Intestines	14	–	–	–	–	–	1	–	–	–	–	–	–	–	1	–
Stomach Disease	324	4	5	6	2	7	8	–	3	4	19	3	32	11	9	2
Pancreas Disease	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Hepatitis	74	1	1	2	–	–	2	–	–	–	5	1	2	3	3	–
Jaundice	95	–	1	2	2	2	3	–	1	2	11	–	2	11	4	–
Liver Disease	317	1	5	2	6	2	8	1	4	3	20	3	17	11	16	1
Spleen Disease	9	–	–	–	–	–	–	–	1	–	1	–	–	–	1	–
VIII. Nephritis	21	–	–	1	–	–	1	–	1	–	1	–	1	–	–	–
Nephria	137	–	2	3	–	–	2	2	3	3	8	1	8	7	2	–
Ischuria	36	–	–	2	1	1	3	–	1	1	5	1	1	2	1	–
Diabetes	43	1	–	2	1	–	1	–	–	–	7	1	6	2	1	–
Stone	70	–	1	5	4	9	3	1	2	3	9	1	5	1	2	–
Cystitis	52	1	–	1	–	1	–	–	1	–	4	1	5	2	5	2
Stricture of Urethra	5	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–
Kidney Disease	253	–	–	6	1	4	6	–	8	8	44	3	21	14	10	1
IX. Paramenia	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Ovarian Dropsy	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Childbirth	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Organs of Generation	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
X. Arthritis	17	–	–	–	–	–	–	–	–	1	2	–	–	2	–	–
Rheumatism	78	1	2	2	–	6	5	–	1	1	4	1	6	1	1	1
Joint and Bone Disease	134	1	–	2	–	2	3	–	3	3	16	–	6	4	6	–
XI. Carbuncle	12	–	–	1	–	1	1	–	–	–	1	–	–	–	2	–
Phlegmon	7	–	–	–	–	–	–	–	–	–	–	–	3	1	–	–
Skin Disease	32	–	–	1	–	4	1	–	–	–	5	–	–	1	1	1
XII. Cyanosis	26	–	1	–	–	–	–	–	–	–	1	–	6	2	–	–
Spina Bifida	20	–	–	–	–	–	–	–	–	–	–	1	3	1	1	–
Other Malformations	29	–	–	–	–	–	–	2	–	–	1	–	4	–	–	–
XVII. Intemperance	39	–	1	–	1	–	–	–	–	1	3	–	2	–	–	–
Privation	3	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Want of Breast Milk	33	–	–	–	–	1	–	–	–	–	5	–	3	–	1	–
Neglect	1	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–
Cold	21	–	1	–	–	–	2	–	–	–	1	–	–	2	3	–
Poison	29	–	–	1	–	–	–	–	–	–	–	–	2	1	2	–
Burns and Scalds	149	1	–	–	1	2	1	–	4	–	9	1	7	7	5	–
Hanging, etc.	34	–	–	–	–	–	–	–	–	1	2	–	3	1	5	–
Suffocation	63	–	–	–	–	–	–	–	1	–	5	2	2	2	3	–
Drowning	367	8	17	3	5	11	17	1	1	7	21	4	13	10	17	2
Fracture and Contusion	625	1	2	8	2	7	10	1	7	4	20	7	26	28	32	–
Wounds	60	–	–	2	–	2	2	–	3	–	2	1	5	2	5	–
Other Violent Causes	72	–	–	–	–	2	2	–	–	–	7	1	5	5	5	–
Not Specified	1771	61	22	26	24	116	114	3	41	39	63	10	83	75	80	–

CAUSES of DEATH in the COUNTIES of SCOTLAND during the YEAR 1862.—MALES. (*Continued.*)

DISEASES.	Clackmannan.	Stirling.	Dumbarton.	Argyll.	Bute.	Renfrew.	Ayr.	Lanark.	Linlithgow.	Edinburgh.	Haddington.	Berwick.	Peebles.	Selkirk.	Roxburgh.	Dumfries.	Kirkcudbright.	Wigtown.
Cephalitis	1	8	2	6	2	15	8	49	2	20	1	–	2	–	2	6	2	4
Apoplexy	5	6	12	7	3	45	51	165	5	62	10	2	3	3	14	17	11	4
Paralysis	10	20	15	14	4	48	35	120	5	73	4	11	6	4	20	29	6	11
Delirium Tremens	2	1	–	–	–	2	–	7	3	11	–	–	–	1	–	2	–	1
Chorea	–	–	–	–	–	–	–	1	–	1	–	–	–	–	1	1	–	1
Epilepsy	–	1	3	4	–	7	10	28	1	25	1	3	–	1	–	2	3	–
Tetanus	–	–	–	3	–	–	3	10	–	3	–	1	–	–	–	–	–	1
Insanity	–	–	1	–	–	3	–	7	–	7	–	–	–	1	–	4	–	–
Convulsions	2	12	10	9	–	17	27	148	4	44	2	2	1	–	4	7	1	3
Brain Disease	4	14	15	6	5	41	26	125	10	66	5	6	2	–	6	7	4	5
Pericarditis	–	4	–	–	–	1	3	17	–	4	–	2	–	–	4	2	–	1
Aneurism	–	–	–	1	–	2	1	8	2	19	1	1	1	–	2	1	–	–
Heart Disease	10	58	32	27	4	61	59	273	19	184	21	23	9	6	27	31	15	19
Laryngitis	1	1	3	3	–	3	8	28	2	14	1	–	1	–	–	6	1	–
Bronchitis	12	59	26	38	12	203	201	1031	55	344	18	12	11	8	28	42	16	11
Pleurisy	2	3	2	–	–	7	10	34	2	13	1	3	1	1	7	7	4	–
Pneumonia	6	22	14	19	3	60	56	381	21	97	8	12	4	2	18	41	19	8
Asthma	2	15	6	10	–	15	21	83	–	29	1	2	–	–	2	10	4	3
Lung Disease	–	8	6	3	1	5	10	61	1	26	3	3	–	–	–	3	–	2
Teething	4	17	13	11	3	67	19	193	20	36	1	–	–	2	6	6	6	3
Quinsey	–	–	3	1	–	2	2	7	–	1	–	–	–	–	–	1	–	–
Gastritis	–	1	–	4	–	4	6	20	–	4	–	1	–	–	–	7	1	1
Enteritis	2	16	9	6	–	57	38	171	9	36	3	3	1	2	9	15	12	5
Peritonitis	–	–	–	2	–	3	6	27	2	7	–	2	1	1	6	–	6	1
Ascites	–	1	–	1	–	–	1	8	–	–	–	–	–	–	–	–	–	–
Ulceration of Intestines	–	4	5	4	1	6	3	14	–	11	–	2	–	–	–	2	2	4
Hernia	–	1	2	–	–	8	3	9	–	3	2	1	–	–	2	2	–	1
Ileus	–	3	1	1	–	8	11	23	3	8	1	1	–	–	5	3	3	1
Intussusception	–	1	1	2	–	1	2	4	1	2	1	1	–	–	–	–	–	–
Stricture of Intestines	–	1	–	–	–	–	1	4	–	5	–	–	–	–	–	1	–	–
Stomach Disease	–	15	8	17	3	11	18	66	–	32	–	3	4	4	7	10	8	3
Pancreas Disease	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Hepatitis	–	3	2	3	–	8	7	17	–	3	1	1	–	–	2	5	–	2
Jaundice	–	2	2	–	1	5	5	19	–	12	2	–	1	1	–	3	1	–
Liver Disease	2	9	6	10	–	25	23	77	3	27	2	1	1	1	5	9	10	6
Spleen Disease	–	–	–	–	–	–	–	2	–	2	–	–	–	–	–	2	–	–
Nephritis	–	–	2	2	–	1	–	2	–	6	–	1	–	–	–	–	–	2
Nephria	1	2	–	3	4	2	7	40	6	21	2	–	1	–	1	1	2	3
Ischuria	–	1	–	–	–	–	3	6	–	2	–	–	–	–	3	1	1	–
Diabetes	–	–	1	1	–	–	4	4	1	4	1	–	–	–	4	–	–	1
Stone	–	2	–	–	–	1	5	7	1	5	–	1	–	–	–	–	1	1
Cystitis	–	3	–	–	1	4	1	8	–	7	–	–	–	–	–	–	2	3
Stricture of Urethra	–	–	1	–	–	–	–	–	–	2	–	–	–	–	–	–	–	1
Kidney Disease	1	4	2	8	–	10	14	31	4	30	3	3	1	–	5	4	2	5
Paramenia	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Ovarian Dropsy	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Childbirth	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Organs of Generation	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–
Arthritis	–	2	–	–	–	2	1	2	–	2	–	1	–	1	–	1	–	–
Rheumatism	–	–	2	3	–	4	2	15	1	11	–	1	–	–	1	4	2	–
Joint Disease	–	1	2	1	1	10	8	32	2	21	1	4	–	–	3	2	–	–
Carbuncle	–	–	–	–	–	1	–	2	–	3	–	–	–	–	–	–	–	–
Phlegmon	–	–	–	–	–	1	–	1	–	1	–	–	–	–	–	–	–	–
Skin Disease	–	1	1	–	–	3	5	3	–	3	–	–	–	–	1	1	–	–
Cyanosis	–	–	1	–	–	–	2	5	–	5	–	–	–	–	2	1	–	–
Spina Bifida	–	–	–	1	–	4	–	5	–	3	–	1	–	–	–	–	–	–
Other Malformations	–	–	1	–	–	2	2	10	–	4	2	–	–	–	–	–	–	1
Intemperance	–	2	1	–	–	–	3	14	1	4	2	–	1	–	2	1	–	–
Privation	–	–	–	–	–	1	–	1	–	1	–	–	–	–	–	–	–	–
Want of Breast Milk	–	–	–	–	–	–	2	17	–	3	–	–	–	–	1	–	–	–
Neglect	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Cold	–	–	–	2	–	–	–	5	1	1	–	–	1	–	–	1	1	–
Poison	–	1	–	1	–	2	5	7	–	4	–	1	–	–	1	1	–	–
Burns and Scalds	1	9	2	3	–	14	16	39	2	14	–	2	1	–	1	3	–	4
Hanging, etc.	–	–	–	–	–	3	2	9	–	4	2	–	–	–	–	2	–	–
Suffocation	–	–	1	1	–	3	3	15	2	16	–	1	–	–	–	2	–	4
Drowning	–	8	12	29	6	31	18	70	2	21	5	3	–	1	4	8	1	11
Fracture and Contusion	5	15	13	4	2	36	50	191	16	91	3	4	2	–	15	11	5	7
Wounds	–	1	1	1	1	3	6	9	1	8	1	–	–	–	1	1	1	1
Other Violent Causes	–	–	2	1	–	2	1	19	2	12	1	1	–	–	–	2	1	1
Not Specified	17	79	50	96	21	120	122	263	24	64	22	18	1	1	18	59	30	9

CAUSES of DEATH in the COUNTIES of SCOTLAND during the YEAR 1862.—FEMALES.

DISEASES.	Scotland.	Shetland.	Orkney.	Caithness.	Sutherland.	Ross and Cromarty.	Inverness.	Nairn.	Elgin.	Banff.	Aberdeen.	Kincardine.	Forfar.	Perth.	Fife.	Kinross.
ALL CAUSES	34016	257	245	343	163	770	822	72	436	469	2218	272	2494	1266	1517	75
SPECIFIED CAUSES	32452	212	230	327	142	638	705	67	408	440	2140	265	2419	1198	1433	75
I. Zymotic Class	7233	20	23	79	12	145	120	13	84	82	461	51	633	232	310	20
II. Diseases of Uncer. Seat	1424	12	14	17	7	27	26	6	19	22	112	10	93	73	89	3
III. Tubercular Class	5887	28	35	43	19	72	93	6	55	67	368	31	397	173	215	8
IV. Brain and Nervous Sys.	2387	9	16	20	9	33	45	8	41	29	161	30	182	91	123	6
V. Organs of Circulation	1355	5	4	12	1	10	18	1	19	16	90	10	141	53	74	3
VI. Respiratory Organs	4500	6	12	38	14	48	81	5	44	55	238	29	306	155	171	10
VII. Organs of Digestion	2329	12	8	8	10	29	41	5	32	56	168	17	147	99	106	4
VIII. Urinary Organs	287	–	4	1	–	1	–	1	7	7	30	1	16	9	10	–
IX. Organs of Generation	480	6	5	6	4	5	10	–	6	10	37	9	44	15	22	3
X. Organs of Locomotion	175	1	4	–	2	3	12	–	3	2	13	2	12	12	7	–
XI. Skin, etc.	29	–	–	1	1	2	–	–	–	1	1	1	2	1	–	–
XII. Malformation	70	–	–	–	–	–	–	–	–	–	6	1	3	3	4	–
XIII. Premature Debility	1285	4	1	13	3	10	22	–	13	10	87	9	127	34	57	2
XIV. Atrophy	313	2	–	–	1	7	2	–	3	–	14	4	15	10	10	1
XV. Age	4077	103	101	84	57	235	229	21	74	76	309	56	255	212	206	11
XVI. Sudden Deaths	60	–	–	–	–	2	1	–	–	–	4	–	12	3	5	1
XVII. Violent Deaths	561	4	3	5	2	9	5	1	8	7	41	4	34	23	24	3
I. Small Pox	217	–	–	–	–	–	–	–	–	–	–	–	11	1	9	1
Measles	694	9	–	21	–	42	18	–	–	1	69	7	154	7	17	–
Scarlatina	612	–	–	–	–	1	1	–	2	3	17	4	22	29	52	3
Diphtheria	528	–	–	9	1	13	7	2	11	19	76	8	28	21	37	2
Hooping Cough	1504	–	–	–	2	13	18	–	19	20	102	7	149	65	55	8
Croup	674	–	1	3	2	26	8	5	4	5	18	4	56	23	27	1
Thrush	17	–	1	–	–	–	1	–	–	–	–	–	3	1	1	–
Diarrhœa	569	–	2	5	2	7	6	1	6	3	33	2	48	12	18	2
Dysentery	165	3	–	2	–	–	6	2	5	8	16	–	12	4	8	–
Cholera	26	–	–	–	1	–	–	–	–	1	1	–	1	–	2	–
Influenza	219	2	6	18	–	17	24	1	3	4	19	5	15	10	7	–
Purpura	22	–	–	–	–	–	–	–	–	–	1	–	2	1	2	–
Ague	9	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–
Worms	16	–	–	–	–	–	1	–	–	–	–	–	–	–	1	–
Infantile Fever	35	–	–	1	–	–	–	–	–	1	–	–	3	–	–	–
Typhus	1537	3	10	17	–	25	25	2	21	17	84	10	105	47	59	1
Metria	130	2	2	–	–	–	–	–	5	–	7	–	9	2	7	1
Rheumatic Fever	35	–	–	–	4	1	1	–	2	–	3	2	2	3	–	–
Erysipelas	141	–	1	1	–	–	3	–	5	–	10	2	8	3	5	1
Syphilis	69	1	–	2	–	–	1	–	1	–	5	–	5	1	3	–
Noma	14	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–
Hydrophobia	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
II. Hæmorrhage	38	–	1	–	1	–	–	–	–	–	4	1	1	2	–	–
Dropsy	461	8	6	4	1	10	14	1	4	5	28	2	36	25	37	–
Abscess	54	–	–	–	–	–	–	2	–	–	4	–	3	–	2	–
Ulcer	28	–	–	–	–	2	1	–	–	4	1	–	1	1	1	–
Fistula	3	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–
Mortification	49	2	1	–	–	–	2	–	–	–	1	1	1	4	1	–
Cancer	785	2	6	13	5	15	9	3	15	13	74	6	50	41	48	3
Gout	6	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
III. Scrofula	298	–	–	4	1	5	4	–	2	4	33	1	8	7	9	–
Tabes Mesenterica	361	–	1	–	–	–	1	–	5	–	12	1	11	5	10	–
Phthisis	4451	27	33	35	15	65	83	5	42	58	283	22	313	150	161	8
Hydrocephalus	777	1	1	4	3	2	5	1	6	5	40	7	65	11	35	–

CAUSES of DEATH in the COUNTIES of SCOTLAND during the YEAR 1862.—FEMALES.

DISEASES.	Clackmannan.	Stirling.	Dumbarton.	Argyll.	Bute.	Renfrew.	Ayr.	Lanark.	Linlithgow.	Edinburgh.	Haddington.	Berwick.	Peebles.	Selkirk.	Roxburgh.	Dumfries.	Kirkcudbright.	Wigtown.
ALL CAUSES	205	1021	541	799	195	2151	2115	8494	439	3564	375	328	97	76	500	813	420	464
SPECIFIED CAUSES	191	943	500	693	177	2061	2030	8288	417	3519	356	312	94	72	480	772	402	446
Zymotic Class	52	214	103	100	29	449	475	1899	133	942	84	74	20	16	89	115	69	85
Uncertain Seat	8	31	26	32	14	88	75	280	11	168	20	23	5	3	20	55	10	25
Tubercular Class	40	155	113	110	31	468	506	1788	59	531	46	33	16	9	76	129	77	90
Brain, etc.	15	80	36	55	12	130	147	520	25	298	38	23	7	4	62	60	36	36
Heart, etc.	5	52	22	29	14	63	53	281	21	185	25	27	7	8	24	36	28	18
Respiratory Organs	25	115	59	78	15	283	255	1544	54	528	38	37	10	13	48	88	52	46
Digestive Organs	10	79	43	44	10	167	141	582	36	241	33	24	8	6	35	61	37	30
Urinary Organs	1	9	5	6	4	12	18	53	6	42	7	3	–	1	6	12	5	10
Generative Organs	1	15	6	6	1	22	17	109	2	62	5	7	4	1	13	13	5	9
Locomotive Organs	1	5	1	5	3	4	10	36	1	17	–	1	–	–	3	9	4	2
Skin	–	2	1	1	–	1	3	2	1	5	1	–	–	1	–	1	–	–
Malformation	–	1	–	–	–	4	9	16	5	12	2	1	–	1	2	–	–	–
Premature Debility	5	41	18	11	2	114	71	384	16	130	12	14	2	4	25	28	8	8
Atrophy	2	11	6	9	3	33	11	116	5	31	3	1	–	1	3	6	3	–
Age	23	123	52	197	37	191	199	533	32	223	37	37	14	4	54	149	63	80
Sudden Deaths	–	2	2	1	–	3	1	16	–	3	1	1	–	–	–	2	–	–
Violent Deaths	3	8	7	9	2	29	39	129	10	101	4	6	1	–	20	8	5	7
Small Pox	–	23	1	4	–	2	–	26	–	123	7	1	1	–	5	2	–	–
Measles	1	11	2	5	–	81	11	174	1	27	3	12	2	2	2	15	–	–
Scarlatina	–	31	5	2	3	15	19	145	40	148	16	11	1	–	13	15	5	9
Diphtheria	2	10	6	13	4	45	21	114	–	37	–	8	2	1	7	10	11	3
Hooping Cough	10	30	7	12	3	48	95	479	21	227	22	14	7	2	8	6	22	33
Croup	6	13	10	8	3	54	46	225	10	73	10	8	1	1	9	8	2	4
Thrush	–	–	1	1	–	1	–	4	–	3	–	–	–	–	–	–	–	–
Diarrhœa	1	25	10	8	1	48	48	187	4	58	9	1	1	4	2	8	4	3
Dysentery	–	8	5	3	2	5	8	27	1	24	1	1	2	2	1	6	3	–
Cholera	–	–	–	1	–	1	–	9	2	2	1	1	1	–	1	1	–	–
Influenza	–	5	2	9	–	5	19	20	–	10	1	–	–	–	5	4	5	3
Purpura	–	–	1	–	1	–	2	6	–	6	–	–	–	–	–	–	–	–
Ague	–	–	–	1	–	6	–	1	–	–	–	–	–	–	–	–	–	–
Worms	–	1	–	1	–	3	3	4	–	2	–	–	–	–	–	–	–	–
Infantile Fever	3	2	–	–	–	2	1	4	–	8	–	1	–	–	–	2	1	6
Typhus	27	45	41	28	12	103	182	378	45	132	10	11	1	4	30	31	12	19
Metria	1	4	1	–	–	9	10	27	5	22	2	1	1	–	2	3	4	3
Rheumatic Fever	–	2	1	–	–	3	–	4	1	5	–	–	–	–	–	–	–	1
Erysipelas	–	3	5	4	–	12	4	42	1	20	2	3	–	–	3	3	–	–
Syphilis	1	1	5	–	–	4	5	17	1	14	–	1	–	–	1	–	–	–
Noma	–	–	–	–	–	2	1	6	1	1	–	–	–	–	–	1	–	1
Hydrophobia	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Hæmorrhage	–	3	–	1	–	3	1	7	1	5	–	2	–	–	1	2	–	2
Dropsy	5	12	8	9	3	44	25	94	2	35	6	2	1	1	8	16	4	5
Abscess	–	1	1	1	1	4	–	17	2	6	1	1	1	–	1	3	1	2
Ulcer	–	–	1	–	–	2	1	7	–	2	2	2	–	–	–	–	–	–
Fistula	–	–	–	–	–	–	1	1	–	–	–	–	–	–	–	–	–	–
Mortification	–	5	1	1	–	1	4	12	1	6	–	–	–	–	–	2	1	2
Cancer	3	10	14	20	10	34	43	141	5	111	11	16	3	2	10	32	4	13
Gout	–	–	1	–	–	–	–	1	–	3	–	–	–	–	–	–	–	1
Scrofula	1	13	3	5	–	16	30	85	4	36	6	–	3	–	4	7	5	2
Tabes Mesenterica	–	4	13	3	3	28	37	123	5	65	3	3	–	1	10	9	4	4
Phthisis	36	108	80	90	23	365	368	1328	41	346	31	27	13	5	51	104	58	77
Hydrocephalus	3	30	17	12	5	59	71	252	9	84	6	3	–	3	11	9	10	7

CAUSES of DEATH in the COUNTIES of SCOTLAND during the YEAR 1862. - FEMALES. (*Continued.*)

DISEASES.	Scotland.	Shetland.	Orkney.	Caithness.	Sutherland.	Ross and Cromarty.	Inverness.	Nairn.	Elgin.	Banff.	Aberdeen.	Kincardine.	Forfar.	Perth.	Fife.	Kinross.
IV. Cephalitis	136	2	–	–	1	1	3	–	–	3	6	2	9	3	4	–
Apoplexy	599	–	3	3	1	2	7	2	14	11	42	6	49	32	37	3
Paralysis	774	4	7	8	5	18	21	4	21	8	55	12	57	35	51	2
Delirium Tremens	10	–	–	–	–	–	–	–	–	1	–	–	–	–	2	–
Chorea	3	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–
Epilepsy	93	–	2	2	–	–	1	–	–	1	5	2	4	5	6	–
Tetanus	16	1	–	–	–	2	–	–	–	–	1	–	1	–	1	–
Insanity	54	–	–	1	–	2	4	–	–	1	4	1	4	6	2	–
Convulsions	291	2	2	5	–	8	5	1	3	3	18	3	30	2	11	–
Brain Disease	411	–	2	1	2	–	4	1	3	1	30	4	28	7	9	1
V. Pericarditis	34	1	–	–	–	1	–	–	–	1	3	–	2	2	3	–
Aneurism	31	–	–	–	–	1	–	–	1	–	3	–	4	1	1	–
Heart Disease	1290	4	4	12	1	8	18	1	13	15	84	10	135	50	70	3
VI. Laryngitis	67	1	–	1	–	–	1	–	1	3	2	–	4	2	–	–
Bronchitis	2962	2	7	27	4	12	31	2	27	30	158	26	201	108	115	5
Pleurisy	127	–	–	1	1	4	14	–	2	2	10	–	7	6	2	–
Pneumonia	817	1	2	6	1	9	9	2	8	14	40	1	55	18	27	4
Asthma	370	2	3	2	8	22	25	1	5	3	17	1	31	19	20	–
Lung Disease	157	–	–	1	–	1	1	–	1	3	11	1	8	2	7	1
VII. Teething	505	2	–	–	3	5	6	–	8	6	44	3	40	18	14	–
Quinsey	32	1	–	–	–	4	2	–	–	1	3	–	–	2	1	–
Gastritis	90	–	1	2	–	1	1	1	2	2	7	–	3	3	7	–
Enteritis	394	–	–	4	–	2	3	–	5	6	12	3	16	16	14	1
Peritonitis	131	–	1	–	–	1	3	2	2	6	9	3	8	2	6	–
Ascites	47	–	–	–	2	1	5	–	1	–	3	–	2	5	4	–
Ulceration of Intestines	81	1	–	1	–	1	–	1	1	1	8	1	8	1	3	–
Hernia	56	–	–	–	–	–	2	–	2	2	4	1	4	3	5	–
Ileus	137	2	1	–	–	2	2	1	1	8	22	1	10	6	4	–
Intussusception	24	–	–	–	–	1	–	–	–	1	2	–	–	1	2	–
Stricture of Intestines	9	–	–	–	–	–	1	–	–	–	2	–	1	–	1	1
Stomach Disease	358	3	2	–	1	6	9	–	6	12	27	1	16	15	23	1
Pancreas Disease	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Hepatitis	79	1	1	1	–	1	1	–	–	3	2	1	6	4	1	–
Jaundice	80	1	1	–	3	–	2	–	1	3	4	2	11	1	1	–
Liver Disease	294	1	1	–	1	4	3	–	3	5	17	1	21	17	20	1
Spleen Disease	12	–	–	–	–	–	1	–	–	–	2	–	1	–	–	–
VIII. Nephritis	20	–	–	–	–	–	–	–	–	–	–	–	1	1	–	–
Nephria	102	–	1	–	–	–	–	–	3	3	4	–	9	2	4	–
Ischuria	5	–	–	–	–	–	–	–	–	1	2	–	–	–	–	–
Diabetes	31	–	–	–	–	–	–	–	–	–	3	–	–	1	3	–
Stone	8	–	2	–	–	–	–	–	–	–	–	–	1	–	–	–
Cystitis	14	–	–	–	–	–	–	–	–	–	3	–	–	–	–	–
Stricture of Urethra	1	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–
Kidney Disease	106	–	1	1	–	1	–	1	4	2	18	1	5	5	3	–
IX. Paramenia	29	–	1	–	–	–	–	–	–	1	1	1	4	2	–	–
Ovarian Dropsy	69	–	–	2	–	–	2	–	4	1	4	2	5	1	4	–
Childbirth	305	6	3	2	4	5	7	–	1	7	27	3	29	11	11	–
Organs of Generation	77	–	1	2	–	–	1	–	1	1	5	3	6	1	7	3
X. Arthritis	10	–	1	–	–	–	–	–	–	–	1	–	3	1	–	–
Rheumatism	86	1	–	–	2	3	11	–	1	2	7	–	5	8	2	–
Joint and Bone Disease	79	–	3	–	–	–	1	–	2	–	5	2	4	3	5	–
XI. Carbuncle	7	–	–	1	–	1	–	–	–	1	–	–	–	1	–	–
Phlegmon	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Skin Disease	21	–	–	–	1	1	–	–	–	–	1	1	2	–	–	–
XII. Cyanosis	23	–	–	–	–	–	–	–	–	–	1	1	2	2	–	–
Spina Bifida	14	–	–	–	–	–	–	–	–	–	–	–	1	1	2	–
Other Malformations	33	–	–	–	–	–	–	–	–	–	5	–	–	–	2	–
XVII. Intemperance	14	–	–	–	–	–	–	–	–	–	1	–	1	–	–	–
Privation	4	–	–	–	–	–	–	–	–	–	–	–	1	1	–	–
Want of Breast Milk	29	–	–	–	–	–	–	–	–	–	3	–	3	–	–	1
Neglect	2	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Cold	13	–	–	–	1	–	1	–	–	–	1	–	–	–	–	–
Poison	25	–	–	1	–	–	–	–	–	–	–	–	2	1	1	–
Burns and Scalds	175	3	2	4	–	4	2	1	3	2	8	1	10	11	9	1
Hanging, etc.	12	–	1	–	–	–	1	–	–	–	–	–	1	1	5	–
Suffocation	38	–	–	–	–	1	–	–	–	2	5	1	3	–	1	–
Drowning	69	–	–	–	1	2	1	–	2	–	5	1	3	3	1	–
Fracture and Contusion	144	1	–	–	–	2	–	–	1	2	14	1	6	5	4	1
Wounds	14	–	–	–	–	–	–	–	1	–	–	–	1	1	1	–
Other Violent Causes	22	–	–	–	–	–	–	–	1	1	4	–	3	–	2	–
Not Specified	1564	45	15	16	21	132	117	5	28	29	78	7	75	68	84	–

CAUSES of DEATH in the COUNTIES of SCOTLAND during the YEAR 1862.—FEMALES. (*Continued.*)

DISEASES.	Clackmannan.	Stirling.	Dumbarton.	Argyll.	Bute.	Renfrew.	Ayr.	Lanark.	Linlithgow.	Edinburgh.	Haddington.	Berwick.	Peebles.	Selkirk.	Roxburgh.	Dumfries.	Kirkcudbright.	Wigtown.
Cephalitis	1	–	1	5	2	7	10	37	4	22	1	1	–	1	–	5	2	3
Apoplexy	5	20	14	13	6	33	41	110	5	65	14	5	1	1	20	11	14	9
Paralysis	6	30	18	19	3	35	45	122	7	83	19	7	2	1	24	24	7	14
Delirium Tremens	–	–	–	–	–	1	1	4	–	–	–	–	1	–	–	–	–	–
Chorea	–	–	–	–	–	1	–	1	–	–	–	–	–	–	–	–	–	–
Epilepsy	–	2	–	2	–	5	3	24	–	16	2	1	–	1	2	4	–	3
Tetanus	–	1	–	–	–	–	–	3	–	6	–	–	–	–	–	–	–	–
Insanity	–	2	–	2	–	1	2	7	–	11	–	1	–	–	–	3	–	–
Convulsions	1	6	1	5	–	16	17	84	4	38	1	4	2	–	9	6	3	1
Brain Disease	2	19	2	9	1	31	28	128	5	57	1	4	1	–	7	7	10	6
Pericarditis	–	–	3	2	–	–	1	10	1	1	1	–	–	–	1	1	–	–
Aneurism	–	1	–	–	–	1	–	6	1	7	–	1	2	–	–	1	–	–
Heart Disease	5	51	19	27	14	62	52	265	19	177	24	26	5	8	23	34	28	18
Laryngitis	–	1	2	–	–	3	7	22	–	9	–	1	–	–	–	4	2	1
Bronchitis	17	65	35	52	8	208	156	1051	42	364	21	26	7	11	31	52	34	27
Pleurisy	–	2	2	1	–	4	5	23	1	22	1	1	1	–	3	7	1	4
Pneumonia	4	17	11	17	6	46	51	314	10	77	12	6	1	2	11	13	12	10
Asthma	2	14	5	7	1	15	22	86	1	40	2	1	–	–	2	9	3	1
Lung Disease	2	16	4	1	–	7	14	48	–	16	2	2	1	–	1	3	–	3
Teething	4	16	7	6	2	55	24	180	12	35	2	2	–	–	3	5	3	–
Quinsey	–	–	–	1	–	1	1	13	–	1	–	–	–	–	1	–	–	–
Gastritis	1	2	2	3	–	8	8	13	1	4	1	–	–	–	–	8	2	2
Enteritis	2	12	7	3	1	31	39	133	9	31	8	–	–	–	5	17	5	9
Peritonitis	1	4	1	1	–	8	6	29	3	14	3	3	2	2	1	3	6	1
Ascites	–	–	1	5	–	–	2	5	–	6	–	2	–	–	–	1	2	–
Ulceration of Intestines	–	1	4	1	1	4	4	11	–	17	–	4	1	1	–	4	–	1
Hernia	–	3	3	–	–	2	1	9	–	10	–	–	1	–	1	1	1	1
Ileus	–	4	1	2	–	3	7	32	–	18	–	–	1	1	4	3	–	1
Intussusception	–	–	1	2	–	–	4	5	–	3	2	–	–	–	–	–	–	–
Stricture of Intestines	–	–	–	–	–	1	–	–	–	2	–	–	–	–	–	–	–	–
Stomach Disease	1	16	4	12	3	20	20	64	3	42	7	7	1	2	7	9	11	7
Pancreas Disease	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Hepatitis	–	3	1	3	–	8	2	20	2	7	–	–	–	–	3	2	3	3
Jaundice	–	4	2	–	–	2	8	14	–	13	2	3	–	–	1	–	1	–
Liver Disease	1	14	8	5	3	24	14	52	6	37	8	2	1	–	9	7	3	5
Spleen Disease	–	–	1	–	–	–	1	2	–	1	–	1	1	–	–	1	–	–
Nephritis	–	1	–	1	1	–	4	7	–	1	–	–	–	–	1	1	1	–
Nephria	1	2	–	1	2	3	3	19	5	23	2	1	–	1	1	5	2	5
Ischuria	–	–	–	–	–	–	1	–	–	–	1	–	–	–	–	–	–	–
Diabetes	–	1	1	–	–	–	5	8	–	4	–	1	–	–	1	2	–	1
Stone	–	–	2	–	–	1	1	1	–	–	–	–	–	–	–	–	–	–
Cystitis	–	–	–	1	–	1	–	3	–	2	1	–	–	–	1	–	–	2
Stricture of Urethra	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Kidney Disease	–	5	2	3	1	7	4	15	1	12	3	1	–	–	2	4	2	2
Paramenia	–	1	–	–	–	–	–	7	1	6	–	–	–	–	2	2	–	–
Ovarian Dropsy	–	4	–	2	–	2	–	11	–	15	1	3	–	–	1	4	–	1
Childbirth	1	7	5	4	1	16	12	73	1	29	3	4	4	1	10	6	5	7
Organs of Generation	–	3	1	–	–	4	5	18	–	12	1	–	–	–	–	1	–	1
Arthritis	–	1	–	–	–	–	1	1	–	–	–	–	–	–	–	1	–	–
Rheumatism	–	1	–	5	1	2	3	16	1	7	–	1	–	–	–	5	2	–
Joint Disease	1	3	1	–	2	2	6	19	–	10	–	–	–	–	3	3	2	2
Carbuncle	–	–	–	–	–	–	1	–	–	1	1	–	–	–	–	–	–	–
Phlegmon	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–
Skin Disease	–	2	1	1	–	1	2	2	–	4	–	–	–	1	–	1	–	–
Cyanosis	–	1	–	–	–	1	5	4	1	4	–	–	–	1	–	–	–	–
Spina Bifida	–	–	–	–	–	–	–	3	2	2	–	1	–	–	2	–	–	–
Other Malformations	–	–	–	–	–	3	4	9	2	6	2	–	–	–	–	–	–	–
Intemperance	–	–	–	–	–	1	1	4	–	4	–	–	–	–	1	1	–	–
Privation	–	1	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–
Want of Breast Milk	–	–	–	–	–	1	1	12	1	6	–	–	–	–	1	–	–	–
Neglect	–	–	–	–	–	–	–	2	–	–	–	–	–	–	–	–	–	–
Cold	–	–	–	1	–	1	1	1	–	3	1	1	–	–	–	1	–	–
Poison	–	–	–	–	–	1	3	9	1	2	1	–	1	–	–	–	–	2
Burns and Scalds	–	6	4	1	–	8	15	41	2	20	2	2	–	–	8	2	1	2
Hanging, etc.	–	–	–	–	–	–	–	2	–	–	–	–	–	–	–	1	–	–
Suffocation	–	–	–	–	1	2	–	6	–	13	–	–	–	–	2	1	–	–
Drowning	–	–	2	1	–	3	11	19	–	7	–	1	–	–	4	1	1	–
Fracture and Contusion	3	1	–	5	1	10	6	24	6	42	–	2	–	–	3	1	1	2
Wounds	–	–	–	1	–	2	–	5	–	1	–	–	–	–	1	–	–	–
Other Violent Causes	–	–	1	–	–	–	1	4	–	2	–	–	–	–	–	–	2	1
Not Specified	14	78	41	106	18	96	85	206	22	45	19	16	3	4	20	41	18	18

CAUSES of DEATH in the TOWNS of SCOTLAND during the YEAR 1862.—BOTH SEXES.

DISEASES.	Glasgow.	Barony.	Govan.	Edinburgh.	Dundee.	Aberdeen.	Paisley.	Greenock.	Leith.	Perth.
ALL CAUSES	11565	789	783	4760	2599	1923	1253	1370	872	618
SPECIFIED CAUSES	11403	731	761	4733	2551	1916	1214	1315	859	603
I. Zymotic Class	2497	116	195	1171	769	424	206	313	291	149
II. Diseases of Uncertain Seat	296	26	14	184	80	74	54	40	26	22
III. Tubercular Class	2340	141	164	803	411	347	235	286	111	89
IV. Brain and Nervous System	807	57	68	418	146	163	102	104	68	58
V. Organs of Circulation	424	21	15	263	83	85	35	37	51	38
VI. Respiratory Organs	2290	191	110	749	415	255	182	162	117	81
VII. Organs of Digestion	872	43	59	280	141	174	124	113	48	44
VIII. Urinary Organs	98	11	9	93	33	51	7	15	8	4
IX. Organs of Generation	58	7	11	41	26	13	9	6	4	6
X. Organs of Locomotion	54	6	5	38	11	18	8	5	6	3
XI. Skin, etc.	4	–	2	7	4	3	1	4	2	1
XII. Malformation	23	1	4	18	2	3	4	4	2	2
XIII. Premature Debility	660	30	52	210	186	96	63	90	51	28
XIV. Atrophy	158	5	5	35	28	13	21	27	6	6
XV. Age	472	53	21	218	144	132	134	59	37	54
XVI. Sudden Deaths	19	–	–	12	14	1	1	6	–	3
XVII. Violent Deaths	331	23	27	193	58	64	28	44	31	15
I. Small Pox	27	1	1	171	16	–	1	2	77	1
Measles	275	3	20	30	210	156	15	99	5	5
Scarlatina	112	4	41	232	24	21	4	2	30	16
Diphtheria	139	6	26	42	27	16	10	32	10	7
Hooping Cough	681	17	26	280	213	80	30	16	81	60
Croup	327	16	26	89	77	12	30	43	15	16
Thrush	4	–	–	5	4	–	–	2	–	–
Diarrhœa	205	31	19	67	53	33	20	32	11	5
Dysentery	39	1	1	22	18	12	4	5	7	1
Cholera	14	–	–	2	1	2	1	1	–	–
Influenza	22	–	–	9	9	9	2	1	–	2
Purpura	3	–	1	8	3	1	2	–	1	2
Ague	3	–	–	–	–	–	7	1	–	–
Worms	7	–	1	1	1	–	2	–	1	–
Infantile Fever	5	–	1	10	6	–	–	1	1	–
Typhus	533	31	30	147	64	61	60	63	39	33
Metria	18	3	–	16	1	3	6	2	3	–
Rheumatic Fever	9	–	–	5	1	4	3	2	1	1
Erysipelas	44	2	2	18	7	5	4	4	6	–
Syphilis	27	–	–	15	7	8	3	5	3	–
Noma	3	1	–	2	–	1	2	–	–	–
Hydrophobia	–	–	–	–	–	–	–	–	–	–
II. Hæmorrhage	13	–	2	5	1	1	1	2	2	–
Dropsy	87	13	2	33	38	20	31	14	9	7
Abscess	24	3	–	16	2	5	6	–	1	–
Ulcer	11	–	–	4	3	4	1	2	1	1
Fistula	3	–	–	1	–	1	–	–	–	–
Mortification	19	1	1	7	3	2	1	1	3	1
Cancer	138	9	9	118	33	41	14	21	10	13
Gout	1	–	–	–	–	–	–	–	–	–
III. Scrofula	109	15	7	60	10	22	8	11	10	9
Tabes Mesenterica	182	4	19	92	15	15	18	18	21	4
Phthisis	1670	111	96	514	304	244	173	210	60	65
Hydrocephalus	379	11	42	137	82	66	36	47	20	11

CAUSES of DEATH in the TOWNS of SCOTLAND during the YEAR 1862.—BOTH SEXES.

DISEASES.	Inverness.	Arbroath.	Forfar.	Montrose.	Dunfermline.	Kirkcaldy.	Stirling.	Ayr.	Kilmarnock.	Hamilton.	Airdrie.	Coatbridge, etc.	Dumfries.
ALL CAUSES	322	435	313	412	271	254	381	534	576	287	259	413	537
SPECIFIED CAUSES	317	429	303	397	260	244	275	510	573	256	244	403	524
Zymotic Class	42	132	81	83	48	59	106	138	122	38	64	200	90
Uncertain Seat	10	7	6	20	13	16	10	12	19	8	11	10	25
Tubercular Class	37	72	43	75	56	39	54	103	159	68	56	56	95
Brain, etc.	38	37	35	55	27	14	36	33	46	16	14	16	56
Heart, etc.	19	31	29	21	19	14	32	13	18	9	1	9	26
Respiratory Organs	41	47	38	44	35	36	47	73	92	45	49	47	85
Digestive Organs	37	28	20	21	13	26	29	36	32	18	17	21	52
Urinary Organs	5	6	–	8	1	4	6	7	5	6	2	1	8
Generative Organs	3	3	1	1	2	–	3	1	3	2	–	2	2
Locomotive Organs	2	2	1	2	1	1	1	2	1	2	1	1	4
Skin	1	–	–	–	–	–	1	1	1	–	–	1	–
Malformation	–	4	6	–	2	–	–	2	1	–	–	1	–
Premature Debility	21	18	16	17	12	10	21	18	23	13	5	11	27
Atrophy	2	2	–	3	2	2	3	2	2	4	1	2	4
Age	53	34	24	38	23	19	17	50	34	19	19	10	40
Sudden Deaths	–	1	–	2	–	–	–	–	1	2	–	–	1
Violent Deaths	6	5	3	7	6	4	9	19	14	6	4	15	9
Small Pox	–	–	–	–	–	–	3	1	–	–	9	2	–
Measles	–	61	9	1	3	13	14	–	–	–	–	–	18
Scarlatina	1	–	1	15	1	3	15	–	–	–	–	130	4
Diphtheria	–	1	2	3	3	10	5	12	3	1	2	3	–
Hooping Cough	3	12	41	16	10	5	19	12	55	10	14	30	15
Croup	11	12	5	6	2	–	6	11	14	5	4	7	7
Thrush	1	–	2	–	1	–	–	–	–	–	–	–	–
Diarrhœa	7	5	2	13	1	5	23	11	6	8	13	11	11
Dysentery	1	2	1	4	6	1	2	2	2	1	–	1	6
Cholera	–	–	–	–	–	–	–	–	1	–	2	–	–
Influenza	–	2	–	–	5	–	3	1	1	–	1	2	–
Purpura	–	1	–	–	–	–	–	–	1	–	–	1	–
Ague	–	–	–	–	–	–	–	–	–	–	–	–	–
Worms	–	–	–	–	–	–	–	–	–	–	–	1	–
Infantile Fever	–	–	–	–	–	–	–	–	–	–	–	–	–
Typhus	13	33	18	20	16	20	12	82	33	10	17	10	23
Metria	–	1	–	2	–	–	1	1	–	1	–	–	1
Rheumatic Fever	–	1	–	–	–	–	1	–	–	–	–	–	–
Erysipelas	4	1	–	1	–	1	2	1	4	2	–	1	3
Syphilis	1	–	–	2	–	1	–	3	2	–	–	–	1
Noma	–	–	–	–	–	–	–	1	–	–	2	1	1
Hydrophobia	–	–	–	–	–	–	–	–	–	–	–	–	–
Hæmorrhage	–	–	–	3	–	–	–	–	1	–	–	–	–
Dropsy	4	4	1	1	9	8	6	4	2	2	4	5	6
Abscess	–	–	1	2	–	–	–	–	–	1	1	–	3
Ulcer	1	–	–	–	–	–	–	3	1	–	–	–	–
Fistula	–	–	–	–	–	–	–	1	–	–	–	–	–
Mortification	2	–	–	1	–	–	2	–	–	–	–	–	–
Cancer	3	3	4	13	4	8	2	4	15	5	6	5	16
Gout	–	–	–	–	–	–	–	–	–	–	–	–	–
Scrofula	–	2	–	4	4	–	4	10	8	1	3	7	7
Tabes Mesenterica	–	–	2	1	3	8	4	11	7	–	11	6	6
Phthisis	35	59	29	61	39	25	43	73	99	51	40	30	71
Hydrocephalus	2	11	12	9	10	6	3	9	45	16	2	13	11

CAUSES of DEATH in the TOWNS of SCOTLAND during the YEAR 1862.—BOTH SEXES. (*Contd.*)

DISEASES.	Glasgow.	Barony.	Govan.	Edinburgh.	Dundee.	Aberdeen.	Paisley.	Greenock.	Leith.	Perth.
IV. Cephalitis	57	3	3	24	7	8	7	8	8	4
Apoplexy	158	15	19	87	37	29	27	25	16	20
Paralysis	156	18	16	106	38	46	33	28	19	17
Delirium Tremens	9	–	–	5	4	5	2	1	3	–
Chorea	1	–	–	1	–	–	–	1	–	–
Epilepsy	31	5	4	20	4	5	4	5	4	–
Tetanus	10	–	1	5	–	1	–	–	1	1
Insanity	9	2	1	17	1	8	2	–	–	4
Convulsions	189	4	11	68	37	26	4	10	7	5
Brain Disease	187	10	13	85	18	35	23	26	10	7
V. Pericarditis	16	1	2	2	1	–	1	–	1	
Aneurism	7	1	–	22	3	5	2	1	3	3
Heart Disease	401	19	13	239	79	80	32	36	47	35
VI. Laryngitis	42	3	1	18	5	5	3	–	3	2
Bronchitis	1553	100	74	520	258	181	135	113	59	63
Pleurisy	32	6	3	22	11	10	2	8	3	1
Pneumonia	465	65	25	111	90	40	32	30	40	11
Asthma	117	7	5	46	39	13	9	6	7	4
Lung Disease	81	10	2	32	12	6	1	5	5	–
VII. Teething	308	12	16	44	64	62	47	46	9	21
Quinsey	15	–	3	1	2	2	–	1	–	1
Gastritis	25	–	–	6	7	3	5	2	1	2
Enteritis	190	10	17	39	13	13	36	20	10	–
Peritonitis	26	6	2	11	8	7	3	4	4	2
Ascites	5	–	1	4	2	2	–	–	–	3
Ulceration of Intestines	15	–	3	17	4	10	2	2	3	1
Hernia	13	–	–	11	4	5	3	1	–	1
Ileus	40	1	1	20	6	28	2	4	2	1
Intussusception	6	–	–	2	1	1	–	1	–	1
Stricture of Intestines	3	–	1	4	1	1	1	–	2	–
Stomach Disease	94	3	6	52	14	14	8	8	7	4
Pancreas Disease	–	–	–	–	–	–	–	–	–	–
Hepatitis	20	2	4	6	2	2	6	4	–	1
Jaundice	18	1	1	17	4	7	2	2	3	1
Liver Disease	93	7	3	45	9	15	9	18	7	5
Spleen Disease	1	1	1	1	–	2	–	–	–	–
VIII. Nephritis	6	1	1	5	–	–	–	1	–	–
Nephria	40	6	4	36	12	6	2	2	3	–
Ischuria	5	–	–	2	1	2	–	–	–	–
Diabetes	8	–	3	8	2	5	–	–	–	–
Stone	6	–	–	5	4	3	–	1	–	–
Cystitis	7	–	–	5	1	4	2	2	3	1
Stricture of Urethra	–	–	–	2	–	–	–	–	–	–
Kidney Disease	26	4	1	30	13	31	3	9	2	3
IX. Paramenia	5	–	–	4	2	–	–	–	–	–
Ovarian Dropsy	7	–	1	10	2	4	–	2	1	–
Childbirth	36	5	8	19	20	7	8	3	3	6
Organs of Generation	10	2	2	8	2	2	1	1	–	–
X. Arthritis	2	–	–	2	1	2	1	1	–	–
Rheumatism	20	2	3	13	5	5	2	2	2	2
Joint and Bone Disease	32	4	2	23	5	11	5	2	4	1
XI. Carbuncle	2	–	–	2	–	–	–	–	–	–
Phlegmon	1	–	–	1	2	–	–	1	–	1
Skin Disease	1	–	2	4	2	3	1	3	2	–
XII. Cyanosis	6	1	–	6	–	2	–	–	–	1
Spina Bifida	6	–	–	2	2	–	2	1	2	1
Other Malformations	11	–	4	10	–	1	2	3	–	–
XVII. Intemperance	14	–	1	6	2	4	–	–	1	–
Privation	1	–	–	2	1	–	–	1	–	–
Want of Breast Milk	26	–	–	8	4	8	–	–	1	–
Neglect	2	–	–	–	1	–	–	–	–	–
Cold	1	–	–	1	–	–	–	–	1	–
Poison	12	1	–	6	3	–	1	2	–	–
Burns and Scalds	57	4	7	23	15	5	7	6	2	2
Hanging, etc.	9	1	–	3	3	2	–	2	–	1
Suffocation	16	–	–	24	2	7	3	1	4	–
Drowning	61	8	6	8	9	11	5	9	8	3
Fracture and Contusion	104	9	10	97	14	21	10	21	11	8
Wounds	10	–	1	4	2	1	2	1	1	–
Other Violent Causes	18	–	2	11	2	5	–	1	2	1
Not Specified	162	58	22	27	48	7	39	55	13	15

CAUSES of DEATH in the TOWNS of SCOTLAND during the YEAR 1862.—BOTH SEXES. (*Contd.*)

DISEASES.	Inverness.	Arbroath.	Forfar.	Montrose.	Dunfermline.	Kirkcaldy.	Stirling.	Ayr.	Kilmarnock.	Hamilton.	Airdrie.	Coatbridge, etc.	Dumfries.
Cephalitis	–	7	–	1	1	–	1	3	3	2	2	2	3
Apoplexy	4	8	5	15	7	3	3	11	11	3	6	7	16
Paralysis	13	6	15	14	11	7	12	7	12	3	3	2	15
Delirium Tremens	–	–	–	–	–	–	1	–	–	–	–	–	1
Chorea	–	–	–	–	–	–	–	–	–	–	–	–	1
Epilepsy	2	–	1	5	2	–	–	1	3	–	2	–	3
Tetanus	–	–	–	1	–	–	–	2	–	–	–	–	–
Insanity	1	–	–	6	1	–	–	–	–	–	–	–	7
Convulsions	7	6	9	1	3	1	6	8	7	3	–	2	7
Brain Disease	11	10	5	12	2	3	13	1	10	5	1	3	3
Pericarditis	2	1	1	–	–	1	–	1	–	1	–	1	1
Aneurism	–	–	–	–	1	–	–	–	–	1	–	–	–
Heart Disease	17	30	28	21	18	13	32	12	18	7	1	8	25
Laryngitis	–	2	–	1	–	–	–	1	1	1	–	–	5
Bronchitis	19	26	28	35	21	24	37	42	75	30	32	35	39
Pleurisy	2	–	–	3	1	–	–	3	1	3	–	2	2
Pneumonia	10	8	5	3	8	4	5	15	8	10	11	5	27
Asthma	9	9	–	1	3	6	3	8	7	–	4	4	8
Lung Disease	1	2	5	1	2	2	2	4	–	1	2	1	4
Teething	11	8	2	3	3	9	7	11	5	4	4	2	3
Quinsey	–	1	–	–	–	–	–	1	–	–	–	–	–
Gastritis	–	–	–	–	–	1	–	3	1	1	–	2	6
Enteritis	3	4	1	4	4	3	7	1	10	3	4	7	12
Peritonitis	2	–	1	3	–	4	1	2	3	3	3	1	–
Ascites	2	–	–	–	–	1	–	1	–	1	–	–	–
Ulceration of Intestines	–	2	4	1	–	1	–	–	1	1	–	1	2
Hernia	2	–	–	1	1	1	1	–	1	–	–	1	3
Ileus	–	2	1	1	2	–	2	2	1	–	2	2	2
Intussusception	–	–	–	–	–	–	1	–	–	–	–	–	–
Stricture of Intestines	1	–	–	–	–	–	–	–	1	–	–	–	–
Stomach Disease	9	3	2	2	2	3	4	6	2	2	–	3	12
Pancreas Disease	–	–	–	–	–	–	–	–	–	–	–	–	–
Hepatitis	–	1	1	1	–	–	3	1	2	1	–	1	2
Jaundice	1	1	1	1	–	–	1	1	1	1	–	1	1
Liver Disease	6	6	7	4	1	2	2	6	4	1	4	–	9
Spleen Disease	–	–	–	–	–	1	–	1	–	–	–	–	–
Nephritis	1	–	–	1	–	–	–	2	–	–	–	–	2
Nephria	2	2	–	–	–	–	3	–	1	3	1	1	3
Ischuria	1	–	–	–	–	–	–	–	–	1	–	–	–
Diabetes	–	2	–	–	–	1	–	1	–	–	–	–	–
Stone	–	–	–	2	–	–	–	–	–	–	–	–	–
Cystitis	–	–	–	3	1	1	1	1	–	–	–	–	–
Stricture of Urethra	–	–	–	–	–	–	–	–	–	–	–	–	–
Kidney Disease	1	2	–	2	–	2	2	3	4	2	1	–	3
Paramenia	–	–	1	–	–	–	–	–	–	–	–	–	–
Ovarian Dropsy	2	–	–	–	–	–	1	–	–	–	–	–	1
Childbirth	–	3	–	1	1	–	1	–	3	2	–	2	1
Organs of Generation	1	–	–	–	1	–	1	1	–	–	–	–	–
Arthritis	–	–	–	–	–	–	–	–	–	–	–	–	1
Rheumatism	2	1	1	1	–	–	–	1	–	–	–	–	2
Joint Disease	–	1	–	1	1	1	1	1	1	2	1	1	1
Carbuncle	1	–	–	–	–	–	–	–	–	–	–	–	–
Phlegmon	–	–	–	–	–	–	–	–	–	–	–	–	–
Skin Disease	–	–	–	–	–	–	1	1	1	–	–	1	–
Cyanosis	–	2	5	–	–	–	–	2	–	–	–	–	–
Spina Bifida	–	–	1	–	2	–	–	–	–	–	–	–	–
Other Malformations	–	2	–	–	–	–	–	–	1	–	–	1	–
Intemperance	–	–	–	–	–	–	–	–	–	1	–	–	1
Privation	–	–	–	–	–	–	–	–	–	–	–	–	–
Want of Breast Milk	–	–	1	–	–	–	–	1	1	–	–	2	–
Neglect	–	–	–	–	–	–	–	–	–	–	–	–	–
Cold	–	–	–	–	–	–	–	–	–	–	–	–	1
Poison	–	–	1	–	1	–	1	1	2	–	–	1	–
Burns and Scalds	–	–	–	–	–	1	5	5	4	–	–	2	1
Hanging, etc.	1	–	–	–	1	–	–	1	1	–	–	–	1
Suffocation	–	–	–	1	1	–	–	1	–	–	–	–	–
Drowning	2	2	1	1	–	1	1	2	1	1	–	3	1
Fracture and Contusion	2	1	–	2	3	1	2	7	5	4	3	7	4
Wounds	1	–	–	2	–	–	–	–	–	–	–	–	–
Other Violent Causes	–	2	–	1	–	1	–	1	–	–	1	–	–
Not Specified	5	6	10	15	11	10	6	24	3	31	15	10	13

CAUSES of DEATH in the TOWNS of SCOTLAND during the YEAR 1862.—MALES.

DISEASES.	Glasgow.	Barony.	Govan.	Edinburgh.	Dundee.	Aberdeen.	Paisley.	Greenock.	Leith.	Perth.
ALL CAUSES	5696	387	397	2306	1289	938	602	703	441	295
SPECIFIED CAUSES	5602	356	387	2290	1260	937	580	673	435	289
I. Zymotic Class	1225	54	104	517	406	206	85	156	143	71
II. Diseases of Uncertain Seat	121	8	4	62	31	29	21	18	8	7
III. Tubercular Class	1066	63	83	429	179	165	107	142	57	46
IV. Brain and Nervous System	449	31	37	211	70	94	68	53	38	37
V. Organs of Circulation	208	15	6	136	38	49	15	24	28	22
VI. Respiratory Organs	1127	95	58	369	217	124	93	82	62	35
VII. Organs of Digestion	477	23	27	120	76	81	67	57	21	21
VIII. Urinary Organs	61	5	5	60	21	37	6	7	6	3
IX. Organs of Generation	–	–	–	–	–	–	–	–	–	–
X. Organs of Locomotion	35	3	2	24	5	14	7	3	4	1
XI. Skin, etc.	4	–	1	4	2	3	–	4	–	1
XII. Malformation	11	1	3	8	1	2	3	2	1	1
XIII. Premature Debility	377	15	27	126	112	52	31	47	31	15
XIV. Atrophy	65	3	2	14	17	3	7	14	3	1
XV. Age	141	18	5	82	48	39	51	24	8	17
XVI. Sudden Deaths	10	–	–	10	4	1	1	3	–	2
XVII. Violent Deaths	225	22	23	118	33	38	18	37	25	9
I. Small Pox	13	–	–	86	5	–	–	1	44	–
Measles	134	2	10	8	125	88	8	52	1	1
Scarlatina	63	2	24	115	13	17	–	–	14	6
Diphtheria	63	2	12	18	17	7	4	12	4	4
Hooping Cough	308	9	10	126	113	26	12	8	44	24
Croup	167	9	17	34	42	5	13	24	5	10
Thrush	–	–	–	2	3	–	–	1	–	–
Diarrhœa	104	10	14	29	25	15	9	16	4	3
Dysentery	17	–	1	6	12	3	2	4	3	1
Cholera	8	–	–	1	1	1	–	1	–	–
Influenza	8	–	–	3	4	6	2	1	–	–
Purpura	–	–	–	2	2	–	2	–	1	1
Ague	2	–	–	–	–	–	2	–	–	–
Worms	5	–	1	–	1	–	–	–	–	–
Infantile Fever	2	–	–	3	1	–	–	–	1	–
Typhus	292	18	14	63	33	30	26	31	20	20
Metria	–	–	–	–	–	–	–	–	–	–
Rheumatic Fever	7	–	–	3	–	2	2	2	–	1
Erysipelas	16	1	1	10	4	2	1	–	2	–
Syphilis	16	–	–	7	5	3	1	3	–	–
Noma	–	1	–	1	–	1	1	–	–	–
Hydrophobia	–	–	–	–	–	–	–	–	–	–
II. Hæmorrhage	10	–	1	3	1	1	–	2	–	–
Dropsy	32	4	1	9	13	9	12	7	2	4
Abscess	14	2	–	10	2	2	2	–	1	–
Ulcer	4	–	–	2	2	3	–	1	1	1
Fistula	3	–	–	1	–	1	–	–	–	–
Mortification	11	–	–	4	2	2	1	1	1	–
Cancer	47	2	2	33	11	11	6	7	3	2
Gout	–	–	–	–	–	–	–	–	–	–
III. Scrofula	59	10	4	35	7	14	4	6	4	8
Tabes Mesenterica	101	3	8	49	9	7	10	7	10	2
Phthisis	711	43	48	271	120	104	72	99	33	26
Hydrocephalus	195	7	23	74	43	40	21	30	10	10

CAUSES of DEATH in the TOWNS of SCOTLAND during the YEAR 1862.—MALES.

DISEASES.	Inverness.	Arbroath.	Forfar.	Montrose.	Dunfermline.	Kirkcaldy.	Stirling.	Ayr.	Kilmarnock.	Hamilton.	Airdrie.	Coatbridge, etc.	Dumfries.
ALL CAUSES	155	204	158	191	141	129	186	277	286	152	119	223	281
SPECIFIED CAUSES	152	201	153	182	135	126	181	261	283	135	111	216	275
Zymotic Class	23	68	39	36	22	31	53	63	57	14	22	106	53
Uncertain Seat	2	2	2	9	5	4	2	4	11	2	1	3	11
Tubercular Class	15	27	21	37	29	19	28	56	76	36	26	26	49
Brain, etc.	22	19	20	24	18	6	20	19	23	9	7	8	33
Heart, etc.	10	10	11	4	11	6	16	7	11	7	–	6	13
Respiratory Organs	21	26	21	23	15	25	23	42	52	25	30	29	46
Digestive Organs	16	13	13	6	8	12	10	20	11	8	8	11	29
Urinary Organs	5	6	–	7	1	3	4	5	5	6	2	1	1
Generative Organs	–	–	–	–	–	–	–	–	–	–	–	–	–
Locomotive Organs	–	1	1	1	1	1	–	1	1	–	1	–	2
Skin	1	–	–	–	–	–	–	1	1	–	–	1	–
Malformation	–	3	6	–	1	–	–	1	–	–	–	1	–
Premature Debility	10	10	12	8	8	7	12	12	13	11	2	9	12
Atrophy	1	1	–	1	2	1	1	2	2	2	1	–	4
Age	21	10	5	17	9	7	4	14	9	9	7	4	14
Sudden Deaths	–	1	–	2	–	–	–	–	–	–	–	–	1
Violent Deaths	5	4	2	7	5	4	8	14	11	6	4	11	7
Small Pox	–	–	–	–	–	–	–	1	–	–	4	2	–
Measles	–	31	4	–	1	9	7	–	–	–	–	–	13
Scarlatina	1	–	–	7	1	2	8	–	–	–	–	69	–
Diphtheria	–	1	1	3	2	6	2	7	1	–	–	2	–
Hooping Cough	1	8	23	8	3	1	8	6	26	4	6	16	9
Croup	7	7	1	3	1	–	5	4	9	2	2	4	4
Thrush	1	–	2	–	–	–	–	–	–	–	–	–	–
Diarrhœa	4	1	1	6	1	2	11	4	3	5	3	6	5
Dysentery	–	2	1	2	1	1	–	1	1	1	–	1	2
Cholera	–	–	–	–	–	–	–	–	1	–	1	–	–
Influenza	–	1	–	–	3	–	2	1	–	–	1	–	–
Purpura	–	–	–	–	–	–	–	–	1	–	–	1	–
Ague	–	–	–	–	–	–	–	–	–	–	–	–	–
Worms	–	–	–	–	–	–	–	–	–	–	–	1	–
Infantile Fever	–	–	–	–	–	–	–	–	–	–	–	–	–
Typhus	7	15	6	5	9	9	10	36	12	2	5	3	17
Metria	–	–	–	–	–	–	–	–	–	–	–	–	–
Rheumatic Fever	–	1	–	–	–	–	–	–	–	–	–	–	–
Erysipelas	2	1	–	1	–	–	–	1	3	–	–	–	2
Syphilis	–	–	–	1	–	1	–	2	–	–	–	–	1
Noma	–	–	–	–	–	–	–	–	–	–	–	1	–
Hydrophobia	–	–	–	–	–	–	–	–	–	–	–	–	–
Hæmorrhage	–	–	–	2	–	–	–	–	1	–	–	–	–
Dropsy	1	1	1	–	5	4	2	2	2	2	1	2	2
Abscess	–	–	–	–	–	–	–	–	–	–	–	–	–
Ulcer	–	–	–	–	–	–	–	2	1	–	–	–	–
Fistula	–	–	–	–	–	–	–	–	–	–	–	–	–
Mortification	1	–	–	1	–	–	–	–	–	–	–	–	–
Cancer	–	1	1	6	–	–	–	–	7	–	–	1	9
Gout	–	–	–	–	–	–	–	–	–	–	–	–	–
Scrofula	–	2	–	2	1	–	2	7	5	–	2	4	3
Tabes Mesenterica	–	–	1	1	1	5	3	7	3	–	6	3	3
Phthisis	14	19	14	27	23	11	22	36	42	30	17	13	38
Hydrocephalus	1	6	6	7	4	3	1	6	26	6	1	6	5

CAUSES of DEATH in the TOWNS of SCOTLAND during the YEAR 1862.—MALES. (*Contd.*)

DISEASES.	Glasgow.	Barony.	Govan.	Edinburgh.	Dundee.	Aberdeen.	Paisley.	Greenock.	Leith.	Perth.
IV. Cephalitis	34	2	1	11	1	6	5	7	4	3
Apoplexy	95	10	13	44	18	12	17	12	9	10
Paralysis	77	6	9	50	15	28	23	13	8	12
Delirium Tremens	6	–	–	5	4	5	1	1	3	–
Chorea	–	–	–	1	–	–	–	–	–	–
Epilepsy	14	4	3	13	2	4	3	2	3	–
Tetanus	7	–	1	1	–	–	–	–	1	1
Insanity	3	2	–	7	1	4	2	–	–	1
Convulsions	123	1	4	33	20	14	2	5	5	5
Brain Disease	90	6	6	46	9	21	15	13	5	5
V. Pericarditis	8	1	2	1	1	–	1	–	1	–
Aneurism	5	1	–	15	1	4	1	1	3	2
Heart Disease	195	13	4	120	36	45	13	23	24	20
VI. Laryngitis	22	2	1	11	2	4	1	–	1	2
Bronchitis	729	48	43	248	131	85	68	52	32	23
Pleurisy	20	4	1	9	6	6	2	4	–	1
Pneumonia	261	33	10	62	50	20	17	21	23	7
Asthma	50	4	2	19	20	6	5	2	3	2
Lung Disease	45	4	1	20	8	3	–	3	3	–
VII. Teething	165	6	7	19	37	33	26	20	6	12
Quinsey	7	–	–	–	2	2	–	1	–	1
Gastritis	13	–	–	2	5	–	2	–	1	–
Enteritis	112	7	9	21	8	7	20	14	3	–
Peritonitis	11	3	1	3	3	2	1	1	1	1
Ascites	2	–	1	–	1	–	–	–	–	1
Ulceration of Intestines	10	–	–	8	1	3	1	2	3	1
Hernia	7	–	–	3	2	2	3	1	–	–
Ileus	16	–	1	7	2	12	2	3	1	–
Intussusception	2	–	–	–	1	–	–	1	–	1
Stricture of Intestines	3	–	1	3	–	–	–	–	1	–
Stomach Disease	49	2	2	28	8	4	2	2	1	2
Pancreas Disease	–	–	–	–	–	–	–	–	–	–
Hepatitis	10	1	1	1	1	1	4	2	–	1
Jaundice	10	–	1	8	–	5	2	2	2	1
Liver Disease	59	4	2	17	5	10	4	8	2	–
Spleen Disease	1	–	1	–	–	–	–	–	–	–
VIII. Nephritis	1	–	–	4	–	–	–	1	–	–
Nephria	26	3	4	18	5	3	1	1	2	–
Ischuria	5	–	–	2	1	1	–	–	–	–
Diabetes	2	–	1	4	2	5	–	–	–	–
Stone	6	–	–	5	3	3	–	1	–	–
Cystitis	4	–	–	4	1	4	2	2	3	1
Stricture of Urethra	–	–	–	2	–	–	–	–	–	–
Kidney Disease	17	2	–	21	9	21	3	2	1	2
IX. Paramenia	–	–	–	–	–	–	–	–	–	–
Ovarian Dropsy	–	–	–	–	–	–	–	–	–	–
Childbirth	–	–	–	–	–	–	–	–	–	–
Organs of Generation	–	–	–	–	–	–	–	–	–	–
X. Arthritis	2	–	–	2	–	2	1	1	–	–
Rheumatism	9	1	1	7	3	3	2	1	1	–
Joint and Bone Disease	24	2	1	15	2	9	4	1	3	1
XI. Carbuncle	2	–	–	1	–	–	–	–	–	–
Phlegmon	1	–	–	1	2	–	–	1	–	1
Skin Disease	1	–	1	2	–	3	–	3	–	–
XII. Cyanosis	3	1	–	3	–	1	–	–	–	1
Spina Bifida	4	–	–	1	1	–	2	1	1	–
Other Malformations	4	–	3	4	–	1	1	1	–	–
XVII. Intemperance	10	–	1	4	2	3	–	–	–	–
Privation	1	–	–	1	–	–	–	1	–	–
Want of Breast Milk	16	–	–	2	1	5	–	–	1	–
Neglect	–	–	–	–	1	–	–	–	–	–
Cold	–	–	–	–	–	–	–	–	1	–
Poison	6	1	–	4	2	–	1	1	–	–
Burns and Scalds	21	3	5	11	6	2	3	5	2	–
Hanging, etc.	7	1	–	3	2	2	–	2	–	–
Suffocation	11	–	–	12	–	3	2	–	3	–
Drowning	48	8	6	6	6	8	3	9	7	3
Fracture and Contusion	84	9	8	62	10	11	7	18	8	5
Wounds	7	–	1	3	1	1	2	–	1	–
Other Violent Causes	14	–	2	10	2	3	–	1	2	1
Not Specified	94	31	10	16	29	1	22	30	6	6

CAUSES of DEATH in the TOWNS of SCOTLAND during the YEAR 1862.—MALES. (*Contd.*)

DISEASES.	Inverness.	Arbroath.	Forfar.	Montrose.	Dunfermline.	Kirkcaldy.	Stirling.	Ayr.	Kilmarnock.	Hamilton.	Airdrie.	Coatbridge, etc.	Dumfries.
Cephalitis	–	6	–	–	1	–	–	2	1	2	1	–	2
Apoplexy	4	3	1	5	5	2	1	6	3	2	2	5	7
Paralysis	5	2	10	7	7	3	7	2	6	2	2	–	10
Delirium Tremens	–	–	–	–	–	–	1	–	–	–	–	–	1
Chorea	–	–	–	–	–	–	–	–	–	–	–	–	1
Epilepsy	1	–	–	4	1	–	–	1	3	–	1	–	2
Tetanus	–	–	–	–	–	–	–	2	–	–	–	–	–
Insanity	–	–	–	2	1	–	–	–	–	–	–	–	4
Convulsions	4	2	6	–	1	–	5	6	4	2	–	1	4
Brain Disease	8	6	3	6	2	1	5	–	6	1	1	2	2
Pericarditis	2	–	–	–	–	–	–	1	–	1	–	1	1
Aneurism	–	–	–	–	1	–	–	–	–	1	–	–	–
Heart Disease	8	10	11	4	10	6	16	6	11	5	–	5	12
Laryngitis	–	2	–	1	–	–	–	1	1	–	–	–	3
Bronchitis	10	13	6	16	5	18	18	28	43	19	20	20	17
Pleurisy	2	–	–	2	1	–	–	1	–	–	–	2	–
Pneumonia	8	5	2	3	7	3	3	8	4	6	3	4	20
Asthma	1	5	–	–	–	2	1	3	4	–	2	3	3
Lung Disease	–	1	3	1	2	2	1	1	–	–	–	–	3
Teething	6	6	2	1	3	5	2	5	3	–	1	2	2
Quinsey	–	1	–	–	–	–	–	1	–	–	–	–	–
Gastritis	–	–	–	–	–	–	–	1	–	1	–	2	2
Enteritis	3	–	1	2	3	1	3	1	3	1	2	2	6
Peritonitis	–	–	–	1	–	1	–	1	–	2	2	–	–
Ascites	–	–	–	–	–	1	–	–	–	1	–	–	–
Ulceration of Intestines	–	–	3	–	–	–	–	–	–	–	–	1	2
Hernia	–	–	–	–	1	1	1	–	–	–	–	1	2
Ileus	–	–	1	1	1	–	–	2	1	–	1	1	2
Intussusception	–	–	–	–	–	–	1	–	–	–	–	–	–
Stricture of Intestines	–	–	–	–	–	–	–	–	1	–	–	–	–
Stomach Disease	3	3	1	–	–	1	1	3	–	1	–	2	4
Pancreas Disease	–	–	–	–	–	–	–	–	–	–	–	–	–
Hepatitis	–	–	–	–	–	–	1	1	1	–	–	–	1
Jaundice	–	–	1	1	–	–	–	–	–	1	–	–	1
Liver Disease	4	3	4	–	–	1	1	5	2	1	2	–	7
Spleen Disease	–	–	–	–	–	1	–	–	–	–	–	–	–
Nephritis	1	–	–	1	–	–	–	–	–	–	–	–	–
Nephria	2	2	–	–	–	–	2	–	1	3	1	1	–
Ischuria	1	–	–	–	–	–	–	–	–	1	–	–	–
Diabetes	–	2	–	–	–	–	–	1	–	–	–	–	–
Stone	–	–	–	2	–	–	–	–	–	–	–	–	–
Cystitis	–	–	–	3	1	1	1	1	–	–	–	–	–
Stricture of Urethra	–	–	–	–	–	–	–	–	–	–	–	–	–
Kidney Disease	1	2	–	1	–	2	1	3	4	2	1	–	1
Paramenia	–	–	–	–	–	–	–	–	–	–	–	–	–
Ovarian Dropsy	–	–	–	–	–	–	–	–	–	–	–	–	–
Childbirth	–	–	–	–	–	–	–	–	–	–	–	–	–
Organs of Generation	–	–	–	–	–	–	–	–	–	–	–	–	–
Arthritis	–	–	–	–	–	–	–	–	–	–	–	1	1
Rheumatism	–	–	1	–	–	–	–	–	–	–	–	–	–
Joint Disease	–	1	–	1	1	1	–	1	1	–	1	–	1
Carbuncle	1	–	–	–	–	–	–	–	–	–	–	–	–
Phlegmon	–	–	–	–	–	–	–	–	–	–	–	–	–
Skin Disease	–	–	–	–	–	–	–	1	1	–	–	1	–
Cyanosis	–	1	5	–	–	–	–	1	–	–	–	–	–
Spina Bifida	–	–	1	–	1	–	–	–	–	–	–	–	–
Other Malformations	–	2	–	–	–	–	–	–	–	–	–	1	–
Intemperance	–	–	–	–	–	–	–	–	–	1	–	–	1
Privation	–	–	–	–	–	–	–	–	–	–	–	–	–
Want of Breast Milk	–	–	1	–	–	–	–	1	1	–	–	–	–
Neglect	–	–	–	–	–	–	–	–	–	–	–	–	–
Cold	–	–	–	–	–	–	–	–	–	–	–	–	1
Poison	–	–	–	–	1	–	1	1	–	–	–	–	–
Burns and Scalds	–	–	–	–	–	1	4	2	4	–	–	2	1
Hanging, etc.	–	–	–	–	1	–	–	1	1	–	–	–	–
Suffocation	–	–	–	1	1	–	–	1	–	–	–	–	–
Drowning	2	2	1	1	–	1	1	2	–	1	–	2	1
Fracture and Contusion	2	1	–	2	2	1	2	5	5	4	3	7	3
Wounds	1	–	–	2	–	–	–	–	–	–	–	–	–
Other Violent Causes	–	1	–	1	–	1	–	1	–	–	1	–	–
Not Specified	3	3	5	9	6	3	5	16	3	17	8	7	6

CAUSES of DEATH in the TOWNS of SCOTLAND during the YEAR 1862.—FEMALES.

DISEASES.	Glasgow.	Barony.	Govan.	Edinburgh.	Dundee.	Aberdeen.	Paisley.	Greenock.	Leith.	Perth.
ALL CAUSES	5869	402	386	2454	1310	985	651	667	431	323
SPECIFIED CAUSES	5801	375	374	2443	1291	979	634	642	424	314
I. Zymotic Class	1272	62	91	754	363	218	121	157	148	78
II. Diseases of Uncertain Seat	175	18	10	122	49	45	33	22	18	15
III. Tubercular Class	1274	78	81	374	232	182	128	144	54	43
IV. Brain and Nervous System	358	26	31	207	76	69	34	51	30	21
V. Organs of Circulation	216	6	9	127	45	36	20	13	23	16
VI. Respiratory Organs	1163	96	52	380	198	131	89	80	55	46
VII. Organs of Digestion	395	20	32	160	65	93	57	56	27	23
VIII. Urinary Organs	37	6	4	33	12	14	1	8	2	1
IX. Organs of Generation	58	7	11	41	26	13	9	6	4	6
X. Organs of Locomotion	19	3	3	14	6	4	1	2	2	2
XI. Skin, etc.	–	–	1	3	2	–	1	–	2	–
XII. Malformation	12	–	1	10	1	1	1	2	1	1
XIII. Premature Debility	283	15	25	84	74	44	32	43	20	13
XIV. Atrophy	93	2	3	21	11	10	14	13	3	5
XV. Age	331	35	16	136	96	93	83	35	29	37
XVI. Sudden Deaths	9	–	–	2	10	–	–	3	–	1
XVII. Violent Deaths	106	1	4	75	25	26	10	7	6	6
I. Small Pox	14	1	1	85	11	–	1	1	33	1
Measles	141	1	10	22	115	68	7	47	4	4
Scarlatina	49	2	17	117	11	4	4	2	16	10
Diphtheria	76	4	14	24	10	9	6	20	6	3
Hooping Cough	373	8	16	154	100	54	18	8	37	36
Croup	160	7	9	55	35	7	17	19	10	6
Thrush	4	–	–	3	1	–	–	1	–	–
Diarrhœa	101	21	5	38	28	18	11	16	7	2
Dysentery	22	1	–	16	6	9	2	1	4	–
Cholera	6	–	–	1	–	1	1	–	–	–
Influenza	14	–	–	6	5	3	–	–	–	2
Purpura	3	–	1	6	1	1	–	–	–	1
Ague	1	–	–	–	–	–	5	1	–	–
Worms	2	–	–	1	–	–	2	–	1	–
Infantile Fever	3	–	1	7	2	–	–	1	–	–
Typhus	241	13	16	84	31	31	34	32	19	13
Metria	18	3	–	16	1	3	6	2	3	–
Rheumatic Fever	2	–	–	2	1	2	1	–	1	–
Erysipelas	28	1	1	8	3	3	3	4	4	–
Syphilis	11	–	–	8	2	5	2	2	3	–
Noma	3	–	–	1	–	–	1	–	–	–
Hydrophobia	–	–	–	–	–	–	–	–	–	–
II. Hæmorrhage	3	–	1	2	–	–	1	–	2	–
Dropsy	55	9	1	24	25	11	19	7	7	3
Abscess	10	1	–	6	–	3	4	–	–	–
Ulcer	7	–	–	2	1	1	1	1	–	–
Fistula	–	–	–	–	–	–	–	–	–	–
Mortification	8	1	1	3	1	–	–	–	2	1
Cancer	91	7	7	85	22	30	8	14	7	11
Gout	1	–	–	–	–	–	–	–	–	–
III. Scrofula	50	5	3	25	3	8	4	5	6	1
Tabes Mesenterica	81	1	11	43	6	8	8	11	11	2
Phthisis	959	68	48	243	184	140	101	111	27	39
Hydrocephalus	184	4	19	63	39	26	15	17	10	1

CAUSES of DEATH in the TOWNS of SCOTLAND during the YEAR 1862.—FEMALES.

DISEASES.	Inverness.	Arbroath.	Forfar.	Montrose.	Dunfermline.	Kirkcaldy.	Stirling.	Ayr.	Kilmarnock.	Hamilton.	Airdrie.	Coatbridge, etc.	Dumfries.
ALL CAUSES	167	231	155	221	130	125	195	257	290	135	140	190	256
SPECIFIED CAUSES	165	228	150	215	125	118	194	249	290	121	133	187	249
Zymotic Class	19	64	42	47	26	28	53	75	65	24	42	94	37
Uncertain Seat	8	5	4	11	8	12	8	8	8	6	10	7	14
Tubercular Class	22	45	22	38	27	20	26	47	83	32	30	30	46
Brain, etc.	16	18	15	31	9	8	16	14	23	7	7	8	23
Heart, etc.	9	21	18	17	8	8	16	6	7	2	1	3	13
Respiratory Organs	20	21	17	21	20	11	24	31	40	20	19	18	39
Digestive Organs	21	15	7	15	5	14	19	16	21	10	9	10	23
Urinary Organs	–	–	–	1	–	1	2	2	–	–	–	–	7
Generative Organs	3	3	1	1	2	–	3	1	3	2	–	2	2
Locomotive Organs	2	1	–	1	–	–	1	1	–	2	–	1	2
Skin	–	–	–	–	–	–	1	–	–	–	–	–	–
Malformation	–	1	–	–	1	–	–	1	1	–	–	–	–
Premature Debility	11	8	4	9	4	3	9	6	10	2	3	2	15
Atrophy	1	1	–	2	–	1	2	–	–	2	–	2	–
Age	32	24	19	21	14	12	13	36	25	10	12	6	26
Sudden Deaths	–	–	–	–	–	–	–	–	1	2	–	–	–
Violent Deaths	1	1	1	–	1	–	1	5	3	–	–	4	2
Small Pox	–	–	–	–	–	–	3	–	–	–	5	–	–
Measles	–	30	5	1	2	4	7	–	–	–	–	–	5
Scarlatina	–	–	1	8	–	1	7	–	–	–	–	61	4
Diphtheria	–	–	1	–	1	4	3	5	2	1	2	1	–
Hooping Cough	2	4	18	8	7	4	11	6	29	6	8	14	6
Croup	4	5	4	3	1	–	1	7	5	3	2	3	3
Thrush	–	–	–	–	1	–	–	–	–	–	–	–	–
Diarrhœa	3	4	1	7	–	3	12	7	3	3	10	5	6
Dysentery	1	–	–	2	5	–	2	1	1	–	–	–	4
Cholera	–	–	–	–	–	–	–	–	–	–	1	–	–
Influenza	–	1	–	–	2	–	1	–	1	–	–	2	–
Purpura	–	1	–	–	–	–	–	–	–	–	–	–	–
Ague	–	–	–	–	–	–	–	–	–	–	–	–	–
Worms	–	–	–	–	–	–	–	–	–	–	–	–	–
Infantile Fever	–	–	–	–	–	–	–	–	–	–	–	–	–
Typhus	6	18	12	15	7	11	2	46	21	8	12	7	6
Metria	–	1	–	2	–	–	1	1	–	1	–	–	1
Rheumatic Fever	–	–	–	–	–	–	1	–	–	–	–	–	–
Erysipelas	2	–	–	–	–	1	2	–	1	2	–	1	1
Syphilis	1	–	–	1	–	–	–	1	2	–	–	–	–
Noma	–	–	–	–	–	–	–	1	–	–	2	–	1
Hydrophobia	–	–	–	–	–	–	–	–	–	–	–	–	–
Hæmorrhage	–	–	–	1	–	–	–	–	–	–	–	–	–
Dropsy	3	3	–	1	4	4	4	2	–	–	3	3	4
Abscess	–	–	1	2	–	–	–	–	–	1	1	–	3
Ulcer	1	–	–	–	–	–	–	1	–	–	–	–	–
Fistula	–	–	–	–	–	–	–	1	–	–	–	–	–
Mortification	1	–	–	–	–	–	2	–	–	–	–	–	–
Cancer	3	2	3	7	4	8	2	4	8	5	6	4	7
Gout	–	–	–	–	–	–	–	–	–	–	–	–	–
Scrofula	–	–	–	2	3	–	2	3	3	1	1	3	4
Tabes Mesenterica	–	–	1	–	2	3	1	4	4	–	5	3	3
Phthisis	21	40	15	34	16	14	21	37	57	21	23	17	33
Hydrocephalus	1	5	6	2	6	3	2	3	19	10	1	7	6

CAUSES of DEATH in the TOWNS of SCOTLAND during the YEAR 1862.—FEMALES. (*Contd.*)

DISEASES.	Glasgow.	Barony.	Govan.	Edinburgh.	Dundee.	Aberdeen.	Paisley.	Greenock.	Leith.	Perth.
IV. Cephalitis	23	1	2	13	6	2	2	1	4	1
Apoplexy	63	5	6	43	19	17	10	13	7	10
Paralysis	79	12	7	56	23	18	10	15	11	5
Delirium Tremens	3	–	–	–	–	–	1	–	–	–
Chorea	1	–	–	–	–	–	–	1	–	–
Epilepsy	17	1	1	7	2	1	1	3	1	–
Tetanus	3	–	–	4	–	1	–	–	–	–
Insanity	6	–	1	10	–	4	–	–	–	3
Convulsions	66	3	7	35	17	12	2	5	2	–
Brain Disease	97	4	7	39	9	14	8	13	5	2
V. Pericarditis	8	–	–	1	–	–	–	–	–	–
Aneurism	2	–	–	7	2	1	1	–	–	1
Heart Disease	206	6	9	119	43	35	19	13	23	15
VI. Laryngitis	20	1	–	7	3	1	2	–	2	–
Bronchitis	324	52	31	272	127	96	67	61	27	40
Pleurisy	12	2	2	13	5	4	–	4	3	–
Pneumonia	204	32	15	49	40	20	15	9	17	4
Asthma	67	3	3	27	19	7	4	4	4	2
Lung Disease	36	6	1	12	4	3	1	2	2	–
VII. Teething	143	6	9	25	27	29	21	26	3	9
Quinsey	8	–	3	1	–	–	–	–	–	–
Gastritis	12	–	–	4	2	3	3	2	–	2
Enteritis	78	3	8	18	5	6	16	6	7	–
Peritonitis	15	3	1	8	5	5	2	3	3	1
Ascites	3	–	–	4	1	2	–	–	–	2
Ulceration of Intestines	5	–	3	9	3	7	1	–	–	–
Hernia	6	–	–	8	2	3	–	–	–	1
Ileus	24	1	–	13	4	16	–	1	1	1
Intussusception	4	–	–	2	–	1	–	–	–	–
Stricture of Intestines	–	–	–	1	1	1	1	–	1	–
Stomach Disease	45	1	4	24	6	10	6	6	6	2
Pancreas Disease	–	–	–	–	–	–	–	–	–	–
Hepatitis	10	1	3	5	1	1	2	2	–	–
Jaundice	8	1	–	9	4	2	–	–	1	–
Liver Disease	34	3	1	28	4	5	5	10	5	5
Spleen Disease	–	1	–	1	–	2	–	–	–	–
VIII. Nephritis	5	1	1	1	–	–	–	–	–	–
Nephria	14	3	–	18	7	3	1	1	1	–
Ischuria	–	–	–	–	–	1	–	–	–	–
Diabetes	6	–	2	4	–	–	–	–	–	–
Stone	–	–	–	–	1	–	–	–	–	–
Cystitis	3	–	–	1	–	–	–	–	–	–
Stricture of Urethra	–	–	–	–	–	–	–	–	–	–
Kidney Disease	9	2	1	9	4	10	–	7	1	1
IX. Paramenia	5	–	–	4	2	–	–	–	–	–
Ovarian Dropsy	7	–	1	10	2	4	–	2	1	–
Childbirth	36	5	8	19	20	7	8	3	3	6
Organs of Generation	10	2	2	8	2	2	1	1	–	–
X. Arthritis	–	–	–	–	1	–	–	–	–	–
Rheumatism	11	1	2	6	2	2	–	1	1	2
Joint and Bone Disease	8	2	1	8	3	2	1	1	1	–
XI. Carbuncle	–	–	–	1	–	–	–	–	–	–
Phlegmon	–	–	–	–	–	–	–	–	–	–
Skin Disease	–	–	1	2	2	–	1	–	2	–
XII. Cyanosis	3	–	–	3	–	1	–	–	–	–
Spina Bifida	2	–	–	1	1	–	–	–	1	1
Other Malformations	7	–	1	6	–	–	1	2	–	–
XVII. Intemperance	4	–	–	2	–	1	–	–	1	–
Privation	–	–	–	1	1	–	–	–	–	–
Want of Breast Milk	10	–	–	6	3	3	–	–	–	–
Neglect	2	–	–	–	–	–	–	–	–	–
Cold	1	–	–	1	–	–	–	–	–	–
Poison	6	–	–	2	1	–	–	1	–	–
Burns and Scalds	36	1	2	12	9	3	4	1	–	2
Hanging, etc.	2	–	–	–	1	–	–	–	–	1
Suffocation	5	–	–	12	2	4	1	1	1	–
Drowning	13	–	–	2	3	3	2	–	1	–
Fracture and Contusion	20	–	2	35	4	10	3	3	3	3
Wounds	3	–	–	1	1	–	–	1	–	–
Other Violent Causes	4	–	–	1	–	2	–	–	–	–
Not Specified	68	27	12	11	19	6	17	25	7	9

CAUSES of DEATH in the TOWNS of SCOTLAND during the YEAR 1862.—FEMALES. (*Contd.*)

DISEASES.	Inverness.	Arbroath.	Forfar.	Montrose.	Dunfermline.	Kirkcaldy.	Stirling.	Ayr.	Kilmarnock.	Hamilton.	Airdrie.	Coatbridge, etc.	Dumfries.
Cephalitis	–	1	–	1	–	–	–	1	2	–	1	2	1
Apoplexy	–	5	4	10	2	1	2	5	8	1	4	2	9
Paralysis	8	4	5	7	4	4	5	5	6	1	1	2	5
Delirium Tremens	–	–	–	–	–	–	–	–	–	–	–	–	–
Chorea	–	–	–	–	–	–	–	–	–	–	–	–	–
Epilepsy	1	–	1	1	1	–	–	–	–	–	1	–	1
Tetanus	–	–	–	1	–	–	–	–	–	–	–	–	–
Insanity	1	–	–	4	–	–	–	–	–	–	–	–	3
Convulsions	3	4	3	1	2	1	1	2	3	1	–	1	3
Brain Disease	3	4	2	6	–	2	8	1	4	4	–	1	1
Pericarditis	–	1	1	–	–	1	–	–	–	–	–	–	–
Aneurism	–	–	–	–	–	–	–	–	–	–	–	–	–
Heart Disease	9	20	17	17	8	7	16	6	7	2	1	3	13
Laryngitis	–	–	–	–	–	–	–	–	–	1	–	–	2
Bronchitis	9	13	12	19	16	6	19	14	32	11	12	15	22
Pleurisy	–	–	–	1	–	–	–	2	1	3	–	–	2
Pneumonia	2	3	3	–	1	1	2	7	4	4	3	1	7
Asthma	8	4	–	1	3	4	2	5	3	–	2	1	5
Lung Disease	1	1	2	–	–	–	1	3	–	1	2	1	1
Teething	5	2	–	2	–	4	5	6	2	4	3	–	1
Quinsey	–	–	–	–	–	–	–	–	–	–	–	–	–
Gastritis	–	–	–	–	–	1	–	2	1	–	–	–	4
Enteritis	–	4	–	2	1	2	4	–	7	2	2	5	6
Peritonitis	2	–	1	2	–	3	1	1	3	1	1	1	–
Ascites	2	–	–	–	–	–	–	1	–	–	–	–	–
Ulceration of Intestines	–	2	1	1	–	1	–	–	1	1	–	–	–
Hernia	2	–	–	1	–	–	–	–	1	–	–	–	1
Ileus	–	2	–	–	1	–	2	–	–	–	1	1	–
Intussusception	–	–	–	–	–	–	–	–	–	–	–	–	–
Stricture of Intestines	1	–	–	–	–	–	–	–	–	–	–	–	–
Stomach Disease	6	–	1	2	2	2	3	3	2	1	–	1	8
Pancreas Disease	–	–	–	–	–	–	–	–	–	–	–	–	–
Hepatitis	–	1	1	1	–	–	2	–	1	1	–	1	1
Jaundice	1	1	–	–	–	–	1	1	1	–	–	1	–
Liver Disease	2	3	3	4	1	1	1	1	2	–	2	–	2
Spleen Disease	–	–	–	–	–	–	–	1	–	–	–	–	–
Nephritis	–	–	–	–	–	–	–	2	–	–	–	–	2
Nephria	–	–	–	–	–	–	1	–	–	–	–	–	3
Ischuria	–	–	–	–	–	–	–	–	–	–	–	–	–
Diabetes	–	–	–	–	–	1	–	–	–	–	–	–	–
Stone	–	–	–	–	–	–	–	–	–	–	–	–	–
Cystitis	–	–	–	–	–	–	–	–	–	–	–	–	–
Stricture of Urethra	–	–	–	–	–	–	–	–	–	–	–	–	–
Kidney Disease	–	–	–	1	–	–	1	–	–	–	–	–	2
Paramenia	–	–	1	–	–	–	–	–	–	–	–	–	–
Ovarian Dropsy	2	–	–	–	–	–	1	–	–	–	–	–	1
Childbirth	–	3	–	1	1	–	1	–	3	2	–	2	1
Organs of Generation	1	–	–	–	1	–	1	1	–	–	–	–	–
Arthritis	–	–	–	–	–	–	–	–	–	–	–	–	–
Rheumatism	2	1	–	1	–	–	–	1	–	–	–	–	2
Joint Disease	–	–	–	–	–	–	1	–	–	2	–	1	–
Carbuncle	–	–	–	–	–	–	–	–	–	–	–	–	–
Phlegmon	–	–	–	–	–	–	–	–	–	–	–	–	–
Skin Disease	–	–	–	–	–	–	1	–	–	–	–	–	–
Cyanosis	–	1	–	–	–	–	–	1	–	–	–	–	–
Spina Bifida	–	–	–	–	1	–	–	–	–	–	–	–	–
Other Malformations	–	–	–	–	–	–	–	–	1	–	–	–	–
Intemperance	–	–	–	–	–	–	–	–	–	–	–	–	–
Privation	–	–	–	–	–	–	–	–	–	–	–	2	–
Want of Breast Milk	–	–	–	–	–	–	–	–	–	–	–	–	–
Neglect	–	–	–	–	–	–	–	–	–	–	–	–	–
Cold	–	–	–	–	–	–	–	–	2	–	–	1	–
Poison	–	–	1	–	–	–	1	3	–	–	–	–	–
Burns and Scalds	–	–	–	–	–	–	–	–	–	–	–	–	1
Hanging, etc.	1	–	–	–	–	–	–	–	–	–	–	–	–
Suffocation	–	–	–	–	–	–	–	–	1	–	–	1	–
Drowning	–	–	–	–	–	–	–	–	–	–	–	–	1
Fracture and Contusion	–	–	–	–	1	–	–	2	–	–	–	–	–
Wounds	–	–	–	–	–	–	–	–	–	–	–	–	–
Other Violent Causes	–	1	–	–	–	–	–	–	–	–	–	–	–
Not Specified	2	3	5	6	5	7	1	8	–	14	7	3	7

CAUSES of DEATH in SCOTLAND, at different Periods of Life, in 1862.—Both Sexes.

DISEASES.	BOTH SEXES.												
	ALL AGES.	AGE UNDER											
		MONTHS.											
		3	6	12	2	3	4	5	10	15	20	25	30
All Causes	67195	6014	2149	4393	6215	3154	1961	1311	3293	1705	2263	2563	2273
Specified Causes	63860	5022	1876	4121	5899	3012	1895	1265	3143	1634	2167	2488	2182
I. Zymotic Class	13978	574	502	1434	2652	1594	1098	727	1554	463	413	365	297
II. Diseases of Uncertain Seat	2288	42	6	22	29	20	19	16	37	36	25	32	55
III. Tubercular Class	11429	125	240	626	907	488	303	230	786	636	1135	1343	1076
IV. Brain and Nervous System	5086	361	115	180	217	118	62	53	181	117	102	120	115
V. Organs of Circulation	2787	16	1	12	2	8	2	4	33	42	82	82	88
VI. Respiratory Organs	9194	565	513	1071	1095	468	261	130	232	79	124	174	148
VII. Organs of Digestion	4788	472	215	557	711	155	47	33	106	78	86	111	98
VIII. Urinary Organs	904	3	1	5	7	3	6	3	22	23	27	37	52
IX. Organs of Generation	481	–	–	1	–	–	–	–	–	1	19	67	83
X. Organs of Locomotion	404	2	–	1	3	4	5	6	33	41	29	17	18
XI. Skin, etc.	80	13	6	12	7	5	1	–	1	1	1	–	–
XII. Malformation	145	118	13	2	2	1	1	1	2	1	2	–	1
XIII. Premature Debility	2986	2603	217	166	–	–	–	–	–	–	–	–	–
XIV. Atrophy	576	–	–	1	172	64	24	17	42	15	13	10	14
XV. Age	6559	–	–	–	–	–	–	–	–	–	–	–	–
XVI. Sudden Deaths	118	15	9	4	5	3	1	–	–	1	1	3	6
XVII. Violent Deaths	2057	113	38	27	90	81	65	45	114	100	108	127	131
I. Small Pox	426	30	20	71	72	59	31	22	38	9	15	17	13
Measles	1404	11	31	203	548	246	140	62	117	13	14	3	7
Scarlatina	1281	11	13	60	181	220	183	140	348	68	19	12	8
Diphtheria	997	33	21	51	152	126	122	83	252	63	37	12	14
Hooping Cough	2799	143	186	603	891	408	237	149	166	12	1	1	1
Croup	1396	47	47	148	369	294	211	134	142	3	–	–	1
Thrush	36	22	5	4	3	1	–	1	–	–	–	–	–
Diarrhœa	1108	122	88	160	197	49	21	12	26	6	13	13	15
Dysentery	293	5	11	18	24	4	2	3	9	4	2	14	11
Cholera	57	3	2	5	8	2	3	3	4	1	1	3	1
Influenza	387	22	12	19	25	10	7	7	7	4	6	4	5
Purpura	51	–	2	2	4	1	1	1	7	6	2	4	–
Ague	16	–	–	1	–	4	–	1	1	3	1	1	1
Worms	32	–	1	–	3	6	7	3	11	–	–	1	–
Infantile Fever	63	5	5	15	18	9	4	4	3	–	–	–	–
Typhus	3021	14	24	50	131	139	120	95	409	250	271	233	176
Metria	130	–	–	–	–	–	–	–	–	–	5	37	31
Rheumatic Fever	84	–	–	–	–	–	1	3	5	12	13	3	3
Erysipelas	249	56	9	13	9	13	7	2	6	9	12	4	6
Syphilis	126	48	22	8	15	2	1	1	–	–	1	3	4
Noma	21	2	3	3	2	1	–	1	2	–	–	–	–
Hydrophobia	1	–	–	–	–	–	–	–	1	–	–	–	–
II. Hæmorrhage	85	12	–	4	1	–	3	2	2	3	3	3	4
Dropsy	743	4	2	4	6	11	11	7	16	19	6	15	26
Abscess	121	9	2	9	6	4	–	2	11	5	10	8	4
Ulcer	55	5	–	3	5	1	2	–	–	2	1	1	–
Fistula	11	–	–	–	–	–	–	–	–	–	–	–	–
Mortification	108	9	2	1	9	1	2	2	2	–	–	–	–
Cancer	1152	3	–	1	2	3	1	3	6	7	5	5	21
Gout	13	–	–	–	–	–	–	–	–	–	–	–	–
III. Scrofula	704	7	17	27	48	44	14	23	88	81	93	72	45
Tabes Mesenterica	796	44	37	97	205	117	51	24	97	44	31	16	7
Phthisis	8211	17	54	104	226	153	101	92	375	454	1001	1251	1021
Hydrocephalus	1718	57	132	398	428	174	137	91	226	57	10	4	3

CAUSES of DEATH in SCOTLAND, at different Periods of Life, in 1862.—Both Sexes.

DISEASES.	BOTH SEXES. AGE UNDER															
	35	40	45	50	55	60	65	70	75	80	85	90	95	100	105	?
All Causes	2066	2097	1944	2002	2225	2213	3026	2969	3266	3059	2749	1464	529	169	30	93
Specified Causes	1979	2026	1864	1935	2137	2080	2853	2968	3266	3059	2749	1464	529	169	30	48
Zymotic Class	229	226	197	203	199	176	238	208	222	208	140	44	12	2	–	1
Uncertain Seat	73	95	129	169	208	186	252	265	214	192	111	46	7	2	–	–
Tubercular Class	819	722	527	398	357	239	225	133	70	23	12	3	–	–	–	6
Brain, etc.	133	165	172	209	265	290	422	413	489	406	238	109	27	2	1	4
Heart, etc.	115	144	157	188	209	235	362	355	301	215	88	39	3	2	–	2
Respiratory Organs	212	205	273	324	413	433	615	533	524	382	287	99	24	6	–	4
Digestive Organs	121	150	141	172	229	246	297	269	236	146	72	28	11	–	–	1
Urinary Organs	46	59	45	54	54	50	90	79	101	70	38	23	5	1	–	–
Generative Organs	79	78	62	29	20	12	13	8	5	2	2	–	–	–	–	–
Locomotive Organs	18	22	11	20	22	26	24	34	30	23	10	2	2	1	–	–
Skin	4	2	3	4	1	4	4	3	3	2	2	1	–	–	–	–
Malformation	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–
Premature Debility	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Atrophy	13	16	19	32	51	73	–	–	–	–	–	–	–	–	–	–
Age	–	–	–	–	–	2	207	594	1019	1341	1721	1058	433	152	28	4
Sudden Deaths	5	5	5	10	14	9	12	6	3	1	–	–	–	–	–	–
Violent Deaths	112	137	123	123	95	99	92	67	49	48	28	12	5	1	1	26
Small Pox	9	6	6	1	3	3	–	1	–	–	–	–	–	–	–	–
Measles	–	4	2	1	–	1	–	1	–	–	–	–	–	–	–	–
Scarlatina	6	6	2	–	2	1	–	1	–	–	–	–	–	–	–	–
Diphtheria	6	2	3	5	2	7	5	–	–	–	1	–	–	–	–	–
Hooping Cough	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–
Croup	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Thrush	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Diarrhœa	11	14	15	25	27	19	43	33	67	62	49	20	1	–	–	–
Dysentery	5	10	9	12	11	18	15	24	27	31	17	5	1	1	–	–
Cholera	–	2	1	4	2	1	–	2	3	2	2	1	–	–	–	1
Influenza	8	4	6	7	17	13	19	22	46	57	43	9	7	1	–	–
Purpura	–	1	2	1	–	5	4	3	2	3	–	–	–	–	–	–
Ague	1	1	–	1	–	–	–	–	–	–	–	–	–	–	–	–
Worms	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Infantile Fever	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Typhus	139	141	120	123	114	94	133	108	65	42	23	5	2	–	–	–
Metria	27	18	9	3	–	–	–	–	–	–	–	–	–	–	–	–
Rheumatic Fever	9	5	6	5	4	1	8	2	2	2	–	–	–	–	–	–
Erysipelas	6	6	9	13	13	8	9	10	10	9	5	4	1	–	–	–
Syphilis	2	5	6	1	3	2	2	–	–	–	–	–	–	–	–	–
Noma	–	1	1	–	1	3	–	1	–	–	–	–	–	–	–	–
Hydrophobia	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Hæmorrhage	7	3	3	4	8	3	8	6	5	–	1	–	–	–	–	–
Dropsy	23	23	30	45	54	54	67	87	79	81	50	20	3	–	–	–
Abscess	4	7	6	4	7	2	3	7	4	6	–	–	–	1	–	–
Ulcer	–	1	2	5	5	1	4	4	8	2	2	1	–	–	–	–
Fistula	1	3	–	1	1	–	1	1	–	2	1	–	–	–	–	–
Mortification	1	1	1	2	3	1	3	10	15	17	13	11	2	–	–	–
Cancer	37	57	87	107	128	123	165	149	101	84	41	13	2	1	–	–
Gout	–	–	–	1	2	2	1	1	2	–	3	1	–	–	–	–
Scrofula	30	30	17	12	14	12	5	12	9	3	1	–	–	–	–	–
Tabes Mesenterica	2	4	4	2	2	5	1	2	1	–	2	1	–	–	–	–
Phthisis	787	688	505	384	341	222	219	119	60	20	9	2	–	–	–	6
Hydrocephalus	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–

CAUSES of DEATH in SCOTLAND, at different Periods of Life, in 1862.—BOTH SEXES. (*Contd.*)

DISEASES.	BOTH SEXES.												
	ALL AGES.	AGE UNDER											
		MONTHS.			2	3	4	5	10	15	20	25	30
		3	6	12									
IV. Cephalitis	319	12	9	22	26	24	16	14	42	29	17	19	18
Apoplexy	1201	17	13	19	21	16	9	6	17	12	7	26	12
Paralysis	1509	–	–	–	3	2	–	–	10	4	10	11	20
Delirium Tremens	61	–	–	–	–	–	–	–	–	–	–	1	8
Chorea	9	–	–	–	1	–	–	–	1	2	1	–	–
Epilepsy	230	–	–	1	2	–	–	–	7	19	17	22	16
Tetanus	49	20	–	1	2	1	1	2	5	1	2	2	3
Insanity	96	–	–	–	–	–	–	–	1	4	2	4	7
Convulsions	697	300	80	110	105	44	19	14	23	1	1	–	–
Brain Disease	915	12	13	27	57	31	17	17	69	45	45	35	31
V. Pericarditis	84	2	–	3	–	1	–	1	3	4	9	9	3
Aneurism	89	–	–	–	–	–	–	–	–	1	1	–	1
Heart Disease	2614	14	1	9	2	7	2	3	30	37	72	73	84
VI. Laryngitis	170	7	13	19	33	19	15	6	8	5	2	3	4
Bronchitis	5764	408	400	812	816	333	183	78	128	28	33	64	49
Pleurisy	291	12	7	14	8	9	7	4	4	7	17	19	12
Pneumonia	1932	128	84	214	219	102	45	36	81	31	50	68	68
Asthma	698	1	–	–	1	–	–	–	–	1	2	3	5
Lung Disease	339	9	9	12	18	5	11	6	11	7	20	17	10
VII. Teething	1106	5	42	410	553	87	8	1	–	–	–	–	–
Quinsey	63	5	1	3	12	7	3	4	7	3	3	1	3
Gastritis	165	13	7	7	7	2	5	3	7	4	3	7	3
Enteritis	892	245	110	87	90	23	12	12	31	22	19	26	19
Peritonitis	227	24	6	7	6	2	2	–	9	21	16	22	15
Ascites	64	2	–	–	1	1	1	–	1	3	–	1	4
Ulceration of Intestines	175	4	1	–	2	4	–	1	10	2	12	11	6
Hernia	114	3	1	1	1	–	–	–	–	–	–	1	1
Ileus	268	33	6	2	5	2	2	–	7	3	6	6	7
Intussusception	49	5	4	2	2	–	–	–	3	–	2	3	1
Stricture of Intestines	23	–	–	–	–	–	–	–	1	–	–	1	–
Stomach Disease	682	55	23	27	25	16	7	7	18	6	8	8	17
Pancreas Disease	–	–	–	–	–	–	–	–	–	–	–	–	–
Hepatitis	153	4	2	2	–	1	2	–	4	3	2	4	6
Jaundice	175	61	6	4	2	5	2	1	2	–	3	2	2
Liver Disease	611	13	6	5	4	5	3	4	4	11	12	18	12
Spleen Disease	21	–	–	–	1	–	–	–	2	–	–	–	2
VIII. Nephritis	41	–	–	1	1	–	1	1	3	1	–	–	1
Nephria	239	–	–	1	3	–	–	1	7	11	11	14	18
Ischuria	41	2	1	2	–	–	–	–	–	–	–	3	–
Diabetes	74	–	–	–	2	–	1	–	1	2	4	5	10
Stone	78	–	–	1	–	1	–	–	–	2	3	–	–
Cystitis	66	–	–	–	–	–	–	1	–	2	1	3	5
Stricture of Urethra	6	–	–	–	–	–	–	–	–	–	–	–	–
Kidney Disease	359	1	–	–	1	2	4	–	11	5	8	12	18
IX. Paramenia	29	–	–	–	–	–	–	–	–	1	9	4	2
Ovarian Dropsy	69	–	–	–	–	–	–	–	–	–	–	2	7
Childbirth	305	–	–	–	–	–	–	–	–	–	8	54	69
Organs of Generation	78	–	–	1	–	–	–	–	–	–	2	7	5
X. Arthritis	27	–	–	–	–	–	2	1	3	4	4	–	1
Rheumatism	164	–	–	–	–	2	1	–	2	2	5	3	6
Joint and Bone Disease	213	2	–	1	3	2	2	5	28	35	20	14	11
XI. Carbuncle	19	–	–	1	1	1	–	–	–	–	–	–	–
Phlegmon	8	1	–	1	–	1	–	–	–	–	–	–	–
Skin Disease	53	12	6	10	6	3	1	–	1	1	1	–	–
XII. Cyanosis	49	41	5	–	1	–	–	1	1	–	–	–	–
Spina Bifida	34	27	7	–	–	–	–	–	–	–	–	–	–
Other Malformations	62	50	1	2	–	1	1	–	1	1	2	–	1
XVII. Intemperance	53	–	–	–	–	–	–	–	–	–	–	–	3
Privation	7	–	–	–	2	2	–	–	–	–	–	–	–
Want of Breast Milk	62	42	15	5	–	–	–	–	–	–	–	–	–
Neglect	3	1	–	–	1	–	–	1	–	–	–	–	–
Cold	34	5	1	–	2	–	–	–	–	1	–	2	2
Poison	54	6	1	1	2	3	1	4	2	–	1	1	1
Burns and Scalds	324	2	3	13	55	51	42	23	37	14	5	5	12
Hanging, etc.	46	–	–	–	–	–	–	–	–	–	1	1	4
Suffocation	101	32	18	4	2	–	1	–	3	1	1	3	2
Drowning	436	5	–	1	14	13	8	9	29	19	42	44	39
Fracture and Contusion	769	2	–	2	12	11	12	5	35	52	49	63	57
Wounds	74	–	–	–	–	–	–	–	4	10	5	4	8
Other Violent Causes	94	18	–	1	–	1	1	3	4	3	4	4	3
Not Specified	3335	992	273	272	316	142	66	46	150	71	96	75	91

CAUSES of DEATH in SCOTLAND, at different Periods of Life, in 1862.—Both Sexes. (*Contd.*)

DISEASES.	BOTH SEXES. AGE UNDER															
	35	40	45	50	55	60	65	70	75	80	85	90	95	100	105	?
Cephalitis	6	11	5	12	4	9	9	4	2	2	1	–	–	–	–	–
Apoplexy	26	40	44	57	91	102	169	120	149	115	67	34	9	1	–	2
Paralysis	30	28	38	61	78	99	156	221	269	243	142	65	15	1	1	2
Delirium Tremens	8	12	7	6	11	5	2	1	–	–	–	–	–	–	–	–
Chorea	1	–	2	–	–	–	–	1	–	–	–	–	–	–	–	–
Epilepsy	26	15	26	14	13	11	13	11	6	5	4	2	–	–	–	–
Tetanus	–	1	–	1	1	1	2	1	2	–	–	–	–	–	–	–
Insanity	9	9	9	11	6	11	7	4	7	2	2	–	1	–	–	–
Convulsions	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Brain Disease	27	49	41	47	61	52	64	50	54	39	22	8	2	–	–	–
Pericarditis	7	8	3	5	3	6	5	4	4	2	2	–	–	–	–	–
Aneurism	7	17	12	14	8	6	9	8	2	2	1	–	–	–	–	–
Heart Disease	101	119	142	169	198	223	348	343	295	211	85	39	3	2	–	2
Laryngitis	6	7	3	4	5	2	3	2	2	–	–	1	1	–	–	–
Bronchitis	81	89	123	152	206	228	354	294	317	260	221	80	20	5	–	2
Pleurisy	19	11	12	22	12	11	15	24	16	12	15	1	1	–	–	–
Pneumonia	67	58	75	76	88	87	93	103	81	40	26	7	2	1	–	2
Asthma	13	22	36	50	77	88	126	90	96	58	21	8	–	–	–	–
Lung Disease	26	18	24	20	25	17	24	20	12	12	4	2	–	–	–	–
Teething	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Quinsey	4	2	–	–	2	2	–	–	–	1	–	–	–	–	–	–
Gastritis	4	5	6	12	15	11	9	13	11	8	2	–	1	–	–	–
Enteritis	15	19	15	10	22	20	31	19	16	18	4	5	1	–	–	1
Peritonitis	13	15	6	6	8	11	11	13	8	3	2	1	–	–	–	–
Ascites	2	4	2	3	6	4	6	7	5	4	3	2	2	–	–	–
Ulceration of Intestines	10	12	13	9	17	11	18	9	10	5	4	4	–	–	–	–
Hernia	–	6	4	10	9	13	13	15	14	14	7	1	–	–	–	–
Ileus	14	12	10	12	17	20	21	19	28	14	12	7	3	–	–	–
Intussusception	1	1	2	–	3	6	5	4	3	–	1	1	–	–	–	–
Stricture of Intestines	1	1	–	1	3	2	4	3	4	2	–	–	–	–	–	–
Stomach Disease	28	30	30	30	31	55	66	74	68	32	18	1	2	–	–	–
Pancreas Disease	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Hepatitis	5	8	8	16	23	18	16	13	8	8	–	–	–	–	–	–
Jaundice	1	4	3	–	6	12	13	17	15	4	7	2	1	–	–	–
Liver Disease	23	31	39	62	65	58	79	61	46	33	12	4	1	–	–	–
Spleen Disease	–	–	3	1	2	3	5	2	–	–	–	–	–	–	–	–
Nephritis	3	2	–	4	3	1	9	3	4	1	1	1	–	–	–	–
Nephria	17	29	20	17	17	18	17	12	14	6	3	3	–	–	–	–
Ischuria	2	2	2	2	–	–	2	6	4	8	1	3	1	–	–	–
Diabetes	7	10	6	8	5	3	3	1	4	1	–	1	–	–	–	–
Stone	1	–	1	4	3	6	7	11	13	15	4	4	2	–	–	–
Cystitis	3	2	4	1	3	5	8	4	5	6	8	4	1	–	–	–
Stricture of Urethra	–	2	–	1	1	–	–	1	1	–	–	–	–	–	–	–
Kidney Disease	13	12	12	17	22	17	44	41	56	33	21	7	1	1	–	–
Paramenia	1	5	3	2	2	–	–	–	–	–	–	–	–	–	–	–
Ovarian Dropsy	8	8	6	6	12	5	5	5	2	2	1	–	–	–	–	–
Childbirth	62	56	44	10	2	–	–	–	–	–	–	–	–	–	–	–
Organs of Generation	8	9	9	11	4	7	8	3	3	–	1	–	–	–	–	–
Arthritis	–	3	–	–	2	1	2	2	–	–	1	1	–	–	–	–
Rheumatism	5	6	4	10	13	16	13	25	22	18	7	1	2	1	–	–
Joint Disease	13	13	7	10	7	9	9	7	8	5	2	–	–	–	–	–
Carbuncle	–	–	–	4	–	2	3	1	2	2	1	1	–	–	–	–
Phlegmon	1	–	1	–	1	1	–	1	–	–	–	–	–	–	–	–
Skin Disease	3	2	2	–	–	1	1	1	1	–	1	–	–	–	–	–
Cyanosis	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Spina Bifida	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Other Malformations	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–
Intemperance	1	6	8	16	6	4	4	1	2	2	–	–	–	–	–	–
Privation	2	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–
Want of Breast Milk	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Neglect	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Cold	4	1	1	2	2	4	–	1	3	–	2	–	–	–	–	1
Poison	2	7	3	4	5	4	1	1	2	2	–	–	–	–	–	–
Burns and Scalds	3	8	2	5	2	1	6	9	5	7	8	6	–	–	–	–
Hanging, etc.	2	5	3	8	5	6	6	5	–	–	–	–	–	–	–	–
Suffocation	2	2	3	6	7	3	5	2	1	1	–	–	–	–	–	2
Drowning	37	39	35	17	18	19	17	6	7	5	1	–	–	–	–	12
Fracture and Contusion	50	59	56	56	44	42	41	33	27	26	16	6	4	1	1	7
Wounds	3	7	7	3	4	8	4	3	2	2	–	–	–	–	–	–
Other Violent Causes	6	3	5	6	2	8	8	5	–	3	1	–	1	–	–	4
Not Specified	87	71	80	67	88	133	173	1	–	–	–	–	–	–	–	45

CAUSES of DEATH in SCOTLAND, at different Periods of Life, in 1862.—MALES.

DISEASES.	MALES.												
	ALL AGES.	AGE UNDER											
		MONTHS.			2	3	4	5	10	15	20	25	30
		3	6	12									
ALL CAUSES	33179	3468	1222	2292	3210	1567	932	649	1702	897	1163	1304	1084
SPECIFIED CAUSES	31408	2879	1075	2156	3036	1495	906	627	1625	855	1112	1267	1034
I. Zymotic Class	6745	285	271	719	1346	768	521	347	768	215	187	162	137
II. Diseases of Uncertain Seat	864	25	1	12	16	8	7	9	19	25	15	14	15
III. Tubercular Class	5542	75	134	315	487	266	149	106	434	299	527	691	502
IV. Brain and Nervous System	2699	228	63	102	132	58	31	31	82	69	60	66	68
V. Organs of Circulation	1432	12	1	5	1	4	2	2	14	21	51	36	36
VI. Respiratory Organs	4694	317	316	571	532	228	118	71	119	45	74	88	80
VII. Organs of Digestion	2459	308	128	306	369	80	23	20	51	45	51	59	37
VIII. Urinary Organs	617	2	1	5	1	3	2	2	12	15	23	25	30
IX. Organs of Generation	1	–	–	1	–	–	–	–	–	–	–	–	–
X. Organs of Locomotion	229	2	–	1	–	2	3	3	23	28	21	13	12
XI. Skin, etc.	51	6	4	9	4	3	1	–	1	–	–	–	–
XII. Malformation	75	61	7	–	–	1	1	1	2	–	2	–	–
XIII. Premature Debility	1701	1489	119	93	–	–	–	–	–	–	–	–	–
XIV. Atrophy	263	–	–	1	95	28	12	9	20	11	7	4	8
XV. Age	2482	–	–	–	–	–	–	–	–	–	–	–	–
XVI. Sudden Deaths	58	8	6	3	2	1	1	–	–	–	–	–	1
XVII. Violent Deaths	1496	61	24	13	51	45	35	26	80	82	94	109	108
I. Small Pox	209	13	13	32	29	25	15	15	20	4	7	10	9
Measles	710	4	18	99	295	115	70	25	69	5	6	–	2
Scarlatina	669	6	8	32	101	113	103	63	191	33	10	4	2
Diphtheria	469	19	10	28	76	70	52	40	104	29	16	4	6
Hooping Cough	1295	69	92	301	436	163	100	62	66	4	1	1	–
Croup	722	28	26	73	202	159	93	65	72	3	–	–	1
Thrush	19	15	2	2	–	–	–	–	–	–	–	–	–
Diarrhœa	539	57	51	79	97	23	11	7	8	4	7	6	9
Dysentery	128	4	9	9	14	–	2	–	6	2	1	5	5
Cholera	31	2	2	4	5	1	1	2	2	–	1	2	–
Influenza	168	9	7	12	13	9	2	5	3	3	3	1	3
Purpura	29	–	1	1	1	–	1	–	3	5	1	3	–
Ague	7	–	–	–	–	1	–	1	1	–	–	1	1
Worms	16	–	–	–	2	2	2	2	7	–	–	1	–
Infantile Fever	28	2	2	9	7	3	3	2	–	–	–	–	–
Typhus	1484	8	14	28	59	78	61	53	206	115	120	121	90
Metria	–	–	–	–	–	–	–	–	–	–	–	–	–
Rheumatic Fever	49	–	–	–	–	–	1	2	5	8	10	1	2
Erysipelas	108	21	6	4	4	5	4	2	4	–	4	1	5
Syphilis	57	27	10	4	5	1	–	1	–	–	–	1	2
Noma	7	1	–	2	–	–	–	–	–	–	–	–	–
Hydrophobia	1	–	–	–	–	–	–	–	1	–	–	–	–
II. Hæmorrhage	47	8	–	1	1	–	1	–	1	2	3	1	1
Dropsy	282	2	–	2	4	5	6	4	8	13	–	5	7
Abscess	67	6	–	6	2	1	–	1	4	4	9	6	1
Ulcer	27	3	–	2	3	–	–	–	–	1	–	–	–
Fistula	8	–	–	–	–	–	–	–	–	–	–	–	–
Mortification	59	4	1	–	5	1	–	1	1	–	–	–	–
Cancer	367	2	–	1	1	1	–	3	5	5	3	2	6
Gout	7	–	–	–	–	–	–	–	–	–	–	–	–
III. Scrofula	406	6	11	12	22	27	7	17	52	54	57	38	26
Tabes Mesenterica	435	30	22	48	112	68	23	17	51	22	18	10	2
Phthisis	3760	7	28	48	122	74	49	24	190	191	447	641	472
Hydrocephalus	941	32	73	207	231	97	70	48	141	32	5	2	2

CAUSES of DEATH in SCOTLAND, at different Periods of Life, in 1862.—MALES.

DISEASES.	MALES. AGE UNDER															
	35	40	45	50	55	60	65	70	75	80	85	90	95	100	105	?
ALL CAUSES	935	991	913	995	1130	1083	1456	1377	1490	1276	1139	595	192	55	10	52
SPECIFIED CAUSES	890	957	883	971	1084	1025	1373	1376	1490	1276	1139	595	192	55	10	25
Zymotic Class	99	104	84	99	89	78	110	105	92	79	53	20	7	–	–	–
Uncertain Seat	18	32	28	56	78	57	89	107	87	76	46	19	4	1	–	–
Tubercular Class	331	296	227	181	169	125	105	68	36	9	5	2	–	–	–	3
Brain, etc.	71	97	98	115	154	152	221	200	250	182	119	42	7	–	–	1
Heart, etc.	70	78	73	99	108	130	188	175	160	103	41	19	2	–	–	1
Respiratory Organs	109	112	162	190	222	221	308	245	228	160	124	45	8	1	–	–
Digestive Organs	57	72	64	80	109	109	132	114	120	71	35	15	3	–	–	1
Urinary Organs	18	27	26	33	45	34	63	58	78	61	27	20	5	1	–	–
Generative Organs	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Locomotive Organs	9	15	7	10	11	9	13	13	18	9	4	1	2	–	–	–
Skin	2	1	2	3	1	4	4	3	–	–	2	1	–	–	–	–
Malformation	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Premature Debility	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Atrophy	3	6	3	9	21	26	–	–	–	–	–	–	–	–	–	–
Age	–	–	–	–	–	–	62	240	384	501	670	408	153	52	10	2
Sudden Deaths	4	1	1	4	6	6	7	4	2	1	–	–	–	–	–	–
Violent Deaths	99	116	108	92	71	74	71	44	35	24	13	3	1	–	–	17
Small Pox	6	4	3	1	1	1	–	1	–	–	–	–	–	–	–	–
Measles	–	1	1	–	–	–	–	–	–	–	–	–	–	–	–	–
Scarlatina	1	2	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Diphtheria	3	1	1	4	1	3	2	–	–	–	–	–	–	–	–	–
Hooping Cough	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Croup	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Thrush	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Diarrhœa	6	9	2	14	13	7	21	14	32	30	19	12	1	–	–	–
Dysentery	3	6	5	3	3	9	3	7	16	10	4	1	1	–	–	–
Cholera	–	1	–	2	2	1	–	–	1	1	1	–	–	–	–	–
Influenza	4	2	2	4	5	3	8	12	17	15	17	6	3	–	–	–
Purpura	–	1	1	–	–	4	2	2	2	1	–	–	–	–	–	–
Ague	1	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–
Worms	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Infantile Fever	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Typhus	66	68	60	60	56	45	66	61	17	19	11	–	2	–	–	–
Metria	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Rheumatic Fever	6	2	2	2	2	–	3	1	1	1	–	–	–	–	–	–
Erysipelas	2	5	5	7	5	2	5	7	6	2	1	1	–	–	–	–
Syphilis	1	1	2	1	–	1	–	–	–	–	–	–	–	–	–	–
Noma	–	1	–	–	1	2	–	–	–	–	–	–	–	–	–	–
Hydrophobia	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Hæmorrhage	1	3	1	3	6	2	5	4	3	–	–	–	–	–	–	–
Dropsy	6	5	7	18	21	24	25	32	30	33	18	7	–	–	–	–
Abscess	1	4	3	1	3	2	1	6	4	1	–	–	–	1	–	–
Ulcer	–	–	–	5	2	–	3	2	3	1	2	–	–	–	–	–
Fistula	–	2	–	1	1	–	1	1	–	1	1	–	–	–	–	–
Mortification	–	–	1	1	1	–	1	6	6	11	9	8	2	–	–	–
Cancer	10	18	16	27	43	28	52	56	39	29	15	3	2	–	–	–
Gout	–	–	–	–	1	1	1	–	2	–	1	1	–	–	–	–
Scrofula	16	14	11	7	8	7	2	6	5	–	1	–	–	–	–	–
Tabes Mesenterica	1	2	3	1	–	3	–	2	–	–	–	–	–	–	–	–
Phthisis	314	280	212	173	161	115	103	60	31	9	4	2	–	–	–	3
Hydrocephalus	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–

CAUSES of DEATH in SCOTLAND, at different Periods of Life, in 1862.—MALES. (*Continued.*)

DISEASES.	MALES. ALL AGES.	AGE UNDER MONTHS. 3	6	12	2	3	4	5	10	15	20	25	30
IV. Cephalitis	183	8	5	12	14	15	9	9	24	13	10	12	14
Apoplexy	602	11	7	10	9	8	4	5	6	8	1	15	6
Paralysis	735	–	–	–	1	1	–	–	5	2	8	8	11
Delirium Tremens	51	–	–	–	–	–	–	–	–	–	–	1	8
Chorea	6	–	–	–	1	–	–	–	–	1	1	–	–
Epilepsy	137	–	–	1	1	–	–	–	4	10	14	10	10
Tetanus	33	17	–	1	1	1	–	–	5	–	1	1	1
Insanity	42	–	–	–	–	–	–	–	1	3	1	2	4
Convulsions	406	185	44	63	68	22	10	7	6	1	–	–	–
Brain Disease	504	7	7	15	37	11	8	10	31	31	24	17	14
V. Pericarditis	50	1	–	3	–	1	–	–	1	4	6	2	3
Aneurism	58	–	–	–	–	–	–	–	–	–	–	–	1
Heart Disease	1324	11	1	2	1	3	2	2	13	17	45	34	32
VI. Laryngitis	103	4	8	11	20	8	8	4	6	3	1	3	2
Bronchitis	2802	230	250	423	383	161	77	37	62	15	24	27	25
Pleurisy	164	4	4	9	7	4	3	2	1	5	13	12	5
Pneumonia	1115	76	48	120	115	51	25	23	42	15	29	36	39
Asthma	328	–	–	–	1	–	–	–	–	–	–	3	4
Lung Disease	182	3	6	8	6	4	5	5	8	7	7	7	5
VII. Teething	601	4	26	231	288	46	5	1	–	–	–	–	–
Quinsey	31	1	1	1	7	5	1	2	2	1	3	1	1
Gastritis	75	10	2	2	4	1	1	3	4	1	–	1	1
Enteritis	498	153	73	43	49	11	6	7	12	14	14	18	10
Peritonitis	96	15	5	5	3	1	2	–	4	12	6	4	4
Ascites	17	–	–	–	–	1	–	–	1	2	–	1	1
Ulceration of Intestines	94	3	–	–	–	1	–	1	7	1	7	7	4
Hernia	58	2	1	1	1	–	–	–	–	–	–	1	1
Ileus	131	24	3	–	1	1	–	–	5	2	4	4	–
Intussusception	25	4	–	1	1	–	–	–	–	–	2	1	–
Stricture of Intestines	14	–	–	–	–	–	–	–	1	–	–	–	–
Stomach Disease	324	31	11	17	8	7	4	3	10	3	5	5	6
Pancreas Disease	–	–	–	–	–	–	–	–	–	–	–	–	–
Hepatitis	74	4	1	–	–	–	1	–	3	2	–	4	3
Jaundice	95	47	1	2	2	3	1	1	–	–	2	–	–
Liver Disease	317	10	4	3	4	3	2	2	1	7	8	12	5
Spleen Disease	9	–	–	–	1	–	–	–	1	–	–	–	1
VIII. Nephritis	21	–	–	1	–	–	–	1	2	–	–	–	–
Nephria	137	–	–	1	1	–	–	–	2	7	9	10	11
Ischuria	36	2	1	2	–	–	–	–	–	–	–	1	–
Diabetes	43	–	–	–	–	–	–	–	1	1	3	4	7
Stone	70	–	–	1	–	1	–	–	–	2	3	–	–
Cystitis	52	–	–	–	–	–	–	1	–	2	1	2	4
Stricture of Urethra	5	–	–	–	–	–	–	–	–	–	–	–	–
Kidney Disease	253	–	–	–	–	2	2	–	7	3	7	8	8
IX. Paramenia	–	–	–	–	–	–	–	–	–	–	–	–	–
Ovarian Dropsy	–	–	–	–	–	–	–	–	–	–	–	–	–
Childbirth	–	–	–	–	–	–	–	–	–	–	–	–	–
Organs of Generation	1	–	–	1	–	–	–	–	–	–	–	–	–
X. Arthritis	17	–	–	–	–	–	–	–	3	3	3	–	1
Rheumatism	78	–	–	–	–	1	1	–	2	2	3	2	4
Joint and Bone Disease	134	2	–	1	–	1	2	3	18	23	15	11	7
XI. Carbuncle	12	–	–	1	–	–	–	–	–	–	–	–	–
Phlegmon	7	1	–	1	–	–	–	–	–	–	–	–	–
Skin Disease	32	5	4	7	4	3	1	–	1	–	–	–	–
XII. Cyanosis	26	22	2	–	–	–	–	1	1	–	–	–	–
Spina Bifida	20	16	4	–	–	–	–	–	–	–	–	–	–
Other Malformations	29	23	1	–	–	1	1	–	1	–	2	–	–
XVII. Intemperance	39	–	–	–	–	–	–	–	–	–	–	–	1
Privation	3	–	–	–	–	2	–	–	–	–	–	–	–
Want of Breast Milk	33	20	11	2	–	–	–	–	–	–	–	–	–
Neglect	1	1	–	–	–	–	–	–	–	–	–	–	–
Cold	21	3	–	–	1	–	–	–	–	–	–	2	1
Poison	29	1	–	1	2	2	1	2	2	–	1	1	1
Burns and Scalds	149	1	1	4	32	26	19	9	18	9	1	2	7
Hanging, etc.	34	–	–	–	–	–	–	–	–	–	1	1	2
Suffocation	63	18	12	3	1	–	–	–	3	–	1	–	1
Drowning	367	2	–	1	9	9	6	8	22	16	38	38	33
Fracture and Contusion	625	–	–	1	6	6	9	4	29	45	44	57	53
Wounds	60	–	–	–	–	–	–	–	2	9	4	4	6
Other Violent Causes	72	15	–	1	–	–	–	3	4	3	4	4	3
Not Specified	1771	589	147	136	174	72	26	22	77	42	51	37	50

CAUSES of DEATH in SCOTLAND, at different Periods of Life, in 1862.—MALES. (*Continued.*)

DISEASES.	MALES. AGE UNDER															
	35	40	45	50	55	60	65	70	75	80	85	90	95	100	105	?
Cephalitis	2	6	3	7	4	5	7	3	1	–	–	–	–	–	–	–
Apoplexy	14	22	23	24	50	54	83	57	80	56	30	14	4	–	–	1
Paralysis	17	17	26	37	42	46	77	100	134	103	76	23	1	–	–	–
Delirium Tremens	5	10	6	6	9	4	1	1	–	–	–	–	–	–	–	–
Chorea	1	–	1	–	–	–	–	1	–	–	–	–	–	–	–	–
Epilepsy	15	7	14	6	10	6	9	9	4	3	2	2	–	–	–	–
Tetanus	–	–	–	1	–	1	1	1	1	–	–	–	–	–	–	–
Insanity	4	4	2	6	2	4	3	2	1	2	–	–	1	–	–	–
Convulsions	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Brain Disease	13	31	23	28	37	32	40	26	29	18	11	3	1	–	–	–
Pericarditis	6	4	–	3	2	4	3	3	2	1	1	–	–	–	–	–
Aneurism	6	13	6	10	6	6	5	4	1	–	–	–	–	–	–	–
Heart Disease	58	61	67	86	100	120	180	168	157	102	40	19	2	–	–	1
Laryngitis	4	5	2	3	4	1	3	1	1	–	–	1	–	–	–	–
Bronchitis	36	43	63	74	105	107	159	128	142	103	88	34	6	–	–	–
Pleurisy	10	7	7	15	8	4	7	13	8	8	7	1	–	–	–	–
Pneumonia	36	36	58	54	56	58	64	51	38	23	15	4	2	1	–	–
Asthma	9	9	17	29	37	43	60	43	35	22	12	4	–	–	–	–
Lung Disease	14	12	15	15	12	8	15	9	4	4	2	1	–	–	–	–
Teething	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Quinsey	3	–	–	–	1	1	–	–	–	–	–	–	–	–	–	–
Gastritis	2	3	3	7	6	4	3	7	6	3	–	–	1	–	–	–
Enteritis	7	10	9	4	9	8	14	3	9	8	2	4	–	–	–	1
Peritonitis	4	7	1	2	4	4	2	4	6	1	–	–	–	–	–	–
Ascites	2	1	–	–	1	–	2	2	1	1	–	1	–	–	–	–
Ulceration of Intestines	8	4	7	7	8	7	9	4	3	3	1	2	–	–	–	–
Hernia	–	3	2	7	3	3	4	6	5	11	6	1	–	–	–	–
Ileus	7	6	5	7	5	9	7	9	15	8	6	3	–	–	–	–
Intussusception	1	–	–	–	2	3	3	2	3	–	1	1	–	–	–	–
Stricture of Intestines	1	1	–	1	1	1	2	3	2	1	–	–	–	–	–	–
Stomach Disease	12	11	12	9	21	31	32	34	31	15	5	–	1	–	–	–
Pancreas Disease	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Hepatitis	1	6	5	4	13	8	5	8	2	4	–	–	–	–	–	–
Jaundice	–	2	–	–	–	5	8	6	6	2	6	1	–	–	–	–
Liver Disease	9	18	19	32	34	25	38	25	31	14	8	2	1	–	–	–
Spleen Disease	–	–	1	–	1	–	3	1	–	–	–	–	–	–	–	–
Nephritis	1	–	–	2	3	1	4	1	4	–	–	1	–	–	–	–
Nephria	9	13	13	12	14	8	11	6	5	3	1	1	–	–	–	–
Ischuria	1	1	2	2	–	–	2	5	4	8	1	3	1	–	–	–
Diabetes	2	5	2	5	4	2	2	–	4	–	–	1	–	–	–	–
Stone	–	–	1	3	3	6	6	10	12	15	2	3	2	–	–	–
Cystitis	1	2	3	–	1	4	8	4	3	5	6	4	1	–	–	–
Stricture of Urethra	–	2	–	–	1	–	–	1	1	–	–	–	–	–	–	–
Kidney Disease	4	4	5	9	19	13	30	31	45	30	17	7	1	1	–	–
Paramenia	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Ovarian Dropsy	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Childbirth	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Organs of Generation	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Arthritis	–	3	–	–	–	–	2	1	–	–	1	–	–	–	–	–
Rheumatism	2	3	3	6	7	6	4	8	12	8	1	1	2	–	–	–
Joint Diseae	7	9	4	4	4	3	7	4	6	1	2	–	–	–	–	–
Carbuncle	–	–	–	3	–	2	3	1	–	–	1	1	–	–	–	–
Phlegmon	1	–	1	–	1	1	–	1	–	–	–	–	–	–	–	–
Skin Disease	1	1	1	–	–	1	1	1	–	–	1	–	–	–	–	–
Cyanosis	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Spina Bifida	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Other Malformations	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Intemperance	1	4	5	12	5	4	2	1	2	2	–	–	–	–	–	–
Privation	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Want of Breast Milk	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Neglect	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Cold	3	1	–	2	–	3	–	1	2	–	1	–	–	–	–	1
Poison	–	4	3	1	3	1	1	–	2	–	–	–	–	–	–	–
Burns and Scalds	3	5	1	2	–	–	1	2	2	2	2	–	–	–	–	–
Hanging, etc.	1	3	3	5	5	3	6	4	–	–	–	–	–	–	–	–
Suffocation	2	1	3	2	6	1	4	2	1	1	–	–	–	–	–	1
Drowning	33	35	31	13	16	15	16	6	7	4	1	–	–	–	–	8
Fracture and Contusion	48	55	51	48	32	36	31	22	17	13	9	3	1	–	–	5
Wounds	2	6	7	2	3	6	3	3	2	1	–	–	–	–	–	–
Other Violent Causes	5	2	4	5	1	5	7	3	–	1	–	–	–	–	–	2
Not Specified	45	34	30	24	46	58	83	1	–	–	–	–	–	–	–	27

CAUSES of DEATH in SCOTLAND, at different Periods of Life, in 1862.—FEMALES.

DISEASES.	FEMALES.												
	ALL AGES.	AGE UNDER											
		MONTHS.			2	3	4	5	10	15	20	25	30
		3	6	12									
ALL CAUSES	34016	2546	927	2101	3005	1587	1029	662	1591	808	1100	1259	1189
SPECIFIED CAUSES	32452	2143	801	1965	2863	1517	989	638	1518	779	1055	1221	1148
I. Zymotic Class	7233	289	231	715	1306	826	577	380	786	248	226	203	160
II. Diseases of Uncertain Seat	1424	17	5	10	13	12	12	7	18	11	10	18	40
III. Tubercular Class	5887	50	106	311	420	222	154	124	352	337	608	652	574
IV. Brain and Nervous System	2387	133	52	78	85	60	31	22	99	48	42	54	47
V. Organs of Circulation	1355	4	–	7	1	4	–	2	19	21	31	46	52
VI. Respiratory Organs	4500	248	197	500	563	240	143	59	113	34	50	86	68
VII. Organs of Digestion	2329	164	87	251	342	75	24	13	55	33	35	52	61
VIII. Urinary Organs	287	1	–	–	6	–	4	1	10	8	4	12	22
IX. Organs of Generation	480	–	–	–	–	–	–	–	–	1	19	67	83
X. Organs of Locomotion	175	–	–	–	3	2	2	3	10	13	8	4	6
XI. Skin, etc.	29	7	2	3	3	2	–	–	–	1	1	–	–
XII. Malformation	70	57	6	2	2	–	–	–	–	1	–	–	1
XIII. Premature Debility	1285	1114	98	73	–	–	–	–	–	–	–	–	–
XIV. Atrophy	313	–	–	–	77	36	12	8	22	4	6	6	6
XV. Age	4077	–	–	–	–	–	–	–	–	–	–	–	–
XVI. Sudden Deaths	60	7	3	1	3	2	–	–	–	1	1	3	5
XVII. Violent Deaths	561	52	14	14	39	36	30	19	34	18	14	18	23
I. Small Pox	217	17	7	39	43	34	16	7	18	5	8	7	4
Measles	694	7	13	104	253	131	70	37	48	8	8	3	5
Scarlatina	612	5	5	28	80	107	80	77	157	35	9	8	6
Diphtheria	528	14	11	23	76	56	70	43	148	34	21	8	8
Hooping Cough	1504	74	91	302	455	245	157	87	100	8	–	–	1
Croup	674	19	21	75	167	135	118	69	70	–	–	–	–
Thrush	17	7	3	2	3	1	–	1	–	–	–	–	–
Diarrhœa	569	65	37	81	100	26	10	5	18	2	6	7	6
Dysentery	165	1	2	9	10	4	–	3	3	2	1	9	6
Cholera	26	1	–	1	3	1	2	1	2	1	–	1	1
Influenza	219	13	5	7	12	1	5	2	4	1	3	3	2
Purpura	22	–	1	1	3	1	–	1	4	1	1	1	–
Ague	9	–	–	1	–	3	–	–	–	3	1	–	–
Worms	16	–	1	–	1	4	5	1	4	–	–	–	–
Infantile Fever	35	3	3	6	11	6	1	2	3	–	–	–	–
Typhus	1537	6	10	22	72	61	59	42	203	135	151	112	86
Metria	130	–	–	–	–	–	–	–	–	–	5	37	31
Rheumatic Fever	35	–	–	–	–	–	–	1	–	4	3	2	1
Erysipelas	141	35	3	9	5	8	3	–	2	9	8	3	1
Syphilis	69	21	12	4	10	1	1	–	–	–	1	2	2
Noma	14	1	3	1	2	1	–	1	2	–	–	–	–
Hydrophobia	–	–	–	–	–	–	–	–	–	–	–	–	–
II. Hæmorrhage	38	4	–	3	–	–	2	2	1	1	–	2	3
Dropsy	461	2	2	2	2	6	5	3	8	6	6	10	19
Abscess	54	3	2	3	4	3	–	1	7	1	1	2	3
Ulcer	28	2	–	1	2	1	2	–	–	1	1	1	–
Fistula	3	–	–	–	–	–	–	–	–	–	–	–	–
Mortification	49	5	1	1	4	–	2	1	1	–	–	–	–
Cancer	785	1	–	–	1	2	1	–	1	2	2	3	15
Gout	6	–	–	–	–	–	–	–	–	–	–	–	–
III. Scrofula	298	1	6	15	26	17	7	6	36	27	36	34	19
Tabes Mesenterica	361	14	15	49	93	49	28	7	46	22	13	6	5
Phthisis	4451	10	26	56	104	79	52	68	185	263	554	610	549
Hydrocephalus	777	25	59	191	197	77	67	43	85	25	5	2	1

CAUSES of DEATH in SCOTLAND, at different Periods of Life, in 1862.—FEMALES.

DISEASES.	FEMALES. AGE UNDER														
	35	40	45	50	55	60	65	70	75	80	85	90	95	100	105	?
ALL CAUSES	1131	1106	1031	1007	1095	1130	1570	1592	1776	1783	1610	869	337	114	20	41
SPECIFIED CAUSES	1089	1069	981	964	1053	1055	1480	1592	1776	1783	1610	869	337	114	20	23
Zymotic Class	130	122	113	104	110	98	128	103	130	129	87	24	5	2	–	1
Uncertain Seat	55	63	101	113	130	129	163	158	127	116	65	27	3	1	–	–
Tubercular Class	488	426	300	217	188	114	120	65	34	14	7	1	–	–	–	3
Brain, etc.	62	68	74	94	111	138	201	213	239	224	119	67	20	2	1	3
Heart, etc.	45	66	84	89	101	105	174	180	141	112	47	20	1	2	–	1
Respiratory Organs	103	93	111	134	191	212	307	288	296	222	163	54	16	5	–	4
Digestive Organs	64	78	77	92	120	137	165	155	116	75	37	13	8	–	–	–
Urinary Organs	28	32	19	21	9	16	27	21	23	9	11	3	–	–	–	–
Generative Organs	79	78	62	29	20	12	13	8	5	2	2	–	–	–	–	–
Locomotive Organs	9	7	4	10	11	17	11	21	12	14	6	1	–	1	–	–
Skin	2	1	1	1	–	–	–	–	3	2	–	–	–	–	–	–
Malformation	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–
Premature Debility	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Atrophy	10	10	16	23	30	47	–	–	–	–	–	–	–	–	–	–
Age	–	–	–	–	–	2	145	354	635	840	1051	650	280	100	18	2
Sudden Deaths	1	4	4	6	8	3	5	2	1	–	–	–	–	–	–	–
Violent Deaths	13	21	15	31	24	25	21	23	14	24	15	9	4	1	1	9
Small Pox	3	2	3	–	2	2	–	–	–	–	–	–	–	–	–	–
Measles	–	3	1	1	–	1	–	1	–	–	–	–	–	–	–	–
Scarlatina	5	4	2	–	2	1	–	1	–	–	–	–	–	–	–	–
Diphtheria	3	1	2	1	1	4	3	–	–	–	1	–	–	–	–	–
Hooping Cough	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–
Croup	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Thrush	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Diarrhœa	5	5	13	11	14	12	22	19	35	32	30	8	–	–	–	–
Dysentery	2	4	4	9	8	9	12	17	11	21	13	4	–	1	–	–
Cholera	–	1	1	2	–	–	–	2	2	1	1	1	–	–	–	1
Influenza	4	2	4	3	12	10	11	10	29	42	26	3	4	1	–	–
Purpura	–	–	1	1	–	1	2	1	–	2	–	–	–	–	–	–
Ague	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Worms	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Infantile Fever	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Typhus	73	73	60	63	58	49	67	47	48	23	12	5	–	–	–	–
Metria	27	18	9	3	–	–	–	–	–	–	–	–	–	–	–	–
Rheumatic Fever	3	3	4	3	2	1	5	1	1	1	–	–	–	–	–	–
Erysipelas	4	1	4	6	8	6	4	3	4	7	4	3	1	–	–	–
Syphilis	1	4	4	–	3	1	2	–	–	–	–	–	–	–	–	–
Noma	–	–	1	–	–	1	–	1	–	–	–	–	–	–	–	–
Hydrophobia	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Hæmorrhage	6	–	2	1	2	1	3	2	2	–	1	–	–	–	–	–
Dropsy	17	18	23	27	33	30	42	55	49	48	32	13	3	–	–	–
Abscess	3	3	3	3	4	–	2	1	–	5	–	–	–	–	–	–
Ulcer	–	1	2	–	3	1	1	2	5	1	–	1	–	–	–	–
Fistula	1	1	–	–	–	–	–	–	–	1	–	–	–	–	–	–
Mortification	1	1	–	1	2	1	2	4	9	6	4	3	–	–	–	–
Cancer	27	39	71	80	85	95	113	93	62	55	26	10	–	1	–	–
Gout	–	–	–	1	1	1	–	1	–	–	2	–	–	–	–	–
Scrofula	14	16	6	5	6	5	3	6	4	3	–	–	–	–	–	–
Tabes Mesenterica	1	2	1	1	2	2	1	–	1	–	2	1	–	–	–	–
Phthisis	473	408	293	211	180	107	116	59	29	11	5	–	–	–	–	3
Hydrocephalus	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–

CAUSES of DEATH in SCOTLAND, at different Periods of Life, in 1862.—FEMALES. (*Continued.*)

DISEASES.	FEMALES. ALL AGES.	AGE UNDER MONTHS. 3	6	12	2	3	4	5	10	15	20	25	30
IV. Cephalitis	136	4	4	10	13	9	7	5	24	16	7	7	4
Apoplexy	599	6	6	9	12	8	5	1	11	4	6	11	6
Paralysis	774	–	–	–	2	1	–	–	5	2	2	3	9
Delirium Tremens	10	–	–	–	–	–	–	–	–	–	–	–	–
Chorea	3	–	–	–	–	–	–	–	1	1	–	–	–
Epilepsy	93	–	–	–	1	–	–	–	3	9	3	12	6
Tetanus	16	3	–	–	1	–	1	2	–	1	1	1	2
Insanity	54	–	–	–	–	–	–	–	–	1	1	2	3
Convulsions	291	115	36	47	37	22	9	7	17	–	1	–	–
Brain Disease	411	5	6	12	20	20	9	7	38	14	21	18	17
V. Pericarditis	34	1	–	–	–	–	–	1	2	–	3	7	–
Aneurism	31	–	–	–	–	–	–	–	–	1	1	–	–
Heart Disease	1290	3	–	7	1	4	–	1	17	20	27	39	52
VI. Laryngitis	67	3	5	8	13	11	7	2	2	2	1	–	2
Bronchitis	2962	178	150	389	433	172	106	41	66	13	9	37	24
Pleurisy	127	8	3	5	1	5	4	2	3	2	4	7	7
Pneumonia	817	52	36	94	104	51	20	13	39	16	21	32	29
Asthma	370	1	–	–	–	–	–	–	–	1	2	–	1
Lung Disease	157	6	3	4	12	1	6	1	3	–	13	10	5
VII. Teething	505	1	16	179	265	41	3	–	–	–	–	–	–
Quinsey	32	4	–	2	5	2	2	2	5	2	–	–	2
Gastritis	90	3	5	5	3	1	4	–	3	3	3	6	2
Enteritis	394	92	37	44	41	12	6	5	19	8	5	8	9
Peritonitis	131	9	1	2	3	1	–	–	5	9	10	18	11
Ascites	47	2	–	–	1	–	1	–	–	1	–	–	3
Ulceration of Intestines	81	1	1	–	2	3	–	–	3	1	5	4	2
Hernia	56	1	–	–	–	–	–	–	–	–	–	–	–
Ileus	137	9	3	2	4	1	2	–	2	1	2	2	7
Intussusception	24	1	4	1	1	–	–	–	3	–	–	2	1
Stricture of Intestines	9	–	–	–	–	–	–	–	–	–	–	1	–
Stomach Disease	358	24	12	10	17	9	3	4	8	3	3	3	11
Pancreas Disease	–	–	–	–	–	–	–	–	–	–	–	–	–
Hepatitis	79	–	1	2	–	1	1	–	1	1	2	–	3
Jaundice	80	14	5	2	–	2	1	–	2	–	1	2	2
Liver Disease	294	3	2	2	–	2	1	2	3	4	4	6	7
Spleen Disease	12	–	–	–	–	–	–	–	1	–	–	–	1
VIII. Nephritis	20	–	–	–	1	–	1	–	1	1	–	–	1
Nephria	102	–	–	–	2	–	–	1	5	4	2	4	7
Ischuria	5	–	–	–	–	–	–	–	–	–	–	2	–
Diabetes	31	–	–	–	2	–	1	–	–	1	1	1	3
Stone	8	–	–	–	–	–	–	–	–	–	–	–	–
Cystitis	14	–	–	–	–	–	–	–	–	–	–	1	1
Stricture of Urethra	1	–	–	–	–	–	–	–	–	–	–	–	–
Kidney Disease	106	1	–	–	1	–	2	–	4	2	1	4	10
IX. Paramenia	29	–	–	–	–	–	–	–	–	1	9	4	2
Ovarian Dropsy	69	–	–	–	–	–	–	–	–	–	–	2	7
Childbirth	305	–	–	–	–	–	–	–	–	–	8	54	69
Organs of Generation	77	–	–	–	–	–	–	–	–	–	2	7	5
X. Arthritis	10	–	–	–	–	–	2	1	–	1	1	–	–
Rheumatism	86	–	–	–	–	1	–	–	–	–	2	1	2
Joint and Bone Disease	79	–	–	–	3	1	–	2	10	12	5	3	4
XI. Carbuncle	7	–	–	–	1	1	–	–	–	–	–	–	–
Phlegmon	1	–	–	–	–	1	–	–	–	–	–	–	–
Skin Disease	21	7	2	3	2	–	–	–	–	1	1	–	–
XII. Cyanosis	23	19	3	–	1	–	–	–	–	–	–	–	–
Spina Bifida	14	11	3	–	–	–	–	–	–	–	–	–	–
Other Malformations	33	27	–	2	1	–	–	–	–	1	–	–	1
XVII. Intemperance	14	–	–	–	–	–	–	–	–	–	–	–	2
Privation	4	–	–	–	2	–	–	–	–	–	–	–	–
Want of Breast Milk	29	22	4	3	–	–	–	–	–	–	–	–	–
Neglect	2	–	–	–	1	–	–	1	–	–	–	–	–
Cold	13	2	1	–	1	–	–	–	–	1	–	–	1
Poison	25	5	1	–	–	1	–	2	–	–	–	–	–
Burns and Scalds	175	1	2	9	23	25	23	14	19	5	4	3	5
Hanging, etc.	12	–	–	–	–	–	–	–	–	–	–	–	2
Suffocation	38	14	6	1	1	–	1	–	–	1	–	3	1
Drowning	69	3	–	–	5	4	2	1	7	3	4	6	6
Fracture and Contusion	144	2	–	1	6	5	3	1	6	7	5	6	4
Wounds	14	–	–	–	–	–	–	–	2	1	1	–	2
Other Violent Causes	22	3	–	–	–	1	1	–	–	–	–	–	–
Not Specified	1564	403	126	136	142	70	40	24	73	29	45	38	41

CAUSES of DEATH in SCOTLAND, at different Periods of Life, in 1862.—FEMALES. (*Continued.*)

DISEASES.	FEMALES. AGE UNDER															
	35	40	45	50	55	60	65	70	75	80	85	90	95	100	105	?
Cephalitis	4	5	2	5	1	4	2	1	1	2	1	–	–	–	–	–
Apoplexy	12	18	21	33	41	48	86	63	69	59	37	20	5	1	–	1
Paralysis	13	11	12	24	36	53	79	121	135	140	66	42	14	1	1	2
Delirium Tremens	3	2	1	–	2	1	1	–	–	–	–	–	–	–	–	–
Chorea	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–
Epilepsy	11	8	12	8	3	5	4	2	2	2	2	–	–	–	–	–
Tetanus	–	1	–	–	1	–	1	–	1	–	–	–	–	–	–	–
Insanity	5	5	7	5	4	7	4	2	6	–	2	–	–	–	–	–
Convulsions	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Brain Disease	14	18	18	19	24	20	24	24	25	21	11	5	1	–	–	–
Pericarditis	1	4	3	2	1	2	2	1	2	1	1	–	–	–	–	–
Aneurism	1	4	6	4	2	–	4	4	1	2	1	–	–	–	–	–
Heart Disease	43	58	75	83	98	103	168	175	138	109	45	20	1	2	–	1
Laryngitis	2	2	1	1	1	1	–	1	1	–	–	–	1	–	–	–
Bronchitis	45	46	60	78	101	121	195	166	175	157	133	46	14	5	–	2
Pleurisy	9	4	5	7	4	7	8	11	8	4	8	–	1	–	–	–
Pneumonia	31	22	17	22	32	29	29	52	43	17	11	3	–	–	–	2
Asthma	4	13	19	21	40	45	66	47	61	36	9	4	–	–	–	–
Lung Disease	12	6	9	5	13	9	9	11	8	8	2	1	–	–	–	–
Teething	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Quinsey	1	2	–	–	1	1	–	–	–	1	–	–	–	–	–	–
Gastritis	2	2	3	5	9	7	6	6	5	5	2	–	–	–	–	–
Enteritis	8	9	6	6	13	12	17	16	7	10	2	1	1	–	–	–
Peritonitis	9	8	5	4	4	7	9	9	2	2	2	1	–	–	–	–
Ascites	–	3	2	3	5	4	4	5	4	3	3	1	2	–	–	–
Ulceration of Intestines	2	8	6	2	9	4	9	5	7	2	3	2	–	–	–	–
Hernia	–	3	2	3	6	10	9	9	9	3	1	–	–	–	–	–
Ileus	7	6	5	5	12	11	14	10	13	6	6	4	3	–	–	–
Intussusception	–	1	2	–	1	3	2	2	–	–	–	–	–	–	–	–
Stricture of Intestines	–	–	–	–	2	1	2	–	2	1	–	–	–	–	–	–
Stomach Disease	16	19	18	21	10	24	34	40	37	17	13	1	1	–	–	–
Pancreas Disease	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Hepatitis	4	2	3	12	10	10	11	5	6	4	–	–	–	–	–	–
Jaundice	1	2	3	–	6	7	5	11	9	2	1	1	1	–	–	–
Liver Disease	14	13	20	30	31	33	41	36	15	19	4	2	–	–	–	–
Spleen Disease	–	–	2	1	1	3	2	1	–	–	–	–	–	–	–	–
Nephritis	2	2	–	2	–	–	5	2	–	1	1	–	–	–	–	–
Nephria	8	16	7	5	3	10	6	6	9	3	2	2	–	–	–	–
Ischuria	1	1	–	–	–	–	–	1	–	–	–	–	–	–	–	–
Diabetes	5	5	4	3	1	1	1	1	–	1	–	–	–	–	–	–
Stone	1	–	–	1	–	–	1	1	1	–	2	1	–	–	–	–
Cystitis	2	–	1	1	2	1	–	–	2	1	2	–	–	–	–	–
Stricture of Urethra	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–
Kidney Disease	9	8	7	8	3	4	14	10	11	3	4	–	–	–	–	–
Paramenia	1	5	3	2	2	–	–	–	–	–	–	–	–	–	–	–
Ovarian Dropsy	8	8	6	6	12	5	5	5	2	2	1	–	–	–	–	–
Childbirth	62	56	44	10	2	–	–	–	–	–	–	–	–	–	–	–
Organs of Generation	8	9	9	11	4	7	8	3	3	–	1	–	–	–	–	–
Arthritis	–	–	–	–	2	1	–	1	–	–	–	1	–	–	–	–
Rheumatism	3	3	1	4	6	10	9	17	10	10	6	–	–	1	–	–
Joint Disease	6	4	3	6	3	6	2	3	2	4	–	–	–	–	–	–
Carbuncle	–	–	–	1	–	–	–	–	2	2	–	–	–	–	–	–
Phlegmon	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Skin Disease	2	1	1	–	–	–	–	–	1	–	–	–	–	–	–	–
Cyanosis	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Spina Bifida	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Other Malformations	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–
Intemperance	–	2	3	4	1	–	2	–	–	–	–	–	–	–	–	–
Privation	1	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–
Want of Breast Milk	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Neglect	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Cold	1	–	1	–	2	1	–	–	1	–	1	–	–	–	–	–
Poison	2	3	–	3	2	3	–	1	–	2	–	–	–	–	–	–
Burns and Scalds	–	3	1	3	2	1	5	7	3	5	6	6	–	–	–	–
Hanging, etc.	1	2	–	3	–	3	–	1	–	–	–	–	–	–	–	–
Suffocation	–	1	–	4	1	2	1	–	–	–	–	–	–	–	–	1
Drowning	4	4	4	4	2	4	1	–	–	1	–	–	–	–	–	4
Fracture and Contusion	2	4	5	8	12	6	10	11	10	13	7	3	3	1	1	2
Wounds	1	1	–	1	1	2	1	–	–	1	–	–	–	–	–	–
Other Violent Causes	1	1	1	1	1	3	1	2	–	2	1	–	1	–	–	2
Not Specified	42	37	50	43	42	75	90	–	–	–	–	–	–	–	–	18

CAUSES of DEATH in the INSULAR DISTRICTS of SCOTLAND, at different Periods of Life, in 1862.—Both Sexes.

DISEASES.	BOTH SEXES.												
	ALL AGES.	AGE UNDER											
		MONTHS.			2	3	4	5	10	15	20	25	30
		3	6	12									
All Causes	2975	221	56	125	175	104	53	33	102	60	95	124	102
Specified Causes	2490	98	30	92	139	81	45	30	78	50	73	106	89
I. Zymotic Class	486	16	12	55	84	46	32	16	39	20	17	15	15
II. Diseases of Uncertain Seat	100	–	–	–	1	–	–	–	1	2	–	1	2
III. Tubercular Class	364	3	6	10	15	10	9	3	16	18	32	59	36
IV. Brain and Nervous System	156	18	2	2	4	7	–	2	5	4	7	5	7
V. Organs of Circulation	63	–	–	–	–	–	–	–	1	–	1	2	1
VI. Respiratory Organs	222	9	8	13	18	9	1	4	6	2	5	4	7
VII. Organs of Digestion	131	5	1	10	9	5	–	1	1	1	1	3	4
VIII. Urinary Organs	30	–	–	–	2	–	–	–	–	–	–	–	3
IX. Organs of Generation	21	–	–	–	–	–	–	–	–	–	1	2	1
X. Organs of Locomotion	29	–	–	–	–	–	–	1	1	1	2	1	–
XI. Skin, etc.	2	–	–	1	1	–	–	–	–	–	–	–	–
XII. Malformation	1	–	1	–	–	–	–	–	–	–	–	–	–
XIII. Premature Debility	47	46	–	1	–	–	–	–	–	–	–	–	–
XIV. Atrophy	15	–	–	–	3	–	–	–	3	–	–	–	1
XV. Age	723	–	–	–	–	–	–	–	–	–	–	–	–
XVI. Sudden Deaths	5	–	–	–	–	–	–	–	–	–	–	1	–
XVII. Violent Deaths	95	1	–	–	2	4	3	3	5	2	7	13	12
I. Small Pox	2	–	–	–	–	–	–	–	–	–	–	1	–
Measles	125	1	2	20	38	17	9	4	12	8	5	2	3
Scarlatina	7	–	–	–	1	1	2	–	2	–	–	–	1
Diphtheria	20	1	–	3	3	4	3	2	4	–	–	–	–
Hooping Cough	35	1	–	9	8	6	4	2	3	2	–	–	–
Croup	68	4	1	10	16	13	10	7	7	–	–	–	–
Thrush	3	3	–	–	–	–	–	–	–	–	–	–	–
Diarrhœa	37	–	3	3	–	–	1	–	–	1	2	2	–
Dysentery	14	–	–	–	–	–	–	–	–	1	–	2	–
Cholera	2	–	–	–	–	–	–	–	–	–	–	–	–
Influenza	70	6	5	8	14	3	2	–	3	–	2	1	–
Purpura	2	–	–	–	1	–	–	–	–	–	–	–	–
Ague	–	–	–	–	–	–	–	–	–	–	–	–	–
Worms	1	–	–	–	–	–	–	–	1	–	–	–	–
Infantile Fever	–	–	–	–	–	–	–	–	–	–	–	–	–
Typhus	83	–	–	2	2	2	1	–	7	7	8	7	7
Metria	4	–	–	–	–	–	–	–	–	–	–	–	2
Rheumatic Fever	3	–	–	–	–	–	–	–	–	–	–	–	1
Erysipelas	8	–	–	–	1	–	–	1	–	1	–	–	1
Syphilis	2	–	1	–	–	–	–	–	–	–	–	–	–
Noma	–	–	–	–	–	–	–	–	–	–	–	–	–
Hydrophobia	–	–	–	–	–	–	–	–	–	–	–	–	–
II. Hæmorrhage	2	–	–	–	–	–	–	–	–	–	–	–	–
Dropsy	44	–	–	–	–	–	–	–	–	2	–	1	2
Abscess	2	–	–	–	–	–	–	–	1	–	–	–	–
Ulcer	2	–	–	–	–	–	–	–	–	–	–	–	–
Fistula	–	–	–	–	–	–	–	–	–	–	–	–	–
Mortification	4	–	–	–	1	–	–	–	–	–	–	–	–
Cancer	46	–	–	–	–	–	–	–	–	–	–	–	–
Gout	–	–	–	–	–	–	–	–	–	–	–	–	–
III. Scrofula	14	–	1	–	–	1	–	–	3	1	1	1	2
Tabes Mesenterica	10	–	–	–	1	1	–	–	3	–	–	3	1
Phthisis	306	–	1	6	6	6	4	2	6	14	31	55	33
Hydrocephalus	34	3	4	4	8	2	5	1	4	3	–	–	–

CAUSES of DEATH in the INSULAR DISTRICTS of SCOTLAND, at different Periods of Life, in 1862.—Both Sexes.

DISEASES.	BOTH SEXES. AGE UNDER															
	35	40	45	50	55	60	65	70	75	80	85	90	95	100	105	?
All Causes	82	69	73	79	97	84	143	145	214	239	239	133	64	39	4	21
Specified Causes	63	59	60	72	79	62	102	145	214	239	239	133	64	39	4	5
Zymotic Class	11	12	5	6	9	3	10	13	17	21	8	4	–	–	–	–
Uncertain Seat	1	4	6	12	5	9	10	13	7	15	8	2	–	1	–	–
Tubercular Class	21	20	15	15	19	15	18	14	5	1	3	–	–	–	–	1
Brain, etc.	–	3	7	4	6	6	9	11	18	8	15	4	1	–	–	1
Heart, etc.	1	1	2	7	4	3	9	5	9	12	2	2	–	–	–	1
Respiratory Organs	6	4	5	11	18	7	17	15	21	17	10	4	1	–	–	–
Digestive Organs	7	4	10	11	8	8	9	16	7	7	2	1	–	–	–	–
Urinary Organs	–	–	1	–	2	3	4	2	3	5	3	2	–	–	–	–
Generative Organs	6	4	4	1	–	–	1	1	–	–	–	–	–	–	–	–
Locomotive Organs	1	–	2	1	1	3	1	1	6	2	3	1	1	–	–	–
Skin	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Malformation	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Premature Debility	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Atrophy	2	–	–	–	3	3	–	–	–	–	–	–	–	–	–	–
Age	–	–	–	–	–	–	10	52	116	148	183	112	61	37	4	–
Sudden Deaths	–	–	–	–	–	–	2	1	–	1	–	–	–	–	–	–
Violent Deaths	7	7	3	4	4	2	2	1	5	2	2	1	–	1	–	2
Small Pox	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–
Measles	–	1	2	–	–	–	–	1	–	–	–	–	–	–	–	–
Scarlatina	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Diphtheria	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Hooping Cough	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Croup	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Thrush	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Diarrhœa	–	1	–	2	2	2	1	1	4	9	2	1	–	–	–	–
Dysentery	–	–	–	2	–	–	1	2	3	2	–	1	–	–	–	–
Cholera	–	–	–	–	–	–	–	1	–	–	1	–	–	–	–	–
Influenza	2	1	–	–	1	–	4	3	4	7	4	–	–	–	–	–
Purpura	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–
Ague	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Worms	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Infantile Fever	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Typhus	8	6	2	2	6	1	3	3	4	3	–	2	–	–	–	–
Metria	1	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Rheumatic Fever	–	1	–	–	–	–	–	1	–	–	–	–	–	–	–	–
Erysipelas	–	1	–	–	–	–	–	1	1	–	1	–	–	–	–	–
Syphilis	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–
Noma	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Hydrophobia	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Hæmorrhage	–	–	–	1	–	–	1	–	–	–	–	–	–	–	–	–
Dropsy	–	2	3	2	2	2	4	8	4	6	4	2	–	–	–	–
Abscess	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–
Ulcer	–	–	–	–	–	–	–	–	1	–	1	–	–	–	–	–
Fistula	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Mortification	–	–	–	1	–	1	–	–	1	–	–	–	–	–	–	–
Cancer	1	2	3	8	3	6	5	5	1	9	3	–	–	–	–	–
Gout	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Scrofula	–	–	–	–	1	2	–	–	–	–	1	–	–	–	–	–
Tabes Mesenterica	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–
Phthisis	21	20	15	15	17	13	18	14	5	1	2	–	–	–	–	1
Hydrocephalus	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–

CAUSES of DEATH in the INSULAR DISTRICTS of SCOTLAND, at different Periods of Life, in 1862.—Both Sexes. (*Continued.*)

DISEASES.	BOTH SEXES.												
	AGE UNDER												
	ALL AGES.	MONTHS.			2	3	4	5	10	15	20	25	30
		3	6	12									
IV. Cephalitis	14	–	–	1	–	2	–	1	1	1	3	1	1
Apoplexy	19	–	–	–	–	–	–	–	1	–	–	–	–
Paralysis	63	–	–	–	–	1	–	–	–	1	1	1	–
Delirium Tremens	–	–	–	–	–	–	–	–	–	–	–	–	–
Chorea	–	–	–	–	–	–	–	–	–	–	–	–	–
Epilepsy	7	–	–	–	–	–	–	–	–	2	–	1	1
Tetanus	8	6	–	–	1	–	–	–	–	–	–	–	1
Insanity	6	–	–	–	–	–	–	–	–	–	1	–	2
Convulsions	24	12	1	1	3	4	–	1	2	–	–	–	–
Brain Disease	15	–	1	–	–	–	–	–	1	–	2	2	2
V. Pericarditis	2	–	–	–	–	–	–	–	–	–	–	–	1
Aneurism	1	–	–	–	–	–	–	–	–	–	–	–	–
Heart Disease	60	–	–	–	–	–	–	–	1	–	1	2	–
VI. Laryngitis	3	–	–	–	–	–	–	–	–	–	–	–	–
Bronchitis	78	1	3	7	10	2	–	1	1	1	2	2	3
Pleurisy	36	7	1	5	5	4	1	2	2	–	2	–	–
Pneumonia	46	1	4	1	2	3	–	1	2	–	1	1	4
Asthma	50	–	–	–	1	–	–	–	–	–	–	1	–
Lung Disease	9	–	–	–	–	–	–	–	1	1	–	–	–
VII. Teething	17	–	1	8	6	2	–	–	–	–	–	–	–
Quinsey	5	–	–	–	2	1	–	1	–	–	–	–	–
Gastritis	5	–	–	–	1	–	–	–	–	–	–	–	–
Enteritis	12	1	–	2	–	1	–	–	–	–	–	–	–
Peritonitis	3	–	–	–	–	–	–	–	–	–	–	1	–
Ascites	7	–	–	–	–	–	–	–	–	–	–	–	1
Ulceration of Intestines	5	–	–	–	–	–	–	–	–	–	–	1	1
Hernia	1	–	–	–	–	–	–	–	–	–	–	–	–
Ileus	11	–	–	–	–	–	–	–	–	–	–	–	–
Intussusception	4	–	–	–	–	–	–	–	–	–	–	–	–
Stricture of Intestines	–	–	–	–	–	–	–	–	–	–	–	–	–
Stomach Disease	27	1	–	–	–	–	–	–	1	1	–	–	1
Pancreas Disease	–	–	–	–	–	–	–	–	–	–	–	–	–
Hepatitis	8	–	–	–	–	–	–	–	–	–	–	–	1
Jaundice	8	3	–	–	–	–	–	–	–	–	–	–	–
Liver Disease	18	–	–	–	–	1	–	–	–	–	1	1	–
Spleen Disease	–	–	–	–	–	–	–	–	–	–	–	–	–
VIII. Nephritis	1	–	–	–	–	–	–	–	–	–	–	–	–
Nephria	11	–	–	–	2	–	–	–	–	–	–	–	2
Ischuria	–	–	–	–	–	–	–	–	–	–	–	–	–
Diabetes	1	–	–	–	–	–	–	–	–	–	–	–	–
Stone	6	–	–	–	–	–	–	–	–	–	–	–	–
Cystitis	3	–	–	–	–	–	–	–	–	–	–	–	1
Stricture of Urethra	–	–	–	–	–	–	–	–	–	–	–	–	–
Kidney Disease	8	–	–	–	–	–	–	–	–	–	–	–	–
IX. Paramenia	1	–	–	–	–	–	–	–	–	–	1	–	–
Ovarian Dropsy	1	–	–	–	–	–	–	–	–	–	–	–	–
Childbirth	18	–	–	–	–	–	–	–	–	–	–	2	1
Organs of Generation	1	–	–	–	–	–	–	–	–	–	–	–	–
X. Arthritis	1	–	–	–	–	–	–	1	–	–	–	–	–
Rheumatism	21	–	–	–	–	–	–	–	–	–	1	–	–
Joint and Bone Disease	7	–	–	–	–	–	–	–	1	1	1	1	–
XI. Carbuncle	–	–	–	–	–	–	–	–	–	–	–	–	–
Phlegmon	–	–	–	–	–	–	–	–	–	–	–	–	–
Skin Disease	2	–	–	1	1	–	–	–	–	–	–	–	–
XII. Cyanosis	1	–	1	–	–	–	–	–	–	–	–	–	–
Spina Bifida	–	–	–	–	–	–	–	–	–	–	–	–	–
Other Malformations	–	–	–	–	–	–	–	–	–	–	–	–	–
XVII. Intemperance	1	–	–	–	–	–	–	–	–	–	–	–	–
Privation	–	–	–	–	–	–	–	–	–	–	–	–	–
Want of Breast Milk	–	–	–	–	–	–	–	–	–	–	–	–	–
Neglect	–	–	–	–	–	–	–	–	–	–	–	–	–
Cold	3	–	–	–	–	–	–	–	–	–	–	–	–
Poison	–	–	–	–	–	–	–	–	–	–	–	–	–
Burns and Scalds	12	–	–	–	–	4	1	3	1	1	–	–	–
Hanging, etc.	1	–	–	–	–	–	–	–	–	–	–	–	–
Suffocation	1	1	–	–	–	–	–	–	–	–	–	–	–
Drowning	60	–	–	–	2	–	1	–	2	1	7	11	11
Fracture and Contusion	14	–	–	–	–	–	1	–	1	–	–	1	1
Wounds	1	–	–	–	–	–	–	–	–	–	–	–	–
Other Violent Causes	2	–	–	–	–	–	–	–	1	–	–	1	–
Not Specified	485	123	26	33	36	23	8	3	24	10	22	18	13

CAUSES of DEATH in the INSULAR DISTRICTS of SCOTLAND, at different Periods of Life, in 1862.—Both Sexes. (*Continued.*)

DISEASES.	BOTH SEXES. AGE UNDER															
	35	40	45	50	55	60	65	70	75	80	85	90	95	100	105	?
Cephalitis	–	1	–	1	–	–	–	1	–	–	–	–	–	–	–	–
Apoplexy	–	–	2	–	2	3	4	2	2	2	1	–	–	–	–	–
Paralysis	–	1	2	1	2	3	5	7	15	5	13	4	–	–	–	1
Delirium Tremens	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Chorea	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Epilepsy	–	–	2	–	–	–	–	–	–	1	–	–	–	–	–	–
Tetanus	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Insanity	–	–	1	–	–	–	–	1	–	–	–	–	1	–	–	–
Convulsions	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Brain Disease	–	1	–	2	2	–	–	–	1	–	1	–	–	–	–	–
Pericarditis	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–
Aneurism	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–
Heart Disease	1	1	1	7	4	3	9	5	9	11	2	2	–	–	–	1
Laryngitis	–	1	–	–	1	–	–	–	–	–	–	–	1	–	–	–
Bronchitis	–	–	–	4	4	–	8	6	6	8	6	3	–	–	–	–
Pleurisy	–	–	2	1	2	–	–	1	1	–	–	–	–	–	–	–
Pneumonia	3	2	1	4	4	2	1	1	4	3	1	–	–	–	–	–
Asthma	2	1	2	1	5	5	6	7	9	6	3	1	–	–	–	–
Lung Disease	1	–	–	1	2	–	2	–	1	–	–	–	–	–	–	–
Teething	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Quinsey	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–
Gastritis	–	–	–	1	–	–	–	3	–	–	–	–	–	–	–	–
Enteritis	2	1	2	–	–	–	–	2	–	1	–	–	–	–	–	–
Peritonitis	–	–	–	–	–	–	–	2	–	–	–	–	–	–	–	–
Ascites	–	–	1	–	–	1	2	1	–	1	–	–	–	–	–	–
Ulceration of Intestines	–	–	1	–	–	1	1	–	–	–	–	–	–	–	–	–
Hernia	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–
Ileus	1	–	1	3	2	1	–	2	–	–	–	1	–	–	–	–
Intussusception	–	–	–	–	–	2	1	–	1	–	–	–	–	–	–	–
Stricture of Intestines	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Stomach Disease	4	–	–	2	3	3	3	3	2	2	1	–	–	–	–	–
Pancreas Disease	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Hepatitis	–	1	1	2	1	–	–	–	1	1	–	–	–	–	–	–
Jaundice	–	1	1	–	–	–	–	–	3	–	–	–	–	–	–	–
Liver Disease	–	1	3	3	2	–	2	3	–	1	–	–	–	–	–	–
Spleen Disease	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Nephritis	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–
Nephria	–	–	–	–	2	2	1	–	–	1	1	–	–	–	–	–
Ischuria	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Diabetes	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–
Stone	–	–	–	–	–	1	–	–	–	3	1	1	–	–	–	–
Cystitis	–	–	–	–	–	–	–	–	1	–	1	–	–	–	–	–
Stricture of Urethra	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Kidney Disease	–	–	1	–	–	–	2	2	2	1	–	–	–	–	–	–
Paramenia	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Ovarian Dropsy	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–
Childbirth	6	4	4	1	–	–	–	–	–	–	–	–	–	–	–	–
Organs of Generation	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–
Arthritis	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Rheumatism	–	–	1	–	1	3	1	1	6	2	3	1	1	–	–	–
Joint Disease	1	–	1	1	–	–	–	–	–	–	–	–	–	–	–	–
Carbuncle	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Phlegmon	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Skin Disease	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Cyanosis	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Spina Bifida	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Other Malformations	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Intemperance	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–
Privation	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Want of Breast Milk	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Neglect	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1
Cold	1	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–
Poison	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Burns and Scalds	–	–	–	–	–	–	–	–	–	–	1	1	–	–	–	–
Hanging, etc.	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–
Suffocation	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Drowning	5	7	3	1	2	1	1	–	2	1	1	–	–	–	–	1
Fracture and Contusion	–	–	–	2	1	1	1	1	2	1	–	–	–	1	–	–
Wounds	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Other Violent Causes	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Not Specified	19	10	13	7	18	22	41	–	–	–	–	–	–	–	–	16

CAUSES of DEATH in the INSULAR DISTRICTS of SCOTLAND, at different Periods of Life, in 1862.—MALES.

DISEASES.	MALES.												
	AGE UNDER												
	ALL AGES.	MONTHS.			2	3	4	5	10	15	20	25	30
		3	6	12									
ALL CAUSES	1445	129	35	75	102	58	25	12	58	24	47	79	59
SPECIFIED CAUSES	1190	51	20	56	78	46	20	9	48	19	36	70	53
I. Zymotic Class	239	7	7	31	50	27	11	6	24	5	5	7	7
II. Diseases of Uncertain Seat	32	–	–	–	–	–	–	–	–	1	–	–	–
III. Tubercular Class	192	1	5	7	8	6	5	–	10	8	17	42	19
IV. Brain and Nervous System	84	10	2	2	2	3	–	1	2	2	2	4	5
V. Organs of Circulation	27	–	–	–	–	–	–	–	–	–	1	1	1
VI. Respiratory Organs	122	3	5	10	9	5	1	2	3	1	2	3	5
VII. Organs of Digestion	70	5	–	5	5	3	–	–	1	–	1	1	2
VIII. Urinary Organs	20	–	–	–	1	–	–	–	–	–	–	–	2
IX. Organs of Generation	–	–	–	–	–	–	–	–	–	–	–	–	–
X. Organs of Locomotion	14	–	–	–	–	–	–	–	1	1	1	–	–
XI. Skin, etc.	2	–	–	1	1	–	–	–	–	–	–	–	–
XII. Malformation	1	–	1	–	–	–	–	–	–	–	–	–	–
XIII. Premature Debility	25	25	–	–	–	–	–	–	–	–	–	–	–
XIV. Atrophy	6	–	–	–	1	–	–	–	2	–	–	–	–
XV. Age	275	–	–	–	–	–	–	–	–	–	–	–	–
XVI. Sudden Deaths	4	–	–	–	–	–	–	–	–	–	–	–	–
XVII. Violent Deaths	77	–	–	–	1	2	3	–	5	1	7	12	12
I. Small Pox	1	–	–	–	–	–	–	–	–	–	–	1	–
Measles	62	1	1	9	23	12	3	1	7	3	1	–	–
Scarlatina	2	–	–	–	–	–	1	–	1	–	–	–	–
Diphtheria	11	1	–	1	3	3	–	1	2	–	–	–	–
Hooping Cough	18	1	–	6	4	3	1	1	2	–	–	–	–
Croup	38	2	–	8	11	6	4	2	5	–	–	–	–
Thrush	1	1	–	–	–	–	–	–	–	–	–	–	–
Diarrhœa	23	–	2	1	–	–	–	–	–	–	2	–	–
Dysentery	5	–	–	–	–	–	–	–	–	1	–	1	–
Cholera	1	–	–	–	–	–	–	–	–	–	–	–	–
Influenza	34	1	3	5	7	2	2	–	2	–	–	–	–
Purpura	1	–	–	–	–	–	–	–	–	–	–	–	–
Ague	–	–	–	–	–	–	–	–	–	–	–	–	–
Worms	–	–	–	–	–	–	–	–	–	–	–	–	–
Infantile Fever	–	–	–	–	–	–	–	–	–	–	–	–	–
Typhus	32	–	–	1	1	1	–	–	5	1	2	5	5
Metria	–	–	–	–	–	–	–	–	–	–	–	–	–
Rheumatic Fever	3	–	–	–	–	–	–	–	–	–	–	–	1
Erysipelas	6	–	–	–	1	–	–	1	–	–	–	–	1
Syphilis	1	–	1	–	–	–	–	–	–	–	–	–	
Noma	–	–	–	–	–	–	–	–	–	–	–	–	–
Hydrophobia	–	–	–	–	–	–	–	–	–	–	–	–	–
II. Hæmorrhage	–	–	–	–	–	–	–	–	–	–	–	–	–
Dropsy	13	–	–	–	–	–	–	–	–	1	–	–	–
Abscess	1	–	–	–	–	–	–	–	–	–	–	–	–
Ulcer	2	–	–	–	–	–	–	–	–	–	–	–	–
Fistula	–	–	–	–	–	–	–	–	–	–	–	–	–
Mortification	–	–	–	–	–	–	–	–	–	–	–	–	–
Cancer	16	–	–	–	–	–	–	–	–	–	–	–	–
Gout	–	–	–	–	–	–	–	–	–	–	–	–	–
III. Scrofula	12	–	1	–	–	1	–	–	3	1	1	1	1
Tabes Mesenterica	5	–	–	–	–	1	–	–	2	–	–	2	–
Phthisis	151	–	1	4	2	2	2	–	1	5	16	39	18
Hydrocephalus	24	1	3	3	6	2	3	–	4	2	–	–	–

CAUSES of DEATH in the INSULAR DISTRICTS of SCOTLAND, at different Periods of Life, in 1862.—MALES.

DISEASES.	MALES. AGE UNDER															
	35	40	45	50	55	60	65	70	75	80	85	90	95	100	105	?
ALL CAUSES	38	35	33	31	46	40	62	55	99	97	98	54	27	11	3	13
SPECIFIED CAUSES	31	30	29	29	40	32	45	55	99	97	98	54	27	11	3	4
Zymotic Class	5	6	1	2	3	2	5	6	8	9	4	1	–	–	–	–
Uncertain Seat	–	2	2	2	1	2	4	6	4	3	3	1	–	1	–	–
Tubercular Class	12	8	9	6	9	5	5	5	–	1	3	–	–	–	–	1
Brain, etc.	–	2	2	4	3	5	4	7	10	4	7	–	1	–	–	–
Heart, etc.	1	1	–	1	3	1	3	1	6	5	1	–	–	–	–	1
Respiratory Organs	4	2	5	8	8	5	12	4	13	5	5	2	–	–	–	–
Digestive Organs	2	2	6	5	5	5	2	8	5	5	1	1	–	–	–	–
Urinary Organs	–	–	–	–	2	3	3	1	2	4	1	1	–	–	–	–
Generative Organs	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Locomotive Organs	–	–	1	–	1	2	–	–	3	2	–	1	1	–	–	–
Skin	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Malformation	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Premature Debility	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Atrophy	1	–	–	–	2	–	–	–	–	–	–	–	–	–	–	–
Age	–	–	–	–	–	–	3	15	44	56	72	47	25	10	3	–
Sudden Deaths	–	–	–	–	–	–	2	1	–	1	–	–	–	–	–	–
Violent Deaths	6	7	3	1	3	2	2	1	4	2	1	–	–	–	–	2
Small Pox	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Measles	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–
Scarlatina	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Diphtheria	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Hooping Cough	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Croup	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Thrush	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Diarrhœa	–	1	–	2	2	1	1	1	2	6	1	1	–	–	–	–
Dysentery	–	–	–	–	–	–	1	–	1	1	–	–	–	–	–	–
Cholera	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–
Influenza	2	–	–	–	–	–	2	2	2	2	2	–	–	–	–	–
Purpura	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–
Ague	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Worms	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Infantile Fever	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Typhus	3	3	–	–	1	1	1	1	1	–	–	–	–	–	–	–
Metria	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Rheumatic Fever	–	1	–	–	–	–	–	1	–	–	–	–	–	–	–	–
Erysipelas	–	1	–	–	–	–	–	1	1	–	–	–	–	–	–	–
Syphilis	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Noma	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Hydrophobia	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Hæmorrhage	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Dropsy	–	–	1	–	–	–	3	2	2	3	–	1	–	–	–	–
Abscess	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–
Ulcer	–	–	–	–	–	–	–	–	1	–	1	–	–	–	–	–
Fistula	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Mortification	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Cancer	–	2	1	2	1	2	1	4	1	–	2	–	–	–	–	–
Gout	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Scrofula	–	–	–	–	1	1	–	–	–	–	1	–	–	–	–	–
Tabes Mesenterica	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Phthisis	12	8	9	6	8	4	5	5	–	1	2	–	–	–	–	1
Hydrocephalus	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–

CAUSES of DEATH in the INSULAR DISTRICTS of SCOTLAND, at different Periods of Life, in 1862.—MALES. (*Continued.*)

DISEASES.	MALES. ALL AGES.	AGE UNDER MONTHS. 3	6	12	2	3	4	5	10	15	20	25	30
IV. Cephalitis	8	–	–	1	–	1	–	1	–	1	–	1	1
Apoplexy	6	–	–	–	–	–	–	–	–	–	–	–	–
Paralysis	33	–	–	–	–	1	–	–	–	–	–	1	–
Delirium Tremens	–	–	–	–	–	–	–	–	–	–	–	–	–
Chorea	–	–	–	–	–	–	–	–	–	–	–	–	–
Epilepsy	4	–	–	–	–	–	–	–	–	1	–	1	–
Tetanus	5	4	–	–	–	–	–	–	–	–	–	–	1
Insanity	4	–	–	–	–	–	–	–	–	–	–	–	2
Convulsions	12	6	1	1	2	1	–	–	1	–	–	–	–
Brain Disease	12	–	1	–	–	–	–	–	1	–	2	1	1
V. Pericarditis	1	–	–	–	–	–	–	–	–	–	–	–	1
Aneurism	–	–	–	–	–	–	–	–	–	–	–	–	–
Heart Disease	26	–	–	–	–	–	–	–	–	–	1	1	–
VI. Laryngitis	1	–	–	–	–	–	–	–	–	–	–	–	–
Bronchitis	37	–	2	6	3	1	–	–	–	–	1	2	1
Pleurisy	22	2	1	4	4	2	1	1	1	–	1	–	–
Pneumonia	28	1	2	–	1	2	–	1	2	–	–	–	4
Asthma	27	–	–	–	1	–	–	–	–	–	–	1	–
Lung Disease	7	–	–	–	–	–	–	–	–	1	–	–	–
VII. Teething	10	–	–	5	4	1	–	–	–	–	–	–	–
Quinsey	2	–	–	–	1	1	–	–	–	–	–	–	–
Gastritis	2	–	–	–	–	–	–	–	–	–	–	–	–
Enteritis	6	1	–	–	–	1	–	–	–	–	–	–	–
Peritonitis	2	–	–	–	–	–	–	–	–	–	–	1	–
Ascites	1	–	–	–	–	–	–	–	–	–	–	–	–
Ulceration of Intestines	3	–	–	–	–	–	–	–	–	–	–	–	1
Hernia	1	–	–	–	–	–	–	–	–	–	–	–	–
Ileus	4	–	–	–	–	–	–	–	–	–	–	–	–
Intussusception	2	–	–	–	–	–	–	–	–	–	–	–	–
Stricture of Intestines	–	–	–	–	–	–	–	–	–	–	–	–	–
Stomach Disease	16	1	–	–	–	–	–	–	1	–	–	–	–
Pancreas Disease	–	–	–	–	–	–	–	–	–	–	–	–	–
Hepatitis	6	–	–	–	–	–	–	–	–	–	–	–	1
Jaundice	5	3	–	–	–	–	–	–	–	–	–	–	–
Liver Disease	10	–	–	–	–	–	–	–	–	–	1	–	–
Spleen Disease	–	–	–	–	–	–	–	–	–	–	–	–	–
VIII. Nephritis	–	–	–	–	–	–	–	–	–	–	–	–	–
Nephria	7	–	–	–	1	–	–	–	–	–	–	–	1
Ischuria	–	–	–	–	–	–	–	–	–	–	–	–	–
Diabetes	1	–	–	–	–	–	–	–	–	–	–	–	–
Stone	4	–	–	–	–	–	–	–	–	–	–	–	–
Cystitis	3	–	–	–	–	–	–	–	–	–	–	–	1
Stricture of Urethra	–	–	–	–	–	–	–	–	–	–	–	–	–
Kidney Disease	5	–	–	–	–	–	–	–	–	–	–	–	–
IX. Paramenia	–	–	–	–	–	–	–	–	–	–	–	–	–
Ovarian Dropsy	–	–	–	–	–	–	–	–	–	–	–	–	–
Childbirth	–	–	–	–	–	–	–	–	–	–	–	–	–
Organs of Generation	–	–	–	–	–	–	–	–	–	–	–	–	–
X. Arthritis	–	–	–	–	–	–	–	–	–	–	–	–	–
Rheumatism	12	–	–	–	–	–	–	–	–	–	1	–	
Joint and Bone Disease	2	–	–	–	–	–	–	–	1	1	–		
XI. Carbuncle	–	–	–	–	–	–	–	–	–	–	–	–	–
Phlegmon	–	–	–	–	–	–	–	–	–	–	–	–	–
Skin Disease	2	–	–	1	1	–	–	–	–	–	–	–	–
XII. Cyanosis	1	–	1	–	–	–	–	–	–	–	–	–	–
Spina Bifida	–	–	–	–	–	–	–	–	–	–	–	–	–
Other Malformations	–	–	–	–	–	–	–	–	–	–	–	–	–
XVII. Intemperance	1	–	–	–	–	–	–	–	–	–	–	–	–
Privation	–	–	–	–	–	–	–	–	–	–	–	–	–
Want of Breast Milk	–	–	–	–	–	–	–	–	–	–	–	–	–
Neglect	–	–	–	–	–	–	–	–	–	–	–	–	–
Cold	2	–	–	–	–	–	–	–	–	–	–	–	–
Poison	–	–	–	–	–	–	–	–	–	–	–	–	–
Burns and Scalds	4	–	–	–	–	2	1	–	1	–	–	–	–
Hanging, etc.	–	–	–	–	–	–	–	–	–	–	–	–	–
Suffocation	–	–	–	–	–	–	–	–	–	–	–	–	–
Drowning	57	–	–	–	1	–	1	–	2	1	7	10	11
Fracture and Contusion	10	–	–	–	–	–	1	–	1	–	–	1	1
Wounds	1	–	–	–	–	–	–	–	–	–	–	–	–
Other Violent Causes	2	–	–	–	–	–	–	–	1	–	–	1	–
Not Specified	255	78	15	19	24	12	5	3	10	5	11	9	6

CAUSES of DEATH in the INSULAR DISTRICTS of SCOTLAND, at different Periods of Life, in 1862.—MALES. (*Continued.*)

DISEASES.	MALES. AGE UNDER															
	35	40	45	50	55	60	65	70	75	80	85	90	95	100	105	?
Cephalitis	–	–	–	1	–	–	–	1	–	–	–	–	–	–	–	–
Apoplexy	–	–	–	–	1	3	1	–	1	–	–	–	–	–	–	–
Paralysis	–	1	1	1	1	2	3	5	8	3	6	–	–	–	–	–
Delirium Tremens	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Chorea	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Epilepsy	–	–	1	–	–	–	–	–	–	1	–	–	–	–	–	–
Tetanus	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Insanity	–	–	–	–	–	–	–	1	–	–	–	–	1	–	–	–
Convulsions	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Brain Disease	–	1	–	2	1	–	–	–	1	–	1	–	–	–	–	–
Pericarditis	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Aneurism	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Heart Disease	1	1	–	1	3	–	3	1	6	5	1	–	–	–	–	1
Laryngitis	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–
Bronchitis	–	–	–	2	1	–	5	1	4	3	4	1	–	–	–	–
Pleurisy	–	–	2	1	1	–	–	–	1	–	–	–	–	–	–	–
Pneumonia	2	1	1	3	2	2	1	–	1	2	–	–	–	–	–	–
Asthma	1	1	2	1	1	3	4	3	7	–	1	1	–	–	–	–
Lung Disease	1	–	–	1	2	–	2	–	–	–	–	–	–	–	–	–
Teething	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Quinsey	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Gastritis	–	–	–	–	–	–	–	2	–	–	–	–	–	–	–	–
Enteritis	–	1	2	–	–	–	–	–	–	1	–	–	–	–	–	–
Peritonitis	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–
Ascites	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–
Ulceration of Intestines	–	–	1	–	–	1	–	–	–	–	–	–	–	–	–	–
Hernia	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–
Ileus	–	–	–	2	–	1	–	–	–	–	–	1	–	–	–	–
Intussusception	–	–	–	–	–	1	–	–	1	–	–	–	–	–	–	–
Stricture of Intestines	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Stomach Disease	2	–	–	1	2	2	1	3	2	1	–	–	–	–	–	–
Pancreas Disease	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Hepatitis	–	1	1	1	1	–	–	–	–	1	–	–	–	–	–	–
Jaundice	–	–	–	–	–	–	–	–	2	–	–	–	–	–	–	–
Liver Disease	–	–	2	1	2	–	1	–	–	1	–	–	–	–	–	–
Spleen Disease	–	–	–	–	–	–	–	2	–	–	–	–	–	–	–	–
Nephritis	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Nephria	–	–	–	–	2	2	1	–	–	–	–	–	–	–	–	–
Ischuria	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Diabetes	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–
Stone	–	–	–	–	–	1	–	–	–	3	–	–	–	–	–	–
Cystitis	–	–	–	–	–	–	–	–	1	–	1	–	–	–	–	–
Stricture of Urethra	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Kidney Disease	–	–	–	–	–	–	2	1	1	1	–	–	–	–	–	–
Paramenia	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Ovarian Dropsy	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Childbirth	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Organs of Generation	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Arthritis	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Rheumatism	–	–	1	–	1	2	–	–	3	2	–	1	1	–	–	–
Joint Disease	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Carbuncle	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Phlegmon	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Skin Disease	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Cyanosis	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Spina Bifida	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Other Malformations	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Intemperance	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–
Privation	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Want of Breast Milk	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Neglect	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Cold	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	1
Poison	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Burns and Scalds	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Hanging, etc.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Suffocation	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Drowning	5	7	3	1	1	1	1	–	2	1	1	–	–	–	–	1
Fracture and Contusion	–	–	–	–	1	1	1	1	1	1	–	–	–	–	–	–
Wounds	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Other Violent Causes	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Not Specified	7	5	4	2	6	8	17	–	–	–	–	–	–	–	–	9

CAUSES of DEATH in the INSULAR DISTRICTS of SCOTLAND, at different Periods of Life, in 1862.—FEMALES.

DISEASES.	FEMALES.												
	ALL AGES.	AGE UNDER											
		MONTHS.			2	3	4	5	10	15	20	25	30
		3	6	12									
ALL CAUSES	1530	92	21	50	73	46	28	21	44	36	48	45	43
SPECIFIED CAUSES	1300	47	10	36	61	35	25	21	30	31	37	36	36
I. Zymotic Class	247	9	5	24	34	19	21	10	15	15	12	8	8
II. Diseases of Uncertain Seat	68	–	–	–	1	–	–	–	1	1	–	1	2
III. Tubercular Class	172	2	1	3	7	4	4	3	6	10	15	17	17
IV. Brain and Nervous System	72	8	–	–	2	4	–	1	3	2	5	1	2
V. Organs of Circulation	36	–	–	–	–	–	–	–	1	–	–	1	–
VI. Respiratory Organs	100	6	3	3	9	4	–	2	3	1	3	1	2
VII. Organs of Digestion	61	–	1	5	4	2	–	1	–	1	–	2	2
VIII. Urinary Organs	10	–	–	–	1	–	–	–	–	–	–	–	1
IX. Organs of Generation	21	–	–	–	–	–	–	–	–	–	1	2	1
X. Organs of Locomotion	15	–	–	–	–	–	–	1	–	–	1	1	–
XI. Skin, etc.	–	–	–	–	–	–	–	–	–	–	–	–	–
XII. Malformation	–	–	–	–	–	–	–	–	–	–	–	–	–
XIII. Premature Debility	22	21	–	1	–	–	–	–	–	–	–	–	–
XIV. Atrophy	9	–	–	–	2	–	–	–	1	–	–	–	1
XV. Age	448	–	–	–	–	–	–	–	–	–	–	–	–
XVI. Sudden Deaths	1	–	–	–	–	–	–	–	–	–	–	1	–
XVII. Violent Deaths	18	1	–	–	1	2	–	3	–	1	–	1	–
I. Small Pox	1	–	–	–	–	–	–	–	–	–	–	–	–
Measles	63	–	1	11	15	5	6	3	5	5	4	2	3
Scarlatina	5	–	–	–	1	1	1	–	1	–	–	–	1
Diphtheria	9	–	–	2	–	1	3	1	2	–	–	–	–
Hooping Cough	17	–	–	3	4	3	3	1	1	2	–	–	–
Croup	30	2	1	2	5	7	6	5	2	–	–	–	–
Thrush	2	2	–	–	–	–	–	–	–	–	–	–	–
Diarrhœa	14	–	1	2	–	–	1	–	–	1	–	2	–
Dysentery	9	–	–	–	–	–	–	–	–	–	–	1	–
Cholera	1	–	–	–	–	–	–	–	–	–	–	–	–
Influenza	36	5	2	3	7	1	–	–	1	–	2	1	–
Purpura	1	–	–	–	1	–	–	–	–	–	–	–	–
Ague	–	–	–	–	–	–	–	–	–	–	–	–	–
Worms	1	–	–	–	–	–	–	–	1	–	–	–	–
Infantile Fever	–	–	–	–	–	–	–	–	–	–	–	–	–
Typhus	51	–	–	1	1	1	1	–	2	6	6	2	2
Metria	4	–	–	–	–	–	–	–	–	–	–	–	2
Rheumatic Fever	–	–	–	–	–	–	–	–	–	–	–	–	–
Erysipelas	2	–	–	–	–	–	–	–	–	1	–	–	–
Syphilis	1	–	–	–	–	–	–	–	–	–	–	–	–
Noma	–	–	–	–	–	–	–	–	–	–	–	–	–
Hydrophobia	–	–	–	–	–	–	–	–	–	–	–	–	–
II. Hæmorrhage	2	–	–	–	–	–	–	–	–	–	–	–	–
Dropsy	31	–	–	–	–	–	–	–	–	1	–	1	2
Abscess	1	–	–	–	–	–	–	–	1	–	–	–	–
Ulcer	–	–	–	–	–	–	–	–	–	–	–	–	–
Fistula	–	–	–	–	–	–	–	–	–	–	–	–	–
Mortification	4	–	–	–	1	–	–	–	–	–	–	–	–
Cancer	30	–	–	–	–	–	–	–	–	–	–	–	–
Gout	–	–	–	–	–	–	–	–	–	–	–	–	–
III. Scrofula	2	–	–	–	–	–	–	–	–	–	–	–	1
Tabes Mesenterica	5	–	–	–	1	–	–	–	1	–	–	1	1
Phthisis	155	–	–	2	4	4	2	2	5	9	15	16	15
Hydrocephalus	10	2	1	1	2	–	2	1	–	1	–	–	–

CAUSES of DEATH in the INSULAR DISTRICTS of SCOTLAND, at different Periods of Life, in 1862.—FEMALES.

DISEASES.	FEMALES. AGE UNDER															
	35	40	45	50	55	60	65	70	75	80	85	90	95	100	105	?
ALL CAUSES	44	34	40	48	51	44	81	90	115	142	141	79	37	28	1	8
SPECIFIED CAUSES	32	29	31	43	39	30	57	90	115	142	141	79	37	28	1	1
Zymotic Class	6	6	4	4	6	1	5	7	9	12	4	3	–	–	–	–
Uncertain Seat	1	2	4	10	4	7	6	7	3	12	5	1	–	–	–	–
Tubercular Class	9	12	6	9	10	10	13	9	5	–	–	–	–	–	–	–
Brain, etc.	–	1	5	–	3	1	5	4	8	4	8	4	–	–	–	1
Heart, etc.	–	–	2	6	1	2	6	4	3	7	1	2	–	–	–	–
Respiratory Organs	2	2	–	3	10	2	5	11	8	12	5	2	1	–	–	–
Digestive Organs	5	2	4	6	3	3	7	8	2	2	1	–	–	–	–	–
Urinary Organs	–	–	1	–	–	–	1	1	1	1	2	1	–	–	–	–
Generative Organs	6	4	4	1	–	–	1	1	–	–	–	–	–	–	–	–
Locomotive Organs	1	–	1	1	–	1	1	1	3	–	3	–	–	–	–	–
Skin	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Malformation	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Premature Debility	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Atrophy	1	–	–	–	1	3	–	–	–	–	–	–	–	–	–	–
Age	–	–	–	–	–	–	7	37	72	92	111	65	36	27	1	–
Sudden Deaths	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Violent Deaths	1	–	–	3	1	–	–	–	1	–	1	1	–	1	–	–
Small Pox	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–
Measles	–	1	1	–	–	–	–	1	–	–	–	–	–	–	–	–
Scarlatina	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Diphtheria	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Hooping Cough	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Croup	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Thrush	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Diarrhœa	–	–	–	–	–	1	–	–	2	3	1	–	–	–	–	–
Dysentery	–	–	–	2	–	–	–	2	2	1	–	1	–	–	–	–
Cholera	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–
Influenza	–	1	–	–	1	–	2	1	2	5	2	–	–	–	–	–
Purpura	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Ague	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Worms	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Infantile Fever	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Typhus	5	3	2	2	5	–	2	2	3	3	–	2	–	–	–	–
Metria	1	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Rheumatic Fever	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–
Erysipelas	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Syphilis	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–
Noma	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Hydrophobia	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Hæmorrhage	–	–	–	1	–	–	1	–	–	–	–	–	–	–	–	–
Dropsy	–	2	2	2	2	2	1	6	2	3	4	1	–	–	–	–
Abscess	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Ulcer	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Fistula	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Mortification	–	–	–	1	–	1	–	–	1	–	–	–	–	–	–	–
Cancer	1	–	2	6	2	4	4	1	–	–	9	1	–	–	–	–
Gout	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Scrofula	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–
Tabes Mesenterica	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–
Phthisis	9	12	6	9	9	9	13	9	5	–	–	–	–	–	–	–
Hydrocephalus	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–

CAUSES of DEATH in the INSULAR DISTRICTS of SCOTLAND, at different Periods of Life, in 1862.—FEMALES. *(Continued.)*

DISEASES.	FEMALES.												
	ALL AGES.	AGE UNDER											
		MONTHS.											
		3	6	12	2	3	4	5	10	15	20	25	30
IV. Cephalitis	6	–	–	–	–	1	–	–	1	–	3	–	–
Apoplexy	13	–	–	–	–	–	–	–	1	–	–	–	–
Paralysis	30	–	–	–	–	–	–	–	–	1	1	–	–
Delirium Tremens	–	–	–	–	–	–	–	–	–	–	–	–	–
Chorea	–	–	–	–	–	–	–	–	–	–	–	–	–
Epilepsy	3	–	–	–	–	–	–	–	–	1	–	–	1
Tetanus	3	2	–	–	1	–	–	–	–	–	–	–	–
Insanity	2	–	–	–	–	–	–	–	–	–	1	–	–
Convulsions	12	6	–	–	1	3	–	1	1	–	–	–	–
Brain Disease	3	–	–	–	–	–	–	–	–	–	–	1	1
V. Pericarditis	1	–	–	–	–	–	–	–	–	–	–	–	–
Aneurism	1	–	–	–	–	–	–	–	–	–	–	–	–
Heart Disease	34	–	–	–	–	–	–	–	1	–	–	1	–
VI. Laryngitis	2	–	–	–	–	–	–	–	–	–	–	–	–
Bronchitis	41	1	1	1	7	1	–	1	1	1	1	–	2
Pleurisy	14	5	–	1	1	2	–	1	1	–	1	–	–
Pneumonia	18	–	2	1	1	1	–	–	–	–	1	1	–
Asthma	23	–	–	–	–	–	–	–	–	–	–	–	–
Lung Disease	2	–	–	–	–	–	–	–	1	–	–	–	–
VII. Teething	7	–	1	3	2	1	–	–	–	–	–	–	–
Quinsey	3	–	–	–	1	–	–	1	–	–	–	–	–
Gastritis	3	–	–	–	1	–	–	–	–	–	–	–	–
Enteritis	6	–	–	2	–	–	–	–	–	–	–	–	–
Peritonitis	1	–	–	–	–	–	–	–	–	–	–	–	–
Ascites	6	–	–	–	–	–	–	–	–	–	–	–	1
Ulceration of Intestines	2	–	–	–	–	–	–	–	–	–	–	1	–
Hernia	–	–	–	–	–	–	–	–	–	–	–	–	–
Ileus	7	–	–	–	–	–	–	–	–	–	–	–	–
Intussusception	2	–	–	–	–	–	–	–	–	–	–	–	–
Stricture of Intestines	–	–	–	–	–	–	–	–	–	–	–	–	–
Stomach Disease	11	–	–	–	–	–	–	–	–	1	–	–	1
Pancreas Disease	–	–	–	–	–	–	–	–	–	–	–	–	–
Hepatitis	2	–	–	–	–	–	–	–	–	–	–	–	–
Jaundice	3	–	–	–	–	–	–	–	–	–	–	–	–
Liver Disease	8	–	–	–	–	1	–	–	–	–	–	1	–
Spleen Disease	–	–	–	–	–	–	–	–	–	–	–	–	–
VIII. Nephritis	1	–	–	–	–	–	–	–	–	–	–	–	–
Nephria	4	–	–	–	1	–	–	–	–	–	–	–	1
Ischuria	–	–	–	–	–	–	–	–	–	–	–	–	–
Diabetes	–	–	–	–	–	–	–	–	–	–	–	–	–
Stone	2	–	–	–	–	–	–	–	–	–	–	–	–
Cystitis	–	–	–	–	–	–	–	–	–	–	–	–	–
Stricture of Urethra	–	–	–	–	–	–	–	–	–	–	–	–	–
Kidney Disease	3	–	–	–	–	–	–	–	–	–	–	–	–
IX. Paramenia	1	–	–	–	–	–	–	–	–	–	1	–	–
Ovarian Dropsy	1	–	–	–	–	–	–	–	–	–	–	–	–
Childbirth	18	–	–	–	–	–	–	–	–	–	–	2	1
Organs of Generation	1	–	–	–	–	–	–	–	–	–	–	–	–
X. Arthritis	1	–	–	–	–	–	–	1	–	–	–	–	–
Rheumatism	9	–	–	–	–	–	–	–	–	–	–	–	–
Joint and Bone Disease	5	–	–	–	–	–	–	–	–	–	1	1	–
XI. Carbuncle	–	–	–	–	–	–	–	–	–	–	–	–	–
Phlegmon	–	–	–	–	–	–	–	–	–	–	–	–	–
Skin Disease	–	–	–	–	–	–	–	–	–	–	–	–	–
XII. Cyanosis	–	–	–	–	–	–	–	–	–	–	–	–	–
Spina Bifida	–	–	–	–	–	–	–	–	–	–	–	–	–
Other Malformations	–	–	–	–	–	–	–	–	–	–	–	–	–
XVII. Intemperance	–	–	–	–	–	–	–	–	–	–	–	–	–
Privation	–	–	–	–	–	–	–	–	–	–	–	–	–
Want of Breast Milk	–	–	–	–	–	–	–	–	–	–	–	–	–
Neglect	–	–	–	–	–	–	–	–	–	–	–	–	–
Cold	1	–	–	–	–	–	–	–	–	–	–	–	–
Poison	–	–	–	–	–	–	–	–	–	–	–	–	–
Burns and Scalds	8	–	–	–	–	2	–	3	–	1	–	–	–
Hanging, etc.	1	–	–	–	–	–	–	–	–	–	–	–	–
Suffocation	1	1	–	–	–	–	–	–	–	–	–	–	–
Drowning	3	–	–	–	1	–	–	–	–	–	–	1	–
Fracture and Contusion	4	–	–	–	–	–	–	–	–	–	–	–	–
Wounds	–	–	–	–	–	–	–	–	–	–	–	–	–
Other Violent Causes	–	–	–	–	–	–	–	–	–	–	–	–	–
Not Specified	230	45	11	14	12	11	3	–	14	5	11	9	7

CAUSES of DEATH in the INSULAR DISTRICTS of SCOTLAND, at different Periods of Life, in 1862.—FEMALES. (*Continued.*)

DISEASES.	FEMALES. AGE UNDER															
	35	40	45	50	55	60	65	70	75	80	85	90	95	100	105	?
Cephalitis	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Apoplexy	–	–	2	–	1	–	3	2	1	2	1	–	–	–	–	–
Paralysis	–	–	1	–	1	1	2	2	7	2	7	4	–	–	–	1
Delirium Tremens	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Chorea	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Epilepsy	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–
Tetanus	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Insanity	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–
Convulsions	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Brain Disease	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–
Pericarditis	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–
Aneurism	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–
Heart Disease	–	–	1	6	1	2	6	4	3	6	1	2	–	–	–	–
Laryngitis	–	1	–	–	–	–	–	–	–	–	–	–	1	–	–	–
Bronchitis	–	–	–	2	3	–	3	5	2	5	2	2	–	–	–	–
Pleurisy	–	–	–	–	1	–	–	1	–	–	–	–	–	–	–	–
Pneumonia	1	1	–	1	2	–	–	1	3	1	1	–	–	–	–	–
Asthma	1	–	–	–	4	2	2	4	2	6	2	–	–	–	–	–
Lung Disease	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–
Teething	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Quinsey	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–
Gastritis	–	–	–	1	–	–	–	1	–	–	–	–	–	–	–	–
Enteritis	2	–	–	–	–	–	–	2	–	–	–	–	–	–	–	–
Peritonitis	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–
Ascites	–	–	1	–	–	1	2	1	–	–	–	–	–	–	–	–
Ulceration of Intestines	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–
Hernia	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Ileus	1	–	1	1	2	–	–	2	–	–	–	–	–	–	–	–
Intussusception	–	–	–	–	–	1	1	–	–	–	–	–	–	–	–	–
Stricture of Intestines	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Stomach Disease	2	–	–	1	1	1	2	–	–	1	1	–	–	–	–	–
Pancreas Disease	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Hepatitis	–	–	–	1	–	–	–	–	1	–	–	–	–	–	–	–
Jaundice	–	1	1	–	–	–	–	–	1	–	–	–	–	–	–	–
Liver Disease	–	1	1	2	–	–	1	1	–	–	–	–	–	–	–	–
Spleen Disease	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Nephritis	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–
Nephria	–	–	–	–	–	–	–	–	–	1	1	–	–	–	–	–
Ischuria	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Diabetes	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Stone	–	–	–	–	–	–	–	–	–	–	1	1	–	–	–	–
Cystitis	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Stricture of Urethra	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Kidney Disease	–	–	1	–	–	–	–	1	1	–	–	–	–	–	–	–
Paramenia	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Ovarian Dropsy	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–
Childbirth	6	4	4	1	–	–	–	–	–	–	–	–	–	–	–	–
Organs of Generation	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–
Arthritis	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Rheumatism	–	–	–	–	–	1	1	1	3	–	3	–	–	–	–	–
Joint Disease	1	–	1	1	–	–	–	–	–	–	–	–	–	–	–	–
Carbuncle	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Phlegmon	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Skin Disease	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Cyanosis	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Spina Bifida	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Other Malformations	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Intemperance	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Privation	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Want of Breast Milk	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Neglect	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Cold	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Poison	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Burns and Scalds	–	–	–	–	–	–	–	–	–	–	1	1	–	–	–	–
Hanging, etc.	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–
Suffocation	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Drowning	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–
Fracture and Contusion	–	–	–	2	–	–	–	–	1	–	–	–	–	1	–	–
Wounds	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Other Violent Causes	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Not Specified	12	5	9	5	12	14	24	–	–	–	–	–	–	–	–	7

CAUSES of DEATH in the MAINLAND-RURAL DISTRICTS of SCOTLAND, at different Periods of Life, in 1862.—BOTH SEXES.

DISEASES.	BOTH SEXES.												
	ALL AGES.	AGE UNDER											
		MONTHS.			2	3	4	5	10	15	20	25	30
		3	6	12									
ALL CAUSES	32691	2876	916	1712	2306	1237	793	532	1597	930	1177	1243	1102
SPECIFIED CAUSES	30449	2208	749	1525	2079	1140	746	499	1498	873	1121	1194	1040
I. Zymotic Class	6158	261	206	515	917	592	458	292	819	289	243	180	128
II. Diseases of Uncertain Seat	1205	23	5	8	12	7	6	9	17	15	15	12	23
III. Tubercular Class	5225	63	91	245	346	208	112	88	324	308	543	654	533
IV. Brain and Nervous System	2516	126	42	65	83	56	26	16	77	58	63	60	54
V. Organs of Circulation	1431	14	1	6	–	7	1	1	14	21	44	34	44
VI. Respiratory Organs	3741	248	200	374	350	185	75	43	94	37	63	66	61
VII. Organs of Digestion	2409	252	107	223	250	56	28	16	57	40	46	57	58
VIII. Urinary Organs	486	1	1	4	2	–	1	1	8	10	11	14	23
IX. Organs of Generation	256	–	–	1	–	–	–	–	–	1	7	36	38
X. Organs of Locomotion	200	–	–	–	1	3	2	3	12	25	10	8	12
XI. Skin, etc.	45	5	2	6	3	5	–	–	–	1	1	–	–
XII. Malformation	65	56	4	–	–	–	–	1	2	–	1	–	1
XIII. Premature Debility	1261	1117	79	65	–	–	–	–	–	–	–	–	–
XIV. Atrophy	228	–	–	1	58	25	5	4	14	7	9	5	8
XV. Age	4132	–	–	–	–	–	–	–	–	–	–	–	–
XVI. Sudden Deaths	50	6	1	1	4	–	1	–	–	1	1	–	2
XVII. Violent Deaths	1041	36	10	11	53	46	31	25	60	60	64	68	55
I. Small Pox	112	10	4	13	15	6	11	4	16	4	6	6	2
Measles	312	4	5	45	110	54	28	19	29	4	6	1	3
Scarlatina	618	6	4	34	74	96	100	54	171	43	13	5	5
Diphtheria	617	22	13	26	67	59	71	48	181	52	33	10	12
Hooping Cough	1038	72	68	208	329	142	81	43	83	9	–	1	1
Croup	587	13	29	55	135	124	88	62	78	3	–	–	–
Thrush	14	9	2	1	1	–	–	1	–	–	–	–	–
Diarrhœa	479	45	37	57	85	20	7	6	14	1	2	5	2
Dysentery	140	3	7	8	8	2	1	–	3	1	–	4	4
Cholera	31	2	1	2	5	–	3	2	2	1	1	1	1
Influenza	248	13	5	11	10	4	5	6	1	4	3	–	3
Purpura	23	–	2	1	1	–	–	–	3	3	2	–	–
Ague	5	–	–	–	–	1	–	1	–	1	–	–	1
Worms	17	–	–	–	1	3	3	1	8	–	–	1	–
Infantile Fever	42	5	4	11	12	4	1	2	3	–	–	–	–
Typhus	1570	11	13	28	58	68	53	41	218	144	160	124	82
Metria	67	–	–	–	–	–	–	–	–	–	1	20	9
Rheumatic Fever	53	–	–	–	–	–	1	2	4	12	9	–	1
Erysipelas	129	29	2	9	3	7	5	–	4	7	7	2	1
Syphilis	46	17	8	5	3	2	–	–	–	–	–	–	1
Noma	7	–	2	1	–	–	–	–	–	–	–	–	–
Hydrophobia	1	–	–	–	–	–	–	–	1	–	–	–	–
II. Hæmorrhage	52	7	–	3	1	–	3	2	2	1	2	1	1
Dropsy	389	3	2	2	2	3	2	2	7	6	5	6	11
Abscess	54	4	1	2	2	2	–	2	4	3	5	3	1
Ulcer	21	2	–	–	2	1	–	–	–	1	–	–	–
Fistula	5	–	–	–	–	–	–	–	–	–	–	–	–
Mortification	60	7	2	–	3	–	1	1	1	–	–	–	–
Cancer	612	–	–	1	2	1	–	2	3	4	3	2	10
Gout	12	–	–	–	–	–	–	–	–	–	–	–	–
III. Scrofula	379	3	10	17	20	21	8	7	34	49	51	45	27
Tabes Mesenterica	339	23	20	34	82	46	17	9	39	20	23	4	4
Phthisis	3803	8	20	47	83	59	35	32	145	206	460	603	501
Hydrocephalus	704	29	41	147	161	82	52	40	106	33	9	2	1

CAUSES of DEATH in the MAINLAND-RURAL DISTRICTS of SCOTLAND, at different Periods of Life, in 1862.—Both Sexes.

DISEASES.	BOTH SEXES. AGE UNDER															
	35	40	45	50	55	60	65	70	75	80	85	90	95	100	105	?
All Causes	964	966	857	859	1003	1135	1555	1691	1918	1917	1869	993	374	100	21	51
Specified Causes	907	916	802	814	941	1043	1438	1690	1918	1917	1869	993	374	100	21	34
Zymotic Class	120	102	95	90	96	97	121	123	136	135	104	26	10	2	–	1
Uncertain Seat	32	42	52	70	85	97	136	164	141	119	78	30	6	1	–	–
Tubercular Class	367	349	225	171	167	142	130	82	46	18	7	3	–	–	–	3
Brain, etc.	58	71	71	89	118	138	204	233	298	261	151	74	20	1	–	3
Heart, etc.	52	58	60	82	101	108	192	198	160	138	63	28	2	1	–	1
Respiratory Organs	77	68	97	106	154	170	262	257	296	218	205	60	15	6	–	4
Digestive Organs	58	67	80	81	110	146	177	156	161	97	57	21	7	–	–	1
Urinary Organs	23	26	16	23	24	26	51	49	74	52	25	16	4	1	–	–
Generative Organs	40	42	33	16	15	10	7	5	3	1	1	–	–	–	–	–
Locomotive Organs	9	8	2	7	12	15	13	14	16	18	7	1	1	1	–	–
Skin	2	1	2	3	–	1	4	2	2	2	2	1	–	–	–	–
Malformation	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Premature Debility	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Atrophy	7	6	7	19	15	38	–	–	–	–	–	–	–	–	–	–
Age	–	–	–	–	–	1	88	367	554	827	1152	726	306	87	20	4
Sudden Deaths	3	1	1	3	9	2	9	2	3	–	–	–	–	–	–	–
Violent Deaths	59	75	61	54	35	52	44	38	28	31	17	7	3	–	1	17
Small Pox	5	4	1	–	2	3	–	–	–	–	–	–	–	–	–	–
Measles	–	2	–	1	–	1	–	–	–	–	–	–	–	–	–	–
Scarlatina	6	3	2	–	1	1	–	–	–	–	–	–	–	–	–	–
Diphtheria	4	2	1	3	1	7	4	–	–	–	1	–	–	–	–	–
Hooping Cough	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–
Croup	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Thrush	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Diarrhœa	6	3	5	11	14	6	19	21	34	30	35	13	1	–	–	–
Dysentery	1	–	4	4	6	11	8	13	14	21	12	3	1	1	–	–
Cholera	–	1	1	1	1	1	–	1	2	1	–	–	–	–	–	1
Influenza	2	3	3	4	10	9	11	15	33	44	36	6	6	1	–	–
Purpura	–	1	1	1	–	3	2	3	1	1	–	–	–	–	–	–
Ague	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–
Worms	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Infantile Fever	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Typhus	67	63	62	53	51	46	71	64	44	28	18	2	1	–	–	–
Metria	19	9	6	3	–	–	–	–	–	–	–	–	–	–	–	–
Rheumatic Fever	5	4	2	3	2	1	2	1	2	2	–	–	–	–	–	–
Erysipelas	4	3	4	4	6	5	4	4	6	8	2	2	1	–	–	–
Syphilis	1	3	3	–	2	1	–	–	–	–	–	–	–	–	–	–
Noma	–	1	–	–	–	2	–	1	–	–	–	–	–	–	–	–
Hydrophobia	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Hæmorrhage	4	3	1	1	6	1	4	4	4	–	1	–	–	–	–	–
Dropsy	12	10	12	15	20	29	37	50	51	49	37	14	2	–	–	–
Abscess	3	4	4	–	1	1	1	4	3	4	–	–	–	–	–	–
Ulcer	–	–	–	2	2	1	2	2	5	–	1	–	–	–	–	–
Fistula	1	1	–	1	–	–	–	–	–	1	1	–	–	–	–	–
Mortification	–	1	1	1	–	–	1	5	10	9	8	7	2	–	–	–
Cancer	12	23	34	49	54	63	90	98	66	56	28	8	2	1	–	–
Gout	–	–	–	1	2	2	1	1	2	–	2	1	–	–	–	–
Scrofula	15	19	11	6	9	5	4	8	7	3	–	–	–	–	–	–
Tabes Mesenterica	–	3	1	2	1	4	1	2	1	–	2	1	–	–	–	–
Phthisis	352	327	212	163	157	133	125	72	38	15	5	2	–	–	–	3
Hydrocephalus	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–

CAUSES of DEATH in the MAINLAND-RURAL DISTRICTS of SCOTLAND, at different Periods of Life, in 1862.—Both Sexes. *(Continued.)*

DISEASES.	BOTH SEXES.												
	ALL AGES.	AGE UNDER											
		MONTHS.			2	3	4	5	10	15	20	25	30
		3	6	12									
IV. Cephalitis	151	2	4	6	13	10	7	7	25	17	9	9	8
Apoplexy	650	9	7	10	7	8	5	2	7	8	6	15	6
Paralysis	849	–	–	–	1	1	–	–	5	2	7	5	9
Delirium Tremens	30	–	–	–	–	–	–	–	–	–	–	–	4
Chorea	5	–	–	–	1	–	–	–	–	2	1	–	–
Epilepsy	122	–	–	1	–	–	–	–	3	4	12	13	8
Tetanus	19	7	–	–	–	–	–	–	3	1	1	1	–
Insanity	31	–	–	–	–	–	–	–	1	1	1	1	2
Convulsions	252	103	25	39	39	23	7	5	9	1	1	–	–
Brain Disease	407	5	6	9	22	14	7	2	24	22	25	16	17
V. Pericarditis	49	2	–	2	–	1	–	–	2	2	4	4	–
Aneurism	39	–	–	–	–	–	–	–	–	1	–	–	1
Heart Disease	1343	12	1	4	–	6	1	1	12	18	40	30	43
VI. Laryngitis	74	3	3	7	15	5	6	1	7	3	2	2	1
Bronchitis	2187	178	163	262	257	97	49	23	48	10	14	22	18
Pleurisy	140	2	2	7	1	4	4	1	1	5	8	7	5
Pneumonia	858	60	28	91	74	27	12	16	31	18	30	28	28
Asthma	333	–	–	–	–	–	–	–	–	1	–	2	4
Lung Disease	149	5	4	7	3	2	4	2	7	–	9	5	5
VII. Teething	388	1	15	150	185	29	7	1	–	–	–	–	–
Quinsey	31	3	1	1	4	2	2	1	6	2	3	1	1
Gastritis	95	10	5	3	3	–	4	2	2	3	1	3	1
Enteritis	469	130	58	46	39	9	6	4	16	11	9	14	10
Peritonitis	128	15	5	3	3	1	1	–	3	6	11	7	9
Ascites	35	1	–	–	–	–	1	–	–	1	–	–	–
Ulceration of Intestines	100	4	1	–	1	1	–	–	6	1	6	6	5
Hernia	64	2	–	–	1	–	–	–	–	–	–	1	–
Ileus	135	7	3	–	1	2	1	–	5	3	2	4	3
Intussusception	32	4	3	–	–	–	–	–	2	–	1	2	1
Stricture of Intestines	8	–	–	–	–	–	–	–	–	–	–	–	–
Stomach Disease	395	25	10	13	11	7	2	4	11	4	4	4	12
Pancreas Disease	–	–	–	–	–	–	–	–	–	–	–	–	–
Hepatitis	85	3	2	2	–	–	1	–	4	2	1	2	4
Jaundice	101	39	3	2	–	3	1	1	–	–	2	1	1
Liver Disease	330	8	1	3	2	2	2	3	1	7	6	12	10
Spleen Disease	13	–	–	–	–	–	–	–	1	–	–	–	1
VIII. Nephritis	20	–	–	1	1	–	–	–	1	–	–	–	–
Nephria	101	–	–	1	–	–	–	1	2	5	5	2	9
Ischuria	29	1	1	2	–	–	–	–	–	–	–	2	–
Diabetes	43	–	–	–	1	–	–	–	1	2	3	3	4
Stone	51	–	–	–	–	–	–	–	–	1	1	–	–
Cystitis	31	–	–	–	–	–	–	–	–	–	–	–	2
Stricture of Urethra	4	–	–	–	–	–	–	–	–	–	–	–	–
Kidney Disease	207	–	–	–	–	–	1	–	4	2	2	7	8
IX. Paramenia	16	–	–	–	–	–	–	–	–	1	3	3	1
Ovarian Dropsy	37	–	–	–	–	–	–	–	–	–	–	1	1
Childbirth	158	–	–	–	–	–	–	–	–	–	2	28	34
Organs of Generation	45	–	–	1	–	–	–	–	–	–	2	4	2
X. Arthritis	16	–	–	–	–	–	1	–	1	2	1	–	–
Rheumatism	79	–	–	–	–	1	1	–	1	2	2	2	3
Joint and Bone Disease	105	–	–	–	1	2	–	3	10	21	7	6	9
XI. Carbuncle	14	–	–	–	1	1	–	–	–	–	–	–	–
Phlegmon	2	–	–	–	–	1	–	–	–	–	–	–	–
Skin Disease	29	5	2	6	2	3	–	–	–	1	1	–	–
XII. Cyanosis	23	19	2	–	–	–	–	1	1	–	–	–	–
Spina Bifida	15	13	2	–	–	–	–	–	–	–	–	–	–
Other Malformations	27	24	–	–	–	–	–	–	1	–	1	–	1
XVII. Intemperance	22	–	–	–	–	–	–	–	–	–	–	–	–
Privation	2	–	–	–	1	–	–	–	–	–	–	–	–
Want of Breast Milk	10	8	1	1	–	–	–	–	–	–	–	–	–
Neglect	–	–	–	–	–	–	–	–	–	–	–	–	–
Cold	27	3	1	–	1	–	–	–	–	1	–	2	1
Poison	22	2	–	–	1	1	–	4	1	–	1	1	–
Burns and Scalds	166	–	2	7	33	26	17	11	22	7	4	2	5
Hanging, etc.	19	–	–	–	–	–	–	–	–	–	–	1	2
Suffocation	40	14	6	2	–	–	–	–	3	–	1	–	1
Drowning	282	1	–	–	10	11	5	6	18	10	25	21	14
Fracture and Contusion	409	–	–	1	7	8	8	1	12	32	28	38	26
Wounds	48	–	–	–	–	–	–	2	7	4	3	5	
Other Violent Causes	44	8	–	–	–	–	1	3	2	3	1	–	1
Not Specified	2245	668	167	187	227	97	47	33	99	57	56	49	62

CAUSES of DEATH in the MAINLAND-RURAL DISTRICTS of SCOTLAND, at different Periods of Life, in 1862.—BOTH SEXES. (*Continued.*)

DISEASES.	BOTH SEXES. AGE UNDER															
	35	40	45	50	55	60	65	70	75	80	85	90	95	100	105	?
Cephalitis	4	5	2	3	3	5	6	2	1	2	1	–	–	–	–	–
Apoplexy	12	19	22	29	42	37	81	70	98	74	44	23	7	–	–	2
Paralysis	15	7	11	23	35	57	77	127	159	160	90	45	11	1	–	1
Delirium Tremens	2	8	4	2	5	3	2	–	–	–	–	–	–	–	–	–
Chorea	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–
Epilepsy	15	10	12	7	5	8	7	9	3	3	–	2	–	–	–	–
Tetanus	–	–	–	1	1	1	1	1	1	–	–	–	–	–	–	–
Insanity	3	3	1	5	1	3	3	–	5	–	1	–	–	–	–	–
Convulsions	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Brain Disease	7	19	19	19	26	24	27	23	31	22	15	4	2	–	–	–
Pericarditis	5	5	1	4	–	4	3	3	3	2	2	–	–	–	–	–
Aneurism	4	7	3	4	3	–	7	5	2	1	1	–	–	–	–	–
Heart Disease	43	46	56	74	98	104	182	190	155	135	60	28	2	1	–	1
Laryngitis	4	2	2	4	2	1	–	1	2	–	–	1	–	–	–	–
Bronchitis	21	25	35	36	58	72	143	114	169	147	157	49	13	5	–	2
Pleurisy	6	4	4	9	7	4	10	15	7	11	14	1	1	–	–	–
Pneumonia	29	21	31	28	38	43	51	67	55	23	20	5	1	1	–	2
Asthma	6	6	14	21	42	43	48	45	56	30	12	3	–	–	–	–
Lung Disease	11	10	11	8	7	7	10	15	7	7	2	1	–	–	–	–
Teething	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Quinsey	1	1	–	–	1	1	–	–	–	–	–	–	–	–	–	–
Gastritis	1	2	4	5	7	8	6	8	10	4	2	–	1	–	–	–
Enteritis	8	8	9	7	13	14	20	9	9	11	4	3	1	–	–	1
Peritonitis	7	9	6	4	5	7	6	7	7	3	2	1	–	–	–	–
Ascites	2	3	1	2	4	2	2	5	3	2	3	2	1	–	–	–
Ulceration of Intestines	3	3	6	4	10	9	13	3	8	4	2	4	–	–	–	–
Hernia	–	4	2	5	5	9	2	11	6	10	5	1	–	–	–	–
Ileus	6	9	8	5	8	10	11	9	17	8	8	3	2	–	–	–
Intussusception	1	1	1	–	2	3	4	3	2	–	1	1	–	–	–	–
Stricture of Intestines	–	–	–	–	1	–	2	1	3	1	–	–	–	–	–	–
Stomach Disease	15	15	20	11	17	30	40	48	51	23	15	1	2	–	–	–
Pancreas Disease	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Hepatitis	3	1	3	7	10	9	11	9	5	6	–	–	–	–	–	–
Jaundice	1	–	1	–	4	6	9	9	7	3	6	2	–	–	–	–
Liver Disease	10	11	17	30	22	37	47	32	33	22	9	3	–	–	–	–
Spleen Disease	–	–	2	1	1	1	4	2	–	–	–	–	–	–	–	–
Nephritis	1	1	–	1	1	1	4	2	4	1	–	1	–	–	–	–
Nephria	5	12	7	6	6	8	9	9	8	3	1	2	–	–	–	–
Ischuria	2	2	–	2	–	–	1	2	3	6	1	3	1	–	–	–
Diabetes	7	4	3	4	3	1	2	1	3	1	–	–	–	–	–	–
Stone	1	–	1	2	2	4	2	8	12	10	3	2	2	–	–	–
Cystitis	1	2	2	1	2	2	3	1	2	4	7	2	–	–	–	–
Stricture of Urethra	–	1	–	1	–	–	–	1	1	–	–	–	–	–	–	–
Kidney Disease	6	4	3	6	10	10	30	25	41	27	13	6	1	1	–	–
Paramenia	–	4	1	1	2	–	–	–	–	–	–	–	–	–	–	–
Ovarian Dropsy	5	5	2	2	9	3	3	3	2	1	–	–	–	–	–	–
Childbirth	31	28	26	7	2	–	–	–	–	–	–	–	–	–	–	–
Organs of Generation	4	5	4	6	2	7	4	2	1	–	1	–	–	–	–	–
Arthritis	–	2	–	–	2	1	2	2	–	–	1	1	–	–	–	–
Rheumatism	1	1	1	2	8	9	5	9	11	14	4	–	1	1	–	–
Joint Disease	8	5	1	5	2	5	6	3	5	4	2	–	–	–	–	–
Carbuncle	–	–	–	3	–	–	3	1	1	2	1	1	–	–	–	–
Phlegmon	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–
Skin Disease	2	1	2	–	–	–	1	1	1	–	1	–	–	–	–	–
Cyanosis	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Spina Bifida	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Other Malformations	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Intemperance	–	3	1	6	1	3	4	1	2	1	–	–	–	–	–	–
Privation	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–
Want of Breast Milk	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Neglect	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Cold	3	1	1	2	2	4	–	1	2	–	2	–	–	–	–	–
Poison	–	3	–	3	1	–	–	1	2	1	–	–	–	–	–	–
Burns and Scalds	2	4	1	2	–	–	3	4	3	4	4	3	–	–	–	–
Hanging, etc.	1	1	1	3	2	3	2	3	–	–	–	–	–	–	–	–
Suffocation	–	–	2	3	1	3	3	–	–	1	–	–	–	–	–	–
Drowning	19	20	17	8	9	9	8	6	4	3	–	–	–	–	–	8
Fracture and Contusion	32	35	31	23	14	23	19	16	14	17	10	4	2	–	1	7
Wounds	–	6	5	3	3	3	3	2	1	1	–	–	–	–	–	–
Other Violent Causes	2	2	2	1	2	4	2	3	–	3	1	–	1	–	–	2
Not Specified	57	50	55	45	62	92	117	1	–	–	–	–	–	–	–	17

CAUSES of DEATH in the MAINLAND-RURAL DISTRICTS of SCOTLAND, at different Periods of Life, in 1862.—MALES.

DISEASES.	MALES.												
	ALL AGES.	AGE UNDER											
		MONTHS.			2	3	4	5	10	15	20	25	30
		3	6	12									
ALL CAUSES	16178	1655	533	901	1182	615	381	266	839	508	604	650	552
SPECIFIED CAUSES	14998	1257	446	812	1060	569	362	251	788	474	578	624	518
I. Zymotic Class	2952	124	114	269	455	278	226	146	414	138	117	75	58
II. Diseases of Uncertain Seat	465	11	1	3	7	3	1	5	9	10	7	5	4
III. Tubercular Class	2568	41	55	123	175	118	51	38	187	160	248	350	269
IV. Brain and Nervous System	1299	81	24	35	52	28	13	9	37	33	44	30	33
V. Organs of Circulation	752	10	1	2	–	3	1	–	4	11	28	17	15
VI. Respiratory Organs	1932	143	127	207	165	70	34	24	47	21	34	37	35
VII. Organs of Digestion	1254	161	65	125	134	26	13	10	31	23	26	34	26
VIII. Urinary Organs	340	1	1	4	–	–	1	–	4	5	9	7	14
IX. Organs of Generation	1	–	–	1	–	–	–	–	–	–	–	–	–
X. Organs of Locomotion	107	–	–	–	–	1	1	2	9	16	5	8	8
XI. Skin, etc.	26	2	1	4	2	3	–	–	–	–	–	–	–
XII. Malformation	29	24	1	–	–	–	–	1	2	–	1	–	–
XIII. Premature Debility	717	636	49	32	–	–	–	–	–	–	–	–	–
XIV. Atrophy	110	–	–	1	38	12	2	1	5	5	5	1	6
XV. Age	1644	–	–	–	–	–	–	–	–	–	–	–	–
XVI. Sudden Deaths	19	2	1	–	2	–	1	–	–	–	–	–	1
XVII. Violent Deaths	783	21	6	6	30	27	18	15	39	52	54	60	49
I. Small Pox	52	5	2	6	5	2	4	2	10	1	3	2	1
Measles	154	–	4	26	56	23	13	7	17	2	4	–	1
Scarlatina	325	3	3	16	40	46	54	25	103	23	7	2	1
Diphtheria	290	13	7	15	33	33	29	23	78	24	16	4	5
Hooping Cough	478	31	34	109	159	53	41	17	30	3	–	1	–
Croup	309	9	18	25	76	62	42	33	41	3	–	–	–
Thrush	9	6	2	1	–	–	–	–	–	–	–	–	–
Diarrhœa	235	21	21	29	44	9	4	5	5	1	–	2	1
Dysentery	61	3	5	5	4	–	1	–	2	–	–	–	3
Cholera	16	1	1	2	3	–	1	2	1	–	1	–	–
Influenza	102	6	3	7	6	4	–	5	–	3	2	–	1
Purpura	18	–	1	1	1	–	–	–	1	3	1	–	–
Ague	3	–	–	–	–	–	–	1	–	–	–	–	1
Worms	8	–	–	–	–	1	1	–	5	–	–	1	–
Infantile Fever	21	2	2	7	5	2	1	2	–	–	–	–	–
Typhus	769	6	6	14	21	39	31	23	113	67	73	63	43
Metria	–	–	–	–	–	–	–	–	–	–	–	–	–
Rheumatic Fever	28	–	–	–	–	–	1	1	4	8	6	–	–
Erysipelas	55	11	2	3	1	3	3	–	3	–	4	–	1
Syphilis	16	7	3	3	1	1	–	–	–	–	–	–	–
Noma	2	–	–	–	–	–	–	–	–	–	–	–	–
Hydrophobia	1	–	–	–	–	–	–	–	1	–	–	–	–
II. Hæmorrhage	26	4	–	–	1	–	1	–	1	–	2	1	–
Dropsy	151	1	–	1	1	2	–	1	3	4	–	2	2
Abscess	33	3	–	1	1	1	–	1	2	3	4	2	–
Ulcer	8	–	–	–	1	–	–	–	–	1	–	–	–
Fistula	3	–	–	–	–	–	–	–	–	–	–	–	–
Mortification	35	3	1	–	2	–	–	1	–	–	–	–	–
Cancer	202	–	–	1	1	–	–	2	3	2	1	–	2
Gout	7	–	–	–	–	–	–	–	–	–	–	–	–
III. Scrofula	215	2	6	8	10	13	4	5	18	33	31	24	18
Tabes Mesenterica	191	17	11	14	42	27	7	4	29	16	12	2	2
Phthisis	1776	4	11	25	44	34	14	9	75	88	200	323	248
Hydrocephalus	386	18	27	76	79	44	26	20	65	23	5	1	1

CAUSES of DEATH in the MAINLAND-RURAL DISTRICTS of SCOTLAND, at different Periods of Life, in 1862.—MALES.

DISEASES.	MALES. AGE UNDER															
	35	40	45	50	55	60	65	70	75	80	85	90	95	100	105	?
ALL CAUSES	458	453	381	415	507	550	753	818	914	805	805	428	138	33	7	27
SPECIFIED CAUSES	424	429	360	400	474	513	695	817	914	805	805	428	138	33	7	17
Zymotic Class	51	44	34	38	45	43	57	64	56	49	38	14	5	–	–	–
Uncertain Seat	10	15	11	22	38	28	53	67	59	44	35	13	4	–	–	–
Tubercular Class	161	147	81	79	72	72	63	43	24	7	1	2	–	–	–	1
Brain, etc.	28	38	42	43	70	67	98	110	150	118	78	31	6	–	–	1
Heart, etc.	29	26	26	46	54	61	100	110	91	71	30	15	1	–	–	–
Respiratory Organs	41	40	58	69	83	96	138	123	127	91	90	26	5	1	–	–
Digestive Organs	30	36	39	37	53	68	78	68	83	44	29	12	2	–	–	1
Urinary Organs	10	12	13	12	17	15	32	37	60	47	19	15	4	1	–	–
Generative Organs	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Locomotive Organs	5	5	2	3	5	4	9	6	9	4	4	–	1	–	–	–
Skin	1	–	1	2	–	1	4	2	–	–	2	1	–	–	–	–
Malformation	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Premature Debility	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Atrophy	1	2	–	6	6	19	–	–	–	–	–	–	–	–	–	–
Age	–	–	–	–	–	–	24	159	232	315	469	296	109	31	7	2
Sudden Deaths	2	–	–	–	3	–	4	1	2	–	–	–	–	–	–	–
Violent Deaths	55	64	53	43	28	39	35	27	21	15	10	3	1	–	–	12
Small Pox	4	3	–	–	1	1	–	–	–	–	–	–	–	–	–	–
Measles	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Scarlatina	1	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Diphtheria	2	1	–	2	–	3	2	–	–	–	–	–	–	–	–	–
Hooping Cough	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Croup	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Thrush	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Diarrhœa	2	3	1	6	8	2	11	10	17	12	12	8	1	–	–	–
Dysentery	–	–	1	1	1	5	2	4	11	7	4	1	1	–	–	–
Cholera	–	–	–	–	1	1	–	–	1	1	–	–	–	–	–	–
Influenza	1	2	1	2	3	3	4	8	11	10	14	4	2	–	–	–
Purpura	–	1	1	–	–	3	1	2	1	1	–	–	–	–	–	–
Ague	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–
Worms	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Infantile Fever	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Typhus	35	28	27	23	27	23	35	38	11	15	7	–	1	–	–	–
Metria	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Rheumatic Fever	3	1	1	1	–	–	–	–	1	1	–	–	–	–	–	–
Erysipelas	2	2	2	2	4	1	2	2	3	2	1	1	–	–	–	–
Syphilis	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Noma	–	1	–	–	–	1	–	–	–	–	–	–	–	–	–	–
Hydrophobia	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Hæmorrhage	–	3	–	1	5	–	2	2	3	–	–	–	–	–	–	–
Dropsy	4	3	1	8	11	12	16	21	18	18	16	6	–	–	–	–
Abscess	1	2	1	–	1	1	1	4	3	1	–	–	–	–	–	–
Ulcer	–	–	–	2	–	–	1	–	2	–	1	–	–	–	–	–
Fistula	–	–	–	1	–	–	–	–	–	1	1	–	–	–	–	–
Mortification	–	–	1	1	–	–	–	3	5	6	6	4	2	–	–	–
Cancer	5	7	8	9	20	14	32	37	26	18	10	2	2	–	–	–
Gout	–	–	–	–	1	1	1	–	2	–	1	1	–	–	–	–
Scrofula	7	7	8	4	5	2	2	4	4	–	–	–	–	–	–	–
Tabes Mesenterica	–	2	1	1	–	2	–	2	–	–	–	–	–	–	–	–
Phthisis	154	138	71	74	67	68	61	37	20	7	1	2	–	–	–	1
Hydrocephalus	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–

CAUSES of DEATH in the MAINLAND-RURAL DISTRICTS of SCOTLAND, at different Periods of Life, in 1862.—MALES. (*Continued.*)

	DISEASES.	MALES. ALL AGES.	AGE UNDER MONTHS. 3	6	12	2	3	4	5	10	15	20	25	30
IV.	Cephalitis	85	1	3	4	7	9	3	3	12	7	7	6	6
	Apoplexy	310	5	2	5	3	4	3	2	2	5	1	9	3
	Paralysis	398	–	–	–	1	–	–	–	4	1	7	3	7
	Delirium Tremens	24	–	–	–	–	–	–	–	–	–	–	–	4
	Chorea	4	–	–	–	1	–	–	–	–	1	1	–	–
	Epilepsy	72	–	–	1	–	–	–	–	–	2	10	4	5
	Tetanus	15	7	–	–	–	–	–	–	3	–	1	–	–
	Insanity	11	–	–	–	–	–	–	–	1	1	1	–	1
	Convulsions	147	64	15	19	27	13	4	3	1	1	–	–	–
	Brain Disease	233	4	4	6	13	2	3	1	14	15	16	8	7
V.	Pericarditis	28	1	–	2	–	1	–	–	–	2	2	1	–
	Aneurism	23	–	–	–	–	–	–	–	–	–	–	–	1
	Heart Disease	701	9	1	–	–	2	1	–	4	9	26	16	14
VI.	Laryngitis	48	2	2	4	11	2	4	–	5	1	1	2	1
	Bronchitis	1063	99	104	136	117	46	19	13	23	5	10	11	10
	Pleurisy	81	1	2	5	1	2	2	–	–	4	6	5	3
	Pneumonia	502	40	17	57	35	18	9	10	13	11	14	14	17
	Asthma	164	–	–	–	–	–	–	–	–	–	–	2	3
	Lung Disease	74	1	2	5	1	2	–	1	6	–	3	3	1
VII.	Teething	222	–	11	86	103	17	4	1	–	–	–	–	–
	Quinsey	14	–	1	–	1	–	1	1	2	1	3	1	1
	Gastritis	44	7	1	–	2	–	1	2	1	1	–	1	–
	Enteritis	263	83	38	27	22	2	3	1	8	7	7	12	5
	Peritonitis	60	8	4	2	2	–	1	–	1	4	4	1	4
	Ascites	9	–	–	–	–	–	–	–	–	–	–	–	–
	Ulceration of Intestines	56	3	–	–	–	–	–	–	5	1	4	4	3
	Hernia	33	1	–	–	1	–	–	–	–	–	–	1	–
	Ileus	73	5	1	–	–	1	–	–	4	2	1	2	–
	Intussusception	17	3	–	–	–	–	–	–	–	–	1	–	–
	Stricture of Intestines	5	–	–	–	–	–	–	–	–	–	–	–	–
	Stomach Disease	189	14	6	8	1	3	2	2	5	2	2	2	6
	Pancreas Disease	–	–	–	–	–	–	–	–	–	–	–	–	–
	Hepatitis	42	3	1	–	–	–	–	–	3	1	–	2	2
	Jaundice	55	28	1	1	–	2	–	1	–	–	1	–	–
	Liver Disease	166	6	1	1	2	1	1	2	1	4	3	8	5
	Spleen Disease	6	–	–	–	–	–	–	–	1	–	–	–	–
VIII.	Nephritis	13	–	–	1	–	–	–	–	1	–	–	–	–
	Nephria	55	–	–	1	–	–	–	–	–	1	5	1	6
	Ischuria	25	1	1	2	–	–	–	–	–	–	–	–	–
	Diabetes	25	–	–	–	–	–	–	–	1	1	2	2	3
	Stone	46	–	–	–	–	–	–	–	–	1	1	–	–
	Cystitis	21	–	–	–	–	–	–	–	–	–	–	–	1
	Stricture of Urethra	3	–	–	–	–	–	–	–	–	–	–	–	–
	Kidney Disease	152	–	–	–	–	–	1	–	2	2	1	4	4
IX.	Paramenia	–	–	–	–	–	–	–	–	–	–	–	–	–
	Ovarian Dropsy	–	–	–	–	–	–	–	–	–	–	–	–	–
	Childbirth	–	–	–	–	–	–	–	–	–	–	–	–	–
	Organs of Generation	1	–	–	1	–	–	–	–	–	–	–	–	–
X.	Arthritis	8	–	–	–	–	–	–	–	1	1	–	–	–
	Rheumatism	37	–	–	–	–	–	2	–	1	2	1	2	3
	Joint and Bone Disease	62	–	–	–	–	1	–	2	7	13	4	6	5
XI.	Carbuncle	8	–	–	–	–	–	–	–	–	–	–	–	–
	Phlegmon	1	–	–	–	–	–	–	–	–	–	–	–	–
	Skin Disease	17	2	1	4	2	3	–	–	–	–	–	–	–
XII.	Cyanosis	9	7	–	–	–	–	–	1	1	–	–	–	–
	Spina Bifida	8	7	1	–	–	–	–	–	–	–	–	–	–
	Other Malformations	12	10	–	–	–	–	–	–	1	–	1	–	–
XVII.	Intemperance	16	–	–	–	–	–	–	–	–	–	–	–	–
	Privation	–	–	–	–	–	–	–	–	–	–	–	–	–
	Want of Breast Milk	5	4	1	–	–	–	–	–	–	–	–	–	–
	Neglect	–	–	–	–	–	–	–	–	–	–	–	–	–
	Cold	17	1	–	–	1	–	–	–	–	–	–	2	1
	Poison	11	1	–	–	1	–	–	2	1	–	1	1	–
	Burns and Scalds	73	–	1	3	17	14	9	4	9	5	–	1	2
	Hanging, etc.	14	–	–	–	–	–	–	–	–	–	–	1	1
	Suffocation	29	9	4	2	–	–	–	–	3	–	1	–	1
	Drowning	192	–	–	–	7	7	4	5	12	8	21	17	13
	Fracture and Contusion	356	–	–	1	4	6	5	1	12	30	26	35	25
	Wounds	40	–	–	–	–	–	–	–	–	6	4	3	5
	Other Violent Causes	30	6	–	–	–	–	–	3	2	3	1	–	1
	Not Specified	1180	398	87	89	122	46	19	15	51	34	26	26	34

CAUSES of DEATH in the MAINLAND-RURAL DISTRICTS of SCOTLAND, at different Periods of Life, in 1862.—MALES. (*Continued.*)

DISEASES.	MALES. AGE UNDER															
	35	40	45	50	55	60	65	70	75	80	85	90	95	100	105	?
Cephalitis	–	2	1	1	3	3	5	1	1	–	–	–	–	–	–	–
Apoplexy	8	9	12	10	24	15	36	34	49	36	19	9	4	–	–	1
Paralysis	8	2	6	12	18	25	31	54	81	68	51	18	1	–	–	–
Delirium Tremens	1	6	4	2	4	2	1	–	–	–	–	–	–	–	–	–
Chorea	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–
Epilepsy	7	4	7	3	4	5	6	7	3	2	–	2	–	–	–	–
Tetanus	–	–	–	1	–	1	1	1	–	–	–	–	–	–	–	–
Insanity	1	1	–	3	–	–	1	–	1	–	–	–	–	–	–	–
Convulsions	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Brain Disease	3	14	12	11	17	16	17	12	15	12	8	2	1	–	–	–
Pericarditis	4	2	–	2	–	3	2	3	1	1	1	–	–	–	–	–
Aneurism	3	5	1	3	3	–	3	3	1	–	–	–	–	–	–	–
Heart Disease	22	19	25	41	51	58	95	104	89	70	29	15	1	–	–	–
Laryngitis	2	2	1	3	1	1	–	1	1	–	–	1	–	–	–	–
Bronchitis	9	16	21	19	31	40	70	48	70	59	64	19	4	–	–	–
Pleurisy	3	2	1	7	4	2	4	8	4	7	7	1	–	–	–	–
Pneumonia	17	13	21	21	19	31	33	34	29	11	13	3	1	1	–	–
Asthma	5	1	7	13	26	19	26	24	20	11	6	1	–	–	–	–
Lung Disease	5	6	7	6	2	3	5	8	3	3	–	1	–	–	–	–
Teething	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Quinsey	1	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–
Gastritis	–	2	2	2	3	4	3	3	6	2	–	–	1	–	–	–
Enteritis	5	5	5	3	3	4	7	1	5	4	2	3	–	–	–	1
Peritonitis	3	5	1	2	3	4	2	3	5	1	–	–	–	–	–	–
Ascites	2	1	–	–	1	–	1	2	1	–	–	1	–	–	–	–
Ulceration of Intestines	3	1	4	2	5	5	7	2	3	2	–	2	–	–	–	–
Hernia	–	2	1	3	2	2	–	4	2	9	4	1	–	–	–	–
Ileus	4	6	5	3	3	4	4	6	11	4	6	1	–	–	–	–
Intussusception	1	–	–	–	1	2	3	2	2	–	1	1	–	–	–	–
Stricture of Intestines	–	–	–	–	–	–	2	1	2	–	–	–	–	–	–	–
Stomach Disease	7	8	11	4	12	18	17	19	22	12	5	–	1	–	–	–
Pancreas Disease	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Hepatitis	1	–	1	3	5	5	4	7	1	3	–	–	–	–	–	–
Jaundice	–	–	–	–	–	3	5	3	2	1	6	1	–	–	–	–
Liver Disease	3	6	8	15	13	17	21	14	21	6	5	2	–	–	–	–
Spleen Disease	–	–	1	–	1	–	2	1	–	–	–	–	–	–	–	–
Nephritis	1	–	–	–	1	1	2	1	4	–	–	1	–	–	–	–
Nephria	3	5	5	4	4	2	5	5	3	3	1	1	–	–	–	–
Ischuria	1	1	–	2	–	–	1	2	3	6	1	3	1	–	–	–
Diabetes	2	2	2	2	3	1	1	–	3	–	–	–	–	–	–	–
Stone	–	–	1	2	2	4	1	7	11	10	2	2	2	–	–	–
Cystitis	–	2	2	–	–	1	3	1	1	3	5	2	–	–	–	–
Stricture of Urethra	–	1	–	–	–	–	–	1	1	–	–	–	–	–	–	–
Kidney Disease	3	1	3	2	7	6	19	20	34	25	10	6	1	1	–	–
Paramenia	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Ovarian Dropsy	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Childbirth	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Organs of Generation	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Arthritis	–	2	–	–	–	–	2	1	–	–	1	–	–	–	–	–
Rheumatism	–	–	1	2	4	2	2	4	6	4	1	–	1	–	–	–
Joint Disease	5	3	1	1	1	2	5	1	3	–	2	–	–	–	–	–
Carbuncle	–	–	–	2	–	–	3	1	–	–	1	1	–	–	–	–
Phlegmon	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–
Skin Disease	1	–	1	–	–	–	1	1	–	–	1	–	–	–	–	–
Cyanosis	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Spina Bifida	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Other Malformations	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Intemperance	–	2	–	4	1	3	2	1	2	1	–	–	–	–	–	–
Privation	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Want of Breast Milk	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Neglect	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Cold	3	1	–	2	–	3	–	1	1	–	1	–	–	–	–	–
Poison	–	1	–	–	1	–	–	–	2	–	–	–	–	–	–	–
Burns and Scalds	2	2	–	–	–	–	–	1	1	1	1	–	–	–	–	–
Hanging, etc.	–	–	1	2	2	2	2	3	–	–	–	–	–	–	–	–
Suffocation	–	–	2	2	1	1	2	–	1	1	–	–	–	–	–	–
Drowning	18	18	15	7	8	7	8	6	4	2	–	–	–	–	–	5
Fracture and Contusion	31	33	29	23	12	20	17	11	10	8	8	3	1	–	–	5
Wounds	–	5	5	2	2	2	2	2	1	1	–	–	–	–	–	–
Other Violent Causes	1	2	1	1	1	1	2	2	–	1	–	–	–	–	–	2
Not Specified	34	24	21	15	33	37	58	1	–	–	–	–	–	–	–	10

CAUSES of DEATH in the MAINLAND-RURAL DISTRICTS of SCOTLAND, at different Periods of Life, in 1862.—FEMALES.

DISEASES.	FEMALES.												
	ALL AGES.	AGE UNDER											
		MONTHS.			2	3	4	5	10	15	20	25	30
		3	6	12									
ALL CAUSES	16516	1221	383	811	1124	622	412	266	758	422	573	593	550
SPECIFIED CAUSES	15451	951	303	713	1019	571	384	248	710	399	543	570	522
I. Zymotic Class	3206	137	92	246	462	314	232	146	405	151	126	105	70
II. Diseases of Uncertain Seat	740	12	4	5	5	4	5	4	8	5	8	7	19
III. Tubercular Class	2657	22	36	122	171	90	61	50	137	148	295	304	264
IV. Brain and Nervous System	1217	45	18	30	31	28	13	7	40	25	19	30	21
V. Organs of Circulation	679	4	–	4	–	4	–	1	10	10	16	17	29
VI. Respiratory Organs	1809	105	73	167	185	65	41	19	47	16	29	29	26
VII. Organs of Digestion	1155	91	42	98	116	30	15	6	26	17	20	23	32
VIII. Urinary Organs	146	–	–	–	2	–	–	1	4	5	2	7	9
IX. Organs of Generation	255	–	–	–	–	–	–	–	–	1	7	36	38
X. Organs of Locomotion	93	–	–	–	1	2	1	1	3	9	5	–	4
XI. Skin, etc.	19	3	1	2	1	2	–	–	–	1	1	–	–
XII. Malformation	36	32	3	–	–	–	–	–	–	–	–	–	1
XIII. Premature Debility	544	481	30	33	–	–	–	–	–	–	–	–	–
XIV. Atrophy	118	–	–	–	20	13	3	3	9	2	4	4	2
XV. Age	2488	–	–	–	–	–	–	–	–	–	–	–	–
XVI. Sudden Deaths	31	4	–	1	2	–	–	–	–	1	1	–	1
XVII. Violent Deaths	258	15	4	5	23	19	13	10	21	8	10	8	6
I. Small Pox	60	5	2	7	10	4	7	2	6	3	3	4	1
Measles	158	4	1	19	54	31	15	12	12	2	2	1	2
Scarlatina	293	3	1	18	34	50	46	29	68	20	6	3	4
Diphtheria	327	9	6	11	34	26	42	25	103	28	17	6	7
Hooping Cough	560	41	34	99	170	89	40	26	53	6	–	–	1
Croup	278	4	11	30	59	62	46	29	37	–	–	–	–
Thrush	5	3	–	–	1	–	–	1	–	–	–	–	–
Diarrhœa	244	24	16	28	41	11	3	1	9	–	2	3	1
Dysentery	79	–	2	3	4	2	–	–	1	1	–	4	1
Cholera	15	1	–	–	2	–	2	–	1	1	–	1	1
Influenza	146	7	2	4	4	–	5	1	1	1	1	–	2
Purpura	7	–	1	–	–	–	–	–	2	–	1	–	–
Ague	2	–	–	–	–	1	–	–	–	1	–	–	–
Worms	9	–	–	–	1	2	2	1	3	–	–	–	–
Infantile Fever	21	3	2	4	7	2	–	–	3	–	–	–	–
Typhus	801	5	7	14	37	29	22	18	105	77	87	61	39
Metria	67	–	–	–	–	–	–	–	–	–	1	20	9
Rheumatic Fever	25	–	–	–	–	–	–	1	–	4	3	–	1
Erysipelas	74	18	–	6	2	4	2	–	1	7	3	2	–
Syphilis	30	10	5	2	2	1	–	–	–	–	–	–	1
Noma	5	–	2	1	–	–	–	–	–	–	–	–	–
Hydrophobia	–	–	–	–	–	–	–	–	–	–	–	–	–
II. Hæmorrhage	26	3	–	3	–	–	2	2	1	1	–	–	1
Dropsy	238	2	2	1	1	1	2	1	4	2	5	4	9
Abscess	21	1	1	1	1	1	–	1	2	–	1	1	1
Ulcer	13	2	–	–	1	1	–	–	–	–	–	–	–
Fistula	2	–	–	–	–	–	–	–	–	–	–	–	–
Mortification	25	4	1	–	1	–	1	–	1	–	–	–	–
Cancer	410	–	–	–	1	1	–	–	–	2	2	2	8
Gout	5	–	–	–	–	–	–	–	–	–	–	–	–
III. Scrofula	164	1	4	9	10	8	4	2	16	16	20	21	9
Tabes Mesenterica	148	6	9	20	40	19	10	5	10	4	11	2	2
Phthisis	2027	4	9	22	39	25	21	23	70	118	260	280	253
Hydrocephalus	318	11	14	71	82	38	26	20	41	10	4	1	–

CAUSES of DEATH in the MAINLAND-RURAL DISTRICTS of SCOTLAND, at different Periods of Life, in 1862.—FEMALES.

DISEASES.	FEMALES. AGE UNDER															
	35	40	45	50	55	60	65	70	75	80	85	90	95	100	105	?
ALL CAUSES	506	513	476	444	496	585	802	873	1004	1112	1064	565	236	67	14	24
SPECIFIED CAUSES	483	487	442	414	467	530	743	873	1004	1112	1064	565	236	67	14	17
Zymotic Class	69	58	61	52	51	54	64	59	80	86	66	12	5	2	–	1
Uncertain Seat	22	27	41	48	47	69	83	97	82	75	43	17	2	1	–	–
Tubercular Class	206	202	144	92	95	70	67	39	22	11	6	1	–	–	–	2
Brain, etc.	30	33	29	46	48	71	106	123	148	143	73	43	14	1	–	2
Heart, etc.	23	32	34	36	47	47	92	88	69	67	33	13	1	1	–	1
Respiratory Organs	36	28	39	37	71	74	124	134	169	127	115	34	10	5	–	4
Digestive Organs	28	31	41	44	57	78	99	88	78	53	28	9	5	–	–	–
Urinary Organs	13	14	3	11	7	11	19	12	14	5	6	1	–	–	–	–
Generative Organs	40	42	33	16	15	10	7	5	3	1	1	–	–	–	–	–
Locomotive Organs	4	3	–	4	7	11	4	8	7	14	3	1	–	1	–	–
Skin	1	1	1	1	–	–	–	–	2	2	–	–	–	–	–	–
Malformation	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Premature Debility	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Atrophy	6	4	7	13	9	19	–	–	–	–	–	–	–	–	–	–
Age	–	–	–	–	–	1	64	208	322	512	683	430	197	56	13	2
Sudden Deaths	1	1	1	3	6	2	5	1	1	–	–	–	–	–	–	–
Violent Deaths	4	11	8	11	7	13	9	11	7	16	7	4	2	–	1	5
Small Pox	1	1	1	–	1	2	–	–	–	–	–	–	–	–	–	–
Measles	–	1	–	1	–	1	–	–	–	–	–	–	–	–	–	–
Scarlatina	5	2	2	–	1	1	–	–	–	–	–	–	–	–	–	–
Diphtheria	2	1	1	1	1	4	2	–	–	–	1	–	–	–	–	–
Hooping Cough	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–
Croup	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Thrush	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Diarrhœa	4	–	4	5	6	4	8	11	17	18	23	5	–	–	–	–
Dysentery	1	–	3	3	5	6	6	9	3	14	8	2	–	1	–	–
Cholera	–	1	1	1	–	–	–	1	1	–	–	–	–	–	–	1
Influenza	1	1	2	2	7	6	7	7	22	34	22	2	4	1	–	–
Purpura	–	–	–	1	–	–	1	1	–	–	–	–	–	–	–	–
Ague	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Worms	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Infantile Fever	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Typhus	32	35	35	30	24	23	36	26	33	13	11	2	–	–	–	–
Metria	19	9	6	3	–	–	–	–	–	–	–	–	–	–	–	–
Rheumatic Fever	2	3	1	2	2	1	2	1	1	1	–	–	–	–	–	–
Erysipelas	2	1	2	2	2	4	2	2	3	6	1	1	1	–	–	–
Syphilis	–	3	3	–	2	1	–	–	–	–	–	–	–	–	–	–
Noma	–	–	–	–	–	1	–	1	–	–	–	–	–	–	–	–
Hydrophobia	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Hæmorrhage	4	–	1	–	1	1	2	2	1	–	1	–	–	–	–	–
Dropsy	8	7	11	7	9	17	21	29	33	31	21	8	2	–	–	–
Abscess	2	2	3	–	–	–	–	–	–	3	–	–	–	–	–	–
Ulcer	–	–	–	–	2	1	1	2	3	–	–	–	–	–	–	–
Fistula	1	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Mortification	–	1	–	–	–	–	1	2	5	3	2	3	–	–	–	–
Cancer	7	16	26	40	34	49	58	61	40	38	18	6	–	1	–	–
Gout	–	–	–	1	1	1	–	1	–	–	1	–	–	–	–	–
Scrofula	8	12	3	2	4	3	2	4	3	3	–	–	–	–	–	–
Tabes Mesenterica	–	1	–	1	1	2	1	–	1	–	2	1	–	–	–	–
Phthisis	198	189	141	89	90	65	64	35	18	8	4	–	–	–	–	2
Hydrocephalus	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–

Female Deaths in the Mainland-Rural Districts in 1862.

CAUSES OF DEATH in the MAINLAND-RURAL DISTRICTS of SCOTLAND, at different Periods of Life, in 1862.—FEMALES. *(Continued.)*

DISEASES.	FEMALES. AGE UNDER												
	ALL AGES.	MONTHS. 3	MONTHS. 6	MONTHS. 12	2	3	4	5	10	15	20	25	30
IV. Cephalitis	26	1	1	2	6	1	4	4	13	10	2	3	2
Apoplexy	45	4	5	5	4	4	2	–	5	3	5	6	3
Paralysis	45	–	–	–	–	1	–	–	1	1	–	2	2
Delirium Tremens	6	–	–	–	–	–	–	–	–	1	–	–	–
Chorea	1	–	–	–	–	–	–	–	3	2	2	9	3
Epilepsy	50	–	–	–	–	–	–	–	–	1	–	1	–
Tetanus	4	–	–	–	–	–	–	–	–	–	–	1	1
Insanity	20	–	–	–	–	–	–	–	–	–	1	–	–
Convulsions	105	39	10	20	12	10	3	2	8	7	9	8	10
Brain Disease	174	1	2	3	9	12	4	1	10	–	–	–	–
V. Pericarditis	21	1	–	–	–	–	–	–	–	1	2	3	–
Aneurism	16	–	–	–	–	–	–	–	–	–	–	–	–
Heart Disease	642	3	–	4	–	4	–	1	2	9	11	14	29
VI. Laryngitis	26	1	1	3	4	3	2	1	2	2	1	–	8
Bronchitis	1124	79	59	126	140	51	30	10	25	5	4	11	2
Pleurisy	59	1	–	2	–	2	2	1	1	1	2	2	11
Pneumonia	356	20	11	34	39	9	3	6	18	7	16	14	1
Asthma	169	–	–	–	–	–	–	–	–	1	–	–	–
Lung Disease	75	4	2	2	2	–	4	1	1	–	6	2	4
VII. Teething	166	1	4	64	82	12	3	–	–	–	–	–	–
Quinsey	17	3	–	1	3	2	1	–	4	1	–	–	–
Gastritis	51	3	4	3	1	–	3	–	1	2	1	2	1
Enteritis	206	47	20	19	17	7	3	3	8	4	2	2	5
Peritonitis	68	7	1	1	1	1	–	–	2	2	7	6	5
Ascites	26	1	–	–	–	–	1	–	–	1	–	–	–
Ulceration of Intestines	44	1	1	–	1	1	–	–	1	–	2	2	2
Hernia	31	1	–	–	–	–	–	–	–	–	–	–	–
Ileus	62	2	2	–	1	1	1	–	1	1	1	2	3
Intussusception	15	1	3	–	–	–	–	–	2	–	–	2	1
Stricture of Intestines	3	–	–	–	–	–	–	–	–	–	–	–	–
Stomach Disease	206	11	4	5	10	4	–	2	6	2	2	2	6
Pancreas Disease	–	–	–	–	–	–	–	–	–	–	–	–	–
Hepatitis	43	–	1	2	–	–	1	–	1	1	1	–	2
Jaundice	46	11	2	1	–	1	1	–	–	–	1	1	1
Liver Disease	164	2	–	2	–	1	1	1	–	3	3	4	5
Spleen Disease	7	–	–	–	–	–	–	–	–	–	–	–	1
VIII. Nephritis	7	–	–	–	1	–	–	–	–	–	–	–	–
Nephria	46	–	–	–	–	–	–	1	2	4	–	1	3
Ischuria	4	–	–	–	–	–	–	–	–	–	–	2	–
Diabetes	18	–	–	–	1	–	–	–	–	1	1	1	1
Stone	5	–	–	–	–	–	–	–	–	–	–	–	–
Cystitis	10	–	–	–	–	–	–	–	–	–	–	–	1
Stricture of Urethra	1	–	–	–	–	–	–	–	–	–	–	–	–
Kidney Disease	55	–	–	–	–	–	–	–	2	–	1	3	4
IX. Paramenia	16	–	–	–	–	–	–	–	–	1	3	3	1
Ovarian Dropsy	37	–	–	–	–	–	–	–	–	–	–	1	1
Childbirth	158	–	–	–	–	–	–	–	–	–	2	28	34
Organs of Generation	44	–	–	–	–	–	–	–	–	–	2	4	2
X. Arthritis	8	–	–	–	–	–	1	–	–	1	1	–	–
Rheumatism	42	–	–	–	–	1	–	–	–	1	–	–	–
Joint and Bone Disease	43	–	–	–	1	1	–	1	3	8	3	–	4
XI. Carbuncle	6	–	–	–	1	1	–	–	–	–	–	–	–
Phlegmon	1	–	–	–	–	1	–	–	–	–	–	–	–
Skin Disease	12	3	1	2	–	–	–	–	–	1	1	–	–
XII. Cyanosis	14	12	2	–	–	–	–	–	–	–	–	–	–
Spina Bifida	7	6	1	–	–	–	–	–	–	–	–	–	–
Other Malformations	15	14	–	–	–	–	–	–	–	–	–	–	1
XVII. Intemperance	6	–	–	–	–	–	–	–	–	–	–	–	–
Privation	2	–	–	–	1	–	–	–	–	–	–	–	–
Want of Breast Milk	5	4	–	1	–	–	–	–	–	–	–	–	–
Neglect	–	–	–	–	–	–	–	–	–	–	–	–	–
Cold	10	2	1	–	–	–	–	–	–	1	–	–	–
Poison	11	1	–	–	–	1	–	2	–	–	–	–	–
Burns and Scalds	93	–	1	4	16	12	8	7	13	2	4	1	3
Hanging, etc.	5	–	–	–	–	–	–	–	–	–	–	–	1
Suffocation	11	5	2	–	–	–	–	–	–	–	–	–	–
Drowning	40	1	–	–	3	4	1	1	6	2	4	4	1
Fracture and Contusion	53	–	–	–	3	2	3	–	–	2	2	3	1
Wounds	8	–	–	–	–	–	1	–	2	1	–	–	–
Other Violent Causes	14	2	–	–	–	–	–	–	–	–	–	–	–
Not Specified	1065	270	80	98	105	51	28	18	48	23	30	23	28

CAUSES of DEATH in the MAINLAND-RURAL DISTRICTS of SCOTLAND, at different Periods of Life, in 1862.—FEMALES. (*Continued.*)

DISEASES.	FEMALES. AGE UNDER															
	35	40	45	50	55	60	65	70	75	80	85	90	95	100	105	?
Cephalitis	4	3	1	2	–	2	1	1	–	2	1	–	–	–	–	–
Apoplexy	4	10	10	19	18	22	45	36	49	38	25	14	3	–	–	1
Paralysis	7	5	5	11	17	32	46	73	78	92	39	27	10	1	–	1
Delirium Tremens	1	2	–	–	1	1	1	–	–	–	–	–	–	–	–	–
Chorea	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Epilepsy	8	6	5	4	1	3	1	2	–	1	–	–	–	–	–	–
Tetanus	–	–	–	–	1	–	–	–	1	–	–	–	–	–	–	–
Insanity	2	2	1	2	1	3	2	–	4	–	1	–	–	–	–	–
Convulsions	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Brain Disease	4	5	7	8	9	8	10	11	16	10	7	2	1	–	–	–
Pericarditis	1	3	1	2	–	1	1	–	2	1	1	–	–	–	–	–
Aneurism	1	2	2	1	–	–	4	2	1	1	1	–	–	–	–	–
Heart Disease	21	27	31	33	47	46	87	86	66	65	31	13	1	1	–	1
Laryngitis	2	–	1	1	1	–	–	–	1	–	–	–	–	–	–	–
Bronchitis	12	9	14	17	27	32	73	66	99	88	93	30	9	5	–	2
Pleurisy	3	2	3	2	3	2	6	7	3	4	7	–	1	–	–	–
Pneumonia	12	8	10	7	19	12	18	33	26	12	7	2	–	–	–	2
Asthma	1	5	7	8	16	24	22	21	36	19	6	2	–	–	–	–
Lung Disease	6	4	4	2	5	4	5	7	4	4	2	–	–	–	–	–
Teething	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Quinsey	–	1	–	–	–	1	–	–	–	–	–	–	–	–	–	–
Gastritis	1	–	2	3	4	4	3	5	4	2	2	–	–	–	–	–
Enteritis	3	3	4	4	10	10	13	8	4	7	2	–	1	–	–	–
Peritonitis	4	4	5	2	2	3	4	4	2	2	2	1	–	–	–	–
Ascites	–	2	1	2	3	2	1	3	2	2	3	1	1	–	–	–
Ulceration of Intestines	–	2	2	2	5	4	6	1	5	2	2	2	–	–	–	–
Hernia	–	2	1	2	3	7	2	7	4	1	1	–	–	–	–	–
Ileus	2	3	3	2	5	6	7	3	6	4	2	2	2	–	–	–
Intussusception	–	1	1	–	1	1	1	1	–	–	–	–	–	–	–	–
Stricture of Intestines	–	–	–	–	1	–	–	–	1	1	–	–	–	–	–	–
Stomach Disease	8	7	9	7	5	12	23	29	29	11	10	1	1	–	–	–
Pancreas Disease	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Hepatitis	2	1	2	4	5	4	7	2	4	3	–	–	–	–	–	–
Jaundice	1	–	1	–	4	3	4	6	5	2	–	1	–	–	–	–
Liver Disease	7	5	9	15	9	20	26	18	12	16	4	1	–	–	–	–
Spleen Disease	–	–	1	1	–	1	2	1	–	–	–	–	–	–	–	–
Nephritis	–	1	–	1	–	–	2	1	–	1	–	–	–	–	–	–
Nephria	2	7	2	2	2	6	4	4	5	–	–	1	–	–	–	–
Ischuria	1	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Diabetes	5	2	1	2	–	–	1	1	–	1	–	–	–	–	–	–
Stone	1	–	–	–	–	–	1	1	1	–	1	–	–	–	–	–
Cystitis	1	–	–	1	2	1	–	–	1	1	2	–	–	–	–	–
Stricture of Urethra	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–
Kidney Disease	3	3	–	4	3	4	11	5	7	2	3	–	–	–	–	–
Paramenia	–	4	1	1	2	–	–	–	–	–	–	–	–	–	–	–
Ovarian Dropsy	5	5	2	2	9	3	3	3	2	1	–	–	–	–	–	–
Childbirth	31	28	26	7	2	–	–	–	–	–	–	–	–	–	–	–
Organs of Generation	4	5	4	6	2	7	4	2	1	–	1	–	–	–	–	–
Arthritis	–	–	–	–	2	1	–	1	–	–	–	1	–	–	–	–
Rheumatism	1	1	–	–	4	7	3	5	5	10	3	–	–	1	–	–
Joint Disease	3	2	–	4	1	3	1	2	2	4	–	–	–	–	–	–
Carbuncle	–	–	–	1	–	–	–	–	1	2	–	–	–	–	–	–
Phlegmon	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Skin Disease	1	1	1	–	–	–	–	–	1	–	–	–	–	–	–	–
Cyanosis	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Spina Bifida	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Other Malformations	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Intemperance	–	1	1	2	–	–	2	–	–	–	–	–	–	–	–	–
Privation	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–
Want of Breast Milk	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Neglect	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Cold	–	–	1	–	2	1	–	–	1	–	1	–	–	–	–	–
Poison	–	2	–	3	–	–	–	1	–	1	–	–	–	–	–	–
Burns and Scalds	–	2	1	2	–	–	3	3	2	3	3	3	–	–	–	–
Hanging, etc.	1	1	–	1	–	1	–	–	–	–	–	–	–	–	–	–
Suffocation	–	–	–	1	–	2	1	–	–	–	–	–	–	–	–	–
Drowning	1	2	2	1	1	2	–	–	1	–	–	–	–	–	–	3
Fracture and Contusion	1	2	2	–	2	3	2	5	4	9	2	1	1	–	1	2
Wounds	–	1	–	1	1	1	1	–	–	–	–	–	–	–	–	–
Other Violent Causes	1	–	1	–	1	3	–	1	–	2	1	–	1	–	–	–
Not Specified	23	26	34	30	29	55	59	–	–	–	–	–	–	–	–	7

CAUSES of DEATH in the TOWN DISTRICTS of SCOTLAND, at different Periods of Life, in 1862.—Both Sexes.

DISEASES.	BOTH SEXES.												
	ALL AGES.	AGE UNDER											
		MONTHS.			2	3	4	5	10	15	20	25	30
		3	6	12									
All Causes	31526	2917	1177	2556	3734	1813	1115	746	1594	715	991	1196	1069
Specified Causes	30921	2716	1097	2504	3681	1791	1104	736	1567	711	973	1188	1053
I. Zymotic Class	7334	297	284	864	1651	956	608	419	696	154	153	170	154
II. Diseases of Uncertain Seat	983	19	1	14	16	13	13	7	19	19	10	19	30
III. Tubercular Class	5840	59	143	371	546	270	182	139	446	310	560	630	507
IV. Brain and Nervous System	2414	217	71	113	130	55	36	35	99	55	32	55	54
V. Organs of Circulation	1293	2	–	6	2	1	1	3	18	21	37	46	43
VI. Respiratory Organs	5231	308	305	684	727	324	185	83	132	40	56	104	80
VII. Organs of Digestion	2248	215	107	324	452	94	19	16	48	37	39	51	36
VIII. Urinary Organs	388	2	–	1	3	3	5	2	14	13	16	23	26
IX. Organs of Generation	204	–	–	–	–	–	–	–	–	–	11	29	44
X. Organs of Locomotion	175	2	–	1	2	1	3	2	20	15	17	8	6
XI. Skin, etc.	33	8	4	5	3	–	1	–	1	–	–	–	–
XII. Malformation	79	62	8	2	2	1	1	–	–	1	1	–	–
XIII. Premature Debility	1678	1440	138	100	–	–	–	–	–	–	–	–	–
XIV. Atrophy	333	–	–	–	111	39	19	13	25	8	4	5	5
XV. Age	1704	–	–	–	–	–	–	–	–	–	–	–	–
XVI. Sudden Deaths	63	9	8	3	1	3	–	–	–	–	–	2	4
XVII. Violent Deaths	921	76	28	16	35	31	31	17	49	38	37	46	64
I. Small Pox	312	20	16	58	57	53	20	18	22	5	9	10	11
Measles	967	6	24	138	400	175	103	39	76	1	3	–	1
Scarlatina	656	5	9	26	106	123	81	86	175	25	6	7	2
Diphtheria	360	10	8	22	82	63	48	33	67	11	4	2	2
Hooping Cough	1726	70	118	386	554	260	152	104	80	1	1	–	–
Croup	741	30	17	83	218	157	113	65	57	–	–	–	1
Thrush	19	10	3	3	2	1	–	–	–	–	–	–	–
Diarrhœa	592	77	48	100	112	29	13	6	12	4	9	6	13
Dysentery	139	2	4	10	16	2	1	3	6	2	2	8	7
Cholera	24	1	1	3	3	2	–	1	2	–	–	2	–
Influenza	69	3	2	–	1	3	–	1	3	–	1	3	2
Purpura	24	–	–	1	2	1	1	1	4	3	–	4	–
Ague	11	–	–	1	–	3	–	–	1	2	1	1	–
Worms	14	–	1	–	2	3	4	2	2	–	–	–	–
Infantile Fever	21	–	1	4	6	5	3	2	–	–	–	–	–
Typhus	1368	3	11	20	71	69	66	54	184	99	103	102	87
Metria	59	–	–	–	–	–	–	–	–	–	4	17	20
Rheumatic Fever	28	–	–	–	–	–	–	1	1	–	4	3	1
Erysipelas	112	27	7	4	5	6	2	1	2	1	5	2	4
Syphilis	78	31	13	3	12	–	1	1	–	–	1	3	3
Noma	14	2	1	2	2	1	–	1	2	–	–	–	–
Hydrophobia	–	–	–	–	–	–	–	–	–	–	–	–	–
II. Hæmorrhage	31	5	–	1	–	–	–	–	–	2	1	2	3
Dropsy	810	1	–	2	4	8	9	5	9	11	1	8	13
Abscess	65	5	1	7	4	2	–	–	6	2	5	5	3
Ulcer	32	3	–	3	3	–	2	–	–	1	1	1	–
Fistula	6	–	–	–	–	–	–	–	–	–	–	–	–
Mortification	44	2	–	1	5	1	1	1	1	–	–	–	–
Cancer	494	3	–	–	–	2	1	1	3	3	2	3	11
Gout	1	–	–	–	–	–	–	–	–	–	–	–	–
III. Scrofula	311	4	6	10	28	22	6	16	51	31	41	26	16
Tabes Mesenterica	447	21	17	63	122	70	34	15	55	24	8	9	2
Phthisis	4102	9	33	51	137	88	62	58	224	231	510	593	487
Hydrocephalus	980	25	87	247	259	90	80	50	116	21	1	2	2

CAUSES of DEATH in the TOWN DISTRICTS of SCOTLAND, at different Periods of Life, in 1862.—Both Sexes.

DISEASES.	BOTH SEXES. AGE UNDER															
	35	40	45	50	55	60	65	70	75	80	85	90	95	100	105	?
All Causes	1020	1062	1014	1064	1125	994	1328	1133	1134	903	641	338	91	30	5	21
Specified Causes	1009	1051	1002	1049	1117	975	1313	1133	1134	903	641	338	91	30	5	9
Zymotic Class	98	112	97	107	94	76	107	72	69	52	28	14	2	–	–	–
Uncertain Seat	40	49	71	87	118	80	106	88	66	58	25	14	1	–	–	–
Tubercular Class	431	353	287	212	171	82	77	37	19	4	2	–	–	–	–	2
Brain, etc.	75	91	94	116	141	146	209	169	173	137	72	31	6	1	1	–
Heart, etc.	62	85	95	99	104	124	161	152	132	65	23	9	1	1	–	–
Respiratory Organs	129	133	171	207	241	256	336	261	207	147	72	35	8	–	–	–
Digestive Organs	56	79	51	80	111	92	111	97	68	42	13	6	4	–	–	–
Urinary Organs	23	33	28	31	28	21	35	28	24	13	10	5	1	–	–	–
Generative Organs	33	32	25	12	5	2	5	2	2	1	1	–	–	–	–	–
Locomotive Organs	8	14	7	12	9	8	10	19	8	3	–	–	–	–	–	–
Skin	2	1	1	1	1	3	–	1	1	–	–	–	–	–	–	–
Malformation	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–
Premature Debility	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Atrophy	4	10	12	13	33	32	–	–	–	–	–	–	–	–	–	–
Age	–	–	–	–	–	1	109	175	349	366	386	220	66	28	4	–
Sudden Deaths	2	4	4	7	5	7	1	3	–	–	–	–	–	–	–	–
Violent Deaths	46	55	59	65	56	45	46	28	16	15	9	4	2	–	–	7
Small Pox	4	2	4	1	1	–	–	1	–	–	–	–	–	–	–	–
Measles	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Scarlatina	–	3	–	–	1	–	–	1	–	–	–	–	–	–	–	–
Diphtheria	2	–	2	2	1	–	1	–	–	–	–	–	–	–	–	–
Hooping Cough	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Croup	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Thrush	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Diarrhœa	5	10	10	12	11	11	23	11	29	23	12	6	–	–	–	–
Dysentery	4	10	5	6	5	7	6	9	10	8	5	1	–	–	–	–
Cholera	–	1	–	3	1	–	–	–	1	1	1	1	–	–	–	–
Influenza	4	–	3	3	6	4	4	4	9	6	3	3	1	–	–	–
Purpura	–	–	1	–	–	2	2	–	–	2	–	–	–	–	–	–
Ague	1	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Worms	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Infantile Fever	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Typhus	64	72	56	68	57	47	59	41	17	11	5	1	1	–	–	–
Metria	7	8	3	–	–	–	–	–	–	–	–	–	–	–	–	–
Rheumatic Fever	4	–	4	2	2	–	6	–	–	–	–	–	–	–	–	–
Erysipelas	2	2	5	9	7	3	5	5	3	1	2	2	–	–	–	–
Syphilis	1	2	3	1	1	1	1	–	–	–	–	–	–	–	–	–
Noma	–	–	1	–	1	1	–	–	–	–	–	–	–	–	–	–
Hydrophobia	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Hæmorrhage	3	–	2	2	2	2	3	2	1	–	–	–	–	–	–	–
Dropsy	11	11	15	28	32	23	26	29	24	26	9	4	1	–	–	–
Abscess	1	3	2	4	6	1	2	3	1	2	–	–	–	–	–	–
Ulcer	–	1	2	3	3	–	2	2	2	2	–	1	–	–	–	–
Fistula	–	2	–	–	1	–	1	1	–	1	–	–	–	–	–	–
Mortification	1	–	–	–	3	–	2	5	4	8	5	4	–	–	–	–
Cancer	24	32	50	50	71	54	70	46	34	19	10	5	–	–	–	–
Gout	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–
Scrofula	15	11	6	6	4	5	1	4	2	–	–	–	–	–	–	–
Tabes Mesenterica	2	1	3	–	–	1	–	–	–	–	–	–	–	–	–	–
Phthisis	414	341	278	206	167	76	76	33	17	4	2	–	–	–	–	2
Hydrocephalus	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–

CAUSES of DEATH in the TOWN DISTRICTS of SCOTLAND, at different Periods of Life, in 1862.—Both Sexes. (*Continued.*)

DISEASES.	BOTH SEXES.													
	ALL AGES.	AGE UNDER												
		MONTHS.			2	3	4	5	10	15	20	25	30	
		3	6	12										
IV. Cephalitis	154	10	5	15	13	12	9	6	22	11	5	9	9	
Apoplexy	532	8	6	9	14	8	4	4	9	4	1	11	6	
Paralysis	597	–	–	–	2	–	–	–	5	1	2	5	11	
Delirium Tremens	31	–	–	–	–	–	–	–	–	–	–	1	4	
Chorea	4	–	–	–	–	–	–	–	1	–	–	–	–	
Epilepsy	101	–	–	–	2	–	–	–	4	13	5	8	7	
Tetanus	22	7	–	1	1	1	1	2	2	–	1	1	2	
Insanity	59	–	–	–	–	–	–	–	–	3	–	3	3	
Convulsions	421	185	54	70	63	17	12	8	12	–	–	–	–	
Brain Disease	493	7	6	18	35	17	10	15	44	23	18	17	12	
V. Pericarditis	33	–	–	1	–	–	–	1	1	2	5	5	2	
Aneurism	49	–	–	–	–	–	–	–	–	–	1	–	–	
Heart Disease	1211	2	–	5	2	1	1	2	17	19	31	41	41	
VI. Laryngitis	93	4	10	12	18	14	9	5	1	2	–	1	3	
Bronchitis	3499	229	234	543	549	234	134	54	79	17	17	40	28	
Pleurisy	115	3	4	2	2	1	2	1	1	2	7	12	7	
Pneumonia	1028	67	52	122	143	72	33	19	48	13	19	39	36	
Asthma	315	1	–	–	–	–	–	–	–	–	2	–	1	
Lung Disease	181	4	5	5	15	3	7	4	3	6	11	12	5	
VII. Teething	701	4	26	252	362	56	1	–	–	–	–	–	–	
Quinsey	27	2	–	2	6	4	1	2	1	1	–	–	2	
Gastritis	65	3	2	4	3	2	1	1	5	1	2	4	2	
Enteritis	411	114	52	39	51	13	6	8	15	11	10	12	9	
Peritonitis	96	9	1	4	3	1	1	–	6	15	5	14	6	
Ascites	22	1	–	–	1	1	–	–	1	2	–	1	3	
Ulceration of Intestines	70	–	–	–	1	3	–	1	4	1	6	4	–	
Hernia	49	1	1	1	–	–	–	–	–	–	–	–	1	
Ileus	122	26	3	2	4	–	1	–	2	–	4	2	4	
Intussusception	13	1	1	2	2	–	–	–	1	–	1	1	–	
Stricture of Intestines	15	–	–	–	–	–	–	–	1	–	–	1	–	
Stomach Disease	260	29	13	14	14	9	5	3	6	1	4	4	4	
Pancreas Disease	–	–	–	–	–	–	–	–	–	–	–	–	–	
Hepatitis	60	1	–	–	–	1	1	–	–	1	1	2	1	
Jaundice	66	19	3	2	2	2	1	–	2	–	1	1	1	
Liver Disease	263	5	5	2	2	2	1	1	3	4	5	5	2	
Spleen Disease	8	–	–	–	1	–	–	–	1	–	–	–	1	
VIII. Nephritis	20	–	–	–	–	–	1	1	2	1	–	–	1	
Nephria	127	–	–	–	1	–	–	–	5	6	6	12	7	
Ischuria	12	1	–	–	–	–	–	–	–	–	–	1	–	
Diabetes	30	–	–	–	1	–	1	–	–	–	1	2	6	
Stone	21	–	–	1	–	1	–	–	–	1	2	–	–	
Cystitis	32	–	–	–	–	–	–	1	–	2	1	3	2	
Stricture of Urethra	2	–	–	–	–	–	–	–	–	–	–	–	–	
Kidney Disease	144	1	–	–	1	2	3	–	7	3	6	5	10	
IX. Paramenia	12	–	–	–	–	–	–	–	–	–	5	1	1	
Ovarian Dropsy	31	–	–	–	–	–	–	–	–	–	–	1	6	
Childbirth	129	–	–	–	–	–	–	–	–	–	6	24	34	
Organs of Generation	32	–	–	–	–	–	–	–	–	–	–	3	3	
X. Arthritis	10	–	–	–	–	–	1	–	2	2	3	–	1	
Rheumatism	64	–	–	–	–	1	–	–	1	–	2	1	3	
Joint and Bone Disease	101	2	–	1	2	–	2	2	17	13	12	7	2	
XI. Carbuncle	5	–	–	1	–	–	–	–	–	–	–	–	–	
Phlegmon	6	1	–	1	–	–	–	–	–	–	–	–	–	
Skin Disease	22	7	4	3	3	–	1	–	1	–	–	–	–	
XII. Cyanosis	25	22	2	–	1	–	–	–	–	–	–	–	–	
Spina Bifida	19	14	5	–	–	–	–	–	–	–	–	–	–	
Other Malformations	35	26	1	2	1	1	1	–	–	1	1	–	–	
XVII. Intemperance	30	–	–	–	–	–	–	–	–	–	–	–	3	
Privation	5	–	–	–	1	2	–	–	–	–	–	–	–	
Want of Breast Milk	52	34	14	4	–	–	–	–	–	–	–	–	–	
Neglect	3	1	–	–	1	–	–	1	–	–	–	–	–	
Cold	4	2	–	–	1	–	–	–	–	–	–	–	1	
Poison	32	4	1	1	1	2	1	–	1	–	–	–	1	
Burns and Scalds	146	2	1	6	22	21	24	9	14	6	1	3	7	
Hanging, etc.	26	–	–	–	–	–	–	–	–	–	1	–	2	
Suffocation	60	17	12	2	2	–	1	–	–	1	–	3	1	
Drowning	144	4	–	1	2	2	2	3	9	8	10	12	14	
Fracture and Contusion	346	2	–	1	5	3	3	4	22	20	21	24	30	
Wounds	25	–	–	–	–	–	–	–	2	3	1	1	3	
Other Violent Causes	48	10	–	1	–	1	–	–	1	–	3	3	2	
Not Specified	605	201	80	52	53	22	11	10	27	4	18	8	16	

CAUSES of DEATH in the TOWN DISTRICTS of SCOTLAND, at different Periods of Life, in 1862.—Both Sexes. *(Continued.)*

DISEASES.	BOTH SEXES. AGE UNDER															
	35	40	45	50	55	60	65	70	75	80	85	90	95	100	105	?
Cephalitis	2	5	3	8	1	4	3	1	1	–	–	–	–	–	–	–
Apoplexy	14	21	20	28	47	62	84	48	49	39	22	11	2	1	–	–
Paralysis	15	20	25	37	41	39	74	87	95	78	39	16	4	–	1	–
Delirium Tremens	6	4	3	4	6	2	–	1	–	–	–	–	–	–	–	–
Chorea	1	–	2	–	–	–	–	–	–	–	–	–	–	–	–	–
Epilepsy	11	5	12	7	8	3	6	2	3	1	4	–	–	–	–	–
Tetanus	–	1	–	–	–	–	1	–	1	–	–	–	–	–	–	–
Insanity	6	6	7	6	5	8	4	3	2	2	1	–	–	–	–	–
Convulsions	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Brain Disease	20	29	22	26	33	28	37	27	22	17	6	4	–	–	–	–
Pericarditis	2	3	1	1	3	2	2	1	1	–	–	–	–	–	–	–
Aneurism	3	10	9	10	5	6	2	3	–	–	–	–	–	–	–	–
Heart Disease	57	72	85	88	96	116	157	148	131	65	23	9	1	1	–	–
Laryngitis	2	4	1	–	2	1	3	1	–	–	–	–	–	–	–	–
Bronchitis	60	64	88	112	144	156	203	174	142	105	58	28	7	–	–	–
Pleurisy	13	7	6	12	3	7	5	8	8	1	1	–	–	–	–	–
Pneumonia	35	35	43	44	46	42	41	35	22	14	5	2	1	–	–	–
Asthma	5	15	20	28	30	40	72	38	31	22	6	4	–	–	–	–
Lung Disease	14	8	13	11	16	10	12	5	4	5	2	1	–	–	–	–
Teething	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Quinsey	3	1	–	–	1	1	–	–	–	–	–	–	–	–	–	–
Gastritis	3	3	2	6	8	3	3	2	1	4	–	–	–	–	–	–
Enteritis	5	10	4	3	9	6	11	8	7	6	–	2	–	–	–	–
Peritonitis	6	6	–	2	3	4	5	4	1	–	–	–	–	–	–	–
Ascites	–	1	–	1	2	1	2	1	2	1	–	–	1	–	–	–
Ulceration of Intestines	7	9	6	5	7	1	4	6	2	1	2	–	–	–	–	–
Hernia	–	2	2	5	4	4	11	4	8	4	1	–	–	–	–	–
Ileus	7	3	1	4	7	9	10	8	11	6	4	3	1	–	–	–
Intussusception	–	–	1	–	1	1	–	1	–	–	–	–	–	–	–	–
Stricture of Intestines	1	1	–	1	2	2	2	2	1	1	–	–	–	–	–	–
Stomach Disease	9	15	10	17	11	22	23	23	15	7	2	–	–	–	–	–
Pancreas Disease	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Hepatitis	2	6	4	7	12	9	5	4	2	1	–	–	–	–	–	–
Jaundice	–	3	1	–	2	6	4	8	5	1	1	–	1	–	–	–
Liver Disease	13	19	19	29	41	21	30	26	13	10	3	1	1	–	–	–
Spleen Disease	–	–	1	–	1	2	1	–	–	–	–	–	–	–	–	–
Nephritis	2	1	–	3	2	–	4	1	–	–	1	–	–	–	–	–
Nephria	12	17	13	11	9	8	7	3	6	2	1	1	–	–	–	–
Ischuria	–	–	2	–	–	–	1	4	1	2	–	–	–	–	–	–
Diabetes	–	6	3	4	2	2	1	–	1	–	–	–	–	–	–	–
Stone	–	–	–	2	1	1	5	3	1	2	–	1	–	–	–	–
Cystitis	2	–	2	–	1	3	5	3	2	2	–	2	1	–	–	–
Stricture of Urethra	–	1	–	–	1	–	–	–	–	–	–	–	–	–	–	–
Kidney Disease	7	8	8	11	12	7	12	14	13	5	8	1	–	–	–	–
Paramenia	1	1	2	1	–	–	–	–	–	–	–	–	–	–	–	–
Ovarian Dropsy	3	3	4	4	3	2	2	1	–	1	1	–	–	–	–	–
Childbirth	25	24	14	2	–	–	–	–	–	–	–	–	–	–	–	–
Organs of Generation	4	4	5	5	2	–	3	1	2	–	–	–	–	–	–	–
Arthritis	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Rheumatism	4	5	2	8	4	4	7	15	5	2	–	–	–	–	–	–
Joint Disease	4	8	5	4	5	4	3	4	3	1	–	–	–	–	–	–
Carbuncle	–	–	–	1	–	2	–	–	1	–	–	–	–	–	–	–
Phlegmon	1	–	1	–	1	–	–	1	–	–	–	–	–	–	–	–
Skin Disease	1	1	–	–	–	1	–	–	–	–	–	–	–	–	–	–
Cyanosis	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Spina Bifida	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Other Malformations	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–
Intemperance	1	3	7	10	4	1	–	–	–	1	–	–	–	–	–	–
Privation	2	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Want of Breast Milk	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Neglect	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Cold	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Poison	2	4	3	1	4	4	1	–	–	1	–	–	–	–	–	–
Burns and Scalds	1	4	1	3	2	1	3	5	2	3	3	2	–	–	–	–
Hanging, etc.	1	4	2	4	3	3	4	2	–	–	–	–	–	–	–	–
Suffocation	2	2	1	3	6	–	2	2	1	–	–	–	–	–	–	2
Drowning	13	12	15	8	7	9	8	–	1	1	–	–	–	–	–	3
Fracture and Contusion	18	24	25	31	29	18	21	16	11	8	6	2	2	–	–	–
Wounds	2	1	2	–	1	5	1	1	1	1	–	–	–	–	–	–
Other Violent Causes	4	1	3	5	–	4	6	2	–	–	–	–	–	–	–	2
Not Specified	11	11	12	15	8	19	15	–	–	–	–	–	–	–	–	12

CAUSES of DEATH in the TOWN DISTRICTS of SCOTLAND, at different Periods of Life, in 1862.—MALES.

DISEASES.	MALES. ALL AGES.	AGE UNDER MONTHS. 3	6	12	2	3	4	5	10	15	20	25	30
ALL CAUSES	15556	1684	654	1316	1926	894	526	371	805	365	512	575	473
SPECIFIED CAUSES	15220	1571	609	1288	1898	880	524	367	789	362	498	573	463
I. Zymotic Class	3554	154	150	419	841	463	284	195	330	72	65	80	72
II. Diseases of Uncertain Seat	367	14	–	9	9	5	6	4	10	14	8	9	11
III. Tubercular Class	2782	33	74	185	304	142	93	68	237	131	262	299	214
IV. Brain and Nervous System	1316	137	37	65	78	27	18	21	43	34	14	32	30
V. Organs of Circulation	653	2	–	3	1	1	1	2	10	10	22	18	20
VI. Respiratory Organs	2640	171	184	354	358	153	83	45	69	23	38	48	40
VII. Organs of Digestion	1135	142	63	176	230	51	10	10	19	22	24	24	9
VIII. Urinary Organs	257	1	–	1	–	3	1	2	8	10	14	18	14
IX. Organs of Generation	–	–	–	–	–	–	–	–	–	–	–	–	–
X. Organs of Locomotion	108	2	–	1	–	1	2	1	13	11	15	5	4
XI. Skin, etc.	23	4	3	4	1	–	1	–	1	–	–	–	–
XII. Malformation	45	37	5	–	–	1	1	–	–	–	1	–	–
XIII. Premature Debility	959	828	70	61	–	–	–	–	–	–	–	–	–
XIV. Atrophy	147	–	–	–	56	16	10	8	13	6	2	3	2
XV. Age	563	–	–	–	–	–	–	–	–	–	–	–	–
XVI. Sudden Deaths	35	6	5	3	–	1	–	–	–	–	–	–	–
XVII. Violent Deaths	636	40	18	7	20	16	14	11	36	29	33	37	47
I. Small Pox	156	8	11	26	24	23	11	13	10	3	4	7	8
Measles	494	3	13	64	216	80	54	17	45	–	1	–	1
Scarlatina	342	3	5	16	61	67	48	38	87	10	3	2	1
Diphtheria	168	5	3	12	40	34	23	16	24	5	–	–	1
Hooping Cough	799	57	58	186	273	107	58	44	34	1	1	–	–
Croup	375	17	8	40	115	91	47	30	26	–	–	–	1
Thrush	9	8	–	1	–	–	–	–	–	–	–	–	–
Diarrhœa	281	36	28	49	53	14	7	2	3	3	5	4	8
Dysentery	62	1	4	4	10	–	1	–	4	1	1	4	2
Cholera	14	1	1	2	2	1	–	–	1	–	–	2	–
Influenza	32	2	1	–	–	3	–	–	1	–	1	1	2
Purpura	10	–	–	–	–	–	1	–	2	2	–	3	–
Ague	4	–	–	–	–	1	–	–	1	–	–	1	–
Worms	8	–	–	–	2	1	1	2	2	–	–	–	–
Infantile Fever	7	–	–	2	2	1	2	–	–	–	–	–	–
Typhus	683	2	8	13	37	38	30	30	88	47	45	53	42
Metria	–	–	–	–	–	–	–	–	–	–	–	–	–
Rheumatic Fever	18	–	–	–	–	–	–	–	–	–	–	–	–
Erysipelas	47	10	4	1	2	2	1	1	1	–	4	1	1
Syphilis	40	20	6	1	4	–	–	1	–	–	–	1	3
Noma	5	1	–	2	–	–	–	–	–	–	–	1	2
Hydrophobia	–	–	–	–	–	–	–	–	–	–	–	–	–
II. Hæmorrhage	21	4	–	1	–	–	–	–	–	2	1	–	1
Dropsy	118	1	–	1	3	3	6	3	5	8	–	3	5
Abscess	33	3	–	5	1	–	–	–	2	1	5	4	1
Ulcer	17	3	–	2	2	–	–	–	–	–	–	–	–
Fistula	5	–	–	–	–	–	–	–	–	–	–	–	–
Mortification	24	1	–	–	3	1	–	–	1	–	–	–	–
Cancer	149	2	–	–	–	1	–	1	2	3	2	2	4
Gout	–	–	–	–	–	–	–	–	–	–	–	–	–
III. Scrofula	179	4	4	4	12	13	3	12	31	20	25	13	7
Tabes Mesenterica	239	13	11	34	70	40	16	13	20	6	6	6	–
Phthisis	1833	3	16	19	76	38	33	15	114	98	231	279	206
Hydrocephalus	531	13	43	128	146	51	41	28	72	7	–	1	1

CAUSES of DEATH in the TOWN DISTRICTS of SCOTLAND, at different Periods of Life, in 1862.—MALES.

DISEASES.	MALES. AGE UNDER															
	35	40	45	50	55	60	65	70	75	80	85	90	95	100	105	?
ALL CAUSES	439	503	499	549	577	493	641	504	477	374	236	113	27	11	–	12
SPECIFIED CAUSES	435	498	494	542	570	480	633	504	477	374	236	113	27	11	–	4
Zymotic Class	43	54	49	59	41	33	48	35	28	21	11	5	2	–	–	–
Uncertain Seat	8	15	15	32	39	27	32	34	24	29	8	5	–	–	–	–
Tubercular Class	158	141	137	96	88	48	37	20	12	1	1	–	–	–	–	1
Brain, etc.	43	57	54	68	81	80	119	83	90	60	34	11	–	–	–	–
Heart, etc.	40	51	47	52	51	68	85	64	63	27	10	4	1	–	–	–
Respiratory Organs	64	70	99	113	131	120	158	118	88	64	29	17	3	–	–	–
Digestive Organs	25	34	19	38	51	36	52	38	32	22	5	2	1	–	–	–
Urinary Organs	8	15	13	21	26	16	28	20	16	10	7	4	1	–	–	–
Generative Organs	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Locomotive Organs	4	10	4	7	5	3	4	7	6	3	–	–	–	–	–	–
Skin	1	1	1	1	1	3	–	1	–	–	–	–	–	–	–	–
Malformation	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Premature Debility	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Atrophy	1	4	3	3	13	7	–	–	–	–	–	–	–	–	–	–
Age	–	–	–	–	–	–	35	66	108	130	129	65	19	11	–	–
Sudden Deaths	2	1	1	4	3	6	1	2	–	–	–	–	–	–	–	–
Violent Deaths	38	45	52	48	40	33	34	16	10	7	2	–	–	–	–	3
Small Pox	2	1	3	1	–	–	–	1	–	–	–	–	–	–	–	–
Measles	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Scarlatina	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Diphtheria	1	–	1	2	1	–	–	–	–	–	–	–	–	–	–	–
Hooping Cough	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Croup	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Thrush	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Diarrhœa	4	5	1	6	3	4	9	3	13	12	6	3	–	–	–	–
Dysentery	3	6	4	2	2	4	–	3	4	2	–	–	–	–	–	–
Cholera	–	1	–	2	1	–	–	–	–	–	–	–	–	–	–	–
Influenza	1	–	1	2	2	–	2	2	4	3	1	2	1	–	–	–
Purpura	–	–	–	–	–	1	1	–	–	–	–	–	–	–	–	–
Ague	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Worms	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Infantile Fever	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Typhus	28	37	33	37	28	21	30	22	5	4	4	–	1	–	–	–
Metria	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Rheumatic Fever	3	–	1	1	2	–	3	–	–	–	–	–	–	–	–	–
Erysipelas	–	2	3	5	1	1	3	4	2	–	–	–	–	–	–	–
Syphilis	–	1	2	1	–	1	–	–	–	–	–	–	–	–	–	–
Noma	–	–	–	–	1	1	–	–	–	–	–	–	–	–	–	–
Hydrophobia	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Hæmorrhage	1	–	1	2	1	2	3	2	–	–	–	–	–	–	–	–
Dropsy	2	2	5	10	10	12	6	9	10	12	2	–	–	–	–	–
Abscess	–	2	2	1	2	1	–	2	1	–	–	–	–	–	–	–
Ulcer	–	–	–	3	2	–	2	2	–	1	–	–	–	–	–	–
Fistula	–	2	–	–	1	–	1	1	–	–	–	–	–	–	–	–
Mortification	–	–	–	–	1	–	1	3	1	5	3	4	–	–	–	–
Cancer	5	9	7	16	22	12	19	15	12	11	3	1	–	–	–	–
Gout	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Scrofula	9	7	3	3	2	4	–	2	1	–	–	–	–	–	–	–
Tabes Mesenterica	1	–	2	–	–	1	–	–	–	–	–	–	–	–	–	–
Phthisis	148	134	132	93	86	43	37	18	11	1	1	–	–	–	–	1
Hydrocephalus	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–

CAUSES of DEATH in the TOWN DISTRICTS of SCOTLAND, at different Periods of Life, in 1862.—MALES. (*Continued.*)

DISEASES.	MALES.												
	ALL AGES.	AGE UNDER											
		MONTHS.											
		3	6	12	2	3	4	5	10	15	20	25	30
IV. Cephalitis	90	7	2	7	7	5	6	5	12	5	3	5	7
Apoplexy	286	6	5	5	6	4	1	3	4	3	–	6	3
Paralysis	304	–	–	–	–	–	–	–	1	1	1	4	4
Delirium Tremens	27	–	–	–	–	–	–	–	–	–	–	1	4
Chorea	2	–	–	–	–	–	–	–	–	–	–	–	–
Epilepsy	61	–	–	–	1	–	–	–	4	7	4	5	5
Tetanus	13	6	–	1	1	1	–	–	2	–	–	1	–
Insanity	27	–	–	–	–	–	–	–	–	2	–	2	1
Convulsions	247	115	28	43	39	8	6	4	4	–	–	–	–
Brain Disease	259	3	2	9	24	9	5	9	16	16	6	8	6
V. Pericarditis	21	–	–	1	–	–	–	–	1	2	4	1	2
Aneurism	35	–	–	–	–	–	–	–	–	–	–	–	–
Heart Disease	597	2	–	2	1	1	1	2	9	8	18	17	18
VI. Laryngitis	54	2	6	7	9	6	4	4	1	2	–	1	1
Bronchitis	1702	131	144	281	263	114	58	24	39	10	13	14	14
Pleurisy	61	1	1	–	2	–	–	1	–	1	6	7	2
Pneumonia	585	35	29	63	79	31	16	12	27	4	15	22	18
Asthma	137	–	–	–	–	–	–	–	–	–	–	–	1
Lung Disease	101	2	4	3	5	2	5	4	2	6	4	4	4
VII. Teething	369	4	15	140	181	28	1	–	–	–	–	–	–
Quinsey	15	1	–	1	5	4	–	1	–	–	–	–	–
Gastritis	29	3	1	2	2	1	–	1	3	–	–	–	1
Enteritis	229	69	35	16	27	8	3	6	4	7	7	6	5
Peritonitis	34	7	1	3	1	1	1	–	3	8	2	2	–
Ascites	7	–	–	–	–	1	–	–	1	2	–	1	1
Ulceration of Intestines	35	–	–	–	–	1	–	1	2	–	3	3	–
Hernia	24	1	1	1	–	–	–	–	–	–	–	–	1
Ileus	54	19	2	–	1	–	–	–	1	–	3	2	–
Intussusception	6	1	–	1	1	–	–	–	–	–	1	1	–
Stricture of Intestines	9	–	–	–	–	–	–	–	1	–	–	–	–
Stomach Disease	119	16	5	9	7	4	2	1	4	1	3	3	–
Pancreas Disease	–	–	–	–	–	–	–	–	–	–	–	–	–
Hepatitis	26	1	–	–	–	–	1	–	–	1	–	2	–
Jaundice	35	16	–	1	2	1	1	–	–	–	1	–	–
Liver Disease	141	4	3	2	2	2	1	–	–	3	4	4	–
Spleen Disease	3	–	–	–	1	–	–	–	–	–	–	–	1
VIII. Nephritis	8	–	–	–	–	–	–	1	1	–	–	–	–
Nephria	75	–	–	–	–	–	–	–	2	6	4	9	4
Ischuria	11	1	–	–	–	–	–	–	–	–	–	1	–
Diabetes	17	–	–	–	–	–	–	–	–	–	1	2	4
Stone	20	–	–	1	–	1	–	–	–	1	2	–	–
Cystitis	28	–	–	–	–	–	–	1	–	2	1	2	2
Stricture of Urethra	2	–	–	–	–	–	–	–	–	–	–	–	–
Kidney Disease	96	–	–	–	–	2	1	–	5	1	6	4	4
IX. Paramenia	–	–	–	–	–	–	–	–	–	–	–	–	–
Ovarian Dropsy	–	–	–	–	–	–	–	–	–	–	–	–	–
Childbirth	–	–	–	–	–	–	–	–	–	–	–	–	–
Organs of Generation	–	–	–	–	–	–	–	–	–	–	–	–	–
X. Arthritis	9	–	–	–	–	–	–	–	2	2	3	–	1
Rheumatism	29	–	–	–	–	1	–	–	1	–	1	–	1
Joint and Bone Disease	70	–	–	1	–	–	2	1	10	9	11	5	2
XI. Carbuncle	4	–	–	1	–	–	–	–	–	–	–	–	–
Phlegmon	6	1	–	1	–	–	–	–	–	–	–	–	–
Skin Disease	13	3	3	2	1	–	1	–	1	–	–	–	–
XII. Cyanosis	16	15	1	–	–	–	–	–	–	–	–	–	–
Spina Bifida	12	9	3	–	–	–	–	–	–	–	–	–	–
Other Malformations	17	13	1	–	–	1	1	–	–	–	1	–	–
XVII. Intemperance	22	–	–	–	–	–	–	–	–	–	–	–	1
Privation	3	–	–	–	–	2	–	–	–	–	–	–	–
Want of Breast Milk	28	16	10	2	–	–	–	–	–	–	–	–	–
Neglect	1	1	–	–	–	–	–	–	–	–	–	–	–
Cold	2	2	–	–	–	–	–	–	–	–	–	–	–
Poison	18	–	–	1	1	2	1	–	1	–	–	–	1
Burns and Scalds	72	1	–	1	15	10	9	5	8	4	1	1	5
Hanging, etc.	20	–	–	–	–	–	–	–	–	–	1	–	1
Suffocation	34	9	8	1	1	–	–	–	–	–	–	–	–
Drowning	118	2	–	1	1	2	1	3	8	7	10	11	9
Fracture and Contusion	259	–	–	–	2	–	3	3	16	15	18	21	27
Wounds	19	–	–	–	–	–	–	–	2	3	–	1	1
Other Violent Causes	40	9	–	1	–	–	–	–	1	–	3	3	2
Not Specified	336	113	45	28	28	14	2	4	16	3	14	2	10

CAUSES of DEATH in the TOWN DISTRICTS of SCOTLAND, at different Periods of Life, in 1862.—Males. (*Continued.*)

DISEASES.	MALES. AGE UNDER															
	35	40	45	50	55	60	65	70	75	80	85	90	95	100	105	?
Cephalitis	2	4	2	5	1	2	2	1	–	–	–	–	–	–	–	–
Apoplexy	6	13	11	14	25	36	46	23	30	20	11	5	–	–	–	–
Paralysis	9	14	19	24	23	19	43	41	45	32	19	5	–	–	–	–
Delirium Tremens	4	4	2	4	5	2	–	1	–	–	–	–	–	–	–	–
Chorea	1	–	1	–	–	–	–	–	1	–	–	–	–	–	–	–
Epilepsy	8	3	6	3	6	1	3	2	1	–	2	–	–	–	–	–
Tetanus	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Insanity	3	3	2	3	2	4	2	1	–	2	–	–	–	–	–	–
Convulsions	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Brain Disease	10	16	11	15	19	16	23	14	13	6	2	1	–	–	–	–
Pericarditis	2	2	–	1	2	1	1	–	1	–	–	–	–	–	–	–
Aneurism	3	8	5	7	3	6	2	1	–	–	–	–	–	–	–	–
Heart Disease	35	41	42	44	46	61	82	63	62	27	10	4	1	–	–	–
Laryngitis	2	3	1	–	2	–	3	–	–	–	–	–	–	–	–	–
Bronchitis	27	27	42	53	73	67	84	79	68	41	20	14	2	–	–	–
Pleurisy	7	5	4	7	3	2	3	5	3	1	–	–	–	–	–	–
Pneumonia	17	22	36	30	35	25	30	17	8	10	2	1	1	–	–	–
Asthma	3	7	8	15	10	21	30	16	8	11	5	2	–	–	–	–
Lung Disease	8	6	8	8	8	5	8	1	1	1	2	–	–	–	–	–
Teething	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Quinsey	2	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–
Gastritis	2	1	1	5	3	–	–	2	–	1	–	–	–	–	–	–
Enteritis	2	4	2	1	6	4	7	2	4	3	–	1	–	–	–	–
Peritonitis	1	2	–	–	1	–	–	–	1	–	–	–	–	–	–	–
Ascites	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–
Ulceration of Intestines	5	3	2	5	3	1	2	2	–	1	1	–	–	–	–	–
Hernia	–	1	1	4	1	1	4	2	3	2	1	–	–	–	–	–
Ileus	3	–	–	2	2	4	3	3	4	4	–	1	–	–	–	–
Intussusception	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–
Stricture of Intestines	1	1	–	1	1	1	–	2	–	1	–	–	–	–	–	–
Stomach Disease	3	3	1	4	7	11	14	12	7	2	–	–	–	–	–	–
Pancreas Disease	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Hepatitis	–	5	3	–	7	3	1	1	1	–	–	–	–	–	–	–
Jaundice	–	2	–	–	–	2	3	3	2	1	–	–	–	–	–	–
Liver Disease	6	12	9	16	19	8	16	9	10	7	3	–	1	–	–	–
Spleen Disease	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–
Nephritis	–	–	–	2	2	–	2	–	–	–	–	–	–	–	–	–
Nephria	6	8	8	8	8	4	5	1	2	–	–	–	–	–	–	–
Ischuria	–	–	2	–	–	–	1	3	1	2	–	–	–	–	–	–
Diabetes	–	3	–	3	1	1	1	–	1	–	–	–	–	–	–	–
Stone	–	–	–	1	1	1	5	3	1	2	–	1	–	–	–	–
Cystitis	1	–	1	–	1	3	5	3	1	2	–	2	1	–	–	–
Stricture of Urethra	–	1	–	–	1	–	–	–	–	–	–	–	–	–	–	–
Kidney Disease	1	3	2	7	12	7	9	10	10	4	7	1	–	–	–	–
Paramenia	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Ovarian Dropsy	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Childbirth	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Organs of Generation	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Arthritis	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Rheumatism	2	3	1	4	2	2	2	4	3	2	–	–	–	–	–	–
Joint Disease	2	6	3	3	3	1	2	3	3	1	–	–	–	–	–	–
Carbuncle	–	–	–	1	–	2	–	–	–	–	–	–	–	–	–	–
Phlegmon	1	–	1	–	1	–	–	1	–	–	–	–	–	–	–	–
Skin Disease	–	1	–	–	–	1	–	–	–	–	–	–	–	–	–	–
Cyanosis	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Spina Bifida	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Other Malformations	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Intemperance	1	2	5	8	3	1	–	–	–	1	–	–	–	–	–	–
Privation	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Want of Breast Milk	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Neglect	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Cold	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Poison	–	3	3	1	2	1	1	–	–	–	–	–	–	–	–	–
Burns and Scalds	1	3	1	2	–	–	1	1	1	1	1	–	–	–	–	–
Hanging, etc.	1	3	2	3	3	1	4	1	–	–	–	–	–	–	–	1
Suffocation	2	1	1	–	5	–	2	2	1	–	–	–	–	–	–	2
Drowning	10	10	13	5	7	7	7	–	1	1	–	–	–	–	–	–
Fracture and Contusion	17	22	22	25	19	15	13	10	6	4	1	–	–	–	–	–
Wounds	1	1	2	–	1	4	1	1	1	–	–	–	–	–	–	–
Other Violent Causes	4	–	3	4	–	4	5	1	–	–	–	–	–	–	–	–
Not Specified	4	5	5	7	7	13	8	–	–	–	–	–	–	–	–	8

CAUSES of DEATH in the TOWN DISTRICTS of SCOTLAND, at different Periods of Life, in 1862.—FEMALES.

DISEASES.	FEMALES.												
	ALL AGES.	AGE UNDER											
		MONTHS.			2	3	4	5	10	15	20	25	30
		3	6	12									
ALL CAUSES	15970	1233	523	1240	1808	919	589	375	789	350	479	621	596
SPECIFIED CAUSES	15701	1145	488	1216	1783	911	580	369	778	349	475	615	590
I. Zymotic Class	3780	143	134	445	810	493	324	224	366	82	88	90	82
II. Diseases of Uncertain Seat	616	5	1	5	7	8	7	3	9	5	2	10	19
III. Tubercular Class	3058	26	69	186	242	128	89	71	209	179	298	331	293
IV. Brain and Nervous System	1098	80	34	48	52	28	18	14	56	21	18	23	24
V. Organs of Circulation	640	–	–	3	1	–	–	1	8	11	15	28	23
VI. Respiratory Organs	2591	137	121	330	369	171	102	38	63	17	18	56	40
VII. Organs of Digestion	1113	73	44	148	222	43	9	6	29	15	15	27	27
VIII. Urinary Organs	131	1	–	–	3	–	4	–	6	3	2	5	12
IX. Organs of Generation	204	–	–	–	–	–	–	–	–	–	11	29	44
X. Organs of Locomotion	67	–	–	–	2	–	1	1	7	4	2	3	2
XI. Skin, etc.	10	4	1	1	2	–	–	–	–	–	–	–	–
XII. Malformation	34	25	3	2	2	–	–	–	–	1	–	–	–
XIII. Premature Debility	719	612	68	39	–	–	–	–	–	–	–	–	–
XIV. Atrophy	186	–	–	–	55	23	9	5	12	2	2	2	3
XV. Age	1141	–	–	–	–	–	–	–	–	–	–	–	–
XVI. Sudden Deaths	28	3	3	–	1	2	–	–	–	–	–	2	4
XVII. Violent Deaths	285	36	10	9	15	15	17	6	13	9	4	9	17
I. Small Pox	156	12	5	32	33	30	9	5	12	2	5	3	3
Measles	473	3	11	74	184	95	49	22	31	1	2	–	–
Scarlatina	314	2	4	10	45	56	33	48	88	15	3	5	1
Diphtheria	192	5	5	10	42	29	25	17	43	6	4	2	1
Hooping Cough	927	33	60	200	281	153	91	60	46	–	–	–	–
Croup	366	13	9	43	103	66	66	35	31	–	–	–	–
Thrush	10	2	3	2	2	1	–	–	–	–	–	–	–
Diarrhœa	311	41	20	51	59	15	6	4	9	1	4	2	5
Dysentery	77	1	–	6	6	2	–	3	2	1	1	4	5
Cholera	10	–	–	1	1	1	–	1	1	–	–	–	–
Influenza	37	1	1	–	1	–	–	1	2	–	–	2	–
Purpura	14	–	–	1	2	1	–	1	2	1	–	1	–
Ague	7	–	–	1	–	2	–	–	–	2	1	–	–
Worms	6	–	1	–	–	2	3	–	–	–	–	–	–
Infantile Fever	14	–	1	2	4	4	1	2	–	–	–	–	–
Typhus	685	1	3	7	34	31	36	24	96	52	58	49	45
Metria	59	–	–	–	–	–	–	–	–	–	4	17	20
Rheumatic Fever	10	–	–	–	–	–	–	–	–	–	–	2	–
Erysipelas	65	17	3	3	3	4	1	–	1	1	5	1	1
Syphilis	38	11	7	2	8	–	1	–	–	–	1	2	1
Noma	9	1	1	–	2	1	–	1	2	–	–	–	–
Hydrophobia	–	–	–	–	–	–	–	–	–	–	–	–	–
II. Hæmorrhage	10	1	–	–	–	–	–	–	–	–	–	2	2
Dropsy	192	–	–	1	1	5	3	2	4	3	1	5	8
Abscess	32	2	1	2	3	2	–	–	4	1	–	1	2
Ulcer	15	–	–	1	1	–	2	–	–	1	1	1	–
Fistula	1	–	–	–	–	–	–	–	–	–	–	–	–
Mortification	20	1	–	1	2	–	1	1	–	–	–	–	–
Cancer	345	1	–	–	–	1	1	–	1	–	–	1	7
Gout	1	–	–	–	–	–	–	–	–	–	–	–	–
III. Scrofula	132	–	2	6	16	9	3	4	20	11	16	13	9
Tabes Mesenterica	208	8	6	29	52	30	18	2	35	18	2	3	2
Phthisis	2269	6	17	32	61	50	29	43	110	136	279	314	281
Hydrocephalus	449	12	44	119	113	39	39	22	44	14	1	1	1

CAUSES of DEATH in the TOWN DISTRICTS of SCOTLAND, at different Periods of Life, in 1862.—FEMALES.

DISEASES.	FEMALES. AGE UNDER															
	35	40	45	50	55	60	65	70	75	80	85	90	95	100	105	?
ALL CAUSES	581	559	515	515	548	501	687	629	657	529	405	225	64	19	5	9
SPECIFIED CAUSES	574	553	508	507	547	495	680	629	657	529	405	225	64	19	5	5
Zymotic Class	55	58	48	48	53	43	59	37	41	31	17	9	–	–	–	–
Uncertain Seat	32	34	56	55	79	53	74	54	42	29	17	9	1	–	–	–
Tubercular Class	273	212	150	116	83	34	40	17	7	3	1	–	–	–	–	1
Brain, etc.	32	34	40	48	60	66	90	86	83	77	38	20	6	1	1	–
Heart, etc.	22	34	48	47	53	56	76	88	69	38	13	5	–	1	–	–
Respiratory Organs	65	63	72	94	110	136	178	143	119	83	43	18	5	–	–	–
Digestive Organs	31	45	32	42	60	56	59	59	36	20	8	4	3	–	–	–
Urinary Organs	15	18	15	10	2	5	7	8	8	3	3	1	–	–	–	–
Generative Organs	33	32	25	12	5	2	5	2	2	1	1	–	–	–	–	–
Locomotive Organs	4	4	3	5	4	5	6	12	2	–	–	–	–	–	–	–
Skin	1	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–
Malformation	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–
Premature Debility	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Atrophy	3	6	9	10	20	25	–	–	–	–	–	–	–	–	–	–
Age	–	–	–	–	–	1	74	109	241	236	257	155	47	17	4	–
Sudden Deaths	–	3	3	3	2	1	–	1	–	–	–	–	–	–	–	–
Violent Deaths	8	10	7	17	16	12	12	12	6	8	7	4	2	–	–	4
Small Pox	2	1	1	–	1	–	–	–	–	–	–	–	–	–	–	–
Measles	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Scarlatina	–	2	–	–	1	–	–	1	–	–	–	–	–	–	–	–
Diphtheria	1	–	1	–	–	–	1	–	–	–	–	–	–	–	–	–
Hooping Cough	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Croup	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Thrush	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Diarrhœa	1	5	9	6	8	7	14	8	16	11	6	3	–	–	–	–
Dysentery	1	4	1	4	3	3	6	6	6	6	5	1	–	–	–	–
Cholera	–	–	–	1	–	–	–	–	1	1	1	1	–	–	–	–
Influenza	3	–	2	1	4	4	2	2	5	3	2	1	–	–	–	–
Purpura	–	–	1	–	–	1	1	–	–	2	–	–	–	–	–	–
Ague	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Worms	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Infantile Fever	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Typhus	36	35	23	31	29	26	29	19	12	7	1	1	–	–	–	–
Metria	7	8	3	–	–	–	–	–	–	–	–	–	–	–	–	–
Rheumatic Fever	1	–	3	1	–	–	3	–	–	–	–	–	–	–	–	–
Erysipelas	2	–	2	4	6	2	2	1	1	1	2	2	–	–	–	–
Syphilis	1	1	1	–	1	–	1	–	–	–	–	–	–	–	–	–
Noma	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–
Hydrophobia	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Hæmorrhage	2	–	1	–	1	–	–	–	1	–	–	–	–	–	–	–
Dropsy	9	9	10	18	22	11	20	20	14	14	7	4	1	–	–	–
Abscess	1	1	–	3	4	–	2	1	–	2	–	–	–	–	–	–
Ulcer	–	1	2	–	1	–	–	–	2	1	–	1	–	–	–	–
Fistula	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–
Mortification	1	–	–	–	2	–	1	2	3	3	2	–	–	–	–	–
Cancer	19	23	43	34	49	42	51	31	22	8	7	4	–	–	–	–
Gout	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–
Scrofula	6	4	5	3	2	1	1	2	1	–	–	–	–	–	–	–
Tabes Mesenterica	1	1	1	–	–	–	–	–	–	–	–	–	–	–	–	–
Phthisis	266	207	146	113	81	33	39	15	6	3	1	–	–	–	–	1
Hydrocephalus	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–

CAUSES of DEATH in the TOWN DISTRICTS of SCOTLAND, at different Periods of Life, in 1862.—Females. (*Continued.*)

DISEASES.	FEMALES.												
	ALL AGES.	AGE UNDER											
		MONTHS.			2	3	4	5	10	15	20	25	30
		3	6	12									
IV. Cephalitis	64	3	3	8	6	7	3	1	10	6	2	4	2
Apoplexy	246	2	1	4	8	4	3	1	5	1	1	5	3
Paralysis	293	–	–	–	2	–	–	–	4	–	1	1	7
Delirium Tremens	4	–	–	–	–	–	–	–	–	–	–	–	–
Chorea	2	–	–	–	–	–	–	–	1	–	–	–	–
Epilepsy	40	–	–	–	1	–	–	–	–	6	1	3	2
Tetanus	9	1	–	–	–	–	1	2	–	–	1	–	2
Insanity	32	–	–	–	–	–	–	–	–	1	–	1	2
Convulsions	174	70	26	27	24	9	6	4	8	–	–	–	–
Brain Disease	234	4	4	9	11	8	5	6	28	7	12	9	6
V. Pericarditis	12	–	–	–	–	–	–	1	–	–	1	4	–
Aneurism	14	–	–	–	–	–	–	–	–	–	1	–	–
Heart Disease	614	–	–	3	1	–	–	–	8	11	13	24	23
VI. Laryngitis	39	2	4	5	9	8	5	1	–	–	–	–	2
Bronchitis	1797	98	90	262	286	120	76	30	40	7	4	26	14
Pleurisy	54	2	3	2	–	1	2	–	1	1	1	5	5
Pneumonia	443	32	23	59	64	41	17	7	21	9	4	17	18
Asthma	178	1	–	–	–	–	–	–	–	–	2	–	–
Lung Disease	80	2	1	2	10	1	2	–	1	–	7	8	1
VII. Teething	332	–	11	112	181	28	–	–	–	–	–	–	–
Quinsey	12	1	–	1	1	–	1	1	1	1	–	–	2
Gastritis	36	–	1	2	1	1	1	–	2	1	2	4	1
Enteritis	182	45	17	23	24	5	3	2	11	4	3	6	4
Peritonitis	62	2	–	1	2	–	–	–	3	7	3	12	6
Ascites	15	1	–	–	1	–	–	–	–	–	–	–	2
Ulceration of Intestines	35	–	–	–	1	2	–	–	2	1	3	1	–
Hernia	25	–	–	–	–	–	–	–	–	–	–	–	–
Ileus	68	7	1	2	3	–	1	–	1	–	1	–	4
Intussusception	7	–	1	1	1	–	–	–	1	–	–	–	–
Stricture of Intestines	6	–	–	–	–	–	–	–	–	–	–	1	–
Stomach Disease	141	13	8	5	7	5	3	2	2	–	1	1	4
Pancreas Disease	–	–	–	–	–	–	–	–	–	–	–	–	–
Hepatitis	34	–	–	–	–	1	–	–	–	–	1	–	1
Jaundice	31	3	3	1	–	1	–	–	2	–	–	1	1
Liver Disease	122	1	2	–	–	–	–	1	3	1	1	1	2
Spleen Disease	5	–	–	–	–	–	–	–	1	–	–	–	–
VIII. Nephritis	12	–	–	–	–	–	1	–	1	1	–	–	1
Nephria	52	–	–	–	1	–	–	–	3	–	2	3	3
Ischuria	1	–	–	–	–	–	–	–	–	–	–	–	–
Diabetes	13	–	–	–	1	–	1	–	–	–	–	–	2
Stone	1	–	–	–	–	–	–	–	–	–	–	–	–
Cystitis	4	–	–	–	–	–	–	–	–	–	–	1	–
Stricture of Urethra	–	–	–	–	–	–	–	–	–	–	–	–	–
Kidney Disease	48	1	–	–	1	–	2	–	2	2	–	1	6
IX. Paramenia	12	–	–	–	–	–	–	–	–	–	5	1	1
Ovarian Dropsy	31	–	–	–	–	–	–	–	–	–	–	1	6
Childbirth	129	–	–	–	–	–	–	–	–	–	6	24	34
Organs of Generation	32	–	–	–	–	–	–	–	–	–	–	3	3
X. Arthritis	1	–	–	–	–	–	1	–	–	–	–	–	–
Rheumatism	35	–	–	–	–	–	–	–	–	–	1	1	2
Joint and Bone Disease	31	–	–	–	2	2	–	1	7	4	1	2	–
XI. Carbuncle	1	–	–	–	–	–	–	–	–	–	–	–	–
Phlegmon	–	–	–	–	–	–	–	–	–	–	–	–	–
Skin Disease	9	4	1	1	2	–	–	–	–	–	–	–	–
XII. Cyanosis	9	7	1	–	1	–	–	–	–	–	–	–	–
Spina Bifida	7	5	2	–	–	–	–	–	–	–	–	–	–
Other Malformations	18	13	–	2	1	–	–	–	–	1	–	–	–
XVII. Intemperance	8	–	–	–	–	–	–	–	–	–	–	–	2
Privation	2	–	–	–	1	–	–	–	–	–	–	–	–
Want of Breast Milk	24	18	4	2	–	–	–	–	–	–	–	–	–
Neglect	2	–	–	–	1	–	–	1	–	–	–	–	–
Cold	2	–	–	–	1	–	–	–	–	–	–	–	1
Poison	14	4	1	–	–	–	–	–	–	–	–	–	–
Burns and Scalds	74	1	1	5	7	11	15	4	6	2	–	2	2
Hanging, etc.	6	–	–	–	–	–	–	–	–	–	–	–	1
Suffocation	26	8	4	1	1	–	1	–	–	1	–	3	1
Drowning	26	2	–	–	1	–	1	–	1	1	–	1	5
Fracture and Contusion	87	2	–	1	3	3	–	1	6	5	3	3	3
Wounds	6	–	–	–	–	–	–	–	–	–	1	–	2
Other Violent Causes	8	1	–	–	–	1	–	–	–	–	–	–	–
Not Specified	269	88	35	24	25	8	9	6	11	1	4	6	6

CAUSES of DEATH in the TOWN DISTRICTS of SCOTLAND, at different Periods of Life, in 1862.—FEMALES. (*Continued.*)

DISEASES.	FEMALES. AGE UNDER															
	35	40	45	50	55	60	65	70	75	80	85	90	95	100	105	?
Cephalitis	–	1	1	3	–	2	1	–	1	–	–	–	–	–	–	–
Apoplexy	8	8	9	14	22	26	38	25	19	19	11	6	2	1	–	–
Paralysis	6	6	6	13	18	20	31	46	50	46	20	11	4	–	1	–
Delirium Tremens	2	–	1	–	1	–	–	–	–	–	–	–	–	–	–	–
Chorea	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–
Epilepsy	3	2	6	4	2	2	3	–	2	1	2	–	–	–	–	–
Tetanus	–	1	–	–	–	–	1	–	–	–	–	–	–	–	–	–
Insanity	3	3	5	3	–	4	2	2	2	–	1	–	–	–	–	–
Convulsions	–	–	–	–	3	–	–	–	–	–	–	–	–	–	–	–
Brain Disease	10	13	11	11	14	12	14	13	9	11	4	3	–	–	–	–
Pericarditis	–	1	1	–	1	1	1	1	–	–	–	–	–	–	–	–
Aneurism	–	2	4	3	2	–	–	2	–	–	–	–	–	–	–	–
Heart Disease	22	31	43	44	50	55	75	85	69	38	13	5	–	1	–	–
Laryngitis	–	1	–	–	–	1	–	1	–	–	–	–	–	–	–	–
Bronchitis	33	37	46	59	71	89	119	95	74	64	38	14	5	–	–	–
Pleurisy	6	2	2	5	–	5	2	3	5	–	1	–	–	–	–	–
Pneumonia	18	13	7	14	11	17	11	18	14	4	3	1	–	–	–	–
Asthma	2	8	12	13	20	19	42	22	23	11	1	2	–	–	–	–
Lung Disease	6	2	5	3	8	5	4	4	3	4	–	1	–	–	–	–
Teething	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Quinsey	1	1	–	–	1	–	–	–	–	–	–	–	–	–	–	–
Gastritis	1	2	1	1	5	3	3	–	1	3	–	–	–	–	–	–
Enteritis	3	6	2	2	3	2	4	6	3	3	–	1	–	–	–	–
Peritonitis	5	4	–	2	2	4	5	4	–	–	–	–	–	–	–	–
Ascites	–	1	–	1	2	1	1	1	2	1	–	–	1	–	–	–
Ulceration of Intestines	2	6	4	–	4	–	2	4	2	–	1	–	–	–	–	–
Hernia	–	1	1	1	3	3	7	2	5	2	–	–	–	–	–	–
Ileus	4	3	1	2	5	5	7	5	7	2	4	2	1	–	–	–
Intussusception	–	–	1	–	–	1	–	1	–	–	–	–	–	–	–	–
Stricture of Intestines	–	–	–	–	1	1	2	–	1	–	–	–	–	–	–	–
Stomach Disease	6	12	9	13	4	11	9	11	8	5	2	–	–	–	–	–
Pancreas Disease	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Hepatitis	2	1	1	7	5	6	4	3	1	1	–	–	–	–	–	–
Jaundice	–	1	1	–	2	4	1	5	3	–	1	–	1	–	–	–
Liver Disease	7	7	10	13	22	13	14	17	3	3	–	1	–	–	–	–
Spleen Disease	–	–	1	–	1	2	–	–	–	–	–	–	–	–	–	–
Nephritis	2	1	–	1	–	–	2	1	–	–	1	–	–	–	–	–
Nephria	6	9	5	3	1	4	2	2	4	2	1	1	–	–	–	–
Ischuria	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–
Diabetes	–	3	3	1	1	1	–	–	–	–	–	–	–	–	–	–
Stone	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–
Cystitis	1	–	1	–	–	–	–	–	1	–	–	–	–	–	–	–
Stricture of Urethra	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Kidney Disease	6	5	6	4	–	–	3	4	3	1	1	–	–	–	–	–
Paramenia	1	1	2	1	–	–	–	–	–	–	–	–	–	–	–	–
Ovarian Dropsy	3	3	4	4	3	2	2	1	–	1	1	–	–	–	–	–
Childbirth	25	24	14	2	–	–	–	–	–	–	–	–	–	–	–	–
Organs of Generation	4	4	5	5	2	–	3	1	2	–	–	–	–	–	–	–
Arthritis	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Rheumatism	2	2	1	4	2	2	5	11	2	–	–	–	–	–	–	–
Joint Disease	2	2	2	1	2	3	1	1	–	–	–	–	–	–	–	–
Carbuncle	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–
Phlegmon	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Skin Disease	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Cyanosis	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Spina Bifida	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Other Malformations	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–
Intemperance	–	1	2	2	1	–	–	–	–	–	–	–	–	–	–	–
Privation	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Want of Breast Milk	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Neglect	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Cold	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Poison	2	1	–	–	2	3	–	–	1	–	–	–	–	–	–	–
Burns and Scalds	–	1	–	1	2	1	2	4	1	2	2	2	–	–	–	–
Hanging, etc.	–	1	–	1	–	2	–	1	–	–	–	–	–	–	–	–
Suffocation	–	1	–	3	1	–	–	–	–	–	–	–	–	–	–	1
Drowning	3	2	2	3	–	2	1	–	–	–	–	–	–	–	–	1
Fracture and Contusion	1	2	3	6	10	3	8	6	5	4	5	2	2	–	–	–
Wounds	1	–	–	–	–	1	–	–	–	1	–	–	–	–	–	–
Other Violent Causes	–	1	–	1	–	–	1	1	–	–	–	–	–	–	–	2
Not Specified	7	6	7	8	1	6	7	–	–	–	–	–	–	–	–	4

CAUSES of DEATH in GLASGOW, at different Periods of Life, in 1862.—Both Sexes.

DISEASES.	BOTH SEXES.												
	AGE UNDER												
	ALL AGES.	MONTHS.			2	3	4	5	10	15	20	25	30
		3	6	12									
All Causes	11565	1057	417	1058	1601	753	440	288	597	294	407	436	385
Specified Causes	11403	1003	428	1014	1591	747	136	285	591	294	399	433	382
I. Zymotic Class	2497	80	89	276	607	348	211	147	222	50	56	60	53
II. Diseases of Uncertain Seat	296	4	–	3	8	6	4	2	8	6	4	8	5
III. Tubercular Class	2340	17	60	140	237	110	85	56	194	134	252	246	197
IV. Brain and Nervous System	807	79	33	57	67	24	13	12	43	29	11	12	19
V. Organs of Circulation	424	1	–	–	2	–	–	1	4	8	13	23	17
VI. Respiratory Organs	2290	126	142	366	386	178	93	45	63	23	26	35	24
VII. Organs of Digestion	872	90	42	136	211	49	7	10	19	13	14	22	15
VIII. Urinary Organs	98	1	–	1	2	1	1	–	2	5	1	6	10
IX. Organs of Generation	58	–	–	–	–	–	–	–	–	–	6	7	9
X. Organs of Locomotion	54	1	–	–	1	–	1	–	2	6	4	2	2
XI. Skin, etc.	4	–	–	2	–	–	–	–	–	–	–	–	–
XII. Malformation	23	17	1	1	2	1	–	–	–	–	–	–	–
XIII. Premature Debility	660	560	46	54	–	–	–	–	–	–	–	–	–
XIV. Atrophy	158	–	–	–	50	22	10	5	15	5	2	2	4
XV. Age	472	–	–	–	–	–	–	–	–	–	–	–	–
XVI. Sudden Deaths	19	1	2	–	1	–	–	–	–	–	–	1	3
XVII. Violent Deaths	331	26	13	8	17	8	11	7	19	15	10	9	24
I. Small Pox	27	2	3	4	4	4	–	2	3	1	2	–	1
Measles	275	1	3	36	126	46	31	9	20	1	1	–	1
Scarlatina	112	–	1	4	16	26	15	13	32	4	–	1	–
Diphtheria	139	2	3	8	34	25	26	13	19	3	2	1	1
Hooping Cough	681	19	36	138	223	116	65	51	33	–	–	–	–
Croup	327	5	7	29	96	82	49	31	28	–	–	–	–
Thrush	4	1	–	1	2	–	–	–	–	–	–	–	–
Diarrhœa	205	26	20	33	54	13	5	2	4	1	5	–	4
Dysentery	39	–	1	5	5	2	–	–	1	–	–	3	3
Cholera	14	1	–	1	2	2	–	1	2	–	–	2	–
Influenza	22	–	1	–	–	1	–	1	2	–	1	2	–
Purpura	3	–	–	–	1	–	–	–	–	1	–	–	–
Ague	3	–	–	–	–	–	–	–	–	–	1	1	–
Worms	7	–	–	–	1	3	1	–	2	–	–	–	–
Infantile Fever	5	–	–	1	2	1	1	–	–	–	–	–	–
Typhus	533	–	3	13	33	24	17	23	74	38	38	40	35
Metria	18	–	–	–	–	–	–	–	–	–	–	7	6
Rheumatic Fever	9	–	–	–	–	–	–	–	–	–	3	2	–
Erysipelas	44	11	4	2	3	2	1	–	1	1	3	1	2
Syphilis	27	11	7	1	5	–	–	1	–	–	–	–	–
Noma	3	1	–	–	–	1	–	–	1	–	–	–	–
Hydrophobia	–	–	–	–	–	–	–	–	–	–	–	–	–
II. Hæmorrhage	13	–	–	–	–	–	–	–	–	1	1	1	–
Dropsy	87	–	–	–	2	3	3	1	4	4	–	2	3
Abscess	24	1	–	2	2	2	–	–	2	–	3	4	1
Ulcer	11	1	–	–	1	–	–	–	–	–	–	–	–
Fistula	3	–	–	–	–	–	–	–	–	–	–	–	–
Mortification	19	1	–	1	3	–	1	–	1	–	–	–	–
Cancer	138	1	–	–	–	1	–	1	1	1	–	1	1
Gout	1	–	–	–	–	–	–	–	–	–	–	–	–
III. Scrofula	109	2	1	4	7	8	4	7	23	16	14	9	4
Tabes Mesenterica	182	3	3	21	56	33	15	7	23	13	2	3	1
Phthisis	1670	5	16	19	68	41	30	27	106	97	236	234	191
Hydrocephalus	379	7	40	96	106	28	36	15	42	8	–	–	1

CAUSES of DEATH in GLASGOW, at different Periods of Life, in 1862.—Both Sexes.

DISEASES.	BOTH SEXES. AGE UNDER															
	35	40	45	50	55	60	65	70	75	80	85	90	95	100	105	?
All Causes	376	403	411	401	437	316	407	300	298	215	133	75	15	8	2	5
Specified Causes	374	397	407	398	433	311	403	300	298	215	133	75	15	8	2	1
Zymotic Class	41	47	37	41	38	25	21	22	12	9	3	2	–	–	–	–
Uncertain Seat	11	21	26	28	45	15	23	24	17	14	8	6	–	–	–	–
Tubercular Class	157	127	117	86	67	27	18	6	6	1	–	–	–	–	–	–
Brain, etc.	22	33	27	42	50	49	58	37	43	27	10	9	1	–	–	–
Heart, etc.	23	35	44	39	40	35	52	38	32	14	1	1	–	1	–	–
Respiratory Organs	59	50	81	86	104	100	130	81	43	31	15	2	1	–	–	–
Digestive Organs	23	30	20	29	38	26	25	22	15	11	2	1	2	–	–	–
Urinary Organs	5	9	11	6	9	2	9	4	9	2	1	1	–	–	–	–
Generative Organs	10	11	7	5	2	–	1	–	–	–	–	–	–	–	–	–
Locomotive Organs	2	7	4	4	4	1	4	5	4	–	–	–	–	–	–	–
Skin	–	–	–	1	–	1	–	–	–	–	–	–	–	–	–	–
Malformation	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–
Premature Debility	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Atrophy	1	3	7	6	14	12	–	–	–	–	–	–	–	–	–	–
Age	–	–	–	–	–	–	43	54	113	100	90	52	11	7	2	–
Sudden Deaths	–	3	1	2	1	2	1	1	–	–	–	–	–	–	–	–
Violent Deaths	20	21	25	23	21	16	18	5	4	6	3	1	–	–	–	1
Small Pox	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Measles	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Scarlatina	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Diphtheria	–	–	1	–	1	–	–	–	–	–	–	–	–	–	–	–
Hooping Cough	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Croup	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Thrush	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Diarrhœa	–	4	1	7	2	2	6	3	6	4	2	1	–	–	–	–
Dysentery	1	4	2	1	1	3	1	2	2	2	–	–	–	–	–	–
Cholera	–	–	–	1	1	–	–	–	–	–	–	1	–	–	–	–
Influenza	1	–	2	–	3	2	–	2	2	2	–	–	–	–	–	–
Purpura	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–
Ague	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Worms	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Infantile Fever	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Typhus	35	34	29	28	26	16	11	12	2	1	1	–	–	–	–	–
Metria	1	4	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Rheumatic Fever	1	–	–	–	1	–	2	–	–	–	–	–	–	–	–	–
Erysipelas	–	1	2	3	2	1	1	3	–	–	–	–	–	–	–	–
Syphilis	–	–	–	1	1	–	–	–	–	–	–	–	–	–	–	–
Noma	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Hydrophobia	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Hæmorrhage	2	–	1	1	1	1	3	1	–	–	–	–	–	–	–	–
Dropsy	2	4	4	10	10	3	8	8	5	7	2	2	–	–	–	–
Abscess	1	2	–	–	2	1	–	1	–	–	–	–	–	–	–	–
Ulcer	–	1	2	1	3	–	–	–	1	–	–	1	–	–	–	–
Fistula	–	2	–	–	1	–	–	–	–	–	–	–	–	–	–	–
Mortification	–	–	–	–	2	–	1	2	1	2	2	2	–	–	–	–
Cancer	6	12	19	16	26	10	11	12	10	5	3	1	–	–	–	–
Gout	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–
Scrofula	5	2	1	–	1	1	–	–	–	–	–	–	–	–	–	–
Tabes Mesenterica	–	1	1	–	–	–	–	–	–	–	–	–	–	–	–	–
Phthisis	152	124	115	86	66	26	18	6	6	1	–	–	–	–	–	–
Hydrocephalus	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–

CAUSES of DEATH in GLASGOW, at different Periods of Life, in 1862.—Both Sexes. (*Continued.*)

	DISEASES.	BOTH SEXES.												
		ALL AGES.	AGE UNDER											
			MONTHS.			2	3	4	5	10	15	20	25	30
			3	6	12									
IV.	Cephalitis	57	2	3	5	9	3	2	2	10	6	1	2	4
	Apoplexy	158	2	2	2	5	3	1	2	4	3	–	1	3
	Paralysis	156	–	–	–	1	–	–	–	3	1	2	2	4
	Delirium Tremens	9	–	–	–	–	–	–	–	–	–	–	–	2
	Chorea	1	–	–	–	–	–	–	–	1	–	–	–	–
	Epilepsy	31	–	–	–	1	–	–	–	–	7	3	3	2
	Tetanus	10	3	–	1	1	–	1	–	–	–	–	1	2
	Insanity	9	–	–	–	–	–	–	–	–	1	–	–	–
	Convulsions	189	68	25	42	33	9	3	5	4	–	–	–	–
	Brain Disease	187	4	3	7	17	9	6	3	21	11	5	3	2
V.	Pericarditis	16	–	–	–	–	–	–	–	–	1	2	3	–
	Aneurism	7	–	–	–	–	–	–	–	–	–	–	–	–
	Heart Disease	401	1	–	–	2	–	–	1	4	7	11	20	17
VI.	Laryngitis	42	3	2	9	10	5	5	3	–	–	–	–	1
	Bronchitis	1553	86	113	277	287	123	69	30	37	11	8	13	14
	Pleurisy	32	–	–	–	–	–	–	–	1	–	3	5	1
	Pneumonia	465	35	25	77	81	48	15	10	23	6	11	13	7
	Asthma	117	–	–	–	–	–	–	–	–	–	–	–	–
	Lung Disease	81	2	2	3	8	2	4	2	2	6	4	4	1
VII.	Teething	308	1	4	105	168	30	–	–	–	–	–	–	–
	Quinsey	15	1	–	1	2	2	1	–	1	1	–	–	1
	Gastritis	25	1	2	1	1	–	1	1	2	1	1	1	2
	Enteritis	190	52	26	19	27	10	2	6	3	4	6	7	2
	Peritonitis	26	2	–	–	1	–	–	–	2	5	1	5	1
	Ascites	5	–	–	–	–	–	–	–	1	1	–	–	–
	Ulceration of Intestines	15	–	–	–	1	1	–	–	1	–	2	2	–
	Hernia	13	1	–	–	–	–	–	–	–	–	–	–	1
	Ileus	40	12	1	1	–	–	–	–	2	–	–	1	3
	Intussusception	6	–	–	2	1	–	–	–	1	–	–	–	–
	Stricture of Intestines	3	–	–	–	–	–	–	–	–	–	–	–	–
	Stomach Disease	94	13	4	6	8	5	2	2	3	1	1	1	2
	Pancreas Disease	–	–	–	–	–	–	–	–	–	–	–	–	–
	Hepatitis	20	–	–	–	–	–	–	–	–	–	–	1	–
	Jaundice	18	4	2	–	–	1	1	–	–	–	1	1	–
	Liver Disease	93	3	3	1	2	–	–	1	3	–	2	3	2
	Spleen Disease	1	–	–	–	–	–	–	–	–	–	–	–	1
VIII.	Nephritis	6	–	–	–	–	–	1	–	–	1	–	–	–
	Nephria	40	–	–	–	–	–	–	–	2	1	–	3	4
	Ischuria	5	1	–	–	–	–	–	–	–	–	–	–	–
	Diabetes	8	–	–	–	1	–	–	–	–	–	–	1	3
	Stone	6	–	–	1	–	1	–	–	–	1	–	–	–
	Cystitis	7	–	–	–	–	–	–	–	–	1	–	1	1
	Stricture of Urethra	–	–	–	–	–	–	–	–	–	–	–	–	–
	Kidney Disease	26	–	–	–	1	–	–	–	–	1	1	1	2
IX.	Paramenia	5	–	–	–	–	–	–	–	–	–	4	–	–
	Ovarian Dropsy	7	–	–	–	–	–	–	–	–	–	–	1	–
	Childbirth	36	–	–	–	–	–	–	–	–	–	2	5	9
	Organs of Generation	10	–	–	–	–	–	–	–	–	–	–	1	–
X.	Arthritis	2	–	–	–	–	–	–	–	–	–	1	–	–
	Rheumatism	20	–	–	–	–	–	–	–	–	–	1	–	1
	Joint and Bone Disease	32	1	–	–	1	–	1	–	2	6	2	2	1
XI.	Carbuncle	2	–	–	1	–	–	–	–	–	–	–	–	–
	Phlegmon	1	–	–	1	–	–	–	–	–	–	–	–	–
	Skin Disease	1	–	–	–	–	–	–	–	–	–	–	–	–
XII.	Cyanosis	6	5	–	–	1	–	–	–	–	–	–	–	–
	Spina Bifida	6	5	–	–	–	–	–	–	–	–	–	–	–
	Other Malformations	11	7	–	1	1	1	–	–	–	–	–	–	–
XVII.	Intemperance	14	–	–	–	–	–	–	–	–	–	–	–	1
	Privation	1	–	–	–	–	–	–	–	–	–	–	–	–
	Want of Breast Milk	26	16	9	1	–	–	–	–	–	–	–	–	–
	Neglect	2	–	–	–	1	–	–	1	–	–	–	–	–
	Cold	1	–	–	–	–	–	–	–	–	–	–	–	1
	Poison	12	2	–	1	1	–	–	–	–	–	–	–	1
	Burns and Scalds	57	–	1	3	11	6	9	3	7	3	–	1	1
	Hanging, etc.	9	–	–	–	–	–	–	–	–	–	–	–	1
	Suffocation	16	5	3	1	1	–	–	–	–	–	–	–	–
	Drowning	61	2	–	1	–	–	1	1	2	2	3	2	8
	Fracture and Contusion	104	–	–	1	3	1	1	2	8	8	4	4	8
	Wounds	10	–	–	–	–	–	–	–	1	2	1	–	2
	Other Violent Causes	18	1	–	–	–	1	–	–	1	–	2	2	1
	Not Specified	162	54	19	14	10	6	4	3	6	–	8	3	3

CAUSES of DEATH in GLASGOW, at different Periods of Life, in 1862.—Both Sexes. (*Continued.*)

DISEASES.	BOTH SEXES. AGE UNDER															
	35	40	45	50	55	60	65	70	75	80	85	90	95	100	105	?
Cephalitis	–	2	1	2	–	1	1	–	1	–	–	–	–	–	–	–
Apoplexy	5	7	8	10	20	26	26	8	11	5	2	2	–	–	–	–
Paralysis	5	5	7	14	15	10	18	18	21	18	7	4	1	–	–	–
Delirium Tremens	3	1	1	–	2	–	–	–	–	–	–	–	–	–	–	–
Chorea	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Epilepsy	2	–	3	2	–	1	2	1	3	–	1	–	–	–	–	–
Tetanus	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–
Insanity	1	1	1	1	1	2	1	–	–	–	–	–	–	–	–	–
Convulsions	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Brain Disease	6	17	6	13	12	9	10	10	6	4	–	3	–	–	–	–
Pericarditis	–	2	1	1	3	1	1	1	–	–	–	–	–	–	–	–
Aneurism	1	1	4	–	1	–	–	–	–	–	–	–	–	–	–	–
Heart Disease	22	32	39	38	36	34	51	37	32	14	1	1	–	1	–	–
Laryngitis	1	2	–	–	–	–	1	–	–	–	–	–	–	–	–	–
Bronchitis	33	23	45	46	66	70	76	60	28	21	14	2	1	–	–	–
Pleurisy	6	4	2	2	1	1	1	3	1	1	–	–	–	–	–	–
Pneumonia	12	13	14	18	18	10	13	8	5	3	–	–	–	–	–	–
Asthma	2	4	10	14	12	17	34	9	9	5	1	–	–	–	–	–
Lung Disease	5	4	10	6	7	2	5	1	–	1	–	–	–	–	–	–
Teething	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Quinsey	3	1	–	–	1	–	–	–	–	–	–	–	–	–	–	–
Gastritis	1	1	–	2	4	–	–	1	1	1	–	–	–	–	–	–
Enteritis	3	5	1	1	2	3	3	2	3	2	–	1	–	–	–	–
Peritonitis	3	2	–	1	1	1	1	–	–	–	–	–	–	–	–	–
Ascites	–	–	–	1	1	–	–	–	–	1	–	–	–	–	–	–
Ulceration of Intestines	–	2	1	3	2	–	–	–	–	–	–	–	–	–	–	–
Hernia	–	1	1	2	1	1	2	1	–	2	–	–	–	–	–	–
Ileus	3	1	1	1	3	2	3	–	3	1	1	–	1	–	–	–
Intussusception	–	–	–	–	–	1	–	1	–	–	–	–	–	–	–	–
Stricture of Intestines	–	–	–	1	1	1	–	–	–	–	–	–	–	–	–	–
Stomach Disease	5	5	4	4	5	9	4	4	5	–	1	–	–	–	–	–
Pancreas Disease	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Hepatitis	–	4	2	4	3	2	2	2	–	–	–	–	–	–	–	–
Jaundice	–	1	1	–	1	2	–	2	1	–	–	–	–	–	–	–
Liver Disease	5	7	9	9	13	4	10	9	2	4	–	–	1	–	–	–
Spleen Disease	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Nephritis	1	–	–	1	–	–	1	1	–	–	–	–	–	–	–	–
Nephria	3	6	7	4	4	2	1	–	3	–	–	–	–	–	–	–
Ischuria	–	–	1	–	–	–	1	–	1	1	–	–	–	–	–	–
Diabetes	–	1	1	–	1	–	–	–	–	–	–	–	–	–	–	–
Stone	–	–	–	–	1	–	1	–	–	–	–	1	–	–	–	–
Cystitis	–	–	1	–	–	–	1	1	1	–	–	–	–	–	–	–
Stricture of Urethra	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Kidney Disease	1	2	1	1	3	–	4	2	4	1	1	–	–	–	–	–
Paramenia	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Ovarian Dropsy	–	1	1	3	1	–	–	–	–	–	–	–	–	–	–	–
Childbirth	8	7	5	–	–	–	–	–	–	–	–	–	–	–	–	–
Organs of Generation	2	2	1	2	1	–	1	–	–	–	–	–	1	–	–	–
Arthritis	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Rheumatism	1	2	1	3	2	1	3	4	1	–	–	–	–	–	–	–
Joint Disease	1	4	3	1	2	–	1	1	3	–	–	–	–	–	–	–
Carbuncle	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–
Phlegmon	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Skin Disease	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–
Cyanosis	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Spina Bifida	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Other Malformations	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–
Intemperance	1	1	4	6	–	–	–	–	–	1	–	–	–	–	–	–
Privation	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Want of Breast Milk	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Neglect	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Cold	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Poison	1	1	–	–	3	1	1	–	–	–	–	–	–	–	–	–
Burns and Scalds	1	2	–	–	2	1	1	–	1	2	1	1	–	–	–	–
Hanging, etc.	–	2	–	1	2	3	–	–	–	–	–	–	–	–	–	–
Suffocation	1	1	1	–	2	–	1	–	–	–	–	–	–	–	–	–
Drowning	5	5	7	5	4	6	5	–	1	–	–	–	–	–	–	1
Fracture and Contusion	9	7	12	8	8	1	9	3	2	3	2	–	–	–	–	–
Wounds	–	1	–	–	–	2	–	1	–	–	–	–	–	–	–	–
Other Violent Causes	1	1	1	3	–	2	1	1	–	–	–	–	–	–	–	–
Not Specified	2	6	4	3	4	5	4	–	–	–	–	–	–	–	–	4

CAUSES of DEATH in GLASGOW, at different Periods of Life, in 1862.—MALES.

DISEASES.	MALES. ALL AGES.	AGE UNDER MONTHS. 3	6	12	2	3	4	5	10	15	20	25	30
ALL CAUSES	5696	609	245	546	824	347	196	147	297	158	206	196	163
SPECIFIED CAUSES	5602	580	231	538	819	344	195	147	294	158	200	195	161
I. Zymotic Class	1225	39	47	136	303	166	90	71	104	23	32	27	24
II. Diseases of Uncertain Seat	121	3	–	1	2	1	3	2	6	5	4	5	1
III. Tubercular Class	1066	13	30	64	128	51	41	27	103	62	111	108	78
IV. Brain and Nervous System	449	48	20	39	47	11	6	7	11	18	5	6	13
V. Organs of Circulation	208	1	–	–	1	–	–	1	3	4	6	8	7
VI. Respiratory Organs	1127	66	76	180	195	78	41	25	35	15	19	15	13
VII. Organs of Digestion	477	61	26	79	107	28	4	6	10	9	10	12	4
VIII. Urinary Organs	61	1	–	1	–	1	–	–	–	3	1	4	5
IX. Organs of Generation	–	–	–	–	–	–	–	–	–	–	–	–	–
X. Organs of Locomotion	35	1	–	–	–	–	1	–	2	4	3	1	1
XI. Skin, etc.	4	–	–	2	–	–	–	–	–	–	–	–	–
XII. Malformation	11	10	–	–	–	1	–	–	–	–	–	–	–
XIII. Premature Debility	377	323	22	32	–	–	–	–	–	–	–	–	–
XIV. Atrophy	65	–	–	–	25	7	6	3	7	3	–	1	1
XV. Age	141	–	–	–	–	–	–	–	–	–	–	–	–
XVI. Sudden Deaths	10	1	1	–	–	–	–	–	–	–	–	–	–
XVII. Violent Deaths	225	13	9	4	11	–	3	5	13	12	9	8	14
I. Small Pox	13	1	2	1	1	1	–	1	2	1	1	–	1
Measles	134	1	1	17	61	21	13	5	13	–	1	–	1
Scarlatina	63	–	1	3	11	14	11	6	15	2	–	–	–
Diphtheria	63	–	1	6	17	14	9	7	6	1	–	–	–
Hooping Cough	308	10	16	66	107	45	27	22	15	–	–	–	–
Croup	167	3	3	15	51	48	18	15	14	–	–	–	–
Thrush	–	–	–	–	–	–	–	–	–	–	–	–	–
Diarrhœa	104	11	11	18	28	6	4	–	1	1	4	–	2
Dysentery	17	–	1	–	2	–	–	–	1	–	–	2	1
Cholera	8	1	–	1	1	1	–	–	1	–	–	2	–
Influenza	8	–	1	–	–	1	–	–	1	–	1	–	–
Purpura	–	–	–	–	–	–	–	–	–	–	–	–	–
Ague	2	–	–	–	–	–	–	–	–	–	–	1	–
Worms	5	–	–	–	1	1	1	–	2	–	–	–	–
Infantile Fever	2	–	–	1	1	–	–	–	–	–	–	–	–
Typhus	292	–	3	8	21	13	6	14	33	18	22	22	17
Metria	–	–	–	–	–	–	–	–	–	–	–	–	–
Rheumatic Fever	7	–	–	–	–	–	–	–	–	–	3	–	–
Erysipelas	16	3	3	–	–	1	1	–	–	–	–	–	2
Syphilis	16	9	4	–	1	–	–	1	–	–	–	–	–
Noma	–	–	–	–	–	–	–	–	–	–	–	–	–
Hydrophobia	–	–	–	–	–	–	–	–	–	–	–	–	–
II. Hæmorrhage	10	–	–	–	–	–	–	–	–	1	1	–	–
Dropsy	32	–	–	–	1	–	3	1	2	3	–	–	1
Abscess	14	–	–	1	–	–	–	–	2	–	3	4	–
Ulcer	4	1	–	–	–	–	–	–	–	–	–	–	–
Fistula	3	–	–	–	–	–	–	–	–	–	–	–	–
Mortification	11	1	–	–	1	–	–	–	1	–	–	–	–
Cancer	47	1	–	–	–	1	–	1	1	1	–	1	–
Gout	–	–	–	–	–	–	–	–	–	–	–	–	–
III. Scrofula	59	2	–	2	2	4	3	6	12	11	7	4	1
Tabes Mesenterica	101	3	3	12	34	21	7	6	6	3	2	3	–
Phthisis	711	3	7	4	34	12	16	9	57	45	102	101	77
Hydrocephalus	195	5	20	46	58	14	15	6	28	3	–	–	–

CAUSES of DEATH in GLASGOW, at different Periods of Life, in 1862.—MALES.

DISEASES.	MALES. AGE UNDER															
	35	40	45	50	55	60	65	70	75	80	85	90	95	100	105	?
ALL CAUSES	161	187	202	210	237	142	192	138	123	90	45	25	4	2	–	4
SPECIFIED CAUSES	160	184	199	207	233	139	190	138	123	90	45	25	4	2	–	1
Zymotic Class	23	25	24	22	23	11	11	13	6	4	1	–	–	–	–	–
Uncertain Seat	4	7	4	10	19	4	9	10	8	8	3	2	–	–	–	–
Tubercular Class	48	46	49	41	35	16	8	3	4	–	–	–	–	–	–	–
Brain, etc.	12	19	14	24	26	29	32	20	21	12	7	2	–	–	–	–
Heart, etc.	18	19	23	20	19	16	24	15	17	5	1	–	–	–	–	–
Respiratory Organs	26	27	39	45	53	37	59	41	20	15	7	–	–	–	–	–
Digestive Organs	10	14	9	16	23	10	13	10	9	6	–	–	1	–	–	–
Urinary Organs	2	5	7	4	8	1	8	1	5	2	1	1	–	–	–	–
Generative Organs	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Locomotive Organs	–	5	3	2	4	1	2	1	4	–	–	–	–	–	–	–
Skin	–	–	–	1	–	1	–	–	–	–	–	–	–	–	–	–
Malformation	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Premature Debility	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Atrophy	–	1	3	1	6	1	–	–	–	–	–	–	–	–	–	–
Age	–	–	–	–	–	–	10	20	27	35	24	20	3	2	–	–
Sudden Deaths	–	1	1	1	1	2	1	1	–	–	–	–	–	–	–	–
Violent Deaths	17	15	23	20	16	10	13	3	2	3	1	–	–	–	–	1
Small Pox	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Measles	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Scarlatina	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Diphtheria	–	–	1	–	1	–	–	–	–	–	–	–	–	–	–	–
Hooping Cough	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Croup	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Thrush	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Diarrhœa	–	1	–	3	1	1	3	1	5	3	–	–	–	–	–	–
Dysentery	1	4	2	1	1	1	–	–	–	–	–	–	–	–	–	–
Cholera	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–
Influenza	–	–	1	–	–	–	–	2	–	1	–	–	–	–	–	–
Purpura	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Ague	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Worms	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Infantile Fever	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Typhus	19	19	19	16	17	9	6	8	1	–	1	–	–	–	–	–
Metria	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Rheumatic Fever	1	–	–	–	1	–	2	–	–	–	–	–	–	–	–	–
Erysipelas	–	1	1	1	1	–	–	2	–	–	–	–	–	–	–	–
Syphilis	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–
Noma	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Hydrophobia	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Hæmorrhage	1	–	1	1	–	1	3	1	–	–	–	–	–	–	–	–
Dropsy	1	1	2	2	4	1	2	3	2	2	1	–	–	–	–	–
Abscess	–	1	–	–	1	1	–	1	–	–	–	–	–	–	–	–
Ulcer	–	–	–	1	2	–	–	–	–	–	–	–	–	–	–	–
Fistula	–	2	–	–	1	–	–	–	–	–	–	–	–	–	–	–
Mortification	–	–	–	–	1	–	–	2	–	2	1	2	–	–	–	–
Cancer	2	3	1	6	10	1	4	3	6	4	1	–	–	–	–	–
Gout	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Scrofula	3	1	–	–	–	1	–	–	–	–	–	–	–	–	–	–
Tabes Mesenterica	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–
Phthisis	45	45	48	41	35	15	8	3	4	–	–	–	–	–	–	–
Hydrocephalus	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–

CAUSES of DEATH in GLASGOW, at different Periods of Life, in 1862.—MALES. (*Continued.*)

DISEASES.	ALL AGES.	MALES. AGE UNDER MONTHS. 3	6	12	2	3	4	5	10	15	20	25	30
IV. Cephalitis	34	1	1	4	6	1	2	2	4	3	1	1	4
Apoplexy	95	2	1	1	3	1	–	2	1	3	–	1	2
Paralysis	77	–	–	–	–	–	–	–	–	1	1	1	2
Delirium Tremens	6	–	–	–	–	–	–	–	–	–	–	–	2
Chorea	–	–	–	–	–	–	–	–	–	–	–	–	–
Epilepsy	14	–	–	–	1	–	–	–	–	3	2	1	1
Tetanus	7	3	–	1	1	–	–	–	–	–	–	1	–
Insanity	3	–	–	–	–	–	–	–	–	–	–	–	–
Convulsions	123	41	16	30	25	6	2	3	–	–	–	–	–
Brain Disease	90	1	2	3	11	3	2	–	6	8	1	1	2
V. Pericarditis	8	–	–	–	–	–	–	–	–	1	1	1	–
Aneurism	5	–	–	–	–	–	–	–	–	–	–	–	–
Heart Disease	195	1	–	–	1	–	–	1	3	3	5	7	7
VI. Laryngitis	22	1	1	6	4	2	2	2	–	–	–	–	–
Bronchitis	729	50	61	134	140	53	30	15	19	7	6	5	8
Pleurisy	20	–	–	–	–	–	–	–	–	–	3	2	1
Pneumonia	261	15	12	39	48	21	6	6	15	2	7	7	3
Asthma	50	–	–	–	–	–	–	–	–	–	–	–	–
Lung Disease	45	–	2	1	3	2	3	2	1	6	3	1	1
VII. Teething	165	1	2	62	83	17	–	–	–	–	–	–	–
Quinsey	7	–	–	1	2	2	–	–	–	–	–	–	–
Gastritis	13	1	1	1	–	–	–	1	2	–	–	–	1
Enteritis	112	31	18	9	16	6	2	5	2	3	4	4	1
Peritonitis	11	2	–	–	–	–	–	–	1	4	1	–	–
Ascites	2	–	–	–	–	–	–	–	1	1	–	–	–
Ulceration of Intestines	10	–	–	–	–	1	–	–	1	–	1	2	–
Hernia	7	1	–	–	–	–	–	–	–	–	–	–	1
Ileus	16	8	1	–	–	–	–	–	1	–	–	1	–
Intussusception	2	–	–	1	1	–	–	–	–	–	–	–	–
Stricture of Intestines	3	–	–	–	–	–	–	–	–	–	–	–	–
Stomach Disease	49	10	2	4	3	1	1	–	2	1	1	1	–
Pancreas Disease	–	–	–	–	–	–	–	–	–	–	–	–	–
Hepatitis	10	–	–	–	–	–	–	–	–	–	–	1	–
Jaundice	10	4	–	–	–	1	1	–	–	–	1	–	–
Liver Disease	59	3	2	1	2	–	–	–	–	–	2	3	–
Spleen Disease	1	–	–	–	–	–	–	–	–	–	–	–	1
VIII. Nephritis	1	–	–	–	–	–	–	–	–	–	–	–	–
Nephria	26	–	–	–	–	–	–	–	–	1	–	2	1
Ischuria	5	1	–	–	–	–	–	–	–	–	–	–	–
Diabetes	2	–	–	–	–	–	–	–	–	–	–	1	1
Stone	6	–	–	1	–	1	–	–	–	1	–	–	–
Cystitis	4	–	–	–	–	–	–	–	–	1	–	–	1
Stricture of Urethra	–	–	–	–	–	–	–	–	–	–	–	–	–
Kidney Disease	17	–	–	–	–	–	–	–	–	–	1	1	2
IX. Paramenia	–	–	–	–	–	–	–	–	–	–	–	–	–
Ovarian Dropsy	–	–	–	–	–	–	–	–	–	–	–	–	–
Childbirth	–	–	–	–	–	–	–	–	–	–	–	–	–
Organs of Generation	–	–	–	–	–	–	–	–	–	–	–	–	–
X. Arthritis	2	–	–	–	–	–	–	–	–	–	1	–	–
Rheumatism	9	–	–	–	–	–	–	–	–	–	1	–	–
Joint and Bone Disease	24	1	–	–	–	–	1	–	2	4	1	1	1
XI. Carbuncle	2	–	–	1	–	–	–	–	–	–	–	–	–
Phlegmon	1	–	–	1	–	–	–	–	–	–	–	–	–
Skin Disease	1	–	–	–	–	–	–	–	–	–	–	–	–
XII. Cyanosis	3	3	–	–	–	–	–	–	–	–	–	–	–
Spina Bifida	4	4	–	–	–	–	–	–	–	–	–	–	–
Other Malformations	4	3	–	–	–	1	–	–	–	–	–	–	–
XVII. Intemperance	10	–	–	–	–	–	–	–	–	–	–	–	–
Privation	1	–	–	–	–	–	–	–	–	–	–	–	–
Want of Breast Milk	16	8	7	1	–	–	–	–	–	–	–	–	–
Neglect	–	–	–	–	–	–	–	–	–	–	–	–	–
Cold	–	–	–	–	–	–	–	–	–	–	–	–	–
Poison	6	–	–	1	1	–	–	–	–	–	–	–	1
Burns and Scalds	21	–	–	–	8	–	2	2	3	2	–	1	–
Hanging, etc.	7	–	–	–	–	–	–	–	–	–	–	–	1
Suffocation	11	2	2	1	1	–	–	–	–	–	–	–	–
Drowning	48	2	–	1	–	–	–	1	1	2	3	1	4
Fracture and Contusion	84	–	–	–	1	–	1	2	7	6	4	4	7
Wounds	7	–	–	–	–	–	–	–	1	2	–	–	–
Other Violent Causes	14	1	–	–	–	–	–	–	1	–	2	2	1
Not Specified	94	29	14	8	5	3	1	–	3	–	6	1	2

CAUSES of DEATH in GLASGOW, at different Periods of Life, in 1862.—MALES. (*Continued.*)

DISEASES.	MALES. AGE UNDER															
	35	40	45	50	55	60	65	70	75	80	85	90	95	100	105	?
Cephalitis	–	1	–	1	–	1	1	–	–	–	–	–	–	–	–	–
Apoplexy	3	4	5	6	12	16	15	4	8	3	1	1	–	–	–	–
Paralysis	3	2	4	8	8	6	10	9	9	7	6	–	–	–	–	–
Delirium Tremens	1	1	–	–	2	–	–	–	–	–	–	–	–	–	–	–
Chorea	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Epilepsy	1	–	1	–	–	1	1	1	1	–	–	–	–	–	–	–
Tetanus	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–
Insanity	1	1	–	1	–	–	–	–	–	–	–	–	–	–	–	–
Convulsions	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Brain Disease	3	10	4	8	4	5	5	6	2	2	–	1	–	–	–	–
Pericarditis	–	1	–	1	2	–	1	–	–	–	–	–	–	–	–	–
Aneurism	1	1	2	–	1	–	–	–	–	–	–	–	–	–	–	–
Heart Disease	17	17	21	19	16	16	23	15	17	5	1	–	–	–	–	–
Laryngitis	1	2	–	–	–	–	1	–	–	–	–	–	–	–	–	–
Bronchitis	13	10	18	19	34	21	27	30	13	10	6	–	–	–	–	–
Pleurisy	4	3	1	1	1	–	1	2	–	1	–	–	–	–	–	–
Pneumonia	5	7	12	14	14	7	10	6	4	1	–	–	–	–	–	–
Asthma	2	2	2	7	2	8	17	3	3	3	1	–	–	–	–	–
Lung Disease	1	3	6	4	2	1	3	–	–	–	–	–	–	–	–	–
Teething	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Quinsey	2	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Gastritis	–	–	–	2	3	–	–	1	–	–	–	–	–	–	–	–
Enteritis	2	1	1	–	2	1	1	1	1	1	–	–	–	–	–	–
Peritonitis	1	1	–	–	1	–	–	–	–	–	–	–	–	–	–	–
Ascites	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Ulceration of Intestines	–	–	1	3	1	–	–	–	–	–	–	–	–	–	–	–
Hernia	–	1	–	1	1	–	–	1	–	1	–	–	–	–	–	–
Ileus	2	–	–	1	1	–	–	–	1	–	–	–	–	–	–	–
Intussusception	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Stricture of Intestines	–	–	–	1	1	1	–	–	–	–	–	–	–	–	–	–
Stomach Disease	–	2	1	2	3	4	4	2	5	–	–	–	–	–	–	–
Pancreas Disease	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Hepatitis	–	3	1	–	3	1	–	1	–	–	–	–	–	–	–	–
Jaundice	–	1	–	–	–	1	–	1	–	–	–	–	–	–	–	–
Liver Disease	3	5	5	6	7	2	8	3	2	4	–	1	–	–	–	–
Spleen Disease	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Nephritis	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–
Nephria	2	4	6	3	4	1	1	–	1	–	–	–	–	–	–	–
Ischuria	–	–	1	–	–	–	1	–	1	1	–	–	–	–	–	–
Diabetes	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Stone	–	–	–	–	1	–	1	–	–	–	–	1	–	–	–	–
Cystitis	–	–	–	–	–	–	1	1	–	–	–	–	–	–	–	–
Stricture of Urethra	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Kidney Disease	–	1	–	1	3	–	3	–	3	1	1	–	–	–	–	–
Paramenia	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Ovarian Dropsy	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Childbirth	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Organs of Generation	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Arthritis	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Rheumatism	–	1	1	1	2	1	1	–	1	–	–	–	–	–	–	–
Joint Disease	–	3	2	1	2	–	1	1	3	–	–	–	–	–	–	–
Carbuncle	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–
Phlegmon	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Skin Disease	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–
Cyanosis	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Spina Bifida	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Other Malformations	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Intemperance	1	–	3	5	–	–	–	–	–	1	–	–	–	–	–	–
Privation	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Want of Breast Milk	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Neglect	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Cold	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Poison	–	–	–	–	2	–	1	–	–	–	–	–	–	–	–	–
Burns and Scalds	1	1	–	–	–	–	–	–	1	–	–	–	–	–	–	–
Hanging, etc.	–	2	–	1	2	1	–	–	–	–	–	–	–	–	–	–
Suffocation	1	1	1	–	1	–	1	–	–	–	–	–	–	–	–	–
Drowning	3	4	7	4	4	4	5	–	1	–	–	–	–	–	–	1
Fracture and Contusion	9	6	11	8	7	1	5	2	–	2	1	–	–	–	–	–
Wounds	–	1	–	–	–	2	–	1	–	–	–	–	–	–	–	–
Other Violent Causes	1	–	1	2	–	2	1	–	–	–	–	–	–	–	–	–
Not Specified	1	3	3	3	4	3	2	–	–	–	–	–	–	–	–	3

CAUSES of DEATH in GLASGOW, at different Periods of Life, in 1862.—FEMALES.

DISEASES.	FEMALES. ALL AGES.	AGE UNDER MONTHS. 3	6	12	2	3	4	5	10	15	20	25	30
ALL CAUSES	5869	448	202	512	777	406	244	141	300	136	201	240	222
SPECIFIED CAUSES	5801	423	197	506	772	403	241	138	297	136	199	238	221
I. Zymotic Class	1272	41	42	140	304	182	121	76	118	27	24	33	29
II. Diseases of Uncertain Seat	175	1	–	2	6	5	1	–	2	1	–	3	4
III. Tubercular Class	1274	4	30	76	109	59	44	29	91	72	141	138	119
IV. Brain and Nervous System	358	31	13	18	20	13	7	5	32	11	6	6	6
V. Organs of Circulation	216	–	–	–	1	–	–	–	1	4	7	15	10
VI. Respiratory Organs	1163	60	66	186	191	100	52	20	28	8	7	20	11
VII. Organs of Digestion	395	29	16	57	104	21	3	4	9	4	4	10	11
VIII. Urinary Organs	37	–	–	–	2	–	1	–	2	2	–	2	5
IX. Organs of Generation	58	–	–	–	–	–	–	–	–	–	6	7	9
X. Organs of Locomotion	19	–	–	–	1	–	–	–	–	2	1	1	1
XI. Skin, etc.	–	–	–	–	–	–	–	–	–	–	–	–	–
XII. Malformation	12	7	1	1	2	–	–	–	–	–	–	–	–
XIII. Premature Debility	283	237	24	22	–	–	–	–	–	–	–	–	–
XIV. Atrophy	93	–	–	–	25	15	4	2	8	2	2	1	3
XV. Age	331	–	–	–	–	–	–	–	–	–	–	–	–
XVI. Sudden Deaths	9	–	1	–	1	–	–	–	–	–	–	1	3
XVII. Violent Deaths	106	13	4	4	6	8	8	2	6	3	1	1	10
I. Small Pox	14	1	1	3	3	3	–	1	1	–	1	–	–
Measles	141	–	2	19	65	25	18	4	7	1	–	–	–
Scarlatina	49	–	–	1	5	12	4	7	17	2	–	1	–
Diphtheria	76	2	2	2	17	11	17	6	13	2	2	1	1
Hooping Cough	373	9	20	72	116	71	38	29	18	–	–	–	–
Croup	160	2	4	14	45	34	31	16	14	–	–	–	–
Thrush	4	1	–	1	2	–	–	–	–	–	–	–	–
Diarrhœa	101	15	9	15	26	7	1	2	3	–	1	–	2
Dysentery	22	–	–	5	3	2	–	–	–	–	–	1	2
Cholera	6	–	–	–	1	1	–	1	1	–	–	–	–
Influenza	14	–	–	–	–	–	–	1	1	–	–	2	–
Purpura	3	–	–	–	1	–	–	–	–	1	–	–	–
Ague	1	–	–	–	–	–	–	–	–	–	1	–	–
Worms	2	–	–	–	–	2	–	–	–	–	–	–	–
Infantile Fever	3	–	–	–	1	1	1	–	–	–	–	–	–
Typhus	241	–	–	5	12	11	11	9	41	20	16	18	18
Metria	18	–	–	–	–	–	–	–	–	–	–	7	6
Rheumatic Fever	2	–	–	–	–	–	–	–	–	–	–	2	–
Erysipelas	28	8	1	2	3	1	–	–	1	1	3	1	–
Syphilis	11	2	3	1	4	–	–	–	–	–	–	–	–
Noma	3	1	–	–	–	1	–	–	1	–	–	–	–
Hydrophobia	–	–	–	–	–	–	–	–	–	–	–	–	–
II. Hæmorrhage	3	–	–	–	–	–	–	–	–	–	–	1	–
Dropsy	55	–	–	–	1	3	–	–	2	1	–	2	2
Abscess	10	1	–	1	2	2	–	–	–	–	–	–	1
Ulcer	7	–	–	–	1	–	–	–	–	–	–	–	–
Fistula	–	–	–	–	–	–	–	–	–	–	–	–	–
Mortification	8	–	–	1	2	–	1	–	–	–	–	–	–
Cancer	91	–	–	–	–	–	–	–	–	–	–	–	1
Gout	1	–	–	–	–	–	–	–	–	–	–	–	–
III. Scrofula	50	–	1	2	5	4	1	1	11	5	7	5	3
Tabes Mesenterica	81	–	–	9	22	12	8	1	17	10	–	–	1
Phthisis	959	2	9	15	34	29	14	18	49	52	134	133	114
Hydrocephalus	184	2	20	50	48	14	21	9	14	5	–	–	1

CAUSES of DEATH in GLASGOW, at different Periods of Life, in 1862.—Females.

DISEASES.	FEMALES. AGE UNDER															
	35	40	45	50	55	60	65	70	75	80	85	90	95	100	105	?
All Causes	215	216	209	191	200	174	215	162	175	125	88	50	11	6	2	1
Specified Causes	214	213	208	191	200	172	213	162	175	125	88	50	11	6	2	–
Zymotic Class	18	22	13	19	15	14	10	9	6	5	2	2	–	–	–	–
Uncertain Seat	7	14	22	18	26	11	14	14	9	6	5	4	–	–	–	–
Tubercular Class	109	81	68	45	32	11	10	3	2	1	–	–	–	–	–	–
Brain, etc.	10	14	13	18	24	20	26	17	22	15	3	7	1	–	–	–
Heart, etc.	5	16	21	19	21	19	28	23	15	9	–	1	–	1	–	–
Respiratory Organs	33	23	42	41	51	63	71	40	23	16	8	2	1	–	–	–
Digestive Organs	13	16	11	13	15	16	12	12	6	5	2	1	1	–	–	–
Urinary Organs	3	4	4	2	1	1	1	3	4	–	–	–	–	–	–	–
Generative Organs	10	11	7	5	2	–	1	–	–	–	–	–	–	–	–	–
Locomotive Organs	2	2	1	2	–	–	2	4	–	–	–	–	–	–	–	–
Skin	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Malformation	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–
Premature Debility	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Atrophy	1	2	4	5	8	11	–	–	–	–	–	–	–	–	–	–
Age	–	–	–	–	–	–	33	34	86	65	66	32	8	5	2	–
Sudden Deaths	–	2	–	1	–	–	–	–	–	–	–	–	–	–	–	–
Violent Deaths	3	6	2	3	5	6	5	2	2	3	2	1	–	–	–	–
Small Pox	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Measles	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Scarlatina	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Diphtheria	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Hooping Cough	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Croup	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Thrush	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Diarrhœa	–	3	1	4	1	1	3	2	1	1	2	1	–	–	–	–
Dysentery	–	–	–	–	–	2	1	2	2	2	–	–	–	–	–	–
Cholera	–	–	–	1	–	–	–	–	–	–	–	1	–	–	–	–
Influenza	1	–	1	–	3	2	–	–	2	1	–	–	–	–	–	–
Purpura	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–
Ague	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Worms	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Infantile Fever	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Typhus	16	15	10	12	9	7	5	4	1	1	–	–	–	–	–	–
Metria	1	4	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Rheumatic Fever	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Erysipelas	–	–	1	2	1	1	1	1	–	–	–	–	–	–	–	–
Syphilis	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–
Noma	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Hydrophobia	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Hæmorrhage	1	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–
Dropsy	1	3	2	8	6	2	6	5	3	5	1	2	–	–	–	–
Abscess	1	1	–	–	1	–	–	–	–	–	–	–	–	–	–	–
Ulcer	–	1	2	–	1	–	–	–	1	–	–	1	–	–	–	–
Fistula	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Mortification	–	–	–	–	1	–	1	–	1	–	1	–	–	–	–	–
Cancer	4	9	18	10	16	9	7	9	4	1	2	1	–	–	–	–
Gout	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–
Scrofula	2	1	1	–	1	–	–	–	–	–	–	–	–	–	–	–
Tabes Mesenterica	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Phthisis	107	79	67	45	31	11	10	3	2	1	–	–	–	–	–	–
Hydrocephalus	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–

CAUSES of DEATH in GLASGOW, at different Periods of Life, in 1862.—FEMALES. (*Continued.*)

DISEASES.	FEMALES. ALL AGES.	AGE UNDER MONTHS. 3	6	12	2	3	4	5	10	15	20	25	30
IV. Cephalitis	23	1	2	1	3	2	–	–	6	3	–	1	–
Apoplexy	63	–	1	1	2	2	1	–	3	–	–	–	1
Paralysis	79	–	–	–	1	–	–	–	3	–	1	1	2
Delirium Tremens	3	–	–	–	–	–	–	–	–	–	–	–	–
Chorea	1	–	–	–	–	–	–	–	1	–	–	–	–
Epilepsy	17	–	–	–	–	–	–	–	–	4	1	2	1
Tetanus	3	–	–	–	–	–	1	–	–	–	–	–	2
Insanity	6	–	–	–	–	–	–	–	–	1	–	–	–
Convulsions	66	27	9	12	8	3	1	2	4	–	–	–	–
Brain Disease	97	3	1	4	6	6	4	3	15	3	4	2	–
V. Pericarditis	8	–	–	–	–	–	–	–	–	–	1	2	–
Aneurism	2	–	–	–	–	–	–	–	–	–	–	–	–
Heart Disease	206	–	–	–	1	–	–	–	1	4	6	13	10
VI. Laryngitis	20	2	1	3	6	3	3	1	–	–	–	–	1
Bronchitis	824	36	52	143	147	70	39	15	18	4	2	8	6
Pleurisy	12	–	–	–	–	–	–	–	1	–	–	3	–
Pneumonia	204	20	13	38	33	27	9	4	8	4	4	6	4
Asthma	67	–	–	–	–	–	–	–	–	–	–	–	–
Lung Disease	36	2	–	2	5	–	1	–	1	–	1	3	–
VII. Teething	143	–	2	43	85	13	–	–	–	–	–	–	–
Quinsey	8	1	–	–	–	–	1	–	1	1	–	–	1
Gastritis	12	–	1	–	1	–	1	–	–	1	1	1	1
Enteritis	78	21	8	10	11	4	–	1	1	1	2	3	1
Peritonitis	15	–	–	–	1	–	–	–	1	1	–	5	1
Ascites	3	–	–	–	–	–	–	–	–	–	–	–	–
Ulceration of Intestines	5	–	–	–	1	–	–	–	–	–	1	–	–
Hernia	6	–	–	–	–	–	–	–	–	–	–	–	–
Ileus	24	4	–	1	–	–	–	–	1	–	–	–	3
Intussusception	4	–	–	1	–	–	–	–	1	–	–	–	–
Stricture of Intestines	–	–	–	–	–	–	–	–	–	–	–	–	–
Stomach Disease	45	3	2	2	5	4	1	2	1	–	–	–	2
Pancreas Disease	–	–	–	–	–	–	–	–	–	–	–	–	–
Hepatitis	10	–	–	–	–	–	–	–	–	–	–	–	–
Jaundice	8	–	2	–	–	–	–	–	–	–	–	1	–
Liver Disease	34	–	1	–	–	–	–	1	3	–	–	–	2
Spleen Disease	–	–	–	–	–	–	–	–	–	–	–	–	–
VIII. Nephritis	5	–	–	–	–	–	1	–	–	1	–	–	–
Nephria	14	–	–	–	–	–	–	–	2	–	–	1	3
Ischuria	–	–	–	–	1	–	–	–	–	–	–	–	–
Diabetes	6	–	–	–	–	–	–	–	–	–	–	–	2
Stone	–	–	–	–	1	–	–	–	–	–	–	–	–
Cystitis	3	–	–	–	–	–	–	–	–	–	–	1	–
Stricture of Urethra	–	–	–	–	–	–	–	–	–	–	–	–	–
Kidney Disease	9	–	–	–	1	–	–	–	–	1	–	–	–
IX. Paramenia	5	–	–	–	–	–	–	–	–	–	4	–	–
Ovarian Dropsy	7	–	–	–	–	–	–	–	–	–	–	1	–
Childbirth	36	–	–	–	–	–	–	–	–	–	2	5	9
Organs of Generation	10	–	–	–	–	–	–	–	–	–	–	1	–
X. Arthritis	–	–	–	–	–	–	–	–	–	–	–	–	–
Rheumatism	11	–	–	–	–	–	–	–	–	–	–	–	1
Joint and Bone Disease	8	–	–	–	1	–	–	–	–	2	1	1	–
XI. Carbuncle	–	–	–	–	–	–	–	–	–	–	–	–	–
Phlegmon	–	–	–	–	–	–	–	–	–	–	–	–	–
Skin Disease	–	–	–	–	–	–	–	–	–	–	–	–	–
XII. Cyanosis	3	2	–	–	1	–	–	–	–	–	–	–	–
Spina Bifida	2	1	1	–	–	–	–	–	–	–	–	–	–
Other Malformations	7	4	–	1	1	–	–	–	–	–	–	–	–
XVII. Intemperance	4	–	–	–	–	–	–	–	–	–	–	–	1
Privation	–	–	–	–	–	–	–	–	–	–	–	–	–
Want of Breast Milk	10	8	2	–	–	–	–	–	–	–	–	–	–
Neglect	2	–	–	–	1	–	–	1	–	–	–	–	–
Cold	1	–	–	–	–	–	–	–	–	–	–	–	1
Poison	6	2	–	–	–	–	–	–	–	–	–	–	–
Burns and Scalds	36	–	1	3	3	6	7	1	4	1	–	–	1
Hanging, etc.	2	–	–	–	–	–	–	–	–	–	–	–	–
Suffocation	5	3	1	–	–	–	–	–	–	–	–	–	–
Drowning	13	–	–	–	–	–	1	–	1	–	–	1	4
Fracture and Contusion	20	–	–	1	2	1	–	–	1	2	–	–	1
Wounds	3	–	–	–	–	–	–	–	–	–	1	–	2
Other Violent Causes	4	–	–	–	–	1	–	–	–	–	–	–	–
Not Specified	68	25	5	6	5	3	3	3	3	–	2	2	1

CAUSES of DEATH in GLASGOW, at different Periods of Life, in 1862.—Females. (*Continued.*)

DISEASES.	FEMALES. AGE UNDER														
	35	40	45	50	55	60	65	70	75	80	85	90	95	100	105	?
Cephalitis	–	1	1	1	–	–	–	–	1	–	–	–	–	–	–	–
Apoplexy	2	3	3	4	8	10	11	4	3	2	1	1	–	–	–	–
Paralysis	2	3	3	6	7	4	8	9	12	11	1	4	1	–	–	–
Delirium Tremens	2	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–
Chorea	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Epilepsy	1	–	2	2	–	–	1	–	2	–	1	–	–	–	–	–
Tetanus	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Insanity	–	–	1	–	1	2	1	–	–	–	–	–	–	–	–	–
Convulsions	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Brain Disease	3	7	2	5	8	4	5	4	4	2	–	2	–	–	–	–
Pericarditis	–	1	1	–	1	1	–	1	–	–	–	–	–	–	–	–
Aneurism	–	–	2	–	–	–	–	–	–	–	–	–	–	–	–	–
Heart Disease	5	15	18	19	20	18	28	22	15	9	–	1	–	1	–	–
Laryngitis	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Bronchitis	20	13	27	27	32	49	49	30	15	11	8	2	1	–	–	–
Pleurisy	2	1	1	1	–	1	–	1	1	–	–	–	–	–	–	–
Pneumonia	7	6	2	4	4	3	3	2	1	2	–	–	–	–	–	–
Asthma	–	2	8	7	10	9	17	6	6	2	–	–	–	–	–	–
Lung Disease	4	1	4	2	5	1	2	1	–	1	–	–	–	–	–	–
Teething	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Quinsey	1	1	–	–	1	–	–	–	–	–	–	–	–	–	–	–
Gastritis	1	1	–	–	1	–	–	–	1	1	–	–	–	–	–	–
Enteritis	1	4	–	1	–	2	2	1	2	1	–	1	–	–	–	–
Peritonitis	2	1	–	1	–	1	1	–	–	–	–	–	–	–	–	–
Ascites	–	–	–	1	1	–	–	–	–	1	–	–	–	–	–	–
Ulceration of Intestines	–	2	–	–	1	–	–	–	–	–	–	–	–	–	–	–
Hernia	–	–	1	1	–	1	2	–	–	1	–	–	–	–	–	–
Ileus	1	1	1	–	2	2	3	–	2	1	1	–	1	–	–	–
Intussusception	–	–	–	–	–	1	–	1	–	–	–	–	–	–	–	–
Stricture of Intestines	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Stomach Disease	5	3	3	2	2	5	–	2	–	–	1	–	–	–	–	–
Pancreas Disease	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Hepatitis	–	1	1	4	–	1	2	1	–	–	–	–	–	–	–	–
Jaundice	–	–	1	–	1	1	–	1	1	–	–	–	–	–	–	–
Liver Disease	2	2	4	3	6	2	2	6	–	–	–	–	–	–	–	–
Spleen Disease	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Nephritis	1	–	–	1	–	–	–	1	–	–	–	–	–	–	–	–
Nephria	1	2	1	1	–	1	–	–	2	–	–	–	–	–	–	–
Ischuria	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Diabetes	–	1	1	–	1	–	–	–	–	–	–	–	–	–	–	–
Stone	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Cystitis	–	–	1	–	–	–	–	–	1	–	–	–	–	–	–	–
Stricture of Urethra	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Kidney Disease	1	1	1	–	–	–	1	2	1	–	–	–	–	–	–	–
Paramenia	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Ovarian Dropsy	–	1	1	3	1	–	–	–	–	–	–	–	–	–	–	–
Childbirth	8	7	5	–	–	–	–	–	–	–	–	–	–	–	–	–
Organs of Generation	2	2	1	2	1	–	1	–	–	–	–	–	–	–	–	–
Arthritis	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Rheumatism	1	1	–	2	–	–	2	4	–	–	–	–	–	–	–	–
Joint Disease	1	1	1	–	–	–	–	–	–	–	–	–	–	–	–	–
Carbuncle	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Phlegmon	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Skin Disease	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Cyanosis	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Spina Bifida	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Other Malformations	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–
Intemperance	–	1	1	1	–	–	–	–	–	–	–	–	–	–	–	–
Privation	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Want of Breast Milk	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Neglect	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Cold	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Poison	1	1	–	–	1	1	–	–	–	–	–	–	–	–	–	–
Burns and Scalds	–	1	–	–	2	1	1	–	–	2	1	1	–	–	–	–
Hanging, etc.	–	–	–	–	–	2	–	–	–	–	–	–	–	–	–	–
Suffocation	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–
Drowning	2	1	–	1	–	2	–	–	–	–	–	–	–	–	–	–
Fracture and Contusion	–	1	1	–	1	–	4	1	2	1	1	–	–	–	–	–
Wounds	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Other Violent Causes	–	1	–	1	–	–	–	1	–	–	–	–	–	–	–	–
Not Specified	1	3	1	–	–	2	2	–	–	–	–	–	–	–	–	1

CAUSES of DEATH in the SUBURBAN DISTRICTS of BARONY and GOVAN, at different Periods of Life, in 1862.—Both Sexes.

DISEASES.	BOTH SEXES.												
	ALL AGES.	AGE UNDER											
		MONTHS.			2	3	4	5	10	15	20	25	30
		3	6	12									
All Causes	1572	128	59	127	204	84	58	34	96	38	44	63	45
Specified Causes	1492	111	51	117	195	78	56	31	87	38	42	61	45
I. Zymotic Class	311	11	6	40	72	39	28	15	41	6	6	6	3
II. Diseases of Uncertain Seat	40	1	–	1	2	–	–	1	–	1	–	1	1
III. Tubercular Class	305	2	5	25	31	15	5	8	17	23	28	28	21
IV. Brain and Nervous System	125	6	1	3	10	2	4	4	6	2	–	4	3
V. Organs of Circulation	36	–	–	1	–	–	–	–	3	–	2	1	1
VI. Respiratory Organs	301	12	15	32	51	18	13	1	10	–	2	12	5
VII. Organs of Digestion	102	10	7	13	20	2	3	1	3	4	2	1	2
VIII. Urinary Organs	20	–	–	–	–	–	–	–	1	–	–	1	1
IX. Organs of Generation	18	–	–	–	–	–	–	–	–	–	1	3	4
X. Organs of Locomotion	11	–	–	–	–	–	–	–	2	1	–	1	–
XI. Skin, etc.	2	1	–	–	–	–	1	–	–	–	–	–	–
XII. Malformation	5	4	–	1	–	–	–	–	–	–	–	–	–
XIII. Premature Debility	82	64	17	1	–	–	–	–	–	–	–	–	–
XIV. Atrophy	10	–	–	–	6	–	–	–	–	–	–	–	–
XV. Age	74	–	–	–	–	–	–	–	–	–	–	–	–
XVI. Sudden Deaths	–	–	–	–	–	–	–	–	–	–	–	–	–
XVII. Violent Deaths	50	–	–	–	3	2	2	1	4	1	1	3	4
I. Small Pox	2	–	–	2	–	–	–	–	–	–	–	–	–
Measles	23	–	1	2	11	4	3	–	2	–	–	–	–
Scarlatina	45	–	1	3	10	6	6	5	12	1	1	–	–
Diphtheria	32	1	–	1	4	7	4	2	10	2	1	–	–
Hooping Cough	43	2	1	11	17	6	4	–	2	–	–	–	–
Croup	42	2	–	5	17	10	5	2	1	–	–	–	–
Thrush	–	–	–	–	–	–	–	–	–	–	–	–	–
Diarrhœa	50	5	2	13	10	3	2	1	2	–	–	1	–
Dysentery	2	–	–	–	1	–	–	–	–	–	–	–	–
Cholera	–	–	–	–	–	–	–	–	–	–	–	–	–
Influenza	–	–	–	–	–	–	–	–	–	–	–	–	–
Purpura	1	–	–	–	1	–	–	–	–	–	–	–	–
Ague	–	–	–	–	–	–	–	–	–	–	–	–	–
Worms	1	–	–	–	–	–	–	1	–	–	–	–	–
Infantile Fever	1	–	1	–	–	–	–	–	–	–	–	–	–
Typhus	61	–	–	2	1	2	4	4	12	3	3	5	1
Metria	3	–	–	–	–	–	–	–	–	–	–	–	2
Rheumatic Fever	–	–	–	–	–	–	–	–	–	–	–	–	–
Erysipelas	4	–	–	1	–	1	–	–	–	–	1	–	–
Syphilis	–	–	–	–	–	–	–	–	–	–	–	–	–
Noma	1	1	–	–	–	–	–	–	–	–	–	–	–
Hydrophobia	–	–	–	–	–	–	–	–	–	–	–	–	–
II. Hæmorrhage	2	1	–	–	–	–	–	–	–	–	–	–	–
Dropsy	15	–	–	–	–	–	–	–	–	1	–	1	1
Abscess	3	–	–	1	2	–	–	–	–	–	–	–	–
Ulcer	–	–	–	–	–	–	–	–	–	–	–	–	–
Fistula	–	–	–	–	–	–	–	–	–	–	–	–	–
Mortification	2	–	–	–	–	–	–	1	–	–	–	–	–
Cancer	18	–	–	–	–	–	–	–	–	–	–	–	–
Gout	–	–	–	–	–	–	–	–	–	–	–	–	–
III. Scrofula	22	–	1	–	1	1	–	–	1	1	5	3	1
Tabes Mesenterica	23	1	–	4	7	6	2	1	1	1	–	–	–
Phthisis	207	–	2	4	10	2	2	6	6	18	23	25	20
Hydrocephalus	53	1	2	17	13	6	1	1	9	3	–	–	–

CAUSES of DEATH in the SUBURBAN DISTRICTS of BARONY and GOVAN, at different Periods of Life, in 1862.—Both Sexes.

DISEASES.	BOTH SEXES. AGE UNDER															
	35	40	45	50	55	60	65	70	75	80	85	90	95	100	105	?
All Causes	52	64	57	58	48	56	67	59	41	39	31	13	1	3	–	3
Specified Causes	52	64	57	56	47	52	64	59	41	39	31	13	1	3	–	1
Zymotic Class	1	4	3	7	5	4	5	4	2	2	1	–	–	–	–	–
Uncertain Seat	4	2	4	2	5	6	3	1	3	1	–	1	–	–	–	–
Tubercular Class	22	20	25	7	7	3	7	3	2	–	–	–	–	–	–	1
Brain, etc.	7	8	4	9	3	7	11	13	9	7	1	1	–	–	–	–
Heart, etc.	2	2	3	3	–	4	2	4	5	1	2	–	–	–	–	–
Respiratory Organs	7	11	6	18	13	21	16	16	5	9	6	2	–	–	–	–
Digestive Organs	2	3	3	5	7	–	7	1	3	2	1	–	–	–	–	–
Urinary Organs	1	5	1	2	1	2	3	–	1	1	–	–	–	–	–	–
Generative Organs	3	2	3	1	–	–	1	–	–	–	–	–	–	–	–	–
Locomotive Organs	–	2	–	–	1	1	–	2	–	1	–	–	–	–	–	–
Skin	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Malformation	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Premature Debility	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Atrophy	–	–	1	–	2	1	–	–	–	–	–	–	–	–	–	–
Age	–	–	–	–	–	–	6	11	10	14	20	9	1	3	–	–
Sudden Deaths	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Violent Deaths	3	5	4	2	3	3	3	4	1	1	–	–	–	–	–	–
Small Pox	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Measles	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Scarlatina	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Diphtheria	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Hooping Cough	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Croup	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Thrush	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Diarrhœa	–	–	–	2	2	–	2	1	2	2	–	–	–	–	–	–
Dysentery	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–
Cholera	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Influenza	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Purpura	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Ague	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Worms	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Infantile Fever	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Typhus	1	3	3	3	3	4	3	3	–	–	1	–	–	–	–	–
Metria	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Rheumatic Fever	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Erysipelas	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–
Syphilis	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Noma	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Hydrophobia	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Hæmorrhage	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–
Dropsy	2	1	1	1	3	2	–	–	2	–	–	–	–	–	–	–
Abscess	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Ulcer	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Fistula	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Mortification	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–
Cancer	2	1	2	1	2	4	3	1	1	–	–	1	–	–	–	–
Gout	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Scrofula	2	1	1	–	–	–	1	2	1	–	–	–	–	–	–	–
Tabes Mesenterica	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Phthisis	20	19	24	7	7	3	6	1	1	–	–	–	–	–	–	1
Hydrocephalus	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–

CAUSES of DEATH in the SUBURBAN DISTRICTS of BARONY and GOVAN, at different Periods of Life, in 1862.—Both Sexes. (*Continued.*)

DISEASES.	BOTH SEXES.												
	ALL AGES.	AGE UNDER											
		MONTHS.			2	3	4	5	10	15	20	25	30
		3	6	12									
IV. Cephalitis	6	1	–	–	–	2	–	–	–	–	–	1	–
Apoplexy	34	–	1	1	4	–	1	–	–	–	–	1	–
Paralysis	34	–	–	–	–	–	–	–	–	–	–	–	–
Delirium Tremens	–	–	–	–	–	–	–	–	–	–	–	–	–
Chorea	–	–	–	–	–	–	–	–	–	–	–	–	–
Epilepsy	9	–	–	–	–	–	–	–	1	1	–	–	1
Tetanus	1	–	–	–	–	–	–	–	1	–	–	–	–
Insanity	3	–	–	–	–	–	–	–	–	–	–	–	1
Convulsions	15	5	–	1	4	–	2	1	2	–	–	–	–
Brain Disease	23	–	–	1	2	–	1	3	2	1	–	2	1
V. Pericarditis	3	–	–	1	–	–	–	–	–	–	1	–	–
Aneurism	1	–	–	–	–	–	–	–	–	–	–	–	–
Heart Disease	32	–	–	–	–	–	–	–	3	–	1	1	1
VI. Laryngitis	4	–	–	–	2	1	–	–	–	–	–	–	–
Bronchitis	174	8	12	29	34	13	6	1	5	–	1	4	1
Pleurisy	9	–	1	–	–	–	1	–	–	–	–	–	–
Pneumonia	90	3	2	3	10	4	6	–	5	–	–	6	4
Asthma	12	–	–	–	–	–	–	–	–	–	–	–	–
Lung Disease	12	1	–	–	5	–	–	–	–	–	1	2	–
VII. Teething	28	1	3	11	13	–	–	–	–	–	–	–	–
Quinsey	3	–	–	1	1	–	–	1	–	–	–	–	–
Gastritis	–	–	–	–	–	–	–	–	–	–	–	–	–
Enteritis	27	5	3	1	3	2	2	–	1	1	1	–	1
Peritonitis	8	–	–	–	–	–	–	–	1	3	–	1	1
Ascites	1	–	–	–	–	–	–	–	–	–	–	–	–
Ulceration of Intestines	3	–	–	–	–	–	–	–	–	–	–	–	–
Hernia	–	–	–	–	–	–	–	–	–	–	–	–	–
Ileus	2	1	–	–	1	–	–	–	–	–	–	–	–
Intussusception	–	–	–	–	–	–	–	–	–	–	–	–	–
Stricture of Intestines	1	–	–	–	–	–	–	–	1	–	–	–	–
Stomach Disease	9	2	1	–	1	–	1	–	–	–	–	–	–
Pancreas Disease	–	–	–	–	–	–	–	–	–	–	–	–	–
Hepatitis	6	–	–	–	–	–	–	–	–	–	–	–	–
Jaundice	2	1	–	–	–	–	–	–	–	–	–	–	–
Liver Disease	10	–	–	–	–	–	–	–	–	–	1	–	–
Spleen Disease	2	–	–	–	1	–	–	–	–	–	–	–	–
VIII. Nephritis	2	–	–	–	–	–	–	–	–	–	–	–	–
Nephria	10	–	–	–	–	–	–	–	1	–	–	1	1
Ischuria	–	–	–	–	–	–	–	–	–	–	–	–	–
Diabetes	3	–	–	–	–	–	–	–	–	–	–	–	–
Stone	–	–	–	–	–	–	–	–	–	–	–	–	–
Cystitis	–	–	–	–	–	–	–	–	–	–	–	–	–
Stricture of Urethra	–	–	–	–	–	–	–	–	–	–	–	–	–
Kidney Disease	5	–	–	–	–	–	–	–	–	–	–	–	–
IX. Paramenia	–	–	–	–	–	–	–	–	–	–	–	–	–
Ovarian Dropsy	1	–	–	–	–	–	–	–	–	–	–	–	–
Childbirth	13	–	–	–	–	–	–	–	–	–	1	2	4
Organs of Generation	4	–	–	–	–	–	–	–	–	–	–	1	–
X. Arthritis	–	–	–	–	–	–	–	–	–	–	–	–	–
Rheumatism	5	–	–	–	–	–	–	–	–	–	–	–	–
Joint and Bone Disease	6	–	–	–	–	–	–	–	2	1	–	1	–
XI. Carbuncle	–	–	–	–	–	–	–	–	–	–	–	–	–
Phlegmon	–	–	–	–	–	–	–	–	–	–	–	–	–
Skin Disease	2	1	–	–	–	–	1	–	–	–	–	–	–
XII. Cyanosis	1	1	–	–	–	–	–	–	–	–	–	–	–
Spina Bifida	–	–	–	–	–	–	–	–	–	–	–	–	–
Other Malformations	4	3	–	1	–	–	–	–	–	–	–	–	–
XVII. Intemperance	1	–	–	–	–	–	–	–	–	–	–	–	–
Privation	–	–	–	–	–	–	–	–	–	–	–	–	–
Want of Breast Milk	–	–	–	–	–	–	–	–	–	–	–	–	–
Neglect	–	–	–	–	–	–	–	–	–	–	–	–	–
Cold	–	–	–	–	–	–	–	–	–	–	–	–	–
Poison	1	–	–	–	–	–	–	–	–	–	–	–	–
Burns and Scalds	11	–	–	–	2	1	2	1	2	–	–	–	1
Hanging, etc.	1	–	–	–	–	–	–	–	–	–	–	–	–
Suffocation	–	–	–	–	–	–	–	–	–	–	–	–	–
Drowning	14	–	–	–	1	1	–	–	1	–	1	2	2
Fracture and Contusion	19	–	–	–	–	–	–	–	1	1	–	1	1
Wounds	1	–	–	–	–	–	–	–	–	–	–	–	–
Other Violent Causes	2	–	–	–	–	–	–	–	–	–	–	–	–
Not Specified	80	17	8	10	9	6	2	3	9	–	2	2	–

CAUSES of DEATH in the SUBURBAN DISTRICTS of BARONY and GOVAN, at different Periods of Life, in 1862.—Both Sexes. (*Continued.*)

DISEASES.	BOTH SEXES. AGE UNDER															
	35	40	45	50	55	60	65	70	75	80	85	90	95	100	105	?
Cephalitis	–	1	–	–	–	1	–	–	–	–	–	–	–	–	–	–
Apoplexy	2	2	–	3	1	4	5	4	2	3	–	–	–	–	–	–
Paralysis	1	2	1	5	1	–	3	9	7	3	1	1	–	–	–	–
Delirium Tremens	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Chorea	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Epilepsy	2	1	1	–	1	–	1	–	–	–	–	–	–	–	–	–
Tetanus	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Insanity	–	1	–	1	–	–	–	–	–	–	–	–	–	–	–	–
Convulsions	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Brain Disease	2	1	2	–	–	2	2	–	–	1	–	–	–	–	–	–
Pericarditis	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Aneurism	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–
Heart Disease	1	2	3	2	–	4	2	4	5	1	2	–	–	–	–	–
Laryngitis	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–
Bronchitis	3	5	2	9	7	10	6	5	2	4	5	2	–	–	–	–
Pleurisy	–	–	1	3	–	1	–	2	–	–	–	–	–	–	–	–
Pneumonia	4	6	3	4	5	8	4	7	2	3	1	–	–	–	–	–
Asthma	–	–	–	2	–	2	4	2	–	2	–	–	–	–	–	–
Lung Disease	–	–	–	–	1	–	1	–	1	–	–	–	–	–	–	–
Teething	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Quinsey	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Gastritis	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Enteritis	2	–	1	1	–	–	1	1	1	–	–	–	–	–	–	–
Peritonitis	–	1	–	1	–	–	–	–	–	–	–	–	–	–	–	–
Ascites	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–
Ulceration of Intestines	–	2	–	–	1	–	–	–	–	–	–	–	–	–	–	–
Hernia	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Ileus	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Intussusception	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Stricture of Intestines	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Stomach Disease	–	–	1	–	1	–	–	–	2	–	–	–	–	–	–	–
Pancreas Disease	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Hepatitis	–	–	–	1	3	–	2	–	–	–	–	–	–	–	–	–
Jaundice	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–
Liver Disease	–	–	1	2	1	–	3	–	–	2	–	–	–	–	–	–
Spleen Disease	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–
Nephritis	–	1	–	–	–	–	1	–	–	–	–	–	–	–	–	–
Nephria	1	1	–	1	–	2	1	–	–	1	–	–	–	–	–	–
Ischuria	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Diabetes	–	1	–	1	–	–	–	–	1	–	–	–	–	–	–	–
Stone	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Cystitis	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Stricture of Urethra	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Kidney Disease	–	2	1	–	1	–	1	–	–	–	–	–	–	–	–	–
Paramenia	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Ovarian Dropsy	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–
Childbirth	3	1	2	–	–	–	–	–	–	–	–	–	–	–	–	–
Organs of Generation	–	1	1	1	–	–	–	–	–	–	–	–	–	–	–	–
Arthritis	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Rheumatism	–	1	–	–	1	–	–	2	–	1	–	–	–	–	–	–
Joint Disease	–	1	–	–	–	1	–	–	–	–	–	–	–	–	–	–
Carbuncle	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Phlegmon	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Skin Disease	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Cyanosis	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Spina Bifida	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Other Malformations	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Intemperance	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–
Privation	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Want of Breast Milk	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Neglect	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Cold	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Poison	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Burns and Scalds	–	–	–	1	–	–	–	1	–	–	–	–	–	–	–	–
Hanging, etc.	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Suffocation	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Drowning	2	–	2	–	–	1	–	–	–	1	–	–	–	–	–	–
Fracture and Contusion	1	3	–	1	2	1	3	3	1	–	–	–	–	–	–	–
Wounds	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–
Other Violent Causes	–	–	1	–	–	1	–	–	–	–	–	–	–	–	–	–
Not Specified	–	–	–	2	1	4	3	–	–	–	–	–	–	–	–	2

CAUSES of DEATH in the SUBURBAN DISTRICTS of BARONY and GOVAN, at different Periods of Life, in 1862.—MALES.

DISEASES.	MALES.												
	ALL AGES.	AGE UNDER											
		MONTHS.			2	3	4	5	10	15	20	25	30
		3	6	12									
ALL CAUSES	784	68	33	60	101	50	24	12	60	18	22	33	22
SPECIFIED CAUSES	743	59	29	56	97	46	24	11	54	18	20	32	22
I. Zymotic Class	158	6	3	20	39	24	13	6	26	3	1	4	–
II. Diseases of Uncertain Seat	12	1	–	1	1	–	–	–	–	1	–	–	1
III. Tubercular Class	146	2	2	10	20	8	2	2	7	8	14	15	9
IV. Brain and Nervous System	68	1	1	1	5	–	1	2	6	2	–	2	2
V. Organs of Circulation	21	–	–	1	–	–	–	–	1	–	1	1	1
VI. Respiratory Organs	153	7	8	15	19	11	4	1	7	–	1	5	3
VII. Organs of Digestion	50	7	5	7	6	1	2	–	2	2	2	–	1
VIII. Urinary Organs	10	–	–	–	–	–	–	–	1	–	–	1	1
IX. Organs of Generation	–	–	–	–	–	–	–	–	–	–	–	–	–
X. Organs of Locomotion	5	–	–	–	–	–	–	–	1	1	–	1	–
XI. Skin, etc.	1	–	–	–	–	–	1	–	–	–	–	–	–
XII. Malformation	4	4	–	–	–	–	–	–	–	–	–	–	–
XIII. Premature Debility	42	31	10	1	–	–	–	–	–	–	–	–	–
XIV. Atrophy	5	–	–	–	4	–	–	–	–	–	–	–	–
XV. Age	23	–	–	–	–	–	–	–	–	–	–	–	–
XVI. Sudden Deaths	–	–	–	–	–	–	–	–	–	–	–	–	–
XVII. Violent Deaths	45	–	–	–	3	2	1	–	3	1	1	3	4
I. Small Pox	–	–	–	–	–	–	–	–	–	–	–	–	–
Measles	12	–	1	2	5	2	–	–	2	–	–	–	–
Scarlatina	26	–	1	1	6	3	4	2	8	–	1	–	–
Diphtheria	14	1	–	–	2	5	2	–	3	1	–	–	–
Hooping Cough	19	2	–	5	8	2	–	–	2	–	–	–	–
Croup	26	–	–	2	11	9	3	–	1	–	–	–	–
Thrush	–	–	–	–	–	–	–	–	–	–	–	–	–
Diarrhœa	24	2	1	7	5	2	1	1	1	–	–	1	–
Dysentery	1	–	–	–	1	–	–	–	–	–	–	–	–
Cholera	–	–	–	–	–	–	–	–	–	–	–	–	–
Influenza	–	–	–	–	–	–	–	–	–	–	–	–	–
Purpura	–	–	–	–	–	–	–	–	–	–	–	–	–
Ague	–	–	–	–	–	–	–	–	–	–	–	–	–
Worms	1	–	–	–	–	–	–	1	–	–	–	–	–
Infantile Fever	–	–	–	–	–	–	–	–	–	–	–	–	–
Typhus	32	–	–	2	1	1	3	2	9	2	–	3	–
Metria	–	–	–	–	–	–	–	–	–	–	–	–	–
Rheumatic Fever	–	–	–	–	–	–	–	–	–	–	–	–	–
Erysipelas	2	–	–	1	–	–	–	–	–	–	–	–	–
Syphilis	–	–	–	–	–	–	–	–	–	–	–	–	–
Noma	1	1	–	–	–	–	–	–	–	–	–	–	–
Hydrophobia	–	–	–	–	–	–	–	–	–	–	–	–	–
II. Hæmorrhage	1	1	–	–	–	–	–	–	–	–	–	–	–
Dropsy	5	–	–	–	–	–	–	–	–	1	–	–	1
Abscess	2	–	–	1	1	–	–	–	–	–	–	–	–
Ulcer	–	–	–	–	–	–	–	–	–	–	–	–	–
Fistula	–	–	–	–	–	–	–	–	–	–	–	–	–
Mortification	–	–	–	–	–	–	–	–	–	–	–	–	–
Cancer	4	–	–	–	–	–	–	–	–	–	–	–	–
Gout	–	–	–	–	–	–	–	–	–	–	–	–	–
III. Scrofula	14	–	1	–	–	1	–	–	–	1	5	1	–
Tabes Mesenterica	11	1	–	1	4	2	1	1	1	–	–	–	–
Phthisis	91	–	–	1	5	1	1	–	2	7	9	14	9
Hydrocephalus	30	1	1	8	11	4	–	1	4	–	–	–	–

CAUSES of DEATH in the SUBURBAN DISTRICTS of BARONY and GOVAN, at different Periods of Life, in 1862.—MALES.

DISEASES.	MALES. AGE UNDER															
	35	40	45	50	55	60	65	70	75	80	85	90	95	100	105	?
ALL CAUSES	23	31	28	26	25	34	34	25	20	18	12	1	–	2	–	2
SPECIFIED CAUSES	23	31	28	25	25	33	31	25	20	18	12	1	–	2	–	1
Zymotic Class	–	1	1	4	1	1	2	1	–	1	1	–	–	–	–	–
Uncertain Seat	–	1	–	–	1	3	1	–	1	–	–	–	–	–	–	–
Tubercular Class	10	8	14	3	3	2	2	2	2	–	–	–	–	–	–	1
Brain, etc.	5	7	2	4	2	6	5	8	2	4	–	–	–	–	–	–
Heart, etc.	1	1	1	1	–	4	2	1	4	–	1	–	–	–	–	–
Respiratory Organs	3	5	5	9	10	13	8	7	5	5	3	1	–	–	–	–
Digestive Organs	–	1	1	1	3	–	4	1	2	2	–	–	–	–	–	–
Urinary Organs	1	2	–	1	1	1	–	–	1	–	–	–	–	–	–	–
Generative Organs	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Locomotive Organs	–	–	–	–	–	–	–	1	–	1	–	–	–	–	–	–
Skin	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Malformation	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Premature Debility	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Atrophy	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–
Age	–	–	–	–	–	–	4	2	4	4	7	–	–	2	–	–
Sudden Deaths	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Violent Deaths	3	5	4	2	3	3	3	2	1	1	–	–	–	–	–	–
Small Pox	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Measles	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Scarlatina	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Diphtheria	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Hooping Cough	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Croup	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Thrush	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Diarrhœa	–	–	–	1	–	–	1	–	–	1	–	–	–	–	–	–
Dysentery	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Cholera	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Influenza	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Purpura	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Ague	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Worms	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Infantile Fever	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Typhus	–	1	1	2	1	1	1	1	–	–	1	–	–	–	–	–
Metria	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Rheumatic Fever	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Erysipelas	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–
Syphilis	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Noma	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Hydrophobia	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Hæmorrhage	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Dropsy	–	–	–	–	1	2	–	–	–	–	–	–	–	–	–	–
Abscess	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Ulcer	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Fistula	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Mortification	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Cancer	–	1	–	–	–	1	1	–	1	–	–	–	–	–	–	–
Gout	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Scrofula	1	1	1	–	–	–	–	1	1	–	–	–	–	–	–	–
Tabes Mesenterica	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Phthisis	9	7	13	3	3	2	2	1	1	–	–	–	–	–	–	1
Hydrocephalus	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–

CAUSES of DEATH in the SUBURBAN DISTRICTS of BARONY and GOVAN, at different Periods of Life, in 1862.—MALES. (*Continued.*)

DISEASES.	MALES. ALL AGES.	AGE UNDER MONTHS. 3	6	12	2	3	4	5	10	15	20	25	30
IV. Cephalitis	3	1	–	–	–	–	–	–	–	–	–	–	–
Apoplexy	23	–	1	1	2	–	–	–	–	–	–	1	–
Paralysis	15	–	–	–	–	–	–	–	–	–	–	–	–
Delirium Tremens	–	–	–	–	–	–	–	–	–	–	–	–	–
Chorea	–	–	–	–	–	–	–	–	–	–	–	–	–
Epilepsy	7	–	–	–	–	–	–	–	1	1	–	–	1
Tetanus	1	–	–	–	–	–	–	–	1	–	–	–	–
Insanity	2	–	–	–	–	–	–	–	–	–	–	–	1
Convulsions	5	–	–	–	2	–	1	–	2	–	–	–	–
Brain Disease	12	–	–	–	1	–	–	2	2	1	–	1	–
V. Pericarditis	3	–	–	1	–	–	–	–	–	–	1	–	–
Aneurism	1	–	–	–	–	–	–	–	–	–	–	–	–
Heart Disease	17	–	–	–	–	–	–	–	1	–	–	1	1
VI. Laryngitis	3	–	–	–	1	1	–	–	–	–	–	–	–
Bronchitis	91	5	7	15	15	9	2	1	3	–	1	3	1
Pleurisy	5	–	1	–	–	–	–	–	–	–	–	–	–
Pneumonia	43	1	–	–	2	1	2	–	4	–	–	2	2
Asthma	6	–	–	–	–	–	–	–	–	–	–	–	–
Lung Disease	5	1	–	–	1	–	–	–	–	–	–	–	–
VII. Teething	13	1	2	7	3	–	–	–	–	–	–	–	–
Quinsey	–	–	–	–	–	–	–	–	–	–	–	–	–
Gastritis	–	–	–	–	–	–	–	–	–	–	–	–	–
Enteritis	16	3	3	–	1	1	1	–	–	–	1	–	1
Peritonitis	4	–	–	–	–	–	–	–	1	2	–	–	–
Ascites	1	–	–	–	–	–	–	–	–	–	–	–	–
Ulceration of Intestines	–	–	–	–	–	–	–	–	–	–	–	–	–
Hernia	–	–	–	–	–	–	–	–	–	–	–	–	–
Ileus	1	1	–	–	–	–	–	–	–	–	–	–	–
Intussusception	–	–	–	–	–	–	–	–	–	–	–	–	–
Stricture of Intestines	1	–	–	–	–	–	–	–	1	–	–	–	–
Stomach Disease	4	1	–	–	1	–	1	–	–	–	–	–	–
Pancreas Disease	–	–	–	–	–	–	–	–	–	–	–	–	–
Hepatitis	2	–	–	–	–	–	–	–	–	–	–	–	–
Jaundice	1	1	–	–	–	–	–	–	–	–	–	–	–
Liver Disease	6	–	–	–	–	–	–	–	–	–	1	–	–
Spleen Disease	1	–	–	–	1	–	–	–	–	–	–	–	–
VIII. Nephritis	–	–	–	–	–	–	–	–	–	–	–	–	–
Nephria	7	–	–	–	–	–	–	–	1	–	–	1	1
Ischuria	–	–	–	–	–	–	–	–	–	–	–	–	–
Diabetes	1	–	–	–	–	–	–	–	–	–	–	–	–
Stone	–	–	–	–	–	–	–	–	–	–	–	–	–
Cystitis	–	–	–	–	–	–	–	–	–	–	–	–	–
Stricture of Urethra	–	–	–	–	–	–	–	–	–	–	–	–	–
Kidney Disease	2	–	–	–	–	–	–	–	–	–	–	–	–
IX. Paramenia	–	–	–	–	–	–	–	–	–	–	–	–	–
Ovarian Dropsy	–	–	–	–	–	–	–	–	–	–	–	–	–
Childbirth	–	–	–	–	–	–	–	–	–	–	–	–	–
Organs of Generation	–	–	–	–	–	–	–	–	–	–	–	–	–
X. Arthritis	–	–	–	–	–	–	–	–	–	–	–	–	–
Rheumatism	2	–	–	–	–	–	–	–	–	–	–	–	–
Joint and Bone Disease	3	–	–	–	–	–	–	–	1	1	–	1	–
XI. Carbuncle	–	–	–	–	–	–	–	–	–	–	–	–	–
Phlegmon	–	–	–	–	–	–	–	–	–	–	–	–	–
Skin Disease	1	–	–	–	–	–	1	–	–	–	–	–	–
XII. Cyanosis	1	1	–	–	–	–	–	–	–	–	–	–	–
Spina Bifida	–	–	–	–	–	–	–	–	–	–	–	–	–
Other Malformations	3	3	–	–	–	–	–	–	–	–	–	–	–
XVII. Intemperance	1	–	–	–	–	–	–	–	–	–	–	–	–
Privation	–	–	–	–	–	–	–	–	–	–	–	–	–
Want of Breast Milk	–	–	–	–	–	–	–	–	–	–	–	–	–
Neglect	–	–	–	–	–	–	–	–	–	–	–	–	–
Cold	–	–	–	–	–	–	–	–	–	–	–	–	–
Poison	1	–	–	–	–	–	–	–	–	–	–	–	–
Burns and Scalds	8	–	–	–	2	1	1	–	2	–	–	–	1
Hanging, etc.	1	–	–	–	–	–	–	–	–	–	–	–	–
Suffocation	–	–	–	–	–	–	–	–	–	–	–	–	–
Drowning	14	–	–	–	1	1	–	–	1	–	1	2	2
Fracture and Contusion	17	–	–	–	–	–	–	–	–	1	–	1	1
Wounds	1	–	–	–	–	–	–	–	–	–	–	–	–
Other Violent Causes	2	–	–	–	–	–	–	–	–	–	–	–	–
Not Specified	41	9	4	4	4	4	–	1	6	–	2	1	–

CAUSES of DEATH in the SUBURBAN DISTRICTS of BARONY and GOVAN, at different Periods of Life, in 1862.—MALES. (*Continued.*)

DISEASES.	MALES. AGE UNDER														
	35	40	45	50	55	60	65	70	75	80	85	90	95	100	105	?
Cephalitis	–	1	–	–	–	1	–	–	–	–	–	–	–	–	–	–
Apoplexy	1	2	–	1	1	3	3	2	2	3	–	–	–	–	–	–
Paralysis	1	2	1	3	–	–	1	6	–	1	–	–	–	–	–	–
Delirium Tremens	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Chorea	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Epilepsy	2	–	1	–	1	–	–	–	–	–	–	–	–	–	–	–
Tetanus	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Insanity	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Convulsions	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Brain Disease	1	1	–	–	–	2	1	–	–	–	–	–	–	–	–	–
Pericarditis	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Aneurism	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–
Heart Disease	–	1	1	–	–	4	2	1	4	–	1	–	–	–	–	–
Laryngitis	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–
Bronchitis	2	1	1	4	5	6	3	2	1	1	2	1	–	–	–	–
Pleurisy	–	–	1	2	–	–	–	1	–	–	–	–	–	–	–	–
Pneumonia	1	4	3	2	4	5	2	3	1	3	1	–	–	–	–	–
Asthma	–	–	–	1	–	2	1	1	–	1	–	–	–	–	–	–
Lung Disease	–	–	–	–	1	–	1	–	1	–	–	–	–	–	–	–
Teething	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Quinsey	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Gastritis	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Enteritis	–	–	1	1	–	–	1	1	1	–	–	–	–	–	–	–
Peritonitis	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Ascites	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–
Ulceration of Intestines	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Hernia	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Ileus	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Intussusception	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Stricture of Intestines	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Stomach Disease	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–
Pancreas	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Hepatitis	–	–	–	–	2	–	–	–	–	–	–	–	–	–	–	–
Jaundice	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Liver Disease	–	–	–	–	1	–	2	–	–	2	–	–	–	–	–	–
Spleen Disease	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Nephritis	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Nephria	1	1	–	1	–	1	–	–	–	–	–	–	–	–	–	–
Ischuria	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Diabetes	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–
Stone	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Cystitis	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Stricture of Urethra	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Kidney Disease	–	1	–	–	1	–	–	–	–	–	–	–	–	–	–	–
Paramenia	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Ovarian Dropsy	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Childbirth	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Organs of Generation	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Arthritis	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Rheumatism	–	–	–	–	–	–	–	1	–	1	–	–	–	–	–	–
Joint Disease	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Carbuncle	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Phlegmon	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Skin Disease	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Cyanosis	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Spina Bifida	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Other Malformations	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Intemperance	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–
Privation	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Want of Breast Milk	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Neglect	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Cold	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Poison	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Burns and Scalds	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–
Hanging, etc.	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Suffocation	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Drowning	2	–	2	–	–	1	–	–	–	1	–	–	–	–	–	–
Fracture and Contusion	1	3	–	1	2	1	3	2	1	–	–	–	–	–	–	–
Wounds	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–
Other Violent Causes	–	–	1	–	–	1	–	–	–	–	–	–	–	–	–	–
Not Specified	–	–	–	1	–	1	3	–	–	–	–	–	–	–	–	1

CAUSES of DEATH in the SUBURBAN DISTRICTS of BARONY and GOVAN, at different Periods of Life, in 1862.—FEMALES.

DISEASES.	FEMALES.												
		AGE UNDER											
	ALL AGES.	MONTHS.			2	3	4	5	10	15	20	25	30
		3	6	12									
ALL CAUSES	788	60	26	67	103	34	34	22	36	20	22	30	23
SPECIFIED CAUSES	749	52	22	61	98	32	32	20	33	20	22	29	23
I. Zymotic Class	153	5	3	20	33	15	15	9	15	3	5	2	3
II. Diseases of Uncertain Seat	28	–	–	–	1	–	–	1	–	–	–	1	–
III. Tubercular Class	159	–	3	15	11	7	3	6	10	15	14	13	12
IV. Brain and Nervous System	57	5	–	2	5	2	3	2	–	–	–	2	1
V. Organs of Circulation	15	–	–	–	–	–	–	–	2	–	1	–	–
VI. Respiratory Organs	148	5	7	17	32	7	9	–	3	–	1	7	2
VII. Organs of Digestion	52	3	2	6	14	1	1	1	1	2	–	1	1
VIII. Urinary Organs	10	–	–	–	–	–	–	–	–	–	–	–	–
IX. Organs of Generation	18	–	–	–	–	–	–	–	–	–	1	3	4
X. Organs of Locomotion	6	–	–	–	–	–	–	–	1	–	–	–	–
XI. Skin, etc.	1	1	–	–	–	–	–	–	–	–	–	–	–
XII. Malformation	1	–	–	1	–	–	–	–	–	–	–	–	–
XIII. Premature Debility	40	33	7	–	–	–	–	–	–	–	–	–	–
XIV. Atrophy	5	–	–	–	2	–	–	–	–	–	–	–	–
XV. Age	51	–	–	–	–	–	–	–	–	–	–	–	–
XVI. Sudden Deaths	–	–	–	–	–	–	–	–	–	–	–	–	–
XVII. Violent Deaths	5	–	–	–	–	–	1	1	1	–	–	–	–
I. Small Pox	2	–	–	2	–	–	–	–	–	–	–	–	–
Measles	11	–	–	–	6	2	3	–	–	–	–	–	–
Scarlatina	19	–	–	2	4	3	2	3	4	1	–	–	–
Diphtheria	18	–	–	1	2	2	2	2	7	1	1	–	–
Hooping Cough	24	–	1	6	9	4	4	–	–	–	–	–	–
Croup	16	2	–	3	6	1	2	2	–	–	–	–	–
Thrush	–	–	–	–	–	–	–	–	–	–	–	–	–
Diarrhœa	26	3	1	6	5	1	1	–	1	–	–	–	–
Dysentery	1	–	–	–	–	–	–	–	–	–	–	–	–
Cholera	–	–	–	–	–	–	–	–	–	–	–	–	–
Influenza	–	–	–	–	–	–	–	–	–	–	–	–	–
Purpura	1	–	–	–	1	–	–	–	–	–	–	–	–
Ague	–	–	–	–	–	–	–	–	–	–	–	–	–
Worms	–	–	–	–	–	–	–	–	–	–	–	–	–
Infantile Fever	1	–	1	–	–	–	–	–	–	–	–	–	–
Typhus	29	–	–	–	–	1	1	2	3	1	3	2	1
Metria	3	–	–	–	–	–	–	–	–	–	–	–	2
Rheumatic Fever	–	–	–	–	–	–	–	–	–	–	–	–	–
Erysipelas	2	–	–	–	–	1	–	–	–	–	1	–	–
Syphilis	–	–	–	–	–	–	–	–	–	–	–	–	–
Noma	–	–	–	–	–	–	–	–	–	–	–	–	–
Hydrophobia	–	–	–	–	–	–	–	–	–	–	–	–	–
II. Hæmorrhage	1	–	–	–	–	–	–	–	–	–	–	1	–
Dropsy	10	–	–	–	–	–	–	–	–	–	–	–	–
Abscess	1	–	–	–	1	–	–	–	–	–	–	–	–
Ulcer	–	–	–	–	–	–	–	–	–	–	–	–	–
Fistula	–	–	–	–	–	–	–	–	–	–	–	–	–
Mortification	2	–	–	–	–	–	–	–	1	–	–	–	–
Cancer	14	–	–	–	–	–	–	–	–	–	–	–	–
Gout	–	–	–	–	–	–	–	–	–	–	–	–	–
III. Scrofula	8	–	–	–	1	–	–	–	1	–	–	2	1
Tabes Mesenterica	12	–	–	3	3	4	1	–	–	1	–	–	–
Phthisis	116	–	2	3	5	1	1	6	4	11	14	11	11
Hydrocephalus	23	–	1	9	2	2	1	–	5	3	–	–	–

CAUSES of DEATH in the SUBURBAN DISTRICTS of BARONY and GOVAN, at different Periods of Life, in 1862.—FEMALES.

DISEASES.	FEMALES. AGE UNDER															
	35	40	45	50	55	60	65	70	75	80	85	90	95	100	105	?
ALL CAUSES	29	33	29	32	23	22	33	34	21	21	19	12	1	1	–	1
SPECIFIED CAUSES	29	33	29	31	22	19	33	34	21	21	19	12	1	1	–	–
Zymotic Class	1	3	2	3	4	3	3	3	2	1	–	–	–	–	–	–
Uncertain Seat	4	1	4	2	4	3	2	1	2	1	–	1	–	–	–	–
Tubercular Class	12	12	11	4	4	1	5	1	–	–	–	–	–	–	–	–
Brain, etc.	2	1	2	5	1	1	6	5	7	3	1	1	–	–	–	–
Heart, etc.	1	1	2	2	–	–	–	3	1	1	1	–	–	–	–	–
Respiratory Organs	4	6	1	9	3	8	8	9	2	4	3	1	–	–	–	–
Digestive Organs	2	2	2	4	4	–	3	–	1	–	1	–	–	–	–	–
Urinary Organs	–	3	1	1	–	1	3	–	–	1	–	–	–	–	–	–
Generative Organs	3	2	3	1	–	–	1	–	–	–	–	–	–	–	–	–
Locomotive Organs	–	2	–	–	1	1	–	1	–	–	–	–	–	–	–	–
Skin	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Malformation	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Premature Debility	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Atrophy	–	–	1	–	1	1	–	–	–	–	–	–	–	–	–	–
Age	–	–	–	–	–	–	2	9	6	10	13	9	1	1	–	–
Sudden Deaths	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Violent Deaths	–	–	–	–	–	–	–	2	–	–	–	–	–	–	–	–
Small Pox	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Measles	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Scarlatina	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Diphtheria	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Hooping Cough	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Croup	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Thrush	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Diarrhœa	–	–	–	1	2	–	1	1	2	1	–	–	–	–	–	–
Dysentery	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–
Cholera	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Influenza	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Purpura	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Ague	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Worms	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Infantile Fever	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Typhus	1	2	2	1	2	3	2	2	–	–	–	–	–	–	–	–
Metria	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Rheumatic Fever	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Erysipelas	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Syphilis	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Noma	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Hydrophobia	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Hæmorrhage	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–
Dropsy	2	1	1	1	2	–	–	–	2	–	–	–	–	–	–	–
Abscess	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Ulcer	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Fistula	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Mortification	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–
Cancer	2	–	2	1	2	3	2	1	–	–	–	1	–	–	–	–
Gout	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Scrofula	1	–	–	–	–	–	1	1	–	–	–	–	–	–	–	–
Tabes Mesenterica	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Phthisis	11	12	11	4	4	1	4	–	–	–	–	–	–	–	–	–
Hydrocephalus	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–

CAUSES of DEATH in the SUBURBAN DISTRICTS of BARONY and GOVAN, at different Periods of Life, in 1862.—FEMALES. (*Continued.*)

DISEASES.	FEMALES.												
	ALL AGES.	AGE UNDER											
		MONTHS.			2	3	4	5	10	15	20	25	30
		3	6	12									
IV. Cephalitis	3	–	–	–	–	2	–	–	–	–	–	1	–
Apoplexy	11	–	–	–	2	–	1	–	–	–	–	–	–
Paralysis	19	–	–	–	–	–	–	–	–	–	–	–	–
Delirium Tremens	–	–	–	–	–	–	–	–	–	–	–	–	–
Chorea	–	–	–	–	–	–	–	–	–	–	–	–	–
Epilepsy	2	–	–	–	–	–	–	–	–	–	–	–	–
Tetanus	–	–	–	–	–	–	–	–	–	–	–	–	–
Insanity	1	–	–	–	–	–	–	–	–	–	–	–	–
Convulsions	10	5	–	1	2	–	1	1	–	–	–	–	–
Brain Disease	11	–	–	1	1	–	1	1	–	–	–	1	1
V. Pericarditis	–	–	–	–	–	–	–	–	–	–	–	–	–
Aneurism	–	–	–	–	–	–	–	–	–	–	–	–	–
Heart Disease	15	–	–	–	–	–	–	–	2	–	1	–	–
VI. Laryngitis	1	–	–	–	1	–	–	–	–	–	–	–	–
Bronchitis	83	3	5	14	19	4	4	–	2	–	–	1	–
Pleurisy	4	–	–	–	–	–	1	–	–	–	–	–	–
Pneumonia	47	2	2	3	8	3	4	–	1	–	–	4	2
Asthma	6	–	–	–	–	–	–	–	–	–	–	–	–
Lung Disease	7	–	–	–	4	–	–	–	–	–	1	2	–
VII. Teething	15	–	1	4	10	–	–	–	–	–	–	–	–
Quinsey	3	–	–	1	1	–	–	1	–	–	–	–	–
Gastritis	–	–	–	–	–	–	–	–	–	–	–	–	–
Enteritis	11	2	–	1	2	1	1	–	1	1	–	–	–
Peritonitis	4	–	–	–	–	–	–	–	–	1	–	1	1
Ascites	–	–	–	–	–	–	–	–	–	–	–	–	–
Ulceration of Intestines	3	–	–	–	–	–	–	–	–	–	–	–	–
Hernia	–	–	–	–	–	–	–	–	–	–	–	–	–
Ileus	1	–	–	–	1	–	–	–	–	–	–	–	–
Intussusception	–	–	–	–	–	–	–	–	–	–	–	–	–
Stricture of Intestines	–	–	–	–	–	–	–	–	–	–	–	–	–
Stomach Disease	5	1	1	–	–	–	–	–	–	–	–	–	–
Pancreas Disease	–	–	–	–	–	–	–	–	–	–	–	–	–
Hepatitis	4	–	–	–	–	–	–	–	–	–	–	–	–
Jaundice	1	–	–	–	–	–	–	–	–	–	–	–	–
Liver Disease	4	–	–	–	–	–	–	–	–	–	–	–	–
Spleen Disease	1	–	–	–	–	–	–	–	–	–	–	–	–
VIII. Nephritis	2	–	–	–	–	–	–	–	–	–	–	–	–
Nephria	3	–	–	–	–	–	–	–	–	–	–	–	–
Ischuria	–	–	–	–	–	–	–	–	–	–	–	–	–
Diabetes	2	–	–	–	–	–	–	–	–	–	–	–	–
Stone	–	–	–	–	–	–	–	–	–	–	–	–	–
Cystitis	–	–	–	–	–	–	–	–	–	–	–	–	–
Stricture of Urethra	–	–	–	–	–	–	–	–	–	–	–	–	–
Kidney Disease	3	–	–	–	–	–	–	–	–	–	–	–	–
IX. Paramenia	–	–	–	–	–	–	–	–	–	–	–	–	–
Ovarian Dropsy	1	–	–	–	–	–	–	–	–	–	–	–	–
Childbirth	13	–	–	–	–	–	–	–	–	–	1	2	4
Organs of Generation	4	–	–	–	–	–	–	–	–	–	–	1	–
X. Arthritis	–	–	–	–	–	–	–	–	–	–	–	–	–
Rheumatism	3	–	–	–	–	–	–	–	–	–	–	–	–
Joint and Bone Disease	3	–	–	–	–	–	–	–	1	–	–	–	–
XI. Carbuncle	–	–	–	–	–	–	–	–	–	–	–	–	–
Phlegmon	–	–	–	–	–	–	–	–	–	–	–	–	–
Skin Disease	1	1	–	–	–	–	–	–	–	–	–	–	–
XII. Cyanosis	–	–	–	–	–	–	–	–	–	–	–	–	–
Spina Bifida	–	–	–	–	–	–	–	–	–	–	–	–	–
Other Malformations	1	–	–	1	–	–	–	–	–	–	–	–	–
XVII. Intemperance	–	–	–	–	–	–	–	–	–	–	–	–	–
Privation	–	–	–	–	–	–	–	–	–	–	–	–	–
Want of Breast Milk	–	–	–	–	–	–	–	–	–	–	–	–	–
Neglect	–	–	–	–	–	–	–	–	–	–	–	–	–
Cold	–	–	–	–	–	–	–	–	–	–	–	–	–
Poison	–	–	–	–	–	–	–	–	–	–	–	–	–
Burns and Scalds	3	–	–	–	–	–	1	1	–	–	–	–	–
Hanging, etc.	–	–	–	–	–	–	–	–	–	–	–	–	–
Suffocation	–	–	–	–	–	–	–	–	–	–	–	–	–
Drowning	–	–	–	–	–	–	–	–	–	–	–	–	–
Fracture and Contusion	2	–	–	–	–	–	–	–	1	–	–	–	–
Wounds	–	–	–	–	–	–	–	–	–	–	–	–	–
Other Violent Causes	–	–	–	–	–	–	–	–	–	–	–	–	–
Not Specified	39	8	4	6	5	2	2	2	3	–	–	1	–

CAUSES of DEATH in the SUBURBAN DISTRICTS of BARONY and GOVAN, at different Periods of Life, in 1862.—FEMALES. (*Continued.*)

DISEASES.	BOTH SEXES. AGE UNDER															
	35	40	45	50	55	60	65	70	75	80	85	90	95	100	105	?
Cephalitis	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Apoplexy	1	–	–	2	–	1	2	2	–	–	–	–	–	–	–	–
Paralysis	–	–	–	2	1	–	2	3	7	2	1	1	–	–	–	–
Delirium Tremens	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Chorea	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Epilepsy	–	1	–	–	–	–	1	–	–	–	–	–	–	–	–	–
Tetanus	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Insanity	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–
Convulsions	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Brain Disease	1	–	2	–	–	–	1	–	–	1	–	–	–	–	–	–
Pericarditis	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Aneurism	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Heart Disease	1	1	2	2	–	–	–	3	1	1	1	–	–	–	–	–
Laryngitis	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Bronchitis	1	4	1	5	2	4	3	3	1	3	3	1	–	–	–	–
Pleurisy	–	–	–	1	–	1	–	1	–	–	–	–	–	–	–	–
Pneumonia	3	2	–	2	1	3	2	4	1	–	–	–	–	–	–	–
Asthma	–	–	–	1	–	–	3	1	–	1	–	–	–	–	–	–
Lung Disease	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Teething	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Quinsey	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Gastritis	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Enteritis	2	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Peritonitis	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–
Ascites	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Ulceration of Intestines	–	2	–	–	1	–	–	–	–	–	–	–	–	–	–	–
Hernia	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Ileus	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Intussusception	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Stricture of Intestines	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Stomach Disease	–	–	1	–	1	–	–	–	1	–	–	–	–	–	–	–
Pancreas Disease	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Hepatitis	–	–	–	1	1	–	2	–	–	–	–	–	–	–	–	–
Jaundice	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–
Liver Disease	–	–	1	2	–	–	1	–	–	–	–	–	–	–	–	–
Spleen Disease	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–
Nephritis	–	1	–	–	–	–	1	–	–	–	–	–	–	–	–	–
Nephria	–	–	–	–	–	1	1	–	–	1	–	–	–	–	–	–
Ischuria	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Diabetes	–	1	–	1	–	–	–	–	–	–	–	–	–	–	–	–
Stone	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Cystitis	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Stricture of Urethra	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Kidney Disease	–	1	1	–	–	–	1	–	–	–	–	–	–	–	–	–
Paramenia	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Ovarian Dropsy	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–
Childbirth	3	1	2	–	–	–	–	–	–	–	–	–	–	–	–	–
Organs of Generation	–	1	1	1	–	–	–	–	–	–	–	–	–	–	–	–
Arthritis	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Rheumatism	–	1	–	–	1	–	–	1	–	–	–	–	–	–	–	–
Joint Disease	–	1	–	–	–	1	–	–	–	–	–	–	–	–	–	–
Carbuncle	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Phlegmon	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Skin Disease	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Cyanosis	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Spina Bifida	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Other Malformations	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Intemperance	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Privation	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Want of Breast Milk	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Neglect	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Cold	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Poison	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Burns and Scalds	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–
Hanging, etc.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Suffocation	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Drowning	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Fracture and Contusion	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–
Wounds	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Other Violent Causes	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Not Specified	–	–	–	1	1	3	–	–	–	–	–	–	–	–	–	1

CAUSES of DEATH in EDINBURGH, at different Periods of Life, in 1862.—Both Sexes.

DISEASES.	BOTH SEXES.												
	ALL AGES.	AGE UNDER											
		MONTHS.			2	3	4	5	10	15	20	25	30
		3	6	12									
All Causes	4760	411	153	338	456	246	148	134	250	89	137	196	173
Specified Causes	4733	404	151	336	453	246	147	134	249	89	136	196	170
I. Zymotic Class	1171	51	49	124	243	144	90	84	128	24	30	33	34
II. Diseases of Uncertain Seat	184	6	1	2	–	3	2	2	1	3	3	3	5
III. Tubercular Class	803	21	17	52	67	39	17	20	50	32	57	89	69
IV. Brain and Nervous System	418	44	10	14	21	8	6	3	16	5	8	9	13
V. Organs of Circulation	263	1	–	3	–	–	–	–	4	4	5	6	9
VI. Respiratory Organs	749	32	39	94	83	32	19	15	20	1	8	16	12
VII. Organs of Digestion	280	30	8	27	25	3	3	1	9	5	6	6	4
VIII. Urinary Organs	93	1	–	–	–	–	3	2	6	4	8	8	3
IX. Organs of Generation	41	–	–	–	–	–	–	–	–	–	1	6	8
X. Organs of Locomotion	38	–	–	–	–	–	–	2	3	2	5	3	1
XI. Skin, etc.	7	3	–	1	–	–	–	–	–	–	–	–	–
XII. Malformation	18	16	1	–	–	–	–	–	–	1	–	–	–
XIII. Premature Debility	210	175	21	14	–	–	–	–	–	–	–	–	–
XIV. Atrophy	35	–	–	–	11	7	2	2	2	–	–	–	–
XV. Age	218	–	–	–	–	–	–	–	–	–	–	–	–
XVI. Sudden Deaths	12	–	2	3	–	1	–	–	–	–	–	–	–
XVII. Violent Deaths	193	24	3	2	3	9	5	3	8	8	5	17	12
I. Small Pox	171	5	8	32	32	25	13	6	14	3	5	9	10
Measles	30	–	1	4	16	4	2	1	2	–	–	–	–
Scarlatina	232	1	3	8	37	37	25	40	60	11	4	1	1
Diphtheria	42	3	–	2	9	8	4	1	9	2	1	1	–
Hooping Cough	280	11	27	53	98	34	21	20	14	1	1	–	–
Croup	89	3	1	11	29	18	14	8	4	–	–	–	1
Thrush	5	1	3	1	–	–	–	–	–	–	–	–	–
Diarrhœa	67	14	3	8	5	4	1	1	–	–	–	2	1
Dysentery	22	1	–	–	1	–	–	–	–	–	–	–	2
Cholera	2	–	–	1	–	–	–	–	–	–	–	–	–
Influenza	9	–	1	–	1	1	–	–	–	–	–	–	–
Purpura	8	–	–	–	–	1	–	1	1	–	–	2	–
Ague	–	–	–	–	–	–	–	–	–	–	–	–	–
Worms	1	–	–	–	–	–	1	–	–	–	–	–	–
Infantile Fever	10	–	–	2	2	3	2	1	–	–	–	–	–
Typhus	147	1	–	1	9	9	7	5	24	7	15	10	11
Metria	16	–	–	–	–	–	–	–	–	–	3	4	6
Rheumatic Fever	5	–	–	–	–	–	–	–	–	–	1	–	–
Erysipelas	18	7	1	–	–	–	–	–	–	–	–	1	1
Syphilis	15	4	1	–	4	–	–	–	–	–	–	3	1
Noma	2	–	–	1	–	–	–	–	–	–	–	–	–
Hydrophobia	–	–	–	–	–	–	–	–	–	–	–	–	–
II. Hæmorrhage	5	1	–	–	–	–	–	–	–	–	–	1	1
Dropsy	33	–	–	–	–	2	1	2	1	2	1	1	1
Abscess	16	2	1	2	–	–	–	–	–	1	1	–	1
Ulcer	4	1	–	–	–	–	–	–	–	–	–	1	–
Fistula	1	–	–	–	–	–	–	–	–	–	–	–	–
Mortification	7	–	–	–	–	1	–	–	–	–	–	–	–
Cancer	118	2	–	–	–	–	1	–	–	–	1	–	2
Gout	–	–	–	–	–	–	–	–	–	–	–	–	–
III. Scrofula	60	2	1	3	8	6	1	1	9	4	5	5	3
Tabes Mesenterica	92	14	7	14	17	12	4	6	8	3	3	3	–
Phthisis	514	–	–	–	3	6	2	5	20	22	49	81	66
Hydrocephalus	137	5	9	35	39	15	10	8	13	3	–	–	–

CAUSES of DEATH in EDINBURGH, at different Periods of Life, in 1862.—Both Sexes.

DISEASES.	BOTH SEXES. AGE UNDER															
	35	40	45	50	55	60	65	70	75	80	85	90	95	100	105	?
All Causes	179	184	162	172	197	148	247	218	210	157	91	46	11	4	1	2
Specified Causes	179	183	162	170	196	147	247	218	210	157	91	46	11	4	1	2
Zymotic Class	18	12	14	9	9	6	18	14	15	14	6	2	–	–	–	–
Uncertain Seat	9	8	15	17	24	17	20	16	14	9	2	2	–	–	–	–
Tubercular Class	71	62	43	40	26	10	11	8	1	–	1	–	–	–	–	–
Brain, etc.	13	14	20	22	23	20	46	31	31	21	15	4	1	–	–	–
Heart, etc.	15	20	15	20	23	25	34	34	30	12	2	1	–	–	–	–
Respiratory Organs	16	20	25	22	37	33	64	45	57	35	15	8	1	–	–	–
Digestive Organs	11	20	7	14	24	12	20	25	6	8	2	3	1	–	–	–
Urinary Organs	6	6	6	5	5	6	11	7	2	3	–	1	–	–	–	–
Generative Organs	7	7	6	2	–	2	1	–	1	–	–	–	–	–	–	–
Locomotive Organs	2	2	1	2	–	5	2	4	2	2	–	–	–	–	–	–
Skin	1	–	–	–	–	1	–	–	1	–	–	–	–	–	–	–
Malformation	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Premature Debility	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Atrophy	1	1	–	1	6	2	–	–	–	–	–	–	–	–	–	–
Age	–	–	–	–	–	–	10	25	49	50	47	24	8	4	1	–
Sudden Deaths	–	1	–	1	2	1	–	1	–	–	–	–	–	–	–	–
Violent Deaths	9	10	10	15	17	7	10	8	1	3	1	1	–	–	–	2
Small Pox	–	2	4	1	1	–	–	1	–	–	–	–	–	–	–	–
Measles	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Scarlatina	–	2	–	–	1	–	–	1	–	–	–	–	–	–	–	–
Diphtheria	1	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–
Hooping Cough	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Croup	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Thrush	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Diarrhœa	2	2	2	1	2	2	4	–	6	5	1	1	–	–	–	–
Dysentery	1	1	1	–	–	–	2	3	5	3	2	–	–	–	–	–
Cholera	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–
Influenza	1	–	–	–	–	1	1	–	–	2	–	1	–	–	–	–
Purpura	–	–	1	–	–	1	1	–	–	–	–	–	–	–	–	–
Ague	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Worms	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Infantile Fever	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Typhus	6	4	5	4	5	2	7	7	3	3	2	–	–	–	–	–
Metria	3	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Rheumatic Fever	1	–	–	2	–	–	1	–	–	–	–	–	–	–	–	–
Erysipelas	2	–	–	–	–	–	2	2	1	–	1	–	–	–	–	–
Syphilis	1	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Noma	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–
Hydrophobia	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Hæmorrhage	–	–	–	1	1	–	–	–	–	–	–	–	–	–	–	–
Dropsy	–	2	4	3	2	2	2	1	2	2	2	–	–	–	–	–
Abscess	–	–	1	3	3	–	–	1	–	–	–	–	–	–	–	–
Ulcer	–	–	–	1	–	–	–	–	–	1	–	–	–	–	–	–
Fistula	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–
Mortification	1	–	–	–	–	–	–	1	1	2	–	1	–	–	–	–
Cancer	8	6	10	9	18	15	18	12	11	4	–	1	–	–	–	–
Gout	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Scrofula	2	4	2	–	2	2	–	–	–	–	–	–	–	–	–	–
Tabes Mesenterica	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–
Phthisis	69	58	40	40	24	8	11	8	1	–	1	–	–	–	–	–
Hydrocephalus	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–

CAUSES of DEATH in EDINBURGH, at different Periods of Life, in 1862.—BOTH SEXES. (*Continued.*)

DISEASES.	BOTH SEXES.													
	ALL AGES.	AGE UNDER												
		MONTHS.			2	3	4	5	10	15	20	25	30	
		3	6	12										
IV. Cephalitis	24	–	–	3	2	2	2	1	5	2	1	2	1	
Apoplexy	87	4	1	1	2	–	1	–	1	–	–	1	2	
Paralysis	106	–	–	–	–	–	–	–	–	–	–	1	4	
Delirium Tremens	5	–	–	–	–	–	–	–	–	–	–	1	1	
Chorea	1	–	–	–	–	–	–	–	–	–	–	–	–	
Epilepsy	20	–	–	–	1	–	–	–	1	1	1	2	–	
Tetanus	5	2	–	–	–	–	–	1	–	–	1	–	–	
Insanity	17	–	–	–	–	–	–	–	–	1	–	2	1	
Convulsions	68	36	7	7	10	3	3	1	1	–	–	–	–	
Brain Disease	85	2	2	3	6	3	–	–	8	1	5	–	4	
V. Pericarditis	2	–	–	–	–	–	–	–	–	–	–	1	1	
Aneurism	22	–	–	–	–	–	–	–	–	–	–	–	–	
Heart Disease	239	1	–	3	–	–	–	–	4	4	5	5	8	
VI. Laryngitis	18	–	5	1	4	2	1	1	1	–	–	1	–	
Bronchitis	520	25	28	78	72	23	12	11	16	1	2	4	3	
Pleurisy	22	–	1	–	–	–	–	–	–	–	1	4	3	
Pneumonia	111	7	5	14	7	6	5	2	3	–	–	6	4	
Asthma	46	–	–	–	–	–	–	–	–	–	2	–	–	
Lung Disease	32	–	–	1	–	1	1	1	–	–	3	1	2	
VII. Teething	44	–	2	23	18	1	–	–	–	–	–	–	–	
Quinsey	1	–	–	–	–	–	–	–	–	–	–	–	1	
Gastritis	6	–	–	–	1	–	–	–	–	–	–	–	–	
Enteritis	39	14	1	1	4	–	1	–	4	3	–	2	2	
Peritonitis	11	2	1	–	–	–	–	–	1	2	–	2	–	
Ascites	4	1	–	–	–	–	–	–	–	–	–	–	–	
Ulceration of Intestines	17	–	–	–	–	–	–	1	1	–	2	1	–	
Hernia	11	–	–	–	–	–	–	–	–	–	–	–	–	
Ileus	20	3	1	–	–	–	1	–	–	–	1	–	1	
Intussusception	2	–	1	–	–	–	–	–	–	–	–	–	–	
Stricture of Intestines	4	–	–	–	–	–	–	–	–	–	–	–	–	
Stomach Disease	52	4	2	1	2	1	1	–	1	–	1	1	–	
Pancreas Disease	–	–	–	–	–	–	–	–	–	–	–	–	–	
Hepatitis	6	–	–	–	–	–	–	–	–	–	1	–	–	
Jaundice	17	6	–	2	–	–	–	–	1	–	–	–	–	
Liver Disease	45	–	–	–	–	1	–	–	–	–	1	–	–	
Spleen Disease	1	–	–	–	–	–	–	–	1	–	–	–	–	
VIII. Nephritis	5	–	–	–	–	–	–	1	2	–	–	–	–	
Nephria	36	–	–	–	–	–	–	–	2	3	3	5	1	
Ischuria	2	–	–	–	–	–	–	–	–	–	–	1	–	
Diabetes	8	–	–	–	–	–	1	–	–	–	1	1	–	
Stone	5	–	–	–	–	–	–	–	–	–	1	–	–	
Cystitis	5	–	–	–	–	–	–	1	–	1	–	–	–	
Stricture of Urethra	2	–	–	–	–	–	–	–	–	–	–	–	–	
Kidney Disease	30	1	–	–	–	–	2	–	2	–	3	1	2	
IX. Paramenia	4	–	–	–	–	–	–	–	–	–	1	–	1	
Ovarian Dropsy	10	–	–	–	–	–	–	–	–	–	–	–	4	
Childbirth	19	–	–	–	–	–	–	–	–	–	–	5	1	
Organs of Generation	8	–	–	–	–	–	–	–	–	–	–	1	2	
X. Arthritis	2	–	–	–	–	–	–	–	1	–	–	–	1	
Rheumatism	13	–	–	–	–	–	–	–	–	–	–	–	–	
Joint and Bone Disease	23	–	–	–	–	–	–	2	2	2	5	3	–	
XI. Carbuncle	2	–	–	–	–	–	–	–	–	–	–	–	–	
Phlegmon	1	1	–	–	–	–	–	–	–	–	–	–	–	
Skin Disease	4	2	–	1	–	–	–	–	–	–	–	–	–	
XII. Cyanosis	6	5	1	–	–	–	–	–	–	–	–	–	–	
Spina Bifida	2	2	–	–	–	–	–	–	–	–	–	–	–	
Other Malformations	10	9	–	–	–	–	–	–	–	1	–	–	–	
XVII. Intemperance	6	–	–	–	–	–	–	–	–	–	–	–	–	
Privation	2	–	–	–	1	1	–	–	–	–	–	–	–	
Want of Breast Milk	8	8	–	–	–	–	–	–	–	–	–	–	–	
Neglect	–	–	–	–	–	–	–	–	–	–	–	–	–	
Cold	1	–	–	–	1	–	–	–	–	–	–	–	–	
Poison	6	1	–	–	–	1	–	–	–	–	–	–	–	
Burns and Scalds	23	–	–	1	–	5	4	2	–	2	–	1	4	
Hanging, etc.	3	–	–	–	–	–	–	–	–	–	–	–	–	
Suffocation	24	6	3	1	–	–	1	–	–	–	–	3	1	
Drowning	8	1	–	–	–	–	–	–	1	–	1	1	–	
Fracture and Contusion	97	2	–	–	1	2	–	1	7	6	3	12	6	
Wounds	4	–	–	–	–	–	–	–	–	–	–	–	1	
Other Violent Causes	11	6	–	–	–	–	–	–	–	–	1	–	–	
Not Specified	27	7	2	2	3	–	1	–	3	–	1	–	3	

CAUSES of DEATH in EDINBURGH, at different Periods of Life, in 1862.—Both Sexes. *(Continued.)*

DISEASES.	BOTH SEXES. AGE UNDER															
	35	40	45	50	55	60	65	70	75	80	85	90	95	100	105	?
Cephalitis	1	–	1	1	–	–	–	–	–	–	–	–	–	–	–	–
Apoplexy	–	2	4	4	5	11	19	7	8	5	6	2	1	–	–	–
Paralysis	2	2	6	7	9	9	17	16	15	12	5	1	–	–	–	–
Delirium Tremens	1	–	–	2	–	–	–	–	–	–	–	–	–	–	–	–
Chorea	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Epilepsy	1	1	3	2	3	–	–	1	–	1	2	–	–	–	–	–
Tetanus	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Insanity	3	2	3	1	1	–	1	1	1	–	–	–	–	–	–	–
Convulsions	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Brain Disease	4	6	3	5	5	–	9	6	7	3	2	1	–	–	–	–
Pericarditis	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Aneurism	2	5	1	5	3	3	1	2	–	–	–	–	–	–	–	–
Heart Disease	13	15	14	15	20	22	33	32	30	12	2	1	–	–	–	–
Laryngitis	–	1	–	–	1	–	–	–	–	–	–	–	–	–	–	–
Bronchitis	4	13	15	13	25	19	37	32	41	29	10	6	1	–	–	–
Pleurisy	4	–	–	2	–	2	–	–	5	–	–	–	–	–	–	–
Pneumonia	6	3	4	6	4	5	10	3	5	3	1	2	–	–	–	–
Asthma	–	2	5	1	3	5	12	8	4	2	2	–	–	–	–	–
Lung Disease	2	1	1	–	4	2	5	2	2	1	2	–	–	–	–	–
Teething	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Quinsey	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Gastritis	–	2	–	–	–	1	2	–	–	–	–	–	–	–	–	–
Enteritis	–	1	–	–	–	–	3	1	1	1	–	–	–	–	–	–
Peritonitis	–	–	–	–	2	–	1	–	–	–	–	–	–	–	–	–
Ascites	–	–	–	–	1	–	1	1	–	–	–	–	–	–	–	–
Ulceration of Intestines	2	4	3	1	1	–	1	–	–	–	–	–	–	–	–	–
Hernia	–	–	–	1	3	1	3	1	1	–	1	–	–	–	–	–
Ileus	2	1	–	1	2	2	–	2	–	1	–	2	–	–	–	–
Intussusception	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–
Stricture of Intestines	1	–	–	–	1	–	–	1	–	1	–	–	–	–	–	–
Stomach Disease	2	6	3	5	2	1	5	8	1	4	1	–	–	–	–	–
Pancreas Disease	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Hepatitis	1	1	–	–	2	–	–	–	–	1	–	–	–	–	–	–
Jaundice	–	–	–	–	–	3	–	3	1	–	–	–	1	–	–	–
Liver Disease	3	5	–	6	10	4	4	8	2	–	–	1	–	–	–	–
Spleen Disease	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Nephritis	–	–	–	1	1	–	–	–	–	–	–	–	–	–	–	–
Nephria	4	2	2	2	2	2	4	1	1	1	–	1	–	–	–	–
Ischuria	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–
Diabetes	–	2	2	–	–	1	–	–	–	–	–	–	–	–	–	–
Stone	–	–	–	–	–	1	2	1	–	–	–	–	–	–	–	–
Cystitis	2	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–
Stricture of Urethra	–	1	–	–	1	–	–	–	–	–	–	–	–	–	–	–
Kidney Disease	–	1	2	2	1	2	4	5	1	1	–	–	–	–	–	–
Paramenia	1	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–
Ovarian Dropsy	2	1	1	–	–	2	–	–	–	–	–	–	–	–	–	–
Childbirth	3	6	3	1	–	–	–	–	–	–	–	–	–	–	–	–
Organs of Generation	1	–	1	1	–	–	1	–	1	–	–	–	–	–	–	–
Arthritis	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Rheumatism	1	2	–	1	–	2	1	3	2	1	–	–	–	–	–	–
Joint Disease	1	–	1	1	–	3	1	1	–	1	–	–	–	–	–	–
Carbuncle	–	–	–	–	–	1	–	–	1	–	–	–	–	–	–	–
Phlegmon	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Skin Disease	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Cyanosis	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Spina Bifida	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Other Malformations	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Intemperance	–	1	2	2	1	–	–	–	–	–	–	–	–	–	–	–
Privation	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Want of Breast Milk	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Neglect	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Cold	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Poison	–	1	2	–	1	–	–	–	–	–	–	–	–	–	–	–
Burns and Scalds	–	1	1	1	–	–	–	1	–	–	–	–	–	–	–	–
Hanging, etc.	–	–	–	–	–	–	2	1	–	–	–	–	–	–	–	–
Suffocation	–	1	–	2	3	–	1	1	–	–	–	–	–	–	–	1
Drowning	2	1	–	–	–	–	–	–	–	–	–	–	–	–	–	1
Fracture and Contusion	5	5	5	10	12	7	5	4	–	2	1	1	–	–	–	–
Wounds	1	–	–	–	–	–	–	–	1	1	–	–	–	–	–	–
Other Violent Causes	1	–	–	–	–	–	2	1	–	–	–	–	–	–	–	–
Not Specified	–	1	–	2	1	1	–	–	–	–	–	–	–	–	–	–

CAUSES of DEATH in EDINBURGH, at different Periods of Life, in 1862.—MALES.

DISEASES.	MALES.												
	ALL AGES.	AGE UNDER											
		MONTHS.			2	3	4	5	10	15	20	25	30
		3	6	12									
ALL CAUSES	2306	237	84	182	221	112	64	63	108	39	82	102	77
SPECIFIED CAUSES	2290	232	83	180	219	112	64	63	107	39	82	102	75
I. Zymotic Class	517	25	23	59	114	63	37	36	51	14	11	16	14
II. Diseases of Uncertain Seat	62	5	–	2	–	2	1	–	–	1	2	1	2
III. Tubercular Class	429	12	9	27	35	20	10	12	27	7	40	45	33
IV. Brain and Nervous System	211	25	4	8	10	2	2	1	7	3	4	8	4
V. Organs of Circulation	136	1	–	1	–	–	–	–	2	2	2	2	5
VI. Respiratory Organs	369	16	26	57	41	14	11	7	9	–	3	7	6
VII. Organs of Digestion	120	22	6	11	13	2	–	1	–	2	4	3	–
VIII. Urinary Organs	60	–	–	–	–	–	1	2	3	4	7	6	1
IX. Organs of Generation	–	–	–	–	–	–	–	–	–	–	–	–	–
X. Organs of Locomotion	24	–	–	–	–	–	–	1	2	1	5	3	1
XI. Skin, etc.	4	2	–	1	–	–	–	–	–	–	–	–	–
XII. Malformation	8	8	–	–	–	–	–	–	–	–	–	–	–
XIII. Premature Debility	126	105	10	11	–	–	–	–	–	–	–	–	–
XIV. Atrophy	14	–	–	–	5	3	1	1	1	–	–	–	–
XV. Age	82	–	–	–	–	–	–	–	–	–	–	–	–
XVI. Sudden Deaths	10	–	2	3	–	1	–	–	–	–	–	–	–
XVII. Violent Deaths	118	11	3	–	1	5	1	2	5	5	4	11	9
I. Small Pox	86	2	5	16	12	11	5	4	7	2	2	7	7
Measles	8	–	–	1	5	1	1	–	–	–	–	–	–
Scarlatina	115	–	1	8	21	18	14	17	27	6	2	1	–
Diphtheria	18	1	–	–	5	3	3	1	1	2	–	–	–
Hooping Cough	126	6	13	21	52	16	3	9	4	1	1	–	–
Croup	34	–	1	6	10	8	5	2	1	–	–	–	1
Thrush	2	1	–	1	–	–	–	–	–	–	–	–	–
Diarrhœa	29	9	2	4	2	2	–	–	–	–	–	1	–
Dysentery	6	1	–	–	1	–	–	–	–	–	–	–	–
Cholera	1	–	–	1	–	–	–	–	–	–	–	–	–
Influenza	3	–	–	–	–	1	–	–	–	–	–	–	–
Purpura	2	–	–	–	–	–	–	–	–	–	–	1	–
Ague	–	–	–	–	–	–	–	–	–	–	–	–	–
Worms	–	–	–	–	–	–	–	–	–	–	–	–	–
Infantile Fever	3	–	–	–	1	–	2	–	–	–	–	–	–
Typhus	63	–	–	–	3	3	4	3	11	3	5	4	4
Metria	–	–	–	–	–	–	–	–	–	–	–	–	–
Rheumatic Fever	3	–	–	–	–	–	–	–	–	–	1	–	–
Erysipelas	10	4	–	–	–	–	–	–	–	–	–	1	1
Syphilis	7	1	1	–	2	–	–	–	–	–	–	1	1
Noma	1	–	–	1	–	–	–	–	–	–	–	–	–
Hydrophobia	–	–	–	–	–	–	–	–	–	–	–	–	–
II. Hæmorrhage	3	1	–	–	–	–	–	–	–	–	–	–	–
Dropsy	9	–	–	–	–	1	1	–	–	1	–	1	–
Abscess	10	2	–	2	–	–	–	–	–	–	1	–	1
Ulcer	2	1	–	–	–	–	–	–	–	–	–	–	–
Fistula	1	–	–	–	–	–	–	–	–	–	–	–	–
Mortification	4	–	–	–	–	1	–	–	–	–	–	–	–
Cancer	33	1	–	–	–	–	–	–	–	–	1	–	1
Gout	–	–	–	–	–	–	–	–	–	–	–	–	–
III. Scrofula	35	2	1	1	3	4	–	–	5	1	4	3	2
Tabes Mesenterica	49	8	3	9	8	6	2	5	3	1	2	1	–
Phthisis	271	–	–	–	2	2	1	1	13	4	34	41	31
Hydrocephalus	74	2	5	17	22	8	7	6	6	1	–	–	–

CAUSES of DEATH in EDINBURGH, at different Periods of Life, in 1862.—MALES.

DISEASES.	MALES. AGE UNDER															
	5	10	15	20	25	30	35	40	45	50	55	60	65	70	75	?
All Causes	87	95	81	83	102	68	113	88	102	66	30	16	3	1	–	–
Specified Causes	87	94	81	82	101	68	113	88	102	66	30	16	3	1	–	–
Zymotic Class	6	6	8	4	4	2	5	7	5	4	2	1	–	–	–	–
Uncertain Seat	2	2	4	4	10	7	2	6	4	4	–	1	–	–	–	–
Tubercular Class	38	33	24	22	14	7	8	4	1	–	1	–	–	–	–	–
Brain, etc.	9	6	13	14	14	7	26	13	19	9	2	1	–	–	–	–
Heart, etc.	7	12	8	13	10	15	21	15	15	5	–	–	–	–	–	–
Respiratory Organs	9	14	14	9	23	15	22	14	29	12	6	5	–	–	–	–
Digestive Organs	4	7	1	5	7	3	9	10	3	5	1	1	–	–	–	–
Urinary Organs	2	4	1	3	4	3	10	5	2	2	–	–	–	–	–	–
Generative Organs	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Locomotive Organs	2	2	1	–	–	2	–	1	1	2	–	–	–	–	–	–
Skin	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–
Malformation	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Premature Debility	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Atrophy	–	–	–	–	3	–	–	–	–	–	–	–	–	–	–	–
Age	–	–	–	–	–	–	2	7	22	22	18	7	3	1	–	–
Sudden Deaths	–	–	–	1	1	1	–	1	–	–	–	–	–	–	–	–
Violent Deaths	8	8	7	7	11	5	8	5	1	1	–	–	–	–	–	–
Small Pox	–	1	3	1	–	–	–	1	–	–	–	–	–	–	–	–
Measles	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Scarlatina	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Diphtheria	1	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–
Hooping Cough	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Croup	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Thrush	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Diarrhœa	2	1	1	–	1	–	–	–	1	2	1	–	–	–	–	–
Dysentery	1	–	–	–	–	–	–	1	2	–	–	–	–	–	–	–
Cholera	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Influenza	–	–	–	–	–	–	–	–	–	1	–	1	–	–	–	–
Purpura	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–
Ague	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Worms	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Infantile Fever	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Typhus	1	3	4	1	3	1	4	3	1	1	1	–	–	–	–	–
Metria	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Rheumatic Fever	1	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–
Erysipelas	–	–	–	–	–	–	1	2	1	–	–	–	–	–	–	–
Syphilis	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Noma	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Hydrophobia	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Hæmorrhage	–	–	–	1	1	–	–	–	–	–	–	–	–	–	–	–
Dropsy	–	1	–	–	1	1	–	–	1	1	–	–	–	–	–	–
Abscess	–	–	1	1	1	–	–	1	–	–	–	–	–	–	–	–
Ulcer	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–
Fistula	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–
Mortification	–	–	–	–	–	–	–	–	1	1	–	1	–	–	–	–
Cancer	2	1	3	1	7	6	2	4	2	2	–	–	–	–	–	–
Gout	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Scrofula	2	3	1	–	1	2	–	–	–	–	–	–	–	–	–	–
Tabes Mesenterica	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–
Phthisis	36	30	22	22	13	5	8	4	1	–	1	–	–	–	–	–
Hydrocephalus	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–

CAUSES of DEATH in EDINBURGH, at different Periods of Life, in 1861.—MALES. (*Continued.*)

DISEASES.	MALES. ALL AGES.	AGE UNDER MONTHS. 3	6	12	2	3	4	5	10	15	20	25	30
IV. Cephalitis	11	–	–	–	1	–	1	–	2	1	1	2	–
Apoplexy	44	3	1	1	–	–	–	–	1	–	–	1	1
Paralysis	50	–	–	–	–	–	–	–	–	–	–	1	1
Delirium Tremens	5	–	–	–	–	–	–	–	–	–	–	1	1
Chorea	1	–	–	–	–	–	–	–	–	–	–	–	–
Epilepsy	13	–	–	–	–	–	–	–	1	1	1	2	–
Tetanus	1	1	–	–	–	–	–	–	–	–	–	–	–
Insanity	7	–	–	–	–	–	–	–	–	1	–	1	–
Convulsions	33	20	3	4	4	–	1	1	–	–	–	–	–
Brain Disease	46	1	–	3	5	2	–	–	3	–	2	–	1
V. Pericarditis	1	–	–	–	–	–	–	–	–	–	–	–	1
Aneurism	15	–	–	–	–	–	–	–	–	–	–	–	–
Heart Disease	120	1	–	1	–	–	–	–	2	2	2	2	4
VI. Laryngitis	11	–	3	–	3	–	1	1	1	–	–	1	–
Bronchitis	248	12	19	47	36	11	5	3	7	–	2	–	1
Pleurisy	9	–	–	–	–	–	–	–	–	–	1	3	–
Pneumonia	62	4	4	9	2	3	4	2	1	–	–	3	3
Asthma	19	–	–	–	–	–	–	–	–	–	–	–	–
Lung Disease	20	–	–	1	–	–	1	1	–	–	–	–	2
VII. Teething	19	–	1	9	9	–	–	–	–	–	–	–	–
Quinsey	–	–	–	–	–	–	–	–	–	–	–	–	–
Gastritis	2	–	–	–	1	–	–	–	–	–	–	–	–
Enteritis	21	10	1	–	2	–	–	–	–	2	–	2	–
Peritonitis	3	2	1	–	–	–	–	–	–	–	–	–	–
Ascites	–	–	–	–	–	–	–	–	–	–	–	–	–
Ulceration of Intestines	8	–	–	–	–	–	–	1	–	–	1	–	–
Hernia	3	–	–	–	–	–	–	–	–	–	–	–	–
Ileus	7	2	1	–	–	–	–	–	–	–	1	–	–
Intussusception	–	–	–	–	–	–	–	–	–	–	–	–	–
*Stricture of Intestines	3	–	–	–	–	–	–	–	–	–	–	–	–
Stomach Disease	28	2	2	1	1	1	–	–	–	–	1	1	–
Pancreas Disease	–	–	–	–	–	–	–	–	–	–	–	–	–
Hepatitis	1	–	–	–	–	–	–	–	–	–	–	–	–
Jaundice	8	6	–	1	–	–	–	–	–	–	–	–	–
Liver Disease	17	–	–	–	–	1	–	–	–	–	1	–	–
Spleen Disease	–	–	–	–	–	–	–	–	–	–	–	–	–
VIII. Nephritis	4	–	–	–	–	–	–	1	1	–	–	–	–
Nephria	18	–	–	–	–	–	–	–	1	3	2	3	1
Ischuria	2	–	–	–	–	–	–	–	–	–	–	1	–
Diabetes	4	–	–	–	–	–	–	–	–	–	1	1	–
Stone	5	–	–	–	–	–	–	–	–	–	1	–	–
Cystitis	4	–	–	–	–	–	–	1	–	1	–	–	–
Stricture of Urethra	2	–	–	–	–	–	–	–	–	–	–	–	–
Kidney Disease	21	–	–	–	–	–	1	–	1	–	3	1	–
IX. Paramenia	–	–	–	–	–	–	–	–	–	–	–	–	–
Ovarian Dropsy	–	–	–	–	–	–	–	–	–	–	–	–	–
Childbirth	–	–	–	–	–	–	–	–	–	–	–	–	–
Organs of Generation	–	–	–	–	–	–	–	–	–	–	–	–	–
X. Arthritis	2	–	–	–	–	–	–	–	1	–	–	–	1
Rheumatism	7	–	–	–	–	–	–	–	–	–	–	–	–
Joint and Bone Disease	15	–	–	–	–	–	–	1	1	1	5	3	–
XI. Carbuncle	1	–	–	–	–	–	–	–	–	–	–	–	–
Phlegmon	1	1	–	–	–	–	–	–	–	–	–	–	–
Skin Disease	2	1	–	1	–	–	–	–	–	–	–	–	–
XII. Cyanosis	3	3	–	–	–	–	–	–	–	–	–	–	–
Spina Bifida	1	1	–	–	–	–	–	–	–	–	–	–	–
Other Malformations	4	4	–	–	–	–	–	–	–	–	–	–	–
XVII. Intemperance	4	–	–	–	–	–	–	–	–	–	–	–	–
Privation	1	–	–	–	–	1	–	–	–	–	–	–	–
Want of Breast Milk	2	2	–	–	–	–	–	–	–	–	–	–	–
Neglect	–	–	–	–	–	–	–	–	–	–	–	–	–
Cold	–	–	–	–	–	–	–	–	–	–	–	–	–
Poison	4	–	–	–	–	1	–	–	–	–	–	–	–
Burns and Scalds	11	–	–	–	–	3	1	1	–	1	–	–	3
Hanging, etc.	3	–	–	–	–	–	–	–	–	–	–	–	–
Suffocation	12	4	3	–	–	–	–	–	–	–	–	–	–
Drowning	6	–	–	–	–	–	–	–	1	–	1	1	–
Fracture and Contusion	62	–	–	–	1	–	–	1	4	4	2	10	5
Wounds	3	–	–	–	–	–	–	–	–	–	–	–	1
Other Violent Causes	10	5	–	–	–	–	–	–	–	–	1	–	–
Not Specified	16	5	1	2	2	–	–	–	1	–	–	–	2

CAUSES of DEATH in EDINBURGH, at different Periods of Life, in 1862.—MALES. (*Continued.*)

DISEASES.	MALES. AGE UNDER															
	35	40	45	50	55	60	65	70	75	80	85	90	95	100	105	?
Cephalitis	1	–	1	1	–	–	–	–	–	–	–	–	–	–	–	–
Apoplexy	–	2	3	1	3	5	9	3	6	2	1	1	–	–	–	–
Paralysis	1	1	6	6	6	2	8	5	8	5	–	–	–	–	–	–
Delirium Tremens	1	–	–	2	–	–	–	–	–	–	–	–	–	–	–	–
Chorea	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Epilepsy	1	1	1	1	2	–	–	1	–	–	1	–	–	–	–	–
Tetanus	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Insanity	1	–	1	–	1	–	1	1	–	–	–	–	–	–	–	–
Convulsions	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Brain Disease	3	2	1	3	2	–	8	3	5	2	–	–	–	–	–	–
Pericarditis	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Aneurism	2	3	1	3	1	3	1	1	–	–	–	–	–	–	–	–
Heart Disease	5	9	7	10	9	12	20	14	15	5	–	–	–	–	–	–
Laryngitis	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–
Bronchitis	3	8	8	6	13	11	12	7	20	10	3	4	–	–	–	–
Pleurisy	1	–	–	–	–	1	–	–	3	–	–	–	–	–	–	–
Pneumonia	3	3	3	3	4	1	4	2	2	1	–	1	–	–	–	–
Asthma	–	2	2	–	2	–	3	4	4	1	1	–	–	–	–	–
Lung Disease	2	1	1	–	3	2	3	1	–	–	2	–	–	–	–	–
Teething	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Quinsey	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Gastritis	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Enteritis	–	–	–	–	–	–	2	–	1	1	–	–	–	–	–	–
Peritonitis	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Ascites	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Ulceration of Intestines	1	2	1	1	1	–	–	–	–	–	–	–	–	–	–	–
Hernia	–	–	–	1	–	–	1	–	–	–	1	–	–	–	–	–
Ileus	–	–	–	–	1	–	–	–	–	1	–	1	–	–	–	–
Intussusception	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Stricture of Intestines	1	–	–	–	–	–	–	1	–	1	–	–	–	–	–	–
Stomach Disease	2	1	–	–	2	1	4	7	–	2	–	–	–	–	–	–
Pancreas Disease	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Hepatitis	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Jaundice	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–
Liver Disease	–	2	–	3	3	2	2	2	1	–	–	–	–	–	–	–
Spleen Disease	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Nephritis	–	–	–	1	1	–	–	–	–	–	–	–	–	–	–	–
Nephria	1	1	–	1	1	–	3	–	1	–	–	–	–	–	–	–
Ischuria	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–
Diabetes	–	2	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Stone	–	–	–	–	–	1	2	1	–	–	–	–	–	–	–	–
Cystitis	1	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–
Stricture of Urethra	–	1	–	–	1	–	–	–	–	–	–	–	–	–	–	–
Kidney Disease	–	–	1	1	1	2	4	4	1	1	–	–	–	–	–	–
Paramenia	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Ovarian Dropsy	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Childbirth	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Organs of Generation	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Arthritis	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Rheumatism	1	2	–	–	–	1	–	1	1	1	–	–	–	–	–	–
Joint Disease	1	–	1	–	–	1	–	–	–	1	–	–	–	–	–	–
Carbuncle	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–
Phlegmon	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Skin Disease	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Cyanosis	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Spina Bifida	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Other Malformations	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Intemperance	–	1	1	1	1	–	–	–	–	–	–	–	–	–	–	–
Privation	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Want of Breast Milk	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Neglect	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Cold	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Poison	–	1	2	–	–	–	–	–	–	–	–	–	–	–	–	–
Burns and Scalds	–	1	1	–	–	–	–	–	–	–	–	–	–	–	–	–
Hanging, etc.	–	–	–	–	–	–	2	1	–	–	–	–	–	–	–	–
Suffocation	–	–	–	–	3	–	1	1	–	–	–	–	–	–	–	–
Drowning	2	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Fracture and Contusion	4	4	3	6	7	5	3	2	–	1	–	–	–	–	–	–
Wounds	1	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–
Other Violent Causes	1	–	–	–	–	–	2	1	–	–	–	–	–	–	–	–
Not Specified	–	1	–	1	1	–	–	–	–	–	–	–	–	–	–	–

CAUSES of DEATH in EDINBURGH, at different Periods of Life, in 1862.—Females.

DISEASES.	FEMALES.												
	ALL AGES.	AGE UNDER											
		MONTHS.			2	3	4	5	10	15	20	25	30
		3	6	12									
All Causes	2454	174	69	156	235	134	84	71	142	50	55	94	96
Specified Causes	2443	172	68	156	234	134	83	71	140	50	54	94	95
I. Zymotic Class	654	26	26	65	129	81	53	48	77	10	19	17	20
II. Diseases of Uncertain Seat	122	1	1	–	–	1	1	2	1	2	1	2	3
III. Tubercular Class	374	9	8	25	32	19	7	8	23	25	17	44	36
IV. Brain and Nervous System	207	19	6	6	11	6	4	2	9	2	4	1	9
V. Organs of Circulation	127	–	–	2	–	–	–	–	2	2	3	4	4
VI. Respiratory Organs	380	16	13	37	42	18	8	8	11	1	5	9	6
VII. Organs of Digestion	160	8	2	16	12	1	3	–	9	3	2	3	4
VIII. Urinary Organs	33	1	–	–	–	–	2	–	3	–	1	2	2
IX. Organs of Generation	41	–	–	–	–	–	–	–	–	–	1	6	8
X. Organs of Locomotion	14	–	–	–	–	–	–	1	1	1	–	–	–
XI. Skin, etc.	3	1	–	–	–	–	–	–	–	–	–	–	–
XII. Malformation	10	8	1	–	–	–	–	–	–	1	–	–	–
XIII. Premature Debility	84	70	11	3	–	–	–	–	–	–	–	–	–
XIV. Atrophy	21	–	–	–	6	4	1	1	1	–	–	–	–
XV. Age	136	–	–	–	–	–	–	–	–	–	–	–	–
XVI. Sudden Deaths	2	–	–	–	–	–	–	–	–	–	–	–	–
XVII. Violent Deaths	75	13	–	2	2	4	4	1	3	3	1	6	3
I. Small Pox	85	3	3	16	20	14	8	2	7	1	3	2	3
Measles	22	–	1	3	11	3	1	1	2	–	–	–	–
Scarlatina	117	1	2	–	16	19	11	23	33	5	2	–	1
Diphtheria	24	2	–	2	4	5	1	–	8	–	1	1	–
Hooping Cough	154	5	14	32	46	18	18	11	10	–	–	–	–
Croup	55	3	–	5	19	10	9	6	3	–	–	–	–
Thrush	3	–	3	–	–	–	–	–	–	–	–	–	–
Diarrhœa	38	5	1	4	3	2	1	1	–	–	–	1	1
Dysentery	16	–	–	–	–	–	–	–	–	–	–	–	2
Cholera	1	–	–	–	–	–	–	–	–	–	–	–	–
Influenza	6	–	1	–	1	–	–	–	–	–	–	–	–
Purpura	6	–	–	–	–	1	–	1	1	–	–	1	–
Ague	–	–	–	–	–	–	–	–	–	–	–	–	–
Worms	1	–	–	–	–	–	1	–	–	–	–	–	–
Infantile Fever	7	–	–	2	1	3	–	1	–	–	–	–	–
Typhus	84	1	–	1	6	6	3	2	13	4	10	6	7
Metria	16	–	–	–	–	–	–	–	–	–	3	4	6
Rheumatic Fever	2	–	–	–	–	–	–	–	–	–	–	–	–
Erysipelas	8	3	1	–	–	–	–	–	–	–	–	–	–
Syphilis	8	3	–	–	2	–	–	–	–	–	–	2	–
Noma	1	–	–	–	–	–	–	–	–	–	–	–	–
Hydrophobia	–	–	–	–	–	–	–	–	–	–	–	–	–
II. Hæmorrhage	2	–	–	–	–	–	–	–	–	–	–	1	1
Dropsy	24	–	–	–	–	1	–	2	1	1	1	–	1
Abscess	6	–	1	–	–	–	–	–	–	1	–	–	–
Ulcer	2	–	–	–	–	–	–	–	–	–	–	1	–
Fistula	–	–	–	–	–	–	–	–	–	–	–	–	–
Mortification	3	–	–	–	–	–	–	–	–	–	–	–	–
Cancer	85	1	–	–	–	–	1	–	–	–	–	–	1
Gout	–	–	–	–	–	–	–	–	–	–	–	–	–
III. Scrofula	25	–	–	2	5	2	1	1	4	3	1	2	1
Tabes Mesenterica	43	6	4	5	9	6	2	1	5	2	1	2	–
Phthisis	243	–	–	–	1	4	1	4	7	18	15	40	35
Hydrocephalus	63	3	4	18	17	7	3	2	7	2	–	–	–

CAUSES of DEATH in EDINBURGH, at different Periods of Life, in 1862.—FEMALES.

DISEASES.	FEMALES. AGE UNDER															
	35	40	45	50	55	60	65	70	75	80	85	90	95	100	105	?
ALL CAUSES	92	89	81	89	95	80	134	130	108	91	61	30	8	3	1	2
SPECIFIED CAUSES	92	89	81	88	95	79	134	130	108	91	61	30	8	3	1	2
Zymotic Class	12	6	6	5	5	4	13	7	10	10	4	1	–	–	–	–
Uncertain Seat	7	6	11	13	14	10	18	10	10	5	2	1	–	–	–	–
Tubercular Class	33	29	19	18	12	3	3	4	–	–	–	–	–	–	–	–
Brain, etc.	4	8	7	8	9	13	20	18	12	12	13	3	1	–	–	–
Heart, etc.	8	8	7	7	13	10	13	19	15	7	2	1	–	–	–	–
Respiratory Organs	7	6	11	13	14	18	42	31	28	23	9	3	1	–	–	–
Digestive Organs	7	13	6	9	17	9	11	15	3	3	1	2	1	–	–	–
Urinary Organs	4	2	5	2	1	3	1	2	–	1	–	1	–	–	–	–
Generative Organs	7	7	6	2	–	2	1	–	1	–	–	–	–	–	–	–
Locomotive Organs	–	–	–	2	–	3	2	3	1	–	–	–	–	–	–	–
Skin	1	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–
Malformation	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Premature Debility	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Atrophy	1	1	–	1	3	2	–	–	–	–	–	–	–	–	–	–
Age	–	–	–	–	–	–	8	18	27	28	29	17	5	3	1	–
Sudden Deaths	–	1	–	–	1	–	–	–	–	–	–	–	–	–	–	–
Violent Deaths	1	2	3	8	6	2	2	3	–	2	1	1	–	–	–	2
Small Pox	–	1	1	–	1	–	–	–	–	–	–	–	–	–	–	–
Measles	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Scarlatina	–	2	–	–	1	–	–	1	–	–	–	–	–	–	–	–
Diphtheria	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Hooping Cough	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Croup	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Thrush	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Diarrhœa	–	1	1	1	1	2	4	–	5	3	–	1	–	–	–	–
Dysentery	–	1	1	–	–	–	2	2	3	3	2	–	–	–	–	–
Cholera	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–
Influenza	1	–	–	–	–	1	1	–	–	1	–	–	–	–	–	–
Purpura	–	–	1	–	–	–	1	–	–	–	–	–	–	–	–	–
Ague	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Worms	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Infantile Fever	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Typhus	5	1	1	3	2	1	3	4	2	2	1	–	–	–	–	–
Metria	3	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Rheumatic Fever	–	–	–	1	–	–	1	–	–	–	–	–	–	–	–	–
Erysipelas	2	–	–	–	–	–	1	–	–	–	1	–	–	–	–	–
Syphilis	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Noma	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–
Hydrophobia	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Hæmorrhage	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Dropsy	–	1	4	3	1	1	2	1	1	1	2	–	–	–	–	–
Abscess	–	–	–	2	2	–	–	–	–	–	–	–	–	–	–	–
Ulcer	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–
Fistula	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Mortification	1	–	–	–	–	–	–	1	–	1	–	–	–	–	–	–
Cancer	6	5	7	8	11	9	16	8	9	2	–	1	–	–	–	–
Gout	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Scrofula	–	1	1	–	1	–	–	–	–	–	–	–	–	–	–	–
Tabes Mesenterica	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Phthisis	33	28	18	18	11	3	3	4	–	–	–	–	–	–	–	–
Hydrocephalus	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–

CAUSES of DEATH in EDINBURGH, at different Periods of Life, in 1862.—FEMALES. (*Continued.*)

DISEASES.	FEMALES. ALL AGES.	AGE UNDER MONTHS. 3	6	12	2	3	4	5	10	15	20	25	30
IV. Cephalitis	13	–	–	3	1	2	1	1	3	1	–	–	1
Apoplexy	43	1	–	–	2	–	1	–	–	–	–	–	1
Paralysis	56	–	–	–	–	–	–	–	–	–	–	–	3
Delirium Tremens	–	–	–	–	–	–	–	–	–	–	–	–	–
Chorea	–	–	–	–	–	–	–	–	–	–	–	–	–
Epilepsy	7	–	–	–	1	–	–	–	–	–	–	–	–
Tetanus	4	1	–	–	–	–	1	–	–	1	–	–	–
Insanity	10	–	–	–	–	–	–	–	–	–	1	1	1
Convulsions	35	16	4	3	6	3	2	–	1	–	–	–	–
Brain Disease	39	1	2	–	1	1	–	–	5	1	3	–	3
V. Pericarditis	1	–	–	–	–	–	–	–	–	–	–	1	–
Aneurism	7	–	–	–	–	–	–	–	–	–	–	–	–
Heart Disease	119	–	–	2	–	–	–	–	2	2	3	3	4
VI. Laryngitis	7	–	2	1	1	2	–	–	–	–	–	–	–
Bronchitis	272	13	9	31	36	12	7	8	9	1	–	4	2
Pleurisy	13	–	1	–	–	–	–	–	–	–	–	1	3
Pneumonia	49	3	1	5	5	3	1	–	2	–	–	3	1
Asthma	27	–	–	–	–	–	–	–	–	–	2	–	–
Lung Disease	12	–	–	–	–	1	–	–	–	–	3	1	–
VII. Teething	25	–	1	11	9	1	–	–	–	–	–	–	–
Quinsey	1	–	–	–	–	–	–	–	–	–	–	–	1
Gastritis	4	–	–	–	–	–	–	–	–	–	–	–	–
Enteritis	18	4	–	1	2	–	1	–	4	1	–	–	2
Peritonitis	8	–	–	–	–	–	–	–	1	2	–	2	–
Ascites	4	1	–	–	–	–	–	–	–	–	–	–	–
Ulceration of Intestines	9	–	–	–	–	–	–	–	1	–	1	1	–
Hernia	8	–	–	–	–	–	–	–	–	–	–	–	–
Ileus	13	1	–	–	–	–	1	–	–	–	–	–	1
Intussusception	2	–	1	–	–	–	–	–	–	–	–	–	–
Stricture of Intestines	1	–	–	–	–	–	–	–	–	–	–	–	–
Stomach Disease	24	2	–	–	1	–	1	–	1	–	–	–	–
Pancreas Disease	–	–	–	–	–	–	–	–	–	–	–	–	–
Hepatitis	5	–	–	–	–	–	–	–	–	–	1	–	–
Jaundice	9	–	–	1	–	–	–	–	1	–	–	–	–
Liver Disease	28	–	–	–	–	–	–	–	–	–	–	–	–
Spleen Disease	1	–	–	–	–	–	–	–	1	–	–	–	–
VIII. Nephritis	1	–	–	–	–	–	–	–	1	–	–	–	–
Nephria	18	–	–	–	–	–	–	–	1	–	1	2	–
Ischuria	–	–	–	–	–	–	–	–	–	–	–	–	–
Diabetes	4	–	–	–	–	–	1	–	–	–	–	–	–
Stone	–	–	–	–	–	–	–	–	–	–	–	–	–
Cystitis	1	–	–	–	–	–	–	–	–	–	–	–	–
Stricture of Urethra	–	–	–	–	–	–	–	–	–	–	–	–	–
Kidney Disease	9	1	–	–	–	–	1	–	1	–	–	–	2
IX. Paramenia	4	–	–	–	–	–	–	–	–	–	1	–	1
Ovarian Dropsy	10	–	–	–	–	–	–	–	–	–	–	–	4
Childbirth	19	–	–	–	–	–	–	–	–	–	–	5	1
Organs of Generation	8	–	–	–	–	–	–	–	–	–	–	1	2
X. Arthritis	–	–	–	–	–	–	–	–	–	–	–	–	–
Rheumatism	6	–	–	–	–	–	–	–	–	–	–	–	–
Joint and Bone Disease	8	–	–	–	–	–	–	1	1	1	–	–	–
XI. Carbuncle	1	–	–	–	–	–	–	–	–	–	–	–	–
Phlegmon	–	–	–	–	–	–	–	–	–	–	–	–	–
Skin Disease	2	1	–	–	–	–	–	–	–	–	–	–	–
XII. Cyanosis	3	2	1	–	–	–	–	–	–	–	–	–	–
Spina Bifida	1	1	–	–	–	–	–	–	–	–	–	–	–
Other Malformations	6	5	–	–	–	–	–	–	–	1	–	–	–
XVII. Intemperance	2	–	–	–	–	–	–	–	–	–	–	–	–
Privation	1	–	–	–	1	–	–	–	–	–	–	–	–
Want of Breast Milk	6	6	–	–	–	–	–	–	–	–	–	–	–
Neglect	–	–	–	–	–	–	–	–	–	–	–	–	–
Cold	1	–	–	–	1	–	–	–	–	–	–	–	–
Poison	2	1	–	–	–	–	–	–	–	–	–	–	–
Burns and Scalds	12	–	–	1	–	2	3	1	–	1	–	1	1
Hanging, etc.	–	–	–	–	–	–	–	–	–	–	–	–	–
Suffocation	12	2	–	1	–	–	1	–	–	–	–	3	1
Drowning	2	1	–	–	–	–	–	–	–	–	–	–	–
Fracture and Contusion	35	2	–	–	–	2	–	–	3	2	1	2	1
Wounds	1	–	–	–	–	–	–	–	–	–	–	–	–
Other Violent Causes	1	1	–	–	–	–	–	–	–	–	–	–	–
Not Specified	11	2	1	–	1	–	1	–	2	–	1	–	1

CAUSES of DEATH in EDINBURGH, at different Periods of Life, in 1862.—Females. (*Continued.*)

DISEASES.	FEMALES. AGE UNDER															
	35	40	45	50	55	60	65	70	75	80	85	90	95	100	105	?
Cephalitis	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Apoplexy	–	–	1	3	2	6	10	4	2	3	5	1	1	–	–	–
Paralysis	1	1	–	1	3	7	9	11	7	7	5	1	–	–	–	–
Delirium Tremens	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Chorea	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Epilepsy	–	–	2	1	1	–	–	–	–	1	1	–	–	–	–	–
Tetanus	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Insanity	2	2	2	1	–	–	–	–	1	–	–	–	–	–	–	–
Convulsions	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Brain Disease	1	4	2	2	3	–	1	3	2	1	2	1	–	–	–	–
Pericarditis	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Aneurism	–	2	–	2	2	–	–	1	–	–	–	–	–	–	–	–
Heart Disease	8	6	7	5	11	10	13	18	15	7	2	1	–	–	–	–
Laryngitis	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Bronchitis	1	5	7	7	12	8	25	25	21	19	7	2	1	–	–	–
Pleurisy	3	–	–	2	–	1	–	–	2	–	–	–	–	–	–	–
Pneumonia	3	–	1	3	–	4	6	1	3	2	1	1	–	–	–	–
Asthma	–	–	3	1	1	5	9	4	–	1	1	–	–	–	–	–
Lung Disease	–	–	–	–	1	–	2	1	2	1	–	–	–	–	–	–
Teething	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Quinsey	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Gastritis	–	1	–	–	–	1	2	–	–	–	–	–	–	–	–	–
Enteritis	–	1	–	–	–	–	1	1	–	–	–	–	–	–	–	–
Peritonitis	–	–	–	–	2	–	1	–	–	–	–	–	–	–	–	–
Ascites	–	–	–	–	1	–	1	1	–	–	–	–	–	–	–	–
Ulceration of Intestines	1	2	2	–	–	–	1	–	–	–	–	–	–	–	–	–
Hernia	–	–	–	–	3	1	2	1	1	–	–	–	–	–	–	–
Ileus	2	1	–	1	1	2	–	2	–	–	–	1	–	–	–	–
Intussusception	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–
Stricture of Intestines	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–
Stomach Disease	–	5	3	5	–	–	1	1	1	2	1	–	–	–	–	–
Pancreas Disease	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Hepatitis	1	–	–	–	2	–	–	–	–	1	–	–	–	–	–	–
Jaundice	–	–	–	–	–	3	–	3	–	–	–	–	1	–	–	–
Liver Disease	3	3	–	3	7	2	2	6	1	–	–	1	–	–	–	–
Spleen Disease	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Nephritis	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Nephria	3	1	2	1	1	2	1	1	–	1	–	1	–	–	–	–
Ischuria	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Diabetes	–	–	2	–	–	1	–	–	–	–	–	–	–	–	–	–
Stone	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Cystitis	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Stricture of Urethra	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Kidney Disease	–	1	1	1	–	–	1	–	–	–	–	–	–	–	–	–
Paramenia	1	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–
Ovarian Dropsy	2	1	1	–	–	2	–	–	–	–	–	–	–	–	–	–
Childbirth	3	6	3	1	–	–	–	–	–	–	–	–	–	–	–	–
Organs of Generation	1	–	1	1	–	–	1	–	1	–	–	–	–	–	–	–
Arthritis	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Rheumatism	–	–	–	1	–	1	1	2	1	–	–	–	–	–	–	–
Joint Disease	–	–	–	1	–	2	1	1	–	–	–	–	–	–	–	–
Carbuncle	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–
Phlegmon	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Skin Disease	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Cyanosis	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Spina Bifida	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Other Malformations	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Intemperance	–	–	1	1	–	–	–	–	–	–	–	–	–	–	–	–
Privation	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Want of Breast Milk	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Neglect	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Cold	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Poison	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–
Burns and Scalds	–	–	–	1	–	–	–	1	–	–	–	–	–	–	–	–
Hanging, etc.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Suffocation	–	1	–	2	–	–	–	–	–	–	–	–	–	–	–	1
Drowning	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1
Fracture and Contusion	1	1	2	4	5	2	2	2	–	1	1	1	–	–	–	–
Wounds	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–
Other Violent Causes	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Not Specified	–	–	–	1	–	1	–	–	–	–	–	–	–	–	–	–

CAUSES OF DEATH in DUNDEE, at different Periods of Life, in 1862.—Both Sexes.

DISEASES.	BOTH SEXES.												
	ALL AGES.	AGE UNDER											
		MONTHS.			2	3	4	5	10	15	20	25	30
		3	6	12									
All Causes	2599	320	115	259	378	173	88	47	108	45	61	88	79
Specified Causes	2551	299	108	251	373	172	87	47	107	45	61	86	78
I. Zymotic Class	769	46	39	128	226	102	59	33	53	6	7	5	6
II. Diseases of Uncertain Seat	80	1	–	3	2	–	3	1	1	2	1	–	5
III. Tubercular Class	411	4	11	31	39	25	11	8	27	21	32	57	33
IV. Brain and Nervous System	146	24	7	5	5	2	–	–	1	4	2	5	1
V. Organs of Circulation	83	–	–	–	–	–	–	–	1	1	4	4	5
VI. Respiratory Organs	415	33	28	47	43	30	10	5	13	2	8	6	9
VII. Organs of Digestion	141	9	6	28	40	8	–	–	3	2	2	4	2
VIII. Urinary Organs	33	–	–	–	1	2	–	–	1	2	3	–	2
IX. Organs of Generation	26	–	–	–	–	–	–	–	–	–	1	2	10
X. Organs of Locomotion	11	–	–	–	–	–	1	–	2	–	–	–	1
XI. Skin, etc.	4	1	–	–	1	–	–	–	–	–	–	–	–
XII. Malformation	2	2	–	–	–	–	–	–	–	–	–	–	–
XIII. Premature Debility	186	166	14	6	–	–	–	–	–	–	–	–	–
XIV. Atrophy	28	–	–	–	12	1	–	–	2	–	–	2	–
XV. Age	144	–	–	–	–	–	–	–	–	–	–	–	–
XVI. Sudden Deaths	14	7	2	–	–	–	–	–	–	–	–	1	–
XVII. Violent Deaths	58	6	1	3	4	2	3	–	3	5	1	–	4
I. Small Pox	16	2	–	3	5	4	–	–	2	–	–	–	–
Measles	240	4	6	42	94	42	20	9	21	–	2	–	–
Scarlatina	24	1	1	1	3	5	3	1	8	1	–	–	–
Diphtheria	27	–	1	1	8	6	4	4	2	–	–	–	–
Hooping Cough	213	9	17	59	66	30	18	9	5	–	–	–	–
Croup	77	11	3	9	23	9	9	6	7	–	–	–	–
Thrush	4	4	–	–	–	–	–	–	–	–	–	–	–
Diarrhœa	53	8	5	10	12	2	2	–	–	1	1	1	1
Dysentery	18	1	2	1	3	–	1	–	–	–	1	1	–
Cholera	1	–	1	–	–	–	–	–	–	–	–	–	–
Influenza	9	–	–	–	–	–	–	–	–	–	–	1	–
Purpura	3	–	–	1	–	–	–	–	1	1	–	–	–
Ague	–	–	–	–	–	–	–	–	–	–	–	–	–
Worms	1	–	–	–	–	–	–	1	–	–	–	–	–
Infantile Fever	3	–	–	1	2	–	–	–	–	–	–	–	–
Typhus	64	–	1	–	9	2	2	2	7	3	3	2	5
Metria	1	–	–	–	–	–	–	–	–	–	–	–	–
Rheumatic Fever	1	–	–	–	–	–	–	–	–	–	–	–	–
Erysipelas	7	2	1	–	–	2	–	1	–	–	–	–	–
Syphilis	7	4	1	–	1	–	–	–	–	–	–	–	–
Noma	–	–	–	–	–	–	–	–	–	–	–	–	–
Hydrophobia	–	–	–	–	–	–	–	–	–	–	–	–	–
II. Hæmorrhage	1	–	–	–	–	–	–	–	–	–	–	–	–
Dropsy	38	–	–	1	1	–	2	1	1	–	–	–	3
Abscess	2	–	–	1	–	–	–	–	–	1	–	–	–
Ulcer	3	–	–	1	–	–	1	–	–	–	–	–	–
Fistula	–	–	–	–	–	–	–	–	–	–	–	–	–
Mortification	3	1	–	–	1	–	–	–	–	–	–	–	–
Cancer	33	–	–	–	–	–	–	–	–	1	1	–	2
Gout	–	–	–	–	–	–	–	–	–	–	–	–	–
III Scrofula	10	–	–	–	1	3	–	–	1	1	1	1	1
Tabes Mesenterica	15	–	–	1	6	3	–	–	3	1	–	–	–
Phthisis	304	–	1	8	11	9	5	3	19	19	31	56	32
Hydrocephalus	82	4	10	22	21	10	6	5	4	–	–	–	–

CAUSES of DEATH in DUNDEE, at different Periods of Life, in 1862.—Both Sexes.

DISEASES.	BOTH SEXES. AGE UNDER															
	35	40	45	50	55	60	65	70	75	80	85	90	95	100	105	?
All Causes	75	61	69	88	83	81	96	77	80	50	45	20	11	2	–	–
Specified Causes	75	61	69	88	83	81	95	77	80	50	45	20	11	2	–	–
Zymotic Class	6	2	5	10	7	6	11	6	1	3	1	1	–	–	–	–
Uncertain Seat	3	5	7	8	6	10	11	3	3	4	1	–	–	–	–	–
Tubercular Class	34	21	16	11	13	11	5	1	–	–	–	–	–	–	–	–
Brain, etc.	5	4	4	7	11	9	12	13	13	6	3	2	1	–	–	–
Heart, etc.	3	4	9	5	7	8	8	10	9	3	1	1	–	–	–	–
Respiratory Organs	12	8	15	28	19	25	25	18	13	11	3	2	2	–	–	–
Digestive Organs	3	3	1	3	8	4	5	4	4	2	–	–	–	–	–	–
Urinary Organs	1	4	3	6	3	1	–	3	–	1	–	–	–	–	–	–
Generative Organs	4	5	3	1	–	–	–	–	–	–	–	–	–	–	–	–
Locomotive Organs	1	–	1	2	1	–	1	1	–	–	–	–	–	–	–	–
Skin	1	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–
Malformation	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Premature Debility	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Atrophy	–	1	1	1	5	3	–	–	–	–	–	–	–	–	–	–
Age	–	–	–	–	–	–	14	15	35	20	36	14	8	2	–	–
Sudden Deaths	–	–	1	1	1	–	–	1	–	–	–	–	–	–	–	–
Violent Deaths	2	4	3	5	2	4	3	1	2	–	–	–	–	–	–	–
Small Pox	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Measles	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Scarlatina	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Diphtheria	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–
Hooping Cough	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Croup	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Thrush	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Diarrhœa	2	1	2	–	–	2	–	–	1	–	1	1	–	–	–	–
Dysentery	1	–	–	2	1	1	1	1	–	1	–	–	–	–	–	–
Cholera	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Influenza	1	–	–	1	1	1	1	2	–	1	–	–	–	–	–	–
Purpura	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Ague	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Worms	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Infantile Fever	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Typhus	2	–	3	6	5	2	6	3	–	1	–	–	–	–	–	–
Metria	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Rheumatic Fever	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–
Erysipelas	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–
Syphilis	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–
Noma	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Hydrophobia	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Hæmorrhage	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–
Dropsy	2	2	2	4	2	6	4	1	3	3	–	–	–	–	–	–
Abscess	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Ulcer	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–
Fistula	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Mortification	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–
Cancer	1	3	5	4	4	3	6	1	–	1	1	–	–	–	–	–
Gout	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Scrofula	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Tabes Mesenterica	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Phthisis	32	21	16	11	13	11	5	1	–	–	–	–	–	–	–	–
Hydrocephalus	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–

CAUSES of DEATH in DUNDEE, at different Periods of Life, in 1862.—BOTH SEXES. (*Continued.*)

DISEASES.	BOTH SEXES.													
	ALL AGES.	AGE UNDER												
		MONTHS.			2	3	4	5	10	15	20	25	30	
		3	6	12										
IV. Cephalitis	7	–	1	1	1	–	–	–	–	1	1	1	–	
Apoplexy	37	–	–	–	–	1	–	–	–	–	–	2	–	
Paralysis	38	–	–	–	–	–	–	–	–	–	–	–	–	
Delirium Tremens	4	–	–	–	–	–	–	–	–	–	–	–	1	
Chorea	–	–	–	–	–	–	–	–	–	–	–	–	–	
Epilepsy	4	–	–	–	–	–	–	–	–	1	–	–	–	
Tetanus	–	–	–	–	–	–	–	–	–	–	–	–	–	
Insanity	1	–	–	–	–	–	–	–	–	1	–	–	–	
Convulsions	37	24	5	4	3	–	–	–	1	–	–	–	–	
Brain Disease	18	–	1	–	1	1	–	–	–	1	1	2	–	
V. Pericarditis	1	–	–	–	–	–	–	–	1	–	–	–	–	
Aneurism	3	–	–	–	–	–	–	–	–	–	1	–	–	
Heart Disease	79	–	–	–	–	–	–	–	–	1	3	4	5	
VI. Laryngitis	5	–	1	–	–	1	–	–	–	1	–	–	–	
Bronchitis	258	26	25	39	33	21	9	3	7	–	2	2	4	
Pleurisy	11	–	–	1	–	1	–	–	–	–	1	2	–	
Pneumonia	90	6	2	6	9	7	1	2	6	1	2	2	4	
Asthma	39	–	–	–	–	–	–	–	–	–	–	–	–	
Lung Disease	12	1	–	1	1	–	–	–	–	–	3	–	1	
VII. Teething	64	–	3	22	35	4	–	–	–	–	–	–	–	
Quinsey	2	–	–	–	1	1	–	–	–	–	–	–	–	
Gastritis	7	–	–	–	1	1	–	–	–	–	–	1	–	
Enteritis	13	2	2	2	2	1	–	–	–	1	–	–	–	
Peritonitis	8	2	–	1	–	1	–	–	1	–	–	1	–	
Ascites	2	–	–	–	–	–	–	–	–	–	–	1	1	
Ulceration of Intestines	4	–	–	–	–	–	–	–	–	–	–	–	–	
Hernia	4	–	–	1	–	–	–	–	–	–	–	–	–	
Ileus	6	2	–	–	1	–	–	–	–	–	–	–	–	
Intussusception	1	–	–	–	–	–	–	–	–	–	–	–	–	
Stricture of Intestines	1	–	–	–	–	–	–	–	–	–	–	–	–	
Stomach Disease	14	2	1	2	–	–	–	–	2	–	2	–	1	
Pancreas Disease	–	–	–	–	–	–	–	–	–	–	–	–	–	
Hepatitis	2	–	–	–	–	–	–	–	–	–	–	1	–	
Jaundice	4	1	–	–	–	–	–	–	–	–	–	–	–	
Liver Disease	9	–	–	–	–	–	–	–	–	1	–	–	–	
Spleen Disease	–	–	–	–	–	–	–	–	–	–	–	–	–	
VIII. Nephritis	–	–	–	–	–	–	–	–	–	–	–	–	–	
Nephria	12	–	–	–	1	–	–	–	–	2	1	–	–	
Ischuria	1	–	–	–	–	–	–	–	–	–	–	–	–	
Diabetes	2	–	–	–	–	–	–	–	–	–	–	–	–	
Stone	4	–	–	–	–	–	–	–	–	–	1	–	–	
Cystitis	1	–	–	–	–	–	–	–	–	–	1	–	–	
Stricture of Urethra	–	–	–	–	–	–	–	–	–	–	–	–	–	
Kidney Disease	13	–	–	–	–	2	–	–	1	–	–	–	2	
IX. Paramenia	2	–	–	–	–	–	–	–	–	–	–	–	–	
Ovarian Dropsy	2	–	–	–	–	–	–	–	–	–	–	–	1	
Childbirth	20	–	–	–	–	–	–	–	–	–	1	2	9	
Organs of Generation	2	–	–	–	–	–	–	–	–	–	–	–	–	
X. Arthritis	1	–	–	–	–	–	1	–	–	–	–	–	–	
Rheumatism	5	–	–	–	–	–	–	–	–	–	–	–	1	
Joint and Bone Disease	5	–	–	–	–	–	–	–	2	–	–	–	–	
XI. Carbuncle	–	–	–	–	–	–	–	–	–	–	–	–	–	
Phlegmon	2	–	–	–	–	–	–	–	–	–	–	–	–	
Skin Disease	2	1	–	–	1	–	–	–	–	–	–	–	–	
XII. Cyanosis	–	–	–	–	–	–	–	–	–	–	–	–	–	
Spina Bifida	2	2	–	–	–	–	–	–	–	–	–	–	–	
Other Malformations	–	–	–	–	–	–	–	–	–	–	–	–	–	
XVII. Intemperance	2	–	–	–	–	–	–	–	–	–	–	–	–	
Privation	1	–	–	–	–	–	–	–	–	–	–	–	–	
Want of Breast Milk	4	2	1	1	–	–	–	–	–	–	–	–	–	
Neglect	1	1	–	–	–	–	–	–	–	–	–	–	–	
Cold	–	–	–	–	–	–	–	–	–	–	–	–	–	
Poison	3	–	–	–	–	–	–	–	–	–	–	–	–	
Burns and Scalds	15	1	–	2	4	2	3	–	2	–	–	–	–	
Hanging, etc.	3	–	–	–	–	–	–	–	–	–	–	–	–	
Suffocation	2	1	–	–	–	–	–	–	–	1	–	–	–	
Drowning	9	–	–	–	–	–	–	–	1	2	1	–	1	
Fracture and Contusion	14	–	–	–	–	–	–	–	–	1	–	–	3	
Wounds	2	–	–	–	–	–	–	–	–	1	–	–	–	
Other Violent Causes	2	1	–	–	–	–	–	–	–	–	–	–	–	
Not Specified	48	21	7	8	5	1	1	–	1	–	–	2	1	

CAUSES of DEATH in DUNDEE, at different Periods of Life, in 1862.—Both Sexes. (*Continued.*)

DISEASES.	BOTH SEXES. AGE UNDER														
	35	40	45	50	55	60	65	70	75	80	85	90	95	100	105	?
Cephalitis	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–
Apoplexy	1	1	1	3	6	3	6	5	3	–	2	2	1	–	–	–
Paralysis	3	1	–	3	3	2	4	6	10	5	1	–	–	–	–	–
Delirium Tremens	–	1	–	–	1	1	–	–	–	–	–	–	–	–	–	–
Chorea	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Epilepsy	1	1	–	1	–	–	–	–	–	–	–	–	–	–	–	–
Tetanus	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Insanity	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Convulsions	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Brain Disease	–	–	3	–	1	3	1	2	–	1	–	–	–	–	–	–
Pericarditis	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Aneurism	–	–	2	–	–	–	–	–	–	–	–	–	–	–	–	–
Heart Disease	3	4	7	5	7	8	8	10	9	3	1	1	–	–	–	–
Laryngitis	–	1	–	–	–	1	–	–	–	–	–	–	–	–	–	–
Bronchitis	4	3	5	10	4	11	18	14	7	6	3	1	1	–	–	–
Pleurisy	1	1	1	2	–	–	1	–	–	–	–	–	–	–	–	–
Pneumonia	3	3	6	5	7	7	3	1	3	3	–	–	1	–	–	–
Asthma	3	–	2	9	8	5	3	3	3	2	–	1	–	–	–	–
Lung Disease	1	–	1	2	–	1	–	–	–	–	–	–	–	–	–	–
Teething	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Quinsey	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Gastritis	1	–	–	1	–	–	–	1	–	1	–	–	–	–	–	–
Enteritis	–	–	–	–	2	–	1	–	–	–	–	–	–	–	–	–
Peritonitis	1	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Ascites	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Ulceration of Intestines	–	–	–	–	1	–	1	1	1	–	–	–	–	–	–	–
Hernia	–	1	–	1	–	–	–	–	–	1	–	–	–	–	–	–
Ileus	–	–	–	–	2	–	1	–	–	–	–	–	–	–	–	–
Intussusception	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–
Stricture of Intestines	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–
Stomach Disease	1	–	–	–	–	2	1	–	–	–	–	–	–	–	–	–
Pancreas Disease	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Hepatitis	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–
Jaundice	–	–	–	–	–	–	–	1	2	–	–	–	–	–	–	–
Liver Disease	–	1	1	1	2	1	1	–	1	–	–	–	–	–	–	–
Spleen Disease	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Nephritis	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Nephria	–	3	2	2	1	–	–	–	–	–	–	–	–	–	–	–
Ischuria	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–
Diabetes	–	1	–	1	–	–	–	–	–	–	–	–	–	–	–	–
Stone	–	–	–	1	–	–	–	1	–	1	–	–	–	–	–	–
Cystitis	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Stricture of Urethra	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Kidney Disease	1	–	1	2	2	1	–	1	–	–	–	–	–	–	–	–
Paramenia	–	–	1	1	–	–	–	–	–	–	–	–	–	–	–	–
Ovarian Dropsy	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–
Childbirth	3	5	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Organs of Generation	1	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–
Arthritis	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Rheumatism	1	–	–	1	–	–	1	1	–	–	–	–	–	–	–	–
Joint Disease	–	–	1	1	1	–	–	–	–	–	–	–	–	–	–	–
Carbuncle	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Phlegmon	1	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–
Skin Disease	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Cyanosis	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Spina Bifida	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Other Malformations	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Intemperance	–	–	1	–	–	1	–	–	–	–	–	–	–	–	–	–
Privation	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Want of Breast Milk	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Neglect	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Cold	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Poison	1	1	–	1	–	–	–	–	–	–	–	–	–	–	–	–
Burns and Scalds	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–
Hanging, etc.	–	1	–	–	–	–	2	–	–	–	–	–	–	–	–	–
Suffocation	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Drowning	–	1	1	2	–	–	–	–	–	–	–	–	–	–	–	–
Fracture and Contusion	–	1	1	2	2	1	1	–	2	–	–	–	–	–	–	–
Wounds	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–
Other Violent Causes	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–
Not Specified	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–

CAUSES of DEATH in DUNDEE, at different Periods of Life, in 1862.—MALES.

DISEASES.	MALES.												
	ALL AGES.	AGE UNDER											
		MONTHS.			2	3	4	5	10	15	20	25	30
		3	6	12									
ALL CAUSES	1289	196	66	130	205	88	41	18	56	26	27	37	26
SPECIFIED CAUSES	1260	183	62	125	200	87	41	18	55	26	27	37	26
I. Zymotic Class	406	30	29	61	123	50	31	14	25	4	3	2	3
II. Diseases of Uncertain Seat	31	–	–	2	2	–	–	1	1	2	1	–	4
III. Tubercular Class	179	–	6	14	24	15	6	2	14	9	12	23	10
IV. Brain and Nervous System	70	16	2	1	1	2	–	–	1	2	–	2	1
V. Organs of Circulation	38	–	–	–	–	–	–	–	1	–	2	1	1
VI. Respiratory Organs	217	23	16	24	18	11	3	1	7	1	5	4	3
VII. Organs of Digestion	76	4	3	18	23	5	–	–	2	2	1	3	–
VIII. Urinary Organs	21	–	–	–	–	2	–	–	1	2	2	–	–
IX. Organs of Generation	–	–	–	–	–	–	–	–	–	–	–	–	–
X. Organs of Locomotion	5	–	–	–	–	–	–	–	–	–	–	–	–
XI. Skin, etc.	2	–	–	–	–	–	–	–	–	–	–	–	–
XII. Malformation	1	1	–	–	–	–	–	–	–	–	–	–	–
XIII. Premature Debility	112	102	6	4	–	–	–	–	–	–	–	–	–
XIV. Atrophy	17	–	–	–	7	1	–	–	1	–	–	2	–
XV. Age	48	–	–	–	–	–	–	–	–	–	–	–	–
XVI. Sudden Deaths	4	4	–	–	–	–	–	–	–	–	–	–	–
XVII. Violent Deaths	33	3	–	1	2	1	1	–	2	4	1	–	4
1. Small Pox	5	1	–	2	2	–	–	–	–	–	–	–	–
Measles	125	1	4	16	54	20	12	4	14	–	–	–	–
Scarlatina	13	1	1	–	1	4	2	1	2	1	–	–	–
Diphtheria	17	–	–	1	4	3	4	2	2	–	–	–	–
Hooping Cough	113	6	13	31	38	12	8	2	3	–	–	–	–
Croup	42	9	3	5	12	7	3	2	1	–	–	–	–
Thrush	3	3	–	–	–	–	–	–	–	–	–	–	–
Diarrhœa	25	4	3	4	4	1	1	–	–	1	–	1	1
Dysentery	12	–	2	1	3	–	1	–	–	–	1	–	–
Cholera	1	–	1	–	–	–	–	–	–	–	–	–	–
Influenza	4	–	–	–	–	–	–	–	–	–	–	1	–
Purpura	2	–	–	–	–	–	–	–	1	1	–	–	–
Ague	–	–	–	–	–	–	–	–	–	–	–	–	–
Worms	1	–	–	–	–	–	–	1	–	–	–	–	–
Infantile Fever	1	–	–	1	–	–	–	–	–	–	–	–	–
Typhus	33	–	1	–	5	2	–	1	2	1	2	–	2
Metria	–	–	–	–	–	–	–	–	–	–	–	–	–
Rheumatic Fever	–	–	–	–	–	–	–	–	–	–	–	–	–
Erysipelas	4	1	–	–	–	1	–	1	–	–	–	–	–
Syphilis	5	4	1	–	–	–	–	–	–	–	–	–	–
Noma	–	–	–	–	–	–	–	–	–	–	–	–	–
Hydrophobia	–	–	–	–	–	–	–	–	–	–	–	–	–
II. Hæmorrhage	1	–	–	–	–	–	–	–	–	–	–	–	–
Dropsy	13	–	–	–	1	–	–	1	1	–	–	–	2
Abscess	2	–	–	1	–	–	–	–	–	1	–	–	–
Ulcer	2	–	–	1	–	–	–	–	–	–	–	–	–
Fistula	–	–	–	–	–	–	–	–	–	–	–	–	–
Mortification	2	–	–	–	1	–	–	–	–	–	–	–	–
Cancer	11	–	–	–	–	–	–	–	–	1	1	–	2
Gout	–	–	–	–	–	–	–	–	–	–	–	–	–
III. Scrofula	7	–	–	–	–	2	–	–	1	1	1	1	–
Tabes Mesenterica	9	–	–	–	3	3	–	–	1	1	–	–	–
Phthisis	120	–	1	3	7	5	2	–	10	7	11	22	10
Hydrocephalus	43	–	5	11	14	5	4	2	2	–	–	–	–

CAUSES of DEATH in DUNDEE, at different Periods of Life, in 1862.—Males.

DISEASES.	MALES. AGE UNDER															
	35	40	45	50	55	60	65	70	75	80	85	90	95	100	105	?
All Causes	29	25	28	48	40	41	50	36	24	21	20	7	3	1	–	–
Specified Causes	29	25	28	48	40	41	50	36	24	21	20	7	3	1	–	–
Zymotic Class	2	1	2	7	2	4	6	3	–	2	1	1	–	–	–	–
Uncertain Seat	1	2	–	3	1	3	2	3	1	1	1	–	–	–	–	–
Tubercular Class	10	8	7	3	8	4	3	1	–	–	–	–	–	–	–	–
Brain, etc.	3	2	1	4	7	5	7	2	6	1	2	2	–	–	–	–
Heart, etc.	3	1	4	2	3	4	5	5	3	1	1	1	–	–	–	–
Respiratory Organs	7	5	10	18	9	13	16	12	3	5	1	–	2	–	–	–
Digestive Organs	1	1	–	3	4	2	2	1	–	1	–	–	–	–	–	–
Urinary Organs	–	2	1	3	3	1	–	3	–	1	–	–	–	–	–	–
Generative Organs	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Locomotive Organs	1	–	–	2	1	–	1	–	–	–	–	–	–	–	–	–
Skin	1	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–
Malformation	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Premature Debility	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Atrophy	–	1	–	1	2	2	–	–	–	–	–	–	–	–	–	–
Age	–	–	–	–	–	–	6	5	9	9	14	3	1	1	–	–
Sudden Deaths	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Violent Deaths	–	2	3	2	–	3	2	–	2	–	–	–	–	–	–	–
Small Pox	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Measles	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Scarlatina	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Diphtheria	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–
Hooping Cough	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Croup	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Thrush	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Diarrhœa	1	1	–	–	–	1	–	–	–	–	1	1	–	–	–	–
Dysentery	–	–	–	1	–	1	–	1	–	1	–	–	–	–	–	–
Cholera	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Influenza	–	–	–	1	1	–	1	–	–	–	–	–	–	–	–	–
Purpura	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Ague	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Worms	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Infantile Fever	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Typhus	1	–	2	4	1	2	4	2	–	1	–	–	–	–	–	–
Metria	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Rheumatic Fever	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Erysipelas	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–
Syphilis	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Noma	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Hydrophobia	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Hæmorrhage	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–
Dropsy	1	–	–	2	–	2	–	1	1	1	–	–	–	–	–	–
Abscess	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Ulcer	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–
Fistula	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Mortification	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–
Cancer	–	2	–	1	1	–	1	1	–	–	1	–	–	–	–	–
Gout	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Scrofula	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Tabes Mesenterica	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Phthisis	8	8	7	3	8	4	3	1	–	–	–	–	–	–	–	–
Hydrocephalus	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–

CAUSES of DEATH in DUNDEE, at different Periods of Life, in 1862.—MALES. (*Continued.*)

DISEASES.	ALL AGES.	MALES. AGE UNDER MONTHS. 3	6	12	2	3	4	5	10	15	20	25	30
IV. Cephalitis	1	–	–	–	–	–	–	–	–	–	–	–	–
Apoplexy	18	–	–	–	–	1	–	–	–	–	–	1	–
Paralysis	15	–	–	–	–	–	–	–	–	–	–	–	–
Delirium Tremens	4	–	–	–	–	–	–	–	–	–	–	–	1
Chorea	–	–	–	–	–	–	–	–	–	–	–	–	–
Epilepsy	2	–	–	–	–	–	–	–	–	1	–	–	–
Tetanus	–	–	–	–	–	–	–	–	–	–	–	–	–
Insanity	1	–	–	–	–	–	–	–	–	1	–	–	–
Convulsions	20	16	2	1	–	–	–	–	1	–	–	–	–
Brain Disease	9	–	–	–	1	1	–	–	–	–	–	1	–
V. Pericarditis	1	–	–	–	–	–	–	–	1	–	–	–	–
Aneurism	1	–	–	–	–	–	–	–	–	–	–	–	–
Heart Disease	36	–	–	–	–	–	–	–	–	–	2	1	1
VI. Laryngitis	2	–	–	–	–	–	–	–	–	1	–	–	–
Bronchitis	131	18	16	20	13	7	3	1	2	–	1	1	2
Pleurisy	6	–	–	–	–	–	–	–	–	–	1	2	–
Pneumonia	50	4	–	3	4	4	–	–	5	–	2	1	–
Asthma	20	–	–	–	–	–	–	–	–	–	–	–	–
Lung Disease	8	1	–	1	1	–	–	–	–	–	1	–	1
VII. Teething	37	–	2	13	20	2	–	–	–	–	–	–	–
Quinsey	2	–	–	–	1	1	–	–	–	–	–	–	–
Gastritis	5	–	–	–	1	–	–	–	–	–	–	–	–
Enteritis	8	1	1	1	1	1	–	–	–	1	–	–	–
Peritonitis	3	–	–	1	–	1	–	–	–	–	–	1	–
Ascites	1	–	–	–	–	–	–	–	–	–	–	1	–
Ulceration of Intestines	1	–	–	–	–	–	–	–	–	–	–	–	–
Hernia	2	–	–	1	–	–	–	–	–	–	–	–	–
Ileus	2	2	–	–	–	–	–	–	–	–	–	–	–
Intussusception	1	–	–	–	–	–	–	–	–	–	–	–	–
Stricture of Intestines	–	–	–	–	–	–	–	–	–	–	–	–	–
Stomach Disease	8	1	–	2	–	–	–	–	2	–	1	–	–
Pancreas Disease	–	–	–	–	–	–	–	–	–	–	–	–	–
Hepatitis	1	–	–	–	–	–	–	–	–	–	–	1	–
Jaundice	–	–	–	–	–	–	–	–	–	–	–	–	–
Liver Disease	5	–	–	–	–	–	–	–	–	1	–	–	–
Spleen Disease	–	–	–	–	–	–	–	–	–	–	–	–	–
VIII. Nephritis	–	–	–	–	–	–	–	–	–	–	–	–	–
Nephria	5	–	–	–	–	–	–	–	–	2	–	–	–
Ischuria	1	–	–	–	–	–	–	–	–	–	–	–	–
Diabetes	2	–	–	–	–	–	–	–	–	–	–	–	–
Stone	3	–	–	–	–	–	–	–	–	–	1	–	–
Cystitis	1	–	–	–	–	–	–	–	–	–	1	–	–
Stricture of Urethra	–	–	–	–	–	–	–	–	–	–	–	–	–
Kidney Disease	9	–	–	–	–	2	–	–	1	–	–	–	–
IX. Paramenia	–	–	–	–	–	–	–	–	–	–	–	–	–
Ovarian Dropsy	–	–	–	–	–	–	–	–	–	–	–	–	–
Childbirth	–	–	–	–	–	–	–	–	–	–	–	–	–
Organs of Generation	–	–	–	–	–	–	–	–	–	–	–	–	–
X. Arthritis	–	–	–	–	–	–	–	–	–	–	–	–	–
Rheumatism	3	–	–	–	–	–	–	–	–	–	–	–	–
Joint and Bone Disease	2	–	–	–	–	–	–	–	–	–	–	–	–
XI. Carbuncle	–	–	–	–	–	–	–	–	–	–	–	–	–
Phlegmon	2	–	–	–	–	–	–	–	–	–	–	–	–
Skin Disease	–	–	–	–	–	–	–	–	–	–	–	–	–
XII. Cyanosis	–	–	–	–	–	–	–	–	–	–	–	–	–
Spina Bifida	1	1	–	–	–	–	–	–	–	–	–	–	–
Other Malformations	–	–	–	–	–	–	–	–	–	–	–	–	–
XVII. Intemperance	2	–	–	–	–	–	–	–	–	–	–	–	–
Privation	–	–	–	–	–	–	–	–	–	–	–	–	–
Want of Breast Milk	1	1	–	–	–	–	–	–	–	–	–	–	–
Neglect	1	1	–	–	–	–	–	–	–	–	–	–	–
Cold	–	–	–	–	–	–	–	–	–	–	–	–	–
Poison	2	–	–	–	–	–	–	–	–	–	–	–	–
Burns and Scalds	6	–	–	1	2	1	1	–	1	–	–	–	–
Hanging, etc.	2	–	–	–	–	–	–	–	–	–	–	–	–
Suffocation	–	–	–	–	–	–	–	–	–	–	–	–	–
Drowning	6	–	–	–	–	–	–	–	1	2	1	–	1
Fracture and Contusion	10	–	–	–	–	–	–	–	–	1	–	–	3
Wounds	1	–	–	–	–	–	–	–	–	1	–	–	–
Other Violent Causes	2	1	–	–	–	–	–	–	–	–	–	–	–
Not Specified	29	13	4	5	5	1	–	–	1	–	–	–	–

CAUSES of DEATH in DUNDEE, at different Periods of Life, in 1862.—MALES. (*Continued.*)

DISEASES.	MALES. AGE UNDER															
	35	40	45	50	55	60	65	70	75	80	85	90	95	100	105	?
Cephalitis	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–
Apoplexy	–	–	–	2	3	1	3	2	1	–	2	2	–	–	–	–
Paralysis	3	1	–	1	2	1	2	–	5	–	–	–	–	–	–	–
Delirium Tremens	–	1	–	–	1	1	–	–	–	–	–	–	–	–	–	–
Chorea	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Epilepsy	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–
Tetanus	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Insanity	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Convulsions	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Brain Disease	–	–	1	–	1	2	1	–	–	1	–	–	–	–	–	–
Pericarditis	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Aneurism	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–
Heart Disease	3	1	3	2	3	4	5	5	3	1	1	1	–	–	–	–
Laryngitis	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Bronchitis	3	2	2	5	3	5	10	11	2	2	1	–	1	–	–	–
Pleurisy	–	–	1	1	–	–	1	–	–	–	–	–	–	–	–	–
Pneumonia	2	2	5	3	3	5	3	–	–	3	–	–	1	–	–	–
Asthma	1	–	2	7	3	3	2	1	1	–	–	–	–	–	–	–
Lung Disease	1	–	–	2	–	–	–	–	–	–	–	–	–	–	–	–
Teething	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Quinsey	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Gastritis	1	–	–	1	–	–	–	1	–	1	–	–	–	–	–	–
Enteritis	–	–	–	–	1	–	1	–	–	–	–	–	–	–	–	–
Peritonitis	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Ascites	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Ulceration of Intestines	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–
Hernia	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–
Ileus	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Intussusception	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–
Stricture of Intestines	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Stomach Disease	–	–	–	–	–	2	–	–	–	–	–	–	–	–	–	–
Pancreas Disease	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Hepatitis	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Jaundice	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Liver Disease	–	1	–	1	1	–	1	–	–	–	–	–	–	–	–	–
Spleen Disease	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Nephritis	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Nephria	–	1	–	1	1	–	–	–	–	–	–	–	–	–	–	–
Ischuria	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–
Diabetes	–	1	–	1	–	–	–	–	–	–	–	–	–	–	–	–
Stone	–	–	–	–	–	–	–	1	–	1	–	–	–	–	–	–
Cystitis	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Stricture of Urethra	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Kidney Disease	–	–	1	1	2	1	–	1	–	–	–	–	–	–	–	–
Paramenia	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Ovarian Dropsy	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Childbirth	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Organs of Generation	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Arthritis	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Rheumatism	1	–	–	1	–	–	1	–	–	–	–	–	–	–	–	–
Joint Disease	–	–	–	1	1	–	–	–	–	–	–	–	–	–	–	–
Carbuncle	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Phlegmon	1	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–
Skin Disease	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Cyanosis	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Spina Bifida	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Other Malformations	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Intemperance	–	–	1	–	–	1	–	–	–	–	–	–	–	–	–	–
Privation	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Want of Breast Milk	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Neglect	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Cold	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Poison	–	1	–	1	–	–	–	–	–	–	–	–	–	–	–	–
Burns and Scalds	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Hanging, etc.	–	–	–	–	–	–	2	–	–	–	–	–	–	–	–	–
Suffocation	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Drowning	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–
Fracture and Contusion	–	1	1	1	–	1	–	–	2	–	–	–	–	–	–	–
Wounds	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Other Violent Causes	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–
Not Specified	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–

CAUSES of DEATH in DUNDEE, at different Periods of Life, in 1862.—FEMALES.

DISEASES.	FEMALES.												
	ALL AGES.	AGE UNDER											
		MONTHS.			2	3	4	5	10	15	20	25	30
		3	6	12									
ALL CAUSES	1310	124	49	129	173	85	47	29	52	19	34	51	53
SPECIFIED CAUSES	1291	116	46	126	173	85	46	29	52	19	34	49	52
I. Zymotic Class	363	16	10	67	103	52	28	19	28	2	4	3	3
II. Diseases of Uncertain Seat	49	1	–	1	–	–	3	–	–	–	–	–	1
III. Tubercular Class	232	4	5	17	15	10	5	6	13	12	20	34	23
IV. Brain and Nervous System	76	8	5	4	4	–	–	–	–	2	2	3	–
V. Organs of Circulation	45	–	–	–	–	–	–	–	–	1	2	3	4
VI. Respiratory Organs	198	10	12	23	25	19	7	4	6	1	3	2	6
VII. Organs of Digestion	65	5	3	10	17	3	–	–	1	–	1	1	2
VIII. Urinary Organs	12	–	–	–	1	–	–	–	–	–	1	–	2
IX. Organs of Generation	26	–	–	–	–	–	–	–	–	–	1	2	10
X. Organs of Locomotion	6	–	–	–	–	–	1	–	2	–	–	–	1
XI. Skin, etc.	2	1	–	–	1	–	–	–	–	–	–	–	–
XII. Malformation	1	1	–	–	–	–	–	–	–	–	–	–	–
XIII. Premature Debility	74	64	8	2	–	–	–	–	–	–	–	–	–
XIV. Atrophy	11	–	–	–	5	–	–	–	1	–	–	–	–
XV. Age	96	–	–	–	–	–	–	–	–	–	–	–	–
XVI. Sudden Deaths	10	3	2	–	–	–	–	–	–	–	–	1	–
XVII. Violent Deaths	25	3	1	2	2	1	2	–	1	1	–	–	–
I. Small Pox	11	1	–	1	3	4	–	–	2	–	–	–	–
Measles	115	3	–	26	40	22	8	5	7	–	2	–	–
Scarlatina	11	–	–	1	2	1	1	–	6	–	–	–	–
Diphtheria	10	–	1	–	4	3	–	2	–	–	–	–	–
Hooping Cough	100	3	4	28	28	18	10	7	2	–	–	–	–
Croup	35	2	–	4	11	2	6	4	6	–	–	–	–
Thrush	1	1	–	–	–	–	–	–	–	–	–	–	–
Diarrhœa	28	4	2	6	8	1	1	–	–	–	1	–	–
Dysentery	6	1	–	–	–	–	–	–	–	–	–	1	–
Cholera	–	–	–	–	–	–	–	–	–	–	–	–	–
Influenza	5	–	–	–	–	–	–	–	–	–	–	–	–
Purpura	1	–	–	1	–	–	–	–	–	–	–	–	–
Ague	–	–	–	–	–	–	–	–	–	–	–	–	–
Worms	–	–	–	–	–	–	–	–	–	–	–	–	–
Infantile Fever	2	–	–	–	2	–	–	–	–	–	–	–	–
Typhus	31	–	–	–	4	–	2	1	5	2	1	2	3
Metria	1	–	–	–	–	–	–	–	–	–	–	–	–
Rheumatic Fever	1	–	–	–	–	–	–	–	–	–	–	–	–
Erysipelas	3	1	1	–	–	1	–	–	–	–	–	–	–
Syphilis	2	–	–	–	1	–	–	–	–	–	–	–	–
Noma	–	–	–	–	–	–	–	–	–	–	–	–	–
Hydrophobia	–	–	–	–	–	–	–	–	–	–	–	–	–
II. Hæmorrhage	–	–	–	–	–	–	–	–	–	–	–	–	–
Dropsy	25	–	–	1	–	–	2	–	–	–	–	–	1
Abscess	–	–	–	–	–	–	–	–	–	–	–	–	–
Ulcer	1	–	–	–	–	–	1	–	–	–	–	–	–
Fistula	–	–	–	–	–	–	–	–	–	–	–	–	–
Mortification	1	1	–	–	–	–	–	–	–	–	–	–	–
Cancer	22	–	–	–	–	–	–	–	–	–	–	–	–
Gout	–	–	–	–	–	–	–	–	–	–	–	–	–
III. Scrofula	3	–	–	–	1	1	–	–	–	–	–	–	1
Tabes Mesenterica	6	–	–	1	3	–	–	–	2	–	–	–	–
Phthisis	184	–	–	5	4	4	3	3	9	12	20	34	22
Hydrocephalus	39	4	5	11	7	5	2	3	2	–	–	–	–

CAUSES of DEATH in DUNDEE, at different Periods of Life, in 1862.—Females.

DISEASES.	FEMALES. AGE UNDER															
	35	40	45	50	55	60	65	70	75	80	85	90	95	100	105	?
All Causes	46	36	41	40	43	40	46	41	56	29	25	13	8	1	–	–
Specified Causes	46	36	41	40	43	40	45	41	56	29	25	13	8	1	–	–
Zymotic Class	4	1	3	3	5	2	5	3	1	1	–	–	–	–	–	–
Uncertain Seat	2	3	7	5	5	7	9	–	2	3	–	–	–	–	–	–
Tubercular Class	24	13	9	8	5	7	2	–	–	–	–	–	–	–	–	–
Brain, etc.	2	2	3	3	4	4	5	11	7	5	1	–	1	–	–	–
Heart, etc.	–	3	5	3	4	4	3	5	6	2	–	–	–	–	–	–
Respiratory Organs	5	3	5	10	10	12	9	6	10	6	2	2	–	–	–	–
Digestive Organs	2	2	1	–	4	2	3	3	4	1	–	–	–	–	–	–
Urinary Organs	1	2	2	3	–	–	–	–	–	–	–	–	–	–	–	–
Generative Organs	4	5	3	1	–	–	–	–	–	–	–	–	–	–	–	–
Locomotive Organs	–	–	1	–	–	–	–	1	–	–	–	–	–	–	–	–
Skin	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Malformation	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Premature Debility	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Atrophy	–	–	1	–	3	1	–	–	–	–	–	–	–	–	–	–
Age	–	–	–	–	–	–	8	10	26	11	22	11	7	1	–	–
Sudden Deaths	–	–	1	1	1	–	–	1	–	–	–	–	–	–	–	–
Violent Deaths	2	2	–	3	2	1	1	1	–	–	–	–	–	–	–	–
Small Pox	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Measles	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Scarlatina	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Diphtheria	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Hooping Cough	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Croup	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Thrush	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Diarrhœa	1	–	2	–	–	1	–	–	1	–	–	–	–	–	–	–
Dysentery	1	–	–	1	1	–	1	–	–	–	–	–	–	–	–	–
Cholera	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Influenza	1	–	–	–	–	1	–	2	–	1	–	–	–	–	–	–
Purpura	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Ague	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Worms	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Infantile Fever	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Typhus	1	–	1	2	4	–	2	1	–	–	–	–	–	–	–	–
Metria	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Rheumatic Fever	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–
Erysipelas	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Syphilis	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–
Noma	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Hydrophobia	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Hæmorrhage	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Dropsy	1	2	2	2	2	4	4	–	2	2	–	–	–	–	–	–
Abscess	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Ulcer	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Fistula	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Mortification	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Cancer	1	1	5	3	3	3	5	–	–	1	–	–	–	–	–	–
Gout	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Scrofula	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Tabes Mesenterica	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Phthisis	24	13	9	8	5	7	2	–	–	–	–	–		–	–	–
Hydrocephalus	–	–	–	–	–	–	–	–	–	–	–	–		–	–	–

CAUSES of DEATH in DUNDEE, at different Periods of Life, in 1862.—FEMALES. (*Continued.*)

DISEASES.	FEMALES.												
	ALL AGES.	AGE UNDER											
		MONTHS.			2	3	4	5	10	15	20	25	30
		3	6	12									
IV. Cephalitis	6	–	1	1	1	–	–	–	–	1	1	1	–
Apoplexy	19	–	–	–	–	–	–	–	–	–	–	1	–
Paralysis	23	–	–	–	–	–	–	–	–	–	–	–	–
Delirium Tremens	–	–	–	–	–	–	–	–	–	–	–	–	–
Chorea	–	–	–	–	–	–	–	–	–	–	–	–	–
Epilepsy	2	–	–	–	–	–	–	–	–	–	–	–	–
Tetanus	–	–	–	–	–	–	–	–	–	–	–	–	–
Insanity	–	–	–	–	–	–	–	–	–	–	–	–	–
Convulsions	17	8	3	3	3	–	–	–	–	–	–	–	–
Brain Disease	9	–	1	–	–	–	–	–	–	1	1	1	–
V. Pericarditis	–	–	–	–	–	–	–	–	–	–	–	–	–
Aneurism	2	–	–	–	–	–	–	–	–	–	1	–	–
Heart Disease	43	–	–	–	–	–	–	–	–	1	1	3	4
VI. Laryngitis	3	–	1	–	–	1	–	–	–	–	–	–	–
Bronchitis	127	8	9	19	20	14	6	2	5	–	1	1	2
Pleurisy	5	–	–	1	–	1	–	–	–	–	–	–	–
Pneumonia	40	2	2	3	5	3	1	2	1	1	–	1	4
Asthma	19	–	–	–	–	–	–	–	–	–	–	–	–
Lung Disease	4	–	–	–	–	–	–	–	–	–	2	–	–
VII. Teething	27	–	1	9	15	2	–	–	–	–	–	–	–
Quinsey	–	–	–	–	–	–	–	–	–	–	–	–	–
Gastritis	2	–	–	–	–	1	–	–	–	–	–	1	–
Enteritis	5	1	1	1	1	–	–	–	–	–	–	–	–
Peritonitis	5	2	–	–	–	–	–	–	1	–	–	–	–
Ascites	1	–	–	–	–	–	–	–	–	–	–	–	1
Ulceration of Intestines	3	–	–	–	–	–	–	–	–	–	–	–	–
Hernia	2	–	–	–	–	–	–	–	–	–	–	–	–
Ileus	4	–	–	–	1	–	–	–	–	–	–	–	–
Intussusception	–	–	–	–	–	–	–	–	–	–	–	–	–
Stricture of Intestines	1	–	–	–	–	–	–	–	–	–	–	–	–
Stomach Disease	6	1	1	–	–	–	–	–	–	–	1	–	1
Pancreas Disease	–	–	–	–	–	–	–	–	–	–	–	–	–
Hepatitis	1	–	–	–	–	–	–	–	–	–	–	–	–
Jaundice	4	1	–	–	–	–	–	–	–	–	–	–	–
Liver Disease	4	–	–	–	–	–	–	–	–	–	–	–	–
Spleen Disease	–	–	–	–	–	–	–	–	–	–	–	–	–
VIII. Nephritis	–	–	–	–	–	–	–	–	–	–	–	–	–
Nephria	7	–	–	–	1	–	–	–	–	–	1	–	–
Ischuria	–	–	–	–	–	–	–	–	–	–	–	–	–
Diabetes	–	–	–	–	–	–	–	–	–	–	–	–	–
Stone	1	–	–	–	–	–	–	–	–	–	–	–	–
Cystitis	–	–	–	–	–	–	–	–	–	–	–	–	–
Stricture of Urethra	–	–	–	–	–	–	–	–	–	–	–	–	–
Kidney Disease	4	–	–	–	–	–	–	–	–	–	–	–	2
IX. Paramenia	2	–	–	–	–	–	–	–	–	–	–	–	–
Ovarian Dropsy	2	–	–	–	–	–	–	–	–	–	–	–	1
Childbirth	20	–	–	–	–	–	–	–	–	–	1	2	9
Organs of Generation	2	–	–	–	–	–	–	–	–	–	–	–	–
X. Arthritis	1	–	–	–	–	–	1	–	–	–	–	–	–
Rheumatism	2	–	–	–	–	–	–	–	–	–	–	–	1
Joint and Bone Disease	3	–	–	–	–	–	–	–	2	–	–	–	–
XI. Carbuncle	–	–	–	–	–	–	–	–	–	–	–	–	–
Phlegmon	–	–	–	–	–	–	–	–	–	–	–	–	–
Skin Disease	2	1	–	–	1	–	–	–	–	–	–	–	–
XII. Cyanosis	–	–	–	–	–	–	–	–	–	–	–	–	–
Spina Bifida	1	1	–	–	–	–	–	–	–	–	–	–	–
Other Malformations	–	–	–	–	–	–	–	–	–	–	–	–	–
XVII. Intemperance	–	–	–	–	–	–	–	–	–	–	–	–	–
Privation	1	–	–	–	–	–	–	–	–	–	–	–	–
Want of Breast Milk	3	1	1	1	–	–	–	–	–	–	–	–	–
Neglect	–	–	–	–	–	–	–	–	–	–	–	–	–
Cold	–	–	–	–	–	–	–	–	–	–	–	–	–
Poison	1	–	–	–	–	–	–	–	–	–	–	–	–
Burns and Scalds	9	1	–	1	2	1	2	–	1	–	–	–	–
Hanging, etc.	1	–	–	–	–	–	–	–	–	–	–	–	–
Suffocation	2	1	–	–	–	–	–	–	–	1	–	–	–
Drowning	3	–	–	–	–	–	–	–	–	–	–	–	–
Fracture and Contusion	4	–	–	–	–	–	–	–	–	–	–	–	–
Wounds	1	–	–	–	–	–	–	–	–	–	–	–	–
Other Violent Causes	–	–	–	–	–	–	–	–	–	–	–	–	–
Not Specified	19	8	3	3	–	–	1	–	–	–	–	2	1

CAUSES of DEATH in DUNDEE, at different Periods of Life, in 1862.—Females. (*Continued.*)

DISEASES.	FEMALES. AGE UNDER														
	35	40	45	50	55	60	65	70	75	80	85	90	95	100	105	?
Cephalitis	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Apoplexy	1	1	1	1	3	2	3	3	2	–	–	–	1	–	–	–
Paralysis	–	–	–	2	1	1	2	6	5	5	1	–	–	–	–	–
Delirium Tremens	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Chorea	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Epilepsy	1	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Tetanus	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Insanity	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Convulsions	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Brain Disease	–	–	2	–	–	1	–	2	–	–	–	–	–	–	–	–
Pericarditis	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Aneurism	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–
Heart Disease	–	3	4	3	4	4	3	5	6	2	–	–	–	–	–	–
Laryngitis	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–
Bronchitis	1	1	3	5	1	6	8	3	5	4	2	1	–	–	–	–
Pleurisy	1	1	–	1	–	–	–	–	–	–	–	–	–	–	–	–
Pneumonia	1	1	1	2	4	2	–	1	3	–	–	–	–	–	–	–
Asthma	2	–	–	2	5	2	1	2	2	2	–	1	–	–	–	–
Lung Disease	–	–	1	–	–	1	–	–	–	–	–	–	–	–	–	–
Teething	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Quinsey	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Gastritis	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Enteritis	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–
Peritonitis	1	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Ascites	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Ulceration of Intestines	–	–	–	–	–	–	1	1	1	–	–	–	–	–	–	–
Hernia	–	1	–	–	–	–	–	–	–	1	–	–	–	–	–	–
Ileus	–	–	–	–	2	–	1	–	–	–	–	–	–	–	–	–
Intussusception	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Stricture of Intestines	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–
Stomach Disease	1	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–
Pancreas Disease	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Hepatitis	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–
Jaundice	–	–	–	–	–	–	–	1	2	–	–	–	–	–	–	–
Liver Disease	–	–	1	–	1	1	–	–	1	–	–	–	–	–	–	–
Spleen Disease	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Nephritis	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Nephria	–	2	2	1	–	–	–	–	–	–	–	–	–	–	–	–
Ischuria	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Diabetes	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Stone	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–
Cystitis	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Stricture of Urethra	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Kidney Disease	1	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–
Paramenia	–	–	1	1	–	–	–	–	–	–	–	–	–	–	–	–
Ovarian Dropsy	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–
Childbirth	3	5	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Organs of Generation	1	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–
Arthritis	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Rheumatism	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–
Joint Disease	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–
Carbuncle	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Phlegmon	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Skin Disease	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Cyanosis	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Spina Bifida	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Other Malformations	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Intemperance	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Privation	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Want of Breast Milk	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Neglect	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Cold	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Poison	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Burns and Scalds	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–
Hanging, etc.	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Suffocation	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Drowning	–	1	–	2	–	–	–	–	–	–	–	–	–	–	–	–
Fracture and Contusion	–	–	–	1	2	–	1	–	–	–	–	–	–	–	–	–
Wounds	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–
Other Violent Causes	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Not Specified	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–

CAUSES of DEATH in ABERDEEN, at different Periods of Life, in 1862.—Both Sexes.

DISEASES.	BOTH SEXES.												
	ALL AGES.	AGE UNDER											
		MONTHS.			2	3	4	5	10	15	20	25	30
		3	6	12									
All Causes	1923	164	68	98	203	89	59	39	87	50	58	70	70
Specified Causes	1916	162	67	98	203	89	59	39	86	49	58	70	70
I. Zymotic Class	424	18	22	39	110	52	35	20	34	7	8	8	6
II. Diseases of Uncertain Seat	74	–	–	1	–	–	–	1	1	3	–	4	–
III. Tubercular Class	347	3	12	10	32	19	11	12	28	21	32	28	36
IV. Brain and Nervous System	103	12	7	5	4	1	–	1	6	3	5	6	4
V. Organs of Circulation	85	–	–	–	–	–	–	1	–	3	1	2	3
VI. Respiratory Organs	255	18	10	18	16	9	8	3	2	3	1	10	6
VII. Organs of Digestion	174	12	5	21	35	6	1	1	3	3	4	1	1
VIII. Urinary Organs	51	–	–	–	–	–	–	–	3	–	1	7	3
IX. Organs of Generation	13	–	–	–	–	–	–	–	–	–	–	1	4
X. Organs of Locomotion	18	–	–	–	–	–	1	–	4	3	3	–	1
XI. Skin, etc.	3	–	1	1	1	–	–	–	–	–	–	–	–
XII. Malformation	3	2	–	–	–	–	1	–	–	–	–	–	–
XIII. Premature Debility	96	91	4	1	–	–	–	–	–	–	–	–	–
XIV. Atrophy	13	–	–	–	4	1	–	–	2	–	–	–	–
XV. Age	132	–	–	–	–	–	–	–	–	–	–	–	–
XVI. Sudden Deaths	1	–	–	–	–	–	–	–	–	–	–	–	–
XVII. Violent Deaths	64	6	6	2	1	1	2	–	3	3	3	3	6
I. Small Pox	–	–	–	–	–	–	–	–	–	–	–	–	–
Measles	156	1	6	17	71	27	16	9	8	–	–	–	–
Scarlatina	21	2	–	–	4	2	5	3	2	1	–	1	1
Diphtheria	16	3	1	–	3	3	1	1	2	1	–	–	–
Hooping Cough	80	5	11	16	20	14	4	4	6	–	–	–	–
Croup	12	–	–	1	3	2	2	1	3	–	–	–	–
Thrush	–	–	–	–	–	–	–	–	–	–	–	–	–
Diarrhœa	33	–	3	3	3	1	–	–	–	–	1	–	2
Dysentery	12	–	–	1	1	–	–	1	1	–	1	–	–
Cholera	2	–	–	–	–	–	–	–	–	–	–	–	–
Influenza	9	1	–	–	–	–	–	–	1	–	–	–	–
Purpura	1	–	–	–	–	–	–	–	1	–	–	–	–
Ague	–	–	–	–	–	–	–	–	–	–	–	–	–
Worms	–	–	–	–	–	–	–	–	–	–	–	–	–
Infantile Fever	–	–	–	–	–	–	–	–	–	–	–	–	–
Typhus	61	–	–	–	3	3	7	1	10	5	5	5	3
Metria	3	–	–	–	–	–	–	–	–	1	1	1	–
Rheumatic Fever	4	–	–	–	–	–	–	–	–	–	–	1	–
Erysipelas	5	2	–	–	–	–	–	–	–	–	–	–	–
Syphilis	8	4	1	1	2	–	–	–	–	–	–	–	–
Noma	1	–	–	–	–	–	–	–	–	–	–	–	–
Hydrophobia	–	–	–	–	–	–	–	–	–	–	–	–	–
II. Hæmorrhage	1	–	–	–	–	–	–	–	–	1	–	–	–
Dropsy	20	–	–	–	–	–	–	1	1	1	–	2	–
Abscess	5	–	–	–	–	–	–	–	–	–	–	–	–
Ulcer	4	–	–	1	–	–	–	–	–	1	–	–	–
Fistula	1	–	–	–	–	–	–	–	–	–	–	–	–
Mortification	2	–	–	–	–	–	–	–	–	–	–	–	–
Cancer	41	–	–	–	–	–	–	–	–	–	–	2	–
Gout	–	–	–	–	–	–	–	–	–	–	–	–	–
III. Scrofula	22	–	–	–	1	1	1	2	2	3	3	–	3
Tabes Mesenterica	15	1	–	1	3	4	1	–	4	1	–	–	–
Phthisis	244	–	4	3	10	5	2	6	11	17	29	27	33
Hydrocephalus	66	2	8	6	18	9	7	4	11	–	–	1	–

CAUSES of DEATH in ABERDEEN, at different Periods of Life, in 1862.—Both Sexes.

DISEASES.	BOTH SEXES. AGE UNDER															
	35	40	45	50	55	60	65	70	75	80	85	90	95	100	105	?
All Causes	58	49	53	66	72	66	89	95	87	88	75	47	17	4	1	1
Specified Causes	57	49	53	66	72	66	88	95	87	88	75	47	17	4	1	1
Zymotic Class	3	4	5	4	6	6	6	5	6	8	7	4	1	–	–	–
Uncertain Seat	4	3	3	4	6	6	9	12	5	6	2	3	1	–	–	–
Tubercular Class	30	19	16	18	11	4	2	3	–	–	–	–	–	–	–	–
Brain, etc.	5	6	9	8	10	7	11	11	15	13	10	4	–	–	–	–
Heart, etc.	3	3	7	5	6	11	9	15	7	3	4	1	1	–	–	–
Respiratory Organs	4	5	5	12	12	15	18	22	19	18	16	5	–	–	–	–
Digestive Organs	3	1	3	3	7	13	14	10	13	7	5	1	1	–	–	–
Urinary Organs	2	3	1	4	7	1	3	7	3	3	2	1	–	–	–	–
Generative Organs	1	–	1	2	1	–	1	1	–	1	–	–	–	–	–	–
Locomotive Organs	–	1	–	1	1	–	1	1	1	–	–	–	–	–	–	–
Skin	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Malformation	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Premature Debility	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Atrophy	1	1	–	1	2	1	–	–	–	–	–	–	–	–	–	–
Age	–	–	–	–	–	–	9	6	17	27	29	27	12	4	1	–
Sudden Deaths	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–
Violent Deaths	1	3	3	4	3	1	5	2	1	2	–	1	1	–	–	1
Small Pox	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Measles	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Scarlatina	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Diphtheria	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Hooping Cough	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Croup	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Thrush	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Diarrhœa	–	–	–	1	2	2	3	3	1	5	2	1	–	–	–	–
Dysentery	–	1	1	–	1	1	–	–	1	–	1	1	–	–	–	–
Cholera	–	–	–	1	–	–	–	–	–	–	1	–	–	–	–	–
Influenza	–	–	–	1	–	–	1	–	1	–	2	1	1	–	–	–
Purpura	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Ague	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Worms	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Infantile Fever	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Typhus	1	2	1	1	2	3	1	2	3	2	1	–	–	–	–	–
Metria	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–
Rheumatic Fever	2	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–
Erysipelas	–	–	–	–	–	–	1	–	–	1	–	1	–	–	–	–
Syphilis	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Noma	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–
Hydrophobia	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Hæmorrhage	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Dropsy	2	–	–	1	1	2	1	3	1	3	–	–	1	–	–	–
Abscess	–	1	–	–	–	–	–	1	1	2	–	–	–	–	–	–
Ulcer	–	–	–	1	–	–	1	–	–	–	–	–	–	–	–	–
Fistula	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–
Mortification	–	–	–	–	–	–	–	–	–	–	1	1	–	–	–	–
Cancer	2	2	3	2	5	4	6	8	3	1	1	2	–	–	–	–
Gout	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Scrofula	1	–	–	4	–	1	–	–	–	–	–	–	–	–	–	–
Tabes Mesenterica	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Phthisis	29	19	16	14	11	3	2	3	–	–	–	–	–	–	–	–
Hydrocephalus	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–

CAUSES of DEATH in ABERDEEN, at different Periods of Life, in 1862.—Both Sexes. (*Continued.*)

DISEASES.	BOTH SEXES.												
	ALL AGES.	AGE UNDER											
		MONTHS.			2	3	4	5	10	15	20	25	30
		3	6	12									
IV. Cephalitis	8	–	–	–	1	–	–	–	1	1	1	1	–
Apoplexy	29	–	–	–	–	–	–	–	–	–	–	1	–
Paralysis	46	–	–	–	1	–	–	–	1	–	–	–	1
Delirium Tremens	5	–	–	–	–	–	–	–	–	–	–	–	–
Chorea	–	–	–	–	–	–	–	–	–	–	–	–	–
Epilepsy	5	–	–	–	–	–	–	–	–	–	–	–	1
Tetanus	1	–	–	–	–	–	–	1	–	–	–	–	–
Insanity	8	–	–	–	–	–	–	–	–	–	–	1	–
Convulsions	26	12	7	4	1	1	–	–	1	–	–	–	–
Brain Disease	35	–	–	1	1	–	–	–	3	2	4	3	2
V. Pericarditis	–	–	–	–	–	–	–	–	–	–	–	–	–
Aneurism	5	–	–	–	–	–	–	–	–	–	–	–	–
Heart Disease	80	–	–	–	–	–	–	1	–	3	1	2	3
VI. Laryngitis	5	1	–	1	–	–	1	–	–	–	–	–	1
Bronchitis	181	11	7	13	13	6	5	2	1	2	–	8	–
Pleurisy	10	2	–	–	–	–	–	1	–	–	1	1	–
Pneumonia	40	4	3	4	3	3	2	–	1	1	–	–	3
Asthma	13	–	–	–	–	–	–	–	–	–	–	–	1
Lung Disease	6	–	–	–	–	–	–	–	–	–	–	1	1
VII. Teething	62	1	4	29	32	5	–	–	–	–	–	–	–
Quinsey	2	1	–	–	–	–	–	1	–	–	–	–	–
Gastritis	3	–	–	–	–	–	–	–	1	–	–	1	–
Enteritis	13	1	1	–	1	–	–	–	2	–	1	–	–
Peritonitis	7	1	–	–	1	–	–	–	–	1	1	–	–
Ascites	2	–	–	–	–	–	–	–	–	–	–	–	–
Ulceration of Intestines	10	–	–	–	–	–	–	–	–	–	1	–	–
Hernia	5	–	–	–	–	–	–	–	–	–	–	–	–
Ileus	28	2	–	–	–	–	–	–	–	–	1	–	–
Intussusception	1	–	–	–	1	–	–	–	–	–	–	–	–
Stricture of Intestines	1	–	–	–	–	–	–	–	–	–	–	–	–
Stomach Disease	14	2	–	1	–	1	–	–	–	–	–	–	–
Pancreas Disease	–	–	–	–	–	–	–	–	–	–	–	–	–
Hepatitis	2	–	–	–	–	–	–	–	–	1	–	–	1
Jaundice	7	4	–	–	–	–	–	–	–	–	–	–	–
Liver Disease	15	–	–	–	–	–	1	–	–	1	–	–	–
Spleen Disease	2	–	–	–	–	–	–	–	–	–	–	–	–
VIII. Nephritis	–	–	–	–	–	–	–	–	–	–	–	–	–
Nephria	6	–	–	–	–	–	–	–	–	–	–	2	–
Ischuria	2	–	–	–	–	–	–	–	–	–	–	–	–
Diabetes	5	–	–	–	–	–	–	–	–	–	–	–	2
Stone	3	–	–	–	–	–	–	–	–	–	–	–	–
Cystitis	4	–	–	–	–	–	–	–	–	–	–	2	–
Stricture of Urethra	–	–	–	–	–	–	–	–	–	–	–	–	–
Kidney Disease	31	–	–	–	–	–	–	–	3	–	1	3	1
IX. Paramenia	–	–	–	–	–	–	–	–	–	–	–	–	–
Ovarian Dropsy	4	–	–	–	–	–	–	–	–	–	–	–	–
Childbirth	7	–	–	–	–	–	–	–	–	–	–	1	3
Organs of Generation	2	–	–	–	–	–	–	–	–	–	–	–	1
X. Arthritis	2	–	–	–	–	–	–	–	–	1	1	–	–
Rheumatism	5	–	–	–	–	–	–	–	–	–	1	–	1
Joint and Bone Disease	11	–	–	–	–	–	1	–	4	2	1	–	–
XI. Carbuncle	–	–	–	–	–	–	–	–	–	–	–	–	–
Phlegmon	–	–	–	–	–	–	–	–	–	–	–	–	–
Skin Disease	3	–	1	1	1	–	–	–	–	–	–	–	–
XII. Cyanosis	2	2	–	–	–	–	–	–	–	–	–	–	–
Spina Bifida	–	–	–	–	–	–	–	–	–	–	–	–	–
Other Malformations	1	–	–	–	–	–	1	–	–	–	–	–	–
XVII. Intemperance	4	–	–	–	–	–	–	–	–	–	–	–	–
Privation	–	–	–	–	–	–	–	–	–	–	–	–	–
Want of Breast Milk	8	5	2	1	–	–	–	–	–	–	–	–	–
Neglect	–	–	–	–	–	–	–	–	–	–	–	–	–
Cold	–	–	–	–	–	–	–	–	–	–	–	–	–
Poison	–	–	–	–	–	–	–	–	–	–	–	–	–
Burns and Scalds	5	–	–	–	1	1	1	–	–	–	–	–	–
Hanging, etc.	2	–	–	–	–	–	–	–	–	–	–	–	–
Suffocation	7	1	4	–	–	–	–	–	–	–	–	–	–
Drowning	11	–	–	–	–	–	–	–	1	2	–	2	1
Fracture and Contusion	21	–	–	–	–	–	1	–	2	1	3	1	4
Wounds	1	–	–	–	–	–	–	–	–	–	–	–	–
Other Violent Causes	5	–	–	1	–	–	–	–	–	–	–	–	1
Not Specified	7	2	1	–	–	–	–	–	1	1	–	–	–

CAUSES of DEATH in ABERDEEN, at different Periods of Life, in 1862.—Both Sexes. (*Continued.*)

DISEASES.	BOTH SEXES. AGE UNDER															
	35	40	45	50	55	60	65	70	75	80	85	90	95	100	105	?
Cephalitis	–	–	1	1	–	–	–	1	–	–	–	–	–	–	–	–
Apoplexy	1	2	1	1	3	1	4	3	3	4	4	1	–	–	–	–
Paralysis	1	3	1	2	2	3	5	3	9	7	4	3	–	–	–	–
Delirium Tremens	1	–	1	1	1	–	–	1	–	–	–	–	–	–	–	–
Chorea	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Epilepsy	–	–	2	–	1	1	–	–	–	–	–	–	–	–	–	–
Tetanus	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Insanity	–	1	–	1	–	2	1	–	1	1	–	–	–	–	–	–
Convulsions	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Brain Disease	2	–	3	2	3	–	1	3	2	1	2	–	–	–	–	–
Pericarditis	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Aneurism	–	1	1	1	1	–	1	–	–	–	–	–	–	–	–	–
Heart Disease	3	2	6	4	5	11	8	15	7	3	4	1	1	–	–	–
Laryngitis	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–
Bronchitis	1	1	3	9	7	8	13	18	17	17	14	5	–	–	–	–
Pleurisy	1	1	–	–	–	–	2	1	–	–	–	–	–	–	–	–
Pneumonia	1	1	2	2	3	3	–	2	1	–	1	–	–	–	–	–
Asthma	–	2	–	–	1	3	3	–	1	1	1	–	–	–	–	–
Lung Disease	1	–	–	1	–	1	–	1	–	–	–	–	–	–	–	–
Teething	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Quinsey	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Gastritis	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–
Enteritis	–	–	–	–	–	2	2	1	2	–	–	–	–	–	–	–
Peritonitis	–	–	–	–	–	1	1	1	–	–	–	–	–	–	–	–
Ascites	–	–	–	–	–	1	–	–	–	–	–	–	1	–	–	–
Ulceration of Intestines	1	–	–	1	2	–	1	1	1	–	2	–	–	–	–	–
Hernia	–	–	1	–	–	–	2	–	2	–	–	–	–	–	–	–
Ileus	2	–	–	1	–	2	4	4	6	2	3	1	–	–	–	–
Intussusception	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Stricture of Intestines	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–
Stomach Disease	–	1	–	1	–	2	1	3	–	2	–	–	–	–	–	–
Pancreas Disease	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Hepatitis	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Jaundice	–	–	–	–	1	–	–	–	1	1	–	–	–	–	–	–
Liver Disease	–	–	2	–	4	3	2	–	1	1	–	–	–	–	–	–
Spleen Disease	–	–	–	–	–	2	–	–	–	–	–	–	–	–	–	–
Nephritis	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Nephria	–	1	–	1	–	–	–	1	1	–	–	–	–	–	–	–
Ischuria	–	–	–	–	–	–	–	2	–	–	–	–	–	–	–	–
Diabetes	–	–	–	1	1	–	1	–	–	–	–	–	–	–	–	–
Stone	–	–	–	–	–	–	1	1	–	1	–	–	–	–	–	–
Cystitis	–	–	–	–	1	–	–	–	–	1	–	–	–	–	–	–
Stricture of Urethra	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Kidney Disease	2	2	1	2	5	1	1	3	2	1	2	1	–	–	–	–
Paramenia	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Ovarian Dropsy	–	–	–	–	1	–	1	1	–	1	–	–	–	–	–	–
Childbirth	1	–	1	1	–	–	–	–	–	–	–	–	–	–	–	–
Organs of Generation	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–
Arthritis	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Rheumatism	–	–	–	–	–	–	1	1	1	–	–	–	–	–	–	–
Joint Disease	–	1	–	1	1	–	–	–	–	–	–	–	–	–	–	–
Carbuncle	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Phlegmon	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Skin Disease	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Cyanosis	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Spina Bifida	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Other Malformations	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Intemperance	–	1	–	1	2	–	–	–	–	–	–	–	–	–	–	–
Privation	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Want of Breast Milk	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Neglect	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Cold	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Poison	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Burns and Scalds	–	–	–	–	–	–	–	–	–	1	–	1	–	–	–	–
Hanging, etc.	1	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–
Suffocation	–	–	–	1	–	–	–	1	–	–	–	–	–	–	–	–
Drowning	–	2	2	–	–	–	1	–	–	–	–	–	–	–	–	–
Fracture and Contusion	–	–	–	2	1	–	2	1	1	1	–	–	1	–	–	–
Wounds	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–
Other Violent Causes	–	–	–	–	–	–	2	–	–	–	–	–	–	–	–	1
Not Specified	1	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–

CAUSES of DEATH in ABERDEEN, at different Periods of Life, in 1862.—MALES.

DISEASES.	MALES.												
	ALL AGES.	AGE UNDER											
		MONTHS.			2	3	4	5	10	15	20	25	30
		3	6	12									
ALL CAUSES	938	93	35	51	99	42	35	23	38	34	33	40	37
SPECIFIED CAUSES	937	93	35	51	99	42	35	23	38	33	33	40	37
I. Zymotic Class	206	10	10	17	55	23	23	12	12	4	2	6	5
II. Diseases of Uncertain Seat	29	–	–	1	–	–	–	1	1	2	–	2	–
III. Tubercular Class	165	1	8	9	16	8	5	6	13	13	18	16	14
IV. Brain and Nervous System	94	8	4	2	1	1	–	–	4	2	2	2	4
V. Organs of Circulation	49	–	–	–	–	–	–	1	–	2	1	1	2
VI. Respiratory Organs	124	12	5	7	8	6	3	2	–	2	1	5	3
VII. Organs of Digestion	81	7	2	13	17	2	1	1	1	2	3	–	–
VIII. Urinary Organs	37	–	–	–	–	–	–	–	2	–	1	6	3
IX. Organs of Generation	–	–	–	–	–	–	–	–	–	–	–	–	–
X. Organs of Locomotion	14	–	–	–	–	–	1	–	3	3	2	–	1
XI. Skin, etc.	3	–	1	1	1	–	–	–	–	–	–	–	–
XII. Malformation	2	1	–	–	–	–	1	–	–	–	–	–	–
XIII. Premature Debility	52	51	1	–	–	–	–	–	–	–	–	–	–
XIV. Atrophy	3	–	–	–	1	1	–	–	–	–	–	–	–
XV. Age	39	–	–	–	–	–	–	–	–	–	–	–	–
XVI. Sudden Deaths	1	–	–	–	–	–	–	–	–	–	–	–	–
XVII. Violent Deaths	38	3	4	1	–	1	1	–	2	3	3	2	5
I. Small Pox	–	–	–	–	–	–	–	–	–	–	–	–	–
Measles	88	1	3	3	38	16	13	5	4	–	–	–	–
Scarlatina	17	2	–	–	3	1	4	3	2	–	–	1	1
Diphtheria	7	2	1	–	–	2	–	1	1	–	–	–	–
Hooping Cough	26	1	4	6	9	1	2	1	2	–	–	–	–
Croup	5	–	–	–	2	1	–	1	1	–	–	–	–
Thrush	–	–	–	–	–	–	–	–	–	–	–	–	–
Diarrhœa	15	–	2	2	1	–	–	–	–	–	–	–	2
Dysentery	3	–	–	1	–	–	–	–	–	–	–	–	–
Cholera	1	–	–	–	–	–	–	–	–	–	–	–	–
Influenza	6	1	–	–	–	–	–	–	–	–	–	–	–
Purpura	–	–	–	–	–	–	–	–	–	–	–	–	–
Ague	–	–	–	–	–	–	–	–	–	–	–	–	–
Worms	–	–	–	–	–	–	–	–	–	–	–	–	–
Infantile Fever	–	–	–	–	–	–	–	–	–	–	–	–	–
Typhus	30	–	–	–	1	2	4	1	2	4	2	4	2
Metria	–	–	–	–	–	–	–	–	–	–	–	–	–
Rheumatic Fever	2	–	–	–	–	–	–	–	–	–	–	1	–
Erysipelas	2	1	–	–	–	–	–	–	–	–	–	–	–
Syphilis	3	2	–	–	1	–	–	–	–	–	–	–	–
Noma	1	–	–	–	–	–	–	–	–	–	–	–	–
Hydrophobia	–	–	–	–	–	–	–	–	–	–	–	–	–
II. Hæmorrhage	1	–	–	–	–	–	–	–	–	1	–	–	–
Dropsy	9	–	–	–	–	–	–	1	1	1	–	1	–
Abscess	2	–	–	–	–	–	–	–	–	–	–	–	–
Ulcer	3	–	–	1	–	–	–	–	–	–	–	–	–
Fistula	1	–	–	–	–	–	–	–	–	–	–	–	–
Mortification	2	–	–	–	–	–	–	–	–	–	–	–	–
Cancer	11	–	–	–	–	–	–	–	–	–	–	1	–
Gout	–	–	–	–	–	–	–	–	–	–	–	–	–
III. Scrofula	14	–	–	–	–	–	–	2	2	3	1	–	3
Tabes Mesenterica	7	–	–	1	2	1	–	–	2	1	–	–	–
Phthisis	104	–	3	2	5	–	2	2	3	9	17	15	11
Hydrocephalus	40	1	5	6	9	7	3	2	6	–	–	1	–

CAUSES of DEATH in ABERDEEN, at different Periods of Life, in 1862.—MALES.

DISEASES.	MALES. AGE UNDER															
	35	40	45	50	55	60	65	70	75	80	85	90	95	100	105	?
ALL CAUSES	24	23	25	33	36	33	40	45	36	36	29	11	5	2	–	–
SPECIFIED CAUSES	24	23	25	33	36	33	40	45	36	36	29	11	5	2	–	–
Zymotic Class	2	1	1	3	3	1	4	2	2	2	4	1	1	–	–	–
Uncertain Seat	–	1	–	2	2	2	5	4	2	1	1	2	–	–	–	–
Tubercular Class	10	8	7	5	2	3	1	2	–	–	–	–	–	–	–	–
Brain, etc.	3	3	6	6	9	4	7	7	7	5	6	1	–	–	–	–
Heart, etc.	3	2	3	2	4	6	5	8	6	1	1	–	1	–	–	–
Respiratory Organs	4	2	5	7	5	9	6	9	7	8	6	2	–	–	–	–
Digestive Organs	1	–	2	2	3	5	5	4	5	4	1	–	–	–	–	–
Urinary Organs	–	1	–	3	7	1	2	5	1	3	1	1	–	–	–	–
Generative Organs	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Locomotive Organs	–	1	–	1	–	–	–	1	1	–	–	–	–	–	–	–
Skin	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Malformation	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Premature Debility	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Atrophy	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Age	–	–	–	–	–	–	3	2	5	11	9	4	3	2	–	–
Sudden Deaths	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–
Violent Deaths	1	3	1	2	1	1	2	1	–	1	–	–	–	–	–	–
Small Pox	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Measles	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Scarlatina	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Diphtheria	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Hooping Cough	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Croup	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Thrush	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Diarrhœa	–	–	–	1	1	–	1	1	–	2	2	–	–	–	–	–
Dysentery	–	1	1	–	–	–	–	–	–	–	–	–	–	–	–	–
Cholera	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–
Influenza	–	–	–	–	–	–	1	–	1	–	1	1	1	–	–	–
Purpura	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Ague	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Worms	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Infantile Fever	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Typhus	1	–	–	1	1	1	1	1	1	–	1	–	–	–	–	–
Metria	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Rheumatic Fever	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Erysipelas	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–
Syphilis	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Noma	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–
Hydrophobia	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Hæmorrhage	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Dropsy	–	–	–	–	–	2	1	–	1	1	–	–	–	–	–	–
Abscess	–	1	–	–	–	–	–	–	1	–	–	–	–	–	–	–
Ulcer	–	–	–	1	–	–	1	–	–	–	–	–	–	–	–	–
Fistula	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–
Mortification	–	–	–	–	–	–	–	–	–	–	1	1	–	–	–	–
Cancer	–	–	–	1	2	–	2	4	–	–	–	1	–	–	–	–
Gout	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Scrofula	–	–	–	2	–	1	–	–	–	–	–	–	–	–	–	–
Tabes Mesenterica	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Phthisis	10	8	7	3	2	2	1	2	–	–	–	–	–	–	–	–
Hydrocephalus	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–

CAUSES of DEATH in ABERDEEN, at different Periods of Life, in 1862.—MALES. *(Continued.)*

DISEASES.	MALES. ALL AGES.	AGE UNDER MONTHS. 3	6	12	2	3	4	5	10	15	20	25	30
IV. Cephalitis	6	–	–	–	–		–	–	1	1	–	1	–
Apoplexy	12	–	–	–	–	–	–	–	–	–	–	–	–
Paralysis	28	–	–	–	–	–	–	–	1	–	–	–	1
Delirium Tremens	5	–	–	–	–	–	–	–	–	–	–	–	–
Chorea	–	–	–	–	–	–	–	–	–	–	–	–	–
Epilepsy	4	–	–	–	–	–	–	–	–	–	–	–	1
Tetanus	–	–	–	–	–	–	–	–	–	–	–	–	–
Insanity	4	–	–	–	–	–	–	–	–	–	–	1	–
Convulsions	14	8	4	1	–	1	–	–	–	–	–	–	–
Brain Disease	21	–	–	1	1	–	–	–	2	1	2	–	2
V. Pericarditis	–	–	–	–	–	–	–	–	–	–	–	–	–
Aneurism	4	–	–	–	–	–	–	–	–	–	–	–	–
Heart Disease	45	–	–	–	–	–	–	1	–	2	1	1	2
VI. Laryngitis	4	1	–	1	–	–	1	–	–	–	–	–	–
Bronchitis	85	8	4	6	7	5	1	1	–	1	–	4	–
Pleurisy	6	1	–	–	–	–	–	1	–	–	1	–	–
Pneumonia	20	2	1	–	1	1	1	–	–	1	–	–	2
Asthma	6	–	–	–	–	–	–	–	–	–	–	–	1
Lung Disease	3	–	–	–	–	–	–	–	–	–	–	1	–
VII. Teething	33	1	1	12	17	2	–	–	–	–	–	–	–
Quinsey	2	1	–	–	–	–	–	1	–	–	–	–	–
Gastritis	–	–	–	–	–	–	–	–	–	–	–	–	–
Enteritis	7	–	1	–	–	–	–	–	1	–	1	–	–
Peritonitis	2	1	–	–	–	–	–	–	–	–	1	–	–
Ascites	–	–	–	–	–	–	–	–	–	–	–	–	–
Ulceration of Intestines	3	–	–	–	–	–	–	–	–	–	–	–	–
Hernia	2	–	–	–	–	–	–	–	–	–	–	–	–
Ileus	12	1	–	–	–	–	–	–	–	–	1	–	–
Intussusception	–	–	–	–	–	–	–	–	–	–	–	–	–
Stricture of Intestines	–	–	–	–	–	–	–	–	–	–	–	–	–
Stomach Disease	4	–	–	1	–	–	–	–	–	–	–	–	–
Pancreas Disease	–	–	–	–	–	–	–	–	–	–	–	–	–
Hepatitis	1	–	–	–	–	–	–	–	–	1	–	–	–
Jaundice	5	3	–	–	–	–	–	–	–	–	–	–	–
Liver Disease	10	–	–	–	–	–	1	–	–	1	–	–	–
Spleen Disease	–	–	–	–	–	–	–	–	–	–	–	–	–
VIII. Nephritis	–	–	–	–	–	–	–	–	–	–	–	–	–
Nephria	3	–	–	–	–	–	–	–	–	–	–	2	–
Ischuria	1	–	–	–	–	–	–	–	–	–	–	–	–
Diabetes	5	–	–	–	–	–	–	–	–	–	–	–	2
Stone	3	–	–	–	–	–	–	–	–	–	–	–	–
Cystitis	4	–	–	–	–	–	–	–	–	–	–	2	–
Stricture of Urethra	–	–	–	–	–	–	–	–	–	–	–	–	–
Kidney Disease	21	–	–	–	–	–	–	–	2	–	1	2	1
IX. Paramenia	–	–	–	–	–	–	–	–	–	–	–	–	–
Ovarian Dropsy	–	–	–	–	–	–	–	–	–	–	–	–	–
Childbirth	–	–	–	–	–	–	–	–	–	–	–	–	–
Organs of Generation	–	–	–	–	–	–	–	–	–	–	–	–	–
X. Arthritis	2	–	–	–	–	–	–	–	–	1	1	–	–
Rheumatism	3	–	–	–	–	–	–	–	–	–	–	–	1
Joint and Bone Disease	9	–	–	–	–	–	1	–	3	2	1	–	–
XI. Carbuncle	–	–	–	–	–	–	–	–	–	–	–	–	–
Phlegmon	–	–	–	–	–	–	–	–	–	–	–	–	–
Skin Disease	3	–	1	1	1	–	–	–	–	–	–	–	–
XII. Cyanosis	1	1	–	–	–	–	–	–	–	–	–	–	–
Spina Bifida	–	–	–	–	–	–	–	–	–	–	–	–	–
Other Malformations	1	–	–	–	–	–	1	–	–	–	–	–	–
XVII. Intemperance	3	–	–	–	–	–	–	–	–	–	–	–	–
Privation	–	–	–	–	–	–	–	–	–	–	–	–	–
Want of Breast Milk	5	3	2	–	–	–	–	–	–	–	–	–	–
Neglect	–	–	–	–	–	–	–	–	–	–	–	–	–
Cold	–	–	–	–	–	–	–	–	–	–	–	–	–
Poison	–	–	–	–	–	–	–	–	–	–	–	–	–
Burns and Scalds	2	–	–	–	–	1	–	–	–	–	–	–	–
Hanging, etc.	2	–	–	–	–	–	–	–	–	–	–	–	–
Suffocation	3	–	2	–	–	–	–	–	–	–	–	–	–
Drowning	8	–	–	–	–	–	–	–	1	2	–	2	1
Fracture and Contusion	11	–	–	–	–	–	1	–	1	1	3	–	3
Wounds	1	–	–	–	–	–	–	–	–	–	–	–	–
Other Violent Causes	3	–	–	1	–	–	–	–	–	–	–	–	1
Not Specified	1	–	–	–	–	–	–	–	–	1	–	–	–

CAUSES of DEATH in ABERDEEN, at different Periods of Life, in 1862.—MALES. (*Continued.*)

DISEASES.	MALES. AGE UNDER														
	35	40	45	50	55	60	65	70	75	80	85	90	95	100	105	?
Cephalitis	–	–	1	1	–	–	–	1	–	–	–	–	–	–	–	–
Apoplexy	–	–	–	1	2	1	2	1	1	1	3	–	–	–	–	–
Paralysis	–	3	1	2	2	2	4	1	5	3	2	1	–	–	–	–
Delirium Tremens	1	–	1	1	1	–	–	1	–	–	–	–	–	–	–	–
Chorea	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Epilepsy	–	–	2	–	1	–	–	–	–	–	–	–	–	–	–	–
Tetanus	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Insanity	–	–	–	–	–	1	1	–	–	1	–	–	–	–	–	–
Convulsions	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Brain Disease	2	–	1	1	3	–	–	3	1	–	1	–	–	–	–	–
Pericarditis	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Aneurism	–	1	–	1	1	–	1	–	–	–	–	–	–	–	–	–
Heart Disease	3	1	3	1	3	6	4	8	6	1	1	–	1	–	–	–
Laryngitis	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–
Bronchitis	1	–	3	5	2	2	5	9	7	7	5	2	–	–	–	–
Pleurisy	1	1	–	–	–	–	1	–	–	–	–	–	–	–	–	–
Pneumonia	1	1	2	2	2	3	–	–	–	–	–	–	–	–	–	–
Asthma	–	–	–	–	–	3	–	–	–	1	1	–	–	–	–	–
Lung Disease	1	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–
Teething	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Quinsey	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Gastritis	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Enteritis	–	–	–	–	–	2	1	–	1	–	–	–	–	–	–	–
Peritonitis	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Ascites	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Ulceration of Intestines	–	–	–	1	–	–	1	–	–	–	1	–	–	–	–	–
Hernia	–	–	1	–	–	–	1	–	–	–	–	–	–	–	–	–
Ileus	1	–	–	1	–	1	1	2	2	2	–	–	–	–	–	–
Intussusception	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Stricture of Intestines	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Stomach Disease	–	–	–	–	–	–	1	2	–	–	–	–	–	–	–	–
Pancreas Disease	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Hepatitis	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Jaundice	–	–	–	–	–	–	–	–	1	1	–	–	–	–	–	–
Liver Disease	–	–	1	–	3	2	–	–	1	1	–	–	–	–	–	–
Spleen Disease	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Nephritis	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Nephria	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–
Ischuria	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–
Diabetes	–	–	–	1	1	–	1	–	–	–	–	–	–	–	–	–
Stone	–	–	–	–	–	–	1	1	–	1	–	–	–	–	–	–
Cystitis	–	–	–	–	1	–	–	–	–	1	–	–	–	–	–	–
Stricture of Urethra	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Kidney Disease	–	1	–	1	5	1	–	3	1	1	1	1	–	–	–	–
Paramenia	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Ovarian Dropsy	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Childbirth	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Organs of Generation	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Arthritis	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Rheumatism	–	–	–	–	–	–	–	1	1	–	–	–	–	–	–	–
Joint Disease	–	1	–	1	–	–	–	–	–	–	–	–	–	–	–	–
Carbuncle	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Phlegmon	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Skin Disease	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Cyanosis	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Spina Bifida	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Other Malformations	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Intemperance	–	1	–	1	1	–	–	–	–	–	–	–	–	–	–	–
Privation	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Want of Breast Milk	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Neglect	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Cold	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Poison	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–
Burns and Scalds	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–
Hanging, etc.	1	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–
Suffocation	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–
Drowning	–	2	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Fracture and Contusion	–	–	–	1	–	–	1	–	–	–	–	–	–	–	–	–
Wounds	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–
Other Violent Causes	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–
Not Specified	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–

CAUSES of DEATH in ABERDEEN, at different Periods of Life, in 1862.—FEMALES.

DISEASES.	FEMALES.												
	ALL AGES.	AGE UNDER											
		MONTHS.			2	3	4	5	10	15	20	25	30
		3	6	12									
ALL CAUSES	985	71	33	47	104	47	24	16	49	16	25	30	33
SPECIFIED CAUSES	979	69	32	47	104	47	24	16	48	16	25	30	33
I. Zymotic Class	218	8	12	22	55	29	12	8	22	3	6	2	1
II. Diseases of Uncertain Seat	45	–	–	–	–	–	–	–	–	1	–	2	–
III. Tubercular Class	182	2	4	1	16	11	6	6	15	8	14	12	22
IV. Brain and Nervous System	69	4	3	3	3	–	–	1	2	1	3	4	–
V. Organs of Circulation	36	–	–	–	–	–	–	–	–	1	–	1	1
VI. Respiratory Organs	131	6	5	11	8	3	5	1	2	1	–	5	3
VII. Organs of Digestion	93	5	3	8	18	4	–	–	2	1	1	1	1
VIII. Urinary Organs	14	–	–	–	–	–	–	–	1	–	–	1	–
IX. Organs of Generation	13	–	–	–	–	–	–	–	–	–	–	1	4
X. Organs of Locomotion	4	–	–	–	–	–	–	–	1	–	1	–	–
XI. Skin, etc.	–	–	–	–	–	–	–	–	–	–	–	–	–
XII. Malformation	1	1	–	–	–	–	–	–	–	–	–	–	–
XIII. Premature Debility	44	40	3	1	–	–	–	–	–	–	–	–	–
XIV. Atrophy	10	–	–	–	3	–	–	–	2	–	–	–	–
XV. Age	93	–	–	–	–	–	–	–	–	–	–	–	–
XVI. Sudden Deaths	–	–	–	–	–	–	–	–	–	–	–	–	–
XVII. Violent Deaths	26	3	2	1	1	–	1	–	1	–	–	1	1
I. Small Pox	–	–	–	–	–	–	–	–	–	–	–	–	–
Measles	68	–	3	9	33	11	3	4	4	–	–	–	–
Scarlatina	4	–	–	–	1	1	1	–	–	1	–	–	–
Diphtheria	9	1	–	–	3	1	1	–	1	1	–	–	–
Hooping Cough	51	4	7	10	11	13	2	3	4	–	–	–	–
Croup	7	–	–	1	1	1	2	–	2	–	–	–	–
Thrush	–	–	–	–	–	–	–	–	–	–	–	–	–
Diarrhœa	18	–	1	1	2	1	–	–	–	–	1	–	–
Dysentery	9	–	–	–	1	–	–	1	1	–	1	–	–
Cholera	1	–	–	–	–	–	–	–	–	–	–	–	–
Influenza	3	–	–	–	–	–	–	–	1	–	–	–	–
Purpura	1	–	–	–	–	–	–	–	1	–	–	–	–
Ague	–	–	–	–	–	–	–	–	–	–	–	–	–
Worms	–	–	–	–	–	–	–	–	–	–	–	–	–
Infantile Fever	–	–	–	–	–	–	–	–	–	–	–	–	–
Typhus	31	–	–	–	2	1	3	–	8	1	3	1	1
Metria	3	–	–	–	–	–	–	–	–	–	1	1	–
Rheumatic Fever	2	–	–	–	–	–	–	–	–	–	–	–	–
Erysipelas	3	1	–	–	–	–	–	–	–	–	–	–	–
Syphilis	5	2	1	1	1	–	–	–	–	–	–	–	–
Noma	–	–	–	–	–	–	–	–	–	–	–	–	–
Hydrophobia	–	–	–	–	–	–	–	–	–	–	–	–	–
II. Hæmorrhage	–	–	–	–	–	–	–	–	–	–	–	–	–
Dropsy	11	–	–	–	–	–	–	–	–	–	–	1	–
Abscess	3	–	–	–	–	–	–	–	–	–	–	–	–
Ulcer	1	–	–	–	–	–	–	–	–	1	–	–	–
Fistula	–	–	–	–	–	–	–	–	–	–	–	–	–
Mortification	–	–	–	–	–	–	–	–	–	–	–	–	–
Cancer	30	–	–	–	–	–	–	–	–	–	–	1	–
Gout	–	–	–	–	–	–	–	–	–	–	–	–	–
III. Scrofula	8	–	–	–	1	1	1	–	–	–	2	–	–
Tabes Mesenterica	8	1	–	–	1	3	1	–	2	–	–	–	–
Phthisis	140	–	1	1	5	5	–	4	8	8	12	12	22
Hydrocephalus	26	1	3	–	9	2	4	2	5	–	–	–	–

CAUSES of DEATH in ABERDEEN, at different Periods of Life, in 1862.—Females.

DISEASES.	FEMALES. AGE UNDER														
	35	40	45	50	55	60	65	70	75	80	85	90	95	100	105	?
All Causes	31	26	28	33	36	33	49	50	51	52	46	36	12	2	1	1
Specified Causes	33	26	28	33	36	33	48	50	51	52	46	36	12	2	1	1
Zymotic Class	1	3	4	1	3	5	2	3	4	6	3	3	–	–	–	–
Uncertain Seat	4	2	3	2	4	4	4	8	3	5	1	1	1	–	–	–
Tubercular Class	20	11	9	13	9	1	1	1	–	–	–	–	–	–	–	–
Brain, etc.	2	3	3	2	1	3	4	4	8	8	4	3	–	–	–	–
Heart, etc.	–	1	4	3	2	5	4	7	1	2	3	1	–	–	–	–
Respiratory Organs	–	3	–	5	7	6	12	13	12	10	10	3	–	–	–	–
Digestive Organs	2	1	1	1	4	8	9	6	8	3	4	1	1	–	–	–
Urinary Organs	2	2	1	1	–	–	1	2	2	–	1	–	–	–	–	–
Generative Organs	1	–	1	2	1	–	1	1	–	1	–	–	–	–	–	–
Locomotive Organs	–	–	–	–	1	–	1	–	–	–	–	–	–	–	–	–
Skin	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Malformation	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Premature Debility	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Atrophy	1	–	–	1	2	1	–	–	–	–	–	–	–	–	–	–
Age	–	–	–	–	–	–	6	4	12	16	20	23	9	2	1	–
Sudden Deaths	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Violent Deaths	–	–	2	2	2	–	3	1	1	1	–	1	1	–	–	1
Small Pox	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Measles	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Scarlatina	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Diphtheria	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–
Hooping Cough	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Croup	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Thrush	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Diarrhœa	–	–	–	–	1	2	2	2	1	3	–	1	–	–	–	–
Dysentery	–	–	–	–	1	1	–	–	1	–	1	1	–	–	–	–
Cholera	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–
Influenza	–	–	–	1	–	–	–	–	–	–	1	–	–	–	–	–
Purpura	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Ague	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Worms	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Infantile Fever	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Typhus	–	2	1	–	1	2	–	1	2	2	–	–	–	–	–	–
Metria	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–
Rheumatic Fever	1	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–
Erysipelas	–	–	–	–	–	–	–	–	–	1	–	1	–	–	–	–
Syphilis	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Noma	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Hydrophobia	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Hæmorrhage	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Dropsy	2	–	–	1	1	–	–	3	–	2	–	–	1	–	–	–
Abscess	–	–	–	–	–	–	–	1	–	2	–	–	–	–	–	–
Ulcer	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Fistula	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Mortification	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Cancer	2	2	3	1	3	4	–	4	3	1	1	1	–	–	–	–
Gout	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Scrofula	1	–	–	2	–	–	–	–	–	–	–	–	–	–	–	–
Tabes Mesenterica	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Phthisis	19	11	9	11	9	1	1	1	–	–	–	–	–	–	–	–
Hydrocephalus	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–

CAUSES of DEATH in ABERDEEN, at different Periods of Life, in 1862.—FEMALES. (*Continued.*)

DISEASES.	FEMALES.												
	ALL AGES.	AGE UNDER											
		MONTHS.			2	3	4	5	10	15	20	25	30
		3	6	12									
IV. Cephalitis	2	–	–	–	1	–	–	–	–	–	1	–	–
Apoplexy	17	–	–	–	–	–	–	–	–	–	–	1	–
Paralysis	18	–	–	–	1	–	–	–	–	–	–	–	–
Delirium Tremens	–	–	–	–	–	–	–	–	–	–	–	–	–
Chorea	–	–	–	–	–	–	–	–	–	–	–	–	–
Epilepsy	1	–	–	–	–	–	–	–	–	–	–	–	–
Tetanus	1	–	–	–	–	–	–	1	–	–	–	–	–
Insanity	4	–	–	–	–	–	–	–	–	–	–	–	–
Convulsions	12	4	3	3	1	–	–	–	1	–	–	–	–
Brain Disease	14	–	–	–	–	–	–	–	1	1	2	3	–
V. Pericarditis	–	–	–	–	–	–	–	–	–	–	–	–	–
Aneurism	1	–	–	–	–	–	–	–	–	–	–	–	–
Heart Disease	35	–	–	–	–	–	–	–	–	1	–	1	1
VI. Laryngitis	1	–	–	–	–	–	–	–	–	–	–	–	1
Bronchitis	96	3	3	7	6	1	4	1	1	1	–	4	–
Pleurisy	4	1	–	–	–	–	–	–	–	–	–	1	–
Pneumonia	29	2	2	4	2	2	1	–	1	–	–	–	1
Asthma	7	–	–	–	–	–	–	–	–	–	–	–	–
Lung Disease	3	–	–	–	–	–	–	–	–	–	–	–	1
VII. Teething	29	–	3	8	15	3	–	–	–	–	–	–	–
Quinsey	–	–	–	–	–	–	–	–	–	–	–	–	–
Gastritis	3	–	–	–	–	–	–	–	1	–	–	1	–
Enteritis	6	1	–	–	1	–	–	–	1	–	–	–	–
Peritonitis	5	–	–	–	1	–	–	–	–	1	–	–	–
Ascites	2	–	–	–	–	–	–	–	–	–	–	–	–
Ulceration of Intestines	7	–	–	–	–	–	–	–	–	–	1	–	–
Hernia	3	–	–	–	–	–	–	–	–	–	–	–	–
Ileus	16	1	–	–	–	–	–	–	–	–	–	–	–
Intussusception	1	–	–	–	1	–	–	–	–	–	–	–	–
Stricture of Intestines	1	–	–	–	–	–	–	–	–	–	–	–	–
Stomach Disease	10	2	–	–	–	1	–	–	–	–	–	–	–
Pancreas Disease	–	–	–	–	–	–	–	–	–	–	–	–	–
Hepatitis	1	–	–	–	–	–	–	–	–	–	–	–	1
Jaundice	2	1	–	–	–	–	–	–	–	–	–	–	–
Liver Disease	5	–	–	–	–	–	–	–	–	–	–	–	–
Spleen Disease	2	–	–	–	–	–	–	–	–	–	–	–	–
VIII. Nephritis	–	–	–	–	–	–	–	–	–	–	–	–	–
Nephria	3	–	–	–	–	–	–	–	–	–	–	–	–
Ischuria	1	–	–	–	–	–	–	–	–	–	–	–	–
Diabetes	–	–	–	–	–	–	–	–	–	–	–	–	–
Stone	–	–	–	–	–	–	–	–	–	–	–	–	–
Cystitis	–	–	–	–	–	–	–	–	–	–	–	–	–
Stricture of Urethra	–	–	–	–	–	–	–	–	–	–	–	–	–
Kidney Disease	10	–	–	–	–	–	–	–	1	–	–	1	–
IX. Paramenia	–	–	–	–	–	–	–	–	–	–	–	–	–
Ovarian Dropsy	4	–	–	–	–	–	–	–	–	–	–	–	–
Childbirth	7	–	–	–	–	–	–	–	–	–	–	1	3
Organs of Generation	2	–	–	–	–	–	–	–	–	–	–	–	1
X. Arthritis	–	–	–	–	–	–	–	–	–	–	–	–	–
Rheumatism	2	–	–	–	–	–	–	–	–	–	1	–	–
Joint and Bone Disease	2	–	–	–	–	–	–	–	1	–	–	–	–
XI. Carbuncle	–	–	–	–	–	–	–	–	–	–	–	–	–
Phlegmon	–	–	–	–	–	–	–	–	–	–	–	–	–
Skin Disease	–	–	–	–	–	–	–	–	–	–	–	–	–
XII. Cyanosis	1	1	–	–	–	–	–	–	–	–	–	–	–
Spina Bifida	–	–	–	–	–	–	–	–	–	–	–	–	–
Other Malformations	–	–	–	–	–	–	–	–	–	–	–	–	–
XVII. Intemperance	1	–	–	–	–	–	–	–	–	–	–	–	–
Privation	–	–	–	–	–	–	–	–	–	–	–	–	–
Want of Breast Milk	3	2	–	1	–	–	–	–	–	–	–	–	–
Neglect	–	–	–	–	–	–	–	–	–	–	–	–	–
Cold	–	–	–	–	–	–	–	–	–	–	–	–	–
Poison	–	–	–	–	–	–	–	–	–	–	–	–	–
Burns and Scalds	3	–	–	–	1	–	1	–	–	–	–	–	–
Hanging, etc.	–	–	–	–	–	–	–	–	–	–	–	–	–
Suffocation	4	1	2	–	–	–	–	–	–	–	–	–	–
Drowning	3	–	–	–	–	–	–	–	–	–	–	–	–
Fracture and Contusion	10	–	–	–	–	–	–	–	1	–	–	1	1
Wounds	–	–	–	–	–	–	–	–	–	–	–	–	–
Other Violent Causes	2	–	–	–	–	–	–	–	–	–	–	–	–
Not Specified	6	2	1	–	–	–	–	–	1	–	–	–	–

CAUSES of DEATH in ABERDEEN, at different Periods of Life, in 1862.—Females. *(Continued.)*

DISEASES.	FEMALES. AGE UNDER															
	35	40	45	50	55	60	65	70	75	80	85	90	95	100	105	?
Cephalitis	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Apoplexy	1	2	1	–	1	–	2	2	2	3	1	1	–	–	–	–
Paralysis	1	–	–	–	–	1	1	2	4	4	2	2	–	–	–	–
Delirium Tremens	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Chorea	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Epilepsy	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–
Tetanus	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Insanity	–	1	–	1	–	1	–	–	1	–	–	–	–	–	–	–
Convulsions	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Brain Disease	–	–	2	1	–	–	1	–	1	1	1	–	–	–	–	–
Pericarditis	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Aneurism	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–
Heart Disease	–	1	3	3	2	5	4	7	1	2	3	1	–	–	–	–
Laryngitis	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Bronchitis	–	1	–	4	5	6	8	9	10	10	9	3	–	–	–	–
Pleurisy	–	–	–	–	–	–	1	1	–	–	–	–	–	–	–	–
Pneumonia	–	–	–	–	1	–	–	2	1	–	1	–	–	–	–	–
Asthma	–	2	–	–	1	–	3	–	1	–	–	–	–	–	–	–
Lung Disease	–	–	–	1	–	–	–	1	–	–	–	–	–	–	–	–
Teething	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Quinsey	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Gastritis	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–
Enteritis	–	–	–	–	–	–	1	1	1	–	–	–	–	–	–	–
Peritonitis	–	–	–	–	–	1	1	1	–	–	–	–	–	–	–	–
Ascites	–	–	–	–	–	1	–	–	–	–	–	–	1	–	–	–
Ulceration of Intestines	1	–	–	–	2	–	–	1	1	–	1	–	–	–	–	–
Hernia	–	–	–	–	–	–	1	–	2	–	–	–	–	–	–	–
Ileus	1	–	–	–	–	1	3	2	4	–	3	1	–	–	–	–
Intussusception	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Stricture of Intestines	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–
Stomach Disease	–	1	–	1	–	2	–	1	–	2	–	–	–	–	–	–
Pancreas Disease	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Hepatitis	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Jaundice	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–
Liver Disease	–	–	1	–	1	1	2	–	–	–	–	–	–	–	–	–
Spleen Disease	–	–	–	–	–	2	–	–	–	–	–	–	–	–	–	–
Nephritis	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Nephria	–	1	–	–	–	–	–	1	1	–	–	–	–	–	–	–
Ischuria	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–
Diabetes	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Stone	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Cystitis	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Stricture of Urethra	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Kidney Disease	2	1	1	1	–	–	1	–	1	–	1	–	–	–	–	–
Paramenia	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Ovarian Dropsy	–	–	–	–	1	–	1	1	–	1	–	–	–	–	–	–
Childbirth	1	–	1	1	–	–	–	–	–	–	–	–	–	–	–	–
Organs of Generation	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–
Arthritis	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Rheumatism	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–
Joint Disease	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–
Carbuncle	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Phlegmon	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Skin Disease	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Cyanosis	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Spina Bifida	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Other Malformations	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Intemperance	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–
Privation	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Want of Breast Milk	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Neglect	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Cold	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Poison	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–
Burns and Scalds	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Hanging, etc.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Suffocation	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–
Drowning	–	–	2	–	–	–	1	–	–	–	–	–	–	–	–	–
Fracture and Contusion	–	–	–	1	1	–	1	1	1	1	–	–	1	–	–	–
Wounds	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1
Other Violent Causes	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–
Not Specified	1	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–

CAUSES of DEATH in PAISLEY, at different Periods of Life, in 1862.—Both Sexes.

DISEASES.	BOTH SEXES. ALL AGES.	AGE UNDER MONTHS. 3	6	12	2	3	4	5	10	15	20	25	30
All Causes	1253	108	61	87	108	51	41	17	49	33	44	57	38
Specified Causes	1214	90	50	84	106	50	40	17	49	33	43	57	38
I. Zymotic Class	206	8	8	26	26	20	17	11	18	10	3	11	10
II. Diseases of Uncertain Seat	54	2	–	–	2	–	–	–	3	2	1	2	4
III. Tubercular Class	235	1	9	17	25	6	12	2	15	11	26	26	12
IV. Brain and Nervous System	102	1	2	5	1	1	1	–	4	3	3	2	2
V. Organs of Circulation	35	–	–	1	–	–	–	–	–	1	2	3	–
VI. Respiratory Organs	182	7	12	10	19	13	5	1	1	3	–	4	4
VII. Organs of Digestion	124	17	7	20	28	4	2	1	3	2	1	5	–
VIII. Urinary Organs	7	–	–	–	–	–	–	–	1	–	1	–	1
IX. Organs of Generation	9	–	–	–	–	–	–	–	–	–	1	4	–
X. Organs of Locomotion	8	1	–	–	–	–	–	–	1	–	2	–	–
XI. Skin, etc.	1	–	1	–	–	–	–	–	–	–	–	–	–
XII. Malformation	4	1	2	–	–	–	–	–	–	–	1	–	–
XIII. Premature Debility	63	50	8	5	–	–	–	–	–	–	–	–	–
XIV. Atrophy	21	–	–	–	4	3	3	1	–	–	1	–	–
XV. Age	134	–	–	–	–	–	–	–	–	–	–	–	–
XVI. Sudden Deaths	1	–	1	–	–	–	–	–	–	–	–	–	–
XVII Violent Deaths	28	2	–	–	1	3	–	1	3	1	1	–	5
I. Small Pox	1	1	–	–	–	–	–	–	–	–	–	–	–
Measles	15	–	–	2	5	4	3	–	1	–	–	–	–
Scarlatina	4	–	–	–	1	–	–	–	1	–	–	2	–
Diphtheria	10	–	–	1	1	–	–	2	3	1	–	–	1
Hooping Cough	30	1	2	4	10	7	1	1	4	–	–	–	–
Croup	30	–	1	8	7	3	5	4	2	–	–	–	–
Thrush	–	–	–	–	–	–	–	–	–	–	–	–	–
Diarrhœa	20	2	2	9	–	–	–	–	–	–	–	–	1
Dysentery	4	–	–	1	1	–	–	–	–	–	–	–	–
Cholera	1	–	–	–	–	–	–	–	–	–	–	–	–
Influenza	2	–	–	–	–	–	–	–	–	–	–	–	1
Purpura	2	–	–	–	–	–	–	–	–	–	–	1	–
Ague	7	–	–	1	–	3	–	–	1	1	–	–	–
Worms	2	–	–	–	–	–	2	–	–	–	–	–	–
Infantile Fever	–	–	–	–	–	–	–	–	–	–	–	–	–
Typhus	60	–	2	–	1	2	6	3	6	8	3	7	4
Metria	6	–	–	–	–	–	–	–	–	–	–	1	3
Rheumatic Fever	3	–	–	–	–	–	–	–	–	–	–	–	–
Erysipelas	4	1	1	–	–	1	–	–	–	–	–	–	–
Syphilis	3	3	–	–	–	–	–	–	–	–	–	–	–
Noma	2	–	–	–	–	–	–	1	–	–	–	–	–
Hydrophobia	–	–	–	–	–	–	–	–	–	–	–	–	–
II. Hæmorrhage	1	–	–	–	–	–	–	–	–	–	–	–	–
Dropsy	31	–	–	–	1	–	–	–	2	2	–	1	4
Abscess	6	2	–	–	–	–	–	–	1	–	1	1	–
Ulcer	1	–	–	–	–	–	–	–	–	–	–	–	–
Fistula	–	–	–	–	–	–	–	–	–	–	–	–	–
Mortification	1	–	–	–	1	–	–	–	–	–	–	–	–
Cancer	14	–	–	–	–	–	–	–	–	–	–	–	–
Gout	–	–	–	–	–	–	–	–	–	–	–	–	–
III. Scrofula	8	–	–	–	–	–	–	1	2	1	1	3	–
Tabes Mesenterica	18	–	1	5	4	1	4	–	2	–	–	–	–
Phthisis	173	–	2	3	8	4	5	1	9	9	25	23	12
Hydrocephalus	36	1	6	9	13	1	3	–	2	1	–	–	–

CAUSES of DEATH in PAISLEY, at different Periods of Life, in 1862.—Both Sexes.

DISEASES.	BOTH SEXES. AGE UNDER															
	35	40	45	50	55	60	65	70	75	80	85	90	95	100	105	?
All Causes	47	48	32	32	47	51	54	60	68	51	34	25	4	3	–	–
Specified Causes	47	48	32	32	47	50	53	60	68	51	34	25	4	3	–	–
Zymotic Class	5	6	4	3	5	5	6	2	1	1	–	–	–	–	–	–
Uncertain Seat	2	–	3	8	4	3	2	5	4	5	1	1	–	–	–	–
Tubercular Class	27	19	6	2	6	3	4	5	1	–	–	–	–	–	–	–
Brain, etc.	4	3	3	5	9	13	10	8	11	6	2	3	–	–	–	–
Heart, etc.	–	4	1	3	1	5	4	5	3	–	1	1	–	–	–	–
Respiratory Organs	5	11	7	9	11	10	14	18	10	3	–	2	–	–	–	–
Digestive Organs	1	3	2	–	6	6	6	3	5	2	–	–	–	–	–	–
Urinary Organs	1	–	–	–	1	–	–	–	–	1	1	–	–	–	–	–
Generative Organs	–	1	2	–	–	–	–	1	–	–	–	–	–	–	–	–
Locomotive Organs	–	–	–	1	–	–	–	3	–	–	–	–	–	–	–	–
Skin	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Malformation	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Premature Debility	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Atrophy	–	1	2	1	1	4	–	–	–	–	–	–	–	–	–	–
Age	–	–	–	–	–	1	5	9	32	34	28	18	4	3	–	–
Sudden Deaths	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Violent Deaths	2	–	2	–	–	–	2	1	1	2	1	–	–	–	–	–
Small Pox	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Measles	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Scarlatina	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Diphtheria	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Hooping Cough	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Croup	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Thrush	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Diarrhœa	–	1	1	–	1	1	–	1	–	1	–	–	–	–	–	–
Dysentery	–	1	–	1	–	–	–	–	–	–	–	–	–	–	–	–
Cholera	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–
Influenza	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–
Purpura	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–
Ague	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Worms	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Infantile Fever	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Typhus	3	3	1	2	2	2	4	1	–	–	–	–	–	–	–	–
Metria	1	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–
Rheumatic Fever	–	–	1	–	1	–	1	–	–	–	–	–	–	–	–	–
Erysipelas	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–
Syphilis	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Noma	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–
Hydrophobia	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Hæmorrhage	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–
Dropsy	1	–	2	5	2	3	–	2	1	3	1	1	–	–	–	–
Abscess	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–
Ulcer	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–
Fistula	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Mortification	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Cancer	1	–	1	3	2	–	1	3	1	2	–	–	–	–	–	–
Gout	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Scrofula	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Tabes Mesenterica	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Phthisis	26	19	6	2	6	3	4	5	1	–	–	–	–	–	–	–
Hydrocephalus	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–

CAUSES of DEATH in PAISLEY, at different Periods of Life, in 1862.—Both Sexes. *(Continued.)*

DISEASES.	BOTH SEXES.													
	ALL AGES.	AGE UNDER												
		MONTHS.			2	3	4	5	10	15	20	25	30	
		3	6	12										
IV. Cephalitis	7	1	–	1	–	–	–	–	–	–	1	–	2	
Apoplexy	27	–	–	2	–	1	1	–	1	–	1	–	–	
Paralysis	33	–	–	–	–	–	–	–	–	–	–	–	–	
Delirium Tremens	2	–	–	–	–	–	–	–	–	–	–	–	–	
Chorea	–	–	–	–	–	–	–	–	–	–	–	–	–	
Epilepsy	4	–	–	–	–	–	–	–	1	–	–	1	–	
Tetanus	–	–	–	–	–	–	–	–	–	–	–	–	–	
Insanity	2	–	–	–	–	–	–	–	–	–	–	–	–	
Convulsions	4	–	2	2	–	–	–	–	–	–	–	–	–	
Brain Disease	23	–	–	–	1	–	–	–	2	3	1	1	–	
V. Pericarditis	1	–	–	–	–	–	–	–	–	–	–	–	–	
Aneurism	2	–	–	–	–	–	–	–	–	–	–	–	–	
Heart Disease	32	–	–	1	–	–	–	–	–	1	2	3	–	
VI. Laryngitis	3	–	–	1	–	1	–	1	–	–	–	–	–	
Bronchitis	135	5	9	7	14	12	5	–	–	–	–	2	2	
Pleurisy	2	–	–	–	–	–	–	–	–	1	–	–	–	
Pneumonia	32	2	3	2	5	–	–	–	1	2	–	2	2	
Asthma	9	–	–	–	–	–	–	–	–	–	–	–	–	
Lung Disease	1	–	–	–	–	–	–	–	–	–	–	–	–	
VII. Teething	47	–	2	13	27	4	1	–	–	–	–	–	–	
Quinsey	–	–	–	–	–	–	–	–	–	–	–	–	–	
Gastritis	5	1	–	1	–	–	–	–	1	–	–	–	–	
Enteritis	36	14	5	5	1	–	1	1	1	–	1	2	–	
Peritonitis	3	–	–	–	–	–	–	–	–	1	–	1	–	
Ascites	–	–	–	–	–	–	–	–	–	–	–	–	–	
Ulceration of Intestines	2	–	–	–	–	–	–	–	1	–	–	–	–	
Hernia	3	–	–	–	–	–	–	–	–	–	–	–	–	
Ileus	2	1	–	–	–	–	–	–	–	–	–	1	–	
Intussusception	–	–	–	–	–	–	–	–	–	–	–	–	–	
Stricture of Intestines	1	–	–	–	–	–	–	–	–	–	–	1	–	
Stomach Disease	8	1	–	1	–	–	–	–	–	–	–	–	–	
Pancreas Disease	–	–	–	–	–	–	–	–	–	–	–	–	–	
Hepatitis	6	–	–	–	–	–	–	–	–	–	–	–	–	
Jaundice	2	–	–	–	–	–	–	–	–	–	–	–	–	
Liver Disease	9	–	–	–	–	–	–	–	–	1	–	–	–	
Spleen Disease	–	–	–	–	–	–	–	–	–	–	–	–	–	
VIII. Nephritis	–	–	–	–	–	–	–	–	–	–	–	–	–	
Nephria	2	–	–	–	–	–	–	–	–	–	–	–	–	
Ischuria	–	–	–	–	–	–	–	–	–	–	–	–	–	
Diabetes	–	–	–	–	–	–	–	–	–	–	–	–	–	
Stone	–	–	–	–	–	–	–	–	–	–	–	–	–	
Cystitis	2	–	–	–	–	–	–	–	–	–	–	–	1	
Stricture of Urethra	–	–	–	–	–	–	–	–	–	–	–	–	–	
Kidney Disease	3	–	–	–	–	–	–	–	1	–	1	–	–	
IX. Paramenia	–	–	–	–	–	–	–	–	–	–	–	–	–	
Ovarian Dropsy	–	–	–	–	–	–	–	–	–	–	–	–	–	
Childbirth	8	–	–	–	–	–	–	–	–	–	1	4	–	
Organs of Generation	1	–	–	–	–	–	–	–	–	–	–	–	–	
X. Arthritis	1	–	–	–	–	–	–	–	–	–	1	–	–	
Rheumatism	2	–	–	–	–	–	–	–	–	–	–	–	–	
Joint and Bone Disease	5	1	–	–	–	–	–	–	1	–	1	–	–	
XI. Carbuncle	–	–	–	–	–	–	–	–	–	–	–	–	–	
Phlegmon	–	–	–	–	–	–	–	–	–	–	–	–	–	
Skin Disease	1	–	1	–	–	–	–	–	–	–	–	–	–	
XII. Cyanosis	–	–	–	–	–	–	–	–	–	–	–	–	–	
Spina Bifida	2	–	2	–	–	–	–	–	–	–	–	–	–	
Other Malformations	2	1	–	–	–	–	–	–	–	–	1	–	–	
XVII. Intemperance	–	–	–	–	–	–	–	–	–	–	–	–	–	
Privation	–	–	–	–	–	–	–	–	–	–	–	–	–	
Want of Breast Milk	–	–	–	–	–	–	–	–	–	–	–	–	–	
Neglect	–	–	–	–	–	–	–	–	–	–	–	–	–	
Cold	–	–	–	–	–	–	–	–	–	–	–	–	–	
Poison	1	–	–	–	–	–	–	–	1	–	–	–	–	
Burns and Scalds	7	1	–	–	1	3	–	1	–	–	–	–	–	
Hanging, etc.	–	–	–	–	–	–	–	–	–	–	–	–	–	
Suffocation	3	1	–	–	–	–	–	–	–	–	–	–	–	
Drowning	5	–	–	–	–	–	–	–	1	1	–	–	2	
Fracture and Contusion	10	–	–	–	–	–	–	–	–	–	1	–	3	
Wounds	2	–	–	–	–	–	–	–	1	–	–	–	–	
Other Violent Causes	–	–	–	–	–	–	–	–	–	–	–	–	–	
Not Specified	39	18	11	3	2	1	1	–	–	–	1	–	–	

CAUSES of DEATH in PAISLEY, at different Periods of Life, in 1862.—Both Sexes. (*Continued.*)

DISEASES.	BOTH SEXES. AGE UNDER															
	35	40	45	50	55	60	65	70	75	80	85	90	95	100	105	?
Cephalitis	1	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Apoplexy	1	–	–	1	4	4	4	2	3	–	1	1	–	–	–	–
Paralysis	–	–	3	1	–	3	4	6	8	5	1	2	–	–	–	–
Delirium Tremens	–	–	–	–	1	1	–	–	–	–	–	–	–	–	–	–
Chorea	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Epilepsy	–	1	–	1	–	–	–	–	–	–	–	–	–	–	–	–
Tetanus	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Insanity	1	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–
Convulsions	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Brain Disease	1	1	–	2	4	4	2	–	–	1	–	–	–	–	–	–
Pericarditis	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Aneurism	–	1	–	–	–	–	–	1	–	–	–	–	–	–	–	–
Heart Disease	–	2	1	3	1	5	4	4	3	–	1	1	–	–	–	–
Laryngitis	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Bronchitis	2	6	5	8	12	9	12	13	8	2	–	2	–	–	–	–
Pleurisy	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Pneumonia	1	5	1	1	1	1	–	3	–	–	–	–	–	–	–	–
Asthma	–	–	1	–	1	–	2	2	2	1	–	–	–	–	–	–
Lung Disease	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Teething	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Quinsey	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Gastritis	–	–	1	–	–	1	–	–	–	–	–	–	–	–	–	–
Enteritis	–	2	–	–	2	–	–	–	–	1	–	–	–	–	–	–
Peritonitis	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–
Ascites	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Ulceration of Intestines	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–
Hernia	–	–	–	–	–	–	2	–	1	–	–	–	–	–	–	–
Ileus	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Intussusception	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Stricture of Intestines	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Stomach Disease	–	–	–	–	1	–	3	–	2	–	–	–	–	–	–	–
Pancreas Disease	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Hepatitis	1	–	1	–	2	2	–	–	–	–	–	–	–	–	–	–
Jaundice	–	–	–	–	–	1	–	1	–	–	–	–	–	–	–	–
Liver Disease	–	1	–	–	1	2	1	–	2	1	–	–	–	–	–	–
Spleen Disease	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Nephritis	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Nephria	1	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–
Ischuria	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Diabetes	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Stone	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Cystitis	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–
Stricture of Urethra	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Kidney Disease	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–
Paramenia	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Ovarian Dropsy	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Childbirth	–	1	2	–	–	–	–	–	–	–	–	–	–	–	–	–
Organs of Generation	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–
Arthritis	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Rheumatism	–	–	–	1	–	–	–	1	–	–	–	–	–	–	–	–
Joint Disease	–	–	–	–	–	–	–	2	–	–	–	–	–	–	–	–
Carbuncle	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Phlegmon	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Skin Disease	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Cyanosis	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Spina Bifida	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Other Malformations	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Intemperance	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Privation	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Want of Breast Milk	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Neglect	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Cold	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Poison	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Burns and Scalds	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–
Hanging, etc.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Suffocation	1	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–
Drowning	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Fracture and Contusion	–	–	2	–	–	–	–	1	–	2	1	–	–	–	–	–
Wounds	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–
Other Violent Causes	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Not Specified	–	–	–	–	–	1	1	–	–	–	–	–	–	–	–	–

CAUSES of DEATH in PAISLEY, at different Periods of Life, in 1862.—MALES.

DISEASES.	MALES.												
	ALL AGES.	AGE UNDER											
		MONTHS.			2	3	4	5	10	15	20	25	30
		3	6	12									
ALL CAUSES	602	54	32	38	62	24	21	7	22	16	23	22	15
SPECIFIED CAUSES	580	46	24	37	60	24	21	7	22	16	22	22	15
I. Zymotic Class	85	2	2	11	13	9	7	5	6	5	2	4	3
II. Diseases of Uncertain Seat	21	1	–	–	2	–	–	–	1	1	1	–	1
III. Tubercular Class	107	–	2	7	15	6	9	1	9	5	9	12	3
IV. Brain and Nervous System	68	–	–	3	–	1	1	–	2	2	2	1	1
V. Organs of Circulation	15	–	–	–	–	–	–	–	–	–	1	1	–
VI. Respiratory Organs	93	2	10	6	11	5	2	1	–	1	–	3	2
VII. Organs of Digestion	67	12	4	9	16	1	1	–	–	1	1	1	–
VIII. Urinary Organs	6	–	–	–	–	–	–	–	1	–	1	–	1
IX. Organs of Generation	–	–	–	–	–	–	–	–	–	–	–	–	–
X. Organs of Locomotion	7	1	–	–	–	–	–	–	–	–	2	–	–
XI. Skin, etc.	–	–	–	–	–	–	–	–	–	–	–	–	–
XII. Malformation	3	–	2	–	–	–	–	–	–	–	1	–	–
XIII. Premature Debility	31	27	3	1	–	–	–	–	–	–	–	–	–
XIV. Atrophy	7	–	–	–	2	1	1	–	–	–	1	–	–
XV. Age	51	–	–	–	–	–	–	–	–	–	–	–	–
XVI. Sudden Deaths	1	–	1	–	–	–	–	–	–	–	–	–	–
XVII. Violent Deaths	18	1	–	–	1	1	–	–	3	1	1	–	4
I. Small Pox	–	–	–	–	–	–	–	–	–	–	–	–	–
Measles	8	–	–	2	3	2	1	–	–	–	–	–	–
Scarlatina	–	–	–	–	–	–	–	–	–	–	–	–	–
Diphtheria	4	–	–	–	–	–	–	1	1	1	–	–	1
Hooping Cough	12	–	1	–	4	4	1	1	1	–	–	–	–
Croup	13	–	–	2	5	1	3	2	–	–	–	–	–
Thrush	–	–	–	–	–	–	–	–	–	–	–	–	–
Diarrhœa	9	1	–	6	–	–	–	–	–	–	–	–	–
Dysentery	2	–	–	1	–	–	–	–	–	–	–	–	–
Cholera	–	–	–	–	–	–	–	–	–	–	–	–	–
Influenza	2	–	–	–	–	–	–	–	–	–	–	–	1
Purpura	2	–	–	–	–	–	–	–	–	–	–	1	–
Ague	2	–	–	–	–	1	–	–	1	–	–	–	–
Worms	–	–	–	–	–	–	–	–	–	–	–	–	–
Infantile Fever	–	–	–	–	–	–	–	–	–	–	–	–	–
Typhus	26	–	–	–	1	1	2	1	3	4	2	3	–
Metria	–	–	–	–	–	–	–	–	–	–	–	–	–
Rheumatic Fever	2	–	–	–	–	–	–	–	–	–	–	–	–
Erysipelas	1	–	1	–	–	–	–	–	–	–	–	–	–
Syphilis	1	1	–	–	–	–	–	–	–	–	–	–	–
Noma	1	–	–	–	–	–	–	–	–	–	–	–	–
Hydrophobia	–	–	–	–	–	–	–	–	–	–	–	–	–
II. Hæmorrhage	–	–	–	–	–	–	–	–	–	–	–	–	–
Dropsy	12	–	–	–	1	–	–	–	1	1	–	–	1
Abscess	2	1	–	–	–	–	–	–	–	–	1	–	–
Ulcer	–	–	–	–	–	–	–	–	–	–	–	–	–
Fistula	–	–	–	–	–	–	–	–	–	–	–	–	–
Mortification	1	–	–	–	1	–	–	–	–	–	–	–	–
Cancer	6	–	–	–	–	–	–	–	–	–	–	–	–
Gout	–	–	–	–	–	–	–	–	–	–	–	–	–
III. Scrofula	4	–	–	–	–	–	–	1	1	1	–	1	–
Tabes Mesenterica	10	–	1	2	1	1	3	–	2	–	–	–	–
Phthisis	72	–	–	–	5	4	4	–	4	3	9	11	3
Hydrocephalus	21	–	1	5	9	1	2	–	2	1	–	–	–

CAUSES of DEATH in PAISLEY, at different Periods of Life, in 1862.—MALES.

DISEASES.	MALES. AGE UNDER														
	35	40	45	50	55	60	65	70	75	80	85	90	95	100	105	?
ALL CAUSES	15	22	20	14	24	27	27	31	32	26	13	10	3	2	–	–
SPECIFIED CAUSES	15	22	20	14	24	26	26	31	32	26	13	10	3	2	–	–
Zymotic Class	1	3	1	2	2	2	3	1	–	1	–	–	–	–	–	–
Uncertain Seat	–	–	2	3	–	1	1	2	1	4	–	–	–	–	–	–
Tubercular Class	8	8	4	1	2	2	1	2	1	–	–	–	–	–	–	–
Brain, etc.	3	3	2	4	6	9	7	6	10	2	1	2	–	–	–	–
Heart, etc.	–	4	1	1	–	1	2	1	1	–	1	1	–	–	–	–
Respiratory Organs	2	2	6	2	7	7	5	10	5	2	–	2	–	–	–	–
Digestive Organs	–	2	2	–	5	3	3	2	3	1	–	–	–	–	–	–
Urinary Organs	–	–	–	–	1	–	–	–	–	1	1	–	–	–	–	–
Generative Organs	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Locomotive Organs	–	–	–	1	–	–	–	3	–	–	–	–	–	–	–	–
Skin	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Malformation	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Premature Debility	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Atrophy	–	–	–	–	1	1	–	–	–	–	–	–	–	–	–	–
Age	–	–	–	–	–	–	3	4	10	14	10	5	3	2	–	–
Sudden Deaths	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Violent Deaths	1	–	2	–	–	–	1	–	1	1	–	–	–	–	–	–
Small Pox	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Measles	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Scarlatina	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Diphtheria	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Hooping Cough	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Croup	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Thrush	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Diarrhœa	–	1	–	–	–	–	–	–	–	1	–	–	–	–	–	–
Dysentery	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Cholera	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Influenza	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–
Purpura	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–
Ague	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Worms	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Infantile Fever	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Typhus	1	1	–	2	–	1	2	1	–	–	–	–	–	–	–	–
Metria	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Rheumatic Fever	–	–	1	–	1	–	–	–	–	–	–	–	–	–	–	–
Erysipelas	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Syphilis	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Noma	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–
Hydrophobia	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Hæmorrhage	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Dropsy	–	–	2	2	–	1	–	1	–	2	–	–	–	–	–	–
Abscess	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Ulcer	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Fistula	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Mortification	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Cancer	–	–	–	1	–	–	1	1	1	2	–	–	–	–	–	–
Gout	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Scrofula	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Tabes Mesenterica	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Phthisis	8	8	4	1	2	2	1	2	1	–	–	–	–	–	–	–
Hydrocephalus	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–

CAUSES of DEATH in PAISLEY, at different Periods of Life, in 1862.—MALES. (*Continued.*)

DISEASES.	MALES. ALL AGES	AGE UNDER MONTHS. 3	6	12	2	3	4	5	10	15	20	25	30
IV. Cephalitis	5	–	–	1	–	–	–	–	–	–	1	–	1
Apoplexy	17	–	–	–	–	1	1	–	–	–	–	–	–
Paralysis	23	–	–	–	–	–	–	–	–	–	–	–	–
Delirium Tremens	1	–	–	–	–	–	–	–	–	–	–	–	–
Chorea	–	–	–	–	–	–	–	–	–	–	–	–	–
Epilepsy	3	–	–	–	–	–	–	–	1	–	–	–	–
Tetanus	–	–	–	–	–	–	–	–	–	–	–	–	–
Insanity	2	–	–	–	–	–	–	–	–	–	–	–	–
Convulsions	2	–	–	2	–	–	–	–	–	–	–	–	–
Brain Disease	15	–	–	–	–	–	–	–	1	2	1	1	–
V. Pericarditis	1	–	–	–	–	–	–	–	–	–	–	–	–
Aneurism	1	–	–	–	–	–	–	–	–	–	–	–	–
Heart Disease	13	–	–	–	–	–	–	–	–	–	1	1	–
VI. Laryngitis	1	–	–	–	–	–	–	1	–	–	–	–	–
Bronchitis	68	1	7	5	7	5	2	–	–	–	1	2	
Pleurisy	2	–	–	–	–	–	–	–	–	1	–	–	–
Pneumonia	17	1	3	1	4	–	–	–	–	–	2	–	–
Asthma	5	–	–	–	–	–	–	–	–	–	–	–	–
Lung Disease	–	–	–	–	–	–	–	–	–	–	–	–	–
VII. Teething	26	–	1	7	13	1	1	–	–	–	–	–	–
Quinsey	–	–	–	–	–	–	–	–	–	–	–	–	–
Gastritis	2	1	–	–	–	–	–	–	–	–	–	–	–
Enteritis	20	10	3	2	–	–	–	–	–	–	1	–	–
Peritonitis	1	–	–	–	–	–	–	–	–	1	–	–	–
Ascites	–	–	–	–	–	–	–	–	–	–	–	–	–
Ulceration of Intestines	1	–	–	–	–	–	–	–	–	–	–	–	–
Hernia	3	–	–	–	–	–	–	–	–	–	–	–	–
Ileus	2	1	–	–	–	–	–	–	–	–	–	1	–
Intussusception	–	–	–	–	–	–	–	–	–	–	–	–	–
Stricture of Intestines	–	–	–	–	–	–	–	–	–	–	–	–	–
Stomach Disease	2	–	–	–	–	–	–	–	–	–	–	–	–
Pancreas Disease	–	–	–	–	–	–	–	–	–	–	–	–	–
Hepatitis	4	–	–	–	–	–	–	–	–	–	–	–	–
Jaundice	2	–	–	–	–	–	–	–	–	–	–	–	–
Liver Disease	4	–	–	–	–	–	–	–	–	–	–	–	–
Spleen Disease	–	–	–	–	–	–	–	–	–	–	–	–	–
VIII. Nephritis	–	–	–	–	–	–	–	–	–	–	–	–	–
Nephria	1	–	–	–	–	–	–	–	–	–	–	–	–
Ischuria	–	–	–	–	–	–	–	–	–	–	–	–	–
Diabetes	–	–	–	–	–	–	–	–	–	–	–	–	–
Stone	–	–	–	–	–	–	–	–	–	–	–	–	–
Cystitis	2	–	–	–	–	–	–	–	–	–	–	–	1
Stricture of Urethra	–	–	–	–	–	–	–	–	–	–	–	–	–
Kidney Disease	3	–	–	–	–	–	–	–	1	–	1	–	–
IX. Paramenia	–	–	–	–	–	–	–	–	–	–	–	–	–
Ovarian Dropsy	–	–	–	–	–	–	–	–	–	–	–	–	–
Childbirth	–	–	–	–	–	–	–	–	–	–	–	–	–
Organs of Generation	–	–	–	–	–	–	–	–	–	–	–	–	–
X. Arthritis	1	–	–	–	–	–	–	–	–	–	1	–	–
Rheumatism	2	–	–	–	–	–	–	–	–	–	–	–	–
Joint and Bone Disease	4	1	–	–	–	–	–	–	–	–	1	–	–
XI. Carbuncle	–	–	–	–	–	–	–	–	–	–	–	–	–
Phlegmon	–	–	–	–	–	–	–	–	–	–	–	–	–
Skin Disease	–	–	–	–	–	–	–	–	–	–	–	–	–
XII. Cyanosis	–	–	–	–	–	–	–	–	–	–	–	–	–
Spina Bifida	2	–	2	–	–	–	–	–	–	–	–	–	–
Other Malformations	1	–	–	–	–	–	–	–	–	–	1	–	–
XVII. Intemperance	–	–	–	–	–	–	–	–	–	–	–	–	–
Privation	–	–	–	–	–	–	–	–	–	–	–	–	–
Want of Breast Milk	–	–	–	–	–	–	–	–	–	–	–	–	–
Neglect	–	–	–	–	–	–	–	–	–	–	–	–	–
Cold	–	–	–	–	–	–	–	–	–	–	–	–	–
Poison	1	–	–	–	–	–	–	–	1	–	–	–	–
Burns and Scalds	3	1	–	–	1	1	–	–	–	–	–	–	–
Hanging, etc.	–	–	–	–	–	–	–	–	–	–	–	–	–
Suffocation	2	–	–	–	–	–	–	–	–	–	–	–	–
Drowning	3	–	–	–	–	–	–	–	1	1	–	–	1
Fracture and Contusion	7	–	–	–	–	–	–	–	–	–	1	–	3
Wounds	2	–	–	–	–	–	–	–	1	–	–	–	–
Other Violent Causes	–	–	–	–	–	–	–	–	–	–	–	–	–
Not Specified	22	8	8	1	2	–	–	–	–	–	1	–	–

CAUSES of DEATH in PAISLEY, at different Periods of Life, in 1862.—MALES. (*Continued.*)

DISEASES.	MALES. AGE UNDER														
	35	40	45	50	55	60	65	70	75	80	85	90	95	100	105	?
Cephalitis	1	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Apoplexy	1	–	–	–	2	3	3	2	3	–	1	–	–	–	–	–
Paralysis	–	–	2	1	–	2	3	4	7	2	–	2	–	–	–	–
Delirium Tremens	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–
Chorea	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Epilepsy	–	1	–	1	–	–	–	–	–	–	–	–	–	–	–	–
Tetanus	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Insanity	1	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–
Convulsions	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Brain Disease	–	1	–	2	4	2	1	–	–	–	–	–	–	–	–	–
Pericarditis	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Aneurism	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Heart Disease	–	2	1	1	–	1	2	1	1	–	1	1	–	–	–	–
Laryngitis	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Bronchitis	1	1	4	2	5	6	4	7	5	1	–	2	–	–	–	–
Pleurisy	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Pneumonia	–	1	1	–	1	1	–	2	–	–	–	–	–	–	–	–
Asthma	–	–	1	–	1	–	1	1	–	1	–	–	–	–	–	–
Lung Disease	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Teething	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Quinsey	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Gastritis	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–
Enteritis	–	2	–	–	1	–	–	–	–	1	–	–	–	–	–	–
Peritonitis	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Ascites	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Ulceration of Intestines	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–
Hernia	–	–	–	–	–	–	2	–	1	–	–	–	–	–	–	–
Ileus	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Intussusception	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Stricture of Intestines	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Stomach Disease	–	–	–	–	1	–	1	–	–	–	–	–	–	–	–	–
Pancreas Disease	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Hepatitis	–	–	1	–	2	1	–	–	–	–	–	–	–	–	–	–
Jaundice	–	–	–	–	–	1	–	1	–	–	–	–	–	–	–	–
Liver Disease	–	–	–	–	1	1	–	–	2	–	–	–	–	–	–	–
Spleen Disease	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Nephritis	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Nephria	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–
Ischuria	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Diabetes	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Stone	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Cystitis	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–
Stricture of Urethra	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Kidney Disease	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–
Paramenia	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Ovarian Dropsy	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Childbirth	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Organs of Generation	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Arthritis	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Rheumatism	–	–	–	1	–	–	–	1	–	–	–	–	–	–	–	–
Joint Disease	–	–	–	–	–	–	–	2	–	–	–	–	–	–	–	–
Carbuncle	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Phlegmon	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Skin Disease	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Cyanosis	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Spina Bifida	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Other Malformations	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Intemperance	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Privation	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Want of Breast Milk	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Neglect	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Cold	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Poison	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Burns and Scalds	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Hanging, etc.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Suffocation	1	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–
Drowning	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Fracture and Contusion	–	–	2	–	–	–	–	–	–	1	–	–	–	–	–	–
Wounds	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Other Violent Causes	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–
Not Specified	–	–	–	–	–	1	1	–	–	–	–	–	–	–	–	–

CAUSES of DEATH in PAISLEY, at different Periods of Life, in 1862.—FEMALES.

DISEASES.	ALL AGES.	FEMALES. AGE UNDER MONTHS. 3	6	12	2	3	4	5	10	15	20	25	30
ALL CAUSES	651	54	29	49	46	27	20	10	27	17	21	35	23
SPECIFIED CAUSES	634	44	26	47	46	26	19	10	27	17	21	35	23
I. Zymotic Class	121	6	6	15	13	11	10	6	12	5	1	7	7
II. Diseases of Uncertain Seat	33	1	–	–	–	–	–	–	2	1	–	2	3
III. Tubercular Class	128	1	7	10	10	–	3	1	6	6	17	14	9
IV. Brain and Nervous System	34	1	2	2	1	–	–	–	2	1	1	1	1
V. Organs of Circulation	20	–	–	1	–	–	–	–	–	1	1	2	–
VI. Respiratory Organs	89	5	2	4	8	8	3	–	1	2	–	1	2
VII. Organs of Digestion	57	5	3	11	12	3	1	1	3	1	–	4	–
VIII. Urinary Organs	1	–	–	–	–	–	–	–	–	–	–	–	–
IX. Organs of Generation	9	–	–	–	–	–	–	–	–	–	1	4	–
X. Organs of Locomotion	1	–	–	–	–	–	–	–	1	–	–	–	–
XI. Skin, etc.	1	–	1	–	–	–	–	–	–	–	–	–	–
XII. Malformation	1	1	–	–	–	–	–	–	–	–	–	–	–
XIII. Premature Debility	32	23	5	4	–	–	–	–	–	–	–	–	–
XIV. Atrophy	14	–	–	–	2	2	2	1	–	–	–	–	–
XV. Age	83	–	–	–	–	–	–	–	–	–	–	–	–
XVI. Sudden Deaths	–	–	–	–	–	–	–	–	–	–	–	–	–
XVII. Violent Deaths	10	1	–	–	–	2	–	1	–	–	–	–	1
I. Small Pox	1	1	–	–	–	–	–	–	–	–	–	–	–
Measles	7	–	–	–	2	2	2	–	1	–	–	–	–
Scarlatina	4	–	–	–	1	–	–	–	1	–	–	2	–
Diphtheria	6	–	–	1	1	–	–	1	2	–	–	–	–
Hooping Cough	18	1	1	4	6	3	–	–	3	–	–	–	–
Croup	17	–	1	6	2	2	2	2	2	–	–	–	–
Thrush	–	–	–	–	–	–	–	–	–	–	–	–	–
Diarrhœa	11	1	2	3	–	–	–	–	–	–	–	–	1
Dysentery	2	–	–	–	1	–	–	–	–	–	–	–	–
Cholera	1	–	–	–	–	–	–	–	–	–	–	–	–
Influenza	–	–	–	–	–	–	–	–	–	–	–	–	–
Purpura	–	–	–	–	–	–	–	–	–	–	–	–	–
Ague	5	–	–	1	–	2	–	–	–	1	–	–	–
Worms	2	–	–	–	–	–	2	–	–	–	–	–	–
Infantile Fever	–	–	–	–	–	–	–	–	–	–	–	–	–
Typhus	34	–	2	–	–	1	4	2	3	4	1	4	3
Metria	6	–	–	–	–	–	–	–	–	–	–	1	3
Rheumatic Fever	1	–	–	–	–	–	–	–	–	–	–	–	–
Erysipelas	3	1	–	–	–	1	–	–	–	–	–	–	–
Syphilis	2	2	–	–	–	–	–	–	–	–	–	–	–
Noma	1	–	–	–	–	–	–	1	–	–	–	–	–
Hydrophobia	–	–	–	–	–	–	–	–	–	–	–	–	–
II Hæmorrhage	1	–	–	–	–	–	–	–	–	–	–	–	–
Dropsy	19	–	–	–	–	–	–	–	1	1	–	1	3
Abscess	4	1	–	–	–	–	–	–	1	–	–	1	–
Ulcer	1	–	–	–	–	–	–	–	–	–	–	–	–
Fistula	–	–	–	–	–	–	–	–	–	–	–	–	–
Mortification	–	–	–	–	–	–	–	–	–	–	–	–	–
Cancer	8	–	–	–	–	–	–	–	–	–	–	–	–
Gout	–	–	–	–	–	–	–	–	–	–	–	–	–
III. Scrofula	4	–	–	–	–	–	–	–	1	–	1	2	–
Tabes Mesenterica	8	–	–	3	3	–	1	–	–	–	–	–	–
Phthisis	101	–	2	3	3	–	1	1	5	6	16	12	9
Hydrocephalus	15	1	5	4	4	–	1	–	–	–	–	–	–

CAUSES OF DEATH in PAISLEY, at different Periods of Life, in 1862.—FEMALES.

DISEASES.	FEMALES. AGE UNDER															
	35	40	45	50	55	60	65	70	75	80	85	90	95	100	105	?
ALL CAUSES	32	26	12	18	23	24	27	29	36	28	21	15	1	1	–	–
SPECIFIED CAUSES	32	26	12	18	23	24	27	29	36	28	21	15	1	1	–	–
Zymotic Class	4	3	3	1	3	3	3	1	1	–	–	–	–	–	–	–
Uncertain Seat	2	–	1	5	4	2	1	3	3	1	1	1	–	–	–	–
Tubercular Class	19	11	2	1	4	1	3	3	–	–	–	–	–	–	–	–
Brain, etc.	1	–	1	1	3	4	3	2	1	4	1	1	–	–	–	–
Heart, etc.	–	–	–	2	1	4	2	4	2	–	–	–	–	–	–	–
Respiratory Organs	3	9	1	7	7	3	9	8	5	1	–	–	–	–	–	–
Digestive Organs	1	1	–	–	1	3	3	1	2	1	–	–	–	–	–	–
Urinary Organs	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Generative Organs	–	1	2	–	–	–	–	1	–	–	–	–	–	–	–	–
Locomotive Organs	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Skin	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Malformation	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Premature Debility	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Atrophy	–	1	2	1	–	3	–	–	–	–	–	–	–	–	–	–
Age	–	–	–	–	–	1	2	5	22	20	18	13	1	1	–	–
Sudden Deaths	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Violent Deaths	1	–	–	–	–	–	1	1	–	1	1	–	–	–	–	–
Small Pox	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Measles	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Scarlatina	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Diphtheria	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Hooping Cough	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Croup	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Thrush	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Diarrhœa	–	–	1	–	1	1	–	1	–	–	–	–	–	–	–	–
Dysentery	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–
Cholera	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–
Influenza	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Purpura	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Ague	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Worms	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Infantile Fever	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Typhus	2	2	1	–	2	1	2	–	–	–	–	–	–	–	–	–
Metria	1	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–
Rheumatic Fever	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–
Erysipelas	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–
Syphilis	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Noma	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Hydrophobia	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Hæmorrhage	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–
Dropsy	1	–	–	3	2	2	–	1	1	1	1	1	–	–	–	–
Abscess	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–
Ulcer	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–
Fistula	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Mortification	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Cancer	1	–	1	2	2	–	–	2	–	–	–	–	–	–	–	–
Gout	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Scrofula	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Tabes Mesenterica	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Phthisis	18	11	2	1	4	1	3	3	–	–	–	–	–	–	–	–
Hydrocephalus	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–

CAUSES of DEATH in PAISLEY, at different Periods of Life, in 1862.—FEMALES. (*Continued*)

DISEASES.	FEMALES. ALL AGES.	AGE UNDER MONTHS. 3	6	12	2	3	4	5	10	15	20	25	30
IV. Cephalitis	2	1	–	–	–	–	–	–	–	–	–	–	1
Apoplexy	10	–	–	2	–	–	–	–	1	–	1	–	–
Paralysis	10	–	–	–	–	–	–	–	–	–	–	–	–
Delirium Tremens	1	–	–	–	–	–	–	–	–	–	–	–	–
Chorea	–	–	–	–	–	–	–	–	–	–	–	–	–
Epilepsy	1	–	–	–	–	–	–	–	–	–	–	1	–
Tetanus	–	–	–	–	–	–	–	–	–	–	–	–	–
Insanity	–	–	–	–	–	–	–	–	–	–	–	–	–
Convulsions	2	–	2	–	–	–	–	–	–	–	–	–	–
Brain Disease	8	–	–	–	1	–	–	–	1	1	–	–	–
V. Pericarditis	–	–	–	–	–	–	–	–	–	–	–	–	–
Aneurism	1	–	–	–	–	–	–	–	–	–	–	–	–
Heart Disease	19	–	–	1	–	–	–	–	–	1	1	2	–
VI. Laryngitis	2	–	–	1	–	1	–	–	–	–	–	–	–
Bronchitis	67	4	2	2	7	7	3	–	–	–	–	1	–
Pleurisy	–	–	–	–	–	–	–	–	–	–	–	–	–
Pneumonia	15	1	–	1	1	–	–	–	1	2	–	–	2
Asthma	4	–	–	–	–	–	–	–	–	–	–	–	–
Lung Disease	1	–	–	–	–	–	–	–	–	–	–	–	–
VII. Teething	21	–	1	6	11	3	–	–	–	–	–	–	–
Quinsey	–	–	–	–	–	–	–	–	–	–	–	–	–
Gastritis	3	–	–	1	–	–	–	–	1	–	–	–	–
Enteritis	16	4	2	3	1	–	1	1	1	–	–	2	–
Peritonitis	2	–	–	–	–	–	–	–	–	–	–	1	–
Ascites	–	–	–	–	–	–	–	–	–	–	–	–	–
Ulceration of Intestines	1	–	–	–	–	–	–	–	1	–	–	–	–
Hernia	–	–	–	–	–	–	–	–	–	–	–	–	–
Ileus	–	–	–	–	–	–	–	–	–	–	–	–	–
Intussusception	–	–	–	–	–	–	–	–	–	–	–	–	–
Stricture of Intestines	1	–	–	–	–	–	–	–	–	–	–	1	–
Stomach Disease	6	1	–	1	–	–	–	–	–	–	–	–	–
Pancreas Disease	–	–	–	–	–	–	–	–	–	–	–	–	–
Hepatitis	2	–	–	–	–	–	–	–	–	–	–	–	–
Jaundice	–	–	–	–	–	–	–	–	–	–	–	–	–
Liver Disease	5	–	–	–	–	–	–	–	–	1	–	–	–
Spleen Disease	–	–	–	–	–	–	–	–	–	–	–	–	–
VIII. Nephritis	–	–	–	–	–	–	–	–	–	–	–	–	–
Nephria	1	–	–	–	–	–	–	–	–	–	–	–	–
Ischuria	–	–	–	–	–	–	–	–	–	–	–	–	–
Diabetes	–	–	–	–	–	–	–	–	–	–	–	–	–
Stone	–	–	–	–	–	–	–	–	–	–	–	–	–
Cystitis	–	–	–	–	–	–	–	–	–	–	–	–	–
Stricture of Urethra	–	–	–	–	–	–	–	–	–	–	–	–	–
Kidney Disease	–	–	–	–	–	–	–	–	–	–	–	–	–
IX. Paramenia	–	–	–	–	–	–	–	–	–	–	–	–	–
Ovarian Dropsy	–	–	–	–	–	–	–	–	–	–	–	–	–
Childbirth	8	–	–	–	–	–	–	–	–	–	1	4	–
Organs of Generation	1	–	–	–	–	–	–	–	–	–	–	–	–
X. Arthritis	–	–	–	–	–	–	–	–	–	–	–	–	–
Rheumatism	–	–	–	–	–	–	–	–	–	–	–	–	–
Joint and Bone Disease	1	–	–	–	–	–	–	–	1	–	–	–	–
XI. Carbuncle	–	–	–	–	–	–	–	–	–	–	–	–	–
Phlegmon	–	–	–	–	–	–	–	–	–	–	–	–	–
Skin Disease	1	–	1	–	–	–	–	–	–	–	–	–	–
XII. Cyanosis	–	–	–	–	–	–	–	–	–	–	–	–	–
Spina Bifida	–	–	–	–	–	–	–	–	–	–	–	–	–
Other Malformations	1	1	–	–	–	–	–	–	–	–	–	–	–
XVII. Intemperance	–	–	–	–	–	–	–	–	–	–	–	–	–
Privation	–	–	–	–	–	–	–	–	–	–	–	–	–
Want of Breast Milk	–	–	–	–	–	–	–	–	–	–	–	–	–
Neglect	–	–	–	–	–	–	–	–	–	–	–	–	–
Cold	–	–	–	–	–	–	–	–	–	–	–	–	–
Poison	–	–	–	–	–	–	–	–	–	–	–	–	–
Burns and Scalds	4	–	–	–	–	2	–	1	–	–	–	–	–
Hanging, etc.	–	–	–	–	–	–	–	–	–	–	–	–	–
Suffocation	1	1	–	–	–	–	–	–	–	–	–	–	–
Drowning	2	–	–	–	–	–	–	–	–	–	–	–	1
Fracture and Contusion	3	–	–	–	–	–	–	–	–	–	–	–	–
Wounds	–	–	–	–	–	–	–	–	–	–	–	–	–
Other Violent Causes	–	–	–	–	–	–	–	–	–	–	–	–	–
Not Specified	17	10	3	2	–	1	1	–	–	–	–	–	–

CAUSES of DEATH in PAISLEY, at different Periods of Life, in 1862.—FEMALES. (*Continued.*)

DISEASES.	FEMALES. AGE UNDER															
	35	40	45	50	55	60	65	70	75	80	85	90	95	100	105	?
Cephalitis	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Apoplexy	–	–	–	1	2	1	1	–	–	–	–	1	–	–	–	–
Paralysis	–	–	1	–	–	1	1	2	1	3	1	–	–	–	–	–
Delirium Tremens	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–
Chorea	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Epilepsy	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Tetanus	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Insanity	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Convulsions	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Brain Disease	1	–	–	–	–	2	1	–	–	1	–	–	–	–	–	–
Pericarditis	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Aneurism	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–
Heart Disease	–	–	–	2	1	4	2	3	2	–	–	–	–	–	–	–
Laryngitis	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Bronchitis	1	5	1	6	7	3	8	6	3	1	–	–	–	–	–	–
Pleurisy	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Pneumonia	1	4	–	1	–	–	–	1	–	–	–	–	–	–	–	–
Asthma	–	–	–	–	–	–	1	1	2	–	–	–	–	–	–	–
Lung Disease	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Teething	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Quinsey	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Gastritis	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–
Enteritis	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–
Peritonitis	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–
Ascites	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Ulceration of Intestines	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Hernia	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Ileus	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Intussusception	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Stricture of Intestines	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Stomach Disease	–	–	–	–	–	–	2	–	2	–	–	–	–	–	–	–
Pancreas Disease	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Hepatitis	1	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–
Jaundice	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Liver Disease	–	1	–	–	–	1	1	–	–	1	–	–	–	–	–	–
Spleen Disease	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Nephritis	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Nephria	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Ischuria	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Diabetes	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Stone	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Cystitis	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Stricture of Urethra	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Kidney Disease	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Paramenia	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Ovarian Dropsy	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Childbirth	–	1	2	–	–	–	–	–	–	–	–	–	–	–	–	–
Organs of Generation	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–
Arthritis	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Rheumatism	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Joint Disease	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Carbuncle	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Phlegmon	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Skin Disease	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Cyanosis	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Spina Bifida	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Other Malformations	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Intemperance	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Privation	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Want of Breast Milk	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Neglect	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Cold	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Poison	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Burns and Scalds	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–
Hanging, etc.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Suffocation	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Drowning	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Fracture and Contusion	–	–	–	–	–	–	–	1	–	1	1	–	–	–	–	–
Wounds	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Other Violent Causes	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Not Specified	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–

CAUSES of DEATH in GREENOCK, at different Periods of Life, in 1862.—Both Sexes.

DISEASES.	BOTH SEXES.												
	ALL AGES.	AGE UNDER											
		MONTHS.			2	3	4	5	10	15	20	25	30
		3	6	12									
All Causes	1370	142	52	128	184	85	47	37	70	31	40	49	52
Specified Causes	1315	125	45	123	176	84	47	35	68	30	39	49	49
I. Zymotic Class	313	16	11	42	75	49	19	18	27	10	5	7	5
II. Diseases of Uncertain Seat	40	1	–	2	–	1	3	–	–	–	–	–	2
III. Tubercular Class	286	1	6	25	31	14	11	8	23	17	21	29	29
IV. Brain and Nervous System	104	7	–	4	7	7	2	2	4	–	1	3	2
V. Organs of Circulation	37	–	–	–	–	–	–	–	–	1	2	1	2
VI. Respiratory Organs	162	10	11	19	21	4	7	3	6	–	3	7	2
VII. Organs of Digestion	113	10	7	23	27	4	–	–	2	2	2	1	–
VIII. Urinary Organs	15	–	–	–	–	–	1	–	–	–	–	–	1
IX. Organs of Generation	6	–	–	–	–	–	–	–	–	–	–	–	2
X. Organs of Locomotion	5	–	–	–	1	–	–	–	2	–	–	–	–
XI. Skin, etc.	4	2	1	–	–	–	–	–	–	–	–	–	–
XII. Malformation	4	4	–	–	–	–	–	–	–	–	–	–	–
XIII. Premature Debility	90	74	8	8	–	–	–	–	–	–	–	–	–
XIV. Atrophy	27	–	–	–	12	3	3	4	2	–	–	–	–
XV. Age	59	–	–	–	–	–	–	–	–	–	–	–	–
XVI. Sudden Deaths	6	–	–	–	–	1	–	–	–	–	–	–	1
XVII. Violent Deaths	44	–	1	–	2	1	1	–	2	–	5	1	3
I. Small Pox	2	–	–	1	–	1	–	–	–	–	–	–	–
Measles	99	–	4	14	38	21	9	5	8	–	–	–	–
Scarlatina	2	–	–	1	–	1	–	–	–	–	–	–	–
Diphtheria	32	–	2	4	10	7	3	2	4	–	–	–	–
Hooping Cough	16	1	–	5	6	3	–	1	–	–	–	–	–
Croup	43	2	1	7	12	12	3	3	3	–	–	–	–
Thrush	2	1	–	–	–	1	–	–	–	–	–	–	–
Diarrhœa	32	7	3	7	5	1	1	2	–	–	–	1	1
Dysentery	5	–	1	1	1	–	–	–	–	–	–	–	–
Cholera	1	–	–	–	–	–	–	–	–	–	–	–	–
Influenza	1	1	–	–	–	–	–	–	–	–	–	–	–
Purpura	–	–	–	–	–	–	–	–	–	–	–	–	–
Ague	1	–	–	–	–	–	–	–	–	1	–	–	–
Worms	–	–	–	–	–	–	–	–	–	–	–	–	–
Infantile Fever	1	–	–	–	–	–	–	1	–	–	–	–	–
Typhus	63	–	–	1	3	2	3	3	11	9	5	5	3
Metria	2	–	–	–	–	–	–	–	–	–	–	1	–
Rheumatic Fever	2	–	–	–	–	–	–	1	1	–	–	–	–
Erysipelas	4	–	–	1	–	–	–	–	–	–	–	–	1
Syphilis	5	4	–	–	–	–	–	–	–	–	–	–	–
Noma	–	–	–	–	–	–	–	–	–	–	–	–	–
Hydrophobia	–	–	–	–	–	–	–	–	–	–	–	–	–
II. Hæmorrhage	2	1	–	1	–	–	–	–	–	–	–	–	–
Dropsy	14	–	–	–	–	1	3	–	–	–	–	–	1
Abscess	–	–	–	–	–	–	–	–	–	–	–	–	–
Ulcer	2	–	–	1	–	–	–	–	–	–	–	–	–
Fistula	–	–	–	–	–	–	–	–	–	–	–	–	–
Mortification	1	–	–	–	–	–	–	–	–	–	–	–	–
Cancer	21	–	–	–	–	–	–	–	–	–	–	–	1
Gout	–	–	–	–	–	–	–	–	–	–	–	–	–
III. Scrofula	11	–	1	1	–	–	–	1	2	–	2	1	1
Tabes Mesenterica	18	–	–	4	6	2	1	–	3	1	–	1	–
Phthisis	210	–	4	5	15	8	6	4	12	14	19	27	27
Hydrocephalus	47	1	1	15	10	4	4	3	6	2	–	–	1

CAUSES of DEATH in GREENOCK, at different Periods of Life, in 1862.—Both Sexes.

DISEASES.	BOTH SEXES. AGE UNDER															
	35	40	45	50	55	60	65	70	75	80	85	90	95	100	105	?
All Causes	37	42	53	50	46	36	46	42	37	29	17	8	5	2	1	2
Specified Causes	36	41	52	47	46	36	45	42	37	29	17	8	5	2	1	1
Zymotic Class	4	6	5	4	1	1	3	1	2	–	2	–	–	–	–	–
Uncertain Seat	2	3	3	–	9	3	4	3	1	2	1	–	–	–	–	–
Tubercular Class	15	14	11	13	8	3	2	3	2	–	–	–	–	–	–	–
Brain, etc.	2	2	11	6	3	9	7	8	8	7	–	1	–	–	1	–
Heart, etc.	2	3	7	–	3	3	3	4	1	4	1	–	–	–	–	–
Respiratory Organs	4	4	4	8	13	5	14	9	2	4	1	–	1	–	–	–
Digestive Organs	1	3	2	7	5	4	5	2	4	2	–	–	–	–	–	–
Urinary Organs	1	1	3	1	–	1	1	2	2	1	–	–	–	–	–	–
Generative Organs	1	–	1	–	1	–	1	–	–	–	–	–	–	–	–	–
Locomotive Organs	–	1	1	–	–	–	–	–	–	–	–	–	–	–	–	–
Skin	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–
Malformation	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Premature Debility	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Atrophy	–	–	–	1	–	2	–	–	–	–	–	–	–	–	–	–
Age	–	–	–	–	–	–	3	9	14	9	12	7	3	2	–	–
Sudden Deaths	–	–	–	2	–	2	–	–	–	–	–	–	–	–	–	–
Violent Deaths	4	4	3	5	3	3	2	1	1	–	–	–	1	–	–	1
Small Pox	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Measles	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Scarlatina	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Diphtheria	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Hooping Cough	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Croup	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Thrush	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Diarrhœa	–	–	–	1	–	–	2	–	1	–	2	–	–	–	–	–
Dysentery	1	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–
Cholera	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–
Influenza	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Purpura	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Ague	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Worms	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Infantile Fever	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Typhus	2	6	4	1	–	1	3	–	1	–	–	–	–	–	–	–
Metria	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Rheumatic Fever	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Erysipelas	–	–	–	1	1	–	–	–	–	–	–	–	–	–	–	–
Syphilis	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–
Noma	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Hydrophobia	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Hæmorrhage	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Dropsy	–	–	–	–	5	1	1	1	–	1	–	–	–	–	–	–
Abscess	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Ulcer	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–
Fistula	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Mortification	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–
Cancer	2	3	3	–	4	2	3	–	1	1	1	–	–	–	–	–
Gout	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Scrofula	2	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Tabes Mesenterica	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Phthisis	13	14	11	13	8	3	2	3	2	–	–	–	–	–	–	–
Hydrocephalus	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–

CAUSES of DEATH in GREENOCK, at different Periods of Life, in 1862.—Both Sexes. (*Continued.*)

DISEASES.	BOTH SEXES.												
	ALL AGES.	AGE UNDER											
		MONTHS.			2	3	4	5	10	15	20	25	30
		3	6	12									
IV. Cephalitis	8	4	–	1	–	1	–	–	–	–	–	–	1
Apoplexy	25	–	–	–	–	–	–	–	–	–	–	1	–
Paralysis	28	–	–	–	–	–	–	–	–	–	–	–	–
Delirium Tremens	1	–	–	–	–	–	–	–	–	–	–	–	–
Chorea	1	–	–	–	–	–	–	–	–	–	–	–	–
Epilepsy	5	–	–	–	–	–	–	–	–	–	–	1	1
Tetanus	–	–	–	–	–	–	–	–	–	–	–	–	–
Insanity	–	–	–	–	–	–	–	–	–	–	–	–	–
Convulsions	10	3	–	–	3	2	1	1	–	–	–	–	–
Brain Disease	26	–	–	3	4	4	1	1	4	–	1	1	–
V. Pericarditis	–	–	–	–	–	–	–	–	–	–	–	–	–
Aneurism	1	–	–	–	–	–	–	–	–	–	–	–	–
Heart Disease	36	–	–	–	–	–	–	–	–	1	2	1	2
VI. Laryngitis	–	–	–	–	–	–	–	–	–	–	–	–	–
Bronchitis	113	8	7	16	19	4	6	1	4	–	–	–	–
Pleurisy	8	–	1	1	1	–	1	–	–	–	–	–	–
Pneumonia	30	2	2	2	1	–	–	2	2	–	3	6	2
Asthma	6	–	–	–	–	–	–	–	–	–	–	–	–
Lung Disease	5	–	1	–	–	–	–	–	–	–	–	1	–
VII. Teething	46	1	2	19	21	3	–	–	–	–	–	–	–
Quinsey	1	–	–	–	–	1	–	–	–	–	–	–	–
Gastritis	2	–	–	–	–	–	–	–	–	–	–	–	–
Enteritis	20	5	4	3	5	–	–	–	2	–	–	–	–
Peritonitis	4	–	–	–	–	–	–	–	–	1	–	–	–
Ascites	–	–	–	–	–	–	–	–	–	–	–	–	–
Ulceration of Intestines	2	–	–	–	–	–	–	–	–	–	1	–	–
Hernia	1	–	–	–	–	–	–	–	–	–	–	–	–
Ileus	4	1	–	1	–	–	–	–	–	–	–	–	–
Intussusception	1	–	–	–	–	–	–	–	–	–	1	–	–
Stricture of Intestines	–	–	–	–	–	–	–	–	–	–	–	–	–
Stomach Disease	8	1	–	–	–	–	–	–	–	–	–	–	–
Pancreas Disease	–	–	–	–	–	–	–	–	–	–	–	–	–
Hepatitis	4	–	–	–	–	–	–	–	–	–	–	–	–
Jaundice	2	1	–	–	1	–	–	–	–	–	–	–	–
Liver Disease	18	1	1	–	–	–	–	–	–	1	–	1	–
Spleen Disease	–	–	–	–	–	–	–	–	–	–	–	–	–
VIII. Nephritis	1	–	–	–	–	–	–	–	–	–	–	–	–
Nephria	2	–	–	–	–	–	–	–	–	–	–	–	–
Ischuria	–	–	–	–	–	–	–	–	–	–	–	–	–
Diabetes	–	–	–	–	–	–	–	–	–	–	–	–	–
Stone	1	–	–	–	–	–	–	–	–	–	–	–	–
Cystitis	2	–	–	–	–	–	–	–	–	–	–	–	–
Stricture of Urethra	–	–	–	–	–	–	–	–	–	–	–	–	–
Kidney Disease	9	–	–	–	–	–	1	–	–	–	–	–	1
IX. Paramenia	–	–	–	–	–	–	–	–	–	–	–	–	–
Ovarian Dropsy	2	–	–	–	–	–	–	–	–	–	–	–	–
Childbirth	3	–	–	–	–	–	–	–	–	–	–	–	2
Organs of Generation	1	–	–	–	–	–	–	–	–	–	–	–	–
X. Arthritis	1	–	–	–	–	–	–	–	1	–	–	–	–
Rheumatism	2	–	–	–	–	–	–	–	1	–	–	–	–
Joint and Bone Disease	2	–	–	–	1	–	–	–	–	–	–	–	–
XI. Carbuncle	–	–	–	–	–	–	–	–	–	–	–	–	–
Phlegmon	1	–	–	–	–	–	–	–	–	–	–	–	–
Skin Disease	3	2	1	–	–	–	–	–	–	–	–	–	–
XII. Cyanosis	–	–	–	–	–	–	–	–	–	–	–	–	–
Spina Bifida	1	1	–	–	–	–	–	–	–	–	–	–	–
Other Malformations	3	3	–	–	–	–	–	–	–	–	–	–	–
XVII. Intemperance	–	–	–	–	–	–	–	–	–	–	–	–	–
Privation	1	–	–	–	–	1	–	–	–	–	–	–	–
Want of Breast Milk	–	–	–	–	–	–	–	–	–	–	–	–	–
Neglect	–	–	–	–	–	–	–	–	–	–	–	–	–
Cold	–	–	–	–	–	–	–	–	–	–	–	–	–
Poison	2	–	–	–	–	–	–	–	–	–	–	–	–
Burns and Scalds	6	–	–	–	1	–	1	–	–	–	–	–	1
Hanging, etc.	2	–	–	–	–	–	–	–	–	–	–	–	–
Suffocation	1	–	1	–	–	–	–	–	–	–	–	–	–
Drowning	9	–	–	–	–	–	–	–	–	–	2	1	–
Fracture and Contusion	21	–	–	–	1	–	–	–	2	–	3	–	2
Wounds	1	–	–	–	–	–	–	–	–	–	–	–	–
Other Violent Causes	1	–	–	–	–	–	–	–	–	–	–	–	–
Not Specified	55	17	7	5	8	1	–	2	2	1	1	–	5

CAUSES of DEATH in GREENOCK, at different Periods of Life, in 1862.—Both Sexes. (*Continued.*)

DISEASES.	BOTH SEXES. AGE UNDER														
	35	40	45	50	55	60	65	70	75	80	85	90	95	100	105	?
Cephalitis	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–
Apoplexy	1	1	4	2	–	3	5	3	3	2	–	–	–	–	–	–
Paralysis	1	1	3	1	1	4	1	5	4	5	–	1	–	–	1	–
Delirium Tremens	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–
Chorea	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–
Epilepsy	–	–	1	1	–	1	–	–	–	–	–	–	–	–	–	–
Tetanus	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Insanity	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Convulsions	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Brain Disease	–	–	1	1	2	1	1	–	1	–	–	–	–	–	–	–
Pericarditis	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Aneurism	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–
Heart Disease	2	3	6	–	3	3	3	4	1	4	1	–	–	–	–	–
Laryngitis	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Bronchitis	4	3	–	7	8	3	9	6	2	4	1	–	1	–	–	–
Pleurisy	–	–	1	1	1	1	–	–	–	–	–	–	–	–	–	–
Pneumonia	–	–	2	–	1	–	3	2	–	–	–	–	–	–	–	–
Asthma	–	–	–	–	2	1	2	1	–	–	–	–	–	–	–	–
Lung Disease	–	1	1	–	1	–	–	–	–	–	–	–	–	–	–	–
Teething	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Quinsey	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Gastritis	–	–	–	–	1	–	–	–	–	1	–	–	–	–	–	–
Enteritis	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–
Peritonitis	–	1	–	–	–	–	1	1	–	–	–	–	–	–	–	–
Ascites	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Ulceration of Intestines	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Hernia	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–
Ileus	–	–	–	–	–	1	1	–	–	–	–	–	–	–	–	–
Intussusception	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Stricture of Intestines	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Stomach Disease	–	1	–	3	–	–	1	1	1	–	–	–	–	–	–	–
Pancreas Disease	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Hepatitis	–	–	–	–	1	1	1	–	1	–	–	–	–	–	–	–
Jaundice	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Liver Disease	–	1	2	4	2	1	1	–	2	1	–	–	–	–	–	–
Spleen Disease	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Nephritis	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–
Nephria	1	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–
Ischuria	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Diabetes	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Stone	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–
Cystitis	–	–	1	–	–	–	–	–	1	–	–	–	–	–	–	–
Stricture of Urethra	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Kidney Disease	–	1	2	–	–	–	–	2	1	1	–	–	–	–	–	–
Paramenia	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Ovarian Dropsy	–	–	1	–	1	–	–	–	–	–	–	–	–	–	–	–
Childbirth	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Organs of Generation	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–
Arthritis	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Rheumatism	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–
Joint Disease	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Carbuncle	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Phlegmon	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–
Skin Disease	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Cyanosis	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Spina Bifida	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Other Malformations	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Intemperance	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Privation	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Want of Breast Milk	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Neglect	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Cold	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Poison	–	–	1	–	–	1	–	–	–	–	–	–	–	–	–	–
Burns and Scalds	–	1	–	1	–	–	1	–	–	–	–	–	–	–	–	–
Hanging, etc.	–	–	1	–	1	–	–	–	–	–	–	–	–	–	–	–
Suffocation	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Drowning	1	2	1	–	1	–	–	–	–	–	–	–	–	–	–	1
Fracture and Contusion	2	1	–	3	1	2	1	1	1	–	–	–	1	–	–	–
Wounds	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Other Violent Causes	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–
Not Specified	1	1	1	3	–	–	1	–	–	–	–	–	–	–	–	1

CAUSES of DEATH in GREENOCK, at different Periods of Life, in 1862.—MALES.

DISEASES.	MALES. ALL AGES.	AGE UNDER MONTHS. 3	6	12	2	3	4	5	10	15	20	25	30
ALL CAUSES	703	81	29	63	94	43	28	19	39	12	23	32	27
SPECIFIED CAUSES	673	70	27	59	90	43	28	18	37	11	22	32	26
I. Zymotic Class	156	9	6	21	38	20	12	6	14	3	2	5	3
II. Diseases of Uncertain Seat	18	1	–	1	–	1	2	–	–	–	–	–	1
III. Tubercular Class	142	–	4	12	20	8	6	5	15	5	9	17	14
IV. Brain and Nervous System	53	7	–	1	5	4	2	1	–	–	–	3	2
V. Organs of Circulation	24	–	–	–	–	–	–	–	–	1	2	1	1
VI. Respiratory Organs	82	4	6	10	9	4	4	2	2	–	3	5	2
VII. Organs of Digestion	57	7	6	9	13	3	–	–	–	2	2	–	–
VIII. Urinary Organs	7	–	–	–	–	–	–	–	–	–	–	–	–
IX. Organs of Generation	–	–	–	–	–	–	–	–	–	–	–	–	–
X. Organs of Locomotion	3	–	–	–	–	–	–	–	2	–	–	–	–
XI. Skin, etc.	4	2	1	–	–	–	–	–	–	–	–	–	–
XII. Malformation	2	2	–	–	–	–	–	–	–	–	–	–	–
XIII. Premature Debility	47	38	4	5	–	–	–	–	–	–	–	–	–
XIV. Atrophy	14	–	–	–	5	2	1	4	2	–	–	–	–
XV. Age	24	–	–	–	–	–	–	–	–	–	–	–	–
XVI. Sudden Deaths	3	–	–	–	–	–	–	–	–	–	–	–	–
XVII. Violent Deaths	37	–	–	–	–	1	1	–	2	–	4	1	3
I. Small Pox	1	–	–	–	–	1	–	–	–	–	–	–	–
Measles	52	–	2	9	23	7	6	1	4	–	–	–	–
Scarlatina	–	–	–	–	–	–	–	–	–	–	–	–	–
Diphtheria	12	–	1	2	3	3	1	–	2	–	–	–	–
Hooping Cough	8	1	–	3	2	2	–	–	–	–	–	–	–
Croup	24	1	–	3	7	7	3	2	1	–	–	–	–
Thrush	1	1	–	–	–	–	–	–	–	–	–	–	–
Diarrhœa	16	3	2	3	2	–	–	1	–	–	–	1	1
Dysentery	4	–	1	–	1	–	–	–	–	–	–	–	–
Cholera	1	–	–	–	–	–	–	–	–	–	–	–	–
Influenza	1	1	–	–	–	–	–	–	–	–	–	–	–
Purpura	–	–	–	–	–	–	–	–	–	–	–	–	–
Ague	–	–	–	–	–	–	–	–	–	–	–	–	–
Worms	–	–	–	–	–	–	–	–	–	–	–	–	–
Infantile Fever	–	–	–	–	–	–	–	–	–	–	–	–	–
Typhus	31	–	–	1	–	–	2	1	6	3	2	4	2
Metria	–	–	–	–	–	–	–	–	–	–	–	–	–
Rheumatic Fever	2	–	–	–	–	–	–	1	1	–	–	–	–
Erysipelas	–	–	–	–	–	–	–	–	–	–	–	–	–
Syphilis	3	2	–	–	–	–	–	–	–	–	–	–	–
Noma	–	–	–	–	–	–	–	–	–	–	–	–	–
Hydrophobia	–	–	–	–	–	–	–	–	–	–	–	–	–
II. Hæmorrhage	2	1	–	1	–	–	–	–	–	–	–	–	–
Dropsy	7	–	–	–	–	1	2	–	–	–	–	–	–
Abscess	–	–	–	–	–	–	–	–	–	–	–	–	–
Ulcer	1	–	–	–	–	–	–	–	–	–	–	–	–
Fistula	–	–	–	–	–	–	–	–	–	–	–	–	–
Mortification	1	–	–	–	–	–	–	–	–	–	–	–	–
Cancer	7	–	–	–	–	–	–	–	–	–	–	–	1
Gout	–	–	–	–	–	–	–	–	–	–	–	–	–
III. Scrofula	6	–	1	1	–	–	–	1	2	–	1	–	–
Tabes Mesenterica	7	–	–	1	4	1	–	–	–	–	–	1	–
Phthisis	99	–	2	3	9	5	3	1	7	5	8	16	13
Hydrocephalus	30	–	1	7	7	2	3	3	6	–	–	–	1

CAUSES of DEATH in GREENOCK, at different Periods of Life, in 1862.—MALES.

DISEASES.	MALES. AGE UNDER															
	35	40	45	50	55	60	65	70	75	80	85	90	95	100	105	?
ALL CAUSES	14	21	27	24	23	18	18	20	22	13	6	2	3	–	–	2
SPECIFIED CAUSES	14	21	27	23	23	18	17	20	22	13	6	2	3	–	–	1
Zymotic Class	2	6	4	2	–	–	–	1	1	–	1	–	–	–	–	–
Uncertain Seat	1	1	1	–	3	1	1	2	–	1	1	–	–	–	–	–
Tubercular Class	5	5	4	4	5	1	1	1	1	–	–	–	–	–	–	–
Brain, etc.	1	1	5	2	–	5	3	4	4	3	–	–	–	–	–	–
Heart, etc.	1	2	5	–	3	2	1	3	–	1	1	–	–	–	–	–
Respiratory Organs	–	1	2	5	6	2	5	5	1	3	–	–	1	–	–	–
Digestive Organs	1	–	1	3	3	2	2	–	3	–	–	–	–	–	–	–
Urinary Organs	–	–	1	1	–	1	1	1	2	–	–	–	–	–	–	–
Generative Organs	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Locomotive Organs	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Skin	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–
Malformation	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Premature Debility	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Atrophy	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Age	–	–	–	–	–	–	1	2	9	5	3	2	2	–	–	–
Sudden Deaths	–	–	–	1	–	2	–	–	–	–	–	–	–	–	–	–
Violent Deaths	3	4	3	5	3	2	2	1	1	–	–	–	–	–	–	1
Small Pox	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Measles	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Scarlatina	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Diphtheria	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Hooping Cough	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Croup	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Thrush	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Diarrhœa	–	–	–	1	–	–	–	–	1	–	1	–	–	–	–	–
Dysentery	1	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–
Cholera	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–
Influenza	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Purpura	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Ague	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Worms	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Infantile Fever	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Typhus	1	6	3	–	–	–	–	–	–	–	–	–	–	–	–	–
Metria	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Rheumatic Fever	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Erysipelas	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Syphilis	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–
Noma	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Hydrophobia	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Hæmorrhage	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Dropsy	–	–	–	–	2	1	–	–	–	1	–	–	–	–	–	–
Abscess	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Ulcer	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–
Fistula	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Mortification	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–
Cancer	1	1	1	–	1	–	1	–	–	–	1	–	–	–	–	–
Gout	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Scrofula	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Tabes Mesenterica	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Phthisis	5	5	4	4	5	1	1	1	1	–	–	–	–	–	–	–
Hydrocephalus	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–

CAUSES of DEATH in GREENOCK, at different Periods of Life, in 1862.—MALES. (*Continued.*)

DISEASES.	MALES. ALL AGES.	AGE UNDER MONTHS. 3	6	12	2	3	4	5	10	15	20	25	30
IV. Cephalitis	7	4	–	–	–	1	–	–	–	–	–	–	1
Apoplexy	12	–	–	–	–	–	–	–	–	–	–	1	–
Paralysis	13	–	–	–	–	–	–	–	–	–	–	–	–
Delirium Tremens	1	–	–	–	–	–	–	–	–	–	–	–	–
Chorea	–	–	–	–	–	–	–	–	–	–	–	–	–
Epilepsy	2	–	–	–	–	–	–	–	–	–	–	1	1
Tetanus	–	–	–	–	–	–	–	–	–	–	–	–	–
Insanity	–	–	–	–	–	–	–	–	–	–	–	–	–
Convulsions	5	3	–	–	1	–	1	–	–	–	–	–	–
Brain Disease	13	–	–	1	4	3	1	1	–	–	–	1	–
V. Pericarditis	–	–	–	–	–	–	–	–	–	–	–	–	–
Aneurism	1	–	–	–	–	–	–	–	–	–	–	–	–
Heart Disease	23	–	–	–	–	–	–	–	–	1	2	1	1
VI. Laryngitis	–	–	–	–	–	–	–	–	–	–	–	–	–
Bronchitis	52	4	3	9	7	4	4	–	2	–	–	–	–
Pleurisy	4	–	–	–	1	–	–	–	–	–	–	–	–
Pneumonia	21	–	2	1	1	–	–	2	–	–	3	4	2
Asthma	2	–	–	–	–	–	–	–	–	–	–	–	–
Lung Disease	3	–	1	–	–	–	–	–	–	–	–	1	–
VII. Teething	20	1	2	7	8	2	–	–	–	–	–	–	–
Quinsey	1	–	–	–	–	1	–	–	–	–	–	–	–
Gastritis	–	–	–	–	–	–	–	–	–	–	–	–	–
Enteritis	14	4	3	2	4	–	–	–	–	–	–	–	–
Peritonitis	1	–	–	–	–	–	–	–	–	1	–	–	–
Ascites	–	–	–	–	–	–	–	–	–	–	–	–	–
Ulceration of Intestines	2	–	–	–	–	–	–	–	–	–	1	–	–
Hernia	1	–	–	–	–	–	–	–	–	–	–	–	–
Ileus	3	1	–	–	–	–	–	–	–	–	–	–	–
Intussusception	1	–	–	–	–	–	–	–	–	–	1	–	–
Stricture of Intestines	–	–	–	–	–	–	–	–	–	–	–	–	–
Stomach Disease	2	–	–	–	–	–	–	–	–	–	–	–	–
Pancreas Disease	–	–	–	–	–	–	–	–	–	–	–	–	–
Hepatitis	2	–	–	–	–	–	–	–	–	–	–	–	–
Jaundice	2	1	–	–	1	–	–	–	–	–	–	–	–
Liver Disease	8	–	1	–	–	–	–	–	–	1	–	–	–
Spleen Disease	–	–	–	–	–	–	–	–	–	–	–	–	–
VIII. Nephritis	1	–	–	–	–	–	–	–	–	–	–	–	–
Nephria	1	–	–	–	–	–	–	–	–	–	–	–	–
Ischuria	–	–	–	–	–	–	–	–	–	–	–	–	–
Diabetes	–	–	–	–	–	–	–	–	–	–	–	–	–
Stone	1	–	–	–	–	–	–	–	–	–	–	–	–
Cystitis	2	–	–	–	–	–	–	–	–	–	–	–	–
Stricture of Urethra	–	–	–	–	–	–	–	–	–	–	–	–	–
Kidney Disease	2	–	–	–	–	–	–	–	–	–	–	–	–
IX. Paramenia	–	–	–	–	–	–	–	–	–	–	–	–	–
Ovarian Dropsy	–	–	–	–	–	–	–	–	–	–	–	–	–
Childbirth	–	–	–	–	–	–	–	–	–	–	–	–	–
Organs of Generation	–	–	–	–	–	–	–	–	–	–	–	–	–
X. Arthritis	1	–	–	–	–	–	–	–	1	–	–	–	–
Rheumatism	1	–	–	–	–	–	–	–	1	–	–	–	–
Joint and Bone Disease	1	–	–	–	–	–	–	–	–	–	–	–	–
XI. Carbuncle	–	–	–	–	–	–	–	–	–	–	–	–	–
Phlegmon	1	–	–	–	–	–	–	–	–	–	–	–	–
Skin Disease	3	2	1	–	–	–	–	–	–	–	–	–	–
XII. Cyanosis	–	–	–	–	–	–	–	–	–	–	–	–	–
Spina Bifida	1	1	–	–	–	–	–	–	–	–	–	–	–
Other Malformations	1	1	–	–	–	–	–	–	–	–	–	–	–
XVII. Intemperance	–	–	–	–	–	–	–	–	–	–	–	–	–
Privation	1	–	–	–	–	1	–	–	–	–	–	–	–
Want of Breast Milk	–	–	–	–	–	–	–	–	–	–	–	–	–
Neglect	–	–	–	–	–	–	–	–	–	–	–	–	–
Cold	–	–	–	–	–	–	–	–	–	–	–	–	–
Poison	1	–	–	–	–	–	–	–	–	–	–	–	–
Burns and Scalds	5	–	–	–	–	–	1	–	–	–	–	–	1
Hanging, etc.	2	–	–	–	–	–	–	–	–	–	–	–	–
Suffocation	–	–	–	–	–	–	–	–	–	–	–	–	–
Drowning	9	–	–	–	–	–	–	–	–	–	2	1	–
Fracture and Contusion	18	–	–	–	–	–	–	–	2	–	2	–	2
Wounds	–	–	–	–	–	–	–	–	–	–	–	–	–
Other Violent Causes	1	–	–	–	–	–	–	–	–	–	–	–	–
Not Specified	30	11	2	4	4	–	–	1	2	1	1	–	1

CAUSES of DEATH in GREENOCK, at different Periods of Life, in 1862.—MALES. (*Continued.*)

DISEASES.	MALES. AGE UNDER															
	35	40	45	50	55	60	65	70	75	80	85	90	95	100	105	?
Cephalitis	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–
Apoplexy	1	1	2	1	–	2	2	2	–	–	–	–	–	–	–	–
Paralysis	–	–	1	–	–	3	1	2	3	3	–	–	–	–	–	–
Delirium Tremens	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–
Chorea	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Epilepsy	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Tetanus	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Insanity	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Convulsions	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Brain Disease	–	–	1	–	–	–	–	–	1	–	–	–	–	–	–	–
Pericarditis	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Aneurism	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–
Heart Disease	1	2	4	–	3	2	1	3	–	1	1	–	–	–	–	–
Laryngitis	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Bronchitis	–	1	–	4	3	1	1	4	1	3	–	–	1	–	–	–
Pleurisy	–	–	–	1	1	1	–	–	–	–	–	–	–	–	–	–
Pneumonia	–	–	1	–	1	–	3	1	–	–	–	–	–	–	–	–
Asthma	–	–	–	–	1	–	1	–	–	–	–	–	–	–	–	–
Lung Disease	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–
Teething	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Quinsey	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Gastritis	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Enteritis	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–
Peritonitis	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Ascites	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Ulceration of Intestines	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Hernia	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–
Ileus	–	–	–	–	–	1	1	–	–	–	–	–	–	–	–	–
Intussusception	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Stricture of Intestines	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Stomach Disease	–	–	–	1	–	–	–	–	1	–	–	–	–	–	–	–
Pancreas Disease	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Hepatitis	–	–	–	–	–	–	1	–	1	–	–	–	–	–	–	–
Jaundice	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Liver Disease	–	–	1	2	2	–	–	–	1	–	–	–	–	–	–	–
Spleen Disease	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Nephritis	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–
Nephria	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–
Ischuria	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Diabetes	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Stone	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–
Cystitis	–	–	1	–	–	–	–	–	1	–	–	–	–	–	–	–
Stricture of Urethra	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Kidney Disease	–	–	–	–	–	–	–	1	1	–	–	–	–	–	–	–
Paramenia	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Ovarian Dropsy	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Childbirth	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Organs of Generation	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Arthritis	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Rheumatism	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Joint Disease	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Carbuncle	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Phlegmon	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–
Skin Disease	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Cyanosis	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Spina Bifida	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Other Malformations	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Intemperance	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Privation	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Want of Breast Milk	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Neglect	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Cold	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Poison	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–
Burns and Scalds	–	1	–	1	–	–	1	–	–	–	–	–	–	–	–	–
Hanging, etc.	–	–	1	–	1	–	–	–	–	–	–	–	–	–	–	–
Suffocation	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Drowning	1	2	1	–	1	–	–	–	–	–	–	–	–	–	–	1
Fracture and Contusion	2	1	–	3	1	2	1	1	1	–	–	–	–	–	–	–
Wounds	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Other Violent Causes	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–
Not Specified	–	–	–	1	–	–	1	–	–	–	–	–	–	–	–	1

CAUSES of DEATH in GREENOCK, at different Periods of Life, in 1862.—FEMALES.

DISEASES.	FEMALES.												
	ALL AGES.	AGE UNDER											
		MONTHS.			2	3	4	5	10	15	20	25	30
		3	6	12									
ALL CAUSES	667	61	23	65	90	42	19	18	31	19	17	17	25
SPECIFIED CAUSES	642	55	18	64	86	41	19	17	31	19	17	17	23
I. Zymotic Class	157	7	5	21	37	29	7	12	13	7	3	2	2
II. Diseases of Uncertain Seat	22	–	–	1	–	–	1	–	–	–	–	–	1
III. Tubercular Class	144	1	2	13	11	6	5	3	8	12	12	12	15
IV. Brain and Nervous System	51	–	–	3	2	3	–	1	4	–	1	–	–
V. Organs of Circulation	13	–	–	–	–	–	–	–	–	–	–	–	1
VI. Respiratory Organs	80	6	5	9	12	–	3	1	4	–	–	2	–
VII. Organs of Digestion	56	3	1	14	14	1	–	–	2	–	–	1	–
VIII. Urinary Organs	8	–	–	–	–	–	1	–	–	–	–	–	1
IX. Organs of Generation	6	–	–	–	–	–	–	–	–	–	–	–	2
X. Organs of Locomotion	2	–	–	–	1	–	–	–	–	–	–	–	–
XI. Skin, etc.	–	–	–	–	–	–	–	–	–	–	–	–	–
XII. Malformation	2	2	–	–	–	–	–	–	–	–	–	–	–
XIII. Premature Debility	43	36	4	3	–	–	–	–	–	–	–	–	–
XIV. Atrophy	13	–	–	–	7	1	2	–	–	–	–	–	–
XV. Age	35	–	–	–	–	–	–	–	–	–	–	–	–
XVI. Sudden Deaths	3	–	–	–	–	1	–	–	–	–	–	–	1
XVII. Violent Deaths	7	–	1	–	2	–	–	–	–	–	1	–	–
I. Small Pox	1	–	–	1	–	–	–	–	–	–	–	–	–
Measles	47	–	2	5	15	14	3	4	4	–	–	–	–
Scarlatina	2	–	–	1	–	1	–	–	–	–	–	–	–
Diphtheria	20	–	1	2	7	4	2	2	2	–	–	–	–
Hooping Cough	8	–	–	2	4	1	–	1	–	–	–	–	–
Croup	19	1	1	4	5	5	–	1	2	–	–	–	–
Thrush	1	–	–	–	–	1	–	–	–	–	–	–	–
Diarrhœa	16	4	1	4	3	1	1	1	–	–	–	–	–
Dysentery	1	–	–	1	–	–	–	–	–	–	–	–	–
Cholera	–	–	–	–	–	–	–	–	–	–	–	–	–
Influenza	–	–	–	–	–	–	–	–	–	–	–	–	–
Purpura	–	–	–	–	–	–	–	–	–	–	–	–	–
Ague	1	–	–	–	–	–	–	–	–	1	–	–	–
Worms	–	–	–	–	–	–	–	–	–	–	–	–	–
Infantile Fever	1	–	–	–	–	–	–	1	–	–	–	–	–
Typhus	32	–	–	–	3	2	1	2	5	6	3	1	1
Metria	2	–	–	–	–	–	–	–	–	–	–	1	–
Rheumatic Fever	–	–	–	–	–	–	–	–	–	–	–	–	–
Erysipelas	4	–	–	1	–	–	–	–	–	–	–	–	1
Syphilis	2	2	–	–	–	–	–	–	–	–	–	–	–
Noma	–	–	–	–	–	–	–	–	–	–	–	–	–
Hydrophobia	–	–	–	–	–	–	–	–	–	–	–	–	–
II. Hæmorrhage	–	–	–	–	–	–	–	–	–	–	–	–	–
Dropsy	7	–	–	–	–	–	1	–	–	–	–	–	1
Abscess	–	–	–	–	–	–	–	–	–	–	–	–	–
Ulcer	1	–	–	1	–	–	–	–	–	–	–	–	–
Fistula	–	–	–	–	–	–	–	–	–	–	–	–	–
Mortification	–	–	–	–	–	–	–	–	–	–	–	–	–
Cancer	14	–	–	–	–	–	–	–	–	–	–	–	–
Gout	–	–	–	–	–	–	–	–	–	–	–	–	–
III. Scrofula	5	–	–	–	–	–	–	–	–	–	1	1	1
Tabes Mesenterica	11	–	–	3	2	1	1	–	3	1	–	–	–
Phthisis	111	–	2	2	6	3	3	3	5	9	11	11	14
Hydrocephalus	17	1	–	8	3	2	1	–	–	–	–	–	–

CAUSES of DEATH in GREENOCK, at different Periods of Life, in 1862.—FEMALES.

DISEASES.	FEMALES. AGE UNDER															
	35	40	45	50	55	60	65	70	75	80	85	90	95	100	105	?
ALL CAUSES	23	21	26	26	23	18	28	22	15	16	11	6	2	2	1	–
SPECIFIED CAUSES	22	20	25	24	23	18	28	22	15	16	11	6	2	2	1	–
Zymotic Class	2	–	1	2	1	1	3	–	1	–	1	–	–	–	–	–
Uncertain Seat	1	2	2	–	6	2	3	1	1	1	–	–	–	–	–	–
Tubercular Class	10	9	7	9	3	2	1	2	1	–	–	–	–	–	–	–
Brain, etc.	1	1	6	4	3	4	4	4	4	4	–	1	–	–	1	–
Heart, etc.	1	1	2	–	–	1	2	1	1	3	–	–	–	–	–	–
Respiratory Organs	4	3	2	3	7	3	9	4	1	1	1	–	–	–	–	–
Digestive Organs	–	3	1	4	2	2	3	2	1	2	–	–	–	–	–	–
Urinary Organs	1	1	2	–	–	–	–	1	–	1	–	–	–	–	–	–
Generative Organs	1	–	1	–	1	–	1	–	–	–	–	–	–	–	–	–
Locomotive Organs	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–
Skin	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Malformation	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Premature Debility	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Atrophy	–	–	–	1	–	2	–	–	–	–	–	–	–	–	–	–
Age	–	–	–	–	–	–	2	7	5	4	9	5	1	2	–	–
Sudden Deaths	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–
Violent Deaths	1	–	–	–	–	1	–	–	–	–	–	–	1	–	–	–
Small Pox	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Measles	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Scarlatina	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Diphtheria	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Hooping Cough	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Croup	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Thrush	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Diarrhœa	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–
Dysentery	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Cholera	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Influenza	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Purpura	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Ague	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Worms	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Infantile Fever	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Typhus	1	–	1	1	–	1	3	–	1	–	–	–	–	–	–	–
Metria	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Rheumatic Fever	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Erysipelas	–	–	–	1	1	–	–	–	–	–	–	–	–	–	–	–
Syphilis	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Noma	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Hydrophobia	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Hæmorrhage	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Dropsy	–	–	–	–	3	–	1	1	–	–	–	–	–	–	–	–
Abscess	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Ulcer	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Fistula	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Mortification	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Cancer	1	2	2	–	3	2	2	–	1	1	–	–	–	–	–	–
Gout	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Scrofula	2	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Tabes Mesenterica	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Phthisis	8	9	7	9	3	2	1	2	1	–	–	–	–	–	–	–
Hydrocephalus	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–

CAUSES of DEATH in GREENOCK, at different Periods of Life, in 1862.—FEMALES. *(Continued.)*

DISEASES.	FEMALES. ALL AGES.	AGE UNDER MONTHS. 3	6	12	2	3	4	5	10	15	20	25	30
IV. Cephalitis	1	–	–	1	–	–	–	–	–	–	–	–	–
Apoplexy	13	–	–	–	–	–	–	–	–	–	–	–	–
Paralysis	15	–	–	–	–	–	–	–	–	–	–	–	–
Delirium Tremens	–	–	–	–	–	–	–	–	–	–	–	–	–
Chorea	1	–	–	–	–	–	–	–	–	–	–	–	–
Epilepsy	3	–	–	–	–	–	–	–	–	–	–	–	–
Tetanus	–	–	–	–	–	–	–	–	–	–	–	–	–
Insanity	–	–	–	–	–	–	–	–	–	–	–	–	–
Convulsions	5	–	–	–	2	2	–	1	–	–	–	–	–
Brain Disease	13	–	–	2	–	1	–	–	4	–	1	–	–
V. Pericarditis	–	–	–	–	–	–	–	–	–	–	–	–	–
Aneurism	–	–	–	–	–	–	–	–	–	–	–	–	–
Heart Disease	13	–	–	–	–	–	–	–	–	–	–	–	1
VI. Laryngitis	–	–	–	–	–	–	–	–	–	–	–	–	–
Bronchitis	61	4	4	7	12	–	2	1	2	–	–	–	–
Pleurisy	4	–	1	1	–	–	1	–	–	–	–	–	–
Pneumonia	9	2	–	1	–	–	–	–	2	–	–	2	–
Asthma	4	–	–	–	–	–	–	–	–	–	–	–	–
Lung Disease	2	–	–	–	–	–	–	–	–	–	–	–	–
VII. Teething	26	–	–	12	13	1	–	–	–	–	–	–	–
Quinsey	–	–	–	–	–	–	–	–	–	–	–	–	–
Gastritis	2	–	–	–	–	–	–	–	–	–	–	–	–
Enteritis	6	1	1	1	1	–	–	–	2	–	–	–	–
Peritonitis	3	–	–	–	–	–	–	–	–	–	–	–	–
Ascites	–	–	–	–	–	–	–	–	–	–	–	–	–
Ulceration of Intestines	–	–	–	–	–	–	–	–	–	–	–	–	–
Hernia	–	–	–	–	–	–	–	–	–	–	–	–	–
Ileus	1	–	–	1	–	–	–	–	–	–	–	–	–
Intussusception	–	–	–	–	–	–	–	–	–	–	–	–	–
Stricture of Intestines	–	–	–	–	–	–	–	–	–	–	–	–	–
Stomach Disease	6	1	–	–	–	–	–	–	–	–	–	–	–
Pancreas Disease	–	–	–	–	–	–	–	–	–	–	–	–	–
Hepatitis	2	–	–	–	–	–	–	–	–	–	–	–	–
Jaundice	–	–	–	–	–	–	–	–	–	–	–	–	–
Liver Disease	10	1	–	–	–	–	–	–	–	–	–	1	–
Spleen Disease	–	–	–	–	–	–	–	–	–	–	–	–	1
VIII. Nephritis	–	–	–	–	–	–	–	–	–	–	–	–	–
Nephria	1	–	–	–	–	–	–	–	–	–	–	–	–
Ischuria	–	–	–	–	–	–	–	–	–	–	–	–	–
Diabetes	–	–	–	–	–	–	–	–	–	–	–	–	–
Stone	–	–	–	–	–	–	–	–	–	–	–	–	–
Cystitis	–	–	–	–	–	–	–	–	–	–	–	–	–
Stricture of Urethra	–	–	–	–	–	–	–	–	–	–	–	–	–
Kidney Disease	7	–	–	–	–	–	1	–	–	–	–	–	1
IX. Paramenia	–	–	–	–	–	–	–	–	–	–	–	–	–
Ovarian Dropsy	2	–	–	–	–	–	–	–	–	–	–	–	–
Childbirth	3	–	–	–	–	–	–	–	–	–	–	–	2
Organs of Generation	1	–	–	–	–	–	–	–	–	–	–	–	–
X. Arthritis	–	–	–	–	–	–	–	–	–	–	–	–	–
Rheumatism	1	–	–	–	–	–	–	–	–	–	–	–	–
Joint and Bone Disease	1	–	–	–	1	–	–	–	–	–	–	–	–
XI. Carbuncle	–	–	–	–	–	–	–	–	–	–	–	–	–
Phlegmon	–	–	–	–	–	–	–	–	–	–	–	–	–
Skin Disease	–	–	–	–	–	–	–	–	–	–	–	–	–
XII. Cyanosis	–	–	–	–	–	–	–	–	–	–	–	–	–
Spina Bifida	–	–	–	–	–	–	–	–	–	–	–	–	–
Other Malformations	2	2	–	–	–	–	–	–	–	–	–	–	–
XVII. Intemperance	–	–	–	–	–	–	–	–	–	–	–	–	–
Privation	–	–	–	–	–	–	–	–	–	–	–	–	–
Want of Breast Milk	–	–	–	–	–	–	–	–	–	–	–	–	–
Neglect	–	–	–	–	–	–	–	–	–	–	–	–	–
Cold	–	–	–	–	–	–	–	–	–	–	–	–	–
Poison	1	–	–	–	–	–	–	–	–	–	–	–	–
Burns and Scalds	1	–	–	–	1	–	–	–	–	–	–	–	–
Hanging, etc.	–	–	–	–	–	–	–	–	–	–	–	–	–
Suffocation	1	–	1	–	–	–	–	–	–	–	–	–	–
Drowning	–	–	–	–	–	–	–	–	–	–	–	–	–
Fracture and Contusion	3	–	–	–	1	–	–	–	–	–	1	–	–
Wounds	1	–	–	–	–	–	–	–	–	–	–	–	–
Other Violent Causes	–	–	–	–	–	–	–	–	–	–	–	–	–
Not Specified	25	6	5	1	4	1	–	1	–	–	–	–	2

CAUSES of DEATH in GREENOCK, at different Periods of Life, in 1862.—FEMALES. (*Continued.*)

DISEASES.	FEMALES. AGE UNDER															
	35	40	45	50	55	60	65	70	75	80	85	90	95	100	105	?
Cephalitis	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Apoplexy	–	–	2	1	–	1	3	1	3	2	–	–	–	–	–	–
Paralysis	1	1	2	1	1	1	–	3	1	2	–	1	–	–	1	–
Delirium Tremens	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Chorea	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–
Epilepsy	–	–	1	1	–	1	–	–	–	–	–	–	–	–	–	–
Tetanus	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Insanity	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Convulsions	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Brain Disease	–	–	–	1	2	1	1	–	–	–	–	–	–	–	–	–
Pericarditis	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Aneurism	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Heart Disease	1	1	2	–	–	1	2	1	1	3	–	–	–	–	–	–
Laryngitis	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Bronchitis	4	2	–	3	5	2	8	2	1	1	1	–	–	–	–	–
Pleurisy	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–
Pneumonia	–	–	1	–	–	–	–	1	–	–	–	–	–	–	–	–
Asthma	–	–	–	–	1	1	1	1	–	–	–	–	–	–	–	–
Lung Disease	–	1	–	–	1	–	–	–	–	–	–	–	–	–	–	–
Teething	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Quinsey	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Gastritis	–	–	–	–	1	–	–	–	–	1	–	–	–	–	–	–
Enteritis	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Peritonitis	–	1	–	–	–	–	1	1	–	–	–	–	–	–	–	–
Ascites	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Ulceration of Intestines	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Hernia	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Ileus	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Intussusception	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Stricture of Intestines	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Stomach Disease	–	1	–	2	–	–	1	1	–	–	–	–	–	–	–	–
Pancreas Disease	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Hepatitis	–	–	–	–	1	1	–	–	–	–	–	–	–	–	–	–
Jaundice	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Liver Disease	–	1	1	2	–	1	1	–	1	1	–	–	–	–	–	–
Spleen Disease	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Nephritis	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Nephria	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Ischuria	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Diabetes	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Stone	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Cystitis	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Stricture of Urethra	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Kidney Disease	–	1	2	–	–	–	–	1	–	1	–	–	–	–	–	–
Paramenia	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Ovarian Dropsy	–	–	1	–	1	–	–	–	–	–	–	–	–	–	–	–
Childbirth	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Organs of Generation	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–
Arthritis	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Rheumatism	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–
Joint Disease	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Carbuncle	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Phlegmon	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Skin Disease	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Cyanosis	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Spina Bifida	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Other Malformations	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Intemperance	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Privation	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Want of Breast Milk	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Neglect	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Cold	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Poison	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–
Burns and Scalds	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Hanging, etc.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Suffocation	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Drowning	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Fracture and Contusion	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–
Wounds	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Other Violent Causes	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Not Specified	1	1	1	2	–	–	–	–	–	–	–	–	–	–	–	–

CAUSES of DEATH in LEITH, at different Periods of Life, in 1862.—Both Sexes.

DISEASES.	BOTH SEXES. ALL AGES.	AGE UNDER MONTHS. 3	6	12	2	3	4	5	10	15	20	25	30
All Causes	872	100	46	71	87	52	38	29	44	12	14	29	29
Specified Causes	859	95	44	71	86	52	38	29	44	12	13	29	29
I. Zymotic Class	291	19	15	41	53	40	31	18	25	3	2	7	7
II. Diseases of Uncertain Seat	26	–	–	–	–	–	–	–	–	–	–	–	1
III. Tubercular Class	111	3	4	12	7	4	4	5	7	2	6	12	12
IV. Brain and Nervous System	68	5	–	2	2	1	–	2	4	2	–	2	1
V. Organs of Circulation	51	–	–	–	–	–	–	–	1	–	2	1	–
VI. Respiratory Organs	117	18	13	6	16	6	2	2	2	2	–	1	3
VII. Organs of Digestion	48	2	3	6	5	–	–	–	–	1	–	2	2
VIII. Urinary Organs	8	–	–	–	–	–	–	–	–	–	–	–	1
IX. Organs of Generation	4	–	–	–	–	–	–	–	–	–	–	1	1
X. Organs of Locomotion	6	–	–	1	–	–	–	–	1	–	1	–	–
XI. Skin, etc.	2	1	–	1	–	–	–	–	–	–	–	–	–
XII. Malformation	2	1	1	–	–	–	–	–	–	–	–	–	–
XIII. Premature Debility	51	43	7	1	–	–	–	–	–	–	–	–	–
XIV. Atrophy	6	–	–	–	1	1	–	–	1	2	–	–	–
XV. Age	37	–	–	–	–	–	–	–	–	–	–	–	–
XVI. Sudden Deaths	–	–	–	–	–	–	–	–	–	–	–	–	–
XVII. Violent Deaths	31	3	1	1	2	–	1	2	3	–	2	3	1
I. Small Pox	77	7	4	13	15	15	7	9	2	–	1	1	–
Measles	5	–	1	1	2	1	–	–	–	–	–	–	–
Scarlatina	30	–	2	1	3	8	4	1	10	1	–	–	–
Diphtheria	10	–	–	1	5	–	–	1	3	–	–	–	–
Hooping Cough	81	7	5	21	19	11	10	5	3	–	–	–	–
Croup	15	–	1	3	4	1	4	1	1	–	–	–	–
Thrush	–	–	–	–	–	–	–	–	–	–	–	–	–
Diarrhœa	11	3	–	1	3	–	1	–	–	–	–	–	–
Dysentery	7	–	–	–	–	–	–	–	1	–	–	2	1
Cholera	–	–	–	–	–	–	–	–	–	–	–	–	–
Influenza	–	–	–	–	–	–	–	–	–	–	–	–	–
Purpura	1	–	–	–	–	–	–	–	–	–	–	1	–
Ague	–	–	–	–	–	–	–	–	–	–	–	–	–
Worms	1	–	1	–	–	–	–	–	–	–	–	–	–
Infantile Fever	1	–	–	–	–	1	–	–	–	–	–	–	–
Typhus	39	–	–	–	2	3	4	1	5	2	1	2	5
Metria	3	–	–	–	–	–	–	–	–	–	–	1	1
Rheumatic Fever	1	–	–	–	–	–	–	–	–	–	–	–	–
Erysipelas	6	2	–	–	–	–	–	–	–	–	–	–	–
Syphilis	3	–	1	–	–	–	1	–	–	–	–	–	–
Noma	–	–	–	–	–	–	–	–	–	–	–	–	–
Hydrophobia	–	–	–	–	–	–	–	–	–	–	–	–	–
II. Hæmorrhage	2	–	–	–	–	–	–	–	–	–	–	–	1
Dropsy	9	–	–	–	–	–	–	–	–	–	–	–	–
Abscess	1	–	–	–	–	–	–	–	–	–	–	–	–
Ulcer	1	–	–	–	–	–	–	–	–	–	–	–	–
Fistula	–	–	–	–	–	–	–	–	–	–	–	–	–
Mortification	3	–	–	–	–	–	–	–	–	–	–	–	–
Cancer	10	–	–	–	–	–	–	–	–	–	–	–	–
Gout	–	–	–	–	–	–	–	–	–	–	–	–	–
III. Scrofula	10	–	–	1	–	–	–	1	2	1	–	1	–
Tabes Mesenterica	21	2	2	5	5	1	3	–	1	1	1	–	–
Phthisis	60	–	–	–	–	–	1	–	2	–	5	11	12
Hydrocephalus	20	1	2	6	2	3	–	4	2	–	–	–	–

CAUSES of DEATH in LEITH, at different Periods of Life, in 1862.—Both Sexes.

DISEASES.	BOTH SEXES. AGE UNDER															
	35	40	45	50	55	60	65	70	75	80	85	90	95	100	105	?
All Causes	31	37	27	26	22	29	25	37	37	23	17	6	2	–	–	2
Specified Causes	31	37	25	26	22	28	25	37	37	23	17	6	2	–	–	1
Zymotic Class	4	4	6	5	4	1	3	–	1	–	1	–	1	–	–	–
Uncertain Seat	3	1	2	2	2	2	1	6	4	2	–	–	–	–	–	–
Tubercular Class	6	12	4	3	–	3	2	3	–	–	–	–	–	–	–	–
Brain, etc.	2	3	3	3	4	6	5	4	10	2	4	1	–	–	–	–
Heart, etc.	3	3	3	6	3	6	3	8	6	4	2	–	–	–	–	–
Respiratory Organs	5	5	5	3	4	3	4	6	5	4	2	–	–	–	–	–
Digestive Organs	4	5	–	2	3	6	–	5	1	1	–	–	–	–	–	–
Urinary Organs	1	1	–	–	–	–	2	2	1	–	–	–	–	–	–	–
Generative Organs	–	–	1	1	–	–	–	–	–	–	–	–	–	–	–	–
Locomotive Organs	1	–	–	1	1	–	–	–	–	–	–	–	–	–	–	–
Skin	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Malformation	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Premature Debility	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Atrophy	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Age	–	–	–	–	–	–	3	3	8	10	7	5	1	–	–	–
Sudden Deaths	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Violent Deaths	2	2	1	–	1	1	2	–	1	–	1	–	–	–	–	1
Small Pox	3	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Measles	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Scarlatina	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Diphtheria	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Hooping Cough	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Croup	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Thrush	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Diarrhœa	–	1	–	–	–	–	2	–	–	–	–	–	–	–	–	–
Dysentery	–	1	1	–	–	–	–	–	–	–	1	–	–	–	–	–
Cholera	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Influenza	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Purpura	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Ague	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Worms	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Infantile Fever	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Typhus	1	2	1	4	2	1	1	–	1	–	–	–	1	–	–	–
Metria	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–
Rheumatic Fever	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–
Erysipelas	–	–	1	1	2	–	–	–	–	–	–	–	–	–	–	–
Syphilis	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–
Noma	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Hydrophobia	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Hæmorrhage	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Dropsy	–	–	–	–	2	–	1	3	3	–	–	–	–	–	–	–
Abscess	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–
Ulcer	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–
Fistula	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Mortification	–	–	–	–	–	–	–	1	1	1	–	–	–	–	–	–
Cancer	2	1	1	2	–	2	–	2	–	–	–	–	–	–	–	–
Gout	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Scrofula	–	2	–	1	–	–	–	1	–	–	–	–	–	–	–	–
Tabes Mesenterica	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Phthisis	6	10	4	2	–	3	2	2	–	–	–	–	–	–	–	–
Hydrocephalus	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–

CAUSES of DEATH in LEITH, at different Periods of Life, in 1862.—Both Sexes. (*Continued.*)

DISEASES.	BOTH SEXES.													
	ALL AGES.	AGE UNDER												
		MONTHS.			2	3	4	5	10	15	20	25	30	
		3	6	12										
IV. Cephalitis	8	–	–	–	–	1	–	1	1	1	–	–	1	
Apoplexy	16	–	–	1	–	–	–	–	–	1	–	1	–	
Paralysis	19	–	–	–	–	–	–	–	–	–	–	–	–	
Delirium Tremens	3	–	–	–	–	–	–	–	–	–	–	–	–	
Chorea	–	–	–	–	–	–	–	–	–	–	–	–	–	
Epilepsy	4	–	–	–	–	–	–	–	1	–	–	–	–	
Tetanus	1	1	–	–	–	–	–	–	–	–	–	–	–	
Insanity	–	–	–	–	–	–	–	–	–	–	–	–	–	
Convulsions	7	4	–	1	2	–	–	–	–	–	–	–	–	
Brain Disease	10	–	–	–	–	–	–	1	2	–	–	1	–	
V. Pericarditis	1	–	–	–	–	–	–	–	–	–	1	–	–	
Aneurism	3	–	–	–	–	–	–	–	–	–	–	–	–	
Heart Disease	47	–	–	–	–	–	–	–	1	–	1	1	–	
VI. Laryngitis	3	–	–	–	1	1	1	–	–	–	–	–	–	
Bronchitis	59	17	9	5	6	4	1	1	1	–	–	–	–	
Pleurisy	3	1	–	–	–	–	–	–	–	–	–	–	2	
Pneumonia	40	–	4	1	9	1	–	1	1	2	–	1	1	
Asthma	7	–	–	–	–	–	–	–	–	–	–	–	–	
Lung Disease	5	–	–	–	–	–	–	–	–	–	–	–	–	
VII. Teething	9	–	–	5	4	–	–	–	–	–	–	–	–	
Quinsey	–	–	–	–	–	–	–	–	–	–	–	–	–	
Gastritis	1	–	–	–	–	–	–	–	–	–	–	–	–	
Enteritis	10	1	2	1	–	–	–	–	–	–	–	–	1	
Peritonitis	4	–	–	–	–	–	–	–	–	1	–	2	–	
Ascites	–	–	–	–	–	–	–	–	–	–	–	–	–	
Ulceration of Intestines	3	–	–	–	–	–	–	–	–	–	–	–	–	
Hernia	–	–	–	–	–	–	–	–	–	–	–	–	–	
Ileus	2	–	–	–	–	–	–	–	–	–	–	–	–	
Intussusception	–	–	–	–	–	–	–	–	–	–	–	–	–	
Stricture of Intestines	2	–	–	–	–	–	–	–	–	–	–	–	–	
Stomach Disease	7	1	1	–	–	–	–	–	–	–	–	–	–	
Pancreas Disease	–	–	–	–	–	–	–	–	–	–	–	–	–	
Hepatitis	–	–	–	–	–	–	–	–	–	–	–	–	–	
Jaundice	3	–	–	–	1	–	–	–	–	–	–	–	1	
Liver Disease	7	–	–	–	–	–	–	–	–	–	–	–	–	
Spleen Disease	–	–	–	–	–	–	–	–	–	–	–	–	–	
VIII. Nephritis	–	–	–	–	–	–	–	–	–	–	–	–	–	
Nephria	3	–	–	–	–	–	–	–	–	–	–	–	–	
Ischuria	–	–	–	–	–	–	–	–	–	–	–	–	–	
Diabetes	–	–	–	–	–	–	–	–	–	–	–	–	–	
Stone	–	–	–	–	–	–	–	–	–	–	–	–	–	
Cystitis	3	–	–	–	–	–	–	–	–	–	–	–	–	
Stricture of Urethra	–	–	–	–	–	–	–	–	–	–	–	–	–	
Kidney Disease	2	–	–	–	–	–	–	–	–	–	–	–	1	
IX. Paramenia	–	–	–	–	–	–	–	–	–	–	–	–	–	
Ovarian Dropsy	1	–	–	–	–	–	–	–	–	–	–	–	–	
Childbirth	3	–	–	–	–	–	–	–	–	–	–	1	1	
Organs of Generation	–	–	–	–	–	–	–	–	–	–	–	–	–	
X. Arthritis	–	–	–	–	–	–	–	–	–	–	–	–	–	
Rheumatism	2	–	–	–	–	–	–	–	–	–	–	–	–	
Joint and Bone Disease	4	–	–	1	–	–	–	–	1	–	1	–	–	
XI. Carbuncle	–	–	–	–	–	–	–	–	–	–	–	–	–	
Phlegmon	–	–	–	–	–	–	–	–	–	–	–	–	–	
Skin Disease	2	1	–	1	–	–	–	–	–	–	–	–	–	
XII. Cyanosis	–	–	–	–	–	–	–	–	–	–	–	–	–	
Spina Bifida	2	1	1	–	–	–	–	–	–	–	–	–	–	
Other Malformations	–	–	–	–	–	–	–	–	–	–	–	–	–	
XVII. Intemperance	1	–	–	–	–	–	–	–	–	–	–	–	1	
Privation	–	–	–	–	–	–	–	–	–	–	–	–	–	
Want of Breast Milk	1	–	–	1	–	–	–	–	–	–	–	–	–	
Neglect	–	–	–	–	–	–	–	–	–	–	–	–	–	
Cold	1	1	–	–	–	–	–	–	–	–	–	–	–	
Poison	–	–	–	–	–	–	–	–	–	–	–	–	–	
Burns and Scalds	2	–	–	–	1	–	–	–	–	–	1	–	–	
Hanging, etc.	–	–	–	–	–	–	–	–	–	–	–	–	–	
Suffocation	4	1	1	–	1	–	–	–	–	–	–	–	–	
Drowning	8	1	–	–	–	–	–	1	2	–	–	1	–	
Fracture and Contusion	11	–	–	–	–	–	1	1	1	–	1	2	–	
Wounds	1	–	–	–	–	–	–	–	–	–	–	–	–	
Other Violent Causes	2	–	–	–	–	–	–	–	–	–	–	–	–	
Not Specified	13	5	2	–	1	–	–	–	–	–	1	–	–	

CAUSES of DEATH in LEITH, at different Periods of Life, in 1862.—Both Sexes *(Continued.)*

DISEASES.	BOTH SEXES. AGE UNDER															
	35	40	45	50	55	60	65	70	75	80	85	90	95	100	105	?
Cephalitis	–	–	–	1	1	–	1	–	–	–	–	–	–	–	–	–
Apoplexy	–	1	–	1	–	3	–	2	2	1	2	1	–	–	–	–
Paralysis	–	1	1	1	1	1	3	2	6	1	2	–	–	–	–	–
Delirium Tremens	1	1	–	–	1	–	–	–	–	–	–	–	–	–	–	–
Chorea	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Epilepsy	1	–	1	–	–	–	1	–	–	–	–	–	–	–	–	–
Tetanus	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Insanity	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Convulsions	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Brain Disease	–	–	1	–	1	2	–	–	2	–	–	–	–	–	–	–
Pericarditis	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Aneurism	–	1	–	1	–	1	–	–	–	–	–	–	–	–	–	–
Heart Disease	3	2	3	5	3	5	3	8	6	4	2	–	–	–	–	–
Laryngitis	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Bronchitis	1	–	2	–	2	1	2	2	4	1	–	–	–	–	–	–
Pleurisy	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Pneumonia	2	2	3	3	1	2	–	3	1	–	2	–	–	–	–	–
Asthma	–	3	–	–	–	–	2	1	–	1	–	–	–	–	–	–
Lung Disease	2	–	–	–	1	–	–	–	–	2	–	–	–	–	–	–
Teething	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Quinsey	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Gastritis	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Enteritis	–	1	–	–	1	–	–	2	–	1	–	–	–	–	–	–
Peritonitis	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Ascites	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Ulceration of Intestines	2	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–
Hernia	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Ileus	–	–	–	1	–	1	–	–	–	–	–	–	–	–	–	–
Intussusception	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Stricture of Intestines	–	–	–	–	–	–	–	1	1	–	–	–	–	–	–	–
Stomach Disease	–	2	–	–	–	2	–	1	–	–	–	–	–	–	–	–
Pancreas Disease	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Hepatitis	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Jaundice	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Liver Disease	1	–	–	1	2	3	–	–	–	–	–	–	–	–	–	–
Spleen Disease	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Nephritis	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Nephria	1	1	–	–	–	–	–	1	–	–	–	–	–	–	–	–
Ischuria	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Diabetes	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Stone	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Cystitis	–	–	–	–	–	–	2	1	–	–	–	–	–	–	–	–
Stricture of Urethra	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Kidney Disease	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–
Paramenia	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Ovarian Dropsy	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–
Childbirth	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–
Organs of Generation	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Arthritis	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Rheumatism	1	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–
Joint Disease	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–
Carbuncle	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Phlegmon	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Skin Disease	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Cyanosis	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Spina Bifida	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Other Malformations	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Intemperance	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Privation	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Want of Breast Milk	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Neglect	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Cold	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Poison	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Burns and Scalds	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Hanging, etc.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Suffocation	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1
Drowning	1	–	1	–	–	–	1	–	–	–	–	–	–	–	–	–
Fracture and Contusion	–	2	–	–	–	1	–	–	1	–	1	–	–	–	–	–
Wounds	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–
Other Violent Causes	1	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–
Not Specified	–	–	2	–	–	1	–	–	–	–	–	–	–	–	–	1

CAUSES of DEATH in LEITH, at different Periods of Life, in 1862.—MALES.

DISEASES.	MALES. ALL AGES.	AGE UNDER MONTHS. 3	6	12	2	3	4	5	10	15	20	25	30
ALL CAUSES	441	53	25	39	45	32	15	18	21	5	7	18	12
SPECIFIED CAUSES	435	50	24	39	45	32	15	18	21	5	7	18	12
I. Zymotic Class	143	10	5	21	24	24	14	13	11	3	1	3	2
II. Diseases of Uncertain Seat	8	–	–	–	–	–	–	–	–	–	–	–	–
III. Tubercular Class	57	2	2	6	5	2	–	2	2	–	1	8	8
IV. Brain and Nervous System	38	3	–	2	2	1	–	1	2	–	–	1	1
V. Organs of Circulation	28	–	–	–	–	–	–	–	–	–	2	1	–
VI. Respiratory Organs	62	8	9	3	10	5	–	1	1	–	–	1	1
VII. Organs of Digestion	21	–	1	4	3	–	–	–	–	–	–	1	–
VIII. Urinary Organs	6	–	–	–	–	–	–	–	–	–	–	–	–
IX. Organs of Generation	–	–	–	–	–	–	–	–	–	–	–	–	–
X. Organs of Locomotion	4	–	–	1	–	–	–	–	1	–	1	–	–
XI. Skin, etc.	–	–	–	–	–	–	–	–	–	–	–	–	–
XII. Malformation	1	–	1	–	–	–	–	–	–	–	–	–	–
XIII. Premature Debility	31	25	5	1	–	–	–	–	–	–	–	–	–
XIV. Atrophy	3	–	–	–	–	–	–	–	1	2	–	–	–
XV. Age	8	–	–	–	–	–	–	–	–	–	–	–	–
XVI. Sudden Deaths	–	–	–	–	–	–	–	–	–	–	–	–	–
XVII. Violent Deaths	25	2	1	1	1	–	1	1	3	–	2	3	–
I. Small Pox	44	3	3	6	8	8	6	7	1	–	1	–	–
Measles	1	–	–	1	–	–	–	–	–	–	–	–	–
Scarlatina	14	–	–	–	2	6	–	1	4	1	–	–	–
Diphtheria	4	–	–	1	3	–	–	–	–	–	–	–	–
Hooping Cough	44	4	2	13	8	6	4	4	3	–	–	–	–
Croup	5	–	–	–	2	–	2	–	1	–	–	–	–
Thrush	–	–	–	–	–	–	–	–	–	–	–	–	–
Diarrhœa	4	2	–	–	–	–	1	–	–	–	–	–	–
Dysentery	3	–	–	–	–	–	–	–	1	–	–	1	–
Cholera	–	–	–	–	–	–	–	–	–	–	–	–	–
Influenza	–	–	–	–	–	–	–	–	–	–	–	–	–
Purpura	1	–	–	–	–	–	–	–	–	–	–	1	–
Ague	–	–	–	–	–	–	–	–	–	–	–	–	–
Worms	–	–	–	–	–	–	–	–	–	–	–	–	–
Infantile Fever	1	–	–	–	–	1	–	–	–	–	–	–	–
Typhus	20	–	–	–	1	3	1	1	1	2	–	1	2
Metria	–	–	–	–	–	–	–	–	–	–	–	–	–
Rheumatic Fever	–	–	–	–	–	–	–	–	–	–	–	–	–
Erysipelas	2	1	–	–	–	–	–	–	–	–	–	–	–
Syphilis	–	–	–	–	–	–	–	–	–	–	–	–	–
Noma	–	–	–	–	–	–	–	–	–	–	–	–	–
Hydrophobia	–	–	–	–	–	–	–	–	–	–	–	–	–
II. Hæmorrhage	–	–	–	–	–	–	–	–	–	–	–	–	–
Dropsy	2	–	–	–	–	–	–	–	–	–	–	–	–
Abscess	1	–	–	–	–	–	–	–	–	–	–	–	–
Ulcer	1	–	–	–	–	–	–	–	–	–	–	–	–
Fistula	–	–	–	–	–	–	–	–	–	–	–	–	–
Mortification	1	–	–	–	–	–	–	–	–	–	–	–	–
Cancer	3	–	–	–	–	–	–	–	–	–	–	–	–
Gout	–	–	–	–	–	–	–	–	–	–	–	–	–
III. Scrofula	4	–	–	–	–	–	–	–	1	–	–	–	–
Tabes Mesenterica	10	1	1	3	4	1	–	–	–	–	–	–	–
Phthisis	33	–	–	–	–	–	–	–	–	–	1	8	8
Hydrocephalus	10	1	1	3	1	1	–	2	1	–	–	–	–

CAUSES of DEATH in LEITH, at different Periods of Life, in 1862.—MALES.

DISEASES.	MALES. AGE UNDER															
	35	40	45	50	55	60	65	70	75	80	85	90	95	100	105	?
ALL CAUSES	17	21	12	17	12	13	12	19	14	7	4	–	1	–	–	2
SPECIFIED CAUSES	17	21	12	17	12	12	12	19	14	7	4	–	1	–	–	1
Zymotic Class	1	2	2	3	2	–	1	–	–	–	–	–	1	–	–	–
Uncertain Seat	–	–	1	1	–	1	–	2	1	2	–	–	–	–	–	–
Tubercular Class	3	7	2	1	–	2	1	3	–	–	–	–	–	–	–	–
Brain, etc.	2	2	3	2	4	3	1	2	4	1	1	–	–	–	–	–
Heart, etc.	1	2	–	5	2	4	2	4	4	1	–	–	–	–	–	–
Respiratory Organs	3	4	3	3	2	–	2	2	2	1	1	–	–	–	–	–
Digestive Organs	4	2	–	1	1	2	–	2	–	–	–	–	–	–	–	–
Urinary Organs	1	–	–	–	–	–	2	2	1	–	–	–	–	–	–	–
Generative Organs	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Locomotive Organs	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–
Skin	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Malformation	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Premature Debility	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Atrophy	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Age	–	–	–	–	–	–	1	2	1	2	2	–	–	–	–	–
Sudden Deaths	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Violent Deaths	2	2	1	–	1	–	2	–	1	–	–	–	–	–	–	1
Small Pox	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Measles	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Scarlatina	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Diphtheria	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Hooping Cough	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Croup	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Thrush	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Diarrhœa	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Dysentery	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–
Cholera	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Influenza	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Purpura	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Ague	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Worms	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Infantile Fever	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Typhus	–	1	1	2	2	–	1	–	–	–	–	–	1	–	–	–
Metria	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Rheumatic Fever	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Erysipelas	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–
Syphilis	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Noma	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Hydrophobia	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Hæmorrhage	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Dropsy	–	–	–	–	–	–	–	1	1	–	–	–	–	–	–	–
Abscess	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–
Ulcer	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–
Fistula	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Mortification	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–
Cancer	–	–	–	1	–	1	–	1	–	–	–	–	–	–	–	–
Gout	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Scrofula	–	2	–	–	–	–	–	1	–	–	–	–	–	–	–	–
Tabes Mesenterica	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Phthisis	3	5	2	1	–	2	1	2	–	–	–	–	–	–	–	–
Hydrocephalus	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–

CAUSES of DEATH in LEITH, at different Periods of Life, in 1862.—MALES. (*Continued.*)

DISEASES.	MALES. ALL AGES.	AGE UNDER MONTHS. 3	6	12	2	3	4	5	10	15	20	25	30
IV. Cephalitis	4	–	–	–	–	1	–	1	–	–	–	–	1
Apoplexy	9	–	–	1	–	–	–	–	–	–	–	1	–
Paralysis	8	–	–	–	–	–	–	–	–	–	–	–	–
Delirium Tremens	3	–	–	–	–	–	–	–	–	–	–	–	–
Chorea	–	–	–	–	–	–	–	–	–	–	–	–	–
Epilepsy	3	–	–	–	–	–	–	–	1	–	–	–	–
Tetanus	1	1	–	–	–	–	–	–	–	–	–	–	–
Insanity	–	–	–	–	–	–	–	–	–	–	–	–	–
Convulsions	5	2	–	1	2	–	–	–	–	–	–	–	–
Brain Disease	5	–	–	–	–	–	–	–	1	–	–	–	–
V. Pericarditis	1	–	–	–	–	–	–	–	–	–	1	–	–
Aneurism	3	–	–	–	–	–	–	–	–	–	–	–	–
Heart Disease	24	–	–	–	–	–	–	–	–	–	1	1	–
VI. Laryngitis	1	–	–	–	–	1	–	–	–	–	–	–	–
Bronchitis	32	8	7	3	4	3	–	–	1	–	–	–	–
Pleurisy	–	–	–	–	–	–	–	–	–	–	–	–	–
Pneumonia	23	–	2	–	6	1	–	1	–	–	–	1	1
Asthma	3	–	–	–	–	–	–	–	–	–	–	–	–
Lung Disease	3	–	–	–	–	–	–	–	–	–	–	–	–
VII. Teething	6	–	–	4	2	–	–	–	–	–	–	–	–
Quinsey	–	–	–	–	–	–	–	–	–	–	–	–	–
Gastritis	1	–	–	–	–	–	–	–	–	–	–	–	–
Enteritis	3	–	1	–	–	–	–	–	–	–	–	–	–
Peritonitis	1	–	–	–	–	–	–	–	–	–	–	1	–
Ascites	–	–	–	–	–	–	–	–	–	–	–	–	–
Ulceration of Intestines	3	–	–	–	–	–	–	–	–	–	–	–	–
Hernia	–	–	–	–	–	–	–	–	–	–	–	–	–
Ileus	1	–	–	–	–	–	–	–	–	–	–	–	–
Intussusception	–	–	–	–	–	–	–	–	–	–	–	–	–
Stricture of Intestines	1	–	–	–	–	–	–	–	–	–	–	–	–
Stomach Disease	1	–	–	–	–	–	–	–	–	–	–	–	–
Pancreas Disease	–	–	–	–	–	–	–	–	–	–	–	–	–
Hepatitis	–	–	–	–	–	–	–	–	–	–	–	–	–
Jaundice	2	–	–	–	1	–	–	–	–	–	–	–	–
Liver Disease	2	–	–	–	–	–	–	–	–	–	–	–	–
Spleen Disease	–	–	–	–	–	–	–	–	–	–	–	–	–
VIII. Nephritis	–	–	–	–	–	–	–	–	–	–	–	–	–
Nephria	2	–	–	–	–	–	–	–	–	–	–	–	–
Ischuria	–	–	–	–	–	–	–	–	–	–	–	–	–
Diabetes	–	–	–	–	–	–	–	–	–	–	–	–	–
Stone	–	–	–	–	–	–	–	–	–	–	–	–	–
Cystitis	3	–	–	–	–	–	–	–	–	–	–	–	–
Stricture of Urethra	–	–	–	–	–	–	–	–	–	–	–	–	–
Kidney Disease	1	–	–	–	–	–	–	–	–	–	–	–	–
IX. Paramenia	–	–	–	–	–	–	–	–	–	–	–	–	–
Ovarian Dropsy	–	–	–	–	–	–	–	–	–	–	–	–	–
Childbirth	–	–	–	–	–	–	–	–	–	–	–	–	–
Organs of Generation	–	–	–	–	–	–	–	–	–	–	–	–	–
X. Arthritis	–	–	–	–	–	–	–	–	–	–	–	–	–
Rheumatism	1	–	–	–	–	–	–	–	–	–	–	–	–
Joint and Bone Disease	3	–	–	1	–	–	–	–	1	–	1	–	–
XI. Carbuncle	–	–	–	–	–	–	–	–	–	–	–	–	–
Phlegmon	–	–	–	–	–	–	–	–	–	–	–	–	–
Skin Disease	–	–	–	–	–	–	–	–	–	–	–	–	–
XII. Cyanosis	–	–	–	–	–	–	–	–	–	–	–	–	–
Spina Bifida	1	–	1	–	–	–	–	–	–	–	–	–	–
Other Malformations	–	–	–	–	–	–	–	–	–	–	–	–	–
XVII. Intemperance	–	–	–	–	–	–	–	–	–	–	–	–	–
Privation	–	–	–	–	–	–	–	–	–	–	–	–	–
Want of Breast Milk	1	–	–	1	–	–	–	–	–	–	–	–	–
Neglect	–	–	–	–	–	–	–	–	–	–	–	–	–
Cold	1	1	–	–	–	–	–	–	–	–	–	–	–
Poison	–	–	–	–	–	–	–	–	–	–	–	–	–
Burns and Scalds	2	–	–	–	1	–	–	–	–	–	1	–	–
Hanging, etc.	–	–	–	–	–	–	–	–	–	–	–	–	–
Suffocation	3	1	1	–	–	–	–	–	–	–	–	–	–
Drowning	7	–	–	–	–	–	–	1	2	–	–	1	–
Fracture and Contusion	3	–	–	–	–	–	1	–	1	–	1	2	–
Wounds	1	–	–	–	–	–	–	–	–	–	–	–	–
Other Violent Causes	2	–	–	–	–	–	–	–	–	–	–	–	–
Not Specified	6	3	1	–	–	–	–	–	–	–	–	–	–

CAUSES of DEATH in LEITH, at different Periods of Life, in 1862.—MALES. (*Continued.*)

DISEASES.	MALES. AGE UNDER														
	35	40	45	50	55	60	65	70	75	80	85	90	95	100	105	?
Cephalitis	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–
Apoplexy	–	–	–	1	–	1	–	1	2	1	1	–	–	–	–	–
Paralysis	–	1	1	1	1	1	1	1	1	–	–	–	–	–	–	–
Delirium Tremens	1	1	–	–	1	–	–	–	–	–	–	–	–	–	–	–
Chorea	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Epilepsy	1	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–
Tetanus	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Insanity	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Convulsions	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Brain Disease	–	–	1	–	1	1	–	–	1	–	–	–	–	–	–	–
Pericarditis	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Aneurism	–	1	–	1	–	1	–	–	–	–	–	–	–	–	–	–
Heart Disease	1	1	–	4	2	3	2	4	4	1	–	–	–	–	–	–
Laryngitis	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Bronchitis	–	–	1	–	–	–	1	2	2	–	–	–	–	–	–	–
Pleurisy	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Pneumonia	2	2	2	3	1	–	–	–	–	–	1	–	–	–	–	–
Asthma	–	2	–	–	–	–	1	–	–	–	–	–	–	–	–	–
Lung Disease	1	–	–	–	1	–	–	–	–	1	–	–	–	–	–	–
Teething	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Quinsey	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Gastritis	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Enteritis	–	1	–	–	1	–	–	–	–	–	–	–	–	–	–	–
Peritonitis	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Ascites	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Ulceration of Intestines	2	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–
Hernia	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Ileus	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–
Intussusception	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Stricture of Intestines	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–
Stomach Disease	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–
Pancreas Disease	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Hepatitis	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Jaundice	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Liver Disease	1	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–
Spleen Disease	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Nephritis	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Nephria	1	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–
Ischuria	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Diabetes	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Stone	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Cystitis	–	–	–	–	–	–	2	1	–	–	–	–	–	–	–	–
Stricture of Urethra	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Kidney Disease	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–
Paramenia	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Ovarian Dropsy	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Childbirth	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Organs of Generation	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Arthritis	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Rheumatism	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–
Joint Disease	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Carbuncle	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Phlegmon	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Skin Disease	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Cyanosis	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Spina Bifida	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Other Malformations	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Intemperance	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Privation	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Want of Breast Milk	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Neglect	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Cold	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Poison	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Burns and Scalds	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Hanging, etc.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Suffocation	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1
Drowning	1	–	1	–	–	–	1	–	–	–	–	–	–	–	–	–
Fracture and Contusion	–	2	–	–	–	–	–	–	1	–	–	–	–	–	–	–
Wounds	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–
Other Violent Causes	1	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–
Not Specified	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	1

CAUSES of DEATH in LEITH, at different Periods of Life, in 1862.—Females.

DISEASES.	FEMALES.												
	ALL AGES.	AGE UNDER											
		MONTHS.			2	3	4	5	10	15	20	25	30
		3	6	12									
All Causes	431	47	21	32	42	20	23	11	23	7	7	11	17
Specified Causes	424	45	20	32	41	20	23	11	23	7	6	11	17
I. Zymotic Class	148	9	10	20	29	16	17	5	14	–	1	4	5
II. Diseases of Uncertain Seat	18	–	–	–	–	–	–	–	–	–	–	–	1
III. Tubercular Class	54	1	2	6	2	2	4	3	5	2	5	4	4
IV. Brain and Nervous System	30	2	–	–	–	–	–	1	2	2	–	1	–
V. Organs of Circulation	23	–	–	–	–	–	–	–	1	–	–	–	–
VI. Respiratory Organs	55	10	4	3	6	1	2	1	1	2	–	–	2
VII. Organs of Digestion	27	2	2	2	2	–	–	–	–	1	–	1	2
VIII. Urinary Organs	2	–	–	–	–	–	–	–	–	–	–	–	1
IX. Organs of Generation	4	–	–	–	–	–	–	–	–	–	–	1	1
X. Organs of Locomotion	2	–	–	–	–	–	–	–	–	–	–	–	–
XI. Skin, etc.	2	1	–	1	–	–	–	–	–	–	–	–	–
XII. Malformation	1	1	–	–	–	–	–	–	–	–	–	–	–
XIII. Premature Debility	20	18	2	–	–	–	–	–	–	–	–	–	–
XIV. Atrophy	3	–	–	–	1	1	–	–	–	–	–	–	–
XV. Age	29	–	–	–	–	–	–	–	–	–	–	–	–
XVI. Sudden Deaths	–	–	–	–	–	–	–	–	–	–	–	–	–
XVII. Violent Deaths	6	1	–	–	1	–	–	1	–	–	–	–	1
I. Small Pox	33	4	1	7	7	7	1	2	1	–	–	1	–
Measles	4	–	1	–	2	1	–	–	–	–	–	–	–
Scarlatina	16	–	2	1	1	2	4	–	6	–	–	–	–
Diphtheria	6	–	–	–	2	–	–	1	3	–	–	–	–
Hooping Cough	37	3	3	8	11	5	6	1	–	–	–	–	–
Croup	10	–	1	3	2	1	2	1	–	–	–	–	–
Thrush	–	–	–	–	–	–	–	–	–	–	–	–	–
Diarrhœa	7	1	–	1	3	–	–	–	–	–	–	–	–
Dysentery	4	–	–	–	–	–	–	–	–	–	–	1	1
Cholera	–	–	–	–	–	–	–	–	–	–	–	–	–
Influenza	–	–	–	–	–	–	–	–	–	–	–	–	–
Purpura	–	–	–	–	–	–	–	–	–	–	–	–	–
Ague	–	–	–	–	–	–	–	–	–	–	–	–	–
Worms	1	–	1	–	–	–	–	–	–	–	–	–	–
Infantile Fever	–	–	–	–	–	–	–	–	–	–	–	–	–
Typhus	19	–	–	–	1	–	3	–	4	–	1	1	3
Metria	3	–	–	–	–	–	–	–	–	–	–	1	1
Rheumatic Fever	1	–	–	–	–	–	–	–	–	–	–	–	–
Erysipelas	4	1	–	–	–	–	–	–	–	–	–	–	–
Syphilis	3	–	1	–	–	–	1	–	–	–	–	–	–
Noma	–	–	–	–	–	–	–	–	–	–	–	–	–
Hydrophobia	–	–	–	–	–	–	–	–	–	–	–	–	–
II. Hæmorrhage	2	–	–	–	–	–	–	–	–	–	–	–	1
Dropsy	7	–	–	–	–	–	–	–	–	–	–	–	–
Abscess	–	–	–	–	–	–	–	–	–	–	–	–	–
Ulcer	–	–	–	–	–	–	–	–	–	–	–	–	–
Fistula	–	–	–	–	–	–	–	–	–	–	–	–	–
Mortification	2	–	–	–	–	–	–	–	–	–	–	–	–
Cancer	7	–	–	–	–	–	–	–	–	–	–	–	–
Gout	–	–	–	–	–	–	–	–	–	–	–	–	–
III. Scrofula	6	–	–	1	–	–	–	1	1	1	–	1	–
Tabes Mesenterica	11	1	1	2	1	–	3	–	1	1	1	–	–
Phthisis	27	–	–	–	–	–	1	–	2	–	4	3	4
Hydrocephalus	10	–	1	3	1	2	–	2	1	–	–	–	–

CAUSES of DEATH in LEITH, at different Periods of Life, in 1862.—FEMALES.

DISEASES.	FEMALES. AGE UNDER															
	35	40	45	50	55	60	65	70	75	80	85	90	95	100	105	?
ALL CAUSES	14	16	15	9	10	16	13	18	23	16	13	6	1	–	–	–
SPECIFIED CAUSES	14	16	13	9	10	16	13	18	23	16	13	6	1	–	–	–
Zymotic Class	3	2	4	2	2	1	2	–	1	–	1	–	–	–	–	–
Uncertain Seat	3	1	1	1	2	1	1	4	3	–	–	–	–	–	–	–
Tubercular Class	3	5	2	2	–	1	1	–	–	–	–	–	–	–	–	–
Brain, etc.	–	1	–	1	–	3	4	2	6	1	3	1	–	–	–	–
Heart, etc.	2	1	3	1	1	2	1	4	2	3	2	–	–	–	–	–
Respiratory Organs	2	1	2	–	2	3	2	4	3	3	1	–	–	–	–	–
Digestive Organs	–	3	–	1	2	4	–	3	1	1	–	–	–	–	–	–
Urinary Organs	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Generative Organs	–	–	1	1	–	–	–	–	–	–	–	–	–	–	–	–
Locomotive Organs	1	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–
Skin	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Malformation	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Premature Debility	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Atrophy	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Age	–	–	–	–	–	–	2	1	7	8	5	5	1	–	–	–
Sudden Deaths	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Violent Deaths	–	–	–	–	–	1	–	–	–	–	1	–	–	–	–	–
Small Pox	2	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Measles	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Scarlatina	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Diphtheria	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Hooping Cough	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Croup	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Thrush	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Diarrhœa	–	–	–	–	–	–	2	–	–	–	–	–	–	–	–	–
Dysentery	–	1	–	–	–	–	–	–	–	–	1	–	–	–	–	–
Cholera	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Influenza	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Purpura	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Ague	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Worms	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Infantile Fever	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Typhus	1	1	–	2	–	1	–	–	1	–	–	–	–	–	–	–
Metria	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–
Rheumatic Fever	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–
Erysipelas	–	–	1	–	2	–	–	–	–	–	–	–	–	–	–	–
Syphilis	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–
Noma	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Hydrophobia	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Hæmorrhage	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Dropsy	–	–	–	–	2	–	1	2	2	–	–	–	–	–	–	–
Abscess	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Ulcer	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Fistula	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Mortification	–	–	–	–	–	–	–	1	1	–	–	–	–	–	–	–
Cancer	2	1	1	1	–	1	–	1	–	–	–	–	–	–	–	–
Gout	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Scrofula	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–
Tabes Mesenterica	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Phthisis	3	5	2	1	–	1	1	–	–	–	–	–	–	–	–	–
Hydrocephalus	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–

CAUSES of DEATH in LEITH, at different Periods of Life, in 1862.—FEMALES. (*Continued.*)

DISEASES.	FEMALES.												
	ALL AGES.	AGE UNDER											
		MONTHS.			2	3	4	5	10	15	20	25	30
		3	6	12									
IV. Cephalitis	4	–	–	–	–	–	–	–	1	1	–	–	–
Apoplexy	7	–	–	–	–	–	–	–	–	1	–	–	–
Paralysis	11	–	–	–	–	–	–	–	–	–	–	–	–
Delirium Tremens	–	–	–	–	–	–	–	–	–	–	–	–	–
Chorea	–	–	–	–	–	–	–	–	–	–	–	–	–
Epilepsy	1	–	–	–	–	–	–	–	–	–	–	–	–
Tetanus	–	–	–	–	–	–	–	–	–	–	–	–	–
Insanity	–	–	–	–	–	–	–	–	–	–	–	–	–
Convulsions	2	2	–	–	–	–	–	–	–	–	–	–	–
Brain Disease	5	–	–	–	–	–	–	1	1	–	–	1	–
V. Pericarditis	–	–	–	–	–	–	–	–	–	–	–	–	–
Aneurism	–	–	–	–	–	–	–	–	–	–	–	–	–
Heart Disease	23	–	–	–	–	–	–	–	1	–	–	–	–
VI. Laryngitis	2	–	–	–	1	–	1	–	–	–	–	–	–
Bronchitis	27	9	2	2	2	1	1	1	–	–	–	–	–
Pleurisy	3	1	–	–	–	–	–	–	–	–	–	–	2
Pneumonia	17	–	2	1	3	–	–	–	1	2	–	–	–
Asthma	4	–	–	–	–	–	–	–	–	–	–	–	–
Lung Disease	2	–	–	–	–	–	–	–	–	–	–	–	–
VII. Teething	3	–	–	1	2	–	–	–	–	–	–	–	–
Quinsey	–	–	–	–	–	–	–	–	–	–	–	–	–
Gastritis	–	–	–	–	–	–	–	–	–	–	–	–	–
Enteritis	7	1	1	1	–	–	–	–	–	–	–	–	1
Peritonitis	3	–	–	–	–	–	–	–	–	1	–	1	–
Ascites	–	–	–	–	–	–	–	–	–	–	–	–	–
Ulceration of Intestines	–	–	–	–	–	–	–	–	–	–	–	–	–
Hernia	–	–	–	–	–	–	–	–	–	–	–	–	–
Ileus	1	–	–	–	–	–	–	–	–	–	–	–	–
Intussusception	–	–	–	–	–	–	–	–	–	–	–	–	–
Stricture of Intestines	1	–	–	–	–	–	–	–	–	–	–	–	–
Stomach Disease	6	1	1	–	–	–	–	–	–	–	–	–	–
Pancreas Disease	–	–	–	–	–	–	–	–	–	–	–	–	–
Hepatitis	–	–	–	–	–	–	–	–	–	–	–	–	–
Jaundice	1	–	–	–	–	–	–	–	–	–	–	–	1
Liver Disease	5	–	–	–	–	–	–	–	–	–	–	–	–
Spleen Disease	–	–	–	–	–	–	–	–	–	–	–	–	–
VIII. Nephritis	–	–	–	–	–	–	–	–	–	–	–	–	–
Nephria	1	–	–	–	–	–	–	–	–	–	–	–	–
Ischuria	–	–	–	–	–	–	–	–	–	–	–	–	–
Diabetes	–	–	–	–	–	–	–	–	–	–	–	–	–
Stone	–	–	–	–	–	–	–	–	–	–	–	–	–
Cystitis	–	–	–	–	–	–	–	–	–	–	–	–	–
Stricture of Urethra	–	–	–	–	–	–	–	–	–	–	–	–	–
Kidney Disease	1	–	–	–	–	–	–	–	–	–	–	–	1
IX. Paramenia	–	–	–	–	–	–	–	–	–	–	–	–	–
Ovarian Dropsy	1	–	–	–	–	–	–	–	–	–	–	–	–
Childbirth	3	–	–	–	–	–	–	–	–	–	–	1	1
Organs of Generation	–	–	–	–	–	–	–	–	–	–	–	–	–
X. Arthritis	–	–	–	–	–	–	–	–	–	–	–	–	–
Rheumatism	1	–	–	–	–	–	–	–	–	–	–	–	–
Joint and Bone Disease	1	–	–	–	–	–	–	–	–	–	–	–	–
XI. Carbuncle	–	–	–	–	–	–	–	–	–	–	–	–	–
Phlegmon	–	–	–	–	–	–	–	–	–	–	–	–	–
Skin Disease	2	1	–	1	–	–	–	–	–	–	–	–	–
XII. Cyanosis	–	–	–	–	–	–	–	–	–	–	–	–	–
Spina Bifida	1	1	–	–	–	–	–	–	–	–	–	–	–
Other Malformations	–	–	–	–	–	–	–	–	–	–	–	–	–
XVII. Intemperance	1	–	–	–	–	–	–	–	–	–	–	–	1
Privation	–	–	–	–	–	–	–	–	–	–	–	–	–
Want of Breast Milk	–	–	–	–	–	–	–	–	–	–	–	–	–
Neglect	–	–	–	–	–	–	–	–	–	–	–	–	–
Cold	–	–	–	–	–	–	–	–	–	–	–	–	–
Poison	–	–	–	–	–	–	–	–	–	–	–	–	–
Burns and Scalds	–	–	–	–	–	–	–	–	–	–	–	–	–
Hanging, etc.	–	–	–	–	–	–	–	–	–	–	–	–	–
Suffocation	1	–	–	–	1	–	–	–	–	–	–	–	–
Drowning	1	1	–	–	–	–	–	–	–	–	–	–	–
Fracture and Contusion	3	–	–	–	–	–	–	1	–	–	–	–	–
Wounds	–	–	–	–	–	–	–	–	–	–	–	–	–
Other Violent Causes	–	–	–	–	–	–	–	–	–	–	–	–	–
Not Specified	7	2	1	–	1	–	–	–	–	–	1	–	–

CAUSES of DEATH in LEITH, at different Periods of Life, in 1862.—Females. (*Continued.*)

DISEASES.	FEMALES. AGE UNDER															
	35	40	45	50	55	60	65	70	75	80	85	90	95	100	105	?
Cephalitis	–	–	–	1	–	–	1	–	–	–	–	–	–	–	–	–
Apoplexy	–	1	–	–	–	2	–	1	–	–	1	1	–	–	–	–
Paralysis	–	–	–	–	–	–	2	1	5	1	2	–	–	–	–	–
Delirium Tremens	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Chorea	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Epilepsy	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–
Tetanus	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Insanity	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Convulsions	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Brain Disease	–	–	–	–	–	1	–	–	1	–	–	–	–	–	–	–
Pericarditis	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Aneurism	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Heart Disease	2	1	3	1	1	2	1	4	2	3	2	–	–	–	–	–
Laryngitis	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Bronchitis	1	–	1	–	2	1	1	–	2	1	–	–	–	–	–	–
Pleurisy	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Pneumonia	–	–	1	–	–	2	–	3	1	–	1	–	–	–	–	–
Asthma	–	1	–	–	–	–	1	1	–	1	–	–	–	–	–	–
Lung Disease	1	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–
Teething	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Quinsey	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Gastritis	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Enteritis	–	–	–	–	–	–	–	2	–	1	–	–	–	–	–	–
Peritonitis	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Ascites	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Ulceration of Intestines	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Hernia	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Ileus	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–
Intussusception	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Stricture of Intestines	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–
Stomach Disease	–	2	–	–	–	1	–	1	–	–	–	–	–	–	–	–
Pancreas Disease	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Hepatitis	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Jaundice	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Liver Disease	–	–	–	–	2	3	–	–	–	–	–	–	–	–	–	–
Spleen Disease	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Nephritis	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Nephria	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Ischuria	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Diabetes	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Stone	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Cystitis	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Stricture of Urethra	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Kidney Disease	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Paramenia	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Ovarian Dropsy	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–
Childbirth	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–
Organs of Generation	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Arthritis	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Rheumatism	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Joint Disease	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–
Carbuncle	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Phlegmon	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Skin Disease	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Cyanosis	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Spina Bifida	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Other Malformations	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Intemperance	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Privation	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Want of Breast Milk	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Neglect	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Cold	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Poison	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Burns and Scalds	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Hanging, etc.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Suffocation	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Drowning	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Fracture and Contusion	–	–	–	–	–	1	–	–	–	–	1	–	–	–	–	–
Wounds	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Other Violent Causes	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Not Specified	–	–	2	–	–	–	–	–	–	–	–	–	–	–	–	–

CAUSES of DEATH in PERTH, at different Periods of Life, in 1862.—Both Sexes.

DISEASES.	BOTH SEXES.												
	ALL AGES.	AGE UNDER											
		MONTHS.			2	3	4	5	10	15	20	25	30
		3	6	12									
All Causes	618	47	11	43	66	26	28	15	22	12	15	23	22
Specified Causes	603	41	11	43	66	23	28	15	22	12	15	23	22
I. Zymotic Class	149	5	4	23	27	15	19	7	13	5	5	4	4
II. Diseases of Uncertain Seat	22	–	–	–	–	–	–	–	–	1	–	–	–
III. Tubercular Class	89	–	–	4	9	6	2	2	5	5	7	12	11
IV. Brain and Nervous System	58	2	2	1	1	1	3	3	1	–	–	–	1
V. Organs of Circulation	38	–	–	–	–	–	–	–	3	–	–	–	–
VI. Respiratory Organs	81	6	1	9	11	1	3	3	–	–	–	2	3
VII. Organs of Digestion	44	2	2	4	17	–	1	–	–	–	–	2	1
VIII. Urinary Organs	4	–	–	–	–	–	–	–	–	–	–	–	–
IX. Organs of Generation	6	–	–	–	–	–	–	–	–	–	–	1	2
X. Organs of Locomotion	3	–	–	–	–	–	–	–	–	–	1	–	–
XI. Skin, etc.	1	–	–	–	–	–	–	–	–	–	–	–	–
XII. Malformation	2	1	1	–	–	–	–	–	–	–	–	–	–
XIII. Premature Debility	28	25	1	2	–	–	–	–	–	–	–	–	–
XIV. Atrophy	6	–	–	–	1	–	–	–	–	–	–	1	–
XV. Age	54	–	–	–	–	–	–	–	–	–	–	–	–
XVI. Sudden Deaths	3	–	–	–	–	–	–	–	–	–	–	–	–
XVII. Violent Deaths	15	–	–	–	–	–	–	–	–	1	2	1	–
I. Small Pox	1	–	–	1	–	–	–	–	–	–	–	–	–
Measles	5	–	–	1	–	2	1	–	1	–	–	–	–
Scarlatina	16	–	–	1	3	2	4	1	4	–	1	–	–
Diphtheria	7	–	–	1	1	1	1	–	3	–	–	–	–
Hooping Cough	60	4	4	18	17	5	6	5	1	–	–	–	–
Croup	16	1	–	1	4	4	5	1	–	–	–	–	–
Thrush	–	–	–	–	–	–	–	–	–	–	–	–	–
Diarrhœa	5	–	–	–	1	–	–	–	–	–	–	–	1
Dysentery	1	–	–	–	–	–	–	–	–	1	–	–	–
Cholera	–	–	–	–	–	–	–	–	–	–	–	–	–
Influenza	2	–	–	–	–	–	–	–	–	–	–	–	–
Purpura	2	–	–	–	–	–	–	–	–	1	–	–	–
Ague	–	–	–	–	–	–	–	–	–	–	–	–	–
Worms	–	–	–	–	–	–	–	–	–	–	–	–	–
Infantile Fever	–	–	–	–	–	–	–	–	–	–	–	–	–
Typhus	33	–	–	–	1	1	2	–	4	3	4	4	2
Metria	–	–	–	–	–	–	–	–	–	–	–	–	–
Rheumatic Fever	1	–	–	–	–	–	–	–	–	–	–	–	1
Erysipelas	–	–	–	–	–	–	–	–	–	–	–	–	–
Syphilis	–	–	–	–	–	–	–	–	–	–	–	–	–
Noma	–	–	–	–	–	–	–	–	–	–	–	–	–
Hydrophobia	–	–	–	–	–	–	–	–	–	–	–	–	–
II. Hæmorrhage	–	–	–	–	–	–	–	–	–	–	–	–	–
Dropsy	7	–	–	–	–	–	–	–	–	1	–	–	–
Abscess	–	–	–	–	–	–	–	–	–	–	–	–	–
Ulcer	1	–	–	–	–	–	–	–	–	–	–	–	–
Fistula	–	–	–	–	–	–	–	–	–	–	–	–	–
Mortification	1	–	–	–	–	–	–	–	–	–	–	–	–
Cancer	13	–	–	–	–	–	–	–	–	–	–	–	–
Gout	–	–	–	–	–	–	–	–	–	–	–	–	–
III. Scrofula	9	–	–	–	2	1	–	1	1	–	–	2	–
Tabes Mesenterica	4	–	–	1	1	1	–	–	–	–	–	–	–
Phthisis	65	–	–	–	4	1	1	1	2	5	7	10	11
Hydrocephalus	11	–	–	3	2	3	1	–	2	–	–	–	–

CAUSES of DEATH in PERTH, at different Periods of Life, in 1862.—Both Sexes.

DISEASES.	BOTH SEXES. AGE UNDER															
	35	40	45	50	55	60	65	70	75	80	85	90	95	100	105	?
All Causes	16	12	21	13	17	27	42	36	35	29	26	9	3	–	–	2
Specified Causes	15	12	19	13	17	27	41	36	35	29	26	9	3	–	–	–
Zymotic Class	–	1	3	1	–	3	3	2	2	3	–	–	–	–	–	–
Uncertain Seat	–	–	–	2	3	5	4	3	1	3	–	–	–	–	–	–
Tubercular Class	6	1	6	2	3	4	2	–	1	1	–	–	–	–	–	–
Brain, etc.	–	3	2	3	2	2	10	9	4	3	5	–	–	–	–	–
Heart, etc.	2	2	1	1	2	3	6	6	9	2	1	–	–	–	–	–
Respiratory Organs	4	1	4	1	1	3	6	7	8	4	–	2	1	–	–	–
Digestive Organs	1	1	1	–	1	3	4	2	1	1	–	–	–	–	–	–
Urinary Organs	1	–	–	1	–	–	1	–	–	–	1	–	–	–	–	–
Generative Organs	1	2	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Locomotive Organs	–	–	–	–	1	–	1	–	–	–	–	–	–	–	–	–
Skin	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–
Malformation	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Premature Debility	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Atrophy	–	1	–	1	–	2	–	–	–	–	–	–	–	–	–	–
Age	–	–	–	–	–	–	4	4	7	12	18	7	2	–	–	–
Sudden Deaths	–	–	1	1	1	–	–	–	–	–	–	–	–	–	–	–
Violent Deaths	–	–	1	–	2	2	–	3	2	–	1	–	–	–	–	–
Small Pox	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Measles	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Scarlatina	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Diphtheria	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Hooping Cough	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Croup	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Thrush	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Diarrhœa	–	–	2	–	–	1	–	–	–	–	–	–	–	–	–	–
Dysentery	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Cholera	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Influenza	–	–	–	–	–	–	–	–	2	–	–	–	–	–	–	–
Purpura	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–
Ague	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Worms	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Infantile Fever	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Typhus	–	1	1	1	–	2	3	2	–	2	–	–	–	–	–	–
Metria	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Rheumatic Fever	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Erysipelas	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Syphilis	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Noma	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Hydrophobia	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Hæmorrhage	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Dropsy	–	–	–	–	–	–	1	2	1	2	–	–	–	–	–	–
Abscess	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Ulcer	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–
Fistula	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Mortification	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–
Cancer	–	–	–	2	2	5	2	1	–	1	–	–	–	–	–	–
Gout	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Scrofula	–	–	1	–	–	–	–	–	1	–	–	–	–	–	–	–
Tabes Mesenterica	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–
Phthisis	6	1	5	2	3	3	2	–	–	1	–	–	–	–	–	–
Hydrocephalus	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–

CAUSES of DEATH in PERTH, at different Periods of Life, in 1862.—Both Sexes. (*Continued.*)

DISEASES.	BOTH SEXES.												
	ALL AGES.	AGE UNDER											
		MONTHS			2	3	4	5	10	15	20	25	30
		3	6	12									
IV. Cephalitis	4	–	–	1	–	–	1	–	1	–	–	–	–
Apoplexy	20	–	1	–	–	–	–	1	–	–	–	–	–
Paralysis	17	–	–	–	–	–	–	–	–	–	–	–	–
Delirium Tremens	–	–	–	–	–	–	–	–	–	–	–	–	–
Chorea	–	–	–	–	–	–	–	–	–	–	–	–	–
Epilepsy	–	–	–	–	–	–	–	–	–	–	–	–	–
Tetanus	1	1	–	–	–	–	–	–	–	–	–	–	–
Insanity	4	–	–	–	–	–	–	–	–	–	–	–	1
Convulsions	5	1	1	–	1	1	1	–	–	–	–	–	–
Brain Disease	7	–	–	–	–	–	1	2	–	–	–	–	–
V. Pericarditis	–	–	–	–	–	–	–	–	–	–	–	–	–
Aneurism	3	–	–	–	–	–	–	–	–	–	–	–	–
Heart Disease	35	–	–	–	–	–	–	–	3	–	–	–	–
VI. Laryngitis	2	–	–	–	1	–	–	–	–	–	–	–	–
Bronchitis	63	6	1	8	10	1	3	3	–	–	–	1	2
Pleurisy	1	–	–	–	–	–	–	–	–	–	–	–	–
Pneumonia	11	–	–	1	–	–	–	–	–	–	–	1	1
Asthma	4	–	–	–	–	–	–	–	–	–	–	–	–
Lung Disease	–	–	–	–	–	–	–	–	–	–	–	–	–
VII. Teething	21	–	2	4	15	–	–	–	–	–	–	–	–
Quinsey	1	–	–	–	1	–	–	–	–	–	–	–	–
Gastritis	2	–	–	–	–	–	–	–	–	–	–	1	–
Enteritis	–	–	–	–	–	–	–	–	–	–	–	–	–
Peritonitis	2	1	–	–	–	–	–	–	–	–	–	–	–
Ascites	3	–	–	–	1	–	–	–	–	–	–	–	1
Ulceration of Intestines	1	–	–	–	–	–	–	–	–	–	–	–	–
Hernia	1	–	–	–	–	–	–	–	–	–	–	–	–
Ileus	1	–	–	–	–	–	–	–	–	–	–	–	–
Intussusception	1	–	–	–	–	–	–	–	–	–	–	1	–
Stricture of Intestines	–	–	–	–	–	–	–	–	–	–	–	–	–
Stomach Disease	4	1	–	–	–	–	–	–	–	–	–	–	–
Pancreas Disease	–	–	–	–	–	–	–	–	–	–	–	–	–
Hepatitis	1	–	–	–	–	–	1	–	–	–	–	–	–
Jaundice	1	–	–	–	–	–	–	–	–	–	–	–	–
Liver Disease	5	–	–	–	–	–	–	–	–	–	–	–	–
Spleen Disease	–	–	–	–	–	–	–	–	–	–	–	–	–
VIII. Nephritis	–	–	–	–	–	–	–	–	–	–	–	–	–
Nephria	–	–	–	–	–	–	–	–	–	–	–	–	–
Ischuria	–	–	–	–	–	–	–	–	–	–	–	–	–
Diabetes	–	–	–	–	–	–	–	–	–	–	–	–	–
Stone	–	–	–	–	–	–	–	–	–	–	–	–	–
Cystitis	1	–	–	–	–	–	–	–	–	–	–	–	–
Stricture of Urethra	–	–	–	–	–	–	–	–	–	–	–	–	–
Kidney Disease	3	–	–	–	–	–	–	–	–	–	–	–	–
IX. Paramenia	–	–	–	–	–	–	–	–	–	–	–	–	–
Ovarian Dropsy	–	–	–	–	–	–	–	–	–	–	–	–	–
Childbirth	6	–	–	–	–	–	–	–	–	–	–	1	2
Organs of Generation	–	–	–	–	–	–	–	–	–	–	–	–	–
X. Arthritis	–	–	–	–	–	–	–	–	–	–	–	–	–
Rheumatism	2	–	–	–	–	–	–	–	–	–	–	–	–
Joint and Bone Disease	1	–	–	–	–	–	–	–	–	–	1	–	–
XI. Carbuncle	–	–	–	–	–	–	–	–	–	–	–	–	–
Phlegmon	1	–	–	–	–	–	–	–	–	–	–	–	–
Skin Disease	–	–	–	–	–	–	–	–	–	–	–	–	–
XII. Cyanosis	1	–	1	–	–	–	–	–	–	–	–	–	–
Spina Bifida	1	1	–	–	–	–	–	–	–	–	–	–	–
Other Malformations	–	–	–	–	–	–	–	–	–	–	–	–	–
XVII. Intemperance	–	–	–	–	–	–	–	–	–	–	–	–	–
Privation	–	–	–	–	–	–	–	–	–	–	–	–	–
Want of Breast Milk	–	–	–	–	–	–	–	–	–	–	–	–	–
Neglect	–	–	–	–	–	–	–	–	–	–	–	–	–
Cold	–	–	–	–	–	–	–	–	–	–	–	–	–
Poison	–	–	–	–	–	–	–	–	–	–	–	–	–
Burns and Scalds	2	–	–	–	–	–	–	–	–	–	–	–	–
Hanging, etc.	1	–	–	–	–	–	–	–	–	–	–	–	–
Suffocation	–	–	–	–	–	–	–	–	–	–	–	–	–
Drowning	3	–	–	–	–	–	–	–	–	–	1	–	–
Fracture and Contusion	8	–	–	–	–	–	–	–	–	1	1	–	–
Wounds	–	–	–	–	–	–	–	–	–	–	–	–	–
Other Violent Causes	1	–	–	–	–	–	–	–	–	–	–	1	–
Not Specified	15	6	–	–	–	3	–	–	–	–	–	–	–

CAUSES of DEATH in PERTH, at different Periods of Life, in 1862.—Both Sexes. (*Continued.*)

DISEASES.	BOTH SEXES. AGE UNDER															
	35	40	45	50	55	60	65	70	75	80	85	90	95	100	105	?
Cephalitis	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–
Apoplexy	–	2	1	1	1	1	4	2	3	1	2	–	–	–	–	–
Paralysis	–	1	1	–	1	1	4	5	–	2	2	–	–	–	–	–
Delirium Tremens	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Chorea	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Epilepsy	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Tetanus	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Insanity	–	–	–	1	–	–	1	1	–	–	–	–	–	–	–	–
Convulsions	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Brain Disease	–	–	–	–	–	–	1	1	1	–	1	–	–	–	–	–
Pericarditis	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Aneurism	–	1	–	1	–	1	–	–	–	–	–	–	–	–	–	–
Heart Disease	2	1	1	–	2	2	6	6	9	2	1	–	–	–	–	–
Laryngitis	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Bronchitis	2	1	3	1	–	1	4	3	6	4	–	2	1	–	–	–
Pleurisy	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–
Pneumonia	1	–	1	–	1	2	–	2	1	–	–	–	–	–	–	–
Asthma	–	–	–	–	–	–	2	1	1	–	–	–	–	–	–	–
Lung Disease	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Teething	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Quinsey	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Gastritis	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–
Enteritis	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Peritonitis	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–
Ascites	–	1	–	–	–	–	–	–	–	1	–	–	–	–	–	–
Ulceration of Intestines	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–
Hernia	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–
Ileus	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–
Intussusception	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Stricture of Intestines	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Stomach Disease	–	–	–	–	–	–	2	1	–	–	–	–	–	–	–	–
Pancreas Disease	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Hepatitis	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Jaundice	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–
Liver Disease	1	–	1	–	1	1	1	–	–	–	–	–	–	–	–	–
Spleen Disease	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Nephritis	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Nephria	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Ischuria	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Diabetes	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Stone	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Cystitis	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–
Stricture of Urethra	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Kidney Disease	1	–	–	1	–	–	–	–	–	–	1	–	–	–	–	–
Paramenia	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Ovarian Dropsy	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Childbirth	1	2	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Organs of Generation	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Arthritis	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Rheumatism	–	–	–	–	1	–	1	–	–	–	–	–	–	–	–	–
Joint Disease	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Carbuncle	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Phlegmon	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–
Skin Disease	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Cyanosis	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Spina Bifida	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Other Malformations	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Intemperance	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Privation	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Want of Breast Milk	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Neglect	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Cold	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Poison	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Burns and Scalds	–	–	–	–	–	–	–	1	–	–	1	–	–	–	–	–
Hanging, etc.	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–
Suffocation	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Drowning	–	–	–	–	–	2	–	–	–	–	–	–	–	–	–	–
Fracture and Contusion	–	–	1	–	2	–	–	1	2	–	–	–	–	–	–	–
Wounds	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Other Violent Causes	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Not Specified	1	–	2	–	–	–	1	–	–	–	–	–	–	–	–	2

CAUSES of DEATH in PERTH, at different Periods of Life, in 1862.—MALES.

DISEASES.	ALL AGES.	MALES. AGE UNDER MONTHS. 3	6	12	2	3	4	5	10	15	20	25	30
ALL CAUSES	295	23	8	25	29	16	17	8	15	6	7	12	8
SPECIFIED CAUSES	289	21	8	25	29	13	17	8	15	6	7	12	8
I. Zymotic Class	71	2	2	10	10	7	10	2	8	2	2	3	4
II. Diseases of Uncertain Seat	7	–	–	–	–	–	–	–	–	1	–	–	–
III. Tubercular Class	46	–	–	4	6	5	2	1	3	2	2	6	2
IV. Brain and Nervous System	37	2	2	1	1	1	3	3	1	–	–	–	–
V. Organs of Circulation	22	–	–	–	–	–	–	–	3	–	–	–	–
VI. Respiratory Organs	35	2	1	5	4	–	1	2	–	–	–	1	1
VII. Organs of Digestion	21	2	2	3	8	–	1	–	–	–	–	1	1
VIII. Urinary Organs	3	–	–	–	–	–	–	–	–	–	–	–	–
IX. Organs of Generation	–	–	–	–	–	–	–	–	–	–	–	–	–
X. Organs of Locomotion	1	–	–	–	–	–	–	–	–	–	1	–	–
XI. Skin, etc.	1	–	–	–	–	–	–	–	–	–	–	–	–
XII. Malformation	1	–	1	–	–	–	–	–	–	–	–	–	–
XIII. Premature Debility	15	13	–	2	–	–	–	–	–	–	–	–	–
XIV. Atrophy	1	–	–	–	–	–	–	–	–	–	–	–	–
XV. Age	17	–	–	–	–	–	–	–	–	–	–	–	–
XVI. Sudden Deaths	2	–	–	–	–	–	–	–	–	–	–	–	–
XVII. Violent Deaths	9	–	–	–	–	–	–	–	–	1	2	1	–
I. Small Pox	–	–	–	–	–	–	–	–	–	–	–	–	–
Measles	1	–	–	–	–	–	–	–	1	–	–	–	–
Scarlatina	6	–	–	–	–	1	2	–	3	–	–	–	–
Diphtheria	4	–	–	1	1	1	–	–	1	–	–	–	–
Hooping Cough	24	1	2	8	5	2	4	2	–	–	–	–	–
Croup	10	1	–	1	2	3	3	–	–	–	–	–	–
Thrush	–	–	–	–	–	–	–	–	–	–	–	–	–
Diarrhœa	3	–	–	–	1	–	–	–	–	–	–	–	–
Dysentery	1	–	–	–	–	–	–	–	–	1	–	–	–
Cholera	–	–	–	–	–	–	–	–	–	–	–	–	–
Influenza	–	–	–	–	–	–	–	–	–	–	–	–	–
Purpura	1	–	–	–	–	–	–	–	–	1	–	–	–
Ague	–	–	–	–	–	–	–	–	–	–	–	–	–
Worms	–	–	–	–	–	–	–	–	–	–	–	–	–
Infantile Fever	–	–	–	–	–	–	–	–	–	–	–	–	–
Typhus	20	–	–	–	1	–	1	–	3	–	2	3	2
Metria	–	–	–	–	–	–	–	–	–	–	–	–	–
Rheumatic Fever	1	–	–	–	–	–	–	–	–	–	–	–	1
Erysipelas	–	–	–	–	–	–	–	–	–	–	–	–	–
Syphilis	–	–	–	–	–	–	–	–	–	–	–	–	–
Noma	–	–	–	–	–	–	–	–	–	–	–	–	–
Hydrophobia	–	–	–	–	–	–	–	–	–	–	–	–	–
II. Hæmorrhage	–	–	–	–	–	–	–	–	–	–	–	–	–
Dropsy	4	–	–	–	–	–	–	–	–	1	–	–	–
Abscess	–	–	–	–	–	–	–	–	–	–	–	–	–
Ulcer	1	–	–	–	–	–	–	–	–	–	–	–	–
Fistula	–	–	–	–	–	–	–	–	–	–	–	–	–
Mortification	–	–	–	–	–	–	–	–	–	–	–	–	–
Cancer	2	–	–	–	–	–	–	–	–	–	–	–	–
Gout	–	–	–	–	–	–	–	–	–	–	–	–	–
III. Scrofula	8	–	–	–	2	1	–	1	1	–	–	2	–
Tabes Mesenterica	2	–	–	1	–	–	–	–	–	–	–	–	–
Phthisis	26	–	–	–	5	1	1	–	–	2	2	4	2
Hydrocephalus	10	–	–	3	1	3	1	–	2	–	–	–	–

CAUSES of DEATH in PERTH, at different Periods of Life, in 1862.—MALES.

DISEASES.	MALES. AGE UNDER															
	35	40	45	50	55	60	65	70	75	80	85	90	95	100	105	?
ALL CAUSES	7	4	10	6	9	12	22	13	8	11	14	4	–	–	–	1
SPECIFIED CAUSES	7	4	10	6	9	12	22	13	8	11	14	4	–	–	–	–
Zymotic Class	–	–	1	1	–	3	1	2	–	1	–	–	–	–	–	–
Uncertain Seat	–	–	–	1	–	–	1	1	1	2	–	–	–	–	–	–
Tubercular Class	2	–	4	1	3	2	1	–	–	–	–	–	–	–	–	–
Brain, etc.	–	2	2	1	1	–	7	4	1	1	4	–	–	–	–	–
Heart, etc.	1	2	1	–	1	3	4	2	3	2	–	–	–	–	–	–
Respiratory Organs	3	–	1	1	1	1	5	2	1	1	–	2	–	–	–	–
Digestive Organs	–	–	–	–	–	–	2	–	–	1	–	–	–	–	–	–
Urinary Organs	1	–	–	–	–	–	1	–	–	–	1	–	–	–	–	–
Generative Organs	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Locomotive Organs	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Skin	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–
Malformation	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Premature Debility	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Atrophy	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–
Age	–	–	–	–	–	–	–	1	2	3	9	2	–	–	–	–
Sudden Deaths	–	–	–	1	1	–	–	–	–	–	–	–	–	–	–	–
Violent Deaths	–	–	1	–	1	2	–	1	–	–	–	–	–	–	–	–
Small Pox	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Measles	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Scarlatina	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Diphtheria	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Hooping Cough	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Croup	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Thrush	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Diarrhœa	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–
Dysentery	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Cholera	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Influenza	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Purpura	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Ague	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Worms	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Infantile Fever	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Typhus	–	–	1	1	–	2	1	2	–	1	–	–	–	–	–	–
Metria	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Rheumatic Fever	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Erysipelas	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Syphilis	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Noma	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Hydrophobia	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Hæmorrhage	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Dropsy	–	–	–	–	–	–	–	1	1	1	–	–	–	–	–	–
Abscess	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Ulcer	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–
Fistula	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Mortification	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Cancer	–	–	–	1	–	–	–	–	–	1	–	–	–	–	–	–
Gout	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Scrofula	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–
Tabes Mesenterica	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–
Phthisis	2	–	3	1	3	1	1	–	–	–	–	–	–	–	–	–
Hydrocephalus	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–

CAUSES of DEATH in PERTH, at different Periods of Life, in 1862.—MALES. (*Continued.*)

DISEASES.	MALES.													
	ALL AGES.	AGE UNDER												
		MONTHS.			2	3	4	5	10	15	20	25	30	
		3	6	12										
IV. Cephalitis	3	–	–	1	–	–	1	–	1	–	–	–	–	
Apoplexy	10	–	1	–	–	–	–	1	–	–	–	–	–	
Paralysis	12	–	–	–	–	–	–	–	–	–	–	–	–	
Delirium Tremens	–	–	–	–	–	–	–	–	–	–	–	–	–	
Chorea	–	–	–	–	–	–	–	–	–	–	–	–	–	
Epilepsy	–	–	–	–	–	–	–	–	–	–	–	–	–	
Tetanus	1	1	–	–	–	–	–	–	–	–	–	–	–	
Insanity	1	–	–	–	–	–	–	–	–	–	–	–	–	
Convulsions	5	1	1	–	1	1	1	–	–	–	–	–	–	
Brain Disease	5	–	–	–	–	–	1	2	–	–	–	–	–	
V. Pericarditis	–	–	–	–	–	–	–	–	–	–	–	–	–	
Aneurism	2	–	–	–	–	–	–	–	–	–	–	–	–	
Heart Disease	20	–	–	–	–	–	–	–	3	–	–	–	–	
VI. Laryngitis	2	–	–	–	1	–	–	–	–	–	–	–	–	
Bronchitis	23	2	1	4	3	–	1	2	–	–	–	–	–	
Pleurisy	1	–	–	–	–	–	–	–	–	–	–	–	–	
Pneumonia	7	–	–	1	–	–	–	–	–	–	–	1	1	
Asthma	2	–	–	–	–	–	–	–	–	–	–	–	–	
Lung Disease	–	–	–	–	–	–	–	–	–	–	–	–	–	
VII. Teething	12	–	2	3	7	–	–	–	–	–	–	–	–	
Quinsey	1	–	–	–	1	–	–	–	–	–	–	–	–	
Gastritis	–	–	–	–	–	–	–	–	–	–	–	–	–	
Enteritis	–	–	–	–	–	–	–	–	–	–	–	–	–	
Peritonitis	1	1	–	–	–	–	–	–	–	–	–	–	–	
Ascites	1	–	–	–	–	–	–	–	–	–	–	–	1	
Ulceration of Intestines	1	–	–	–	–	–	–	–	–	–	–	–	–	
Hernia	–	–	–	–	–	–	–	–	–	–	–	–	–	
Ileus	–	–	–	–	–	–	–	–	–	–	–	–	–	
Intussusception	1	–	–	–	–	–	–	–	–	–	–	1	–	
Stricture of Intestines	–	–	–	–	–	–	–	–	–	–	–	–	–	
Stomach Disease	2	1	–	–	–	–	–	–	–	–	–	–	–	
Pancreas Disease	–	–	–	–	–	–	–	–	–	–	–	–	–	
Hepatitis	1	–	–	–	–	–	1	–	–	–	–	–	–	
Jaundice	1	–	–	–	–	–	–	–	–	–	–	–	–	
Liver Disease	–	–	–	–	–	–	–	–	–	–	–	–	–	
Spleen Disease	–	–	–	–	–	–	–	–	–	–	–	–	–	
VIII. Nephritis	–	–	–	–	–	–	–	–	–	–	–	–	–	
Nephria	–	–	–	–	–	–	–	–	–	–	–	–	–	
Ischuria	–	–	–	–	–	–	–	–	–	–	–	–	–	
Diabetes	–	–	–	–	–	–	–	–	–	–	–	–	–	
Stone	–	–	–	–	–	–	–	–	–	–	–	–	–	
Cystitis	1	–	–	–	–	–	–	–	–	–	–	–	–	
Stricture of Urethra	–	–	–	–	–	–	–	–	–	–	–	–	–	
Kidney Disease	2	–	–	–	–	–	–	–	–	–	–	–	–	
IX. Paramenia	–	–	–	–	–	–	–	–	–	–	–	–	–	
Ovarian Dropsy	–	–	–	–	–	–	–	–	–	–	–	–	–	
Childbirth	–	–	–	–	–	–	–	–	–	–	–	–	–	
Organs of Generation	–	–	–	–	–	–	–	–	–	–	–	–	–	
X. Arthritis	–	–	–	–	–	–	–	–	–	–	–	–	–	
Rheumatism	–	–	–	–	–	–	–	–	–	–	–	–	–	
Joint and Bone Disease	1	–	–	–	–	–	–	–	–	–	1	–	–	
XI. Carbuncle	–	–	–	–	–	–	–	–	–	–	–	–	–	
Phlegmon	1	–	–	–	–	–	–	–	–	–	–	–	–	
Skin Disease	–	–	–	–	–	–	–	–	–	–	–	–	–	
XII. Cyanosis	1	–	1	–	–	–	–	–	–	–	–	–	–	
Spina Bifida	–	–	–	–	–	–	–	–	–	–	–	–	–	
Other Malformations	–	–	–	–	–	–	–	–	–	–	–	–	–	
XVII. Intemperance	–	–	–	–	–	–	–	–	–	–	–	–	–	
Privation	–	–	–	–	–	–	–	–	–	–	–	–	–	
Want of Breast Milk	–	–	–	–	–	–	–	–	–	–	–	–	–	
Neglect	–	–	–	–	–	–	–	–	–	–	–	–	–	
Cold	–	–	–	–	–	–	–	–	–	–	–	–	–	
Poison	–	–	–	–	–	–	–	–	–	–	–	–	–	
Burns and Scalds	–	–	–	–	–	–	–	–	–	–	–	–	–	
Hanging, etc.	–	–	–	–	–	–	–	–	–	–	–	–	–	
Suffocation	–	–	–	–	–	–	–	–	–	–	–	–	–	
Drowning	3	–	–	–	–	–	–	–	–	–	1	–	–	
Fracture and Contusion	5	–	–	–	–	–	–	–	–	1	1	–	–	
Wounds	–	–	–	–	–	–	–	–	–	–	–	–	–	
Other Violent Causes	1	–	–	–	–	–	–	–	–	–	–	1	–	
Not Specified	6	2	–	–	–	3	–	–	–	–	–	–	–	

CAUSES of DEATH in PERTH, at different Periods of Life, in 1862.—MALES. (*Continued.*)

DISEASES.	MALES. AGE UNDER															
	35	40	45	50	55	60	65	70	75	80	85	90	95	100	105	?
Cephalitis	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Apoplexy	–	1	1	–	–	–	3	1	1	–	1	–	–	–	–	–
Paralysis	–	1	1	–	1	–	3	3	–	1	2	–	–	–	–	–
Delirium Tremens	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Chorea	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Epilepsy	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Tetanus	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Insanity	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–
Convulsions	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Brain Disease	–	–	–	–	–	–	1	–	–	–	1	–	–	–	–	–
Pericarditis	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Aneurism	–	1	–	–	–	1	–	–	–	–	–	–	–	–	–	–
Heart Disease	1	1	1	–	1	2	4	2	3	2	–	–	–	–	–	–
Laryngitis	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Bronchitis	1	–	–	1	–	–	4	–	1	1	–	2	–	–	–	–
Pleurisy	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–
Pneumonia	1	–	1	–	1	1	–	–	–	–	–	–	–	–	–	–
Asthma	–	–	–	–	–	–	1	1	–	–	–	–	–	–	–	–
Lung Disease	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Teething	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Quinsey	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Gastritis	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Enteritis	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Peritonitis	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Ascites	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Ulceration of Intestines	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–
Hernia	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Ileus	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Intussusception	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Stricture of Intestines	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Stomach Disease	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–
Pancreas Disease	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Hepatitis	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Jaundice	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–
Liver Disease	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Spleen Disease	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Nephritis	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Nephria	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Ischuria	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Diabetes	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Stone	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Cystitis	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–
Stricture of Urethra	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Kidney Disease	1	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–
Paramenia	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Ovarian Dropsy	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Childbirth	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Organs of Generation	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Arthritis	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Rheumatism	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Joint Disease	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Carbuncle	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Phlegmon	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–
Skin Disease	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Cyanosis	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Spina Bifida	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Other Malformations	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Intemperance	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Privation	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Want of Breast Milk	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Neglect	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Cold	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Poison	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Burns and Scalds	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Hanging, etc.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Suffocation	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Drowning	–	–	–	–	–	2	–	–	–	–	–	–	–	–	–	–
Fracture and Contusion	–	–	1	–	1	–	–	1	–	–	–	–	–	–	–	–
Wounds	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Other Violent Causes	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Not Specified	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1

CAUSES of DEATH in PERTH, at different Periods of Life, in 1862.—FEMALES.

DISEASES.	FEMALES.												
	ALL AGES.	AGE UNDER											
		MONTHS.			2	3	4	5	10	15	20	25	30
		3	6	12									
ALL CAUSES	323	24	3	18	37	10	11	7	7	6	8	11	14
SPECIFIED CAUSES	314	20	3	18	37	10	11	7	7	6	8	11	14
I. Zymotic Class	78	3	2	13	17	8	9	5	5	3	3	1	–
II. Diseases of Uncertain Seat	15	–	–	–	–	–	–	–	–	–	–	–	–
III. Tubercular Class	43	–	–	–	3	1	–	1	2	3	5	6	9
IV. Brain and Nervous System	21	–	–	–	–	–	–	–	–	–	–	–	1
V. Organs of Circulation	16	–	–	–	–	–	–	–	–	–	–	–	–
VI. Respiratory Organs	46	4	–	4	7	1	2	1	–	–	–	1	2
VII. Organs of Digestion	23	–	–	1	9	–	–	–	–	–	–	1	–
VIII. Urinary Organs	1	–	–	–	–	–	–	–	–	–	–	–	–
IX. Organs of Generation	6	–	–	–	–	–	–	–	–	–	–	1	2
X. Organs of Locomotion	2	–	–	–	–	–	–	–	–	–	–	–	–
XI. Skin, etc.	–	–	–	–	–	–	–	–	–	–	–	–	–
XII. Malformation	1	1	–	–	–	–	–	–	–	–	–	–	–
XIII. Premature Debility	13	12	1	–	–	–	–	–	–	–	–	–	–
XIV. Atrophy	5	–	–	–	1	–	–	–	–	–	–	1	–
XV. Age	37	–	–	–	–	–	–	–	–	–	–	–	–
XVI. Sudden Deaths	1	–	–	–	–	–	–	–	–	–	–	–	–
XVII. Violent Deaths	6	–	–	–	–	–	–	–	–	–	–	–	–
I. Small Pox	1	–	–	1	–	–	–	–	–	–	–	–	–
Measles	4	–	–	1	–	2	1	–	–	–	–	–	–
Scarlatina	10	–	–	1	3	1	2	1	1	–	1	–	–
Diphtheria	3	–	–	–	–	–	1	–	2	–	–	–	–
Hooping Cough	36	3	2	10	12	3	2	3	1	–	–	–	–
Croup	6	–	–	–	2	1	2	1	–	–	–	–	–
Thrush	–	–	–	–	–	–	–	–	–	–	–	–	–
Diarrhœa	2	–	–	–	–	–	–	–	–	–	–	–	–
Dysentery	–	–	–	–	–	–	–	–	–	–	–	–	–
Cholera	–	–	–	–	–	–	–	–	–	–	–	–	–
Influenza	2	–	–	–	–	–	–	–	–	–	–	–	–
Purpura	1	–	–	–	–	–	–	–	–	–	–	–	–
Ague	–	–	–	–	–	–	–	–	–	–	–	–	–
Worms	–	–	–	–	–	–	–	–	–	–	–	–	–
Infantile Fever	–	–	–	–	–	–	–	–	–	–	–	–	–
Typhus	13	–	–	–	–	1	1	–	1	3	2	1	–
Metria	–	–	–	–	–	–	–	–	–	–	–	–	–
Rheumatic Fever	–	–	–	–	–	–	–	–	–	–	–	–	–
Erysipelas	–	–	–	–	–	–	–	–	–	–	–	–	–
Syphilis	–	–	–	–	–	–	–	–	–	–	–	–	–
Noma	–	–	–	–	–	–	–	–	–	–	–	–	–
Hydrophobia	–	–	–	–	–	–	–	–	–	–	–	–	–
II. Hæmorrhage	–	–	–	–	–	–	–	–	–	–	–	–	–
Dropsy	3	–	–	–	–	–	–	–	–	–	–	–	–
Abscess	–	–	–	–	–	–	–	–	–	–	–	–	–
Ulcer	–	–	–	–	–	–	–	–	–	–	–	–	–
Fistula	–	–	–	–	–	–	–	–	–	–	–	–	–
Mortification	1	–	–	–	–	–	–	–	–	–	–	–	–
Cancer	11	–	–	–	–	–	–	–	–	–	–	–	–
Gout	–	–	–	–	–	–	–	–	–	–	–	–	–
III. Scrofula	1	–	–	–	–	–	–	–	–	–	–	–	–
Tabes Mesenterica	2	–	–	–	1	1	–	–	–	–	–	–	–
Phthisis	39	–	–	–	1	–	–	1	2	3	5	6	9
Hydrocephalus	1	–	–	–	1	–	–	–	–	–	–	–	–

CAUSES of DEATH in PERTH, at different Periods of Life, in 1862.—FEMALES.

DISEASES.	FEMALES. AGE UNDER															
	35	40	45	50	55	60	65	70	75	80	85	90	95	100	105	?
ALL CAUSES	9	8	11	7	8	15	20	23	27	18	12	5	3	–	–	1
SPECIFIED CAUSES	8	8	9	7	8	15	19	23	27	18	12	5	3	–	–	–
Zymotic Class	–	1	2	–	–	–	2	–	2	2	–	–	–	–	–	–
Uncertain Seat	–	–	–	1	3	5	3	2	–	1	–	–	–	–	–	–
Tubercular Class	4	1	2	1	–	2	1	–	1	1	–	–	–	–	–	–
Brain, etc.	–	1	–	2	1	2	3	5	3	2	1	–	–	–	–	–
Heart, etc.	1	–	–	1	1	–	2	4	6	–	1	–	–	–	–	–
Respiratory Organs	1	1	3	–	–	2	1	5	7	3	–	–	1	–	–	–
Digestive Organs	1	1	1	–	1	3	2	2	1	–	–	–	–	–	–	–
Urinary Organs	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–
Generative Organs	1	2	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Locomotive Organs	–	–	–	–	1	–	1	–	–	–	–	–	–	–	–	–
Skin	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Malformation	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Premature Debility	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Atrophy	–	1	–	1	–	1	–	–	–	–	–	–	–	–	–	–
Age	–	–	–	–	–	–	4	3	5	9	9	5	2	–	–	–
Sudden Deaths	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–
Violent Deaths	–	–	–	–	1	–	–	2	2	–	1	–	–	–	–	–
Small Pox	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Measles	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Scarlatina	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Diphtheria	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Hooping Cough	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Croup	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Thrush	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Diarrhœa	–	–	2	–	–	–	–	–	–	–	–	–	–	–	–	–
Dysentery	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Cholera	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Influenza	–	–	–	–	–	–	–	–	2	–	–	–	–	–	–	–
Purpura	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–
Ague	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Worms	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Infantile Fever	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Typhus	–	1	–	–	–	–	2	–	–	1	–	–	–	–	–	–
Metria	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Rheumatic Fever	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Erysipelas	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Syphilis	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Noma	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Hydrophobia	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Hæmorrhage	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Dropsy	–	–	–	–	–	–	1	1	–	1	–	–	–	–	–	–
Abscess	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Ulcer	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Fistula	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Mortification	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–
Cancer	–	–	–	1	2	5	2	1	–	–	–	–	–	–	–	–
Gout	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Scrofula	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–
Tabes Mesenterica	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Phthisis	4	1	2	1	–	2	1	–	–	1	–	–	–	–	–	–
Hydrocephalus	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–

CAUSES of DEATH in PERTH, at different Periods of Life, in 1862.—FEMALES. (*Continued.*)

DISEASES.	FEMALES.													
	ALL AGES.	AGE UNDER												
		MONTHS.			2	3	4	5	10	15	20	25	30	
		3	6	12										
IV. Cephalitis	1	–	–	–	–	–	–	–	–	–	–	–	–	
Apoplexy	10	–	–	–	–	–	–	–	–	–	–	–	–	
Paralysis	5	–	–	–	–	–	–	–	–	–	–	–	–	
Delirium Tremens	–	–	–	–	–	–	–	–	–	–	–	–	–	
Chorea	–	–	–	–	–	–	–	–	–	–	–	–	–	
Epilepsy	–	–	–	–	–	–	–	–	–	–	–	–	–	
Tetanus	–	–	–	–	–	–	–	–	–	–	–	–	–	
Insanity	3	–	–	–	–	–	–	–	–	–	–	–	1	
Convulsions	–	–	–	–	–	–	–	–	–	–	–	–	–	
Brain Disease	2	–	–	–	–	–	–	–	–	–	–	–	–	
V. Pericarditis	–	–	–	–	–	–	–	–	–	–	–	–	–	
Aneurism	1	–	–	–	–	–	–	–	–	–	–	–	–	
Heart Disease	15	–	–	–	–	–	–	–	–	–	–	–	–	
VI. Laryngitis	–	–	–	–	–	–	–	–	–	–	–	–	–	
Bronchitis	40	4	–	4	7	1	2	1	–	–	–	1	2	
Pleurisy	–	–	–	–	–	–	–	–	–	–	–	–	–	
Pneumonia	4	–	–	–	–	–	–	–	–	–	–	–	–	
Asthma	2	–	–	–	–	–	–	–	–	–	–	–	–	
Lung Disease	–	–	–	–	–	–	–	–	–	–	–	–	–	
VII. Teething	9	–	–	1	8	–	–	–	–	–	–	–	–	
Quinsey	–	–	–	–	–	–	–	–	–	–	–	–	–	
Gastritis	2	–	–	–	–	–	–	–	–	–	–	1	–	
Enteritis	–	–	–	–	–	–	–	–	–	–	–	–	–	
Peritonitis	1	–	–	–	–	–	–	–	–	–	–	–	–	
Ascites	2	–	–	–	1	–	–	–	–	–	–	–	–	
Ulceration of Intestines	–	–	–	–	–	–	–	–	–	–	–	–	–	
Hernia	1	–	–	–	–	–	–	–	–	–	–	–	–	
Ileus	1	–	–	–	–	–	–	–	–	–	–	–	–	
Intussusception	–	–	–	–	–	–	–	–	–	–	–	–	–	
Stricture of Intestines	–	–	–	–	–	–	–	–	–	–	–	–	–	
Stomach Disease	2	–	–	–	–	–	–	–	–	–	–	–	–	
Pancreas Disease	–	–	–	–	–	–	–	–	–	–	–	–	–	
Hepatitis	–	–	–	–	–	–	–	–	–	–	–	–	–	
Jaundice	–	–	–	–	–	–	–	–	–	–	–	–	–	
Liver Disease	5	–	–	–	–	–	–	–	–	–	–	–	–	
Spleen Disease	–	–	–	–	–	–	–	–	–	–	–	–	–	
VIII. Nephritis	–	–	–	–	–	–	–	–	–	–	–	–	–	
Nephria	–	–	–	–	–	–	–	–	–	–	–	–	–	
Ischuria	–	–	–	–	–	–	–	–	–	–	–	–	–	
Diabetes	–	–	–	–	–	–	–	–	–	–	–	–	–	
Stone	–	–	–	–	–	–	–	–	–	–	–	–	–	
Cystitis	–	–	–	–	–	–	–	–	–	–	–	–	–	
Stricture of Urethra	–	–	–	–	–	–	–	–	–	–	–	–	–	
Kidney Disease	1	–	–	–	–	–	–	–	–	–	–	–	–	
IX. Paramenia	–	–	–	–	–	–	–	–	–	–	–	–	–	
Ovarian Dropsy	–	–	–	–	–	–	–	–	–	–	–	–	–	
Childbirth	6	–	–	–	–	–	–	–	–	–	–	1	2	
Organs of Generation	–	–	–	–	–	–	–	–	–	–	–	–	–	
X. Arthritis	–	–	–	–	–	–	–	–	–	–	–	–	–	
Rheumatism	2	–	–	–	–	–	–	–	–	–	–	–	–	
Joint and Bone Disease	–	–	–	–	–	–	–	–	–	–	–	–	–	
XI. Carbuncle	–	–	–	–	–	–	–	–	–	–	–	–	–	
Phlegmon	–	–	–	–	–	–	–	–	–	–	–	–	–	
Skin Disease	–	–	–	–	–	–	–	–	–	–	–	–	–	
XII. Cyanosis	–	–	–	–	–	–	–	–	–	–	–	–	–	
Spina Bifida	1	1	–	–	–	–	–	–	–	–	–	–	–	
Other Malformations	–	–	–	–	–	–	–	–	–	–	–	–	–	
XVII. Intemperance	–	–	–	–	–	–	–	–	–	–	–	–	–	
Privation	–	–	–	–	–	–	–	–	–	–	–	–	–	
Want of Breast Milk	–	–	–	–	–	–	–	–	–	–	–	–	–	
Neglect	–	–	–	–	–	–	–	–	–	–	–	–	–	
Cold	–	–	–	–	–	–	–	–	–	–	–	–	–	
Poison	–	–	–	–	–	–	–	–	–	–	–	–	–	
Burns and Scalds	2	–	–	–	–	–	–	–	–	–	–	–	–	
Hanging, etc.	1	–	–	–	–	–	–	–	–	–	–	–	–	
Suffocation	–	–	–	–	–	–	–	–	–	–	–	–	–	
Drowning	–	–	–	–	–	–	–	–	–	–	–	–	–	
Fracture and Contusion	3	–	–	–	–	–	–	–	–	–	–	–	–	
Wounds	–	–	–	–	–	–	–	–	–	–	–	–	–	
Other Violent Causes	–	–	–	–	–	–	–	–	–	–	–	–	–	
Not Specified	9	4	–	–	–	–	–	–	–	–	–	–	–	

CAUSES of DEATH in PERTH, at different Periods of Life, in 1862.—Females. (*Continued.*)

DISEASES.	FEMALES. AGE UNDER															
	35	40	45	50	55	60	65	70	75	80	85	90	95	100	105	?
Cephalitis	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–
Apoplexy	–	1	–	1	1	1	1	1	2	1	1	–	–	–	–	–
Paralysis	–	–	–	–	–	1	1	2	–	1	–	–	–	–	–	–
Delirium Tremens	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Chorea	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Epilepsy	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Tetanus	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Insanity	–	–	–	–	–	–	1	1	–	–	–	–	–	–	–	–
Convulsions	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Brain Disease	–	–	–	–	–	–	–	1	1	–	–	–	–	–	–	–
Pericarditis	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Aneurism	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–
Heart Disease	1	–	–	–	1	–	2	4	6	–	1	–	–	–	–	–
Laryngitis	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Bronchitis	1	1	3	–	–	1	–	3	5	3	–	–	1	–	–	–
Pleurisy	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Pneumonia	–	–	–	–	–	1	–	2	1	–	–	–	–	–	–	–
Asthma	–	–	–	–	–	–	1	–	1	–	–	–	–	–	–	–
Lung Disease	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Teething	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Quinsey	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Gastritis	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–
Enteritis	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Peritonitis	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–
Ascites	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Ulceration of Intestines	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Hernia	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–
Ileus	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–
Intussusception	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Stricture of Intestines	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Stomach Disease	–	–	–	–	–	–	1	1	–	–	–	–	–	–	–	–
Pancreas Disease	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Hepatitis	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Jaundice	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Liver Disease	1	–	1	–	1	1	1	–	–	–	–	–	–	–	–	–
Spleen Disease	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Nephritis	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Nephria	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Ischuria	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Diabetes	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Stone	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Cystitis	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Stricture of Urethra	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Kidney Disease	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–
Paramenia	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Ovarian Dropsy	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Childbirth	1	2	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Organs of Generation	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Arthritis	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Rheumatism	–	–	–	–	1	–	1	–	–	–	–	–	–	–	–	–
Joint Disease	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Carbuncle	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Phlegmon	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Skin Disease	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Cyanosis	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Spina Bifida	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Other Malformations	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Intemperance	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Privation	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Want of Breast Milk	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Neglect	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Cold	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Poison	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Burns and Scalds	–	–	–	–	–	–	–	1	–	–	1	–	–	–	–	–
Hanging, etc.	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–
Suffocation	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Drowning	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Fracture and Contusion	–	–	–	–	1	–	–	–	2	–	–	–	–	–	–	–
Wounds	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Other Violent Causes	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Not Specified	1	–	2	–	–	–	1	–	–	–	–	–	–	–	–	1

TABLE showing the Distribution of DEATHS according to MONTHS, or the Influence of SEASON on the MORTALITY.
The Population is estimated to the middle of the year 1862.

			DEATHS in 1862.												
			Jan	Feb	Mar	Apr	May	Jun	July	Aug	Sep	Oct	Nov	Dec	YEAR.
	MEAN TEMPERATURE in 1862		38°·4	40°·1	37°·8	44°·6	51°·1	52°·4	53°·8	56°·0	53°·4	47°·1	37°·1	41°·8	46°·1
		Population 1862.													
	SCOTLAND . .	3,083,989	6895	5825	6693	6229	5844	5309	5177	4455	4598	4782	5209	6179	67,195
	INSULAR DISTRICTS .	160,014	247	260	398	345	264	211	238	213	188	176	188	247	2,975
	MAINLAND DISTRICTS	1,769,198	3213	2911	3312	3029	2871	2656	2647	2290	2195	2248	2406	2916	32,694
	TOWN DISTRICTS .	1,154,777	3435	2654	2983	2855	2709	2442	2292	1952	2215	2358	2615	3016	31,526
	DIVISIONS.														
1	Northern . .	130,845	165	192	229	243	167	143	179	153	132	138	127	149	2,017
2	North-Western .	166,279	266	289	380	322	270	230	237	220	230	197	191	274	3,106
3	North-Eastern .	369,084	656	623	724	630	600	554	508	447	448	399	556	643	6,788
4	East-Midland .	524,803	1074	938	1173	1083	957	835	867	771	735	734	796	946	10,909
5	West-Midland .	242,639	523	453	505	441	447	366	419	344	338	315	382	434	4,967
6	South-Western .	1,024,151	2772	2142	2368	2292	2265	2082	1906	1622	1834	1954	2031	2299	25,567
7	South-Eastern .	412,179	980	823	875	813	767	732	714	598	629	798	792	1031	9,552
8	Southern . .	214,009	459	365	439	405	371	367	347	300	252	247	334	403	4,289
	COUNTIES.														
	I. NORTHERN.														
1	Shetland . .	31,744	41	50	69	58	40	24	38	33	30	29	32	40	484
2	Orkney . .	32,512	34	38	64	62	38	41	39	40	30	34	28	39	487
3	Caithness . .	42,500	71	76	64	84	56	59	64	51	49	53	37	38	702
4	Sutherland . .	24,089	19	28	32	39	33	19	38	29	23	22	30	32	344
	II. NORTH-WESTERN.														
5	Ross and Cromarty .	82,258	122	133	168	142	128	116	131	121	105	90	104	147	1,507
6	Inverness . .	84,021	144	156	212	180	142	114	106	99	125	107	87	127	1,599
	III. NORTH-EASTERN.														
7	Nairn . .	8,380	15	15	19	8	7	9	11	14	8	16	15	7	144
8	Elgin (or Moray) .	44,678	76	98	91	81	61	75	66	58	60	53	65	79	863
9	Banff . . .	56,603	88	87	104	117	94	70	58	68	65	48	57	62	918
10	Aberdeen . .	224,579	413	385	464	370	394	352	328	261	283	239	368	443	4,300
11	Kincardine . .	34,844	64	38	46	54	44	48	45	46	32	43	51	52	563
	IV. EAST-MIDLAND.														
12	Forfar . . .	208,389	483	442	560	526	448	350	378	317	329	299	366	387	4,885
13	Perth . . .	132,677	250	207	275	249	216	181	197	181	169	163	172	221	2,481
14	Fife . . .	155,174	280	233	297	263	255	238	241	220	202	240	231	288	2,988
15	Kinross . . .	8,620	11	16	13	16	10	17	16	12	7	7	5	8	138
16	Clackmannan . .	19,943	50	40	28	29	28	49	35	41	28	25	22	42	417
	V. WEST-MIDLAND.														
17	Stirling . . .	88,679	191	170	168	145	176	164	165	119	140	140	169	190	1,937
18	Dumbarton . .	55,078	142	92	108	107	102	74	83	75	87	78	77	85	1,110
19	Argyll . . .	82,587	164	166	185	155	140	101	130	123	93	73	111	122	1,563
20	Bute . . .	16,295	26	25	44	34	29	27	41	27	18	24	25	37	357
	VI. SOUTH-WESTERN.														
21	Renfrew . . .	170,097	423	323	382	403	381	381	350	274	353	347	323	368	4,308
22	Ayr	200,199	477	435	422	419	403	346	325	237	289	283	282	343	4,261
23	Lanark . . .	653,855	1872	1384	1564	1470	1481	1355	1231	1111	1192	1324	1426	1588	16,998
	VII. SOUTH-EASTERN.														
24	Linlithgow . .	40,102	86	71	84	79	71	91	65	57	54	95	79	106	938
25	Edinburgh . .	275,918	723	610	638	590	559	506	516	404	467	579	603	769	6,964
26	Haddington . .	37,784	71	63	62	58	51	48	49	58	50	54	45	68	677
27	Berwick . . .	36,527	62	44	56	55	57	57	54	48	37	41	32	54	597
28	Peebles . . .	11,361	19	22	16	16	10	17	18	21	13	17	14	21	204
29	Selkirk . . .	10,487	19	13	19	15	19	13	12	10	8	12	19	13	172
	VIII. SOUTHERN.														
30	Roxburgh . . .	54,033	100	86	95	112	71	84	95	70	79	63	97	92	1,044
31	Dumfries . .	75,624	185	142	154	124	151	141	128	109	87	84	128	156	1,589
32	Kirkcudbright .	42,417	91	64	98	85	63	77	52	60	44	52	53	79	818
33	Wigtown . . .	41,935	83	73	92	84	86	65	72	61	42	48	56	76	838

CONSTITUTION OF THE COMPOUND DISTRICTS.

No.	District.	Component Parts (Parishes).
13	Birsay	Part of Harray & Birsay.
14	Deerness	Part of St Andrews.
15	Eday & Pharay	Part of Stronsay & Eday.
22	North Ronaldshay	Part of Cross & Burness.
26	Sanday	Lady, and part of Cross & Burness.
86*b*	Carloway	Parts of Lochs and Uig.
87	Lochs	Parts of Lochs and Uig.
112	Kilmuir	(1) Part of Kilmuir, (2) Rest of Kilmuir and part of Snizort.
135	Elgin	Elgin, and parts of New Spynie and St Andrews Lhanbryde.
147	Banff	(1) Burghal parts of Banff and Gamrie, (2) Rest of Banff.
152	Enzie	Parts of Bellie and Rathven.
167	Seafield	Parts of Cullen and Rathven.
222*b*	Millbrex	Parts of Fyvie and Monquhitter.
227*a*	New Machar	New Machar and part of Udny.
227*b*	New Pitsligo	Parts of Aberdour, New Deer, Strichen, and Tyrie.
237*b*	Savoch	Parts of Ellon, New Deer, Old Deer, and Tarves.
272	Arbroath	Arbroath, and part of St Vigeans. [Invergowrie, (3) Part of Liff, &c.
282	Dundee	(1) Part of Dundee, (2) Rem. of Dundee, and part of Liff, Benvie, and
312	Montrose	Montrose, and part of Dun.
324	Aberfeldy	Parts of Dull, Fortingall, Kenmore, Logierait, and Weem.
331	Balquhidder	Balquhidder, and part of Comrie.
333	Blackford	Blackford, and part of Ardoch.
344	Dowally	Part of Dunkeld & Dowally.
348	Dunblane	Dunblane, and part of Ardoch.
349	Dunkeld	Parts of Caputh and of Dunkeld & Dowally.
355*a*	Fortingall	Parts of Fortingall and Weem.
355*b*	Foss	Part of Dull.
360	Kenmore	Parts of Kenmore and Weem.
361	Killin	Parts of Kenmore, Killin, and Weem.
367	Kinloch-Rannoch	Parts of Fortingall and Logierait. [Redgorton.
375	Logiealmond	Parts of Fowlis-Wester, Little Dunkeld, Methven, Monzie, and
379	Meigle	Meigle, and part of Coupar-Angus.
386*a*	Muthill	Muthill, and part of Ardoch. [& Kinloch, and Rattray.
386*b*	Persie	Parts of Alyth, Bendochy, Blairgowrie, Caputh, Kirkmichael, Lethendy
387	Perth	Perth, and parts of Kinnoull, Scone, and Tibbermore.
394*b*	Strathfillan	Part of Killin.
394*c*	Tenandry	Parts of Blair-Athol, Dull, and Moulin.
423	Dunbog	Dunbog, and parts of Abdie and Flisk.
442	Kirkcaldy	Kirkcaldy, and parts of Abbotshall and Kinghorn.
490	Stirling	Stirling, and part of St Ninians.
493	Bonhill	Bonhill, and part of Dumbarton.
496	Dumbarton	Parts of Cardross and Dumbarton.
506	Ballachulish, &c.	Part of Kilmalie.
509	Cumlodden	Parts of Glassary and Inveraray.
515	Kilbrandon & Kilchattan	Kilbrandon & Kilchattan, and part of Jura.
526	Lochgilphead	Parts of Glassary and South Knapdale. [Knapdale.
535	Tarbert	Parts of Kilcalmonell & Kilberry, of Saddell & Skipness, and of South
536	Bowmore (or Killarrow)	Part of Killarrow & Kilmeny.
538	Iona	Part of Kilfinichen & Kilvickeon.
542	Kilfinichen & Kilvickeon	Parts of Kilfinichen & Kilvickeon, and of Torosay.
543	Kilmeny	Part of Killarrow & Kilmeny.
545	Kinlochspelvie	Part of Torosay.
546	Oa	Part of Kildalton.
547	Portnahaven	Part of Kilchoman.
548	Salen	Parts of Kilninian & Kilmore, and of Torosay.
549	Tobermory	Part of Kilninian & Kilmore.
556	Lochranza	Parts of Kilbride and of Kilmory.
557	North Bute	North Bute, and part of Rothesay.
559	Abbey	(1) Parts of Abbey and Renfrew, (2 & 3) Rest of Abbey.
578	Ayr	Ayr, and parts of Newton-upon-Ayr, and of St Quivox.
595	Irvine	Irvine, and part of Dundonald.
612	St Quivox, &c.	Parts of Newton-upon-Ayr, and St Quivox.
626*b*	Calderhead	Parts of Cambusnethan and Shotts.
644	Glasgow	City of Glasgow, including Gorbals and parts of Barony and Govan.
670	Queensferry	Queensferry, and part of Dalmeny.
684	Portobello	Parts of Duddingstone and South Leith.
685	Edinburgh	City of Edinburgh, including Canongate and parts of St Cuthberts, Duddingstone, Liberton, and South Leith.
690	Kirknewton & East Calder	Kirknewton & East Calder, and part of Kirkliston.
692	Leith	(1) Parts of Cramond, North Leith, and St Cuthberts, (2) Parts of North Leith, St Cuthberts, and South Leith.
787*b*	Edgerston	Parts of Jedburgh, Oxnam, and Southdean.
813*b*	Brydekirk	Parts of Annan, Cummertrees, and Hoddam.
853*b*	Wanlockhead	Part of Sanquhar.
857*b*	Bargrennan	Parts of Minnigaff (Kirkcudbright), and of Penninghame (Wigton).
862	Corsockbridge	Parts of Balmaclellan, Kirkpatrick-Durham, and Parton.
864	Dalbeattie	Part of Urr.
899	Stranraer	Stranraer, and parts of Inch and Leswalt.

INDEX TO THE DISTRICTS.

*The Figures refer to the Numbers of the Districts in the preceding Tables of Births, Deaths, and Marriages (pages 2 to 23), these being numbered consecutively from 1 to 901.**

Abbey, . 559
Abbey St Bathans, . 726
Abbotshall, 399
Abdie, . 400
Abercorn, . 661
Aberdalgie, 323
Aberdeen, . 168
Aberdour (Aberdeen), . 169
Aberdour (Fife), 401
Aberfeldy, . 324
Aberfoyle, . 325
Aberlady, . 702
Aberlemno, 269
Aberlour, . 145
Abernethy, 326
Abernethy and Kincardine, 124
Abernyte, . 327
Aboyne, . 170
Aharacle, . 505
Airdrie, . 651
Airlie, . 270
Airth, . 469
Alford, . 171
Alloa, . 465
Alness, . 57
Alva (Stirling), 470
Alvah (Banff), 146
Alves, . 125
Alvie, . 90
Alyth, . 328
Ancrum, . 780
Anderston, 644
Annan, . 812
Anstruther-Easter, . 402
Anstruther-Wester, . 403
Anwoth, . 855
Appin, . 525
Applecross, 58
Applegarth, 813*a*
Arbirlot, . 271
Arbroath, . 272
Arbuthnot, . 250
Ardchattan, 504
Ardclach, . 120
Ardersier, . 91
Ardnamurchan, 505
Ardrossan, 576
Arisaig, . 505
Arngask, . 404
Arrochar, . 492
Ashkirk, . 781
Assynt, . 44
Athelstaneford, 703
Auchbreck, 157
Auchindoir, 172
Auchinleck, 577
Auchterarder, 329
Auchterderran, 405
Auchtergaven, 330
Auchterhouse, 273
Auchterless, 173
Auchtermuchty, 406
Auchtertool, 407
Auldearn, . 121
Avoch, . 59
Avondale, . 621
Ayr, . . 578
Ayton, . 727
Baldernock, 471
Balfron, . 472
Ballachulish & Corran of Ardgour, 506
Ballantrae, 579
Ballingry, . 408
Balmaclellan, 856
Balmaghie, 857
Balmerino, 409
Balquhidder, 331
Banchory-Devenick, . 251
Banchory-Ternan, . 252
Banff, . 147
Bargrennan, 857*b*
Barony, . 622
Barr, . 580
Barra (Inverness), . 108
Barry (Forfar), 274
Barvas, . 86*a*
Bathgate, . 662
Beath (Fife), 410
Bedrule, . 782
Beith (Ayr), 581
Belhelvie, . 174
Bellie, . 126
Benbecula, . 118
Bendochy, . 332
Benholm, . 253
Bernera, . 111
Bervie (or Inverbervie), 254
Biggar, . 623
Birnie, . 127
Birsay, . 13
Birse, . 175
Blackford, . 333
Blair-Athol, 334
Blairgowrie, 335
Blantyre, . 624
Blythswood, 644
Boharm, . 128
Boisdale, . 118
Boleskine . 92
Bolton, . 704
Bonar, . 46
Bonhill, . 493
Borgue, . 858
Bo'ness, . 663
Borthwick, 674
Bothkennar, 473
Bothwell, . 625
Botriphnie, 148
Bourtie, . 176
Bowden, . 783
Bower, . 34
Bowmore (or Kilarrow), 536
Boyndie, . 149
Bracadale, 109
Brechin, . 275
Bressay, . 1
Bridgeton, . 644
Broughton, 758
Brydekirk, 813*b*
Buchanan, 474
Buittle, . 859
Bunkle and Preston, . 728
Burntisland, 411
Burra & Quarff, 1
Cabrach, . 177
Cadder, . 626
Cairney, . 178
Calderhead, 626
Callander, . 336
Calton, . 644
Cambuslang, 627
Cambusnethan, 628
Cameron, . 412
Campbeltown, 507
Campsie, . 475
Canisbay, . 35
Canonbie, . 814
Canongate, 685
Caputh, . 337
Cardross, . 494
Careston, . 277
Cargill, . 338
Carlaverock, 815
Carloway, . 86*b*
Carluke, . 629
Carmichael, 630
Carmunnock, 631
Carmylie, . 276
Carnbee, . 413
Carnock, . 414
Carnwath, . 632
Carriden, . 664
Carrington, 675
Carsphairn, 860
Carstairs, . 633
Castleton, . 784
Cathcart, . 560
Cavers, . 785
Cawdor, . 122
Ceres, . 415
Channelkirk, 729
Chapel-of-Garioch, . 179
Chirnside, . 730
Clackmannan, 466
Clatt, . 180
Cleish, . 460
Closeburn, 816
Clunie (Perth), 339
Cluny (Aberdeen), . 181
Clyde, . 644
Clyne, . 45
Cockburnspath, 731
Cockpen, . 676
Coigach, . 75
Coldingham, 732
Coldstream, 733
Colinton, . 677
Coll, . . 551
Collace, . 340
Collessie, . 416
Colmonell, . 582
Colonsay, . 539
Colvend, . 861
Comrie, . 341
Contin, . 60
Cookney, . 258
Corsock-Bridge, 862
Corstorphine, 678
Cortachy and Clova, . 278
Coull, . 182
Coupar-Angus, 279
Covington and Thankerton, 634
Coylton, . 583
Craig, . 280
Craigie, . 584
Craignish, . 508
Crail, . 417
Crailing, . 786
Cramond, . 679
Cranshaws, 734
Cranston, . 680
Crathie and Braemar, 183
Crawford, 635
Crawfordjohn, 636
Creich (Sutherland), . 46
Crichton, . 681
Criech (Fife), 418
Crieff, . . 342
Crimond, . 184
Cromarty, . 61
Cromdale and Inverallan, 93
Crossmichael, 863
Croy & Dalcross, 94
Cruden, . 185
Cullen, . 150
Culross, . 343
Culsalmond, 186
Culter, . 637
Cults, . 419
Cumbernauld, 495
Cumbraes, 552
Cumlodden, 509
Cummertrees, 817
Cupar, . . 420
Currie, . 682
Dailly, . . 585
Dairsie, . 421
Dalavich, . 517
Dalbeattie, . 864
Dalgetty, . 422
Dalkeith, . 683
Dallas, . 129
Dalmellington, 586
Dalmeny, . 665
Dalry (Ayr), 587
Dalry (Kirkcudbright), 865
Dalrymple, 588
Dalserf, . 638
Dalton, . 818
Dalziel, . 639
Daviot, . 187
Daviot & Dunlichty, . 95
Deerness, . . 14
Delting, . 2
Denny, . 476
Deskford, . 151
Dingwall, . 62
Dirleton, . 705
Dollar, . 467
Dolphington, 640
Dores, . 96
Dornoch (Sutherland), . 47
Dornock (Dumfries), . 819
Douglas, . 641
Dowally, . 344
Drainie, . 130
Dreghorn, . 589
Dron, . 345
Drumblade, 188
Drumelzier, 759
Drumoak, . 189
Dryfesdale, 820
Drymen, . 477
Duddingston, 684
Duffus, . 131
Duirinish, . 110
Dull, . . 346
Dumbarton, 496
Dumfries, . 821
Dun, . . 281
Dunbar, . 706
Dunbarney, 347
Dunblane, . 348
Dunbog, . 423
Dundee, . 282
Dundonald, 590
Dunfermline, 424
Dunino, . 425
Dunipace, . 478
Dunkeld, . 349
Dunlop, . 591
Dunnet, . 36
Dunnichen, 283
Dunning, . 350
Dunnottar, 255
Dunoon & Kilmun, . 510
Dunrossness, 3
Dunscore, . 822
Dunse, . 735
Dunsyre, . 642
Durness, . 48
Duror, . 525
Durris, . 256
Durrisdeer, 823
Duthil, . 132
Dyce, . . 190
Dyke, . . 133
Dysart, . 426
Eaglesham, 561
Earlsferry, 436
Earlston, . 734
Eassie & Nevay, 286

* The actual number of Districts is 1011—many Parishes and Burghs having been divided into two or more Districts for the purposes of Registration. Thus Edinburgh and Glasgow, to each of which only a single number is assigned in the Tables, consist of 5 and 10 Districts respectively. In forming the alphabetical arrangement, the principle adopted has been to place *compound* names in the order in which they are pronounced.

East Kilbride, 643
Eastwood, . 562
Eccles, . 737
Ecclesmachen, 666
Echt, . 191
Eckford, . 787*a*
Eday & Pharay, 15
Edderton, . 63
Eddlestone, 760
Eddrachillis, 49
Edgerston, 787*b*
Edinburgh, 685
Edinkillie, . 134
Ednam, . 788
Edrom, . 738
Edzell, . 285
Elgin, . . 135
Elie, . . 427
Ellon, . . 192
Enzie, . . 152
Errol, . . 351
Erskine, . 563
Eskdalemuir, 824
Ettrick, . 774
Evie & Rendall, 16
Ewes, . 825
Eyemouth, 739

Fair Isle, . 3
Fala & Soutra, 686
Falkirk, . 479
Falkland, . 428
Farnell, . 286
Farr, . 50
Fearn (Forfar), 287
Fearn (Ross), 64
Fenwick, . 592
Ferry-Port-on-Craig, . 429
Fetlar, . 4
Fettercairn, 257
Fetteresso, . 258
Findo-Gask, 352
Fintray (Aberdeen), . 193
Fintry (Stirling), 480
Firth & Stennes, 17
Flisk, . 430
Flotta, . 32
Fodderty, . 65
Fogo, . 740
Fordoun, . 259
Fordyce, . 153
Forfar, . 288
Forgan, . 431
Forgandenny, 353
Forglen, . 154
Forgue, . 194
Forres, . 137
Fort-Augustus (or Abertarff), 92
Forteviot, . 354
Fortingall, . 355*a*
Fortrose, . 80
Foss, . . 355*b*
Fossoway and Tulliebole, 461
Foula, . 12
Foulden, . 741
Foveran, . 195
Fowlis-Easter, 356
Fowlis-Wester, 357
Fraserburgh, 196
Fyvie, . 197

Gairloch, . 66
Galashiels, . 775
Galston, . 593
Gamrie, . 155
Gargunnock, 481
Gartly, . 198
Garvald, . 707
Garvock, . 260
Gigha, . 537
Girthon, . 866
Girvan, . 594
Gladsmuir, 708
Glammis, . 289
Glasgow, . 644
Glass, . 199
Glassary, . 511
Glasserton, 885
Glassford, . 645
Glenbervie, 261
Glenbucket, 200
Glencairn, . 826
Glencoe and Ballachulish, 525
Glencross, . 687
Glendevon, 358
Glenelg, . 97
Glengarry, 99
Glenholm, . 761
Glenisla, . 290
Glenmoriston, 107
Glenmuick, Tullich, &c. 201
Glenorchy and Inishail, . 512
Glenshee, . 370
Glenshiel, . 67
Golspie, . 51
Gordon, . 742
Gourock, . 567
Govan, . 646
Graitney (or Gretna), . 827
Grange, . 156
Greenlaw, . 743
Greenock, . 564
Guthrie, . 291

Haddington, 709
Halfmorton, 828
Halkirk, . 37
Hamilton, . 647
Harray, . 18
Harris, . 111
Hawick, . 789
Heriot, . 688
Hobkirk, . 790
Hoddam, . 829
Holm & Paplay, 19
Holytown, . 625
Holywood, . 830
Houston and Killellan, 565
Howmore, . 118
Hownam, . 791
Hoy & Græmsay, 20
Humbie, . 710
Hume, . 744
Huntly, . 202
Hutchesontown, 644
Hutton (Berwick), . 745
Hutton (Dumfries), . 831

Inch (Wigtown), 886
Inchinnan, . 566
Inchture, . 359
Innerkip, . 567
Innerleithen, 762
Innerwick, . 711
Insch (Aberd'n), 203
Inverallan, . 93
Inveraray, . 513
Inverarity, . 292
Inveravon, . 157
Inverchaolain, 514
Inveresk, . 689
Inverkeillor, 293
Inverkeithing, 432
Inverkeithny, 158
Inverness, . 98
Inverury, . 204
Iona, . 538
Irongray, . 867
Irvine, . 595

Jedburgh, . 792
Johnstone (Dumfries), 832
Johnstone (Renfrew), . 559
Jura, . 539

Keig, . 205
Keir, . 833
Keith, . 159
Keith-hall, 206
Kells, . 868
Kelso, . 793
Kelton, . 869
Kemback, . 433
Kemnay, . 207
Kenmore, . 360
Kennoway, 434
Kettins, . 294
Kettle, . 435
Kilbarchan, 568
Kilberry, . 516
Kilbirnie, . 596
Kilbrandon and Kilchattan, 515
Kilbride, . 553
Kilbucho, . 763
Kilcalmonell, 516
Kilchoman, 540
Kilchrenan, 517
Kilconquhar, 436
Kildalton, . 541
Kildonan, . 52
Kildrummy, 208
Kilfinan, . 518
Kilfinichen and Kilvickeon, 542
Killean and Kilchenzie, 519
Killearn, . 482
Killearnan, 68
Killin, . 361
Kilmadock, 362
Kilmalcolm, 569
Kilmallie, . 520
Kilmany (Fife), 437
Kilmarnock, 597
Kilmaronock, 497
Kilmartin, 521
Kilmaurs, . 598
Kilmelford, 524
Kilmeny (Argyll), . 543
Kilmodan, . 522
Kilmonivaig, 99
Kilmorack, 100
Kilmore & Kilbride, . 523
Kilmorich, . 527
Kilmory, . 554
Kilmuir, . 112
Kilmuir-Easter, 69
Kilmun, . 509
Kilninian and Kilmore, 544
Kilninver, . 524
Kilrenny, . 438
Kilspindie, 363
Kilsyth, . 483
Kiltarlity, . 101
Kiltearn, . 70
Kilwinning, 599
Kincardine (Perth), . 364
Kincardine (Ross), . 71
Kincardine O'Neil, . 209
Kinclaven, . 365
Kinfauns, . 366
Kingarth, . 555
King-Edward, 210
Kinghorn, . 439
Kinglassie, . 440
Kingoldrum, 295
Kingsbarns, 441
Kingussie and Insh, . 102
Kinlochbervie, 49
Kinloch-Rannoch, . 367
Kinlochspelvie, 545
Kinloss, . 138
Kinnaird, . 368
Kinneff and Catterline, 262
Kinnell, . 296
Kinnellar, . 211
Kinnethmont, 212
Kinnettles, 297
Kinnoull, . 369
Kinross, . 462
Kintail, . 72
Kintore, . 213
Kippen, . 484
Kirkbean, . 870
Kirkcaldy, . 442
Kirkcolm, . 887
Kirkconnel, 834
Kirkcowan, 888
Kirkcudbright, 871
Kirkden, . 298
Kirkgunzeon, 872
Kirkhill, . 103
Kirkhope, . 776
Kirkinner, . 889
Kirkintilloch, 498
Kirkliston, 667
Kirkmabreck, 873
Kirkmahoe, 835
Kirkmaiden, 890
Kirkmichael (Ayr), . 600
Kirkmichael (Banff), . 160
Kirkmichael (Dumfries), 836
Kirkmichael (Perth), . 370
Kirknewton and East-Calder, 690
Kirkoswald, 601
Kirkpatrick-Durham, 874
Kirkpatrick-Fleming, 837
Kirkpatrick-Juxta, . 838
Kirkton (Assynt), . 44
Kirkton (Farr), 50
Kirktown (Roxburgh), . 794
Kirkurd, . 764
Kirkwall & St Ola 21
Kirriemuir, 299
Knockando, 139
Knockbain, 73
Knoydart, . 97

Ladhope, . 799
Ladykirk, . 746
Laggan, . 104
Lairg, . 53
Lanark, . 648
Langholm, . 839
Langton, . 747
Larbert, . 485
Largo, . 443
Largs, . 602
Larkhall, . 638
Lasswade, . 691
Latheron, . 38
Lauder, . 748
Laurencekirk, 263
Leadhills, . 635
Lecropt, . 371
Legerwood, 749
Leith, . . 692
Leochel-Cushnie, . 214
Lerwick, . 5
Leslie (Aberdeen), . 215
Leslie (Fife), 444
Lesmahagow, 649
Leswalt, . 891
Lethendy and Kinloch, 372
Lethnott and Navar, . 300
Leuchars, . 445
Libberton (Lanark), . 650
Liberton (Edinburgh), . 693
Liff, Benvie, & Invergowrie, 301
Lilliesleaf, . 795
Linlithgow, 668
Linton, . 796
Lintrathen, 302
Lismore, . 525
Little Dunkeld, 373
Livingstone, 669
Lochaber, . 99
Lochalsh, . 74
Lochbroom, 75
Lochcarron, 76
Lochgilphead, 526
Lochgoilhead, 527
Lochlee, . 303
Lochmaben, 840
Lochranza, 556
Lochrutton, 875
Lochs, . 87
Lochwinnoch, 570
Logie (Fife), 446
Logie (Perth), 374
Logiealmond, 375
Logie-Buchan, 216
Logie-Coldstone, . 217
Logie-Easter, 77
Logie-Pert, 304
Logierait, . 376
Longforgan, 377
Longformacus, 750
Longside, . 218
Lonmay, . 219
Loth, . 54
Loudoun, . 603
Lumphanan, 220
Lunan, . 305
Lundie, . 306
Lunnasting, 7
Luss, . 499
Lyne, . 765

Madderty, . 770
Mains, . 833

Makerston, 797
Manor, . 766
Markinch, . 447
Marnoch, . 161
Maryculter, 264
Maryhill, . 622
Marykirk, . 265
Marytown, 308
Mauchline, 604
Maxton, . 798
Maybole, . 605
Mearns, . 571
Meggat, . 765
Meigle, . 379
Melrose, . 799
Menmuir, . 309
Merton, . 751
Methlic, . 221
Methven, . 380
Mid-Calder, 694
Middlebie, . 841
Midmar, . 222
Mid & S. Yell, 6
Millbrex, . 222b
Milton, . 644
Minnigaff, 876
Minto, . 800
Mochrum, . 892
Moffat, . 842
Moneydie, . 381
Monifieth, . 310
Monikie, . 311
Monimail, . 448
Monkton and Prestwick, 606
Monquhitter, 223
Montrose, 312
Monymusk, 224
Monzie (Perth), 382
Monzievaird, 383
Moonzie (Fife), 449
Mordington, 752
Morebattle, 801
Morham, . 712
Mortlach, . 162
Morton, . 843
Morvern, . 528
Moulin, . 384
Mousewald, 844
Moy and Dalarossie, . 105
Muckairn, . 529
Muckhart, . 385
Muiravonside, 486
Muirkirk, . 607
Murroes, . 313
Musselburgh, 689
Muthill, . 386

Nairn, . 123
Neilston, . 572
Nenthorn, . 753
Nesting, . 7
New Abbey, 877
Newbattle, . 695
Newburgh, 450
Newburn, . 451
New Cumnock, 608
New Deer, 225
New Galloway, 868
New, or East, Kilpatrick, 500
Newhills, . 226
Newington, 685
Newlands, . 767
New Ardrossan, 576
New Luce, . 893
New Machar, 227a
New Monkland, 651
New Pitsligo, 227b
New Spynie, 136
Newton, . 696
Newtyle, . 314
Nigg (Kincardine), . 266
Nigg (Ross), 78
North Berwick, 713
North Bute, 557
North Knapdale, . 530
North Leith, 692
Northmavine, 8
North Morar, 97
North Ronaldshay, . 22
North Uist, 113
North Yell, 4

Oa, . . 546
Oathlaw, . 315
Oban, . 523
Ochiltree, . 609
Old Ardrossan, 576
Old Cumnock, 610
Old Deer, . 228
Oldhamstocks, 714
Old, or West, Kilpatrick, 501
Old Luce (or Glenluce), 894
Old Machar, 168
Old Meldrum, 229
Old Monkland, 652
Olrig, . 39
Ordiquhill, 163
Ormiston, . 715
Orphir, . 23
Orwell, . 463
Oxnam, . 802
Oyne, . 230

Paisley, . 573
Panbride, . 316
Papa-Stour, 12
Papa-Westray, 33
Partick, . 646
Parton, . 878
Peebles, . 768
Pencaitland, 716
Penicuik, . 697
Penninghame, 895
Penpont, . 845
Persie, . 386b
Perth, . 387
Peterculter, 231
Peterhead, 232
Pettinain, . 653
Petty, . 106
Pitsligo, . 233
Pittenweem, 452
Polmont, . 487
Polwarth, . 754
Port-Glasgow, 574
Portlethen, 251
Port of Menteith, . 388
Portmoak, 464
Portnahaven, 547
Portobello, 684
Portpatrick, 896
Portree, . 114
Premnay, . 234
Prestonkirk, 717
Prestonpans, 718

Queensferry, 670

Rafford, . 140
Ranay, . 114
Rathen, . 235
Ratho, . 698
Rathven, . 164
Rattray, . 389
Rayne, . 236
Reay, . 40
Redgorton, 390
Renfrew, . 575
Rerrick, . 879
Rescobie, . 317
Resolis, . 79
Rhynd, . 391
Rhynie, . 237
Riccarton, . 611
Roberton, . 777
Rogart, . 55
Rosehall, . 46
Rosemarkie, 80
Roseneath, 502
Rosskeen, . 81
Rothes, . 141
Rothesay, . 558
Rothiemay, 165
Rothiemurchus, 132
Rousay and Egilsay, . 24
Row, . . 503
Roxburgh, 803
Rutherglen, 654
Ruthven, . 318
Ruthwell, . 846

Saddell, . 531
St Andrew (Edinburgh), 685
St Andrews (Orkney), 25
St Andrews-Lhanbryde, 142
St Andrews and St Leonards (Fife), . 453
St Boswells, 804
St Cyrus, . 267
St Fergus, 166
St George, 685
St Giles, . 685
St Kilda, . 111
St Madoes, 392
St Martins, 393
St Michaels, 668
St Monance (or Abercrombie), 454
St Mungo, . 847
St Nicholas, 168
St Ninians, 488
St Quivox and Newton-upon-Ayr, . 612
St Vigeans, 319
Salen (Argyll), 548
Saline (Fife), 455
Salton, . 719
Sanday, . 26
Sandness, . 12
Sandsting and Aithsting, 9
Sandwick, . 27
Sandwick & Cuningsburgh, 3
Sanquhar, . 848
Savoch, . 237b
Scone, . 394a
Scoonie, . 456
Scourie, . 49
Seafield, . 167
Selkirk, . 778
Shapinshay, 28
Shettleston, 622
Shieldaig, . 58
Shotts, . 655
Skene, . 238
Skipness, . 531
Skirling, . 769
Slains, . 239
Slamannan, 489
Sleat, . 115
Smailholm, 805
Small Isles, 116
Snizort, . 117
Sorbie, . 897
Sorn, . 613
Southdean, 806
Southend, . 532
South Knapdale, 533
South Leith, 692
South Ronaldshay & Burray, . 29
South Uist, 118
Speymouth, 143
Spott, . 720
Springburn, 622
Sprouston, 807
Stair, . 614
Stenscholl, 112
Stenton, . 721
Stevenston, 615
Stewarton, 616
Stirling, . 490
Stitchel, . 808
Stobo, . 770
Stoer, . 44
Stonehouse, 656
Stoneykirk, 898
Stornoway, 88
Stow, . 699
Stracathro, 320
Strachan, . 268
Strachur, . 534
Straiton, . 617
Stralachlan, 534
Stranraer, . 899
Strath, . 119
Strathblane, 491
Strathdon, 240
Strathfillan, 394b
Strathmartine, 307
Strathmiglo, 457
Strathy, . 50
Strichen, . 241
Stromness, . 30
Stronsay, . 31
Sunart (or Strontian), 505
Swinton, . 755
Symington (Ayr), . 618
Symington (Lanark), 657

Tain, . 82
Tannadice, 321
Tarbat, . 83
Tarbert, . 535
Tarbolton, 619
Tarland, . 242
Tarves, . 243
Tealing, . 322
Temple, . 700
Tenandry, 394c
Terregles, . 880
Teviothead, 809
Thurso, . 41
Tibbermore, 395
Tillicoultry, 468
Tingwall, . 10
Tinwald, . 849
Tobermory, 549
Tomintoul, 160
Tongland, . 881
Tongue, . 56
Torosay, . 550
Torphichen, 671
Torryburn, 458
Torthorwald, 850
Tough, . 244
Towie, . 245
Tradeston, 644
Tranent, . 722
Traquair, . 771
Trinity-Gask, 396
Troqueer, . 882
Tullialian, . 397
Tullynessle and Forbes, . 246
Tundergarth, 851
Turriff, . 247
Tweedsmuir, 772
Twynholm, 883
Tynron, . 852
Tyree, . 551
Tyrie, . 248

Udny, . 249
Uig, . . 89
Unst, . . 11
Uphall, . 672
Urquhart (Elgin), . 144
Urquhart (Inverness), . 107
Urquhart and Logie-Wester, 84
Urr, . . 884
Urray, . 85

Walls (Shetland), 12
Walls (Orkney), 32
Walston, . 658
Wamphray, 853a
Wandell and Lamington, 659
Wanlockhead, 853b
Watten, . 42
Weem, . 398
Wemyss, . 459
West Calder, 701
Westerkirk, 854
West Kilbride, 620
West Linton, 773
Westray, . 33
Westruther, 756
Whalsay and Skerries, 7
Whitburn, 673
Whitekirk and Tynninghame, 723
Whiteness and Weesdale, 10
Whithorn, 900
Whitsome, 757
Whittinghame, 724
Wick, . 43
Wigtown, . 901
Wilton, . 810
Wiston and Roberton, . 660
Yarrow, . 779
Yester (or Gifford), . 725
Yetholm, . 811